| | |
|---|---|
| **Status** | Finished |
| **Started** | Thursday, 1 October 2026, 3:57 PM |
| **Completed** | Thursday, 1 October 2026, 4:05 PM |
| **Duration** | 7 mins 59 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = dict{ }

b. d1 = { } ✓

c. d1 = [ ]

d. d1 = 

Question **2**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. delete( )

b. pop( )

c. del

d. clear( ) ✓

Question **3**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.len()

b. d.size()

c. size(d)

d. len(d) ✓

Question **4**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Dictionary is a _____ data type.

a. Sequence
b. Mapping ✓
c. None of the mentioned
d. Ordered

Question **6**

Correct

Mark 1.00 out of 1.00

Suppose d = {“john”:40, “peter”:45}, to delete the entry for “john” what command do we use?

a. d.delete(“john”)
b. del d(“john”:40)
c. del d[“john”] ✓
d. d.delete(“john”:40)

Question **7**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

a. Semicolon(;)
b. dot(.)
c. Comma( ,) ✓
d. Colon (

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dictionary
b. convert
c. create
d. dict ✓

Question **9**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by _____.

a. Comma( ,)
b. dot(.)
c. Colon ( : ) ✓
d. Semicolon(;)

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. delete
b. remove
c. None of the mentioned
d. pop ✓

Question **11**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. values
b. get ✓
c. update
d. del

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is feature of Dictionary?

a. Keys must be of an immutable data type.
b. Keys are unique within a dictionary.
c. All of the mentioned ✓
d. Dictionary is mutable.

Question **13**

Correct

Mark 1.00 out of 1.00

We can repeat the values of Key in Dictionary?

a. False
b. True ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair
b. A dictionary can have two same keys with different values.
c. A python, a dictionary can neither have two same keys nor two same values.
d. A dictionary can have two same values with different keys. ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Only values (without keys) can be printed in dictionary?

a. True ✓

b. False