

Understanding Confidence Intervals and Bootstrap

Stat 120

April 15 2022

Confidence Interval Recap

A **confidence interval** for a parameter is an interval computed from sample data by a method that will capture the parameter for a specified proportion of all samples.


$$CI = PE \pm ME$$

95 % CI

$$statistic \pm 2 \times SE$$

Conceptual Understanding: Repeated Sampling

- The success rate (proportion of all samples whose intervals contain the parameter) is known as the **confidence level**
- A 95% confidence interval will contain the true **parameter** for 95% of all samples



Repeated Sampling of 100 95% Confidence Intervals,
Truth = Vertical Line

Example 1

A survey of **1,502** Americans in January 2012 found that **86%** consider the economy a “top priority” for the president and congress. The standard error for this statistic is **0.01**.

What is the **95% confidence interval** for the true proportion of all Americans that considered the economy a “top priority” at that time?

(1). (0.85, 0.87)

(2). (0.84, 0.88)

(3). (0.82, 0.90)

► Click for answer

Confidence Interval Interpretation

Which of the following is an appropriate **interpretation** for a 95% confidence interval:

- A. “we are 95% sure the interval contains the parameter”
- B. “there is a 95% chance the interval contains the parameter”
- C. Both A and B
- D. Neither A nor B

► Click for answer

Common Misinterpretations

- **Misinterpretation 1:** "A 95% confidence interval contains 95% of the data in the population"
- **Misinterpretation 2:** "I am 95% sure that the mean of a sample will fall within a 95% confidence interval for the mean"
- **Misinterpretation 3:** "The probability that the population parameter is in this particular 95% confidence interval is 0.95"

I am 95% sure that the mean of a population will fall within a 95% confidence interval for the mean

Example 2

A 98% confidence interval for mean pulse rate is 65 to 71. The interpretation “I am 98% sure that all students will have pulse rates between 65 and 71.” is

- A. Correct
- B. Incorrect

► Click for answer

Example 3

A 98% confidence interval for mean pulse rate is 65 to 71. The interpretation “I am 98% sure that the mean pulse rate for this sample of students will fall between 65 and 71” is

A. Correct

B. Incorrect

► Click for answer

Example 4

A 98% confidence interval for mean pulse rate is 65 to 71. The interpretation “I am 98% sure that the mean pulse rate for the population of all students will fall between 65 and 71” is

- A. Correct
- B. Incorrect

► Click for answer


Level of Confidence

Which is wider? a 99% confidence interval or a 95% confidence interval?

(a) 95% CI

(b) 99% CI

► Click for answer



A nice infographic review

Sampling Distribution Vs Bootstrap Distribution

Sampling Distribution of a statistic

- Take **many samples** from the population, compute the statistic for each sample
- **Shape:** bell-shaped when n is large
- **Center:** population parameter
- **Spread:** called the SE of the statistic


Bootstrap Distribution of a statistic

- Take **many bootstrap samples** from the original sample, compute the statistic for each bootstrap sample
- **Shape:** bell-shaped when n is large
- **Center:** original sample statistic!
- **Spread:** called the bootstrap SE of the statistic

The **standard errors** from both approaches should be similar!!

Percentile Method Bootstrap

If the bootstrap distribution is approximately symmetric, a $P\%$ confidence interval equals the percentiles in the bootstrap distribution so that the proportion of bootstrap statistics between the percentiles equal $P\%$.




Percentiles of a bootstrap distribution

The Magic of Bootstrapping

- We can use bootstrapping to approximate the SE for **many types** of sample statistic!
 - Mean, proportion, differences, correlation, slope
 - Standard deviation, *median*
- What should the bootstrap distribution **look** like?
 - “smooth” (i.e. not a lot of spikey-ness)
 - If using $95\%ME = 2SE$, should be symmetric and bell-shaped.

Mercury and pH in Lakes

For Florida lakes, what is the correlation between average mercury level (ppm) in fish taken from a lake and acidity (pH) of the lake?



Mercury levels vs. pH




A lake in Florida

$$r = -0.575$$

Give a 90% CI for ρ ?

Mercury and pH in Lakes (Link to [Statkey](#))



Bootstrapping correlation parameter.

We are 90% confident that the true correlation between average mercury level and pH of Florida lakes is between -0.702 and -0.433.

Bootstrap Caution!

- These methods for creating a confidence interval only work if the bootstrap distribution is smooth and symmetric
- **ALWAYS** look at a plot of the bootstrap distribution!
- If the bootstrap distribution is highly skewed or looks “spiky” with gaps, you will need to go beyond intro stat to create a confidence interval

Your Turn 1

05:00



Skim through the remaining portion of in class activity and we will discuss this together!