

In [1]:

```
##### Import ALL common Library and Setting up folder
import os
import time
import sys
from datetime import datetime

# Data science common library
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import warnings
warnings.filterwarnings('ignore')
import random
import csv
import sqlite3

# Common folder for all raw data
Path_Raw_Data=r'C:\Users\HP\Desktop\Data Scientist\DB_Sample_Data\\'

#update the folder name
Path=r'C:\Users\HP\Desktop\Data Scientist\fuzzywuzzy\Python'
Path_Data=Path+'\\Data\\'

# Changing path to current folder
os.chdir(Path)

# Setting sqlite3 DB
db_sqlite3=sqlite3.connect(Path_Data+'Python.db')

print(datetime.now())
```

2022-09-20 00:13:46.017352

In [2]:

```
##### Data Loading
print(datetime.now())
'''
df_sales = pd.read_csv(Path_Data+'sales.csv',delimiter=',',quotechar='\"'
                        #,dtype={'Store':str}
                        ,encoding='ISO-8859-1',low_memory=False
                        )
# write DFto DB as table
df_sales.to_sql('df_sales',db_sqlite3,if_exists='replace')
'''

# reading from xls file
xls=pd.ExcelFile(Path_Data+'DB_TXN_List.xlsx')

DB_TXN_List=pd.read_excel(xls,'Data',dtype={'Marchant_name':str})
# write DFto DB as table
DB_TXN_List.to_sql('DB_TXN_List',db_sqlite3,if_exists='replace')

# reading from xls file
xls=pd.ExcelFile(Path_Data+'Merchant_List.xlsx')

Merchant_List=pd.read_excel(xls,'Data',dtype={'Marchant_name':str})
# write DFto DB as table
Merchant_List.to_sql('Merchant_List',db_sqlite3,if_exists='replace')

print(datetime.now())
```

2022-09-20 00:13:47.655537

2022-09-20 00:13:49.177383

In [3]:

```
print(DB_TXN_List)
print("\n")
print(Merchant_List)
```

	Marchant_name	AMT	CT
0	Noon	200.0	5
1	Noon db	34.0	1
2	Noon Abu	34.0	1
3	Noon Food	345.0	34
4	Nood gro	34.0	1
5	Amazon	123.1	16
6	Amazon db	121.0	18
7	Amazon Abu	118.9	21
8	Amazon Food	116.8	23
9	Amazon gro	114.7	26
10	Lulu	112.6	28
11	Lulu db	110.5	31
12	Lulu Abu	108.4	33
13	Lulu Food	106.3	36
14	Lulu gro	104.2	38
15	KML	102.1	41
16	KML db	100.0	43
17	KML Abu	97.9	46
18	KML Food	95.8	48
19	KML gro	93.7	51
20	DFGKJ	91.6	53
21	DFGKJ db	89.5	56
22	DFGKJ Abu	87.4	58
23	DFGKJ Food	85.3	61
24	DFGKJ gro	83.2	63
25	DFdghq23	81.1	66
26	DFdghq23 db	79.0	68
27	DFdghq23 Abu	76.9	71
28	DFdghq23 Food	74.8	73
29	DFdghq23 gro	72.7	76

	Marchant_name
0	Noon
1	Amazon
2	Lulu
3	KML
4	DFGKJ
5	DFdghq23

In [4]:

```
#pip install fuzzywuzzy
#pip install python-Levenshtein
from fuzzywuzzy import fuzz
from fuzzywuzzy import process
```

In [5]:

```
s1 = "mariners vs angels"  
s2 = "los angeles angels of anaheim at seattle mariners"  
print(fuzz.ratio(s1,s2))  
print(fuzz.partial_ratio(s1,s2))  
print(fuzz.token_sort_ratio(s1,s2))  
print(fuzz.WRatio(s1,s2))  
print(fuzz.token_set_ratio(s1,s2))
```

24
62
51
86
91

In [7]:

```
#ML_MName=Merchant_List
ML_MName=Merchant_List.iloc[:,0]
print(ML_MName)

DB_MName =DB_TXN_List.iloc[:,0]
print(DB_MName)
```

```
0      Noon
1      Amazon
2      Lulu
3      KML
4      DFGKJ
5      DFdghq23
Name: Marchant_name, dtype: object
0      Noon
1      Noon db
2      Noon Abu
3      Noon Food
4      Nood gro
5      Amazon
6      Amazon db
7      Amazon Abu
8      Amazon Food
9      Amazon gro
10     Lulu
11     Lulu db
12     Lulu Abu
13     Lulu Food
14     Lulu gro
15     KML
16     KML db
17     KML Abu
18     KML Food
19     KML gro
20     DFGKJ
21     DFGKJ db
22     DFGKJ Abu
23     DFGKJ Food
24     DFGKJ gro
25     DFdghq23
26     DFdghq23 db
27     DFdghq23 Abu
28     DFdghq23 Food
29     DFdghq23 gro
Name: Marchant_name, dtype: object
```

In [8]:

```
print(len(ML_MName),len(DB_MName))
```

6 30

In [9]:

```

Temp_ML_MName=[]
Temp_DB_MName=[]
Temp_ratio=[]
for a in range(len(ML_MName)):
    for b in range(len(DB_MName)):
        if(fuzz.token_set_ratio(ML_MName[a],DB_MName[b])>=90):
            #print(fuzz.token_set_ratio(ML_MName[a],DB_MName[b]))
            #print(DB_MName[b])
            Temp_ML_MName.append(ML_MName[a])
            Temp_DB_MName.append(DB_MName[b])
            Temp_ratio.append(fuzz.token_set_ratio(ML_MName[a],DB_MName[b]))

print(Temp_ML_MName)
print(Temp_DB_MName)
print(Temp_ratio)

```

```

['Noon', 'Noon', 'Noon', 'Noon', 'Amazon', 'Amazon', 'Amazon', 'Amazon',
'Amazon', 'Lulu', 'Lulu', 'Lulu', 'Lulu', 'Lulu', 'KML', 'KML', 'KML', 'KM
L', 'KML', 'DFGKJ', 'DFGKJ', 'DFGKJ', 'DFGKJ', 'DFGKJ', 'DFdghq23', 'DFdgh
q23', 'DFdghq23', 'DFdghq23', 'DFdghq23']
['Noon', 'Noon db', 'Noon Abu', 'Noon Food', 'Amazon', 'Amazon db', 'Amazo
n Abu', 'Amazon Food', 'Amazon gro', 'Lulu', 'Lulu db', 'Lulu Abu', 'Lulu
Food', 'Lulu gro', 'KML', 'KML db', 'KML Abu', 'KML Food', 'KML gro', 'DFG
KJ', 'DFGKJ db', 'DFGKJ Abu', 'DFGKJ Food', 'DFGKJ gro', 'DFdghq23', 'DFdg
hq23 db', 'DFdghq23 Abu', 'DFdghq23 Food', 'DFdghq23 gro']
[100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 10
0, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100]

```

In [10]:

```
df = pd.DataFrame(
    {'Marchant_name': Temp_ML_MName,
     'Marchant_name_DB': Temp_DB_MName,
     'Match_Ratio': Temp_ratio
    })
df
```

Out[10]:

	Marchant_name	Marchant_name_DB	Match_Ratio
0	Noon	Noon	100
1	Noon	Noon db	100
2	Noon	Noon Abu	100
3	Noon	Noon Food	100
4	Amazon	Amazon	100
5	Amazon	Amazon db	100
6	Amazon	Amazon Abu	100
7	Amazon	Amazon Food	100
8	Amazon	Amazon gro	100
9	Lulu	Lulu	100
10	Lulu	Lulu db	100
11	Lulu	Lulu Abu	100
12	Lulu	Lulu Food	100
13	Lulu	Lulu gro	100
14	KML	KML	100
15	KML	KML db	100
16	KML	KML Abu	100
17	KML	KML Food	100
18	KML	KML gro	100
19	DFGKJ	DFGKJ	100
20	DFGKJ	DFGKJ db	100
21	DFGKJ	DFGKJ Abu	100
22	DFGKJ	DFGKJ Food	100
23	DFGKJ	DFGKJ gro	100
24	DFdghq23	DFdghq23	100
25	DFdghq23	DFdghq23 db	100
26	DFdghq23	DFdghq23 Abu	100
27	DFdghq23	DFdghq23 Food	100
28	DFdghq23	DFdghq23 gro	100

In [12]:

```
df.to_csv("Final.csv",index = True,quotechar='\"',  
          ,quoting=csv.QUOTE_ALL)
```