PRICE LIST PL-41
2023-2024

CDH

CDH

@ a glance...

- Rich experience of 4 decades
- Highly qualified and experienced team
- Professional management
- ISO 9001:2015
- ISO 14001:2015
- ISO 45001:2018
- ISO 13485:2016
- WHO GMP CERTIFIED
- CE CERTIFIED

Driving Your
Innovation
with our chemistry

Corporate Profile

We thank you all for your kind patronage and support which makes us more stronger every year to serve you with best of our capabilities.

Idea Innovation and Invention are the part of our company policy and this year has come with the several consolidation of all. We are pleased to inform you that CDH introduces new products every year with the growing demand to meet your requirements and be a part of your research always.

Now CDH has expanded the production capacity by setting second state-of-the-art manufacturing facility at Dahej–Gujarat which competes with all the International Industrial hubs across the Asia. The area is spread over 35000 sqm nearly 8.6 acres of land in compliance to GMP with ultra modern infrastructure. We would utilize the 7000 litre state-of-the-art for high purity solvents with the storage capacity of 300000 litre of solvents.

Every year we add on Super Stockist / Distributors / Stockist to ensure availability at your door step. Marketing, administration and operation is our main power to serve our valued customers over the years with the efficient management of the company.

Team - CDH

PRODUCTION CAPABILITY

EQUIPMENTS	CAPACITY
S. S. Distillation unit cum reactor	1000L
S. S. Distillation unit cum reactor	230L
Glasslined reactor with Distillation unit	600L
Glasslined reactor with Distillation unit	1600L
Glasslined reactor with Distillation unit	200L
Glass Distillation cum reactor	100L
Glass Distillation unit	50L
Glass Distillation unit	20L

CDH has complete in house production facilities.

We have highly sophisticated facilities for distillation and purification of different kind of solvents. We offer the most comprehensive range of solvents from HPLC to Electronic grade to Dry solvents. We utilize over 7000 liters state of the art distillation reactors of both SS / GLR for high purity solvents.

Our storage capacity is over 300000 liters with our existing capacity, we can increase our production and packaging capability to meet the requirements of our customers worldwide.

our tireless efforts to maintain consistent quality

EQUIPMENTS	CAPACITY
S.S. Evaporating pan jacketed	1000L
S.S. Evaporating pan jacketed	750L
S.S. Jacketed crystalliser pan	500L
Glasslined Jacketed evaporating pan	500L
Glasslined Jacketed evaporating pan	50L
S.S. Evaporating pan jacketed	50L
S.S. 316 High pressure autoclave	10L
S.S. Centrifuge Basket size	dia 24, 18, 10
S.S 316 Nutsche filter	250 L
S.S 316 Nutsche filter	130 L
Steam heated tray dryer	12 tray
Steam heated tray dryer	24 tray
Steam / Electric heated tray dryer	48 tray

CDH is recognized as a benchmark for wide range of products of high purity. Our Analytical Reagent grade is in compliance to the specification of IP, BP, USP and EP grades. We also produce MB (Molecular Biology Reagents), Reagents for Microbiology, Reagents for Biochemistry, etc. using superior quality raw material. During manufacturing our team of engineers ensures that the quality and purity of each product is as per specification by conducting series of tests at different stages of production. Environmental & Safety concerns are also taken into account.

Our production operation offers a wide range of products under one roof. Our engineers and chemists employ variety of ultra modern techniques for the development of new products.

QUALITY ASSURANCE

CDH ensures all the products have clearly defined specifications guranteed by careful and sophisticated quality control with compliance to the international standard requirements.

Our Q C and R & D departments are equipped with highly modern and sophisticated facilities to attain precise results.

We at **CDH** feel that Quality is the most important aspect without any substitute. In addition to that we are constantly monitoring our sales and customer care services to build closer relation with our customers.

Major QC Instruments

- Gas Chromatography
- UV Spectrophotometer
- AAS
- HPLC
- ICP

CERTIFICATION

CDH an **ISO 9001: 2015, ISO 14001:2015, ISO 45001:2018** certified company in accordance with the Quality Management System, a quality manual and inspection documents define the processes and activities of our organisation. We periodically monitor our services and performance to constantly improve and update ourselves. We are committed to manufacture products as per International Standards for total customer satisfaction, achieved by our dedicated team work.

GMP is a system for ensuring that products are consistently produced and controlled according to quality standards. It is designed to minimize the risks involved in any pharmaceutical production that cannot be eliminated through testing the final product.

CE & ISO 13485:2016 marking on a product indicates that the product complies with and has satisfied the essential requirements set out by the In Vitro Diagnostic (IVD) Medical Devices Directive 98/79/EC, it also demonstrates the fact that the product is fit for its intended purpose.

TERMS OF SALE

PRICES

Prices quoted in this List are nett ex-our or our distributors warehouse. These prices are ruling at the time of printing and are subject to change without prior notice. The sellers reserve the right to accept the order at their own descretion and to invoice the goods at the prevailing prices on the date of despatch.

ORDER PLACEMENT

Orders must specify Product Code, Rate or Price List Number and Price Revision Circular Number, if any.

STANDARD PACKINGS FOR SOLVENTS & ACIDS :

4x2.5 litres 12x1 litres 20x500 ml

HYDROGEN PEROXIDE : 20x500 ml or 20x1 litres.

MINIMUM ORDER

If the net value of order exceeds Rs. 10000/- goods will be despatched F.O.R. destination by transport. If required by any costly mean/post parcel/courier or passenger train 50% of the postage/freight will be charged extra. Liquid items cannot be sent by post parcel/courier. Dangerous goods are not acceptable for transport by road carriers and would therefore be despatched by rail.

Wherever net value of the order is less than Rs. 10000/- the packing, forwarding and freight will be charged extra. Where it is not possible to know the exact freight in advance, the goods will be sent on ''Freight to Pay'' basis.

AMENDMENT/CANCELLATION

No amendment or cancellation of order will be accepted once the goods have been packed for despatch.

TAXES AND DUTIES

The prices are exclusive of Goods and Services Tax (GST) and will be charge extra as applicable at the time of supply.

FORCE MAJEURE

Not withstanding whatever contained herein, in the event due to reasons beyond our control such as riots, strike, civil commotions, shortage of raw material, act of God, Government restrictions etc. we are prevented from making supplies, we or our authorised stockists will not be liable for any penalisation for delay or non-supply of the items.

PAYMENT

All sales are against Cash payment in the case of outstation buyers. Minimum 25% of the value of the order is payable in advance and the balance will be realised through V.P.P. or any recognised scheduled BANK. If the payment is not made within 15 days after intimation by the Bank, interest @ 24% will be charged till the date of retirement.

INSURANCE

Consignment can be insured at buyers request and at their cost, if instructions in this behalf are received with order. Insurance charges are normally 1.5% on non-dangerous and 3% on dangerous products.

BREAKAGE & SHORTAGE

The goods are packed with utmost care by experienced hands using the most suitable packing materials. Our responsibility, however, ceases as soon as the consignment leaves our warehouse. Claims if any for loss, damage, breakage, or delay in transit will not be entertained by us. Buyers are advised to refer such claims to the carriers or insurers.

BULK ENQUIRIES

Special Prices will be offered for bulk packs and large quantities.

SPECIAL NOTE

All chemicals enlisted in this Price list are for LABORATORY USE ONLY. No responsibility is accepted if these items are used for House Hold uses or other applications or for an accident or loss due to mishandling.

We solicit your enquiries for other than listed items.

CONTACT

E-mail :

sales@cdhfinechemical.com

WE RESERVE THE RIGHT TO DISCONTINUE MARKETING ANY ITEM WITHOUT NOTICE.

ALL DISPUTES WILL BE SUBJECT TO DELHI JURISDICTION ONLY.

Central Drug House (P) Ltd.

AN ISO 9001:2015 COMPANY

Corp. Office : 7/28, Vardaan House, Mahavir Street
Ansari Road, Darya Ganj, New Delhi-110002 (INDIA)
Phone : +91-11-49404040 (100 lines)
E-mail : sales@cdhfinechemical.com - (Domestic)
Website : www.cdhfinechemical.com

Mfg Unit : Plot No. D-2/CH/9, Dahej – 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch – 392130 (Gujarat)

LOT ORDERING :

Customers are requested to place their orders for products in their lot size as much as possible.
E.g. 4x2.5 ltr or 20x500 ml, so on and so forth. Lot shipments are easier to handle and reduce any chance of breakage or damage during transit.

QUOTATIONS :

For special products, or customized packing, please place your requests via mail / email or fax only. We shall revert back to you with availability & pricing information at the earliest.

BULK PACKS :

Please get in touch with us for special pricing on products required in their bulk packs, which are listed as "P.O.R." in the price list.

CUSTOM SYNTHESIS :

CDH may also be able to supply products not listed in this catalogue. Please get in touch with us for your customized product requirements. We shall be obliged to evaluate them.

Registered Trademarks of **Central Drug House (P) Ltd.**

- CPECTROSOL®
- CRISTAR®
- CEDEPOL®
- CLENTORN®
- CFLORISIL®
- CRITON X100®

Other Registered Trademarks used:

Chemical		Company
Amberlite, Duolite	-	Dow Chemicals
Brij	-	Atlas Powder
Carbopol	-	Goodrich B. F. Chemical Co.
Celite	-	Manville GB Ltd.
Florisil	-	US Silica Company
Span	-	Atlas Chemical Inc, USA
Indion	-	Ion Exchange India Limited

Plant Tissue Culture

Tested Chemicals

CDH introducing the comprehensive range of plant tissue culture tested chemicals on customer demand. Plant tissue culture tested chemicals are assessed and analysed for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

PTC products are analysed with stringent quality control required to maintain consistency and quality. We have developed complete in-house testing facilities for all our products and deliver the best to our customers. Our range include wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.

Animal Tissue Culture

Tested Chemicals

CDH introducing the comprehensive range of animal tissue culture tested chemicals. We are one of the pioneer supplier of chemicals and specialty chemicals, including amino acids, antibiotics, growth factors, biochemicals, used in cell culture. ATC chemicals are analysed with cell culture test to verify their suitability in cell culture application apart from analytical testing .

These products are specially designed for the customers looking for products in compliance to USP, EP and BP testing specifications. Every batch is released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specification.

Culture Media Bases

Ingredients

Product Code	Product Name
BC 2112	Basic Fuchsin Certified
BA 2274	Beef Extract Paste
BA 2002	Beef Extract Powder
BA 2669	Beef Extract Powder Type 1
BC 2002	Beef Extract Powder, Certified
BA 2008	Bile Salts for Bacteriology
BC 2009	Bile Salts Mixture, Certified
BC 2008	Bile Salts, Certified
BC 2021	Bio Peptone, Certified
BA 2498	Casein Acid Hydrolysate special for Pertussis Vaccine production.
BC 2013	Casein Acid Hydrolysate, Certified, recommended for use in culture media where
BA 2189	Casein Acid Hydrolysate, Certified, Sodium chloride less than 3%

..... and many more

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.

Molecular Biology Grade
Reagents

Product Code	Product Name	CAS No.
910548	Acrylamide for Electrophoresis	79-06-1
910550	Acrylamide 3x cryst. DNase, RNase, protease And Phosphate not detected	79-06-1
911010	Agarose high EEO	9012-36-6
911050	Agarose medium EEO type II	9012-36-6
911120	Agarose low EEO	9012-36-6
913150	Ammonium Acetate	631-61-8
913350	Ammonium Chloride	12125-02-9
914350	Ammonium Persulphate	7727-54-0
914550	Ammonium Sulphate	7783-20-2
918000	Boric Acid	10043-35-3
920900	Calcium Chloride Dihydrate	10035-04-8
921000	Cesium Chloride	7647-17-8
926500	N,N-Dimethyl Formamide	68-12-2
926590	Dimethyl Sulphoxide	67-68-5
928500	Dithioerythreitol (D.T.E.)	6892-68-8
932500	Ethylene Diamine Tetra Acetic Acid Disodium Salt	6381-92-6

..... and many more

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

GRADES OF PURITY

ANALYTICAL REAGENT (AR)

Our Product range covers many AR Products conforming to the highest international standards for Analytical and Research work of the most responsible character. The trace impurities in these Products are restricted to the lowest possible limits for the utmost precision in laboratory work. We have designed a lot of products to meet the analytical specifications of IP, BP, USP, EP to fulfill the requirements of Pharma Industry.

DIAGNOSTIC REAGENTS

These are specially produced for the use in various hospitals, clinical & pathological laboratories for diagnostic purpose.

CPECTROSOL® & CRISTAR®

CDH offer a wide range of single element standard solutions (1000mg/L) suitable for AAS (CPECTROSOL®) & ICP (CRISTAR®). We also offer multi elements concentrated solutions at 10,000 mg/L in accordance with NIST.

FOR MICROBIOLOGY

Products which have been specially purified and tested for their microbiological applications.

FOR SYNTHESIS (LR & EP)

General purpose reagents used in many potential applications in chemical laboratories, careful control ensures that a consistently high defined quality is maintained throughout.

FOR MICROSCOPY

Microscopy stains are standardised by UV spectrum and controlled by TLC. They correspond normally to the specifications given in H.J. Conn's Biological Stain (1977).

FOR BIOCHEMISTRY

Highly Purified Reagents for use in Biochemical research and analysis. They are free from inhibits such as traces of heavy metals and tested with a view for Biochemical work.

HPLC GRADE

Continuing advances in the use of HPLC have led to an increased demand for solvents and reagents in wider range of application areas, particularly for biomolecular and ion separation. Key parameters such as UV absorbance, transmittance, non-volatile matter, moisture content, fluorescence impurities and assay are very carefully controlled.

GRADES OF PURITY

HISURE® These are high purity chemicals specially manufactured and tested for research and synthesis. As required heavy metal content is carefully monitored and reduced to minimum possible levels.

MOLECULAR BIOLOGY & ELECTROPHORESIS GRADE

Wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

PESTICIDE RESIDUE ANALYSIS SOLVENTS

These solvents are developed especially for the applications in residual pesticides analysis and analysis of other low-volatile, environmentally relevant substances by using GC/ECD or GC/PND or GC/MSD instrumentation. These solvents are also suitable for analysis of polychlorinated biphenyles (PCBs) class of substance.

DRY SOLVENTS

These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.

SPECTROSCOPY GRADE

These are solvents of high optical purity for UV / Visible / IR / Fluorescence / NMR and Mass spectroscopy. The certificate of guarantee includes assay, minimum transmission at certain defined wavelengths in UV range, moisture content, non-volatile matter etc.

NMR FOR SPECTROSCOPY

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.

EL GRADE CHEMICALS

These chemicals have very stringent limits for metallic impurities as required by the Electronic Industry.

BP / USP / EP

Suitable for Pharmaceutical application these products are specially purified to meet the Analytical specification of BP/USP/EP

AGAROSE

911000	**Agarose High EEO**	**10 gm** **25 gm** **100 gm** **500 gm**

(9012-36-6)
This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.

911010	**Agarose High EEO** **for molecular biology** DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm** **500 gm** **1 kg**

(9012-36-6)
This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.

911020	**Agarose Medium EEO type II**	**10 gm** **25 gm**

(9012-36-6)
A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.

911050	**Agarose Medium EEO type II** for molecular biology DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm**

(9012-36-6)
A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.

911100	**Agarose Low EEO** **Regular grade**	**10 gm** **25 gm** **100 gm**

(9012-36-6)
A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc.
Ranges of separation: 100bp to 25kb.

911120	**Agarose Low EEO** for molecular biology DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm**

(9012-36-6)
A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc.
Ranges of separation: 100bp to 25kb.

..... and many more

ACIPUR

Product Code	Product Name	CAS No.
494825	Chloro Sulphonic Acid AR	7790-94-5
025732	Chloro Sulphonic Acid Pract 97.0%	7790-94-5
026099	Fluo Boric Acid Abt. 40%	16872-11-0
095735	Fluosilicic Acid for Synthesis	16961-83-4
544305	Hydriodic Acid AR/ACS 54-56%	10034-85-2
028505	Hydrobromic Acid 48.0-49.0%	10035-10-6
544425	Hydrobromic Acid AR/ACS 48.0%-49.0%	10035-10-6
028516	Hydrobromic Acid in Glacial acetic acid Abt. 33.0%	10035-10-6
113460	Hydrochloric Acid (1.18) 35-38%	7647-01-0
544475	Hydrochloric Acid (1.18) AR 35.4%	7647-01-0
744580	Hydrochloric Acid Abt. 36% (1.18) EL	7647-01-0
942120	Hydrochloric Acid Fuming 37% for MB	7647-01-0
028514	Hydrofluoric Acid 39.0-43.0%	7664-39-3
544735	Hydrofluoric Acid AR 40.0-42.0%	7664-39-3
544738	Hydrofluoric Acid AR 48.0-51.0%	7664-39-3
744120	Hydrofluoric Acid EL grade 40.0-42.0%	7664-39-3
025330	Hypophosphorous Acid 30-32%	6303-21-5
545505	Hypophosphorous Acid AR 50.0%	6303-21-5
029270	Molybdic Acid 85.0%	7782-91-4
587100	Molybdic Acid AR/ACS 87.0%	7782-91-4
756355	Nitric Acid EL 69-71%	7697-37-2
169215	Nitric Acid (1.41-1.42) 69-72%	7697-37-2
594655	Nitric Acid (1.42) AR/ACS 69-72%	7697-37-2
177615	Oleum 20% Pract	8014-95-7
029420	ortho-Phosphoric Acid 85.0%	7664-38-2
037137	ortho-Phosphoric Acid 85.0%	7664-38-2
609725	ortho-Phosphoric Acid AR 88.0%	7664-38-2
605075	Perchloric Acid 60% AR	7601-90-3

..... and many more

High purity acids
for trace metal analysis

STANDARD SOLUTION

CPECTROSOL® & CRISTAR®

Single element standard solutions concentrated at 1000mg/L **CPECTROSOL®** suitable for AAS & **CRISTAR®** for ICP. We also offer multi elements concentrated solutions at 10,000 mg/L **in accordance with NIST.**

Conductivity Standard Solutions

Available in various Microsiemense in accordance with NIST.

Buffer Standard

Available in various pH in solutions and powder.

HPLC SOLVENTS

Product Code	Product Name	CAS No.
720750	1,2-Dichloroethane	107-06-2
729500	1,4-Dioxane	123-91-1
709700	1-Butanol	71-36-3
714900	1-Chloro Butane (n-Butyl Chloride)	109-69-3
753020	1-Methyl-2-Pyrrolidone	872-50-4
759200	1-Octanol	111-87-5
765800	1-Propanol	71-23-8
765860	2-Propanol	67-63-0
700380	Acetone	67-64-1
700630	Acetonitrile	75-05-8
700580	Acetonitrile for praparative	75-05-8
706950	Benzene	71-43-2
711100	Butanone	78-93-3
713910	Carbo Tech	56-23-5
715910	Chloroform	67-66-3
717600	Cyclohexane	110-82-7
720950	Dichloromethane	75-09-2
721900	Diethyl Ether	60-29-7
728300	Dimethyl Sulphoxide	67-68-5
730900	Ethyl Acetate	141-78-6
743560	Hexane	110-54-3
747000	Iso Butyl Methyl Ketone	108-10-1
747500	Iso Octane	540-84-1
752140	Methanol	67-56-1
752650	Methyl Acetate	79-20-9
723000	N,N-Dimethyl Acetamide	127-19-5
723600	N,N-Dimethyl Formamide	68-12-2

..... and many more

Product Features

- Solvents of this Special Quality are carefully analysed to exceed or to meet the limit of UV absorbtion.
- These Solvents of high quality standards are of much greater mechanical strength.
- Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.
- Solvents are filtered through 0.22 m filter.
- All of our HPLC Solvents are packed under Nitrogen for its better Resistance and bottles are sealed with Teflon Liner to prevent contamination.

NMR SOLVENTS

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.

Product Code	Product Name	CAS No.
D00990	Acetic-d_3 Acid-d	1186-52-3
D01269	Acetone-d_6	666-52-4
D01548	Acetonitrile-d_3	2206-26-0
D06957	Ammonium-d_4 Formate-d	65387-23-7
D08757	Ammonium-d_8 Sulphate	13814-01-2
D12357	Anthracene-d_{10}	1719-06-8
D14175	Benzene-d_6	1076-43-3
D15417	Benzoic-d_5 Acid	1079-02-3
D16227	Biphenyl-d_{10}	1486-01-7
D18927	Boric Acid-d_3	14149-58-7
D28827	Chlorobenzene - d_5	3114-55-4
D29727	Chloroform -d	865-49-6
D29754	Chloroform -d, Cont. 0.03 v/v % TMS	865-49-6
D39663	Dichloromethane-d_2	1665-00-5
D54072	Dimethyl Sulphoxide-d_6 (DMSO-d_6)	2206-27-1
D63126	Hexane-d_{14}	21666-38-6
D73026	Methyl-d_3 Alcohol	1849-29-2
D73206	Methyl-d_3 Alcohol-d (Methanol-d_4)	811-98-3
D44172	N,N-Dimethyl-d_6-Formamide (DMF-d_6)	185990-36-7
D79578	Naphthalene-d_8	1146-65-2

..... and many more

DRY SOLVENTS

Product Code	Product Name
515970	1,4-Dioxane
617675	2-Propanol
450410	Acetone
493915	Chloroform
500390	Cyclohexane
508710	Dichloromethane
515510	Dimethyl Sulphoxide
029193	Methanol Dry
514365	N,N-Dimethyl Formamide
661480	Toluene

..... and many more

These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.

GCHS SOLVENTS

Product Code	Product Name
700387	Acetone
700636	Acetonitrile
707052	Benzyl Alcohol
709706	n-Butanol
712095	n-Butyl Acetate
712897	tert-Butyl Methyl Ether
715916	Chloroform
717595	Cyclohexane
717850	Cyclohexanone
723100	N,N-Dimethyl Acetamide
727800	N,N-Dimethyl Formamide
720946	Dichloromethane
728700	Dimethyl Sulphoxide
729496	1,4-Dioxane
730897	Ethyl Acetate
752138	Methanol
753040	n-Methyl-2-Pyrrolidone
765793	1-Propanol
765853	2-Propanol
775783	Toluene
779645	Water

GC-HS solvents have been developed for more sensitive GC-headspace analysis of volatile organic impurities.

Exclusively designed for analysis of residual solvents described in the European Pharmacopoeia (Ph. Eur.), United States Pharmacopoeia (USP) and Q3C guidelines of International Conference on Harmonization (ICH)

Features:

- Highly pure solvents, especially tested for headspace application
- Ensure high sensitivity
- Long life - time packaged under Nitrogen gas
- Microfiltration (0.2 μm)

VARIETY OF OILS

Product Code	Product Name	CAS No.
033220	Castor Oil Saponification value :- 176-187	8001-79-4
025719	Cedar Wood Oil For Microscopy	8000-27-9
036063	Clove Oil for Microscopy	8000-34-8
025539	Eucalyptus Oil	8000-48-4
120940	Immersion Oil for Microscopy	—
036061	Immersion Oil Natural	—
177215	Oil Bergamot	8007-75-8
177245	Oil Corn	8001-30-7
177285	Oil Geranium	8000-46-2
177325	Oil Mentha	8008-79-5
177305	Oil of Lemon Grass Oil	8007-02-1
177395	Oil of Peppermint (peppermint oil)	8006-90-4
177425	Oil Orange	8008-57-9
024798	Olive Oil (Oil of Olive)	8001-25-0
191855	Pine Oil	8006-64-2
015067	Silicon Oil For Oil Baths upto 250	63148-62-9

..... and many more

Available Packs :
25 ml, 100 ml, 500 ml

NANO POWDERS

Product Code	Product Name	CAS No.
N01175	Aluminum (Al, 99.0% 18nm)	7429-90-5
N01180	Aluminum (Al, 99.9% 70-80nm)	7429-90-5
N01295	Aluminum Oxide (Alumina, Alfa-Al2O3, high purity 99.99%30nm)	1344-28-1
N01301	Aluminum Oxide (Alumina, gamma-Al2O3, high purity 99.97%20-30nm)	1344-28-1
N05760	Barium Titanate (BaTiO3, 99.9%, 100-200nm)	12047-27-7
N06993	Boron Nitride (BN, hexagonal, 99. 70 nm	10043-11-5
N06984	Boron Carbide (B4C, Hexagonal, 99%, 50 nm)	12069-32-8
N09765	Chromium Oxide (Cr2O3, 99+%, 60 nm)	1308-38-9
N10368	Copper (Cu, 99.9%, 40 nm)	7440-50-8
N10450	Copper Oxide (CuO, 99%, 40nm)	1317-38-0
N11930	Diamond (C, 98% 3-10 nm)	7782-40-3
N23882	Graphene (C, 1-5 nm) 99.5+%	7782-42-5
N23886	Graphene (C, 6-8 nm) 99.5+%	7782-42-5
N23891	Graphene (C, 11-15 nm) 99.5+%	7782-42-5
N31257	Iron(III) Oxide (Fe2O3, alpha, 99%, 30 nm)	1309-37-1
N31262	Iron(III) Oxide (gamma- Fe2O3, 99%, 20-40 nm)	1309-37-1
N73107	Tantalum (Ta, 99.7% 60-80 nm)	7440-25-7
N74282	Tin Oxide (SnO2, 99.9%, 50-70 nm)	18282-10-5

RARE EARTH METAL & SALTS

CDH a pioneer producer of Laboratory Fine Chemical in India Since 1981. CDH always keep enhancing product range and with the growing demand and repeated requests by our customers we are pleased to introduce a series of Rare Earth metals and their salts. These products are available in various purities from 99% to 99.999% of individual and co-precipitated Rare Earth chemicals, including Oxides, Acetates, Chlorides, Carbonates, Hydroxides, Fluorides, Nitrates, Oxalates, totally covered 90% of Rare Earth products, applied widely in manufacturing phosphors, advanced ceramics, pigments, glass, glazes, laser crystals, Rare Earth doped fibers.

57 Ce 140.12 CERIC

RE0150	Ceric Hydroxide AR
RE0165	Ceric Oxide 99.9% AR (Cerium IV Oxide)
RE0190	Ceric Sulphate Tetrahydrate 99.0% AR
815300	Ceric Sulphate N/10 Solution

58 Ce 140.12 CERIUM

RE0215	Cerium Metal Powder 99.9%
RE0260	Cerium (III) Acetate Hydrate 99.9%
RE0280	Cerium (III) Carbonate Hydrate
RE0285	Cerium (III) Carbonate Hydrate 99.9%
RE0310	Cerium(III) Chloride 99.9%
RE0325	Cerium (III)Chloride Heptahydrate AR
RE0340	Cerium (III) Fluoride 99.9%
RE0370	Cerium (III) Nitrate $6H_2O$ 99.9%
RE0395	Cerium (III) Oxalate 99.9%
RE0415	Cerium (III) Sulphate Hydrate 99%

66 Dy 162.50 DYSPROSIUM

RE0445	Dysprosium Metal Powder 99.99%
RE0485	Dysprosium Acetate Hydrate 99.9%
RE0515	Dysprosium Carbonate X H_2O 99%
RE0540	Dysprosium Chloride 6 H_2O 99.99%
RE0600	Dysprosium Nitrate X H_2O 99.9%
RE0650	Dysprosium Oxide 99.9%
RE0655	Dysprosium Oxide 99.99%

68 Er 167.26 ERBIUM

RE0710	Erbium Metal Powder 99.9%
RE0755	Erbium Acetete Hydrate 99.9%
RE0780	Erbium Carbonate Hydrate 99.9%
RE0805	Erbium Chloride $6H_2O$ 99.9%
RE0840	Erbium Nitrate $5H_2O$ 99.9%
RE0865	Erbium Oxide 99.9%
RE0890	Erbium Sulphate $8H_2O$ 99.9%

67 Ho 164.93 HOLMIUM

RE1360	Holmium Acetate XH_2O 99.9%
RE1380	Holmium Carbonate XH_2O 99.90%
RE1390	Holmium Chloride $6H_2O$ 99.90%
RE1415	Holmium Oxide 99.9%
RE1420	Holmium Oxide 99.99%
RE1440	Holmium Sulphate $8H_2O$ 99.9%

68 Nd 144.24 NEODYMIUM

RE1940	Neodymium Metal Powder 99.99%
RE1985	Neodymium Acetate XH_2O 99.9%
RE2010	Neodymium Carbonate XH_2O 99.9%
RE2035	Neodymium Chloride XH_2O 99.9%
RE2070	Neodymium Nitrate $6H_2O$ 99.9%
RE2095	Neodymium Oxide 99.9%
RE2120	Neodymium Sulphate $8H_2O$ 99.9%

21 Sc 44.956 SCANDIUM

RE2595	Scandium Metal Powder 99.99%
RE2635	Scandium Acetate XH_2O 99.9%
RE2680	Scandium Chloride $6H_2O$ 99.9%
RE2755	Scandium Nitrate XH_2O 99.9%
RE2805	Scandium Oxide 99.9%
RE2830	Scandium Sulphate $8H_2O$ 99.9%

65 Tb 158.93 TERBIUM

RE2860	Terbium Metal Powder 99.9%
RE2900	Terbium Acetate XH_2O 99.9%
RE2925	Terbium Carbonate XH_2O 99.9%
RE2950	Terbium Chloride $6H_2O$ 99.9%
RE2975	Terbium Nitrate $5H_2O$ 99.9%
RE3000	Terbium Oxide 99.9%
RE3025	Terbium Sulphate $8H_2O$ 99.9%

39 Y 89.906 YTTRIUM

RE3445	Yttrium Metal Powder 99.99%
RE3485	Yttrium Acetate XH_2O 99.9%
RE3510	Yttrium Carbonate XH_2O 99.9%
RE3535	Yttrium Chloride $6H_2O$ 99.9%
RE3615	Yttrium Nitrate XH_2O 99.9%
RE3685	Yttrium Oxide 99.9%
RE3690	Yttrium Oxide 99.99%

STAINING SOLUTION

Product Code	Product Name
801040	Aceto Orcein Solution
800340	Acetone Alcohol 50% Solution Decolourizer
802440	Alcian Blue Solution for Microscopy
802720	Alizarin Red Solution 0.1 % w/v
802725	Alkali Blue (6B) Solution 0.1% in Alcohol
802860	Alkaline Copper Tartrate Solution
803660	Amaranth Solution
810600	Borax Carmine Alcoholic Solution
810620	Borax Carmine Aqueous Solution
811040	Bouin's Fluid (Bouin's Picro Formal fixing Soln.)
811200	Brilliant Cresyl Blue Solution Alcoholic
811220	Brilliant Cresyl Blue Solution Aqueous
811270	Brilliant Green 1% (w/v) Aqueous Indicator Solution
811745	Bromo Cresol Green Sodium Salt Solution 0.04%
811740	Bromo Cresol Green Solution
811780	Bromo Cresol Purple Indicator Solution
812010	Bromo Phenol Blue ABT. 1% Solution in DMF
812000	Bromo Phenol Blue Solution
812050	Bromo Phenol Blue-Xylene Cyanol Dye Solution
812170	Bromo Thymol Blue Solution
814520	Calmagite 0.1% (w/v) Aqueous Indicator Solution
814920	Carbol Fuchsin (Dilute) Solution
814900	Carbol Fuchsin Staining Solution Strong
817340	Chloro Phenol Red Indicator Solution
817500	Cholesterol Stock Standard solution 0.1%
819040	Congo Red Solution
819480	Cotton Blue Solution
819600	Creatinine Standard Solution
819740	Cresol Red Indicator Solution
828705	Diacetyl Monoxine Solution 2%
827000	Drabkin's Solution
829620	Eosine Yellow Stain Solution 2% w/v
829710	Eriochrome Black T Indicator Solution
834200	Fehling's Solution NO. 1
834220	Fehling's Solution NO. 2

Product Code	Product Name
819700	m-Cresol Purple Solution
865850	Methyl Orange Indicator Solution
865855	Methyl Orange Mixed Indicator Solution
865895	Methyl Purple (pH Indicator) Solution AR
866040	Methyl Red Indicator Solution
866180	Methyl Violet Aqueous Solution
865650	Methylene Blue Aqueous Staining Solution
865670	Methylene Blue Gabbots Solution
866260	Miller's Reagent for Fluorine
866270	Millon's Reagent
866320	Molish's Reagent
866490	Morner's Reagent
868500	Neisser's Metachromatic Stains kit
868520	Neisser's Stain A Soln. (Methylene Blue)
868520	Neisser's Stain A Soln. (Methylene Blue)
868530	Neisser's Stain B Soln. (Crystal Violet)
868530	Neisser's Stain B Soln. (Crystal Violet)
868540	Neisser's Stain C Soln. (Chrysodine)
868540	Neisser's Stain C Soln. (Chrysodine)
868740	Nessler's Reagent
868760	Nessler's Reagent King's
868790	Neutral Red pH Indicator Solution
868820	Newman's Stain Soln.
869200	Nigrosine 10% Solution For Negative
871200	O'meara Reagent
897900	o-Tolidine Reagent
874370	Pandy's Reagent
874420	Papanicolaous Solution 1a
874430	Papanicolaous Solution 2b
874440	Papanicolaous Solution 3b
875200	Phenol Red (Indicator Solution)
875180	Phenolphthalein (Indicator Solution) 1%w/v
875185	Phenolphthalein 2% Solution in Alcohol
875920	Picric Acid Saturated Aqueous Soln.
875900	Picric Acid Solution 1.2% AR

STAIN AND INDICATORS

Product Code	Product Name	CAS No.
606025	1,10-Phenanthroline (Monohydrate) AR Redox Indicator	5144-89-8
516525	1,5-Diphenyl Carbazide AR	140-22-7
516535	1,5-Diphenyl Carbazone AR	538-62-5
508805	2,6-Dichloro Phenol Indophenol Sodium Salt AR	620-45-1
027041	Acridine Orange (M.S.)	10127-02-3
027043	Acriflavine for Biochemistry	8048-52-0
025955	Alcian Blue 8GX for Microscopy	33864-99-2
452905	Alizarin pH indicator AR	72-48-0
013006	Alizarin Yellow GG	584-42-9
453645	Alizarin Yellow R AR for Microscopy	2243-76-7
015042	Amido Black 10B Dye content (Titanometry on Dried Subs.)	1064-48-8
457535	Ammonium Purpurate AR/ACS	3051-09-0
020075	a-Naphthol Benzein (pH Indicator)	145-50-6
020076	a-Naphtholphthalein pH Indicator	596-01-0
459095	Anthrone AR/ACS	90-44-8
459635	Arsenazo I AR (Neothorone)	520-10-5
459725	Arsenazo III AR	62337-00-2
034095	Auramine for Microscopy (Auramine-O)	2465-27-2
013895	Azur A (M.S.)	531-53-3
013900	Azur B (M.S.)	531-55-5
013905	Azur C	531-57-7
034007	Azur II Eosine for Microscopy	53092-85-6
034006	Azur II for Microscopy	37247-10-2
461865	Barium Diphenylamine Sulphonate AR Redox Indicator	6211-24-1
034010	Bismark Brown R C.I.21010	5421-66-9
025841	Bismark Brown Y for Microscopy	10114-58-6
025854	Brilliant Cresyl Blue Indicator	81029-05-2
467805	Bromo Cresol Green Indicator AR	76-60-8
469395	Bromo Thymol Blue AR (pH Indicator)	76-59-5
034016	Carbol Fuchsin Powder for Microscopy	4197-24-4

Product Code	Product Name	CAS No.
131005	Janus Green (M.S. & Redox Indicator)	2869-83-2
034042	Leishman's Stain for Microscopy (Eosine Methylene Blue Compound)	12627-53-1
034043	Light Green for Microscopy Light Green SF Yellowish	5141-20-8
145500	Malachite Green for Microscopy (Malachite Green Oxalate)	2437-29-8
034047	Methyl Blue for Microscopy C.I. No. 42780	28983-56-4
020065	Methyl Orange pH Indicator C.I. No. 13025	547-58-0
586085	Methyl Red AR/ACS pH Indicator	493-52-7
020071	Methyl Thymol Blue Complexone Indicator For Complexometric titration	1945-77-3
585205	Methylene Blue for Microscopy AR	61-73-4
034055	Naphthol Green B for Microscopy C.I. No. 10020	19381-50-1
592855	Naphthoresorcinol AR (1,3-Dihydroxynaphthalene)	132-86-5
593630	Neutral Red AR (pH Indicator) C.I. No. 50040 (Neutral Red Chloride)	553-24-2
034184	New Fuchsin for Microscopy	3248-91-7
167905	New Methylene Blue	1934-16-3
024897	Night Blue for Microscopy C.I. 44085	4692-38-0
034131	Nigrosin (Alcohol soluble)	11099-03-9
024875	Nile Blue Chloride C.I. : 51180	2381-85-3
970100	Nitro B.T. for Microscopy	298-83-9
173035	Nuclear Fast Red for Microscopy	6409-77-4
020026	o-Cresolphthaleine pH Indicator	596-27-0
174900	Oracet Blue B Indicator	12769-16-3
034062	Orange G Indicator for Microscopy C.I. No. 16230	1936-15-8
034063	Orcein for Microscopy	1400-62-0
029418	Orcinol Monohydrate	6153-39-5
034134	Patent Blue V F C.I. 42045	129-17-9
604585	Patton & Reeder's Reagent AR	3737-95-9
606415	Phenol Red Indicator AR	143-74-8
020088	Phenolphthalein pH Indicator	77-09-8
195005	Ponceau for Electrophoresis	6226-79-5

contents

PRICE LIST PL-41 | 2023-2024

LABORATORY CHEMICALS		**1-272**
◈ Cross Reference for New Product Code		
MICROBIOLOGY		**273-386**
◈ Ready Prepared Media	276-286	
◈ Dehydrated Culture Media & Supplement	287-323	
◈ Media Supplements	324-337	
◈ Culture Media Bases	338-342	
◈ Antimicrobial Susceptibility Systems	343-386	
ANIMAL CELL CULTURE		**387-441**
◈ CELL CULTURE PLATFORM	390-404	
- Cell Culture Media	390-404	
- Cell Culture Reagents	404-409	
- Cell Culture Supplements	409-410	
- Speciality Product Segment	410-411	
- Viral Transport System	412	
◈ CELL CULTURE TESTED CHEMICALS CDH	413-441	
PLANT TISSUE CULTURE		**442-478**
◈ Plant Tissue Culture Media & Media Supplements	445-456	
◈ Plant Growth Regulators CDH	457-461	
◈ Contamination Control Systems CDH	462-467	
◈ Plant Tissue Culture Tested Chemicals CDH	468-478	
MOLECULAR BIOLOGY CHEMICALS		**481-492**
READYMADE STAINING SOLUTIONS CDH		**493-498**
LABORATORY DISINFACTANT CDH		**499-501**

Product Code	Product Name	Price	Packing
TC1409 ATC $C_{31}H_{43}N_3O_8$ (75747-14-7)	▲**17-AAG** 17-(Allylamino)-17-Demethoxygeldanamycin Cell Culture Tested M. W.: 585.69 Assay : ≥99%	**32760.00** **77813.00**	**1 mg** **5 mg**
	AAS Solution See Complete List Standards Solution Page No.- 224		
001000 $C_{15}H_{20}O_4$ (14375-45-2)	▲(±)-**Abscisic Acid** Extra Pure (ABA) M. W.: 264.32	**1315.00** **4599.00** **19998.00**	**25 mgm** **100 mgm** **500 mgm**
PCT1815 PTC $C_{15}H_{20}O_4$ (14375-45-2)	▲(±)-**Abscisic acid** Plant Culture Tested M. W.: 264.32 Assay 99%	**7812.00** **35100.00** **56840.00**	**100 mg** **500 mg** **1 gm**
001025 (9000-01-5)	**Acacia** (Gum Acacia, Gum Arabic)	**621.00** **5094.00** **POR**	**500 gm** **5 kg** **25 kg**
450005 (9000-01-5)	**Acacia** enzyme free **AR** Meets Analytical Specification of IP, B.P., U.S.P., N.F., Ph.EVR.	**842.00**	**500 gm**
H00155 (9000-01-5)	**Acacia** Meets Analytical Specification of IP, B.P., U.S.P., N.F., Ph.EVR.	**2601.00**	**500 gm**
001055 $C_{12}H_{10}$ (83-32-9)	**Acenaphthene** for Synthesis M. W.: 154.21 Assay (GC) 98.0%	**460.00** **1701.00**	**100 gm** **500 gm**
450050 $C_{12}H_{10}$ (83-32-9)	**Acenaphthene AR** M. W.: 154.2 Assay 99.0%	**1440.00** **5742.00**	**100 gm** **500 gm**
001085 $C_4H_{10}N_2O_4S$ (7365-82-4)	**ACES** Buffer M. W.: 182.2 Assay 99.0%	**2007.00** **7704.00** **POR**	**25 gm** **100 gm** **1 kg**
909860 MB $C_4H_{10}N_2O_4S$ (7365-82-4)	**ACES Buffer** (N-[2-Acetamido]-2-Aminoethane Sulfonic Acid) For Molecular Biology M. W.: 182.2 Assay : ≥ 99% Store Below 30°C	**711.00** **2642.00** **9450.00**	**5 gm** **25 gm** **100 gm**
001115 C_2H_4O (75-07-0)	**Acetaldehyde** Soln. Pract M. W.: 44.05 Assay (By acidimetric) 20-30% w/w	**680.00** **10080.00**	**500 ml** **10 lit**
027005 $CH_3.CONH_2$ (60-35-5)	**Acetamide** for Synthesis M. W.: 59.07 Assay 98.0%	**747.00** **1350.00** **POR**	**250 gm** **500 gm** **25 kg**
909910 MB C_2H_5NO (60-35-5)	**Acetamide** (Amide C_2) For Molecular Biology M. W.: 59.07 Assay : ≥ 99% Store Below 30°C	**891.00**	**100 gm**
001175 $C_2H_6N_2.HCl$ (124-42-5)	**Acetamidinium Chloride** for Synthesis (Acetamidium Hydrochloride) M. W.: 94.54	**7740.00**	**250 gm**

Product Code	Product Name	Price	Packing
	N-(2-**Acetamido)**-2-**Aminoethanesulphonic Acid** See ACES		
	2-**Acetamido**-2-**Deoxy Galactosamine** See N-Acetyl-D-galactosamine		
	N-**(2-Acetamido) Iminodiacetic** See ADA Buffe		
	2-**Acetamido**-3-**Mercaptopropionic Acid** See N-Acetyl-L-Cysteine		
001205 $C_8H_9NO_2$ (103-90-2)	4-**Acetamidophenol** M. W.: 151.16	**486.00** **1919.00**	**100 gm** **500 gm**
027008 $C_6H_5.NH.CO.CH_3$ (103-84-4)	**Acetanilide** for Synthesis M. W.: 135.17 Assay 98.5%	**684.00** **1296.00** **POR** **POR**	**250 gm** **500 gm** **25 kg** **50 kg**
800100	**Acetate Buffer** Solution pH 4.6 pH (as such) 4.6±0.2	**306.00**	**500 ml**
800105	**Acetate Buffer** TS acc. To USP	**423.00**	**500 ml**
027017 $CH_3.COOH$ (64-19-7)	**Acetic Acid Glacial** for Synthesis Meets Analytical Specification of IP M. W.: 60.05 Assay (acidimetric) 99.5%	**351.00** **1301.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
450140 $CH_3.COOH$ (64-19-7)	**Acetic Acid Glacial** (about 1.05) **AR/ACS** & **P Test** (Unaffected by chromic acid) Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 60.05 Assay (acidimetric) 99.7%	**405.00** **1593.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
700100 CH_3COOH (64-19-7)	**Acetic Acid** for HPLC & Spectroscopy M. W. 60.0 Assay (GC) 99.8%	**648.00** **1071.00** **2340.00**	**500 ml** **1 lit** **2.5 lit**
909960 MB $C_2H_4O_2$ (64-19-7)	**Acetic Acid** For Molecular Biology M. W.: 60.05 Assay : ≥ 99.7% Store Below 30°C	**1998.00**	**500 ml**
450230 CH_3COOH (64-19-7)	**Acetic Acid Glacial** (Aldehyde Free) **AR** Specially suitable for use in determination of Cholesterol in blood plasma and for wij's solution M. W.: 60.05 Assay (acidimetric) 99.8%	**495.00** **1746.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
700140 CH_3COOH (64-19-7)	**Acetic Acid** EL Grade M. W.: 60.05 Assay (acidimetric) 99.8%	**684.00** **2601.00**	**500 ml** **2.5 lit**
TC1574M ATC CH_3COOH (64-19-7)	**Acetic Acid, Glacial** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 60.05 Store below 30°C	**3960.00**	**1 lit**
D00990 $C_2D_4O_2$ (1186-52-3)	**Acetic**-d_3 **Acid**-d (for NMR Spectroscopy) M. W.: 64.08 Assay Min. 99.5 atom%D	**15660.00** **11394.00**	**10x0.75 ml** **10 ml**
800240	**Acetic Acid** CPECTROSOL® 0.1M (0.1N) Standard Solution in accordance with NIST	**1400.00**	**1 lit**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
800242	**Acetic Acid** 0.1 M (0.1N) for 500 ml Solution	154.00 333.00 603.00	1 Amp 3 Amp 6 Amp
800253	**Acetic Acid** 1M	594.00	1 lit
800252	**Acetic Acid** mol/L (1N) for 500 ml Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
800250	**Acetic Acid** CPECTROSOL® 0.5M (0.5N) Standard Solution in accordance with NIST	1400.00	1 lit
800255	**Acetic Acid** CPECTROSOL® 1M (1N) Standard Solution in accordance with NIST	1400.00	1 lit
800260	**Acetic Acid** CPECTROSOL® 2M (2N) Standard Solution in accordance with NIST	1400.00	1 lit
800263	**Acetic Acid** Solution 2N acc. to USP	423.00	500 ml
800280	**Acetic Acid** Solution 3%	158.00	500 ml
800300	**Acetic Acid** Solution 5%	167.00	500 ml
800320	**Acetic Acid** Solution 10%	171.00	500 ml
800323	**Acetic Acid** 25% **AR**	414.00	1 lit
800325	**Acetic Acid** 30%	333.00 POR	1 lit 25 lit
800330	**Acetic Acid** 60%	387.00 POR	1 lit 25 lit
800333	**Acetic Acid** 80%	550.00 POR	1 lit 25 lit
800334	**Acetic Acid** 90% **AR**	504.00	1 lit
800336	**Acetic Acid Ammonium Acetate Buffer** TS acc. to USP	900.00	500 ml
	Acetic Acid Benzyl Ester See Benzyl Acetate		
	Acetic Acid Isobutyl Ester See Iso Butyl Acetate		
	Acetic Acid Isopropyl Ester See Iso Propyl Acetate		
001295 $C_{10}H_{11}NO_2$ (102-01-2)	**Aceto Acetanilide** Tech. M. W.: 177.20	851.00 POR POR	500 gm 25 kg 50 kg
	Acetoacetic Ethylester See Ethyl Acetoacetate		
	Acetoacetic Methylester See Methyl Acetoacetate		
	Aceto Carmine See Carmine Aceto		
001520 $C_2H_5NO_2$ (546-88-3)	**Aceto Hydroxamic Acid** M. W: 75.07 Assay 98.0%	7200.00	10 gm
	1-**Acetonaphthone** See 1-Acetyl Naphthalene		

Product Code	Product Name	Price	Packing
800340	**Acetone Alcohol** 50% Solution Decolourizer	288.00	500 ml
800338	**Acetone 1% w/v Solution**	306.00	1 lit
027023 $(CH_3)_2CO$ (67-64-1)	**Acetone** for Synthesis M. W.: 58.08 Assay (GC) 99.0%	396.00 1400.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
450320 $(CH_3)_2CO$ (67-64-1)	**Acetone AR/ACS** Meets Analytical Specification of BP,USP,Ph,Eur M. W.: 58.08 Assay (GC) 99.5%	450.00 1593.00 POR	500 ml 2.5 lit 25 lit
450410 $(CH_3)_2CO$ (67-64-1)	**Acetone** Specially Dried **AR** M. W.: 58.08 Assay (GC) 99.5%	630.00 2133.00	500 ml 2.5 lit
700330 $(CH_3)_2CO$ (67-64-1)	**Acetone** EL Grade M. W.: 58.08 Assay (GC) 99.8%	1900.00	2.5 lit
700387 $(CH_3)_2CO$ (67-64-1)	**Acetone** GC-HS Grade M. W.: 58.08 Assay (GC) 99.9%	1107.00 1593.00	500 ml 1 lit
700380 $(CH_3)_2CO$ (67-64-1)	**Acetone** for HPLC & Spectroscopy M. W.: 58.08 Assay (GC) 99.8%	851.00 1854.00	1 lit 2.5 lit
910010 MB CH_3COCH_3 (67-64-1)	**Acetone** For Molecular Biology M. W.: 58.08 Assay : ≥ 99.5% Store Below 30°C	873.00 2988.00	500 ml 2.5 lit
700430 C_3H_6O (67-64-1)	**Acetone** for Pesticide Residue Analysis M. W.: 58.08 Assay 99.9%	1818.00 3700.00	1 lit 2.5 lit
D01269 C_3D_6O (666-52-4)	▲**Acetone**-d_6 (for NMR Spectroscopy) M. W.: 64.13 Assay Min. 99.5 atom%D	10800.00	10 ml
D01278 C_3D_6O (666-52-4)	▲**Acetone**-d_6 (for NMR Spectroscopy) M. W.: 64.13 Assay Min. 99.8 atom%D	10800.00	10x0.75ml
	Acetone Dimethyl Acetal See -2-,2 Dimethoxy Propane		
029220 CH_3CN (75-05-8)	**Acetonitrile** for Synthesis M. W.: 41.05 Assay (GC) 99.0%	770.00 3294.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
450500 CH_3CN (75-05-8)	**Acetonitrile AR/ACS** M. W.: 41.05 Assay (GC) 99.5%	837.00 3690.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
450505 CH_3CN (75-05-8)	**Acetonitrile** Specially Dried **AR** M. W.: 41.05 Assay (GC) 99.5%	936.00 4680.00	500 ml 2.5 lit
700580 CH_3CN (75-05-8)	**Acetonitrile** for preparative (HPLC) M. W.: 41.05 Assay (GC) 99.8%	4392.00	2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
700636 CH_3CN (75-05-8)	**Acetonitrile** GC HS Grade M. W.: 41.05 Assay (GC) 99.9%	1800.00 3330.00	500 ml 1 lit
700630 CH_3CN (75-05-8)	**Acetonitrile** for HPLC & Spectroscopy M. W.: 41.05 Assay (GC) 99.8%	1944.00 4095.00	1 lit 2.5 lit
910090 MB CH_3CN (75-05-8)	**Acetonitrile** For Molecular Biology M. W.: 41.05 Assay : ≥ 99.9% Store Below 30°C	1197.00	500 ml
700640 CH_3CN (75-05-8)	**Acetonitrile** for Gradient Grade M. W.: 41.05 Assay (GC) 99.9%	1944.00 4203.00 POR	1 lit 2.5 lit 25 lit
700780 CH_3CN (75-05-8)	**Acetonitrile** for Pesticide Residue Analysis M. W.: 41.05 Assay (GC) 99.9%	4860.00	1 lit
700920 CH_3CN (75-05-8)	**Acetonitrile** Dna for Synthesis M. W.: 41.05 Assay 99.8%	3393.00 7227.00	1 lit 2.5 lit
D01548 C_2D_3N (2206-26-0)	**Acetonitrile**-d_3 (for NMR Spectroscopy) M. W.: 44.08 Assay Min. 99.8 atom%D	13005.00	10 ml
D01557 C_2D_3N (2206-26-0)	**Acetonitrile**-d_3 (for NMR Spectroscopy) M. W.: 44.08 Assay Min. 99.8 atom%D	13500.00	10X0.75ml
700660	**Acetonitrile LCMS**	8001.00	1 lit
800400	**Acetonitrile** with 0.1% Acetic Acid for LCMS	13203.00	2.5 lit
800405	**Acetonitrile** with 0.1% Formic Acid for LCMS	21060.00	2.5 lit
800407	**Acetonitrile** with 0.1% Trifiuoroacetic Acid for LCMS	21060.00	2.5 lit
800410	**Acetonitrile**/Water 50:50 (w/w) for HPLC	4392.00	2.5 lit
801040	**Aceto Orcein** Solution	432.00	100 ml
027030 $C_6H_5.CO.CH_3$ (98-86-2)	**Acetophenone** M. W.: 120.15 Assay (GC) 99.0%	1044.00 4680.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
451005 $C_6H_5.CO.CH_3$ (98-86-2)	**Acetophenone AR** M. W.: 120.15 Assay (GC) 99.0%	1170.00 5454.00 POR	500 ml 2.5 lit 25 lit
PCT2301 PTC $C_{10}H_{12}O_4$ (2478-38-8)	▲**Acetosyringone** Plant Culture Tested M. W.: 196.2 Assay 98%	2480.00 11160.00 50310.00	1 gm 5 gm 25 gm
027035 $CH_3.CO.CH_2.CO.CH_3$ (123-54-6)	**Acetyl Acetone** for Synthesis M. W.: 100.12 Assay (GC) 98.0%	1800.00 8460.00	500 ml 2.5 lit
451095 $CH_3.CO.CH_2.CO.CH_3$ (123-54-6)	**Acetyl Acetone AR** M. W.: 100.12 Assay (GC) 99.5%	2070.00	500 ml
	N-**Acetyl**-4-**Aminophenol** See **4-Acetamidophenol (Paracetamol)**		
	4-**Acetylanisole** See **4-Methoxyacetophenone**		
001705 C_2H_3BrO (506-96-7)	**Acetyl Bromide** for Synthesis M. W.: 122.95 Assay 98.0%	3105.00 5904.00	250 ml 500 ml
451125 C_2H_3BrO (506-96-7)	**Acetyl Bromide AR** M. W.: 122.95	6993.00	500 ml
001735 $C_6H_8O_3$ (517-23-7)	a-**Acetyl**-g-**Butyrolactone** for Synthesis M. W.: 128.13 Assay 99.0%	2255.00 6003.00 30015.00 POR	100 gm 500 gm 5 kg 25 kg
027037 CH_3COCl (75-36-5)	**Acetyl Chloride** for Synthesis M. W.: 78.50 Assay (ex Cl) 98.0-102.0%	873.00 3402.00	500 ml 2.5 lit
451175 $C_7H_{16}ClNO_2$ (60-31-1)	▲**Acetyl Choline Chloride AR** Store at - 20°C M. W.: 181.66 Assay 99.0%	3402.00 7803.00	10 gm 25 gm
451185 $C_7H_{16}INO_2$ (2260-50-6)	▲**Acetyl Choline Iodide AR** M. W.: 273.12 Assay (Argentometry) 98.5%	2511.00	5 gm
001855 $C_5H_9NO_3S$ (616-91-1)	▲N-**Acetyl**-L-**Cysteine** M. W.: 163.19 Assay (Iodometric) 99.0%	396.00 2620.00	10 gm 100 gm
TC1054 ATC $C_5H_9NO_3S$ (616-91-1)	▲**N-Acetyl-L-Cysteine** (From non-animal source) Cell Culture Tested M. W.: 163.19 Assay : ≥98%	1450.00 3591.00 13010.00	5 gm 25 gm 100 gm
TC1054M ATC $C_5H_9NO_3S$ (616-91-1)	▲**N-Acetyl-L-Cysteine** (Fromnon-animalsource) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 163.191	4730.00 18180.00 48520.00	5 gm 25 gm 100 gm
001885 $C_6H_{11}NO_3S$ (7652-46-2)	N-**Acetyl**-L-**Cysteine Methyl Ester** for Biochemistry M. W.: 177.22 Assay (HPLC) 90%	9000.00	2.5 gm
	Acetylene Tetra Bromide See 1,1,2,2-Tetrabromoethane		
001900 $C_8H_{15}NO_6$ (14215-68-0)	▲N-**Acetyl**-D-**Galactosamine** for Biochemistry M. W.: 221.21 Assay (ex N) 98%	2520.00 7520.00	100 mgm 1 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
001950 $C_8H_{15}NO_6$ (7512-17-6)	▲N-**Acetyl**-D-**Glucosamine** for Biochemistry M. W.: 221.21 Assay 99.0%	936.00 2620.00 4590.00 20930.00	10 gm 50 gm 100 gm 500 gm
TC1081 ATC $C_8H_{15}NO_6$ (7512-17-6)	▲N-**Acetyl**-D-**Glucosamine** Cell Culture Tested M. W.: 221.21 Assay : ≥98.5%	2350.00 3340.00 10009.00	10 gm 25 gm 100 gm
002000 $C_4H_7NO_3$ (543-24-8)	▲N-**Acetyl Glycine** M. W.: 117.10 Assay 98.0%	1022.00 3744.00	100 gm 500 gm
002080 $C_{12}H_{10}O$ (941-98-0)	1-**Acetyl Naphthalene** for Synthesis M. W.: 170.21 Assay 97.5%	603.00 2601.00	100 ml 500 ml
002100 $C_{11}H_{19}NO_9$ (131-48-6)	▲N-**Acetyl Neuraminic Acid** (Nana) for Biochemistry M. W.: 309.27 Assay 95.0%	1890.00 4824.00 7875.00	100 mgm 500 mgm 1 gm
002150 $C_7H_{11}NO_2$ (32161-06-1)	1-**Acetyl**-4-**Piperidone** M. W.: 141.17 Assay 94%	2106.00 8604.00	5 gm 25 gm
002300 C_7H_7NO (1122-62-9)	2-**Acetyl Pyridine** for Synthesis (Methyl 2-Pyridyl Ketone) M. W.: 121.14 Assay (GC) 98.0%	1710.00 5000.00	25 gm 100 gm
002350 C_7H_7NO (350-03-8)	3-**Acetyl Pyridine** for Synthesis (Methyl 2-Pyridyl Ketone) M. W.: 121.14 Assay (GC) 98.0%	2934.00	100 ml
451275 $C_7H_{16}INOS$ (1866-15-5)	▲S-**Acetyl Thiocholine Iodide AR** M. W.: 289.17 Assay (Argentometric) 98.5%	2205.00 8600.00	1 gm 5 gm
002394 C_6H_6OS (88-15-3)	2-**Acetyl Thiophene** for Synthesis (Methyl-2-Thienyl ketone) M. W.: 126.18 Assay 98.0%	1800.00 7506.00	100 gm 500 gm
002400 $C_{13}H_{14}N_2O_3$ (87-32-1)	▲N-**Acetyl**-DL-**Tryptophan** for Biochemistry M. W.: 246.27 Assay 99%	2007.00	25 gm
TC1055 ATC $C_{11}H_{13}NO_4$ (537-55-3)	▲**N-Acetyl-L-Tyrosine** (From non-animal source) Cell Culture Tested M. W.: 223.23 Assay : ≥98%	5590.00 19620.00 61489.00	5 gm 25 gm 100 gm
002450 $C_{13}H_{17}NO_4.H_2O$ (36546-50-6)	N-**Acetyl**-L-**Tyrosine Ethyl Ester** for Biochemistry M. W.: 269.29	2115.00 4032.00	5 gm 10 gm
	1,2,4- **Acid** See 1-**Amino**-2-**Napthol**-4- **sulphonic acid**		
801740	**Acid Alcohol**	297.00 1000.00	125 ml 500 ml
801790	**Acid Fast Decolourizer**	423.00 1440.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
	Acid Fuchsin See Fuchsin acid		
801840	**Acid Mixture** (Phosphoric Sulphuric)	135.00	125 ml
801890	**Acid Molybdate** Solution For determination of Phosphate in boiler water	252.00	500 ml
TC1678 ATC (9001-77-8)	**Acid Phosphatase** Cell Culture Tested Store at -20°C	5230.00 17730.00	50 units 200 units
	Acid Red 66 See Biebrich Scarlet		
	Acid Red 87 See Eosin Yellow		
TC1419 ATC $C_{42}H_{53}NO_{15}.HCl$ (75443-99-1)	▲**Aclarubicin Hydrochloride** Cell Culture Tested M. W.: 848.33 Assay : ≥90%	35433.00	5 mg
280135 $C_{17}H_{19}N_3.½ZnCl_2.HCl$ (10127-02-3)	**Acridine Orange** (M.S.) C.I. 46005 M. W:. 369.94 Dye content 87.0%	1242.00 5760.00	5 gm 25 gm
910140 MB $C_{17}H_{20}ClN_3.HCl_{1/2}ZnCl_2$ (10127-02-3)	**Acridine Orange** For Molecular Biology C. I. No. : 46005 M. W.: 369.96 Store Below 30°C	2430.00 5850.00	10 gm 25 gm
280275 $C_{14}H_{14}Cl\ N_3$ (8048-52-0)	**Acriflavine** for Biochemistry C.I. 46000 M. W:. 259.7 Dye content (dried) 98.5-105%	603.00 2304.00 13005.00	5 gm 25 gm 250 gm
910200 MB $C_{14}H_{14}ClN_3$ (8048-52-0)	**Acriflavine**, Neutral For Molecular Biology C. I. No. : 46000 M. W.: 259.73 Store Below 30°C	5391.00	100 gm
280285 (8063-24-9)	**Acriflavine** Hydrochloride Fluoroscene Grade	2305.00	25 gm
027045 C_3H_5NO (79-06-1)	▲**Acrylamide** M. W.: 71.08 Assay (G.C) 98.5%	810.00 5760.00 POR POR	500 gm 5 kg 25 kg 50 kg
910548 C_3H_5NO (79-06-1)	▲**Acrylamide** for Electrophoresis M. W.: 71.08 Assay 99.0%	221.00 603.00 1602.00	25 gm 100 gm 500 gm
451365 C_3H_5NO (79-06-1)	▲**Acrylamide** 3X cryst **AR** M. W.: 71.08 Assay (GC) 99.9%	270.00 923.00 3843.00 6462.00 26235.00	25 gm 100 gm 500 gm 1 kg 5 kg
910550 MB C_3H_5NO (79-06-1)	▲**Acrylamide 3x** cryst. For molecular biology DNase, RNase, protease And Phosphate not detected M. W. : 71.08 Assay Min. 99.9%	396.00 1040.00 4442.00 7812.00 28062.00	25 gm 100 gm 500 gm 1 kg 5 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
910560 MB C_3H_5NO (79-06-1)	▲**Acrylamide** for Electrophoresis (Low Conductance<5uS/cm) 3x Crystallised M. W.: 71.08 Assay (By GC) 99.5%	**2286.00** **6606.00**	**100 gm** **500 gm**
801990 MB	▲**Acrylamide** 40% Solution in Water for Molecular Biology	**2493.00** **4806.00**	**250 ml** **500 ml**
	Bis-**Acrylamide** See N,N-Methylene bis-Acrylamide		
002600 $C_7H_{13}NO_4S$ (15214-89-8)	2-**Acrylamido** 2-**Methyl-Propane** **Sulphonic Acid** for Synthesis M. W.: 207 Assay 98.5%	**2403.00** **6003.00**	**250 gm** **1 kg**
002635 $C_3H_4O_2$ (79-10-7)	**Acrylic Acid** for Synthesis M. W.: 72.06 Assay (GC) 99.0%	**855.00** **3700.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
027047 $CH_2.CH.CN$ (107-13-1)	**Acrylonitrile** Stabilised for Synthesis (Vinyl Cyanide) M. W.: 53.06 Assay (GC) 99.0%	**725.00** **3303.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
452025 C_3H_3N (107-13-1)	**Acrylonitrile AR** (Vinyl cyanide) M. W.: 53.06 Assay 99.5%	**990.00**	**500 ml**
	Activated Charcoal See Charcoal Activated		
002685 ✳ $C_{15}H_{23}NO_4$ (66-81-9)	· **Actidione** (Cycloheximide) Inhibitor of Protein Biosynthesis **(Antibiotic against yeast)** M. W.: 281.35 Assay 99.0%	**2196.00** **9320.00**	**1 gm** **5 gm**
452115 ✳ $C_{15}H_{23}NO_4$ (66-81-9)	· **Actidione AR** (Cycloheximide) Inhibitor of Protein Biosynthesis (Antibiotic against yeast) M. W.: 281.35 Assay 99.0%	**3501.00** **17001.00**	**1 gm** **5 gm**
TC1196 ATC $C_{15}H_{23}NO_4$ (66-81-9)	· **Actidione** Cell Culture Tested M. W.: 281.35 Assay : ≥ 96%	**3033.00** **11260.00**	**1 gm** **5 gm**
PCT2122 PTC $C_{15}H_{23}NO_4$ (66-81-9)	· **Actidione** Plant Culture Tested M. W.: 281.35 Assay 96%	**4482.00** **21110.00**	**1 gm** **5 gm**
TC1018 ATC $C_{62}H_{86}N_{12}O_{16}$ (50-76-0)	▲**Actinomycin D** Cell Culture Tested Recommended for use in cell culture applications at 1 mg/L M. W.: 1255.42 Assay : ≥97.5%	**12420.00** **20170.00** **40275.00**	**5 mg** **2x5 mg** **5x5 mg**
PCT2140 PTC $C_8H_{11}N_5O_3$ (59277-89-3)	**Acyclovir** Plant Culture Tested M. W.: 225.2 Store below 30°C	**4743.00** **10000.00**	**1 gm** **5x1 gm**

Product Code	Product Name	Price	Packing
002800 $C_6H_{10}N_2O_5$ (26239-55-4)	**ADA Buffer** for Biochemistry [N-(Carbamoylmethyl) -Iminodiacetic M. W.: 190.2 Assay 98%	**1476.00** **4932.00** **POR**	**25 gm** **100 gm** **500 gm**
	Adam's Catalyst See Platinum Dioxide Hydrate		
042001 $C_5H_5N_5$ (73-24-5)	**Adenine** for Biochemistry Meets Analytical Specification of BP, USP M. W.: 135.13 Assay (Non-aqueous by potentiometric W.r. to dried sub) 98.5-101%	**360.00** **1098.00** **2610.00** **27810.00**	**5 gm** **25 gm** **100 gm** **1 kg**
PCT1842 PTC $C_5H_5N_5$ (73-24-5)	**Adenine** (6-**Aminopurine; Vitamin B4**) Plant Culture Tested M. W.: 135.13 Assay 99% Store below 30°C	**293.00** **833.00** **2660.00**	**5 gm** **25 gm** **100 gm**
TC1082 ATC $C_5H_5N_5$ (73-24-5)	**Adenine** Cell Culture Tested M. W.: 135.13 Assay : ≥99% Store below 30°C	**1440.00** **5760.00** **16700.00**	**5 gm** **25 gm** **100 gm**
	Adenine Hemisulphate See Adenine Sulphate		
002865 $C_5H_5N_5.½H_2SO_4$ (321-30-2)	**Adenine Sulphate** (Adenine Hemisulphate) M. W.: 184.17 Assay (Acidimetric) 98.0%	**648.00** **5805.00**	**10 gm** **100 gm**
PCT1801 PTC $C_5H_5N_5.1/2H_2SO_4$ (321-30-2)	**Adenine Sulphate** Plant Culture Tested M. W.: 184.17 Assay 98% Store below 30°C	**891.00** **8397.00** **41886.00** **75402.00**	**10 gm** **100 gm** **500 gm** **1 kg**
TC1071 ATC $C_5H_5N_5.½H_2SO_4$ (321-30-2)	**Adenine Sulphate** Cell Culture Tested M. W.: 184.17 Assay : ≥99% Store below 30°C	**2250.00** **9019.00** **26100.00** **76230.00**	**5 gm** **25 gm** **100 gm** **500 gm**
042003 $C_{10}H_{13}N_5O_4$ (58-61-7)	▲**Adenosine** M. W.: 267.24 Assay (Spectrophotometric) (259 nm at pH 7.0) 98.5%	**401.00** **1701.00**	**5 gm** **25 gm**
TC1083 ATC $C_{10}H_{13}N_5O_4$ (58-61-7)	▲**Adenosine** Cell Culture Tested M. W.: 267.24 Assay : ≥99%	**1670.00** **6615.00**	**5 gm** **25 gm**
002925 $C_{10}H_{13}N_5Na_2O_{10}P_2$ (16178-48-6)	· **Adenosine-5-Diphosphate Disodium** **Salt** (ADP-Na_2) M. W.: 471.17 Assay (dried) 95.0%	**860.00** **1511.00** **6921.00**	**500 mgm** **1 gm** **5 gm**
910660 MB $C_{10}H_{13}N_5Na_2O_{10}P_2$ (16178-48-6)	▲**Adenosine-5-Diphosphate** **Disodium Salt** For Molecular Biology M. W.: 471.16 Assay : ≥ 95%	**1692.00** **8001.00**	**1 gm** **5 gm**

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
✳ Supply Against Licence
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
002955 $C_{10}H_{12}N_5Na_2O_7P$ (4578-31-8)	· **Adenosine-5-Mono Phosphate Disodium Salt** (AMP-Na_2) M. W.: 391.19 Assay (Spectrophotometric) (259 nm at pH 7.0) 96.0%	280.00 851.00 3402.00	1 gm 5 gm 25 gm
TC1312 ATC $C_{10}H_{12}N_5Na_2O_7P$ (4578-31-8)	▲**Adenosine-5'-Monophosphate Disodium Salt** Cell Culture Tested M. W.: 391.18 Assay : ≥95%	630.00 4640.00 12700.00	1 gm 5 gm 25 gm
TC1084 ATC $C_{10}H_{14}N_5O_7P.xNa^+$ $.yH_2O$ (149022-20-8)	▲**Adenosine-5'-Monophosphate Sodium Salt** Cell Culture Tested M. W.: 347.22 (Anhydrous free acid basis) Assay : ≥99%	2930.00 10143.00	1 gm 5 gm
042008 $C_{10}H_{14}N_5Na_2O_{13}P_3.4H_2O$ (987-65-5)	· **Adenosine-5-Triphosphate Disodium Salt** (ATP-Na_2) M. W.: 623.21 Assay (Spectrophotometric; on dried material) 98.0%	252.00 1008.00 3452.00	1 gm 5 gm 25 gm
TC1085 ATC $C_{10}H_{14}N_5Na_2O_{13}P_3$ (987-65-5)	▲**Adenosine-5'-Triphosphate Disodium Salt** Cell Culture Tested M. W.: 554.14 Assay : ≥95%	1130.00 2745.00 9603.00	1 gm 5 gm 25 gm
027049 $C_6H_{10}O_4$ (124-04-9)	**Adipic Acid** Pure M. W.: 146.14 Assay 99.0%	756.00 5166.00 POR POR	500 gm 5 kg 25 kg 50 kg
038002 $CH_2(OH).(CH.OH)_3CH_2OH$ M. W.: 152.15 (488-81-3)	**Adonitol**	1170.00 4581.00	5 gm 25 gm
TC1086 ATC $C_5H_{12}O_5$ (488-81-3)	**Adonitol** (Adonite, Ribitol) Cell Culture Tested M. W.: 152.15 Assay : ≥99% Store below 30°C	4960.00 9711.00 30411.00	10 gm 25 gm 100 gm
452725 $C_6H_3(OH)_2.CH(OH).CH_2.NH.CH_3$ M. W.: 183.21 (51-43-4)	L-**Adrenaline AR/ACS** Assay 99.0%	2502.00 12006.00	1 gm 5 gm
	Adrenaline Bitartrate See Adrenaline Hydrogen Tartrate		
452205 $C_9H_{13}NO_3.C_4H_6O_6$ (51-42-3)	**Adrenaline Hydrogen Tartrate AR** (Adrenaline Hydrogen Tartrate) Meets IP,BP,USP,Ph,Eur M. W.: 333.3 Assay (Non-aqueous) 99.0%	3402.00 13005.00	1 gm 5 gm
	AEBSF-2-Hydrochloride See 4-(2-**Amino Ethyl**) **Benzene Sulphonyl Fluoride Hydrochloride**		
003135	**Aerosil 200** (Fumed Silica Gel)	639.00 1278.00	100 gm 250 gm
	Aerosol OT See Dioctyl Sodium Sulphosuccinate		

Product Code	Product Name	Price	Packing
038003 $C_{15}H_{16}O_9.+H_2O$ (531-75-9)	· **Aesculin** M. W.: 340.28 (Anhydrous)	4194.00 17001.00	5 gm 25 gm
333105 (9002-18-0)	**Agar Agar Shredded** for Bacteriology	6003.00	500 gm
333085 (9002-18-0)	**Agar Powder** Ultra Pure Recommended for use in immunoelectro phoretic procedures, NutritionalStudies (vitamin assay media) or sensitivity testing procedure Gelling Temperature not more than 35°C (Equivalent to noble agar)	7830.00	500 gm
H00765 HISURE (9002-18-0)	**Agar Powder** Certified Etensively processed to guarantee the absence of inhibition, allowing growth of even the most sensitive microorganisms, it can be used in electrophoretic studies. Immunodiffusion assays and tissue culture procedures	15400.00	500 gm
333045 (9002-18-0)	**Agar Powder** Extra Pure Recommended for culture media, disc diffusion, susceptibility tests where low mineral/metal content is desirable. Gelling Temperature not more than 38°C	13770.00	500 gm
333065 (9002-18-0)	**Agar** Purified Powder Free from all nitrogenous compounds, Inorganic salts and vitamins and therefore ideal for culture media and bacteriological work Gelling Temperature not more than 38°C	13221.00 POR	500 gm 25 kg
333025 (9002-18-0)	**Agar** Powder Bacteriological Bacterial content as per IP recommended for routine bacteriological work and particularly useful in pharmaceutical preparation where it passes in microbial limit tests for the presence of bacteria.	1400.00 5310.00 49725.00 POR	100 gm 500 gm 5 kg 25 kg
910780 MB (9002-18-0)	**Agar Powder** For Molecular Biology Store Below 30°C	2493.00 6507.00 11430.00	100 gm 500 gm 1 kg
333005 MB (9002-18-0)	**Agar Agar** Powder No. I	4707.00 POR	500 gm 25 kg
911000 MB (9012-36-6)	**Agarose High EEO**	1107.00 2403.00 9000.00 POR	10 gm 25 gm 100 gm 500 gm

This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
911010 MB	**Agarose High EEO**	**1350.00**	**10 gm**
	for molecular biology	**2907.00**	**25 gm**
	DNase, RNase, Protease	**11250.00**	**100 gm**
	not detected	**POR**	**500 gm**
(9012-36-6)		**POR**	**1 kg**
This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.			
911020 MB	**Agarose Medium EEO type II**	**1053.00**	**10 gm**
		2205.00	**25 gm**
(9012-36-6)		**8505.00**	**100 gm**
A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis Techniques.		**POR**	**500 gm**
		POR	**1 kg**
911050 MB	**Agarose Medium EEO type II**	**3492.00**	**10 gm**
	for molecular biology	**6984.00**	**25 gm**
	DNase, RNase, Protease	**27900.00**	**100 gm**
	not detected	**54810.00**	**500 gm**
(9012-36-6)		**POR**	**1 kg**
A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.			
911100 MB	**Agarose Low EEO**	**981.00**	**10 gm**
	Regular grade	**2106.00**	**25 gm**
		8010.00	**100 gm**
(9012-36-6)		**POR**	**500 gm**
A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.		**POR**	**1 kg**
911120 MB	**Agarose Low EEO**	**1260.00**	**10 gm**
	for molecular biology	**2700.00**	**25 gm**
	DNase, RNase, Protease	**9900.00**	**100 gm**
	not detected	**POR**	**500 gm**
(9012-36-6)		**POR**	**1 kg**
A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.			
911150 MB	**Agarose Low EEO**	**1400.00**	**10 gm**
	Superior grade type II	**2970.00**	**25 gm**
	for molecular biology	**9990.00**	**100 gm**
		POR	**500 gm**
(9012-36-6)		**POR**	**1 kg**
A very high quality low EEO, high gel strength Agarose with superior gel clarity and wider resolution range from 100bp to 25kb nucleic acid fragments, ideal for various applications like separations & purifications, PCR &RE analysis, southern & northern blotting, immunoelectrophoresis techniques, etc. Ranges of separation: 100bp To 25kb.			
	Aibn See (A-A-Azo-Iso-Butyronitrile)		
003550 ✻	▲**Ajmalicine** Pure	**25200.00**	**50 mgm**
$C_{21}H_{24}N_2O_3$	M.W. 352.43		
(483-04-5)	Assay 98.0%		
003570 ✻	▲**Ajmaline** Pure	**6606.00**	**1 gm**
$C_{20}H_{26}N_2O_2$	M.W. 326.44		
(4360-12-7)	Assay 98.0%		
347005	**Ajowan Seed Oil**	**1305.00**	**100 ml**
(8001-99-8)		**5418.00**	**500 ml**

Product Code	Product Name	Price	Packing
TC1235 ATC	▲**Alamar Blue®**	**2854.00**	**1 gm**
	Resazurin Sodium salt	**6670.00**	**5 gm**
	Cell Culture Tested		
$C_{12}H_6NNaO_4$	M. W.: 251.17		
(62758-13-8)			
037009	B-**Alanine** for Biochemistry	**297.00**	**25 gm**
$NH_2.CH_2.CH_2.COOH$	M. W.: 89.09	**1000.00**	**100 gm**
(107-95-9)	Assay (Non-aqueous) 99.0%	**8613.00**	**1 kg**
037005	D-**Alanine** for Biochemistry	**1031.00**	**5 gm**
$C_3H_7NO_2$	M. W.: 89.09	**3240.00**	**25 gm**
(338-69-2)	Assay (Non-aqueous, on dry basis) 98.0%		
037007	DL-**Alanine** for Biochemistry	**190.00**	**25 gm**
$CH_3CH(NH_2)COOH$	M. W.: 89.09	**594.00**	**100 gm**
(302-72-7)	Assay (Non aqueous) 98.5%-100.5%	**4374.00**	**1 kg**
037006	L-**Alanine** for Biochemistry	**252.00**	**25 gm**
$CH_3CH(NH_2)COOH$	M. W.: 89.09	**756.00**	**100 gm**
(56-41-7)	Assay (Non-aqueous) 99.0%	**3015.00**	**500 gm**
		5283.00	**1 kg**
PCT1301 PTC	**L-Alanine**	**387.00**	**25 gm**
	(2-Aminopropionic acid)	**7047.00**	**500 gm**
	Plant Culture Tested	**12700.00**	**1 kg**
$C_3H_7NO_2$	M. W.: 89.09		
(56-41-7)	Assay 99%		
	Store below 30°C		
TC1056 ATC	**L-Alanine**	**1360.00**	**25 gm**
	(From non-animal source)	**3033.00**	**100 gm**
	Cell Culture Tested	**12110.00**	**500 gm**
$C_3H_7NO_2$	MW : 89.09	**21870.00**	**1 kg**
(56-41-7)	Assay : ≥99%		
	Store below 30°C		
TC1056M ATC	**L-Alanine**	**1809.00**	**25 gm**
	(From non-animal source)	**5247.00**	**100 gm**
	Meets USP 41-NF 36, EP 9.0,	**18198.00**	**500 gm**
	JP 17 and BP 2016 testing	**36360.00**	**1 kg**
	Specifications		
$C_3H_7NO_2$	MW : 89.09		
(56-41-7)			
	Store below 30°C		
003870	L-**Alanine Benzyl Ester**-P-**Toluene**	**7120.00**	**25 gm**
	Sulfonate for Biochemistry		
$C_{17}H_{21}NO_5$	M. W.: 351.42		
(42854-62-6)	Assay 95.0%		
003880	L-**Alanine Methyl Ester Hydrochloride**	**1782.00**	**5 gm**
	for Biochemistry	**6831.00**	**25 gm**
$C_4H_9NO_2.HCl$	M. W.: 139.58	**21591.00**	**100 gm**
(2491-20-5)	Assay 99%		
TC1089 ATC	▲**L-Alanyl**-L-**Glutamine**	**1773.00**	**5 gm**
	(Glutamine-s)	**7110.00**	**25 gm**
	Cell Culture Tested	**21375.00**	**100 gm**
$C_8H_{15}N_3O_4$	M. W.: 217.22		
(39537-23-0)	Assay : ≥98%		
452815	▲**Alar (B-9) AR**	**1400.00**	**5 gm**
$C_6H_{12}N_2O_3$	Plant Growth Regular	**6660.00**	**25 gm**
(1596-84-5)	M.W. 160.17		
	Assay (dried) 99.0%		
802370	**Albert's** Stain **A**	**162.00**	**125 ml**
		495.00	**500 ml**

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
802380	**Albert's** Stain **B**	162.00 450.00	125 ml 500 ml
	Albumin Bovine See Bovin Albumin		
	Albumin Egg Flakes See Egg Albumin Flakes		
	Albumin Egg Powder See Egg Albumin Powder		
K000495	**Albert Metachromatic stains kit**	343.00	KIT
280425 $C_{56}H_{68}Cl_4CuN_{16}S_4$ (33864-99-2)	**Alcian Blue** 8GX for Microscopy (Ingrain blue 1) C.I. 74240 M.W.: 1298.88 Dye content (Spectrophotometric) abt. 50%	1953.00 9000.00	5 gm 25 gm
911250 MB $C_{56}H_{68}Cl_4CuN_{16}S_4$ (33864-99-2)	**Alcian Blue 8GX** For Molecular Biology C. I. No. : 74240 M. W.: 1298.86 Store Below 30°C	12790.00 24220.00	25 gm 50 gm
PCT2514 PTC $C_{56}H_{68}Cl_4CuN_{16}S_4$ (33864-99-2)	**Alcian Blue 8GX** Plant Culture Tested MW : 1298.86 Assay 99.5% Store below 30°C	8091.00 13600.00	10 gm 25 gm
802440	**Alcian Blue Solution** for Microscopy Clear, Permanent Stain for Mucin	801.00	100 ml
TC1679 ATC (9028-88-0)	▲**Aldehyde Dehydrogenase** Cell Culture Tested Activity : NLT 1U/mg	10670.00	10 mg
004005 $C_{16}H_{32}O_5$ (533-87-9)	**Aleuritic Acid** M. W.: 304.43	1800.00	5 gm
004035 $(C_6H_8O_6)n$ (9005-32-7)	**Alginic Acid** Meet BP,Ph,Eur. M.W:(176.13)n Assay (as COOH w.r.t. Dried subs.) 19-25%	702.00 2106.00 19530.00 POR POR	100 gm 500 gm 5 kg 25 kg 50 kg
	Alginic Acid Sodium Salt See Sodium Alginate		
004065 $C_{25}H_{54}NCl$ (5137-55-3)	**Aliquat 336 ~** (Trioctyl Methyl Ammonium Chloride) M. W.: 404.17 Assay 80.0%	2016.00 7866.00	250 ml 1 lit
	Alizarin Complexone See 3-Aminomethylalizarin N,N'-Diacetic Acid		
280585 $CO.C_6H_4.CO.C_6H_2(OH)_2$ (72-48-0)	**Alizarin** pH indicator **AR** C.I. 58000 M. W.: 240.22	540.00 2205.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
280725 $C_{28}H_{20}N_2Na_2O_8S_2$ (4403-90-1)	**Alizarin Canine Green G** (C.I. 61570) M. W.: 622.59	585.00 2106.00	25 gm 100 gm
802723	**Alizarin Red** S, 1% w/v aqueous indicator solution	181.00	100 ml
802720	**Alizarin Red** Solution 0.1 % w/v (Alizarin alcohol Solution)	198.00	50 ml
280865 $C_{14}H_6Na_2O_7S$ (130-22-3)	**Alizarin Red** S pH Indicator C.I. 58005 M.W:.364.24 Dye content (Spectro) 70%	774.00 2394.00	25 gm 100 gm
280875 $C_{14}H_7NaO_7S$ (130-22-3)	**Alizarin Red** S **AR** (Sodium Alizarine Sulphonate) C.I. 58005 M.W:.342.26	820.00 2700.00	25 gm 100 gm
281165 $C_{13}H_9N_3O_5$ (2243-76-7)	**Alizarin Yellow** R **AR** for Microscopy M. W:.287.23 Assay (Dye content) 70.0%	2520.00 8190.00	25 gm 100 gm
281015 $C_{13}H_8N_3NaO_5$ (584-42-9)	**Alizarin Yellow GG** M. W:.309.21	2520.00 8109.00	25 gm 100 gm
	Alizarin Sulphonic Acid Sodium Salt & Redox Indicator See Alizarine Red S		
802725	**Alkali Blue** (6B) Solution 0.1% in Alcohol	441.00	250 ml
802727	**Alkali Blue** Solution Indicator for Neutralization and Saponification Number	1260.00	1 lit
281305 $C_{32}H_{28}N_3NaO_4S$ (1324-76-1)	**Alkali Blue** (6B) (pH Indicator) (C.I. 42750) M. W.: 573.65	594.00 2502.00	5 gm 25 gm
	Alkaline Copper Solution See Folin & Wu's Alkaline Copper Solution		
802860	**Alkaline Copper Tartrate** Solution (Folin and wu ; Alkaline copper Soln.)	225.00	500 ml
TC1488 ATC (9001-78-9)	▲**Alkaline Phosphatase** From Bovine Intestine Cell Culture Tested M. W.: ~160 kDa Activity : 2000-4000 DAE unit/mg	7790.00	1000 units
	Alkyl Dimethyl Benzyl Ammonium Chloride See Benzalkonium Chloride		
042010 $C_4H_6N_4O_3$ (97-59-6)	**Allantoin** Fine Powder M. W.: 158.12 Assay (Acidimetric, dried) 99-101%	522.00 4001.00 18000.00	100 gm 1 kg 5 kg
042011 $C_4H_2N_2O_4.H_2O$ (2244-11-3)	▲**Alloxan** Monohydrate M. W.: 160.09 Assay (ex N) 98.5%	950.00 3303.00	25 gm 100 gm
	Alloy According to **Devardas** See Devardas Alloy		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	Alloy According to Wood See Wood's (Metal)		
281455 $C_{18}H_{14}N_2Na_2O_8S_2$ (25956-17-6)	**Allura Red** M.W : 496.42 Assay 80.0%	**581.00** **2763.00**	**100 gm** **500 gm**
004375 C_3H_6O (107-18-6)	**Allyl Alcohol** for Synthesis (2-Propan-1-ol) M. W.: 58.08 Assay (GC) 99.0%	**963.00** **4680.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
453835 C_3H_6O (107-18-6)	**Allyl Alcohol AR** (2-propen-1-ol) M. W.: 58.08 Assay 99.5%	**1800.00** **7443.00**	**500 ml** **2.5 lit**
004540 C_3H_7N (107-11-9)	**Allylamine** for Synthesis (2-Propen-1ylamine, 3-Amino-1-Propene) M.W. 57.10 Assay 99.0%	**3105.00** **10800.00**	**250 ml** **1 lit**
004575 C_3H_5Br (106-95-6)	**Allyl Bromide** (3-Bromo-1-Propene) (Stabilised with Silver Wire) M. W.: 120.98 Assay (GC) 98.0%	**4500.00**	**500 ml**
004605 C_3H_5Cl (107-05-1)	**Allyl Chloride** for Synthesis M. W.: 76.53 Assay (GC) 98.0%	**1017.00** **4806.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Alpha Benzoinoxime See a-Benzoinoxime		
	Alpha-Bromo-P-Nitro Toluene See 4-**Nitrobenzyl Bromide**		
	Alum Ammonium See Aluminium Ammonium Sulphate		
	Alum Chrome Potassium See Chromium Potassium Sulphate		
	Alum Potassium See Aluminium Potassium Sulphate		
	Aluminium Silicate Hydrate See Bentonite Powder		
803140	**Aluminium** (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	**1746.00** **2295.00** **3852.00**	**100 ml** **250 ml** **500 ml**
803142	**Aluminium** (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**1746.00** **2295.00** **3852.00**	**100 ml** **250 ml** **500 ml**
803190	**Aluminium** (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**5301.00** **8505.00**	**100 ml** **500 ml**
803192	**Aluminium** (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	**5301.00** **8505.00**	**100 ml** **500 ml**
803194	**Aluminium** (Al) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	**16030.00** **48240.00**	**100 ml** **500 ml**

Product Code	Product Name	Price	Packing
027064 Al (7429-90-5)	**Aluminium** (Metal) Fine Powder At. W. 26.98 Assay (Complexometric) 99.0%	**576.00** **1053.00** **9500.00** **POR** **POR**	**250 gm** **500 gm** **5 kg** **25 kg** **50 kg**
N01175 Al (7429-90-5)	**Aluminum Nanoparticles/ Nanopowder** (18nm) At. W. 26.98 Assay 99.0%	**6003.00** **17710.00**	**1 gm** **5 gm**
N01180 Al (7429-90-5)	**Aluminum Nanoparticles/ Nanopowder** (70-80nm) At. W. 26.98 Assay 99.9%	**4500.00** **13500.00**	**1 gm** **5 gm**
004680 Al (7429-90-5)	**Aluminium Foil** Tech. (Roll) At. W. : 26.98 Assay 97.0%	**360.00**	**100 gm**
453925 Al (7429-90-5)	**Aluminium Foil** (Roll) **AR** At. W. : 26.98 Assay (Complexometry) 99.0%	**675.00**	**100 gm**
027067 Al (7429-90-5)	**Aluminium Foil** 0.14mm thickness Sheet At W. 26.98 Assay 99.0%	**639.00** **1107.00** **POR** **POR**	**250 gm** **500 gm** **25 kg** **50 kg**
454015 Al (7429-90-5)	**Aluminium Foil** (FOIL) 0.14 **AR** At. W. : 26.98	**1900.00** **3501.00**	**250 gm** **500 gm**
004700 Al (7429-90-5)	**Aluminium Ingots** At. W.: 26.98 Assay (Trace metal basis) 99.99%	**2439.00** **10000.00**	**100 gm** **500 gm**
027070 $AlNH_4(SO_4)_2.12H_2O$ (7784-26-1)	**Aluminium Ammonium Sulphate** 12 Hydrate M. W.: 453.32 Assay (Complexometry ex Al) 99.0%	**306.00** **1980.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
454105 $AlNH_4(SO_4)_2.12H_2O$ (7784-26-1)	**Aluminium Ammonium Sulphate AR/ACS** M. W.: 453.32 Assay (Complexometric ex Al) 99.5%	**414.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
004900 $AlBO_3$ (11121-16-7)	**Aluminium Borate** M.W.: 85.791 Assay 96%	**1080.00**	**500 gm**
027073 $AlCl_3$ (7446-70-0)	**Aluminium Chloride** Anhydrous M. W.: 133.34 Assay (Argentometric) 98.0%	**221.00** **387.00** **POR** **POR**	**250 gm** **500 gm** **25 kg** **50 kg**
H01265 $AlCl_3$ (7446-70-0)	**Aluminium Chloride** Anhydrous M. W.: 133.34 Assay (Argentometric) 98.0%	**792.00**	**500 gm**
005025 $AlCl_3.6H_2O$ (7784-13-6)	**Aluminium Chloride** Hexahydrate Purified M. W.: 241.43 Assay 97.0-101.0%	**648.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
454195 $AlCl_3.6H_2O$ (7784-13-6)	**Aluminium Chloride** Hexahydrate **AR** Meet BP,USP,Ph,Eur. M. W.: 241.43 Assay (Complexometric) 97-102%	**3492.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
027075 $AlF_3 + H_2O$ (7784-18-1)	**Aluminium Fluoride** M. W.: 83.98+H_2O Assay (Complexometric, after drying) 97.0%	783.00 POR POR	500 gm 25 kg 50 kg
027076 $Al(OH)_3$ (21645-51-2)	**Aluminium Hydroxide** GEL (Powder) M. W.: 78.00 Assay(Al_2O_3) 47%	306.00 504.00 POR	250 gm 500 gm 25 kg
TC1550M ATC (21645-51-2)	**Aluminium Hydroxide,** Dried Gel Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 78.00 Store below 30°C	4420.00 7970.00 31770.00	500 gm 1 kg 5 kg
	Aluminium Isopropylate See Aluminium-tri-iso-Propoxide		
	Aluminium Lithium Hydride See Lithium Aluminium Hydride		
027079 $Al(NO_3)_3.9H_2O$ (7784-27-2)	**Aluminium Nitrate** Nonahydrade Cryst. M. W.: 375.13 Assay (Complexometric) 98.0%	405.00 POR POR	500 gm 25 kg 50 kg
454285 $Al(NO_3)_3.9H_2O$ (7784-27-2)	**Aluminium Nitrate** Nonahydrate **AR/ACS** M. W.: 375.13 Assay (Complexometric) 98.5%	1800.00 POR	500 gm 25 kg
005145 $C_6Al_2O_{12}$ (814-87-9)	**Aluminium Oxalate** M.W. : 318.2	1791.00	500 gm
005150 Al_2O_3 (1344-28-1)	**Aluminium Oxide Calcined** (Activated Alumina, Activated 2-5mm, Alumina) M. W.: 101.96	401.00 POR POR	500 gm 25 kg 50 kg
005195 Al_2O_3 (1344-28-1)	**Aluminium Oxide G Neutral** (with Binder) for TLC M. W.: 101.96	657.00 POR POR	500 gm 25 kg 50 kg
005170 Al_2O_3 (1344-28-1)	**Aluminium Oxide Acidic** (Brockmann Grade I, II) (pH value 3.5 - 4.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	550.00 POR POR	500 gm 25 kg 50 kg
005180 Al_2O_3 (1344-28-1)	**Aluminium Oxide Basic** (Brockmann Grade I, II) (pH value 9.5 ± 0.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	522.00 POR POR	500 gm 25 kg 50 kg
005185 I_2O_3 (1344-28-1)	**Aluminium Oxide Neutral** (Brockmann Grade I, II) (pH value 6.5 - 7.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	550.00 POR POR	500 gm 25 kg 50 kg
454375 Al_2O_3 (1344-28-1)	**Aluminium Oxide AR/EL** M. W.: 101.96 Assay (Al_2O_3) 99.9%	4005.00 15003.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
N01295 Al_2O_3 (1344-28-1)	**Aluminum Oxide Nanoparticles/** **Nanopowder** (Alumina, Alfa-Al_2O_3 high purity 20-40nm) M. W.: 101.96 Assay (Al_2O_3) 99.99%	2264.00 7200.00 18000.00	25 gm 100 gm 250 gm
N01301 Al_2O_3 (1344-28-1)	**Aluminum Oxide Nanoparticles/** **Nanopowder** (Alumina, gamma-Al_2O_3 high purity 20-40nm) M. W.: 101.96 Assay (Al_2O_3) 99.97%	9243.00 13860.00	25 gm 100 gm
005325 AlO_4P (7784-30-7)	**Aluminium Phosphate** Pract M. W.: 121.95 Assay 98.0%	1080.00	500 gm
TC1551M ATC AlO_4P (7784-30-7)	**Aluminium Phosphate Gel** Meets EP 9.0 and BP 2016 testing specifications MW : 121.95 Store below 30°C	POR POR	100 ml 500 ml
TC1551U ATC AlO_4P (7784-30-7)	**Aluminium Phosphate Gel** Meets USP 41-NF 36 testing specifications M. W.: 121.95 Store below 30°C	POR POR	100 ml 500 ml
027085 $AlK(SO_4)_2.12H_2O$ (7784-24-9)	**Aluminium Potassium Sulphate** Purified Dodecahydrate (Potassium Alum) M. W.: 474.38 Assay (ex Al) 99.0%	288.00 1008.00 POR POR	500 gm 2.5 kg 25 kg 50 kg
454465 $AlK(SO_4)_2.12H_2O$ (7784-24-9)	**Aluminium Potassium Sulphate** **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 474.38 Assay (Complexometric) 99.5%	342.00 1305.00 POR POR	500 gm 2.5 kg 25 kg 50 kg
TC1552M ATC $KAl(SO_4)_2.12H_2O$ (7784-24-9)	**Aluminium Potassium Sulphate** Dodecahydrate (Potassium alum dodecahydrate) Meets USP 41-NF 36, EP 9.0, JP and BP 2016 testing specifications M. W.: 474.39 Store below 30°C	13600.00 15300.00	500 gm 1 kg
027087 $C_9H_{21}AlO_3$ (555-31-7)	**Aluminium-tri-iso-Propoxide** for Synthesis M. W.: 204.25 Assay (Iodometric) 97.0%	1305.00 POR POR	500gm 25 kg 50 kg
005425 $[CH_3(CH_2)_{16}COO]_3Al$ (637-12-7)	**Aluminium Stearate** Extra Pure M.W. : 877.35	891.00 POR	1 kg 25 kg
027090 $Al_2(SO_4)_3.16H_2O$ (16828-11-8)	**Aluminium Sulphate** Purified Hexadecahydrate M. W.: 630.38 Assay 98.0%	252.00 POR POR	500 gm 25 kg 50 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
454555 $Al_2(SO_4)_3.16H_2O$ (16828-11-8)	**Aluminium Sulphate AR/ACS,** (Hexadecahydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 630.38 Assay [As $Al_2(SO_4)_3.16H_2O$] 99.5-102%	306.00 POR POR	500 gm 25 kg 50 kg
TC1553U ATC $(NH_4)_2SO_4$ (7783-20-2)	**Aluminium Sulphate** Diammonium sulphate Meets USP 41-NF 36 testing specifications M. W.: 132.14 Store below 30°C	4707.00 7430.00 29700.00	500 gm 1 kg 5 kg
281605 $C_{22}H_{23}N_3O_9$ (569-58-4)	**Aluminon AR/ACS** Reagent for Aluminium M. W.: 473.44	801.00 1800.00	10 gm 25 gm
803610	**Aluminon** Reagent	144.00 442.00	125 ml 500 ml
281745 $C_{20}H_{11}N_2Na_3O_{10}S_3$ (915-67-3)	**Amaranth** C.I. 16185 M. W.: 604.50 Asssy (Dye content titanometry) 85.0%	180.00 693.00 4600.00	25 gm 100 gm 1 kg
911400 MB $C_{20}H_{11}N_2Na_3O_{10}S_3$ (915-67-3)	**Amaranth** For Molecular Biology M. W.: 604-47 Store Below 30°C	324.00 873.00	25 gm 100 gm
803660	**Amaranth** Solution	216.00 630.00	100 ml 500 ml
	Amberlite 120 See Ceralite IR 120		
	Amberlite 400 See Ceralite IR 400		
	Amberlite 410 See Ceralite IR 410		
	Amberlite IRC 50 See Ceralite IRC 50		
281895 $C_{22}H_{14}N_6O_9S_2Na_2$ (1064-48-8)	**Amido Black** 10B C.I. 20470 M. W.: 616.50 Dye content (Titanometry on Dried Subs.) Abt 50.0%	306.00 1009.00	25 gm 100 gm
911420 MB $C_{22}H_{14}N_6Na_2O_9S_2$ (1064-48-8)	**Amido Black 10B** For Molecular Biology M. W.: 616.49 Store Below 30°C	2007.00 4806.00	25 gm 100 gm
	Amido Sulphonic Acid See Sulphamic Acid		
005975 $C_{22}H_{43}N_5O_{13}.2H_2SO_4$ (39831-55-5)	▲**Amikacin Sulphate** for Lab use Potency not less than 900 mcg/mg M. W.: 781.76 Assay (HPLC) 99.0%	2151.00 9810.00	1 gm 5 gm
006065 $C_8H_{10}N_2O$ (122-80-5)	p-**Amino Acetanilide** Pure M. W.: 150.18 Assay (NT) 98.0%	567.00 2502.00	100 gm 500 gm
006136 C_8H_9NO (551-93-9)	▲2-**Amino Acetophenone** for Synthesis M.W : 135.16 Assay 98.0%	1233.00 10665.00	10 gm 100 gm
006138 C_8H_9NO (99-03-6)	3-**Amino Acetophenone** for Synthesis M.W : 135.16 Assay 98.0%	1450.00 5000.00	100 gm 500 gm
006140 C_8H_9NO (99-92-3)	4-**Amino Acetophenone** for Synthesis M. W.: 135.16 Assay 98.0%	3200.00 13707.00	100 gm 500 gm
	Amino Acetic Acid See Glycine		
K001015	**Amino Acid Kit of 24 items** (each tube contain 1 gm except 3 (3,4-Dihydroxy Phenyl) DL-Alanine and L-Hydroxy Proline which contain 0.1 gm) DL- Alanine, DL-Nor-Leucine, DL-2-Amino-n-butyric Acid, L-Leucine, L-Arginine Monohydrochloride, L-Lysine Monohydrochloride, DL-Aspartic Acid, DL-Methionine, L-Cysteine Hydrochloride, L-Ornithine Monohydrochloride, L-Cystine, DL-Phenyl Alanine, 3-(3,4-Di Hydroxy Phenyl) DL-Alanine, L-Proline, L-Glutamic Acid, DL-Serine, Glycine, DL-Threonine, L-Histidine Monohydrochloride, DL-Tryptophan, L-Hydroxy Proline, L-Tyrosine, DL-ISO-Leucine & DL-Valine	4500.00	1 kit
	3-**Amino Anisole** See m-Anisidine		
	4-**Amino Anisole** See p-Anisidine		
454855 $C_{11}H_{13}N_3O$ (83-07-8)	p-**Amino Antipyrine AR** M. W.: 203.24 Assay (Non-aqueous) 98.0%	1404.00 5310.00	25 gm 100 gm
H01765 $C_{11}H_{13}N_3O$ (83-07-8)	p-**Amino Antipyrine** M. W.: 203.24 Assay (Non-aqueous) 98.0%	3771.00 14220.00	25 gm 100 gm
006350 $C_{12}H_{11}N_3$ (60-09-3)	4-**Amino Azobenzene** (4-phenylazoaniline) for Synthesis M. W.: 197.24 Assay 98.0%	401.00 1800.00	100 gm 500 gm
	p-**Aminobenzene Sulphonamide** See Sulphanilamide		
	3-**Aminobenzene Sulphonic Acid** See Metanilic Acid		
	p-**Aminobenzene Sulphonic Acid** See Sulphanilic Acid		
006450 $C_7H_7NO_2$ (99-05-8)	m-**Amino Benzoic Acid** (3-Aminobenzoic Acid) for Synthesis M. W.: 137.4 Assay 98.0%	1107.00 4005.00	100 gm 500 gm
006470 $NH_2C_6H_4COOH$ (150-13-0)	p-**Amino Benzoic Acid** Pract. (4-Amino Benzoic acid) M. W.: 137.14 Assay (acidimetric) 98.5-100.5%	765.00 2808.00	100 gm 500 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT1211 PTC $C_7H_7NO_2$ (150-13-0)	**4-Aminobenzoic Acid** (PABA; p-Aminobenzoic acid) Plant Culture Tested M. W.: 137.14 Assay 99% Store below 30°C	801.00 3006.00	100 gm 500 gm
006500 $C_{13}H_{11}NO$ (2835-77-0)	2-**Amino Benzophenone** M. W.: 197.23 Assay 98.0%	4500.00 15651.00	25 gm 100 gm
006550 $C_4H_{11}NO$ (5856-62-2)	S(+)-2-**Amino**-1-**Butanol** (D-2-Aminobutanol) M. W.: 89.14 Assay 98.0%	1900.00 6507.00	1 gm 5 gm
006745 $C_2H_5CH(NH_2)CO_2H$ (2835-81-6)	DL-2-**Amino Butyric Acid** M. W.: 103.12 Assay 99.0%	1962.00 5850.00	25 gm 100 gm
006825 $C_4H_9NO_2$ (56-12-2)	p-**Amino Butyric Acid** M. W.: 103.12 Assay (Non aqueous) 98.0%	1152.00 3690.00 POR POR	100 gm 500 gm 5 kg 25 kg
454945 $C_4H_9NO_2$ (56-12-2)	p-**Amino Butyric Acid AR** for biochemistry M. W.: 103.12 Assay (NT) 99.0%	324.00 801.00 2997.00	10 gm 25 gm 100 gm
TC1090 ATC $C_4H_9NO_2$ (1492-24-6)	**L-α-Amino-n-Butyric Acid** (L-(+)-2-Aminobutyric Acid) Cell Culture Tested M. W.: 103.12 Assay : ≥98% Store below 30°C	1872.00 5463.00 21726.00	250 mg 1 gm 5 gm
	DL-2-**Amino**-n-**Caproic Acid** See dl-NOR Leucine		
006950 $C_6H_{13}NO_2$ (60-32-2)	6-**Amino Caproic Acid** for Biochemistry M. W.: 131.17 Assay 99.0%	3780.00 18351.00 POR	100 gm 500 gm 1 kg
007105 $H_2NC_6H_3(Cl).COC_6H_5$ (719-59-5)	2-**Amino**-5-**Chloro Benzophenone** M. W.: 231.68 Assay 98.0%	3573.00 17478.00	100 gm 500 gm
007205 $H_6NC_6H_2Cl_2CO_2H$ (56961-25-2)	4-**Amino**-3,5-**Dichloro Benzoic Acid** M. W.: 206.03 Assay 98.0%	6003.00 18000.00	5 gm 25 gm
281995 (101-54-2)	4-**Amino Diphenylamine** Crystalline	1620.00	25 gm
	4-**Amino**-N,N-**Diethylaniline Dihydrochloride** See N,N-Dimethyl-P-Phenylene Diamine Dihydrochioride		
	4-**Amino**-N-N,**Diethyl Aniline Sulphate** See N,N-Diethyl-p-Phenylene Diamine Sulphate		
	4-**Amino**-2,3-**Dimethyl**-1-**Phenyl**-3-**Pyrazolin**-5-**One** See 4-Aminoantipyrine		
	5-**Amino**-2,3-**Dihydro**-1, 4-**Phthalazinedione** See Luminol		
	2-**Amino Ethanol** See Ethanolamine Mono		

Product Code	Product Name	Price	Packing
	2-**Aminoethylbromide Hydrobromide** See-2-**Bromoethylamine Hydrobromide**		
	N-(2-**Aminoethyl)Ethanolamine** See 2-(2-**Aminoethylamino)ethanol**		
007350 $C_4H_{12}N_2O$ (111-41-1)	2-(2-**Amino Ethylamino**) **Ethanol** for Synthesis, [N-(2-Aminoethyl) Ethanolamine,N-(2-2-Hydroxyethyl) Ethylenediamine] M. W.: 104.15	1152.00 5202.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
007550 $C_8H_{10}FNO_2S.HCl$ (30827-99-7)	▲4-(2-**Amino Ethyl) Benzene Sulphonyl Fluoride Hydrochloride** for Biochemistry (AEBSF-2-Hydrochloride) (Substitute for PMSF) M. W.: 239.7 Assay 98.0%	1143.00 3510.00	25 mg 100 mg
007595 $C_6H_{15}N_3$ (140-31-8)	1-(2-**Amino Ethyl**) **Piperazine** M. W.: 129.21 Assay (GC) 99.0%	1530.00 3006.00	100 ml 500 ml
	1-**Amino**-2-**Fluorobenzene** See 2-Fluoroaniline		
	1-**Amino**-4-**Fluorobenzene** See 4-Fluoroaniline		
	4-**Amino Folic Acid** See **Aminopterin**		
	(R)-2-Aminoglutaric Acid See **d-Glutamic Acid**		
	(S)-2-Aminoglutaric Acid See **L-Glutamic Acid**		
	1-**Amino Guanidinium Hydrogen Carbonate** See Amino guanidine Bicarbonate		
007650 $C_2H_8N_4O_3$ (2582-30-1)	**Amino Guanidine Bicarbonate** (1-Aminoguanidinium Hydrogen Carbonate, Guanylhydrazine Bicarbonate Salt) for Synthesis M. W.: 136.11 Assay 97.0%	360.00 1503.00	100 gm 500 gm
	DL-**Amino-N-Hexanoic Acid** See dl-**Norleucine**		
	2-**Amino**-3-**Hydroxybutyric Acid** See dl-Threonine		
	1-**Amino**-2-**Hydroxy Naphthalene-4-Sulfonic Acid** See 1-Amino-2-Naphthol-4-Sulphonic Acid		
	4-**Amino**-3-**Hydroxy Naphthalene**1-**Sulphonic Acid** See 1-Amino-2-Naphthol-4-Sulphonic Acid		
	4-**Amino**-2-**Hydroxy Pyrimidine** See Cytosine		
007750 $C_{19}H_{15}NO_8.2H_2O$ (3952-78-1)	3-**Amino Methylalizarin**- N,N-**Diacetic Acid** (Alizarin Complexone) M. W.: 421.36 Assay 95.0%	855.00 3906.00	1 gm 5 gm
	DL-2-**Amino**-3-**Methylpentanoic Acid** See dl-Isoleucine		
	2-**Amino**-2-**Methylpropane** See tert-Butylamine		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
455125 $C_4H_{11}NO_2$ (115-69-5)	2-**Amino**-2-**Methyl**-1,3-**Propanediol AR** M. W.: 105.14 Assay (GC) 99.0%	**8640.00**	**100 gm**
007850 $(CH_3)_2C(NH_2)CH_2OH$ (124-68-5)	2-**Amino**-2-**Methyl-Propan-1-OL** (Isobutanolamine) M. W.: 89.14	**1980.00** **9468.00** **POR**	**500 ml** **2.5 lit** **25 lit**
455645 $(CH_3)_2C(NH_2)CH_2OH$ (124-68-5)	2-**Amino**-2-**Methyl-Propan-1-OL AR** (Isobutanolamine) M. W.: 89.14	**3600.00** **14400.00**	**500 ml** **2.5 lit**
007950 $C_6H_8N_2$ (1603-40-3)	2-**Amino**-3-**Methylpyridine** for Synthesis M. W.: 108.14 Assay 95.0%	**5000.00** **19530.00**	**100 gm** **500 gm**
007955 $C_6H_8N_2$ (695-34-1)	2-**Amino**-4-**Methylpyridine** for Synthesis M. W.: 108.14 Assay 98.0%	**1000.00** **4302.00**	**100 gm** **500 gm**
007960 $C_6H_8N_2$ (1603-41-4)	2-**Amino**-5-**Methylpyridine** for Synthesis M. W.: 108.14	**1980.00** **7200.00**	**25 gm** **100 gm**
007965 $C_6H_8N_2$ (1824-81-3)	2-**Amino**-6-**Methylpyridine**(6-Amino -2-Picoline) for Synthesis M. W.: 108.1 Assay 98.0%	**2700.00** **11430.00**	**100 gm** **500 gm**
008075 $C_4H_{10}N_2O$ (4319-49-7)	4-**Amino Morpholine** M. W.:102.14 Assay 97.0%	**3366.00**	**10 gm**
008235 (5460-09-3)	8-**Amino**-1-**Naphthol**-3,6 **Disulphonic Acid Sodium Salt**	**2403.00** **11601.00**	**100 gm** **1 kg**
282135 $NH_2C_{10}H_5(OH)SO_3H$ (116-63-2)	1-**Amino**-2-**Naphthol**-4-**Sulphonic Acid** M. W.: 239.25 Assay 95.0%	**540.00** **1701.00**	**25 gm** **100 gm**
282145 $NH_2.C_{10}H_5(OH).SO_3H$ (116-63-2)	1-**Amino**-2-**Naphthol**-4-**Sulphonic Acid AR** For determination of Phosphates M. W.: 239.25 Assay 98.0%	**621.00** **1854.00**	**25 gm** **100 gm**
	1-**Aminopentane** See Amylamine		
	(R)-2-**Aminopentanedioic Acid** See **d-Glutamic Acid**		
	(S)-2-**Aminopentanedioic Acid** See **L-Glutamic Acid**		
	4-**Amino Phenazone** See p-Amino Antipyrine		
008295 C_6H_7NO (591-27-5)	m-**Aminophenol** (3-Aminophenol) M. W.: 109.13 Assay(Non-aqueous) 99.0%	**963.00** **4401.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
008285 C_6H_7NO (95-55-6)	o-**Aminophenol** Pract (2-Aminophenol) M. W.: 109.13 Assay (GC) 95.0%	**730.00** **1305.00**	**100 gm** **250 gm**
008315 C_6H_7NO (123-30-8)	p-**Aminophenol** Pract (4-Aminophenol) M. W.: 109.13 Assay (Non-aqueous titration) 96.0%	**621.00** **1314.00**	**100 gm** **250 gm**
	6-**Amino**-2-**Picoline** See 2-Amino-6-Methylpyridine		
	2-**Amino**-3-**Picoline** See 2-Amino-3-Methylpyridine		
	6-**Amino**-3-**Picoline** See 2-Amino-5-Methylpyridine		
	2-**Amino**-4-**Picoline** See 2-Amino-4-Methylpyridine		
	2-**Amino**-5-**Picoline** See 2-Amino-5-Methylpyridine		
	2-**Amino**-6-**Picoline** See 2-Amino 6-Methylpyridine		
008405 C_3H_9NO (156-87-6)	3-**Amino**-1-**Propanol** for Synthesis (3-Aminopropyl alcohol) M.W. 75.11	**1197.00** **5500.00**	**100 ml** **500 ml**
	1-**Aminopropane** See n-Propylamine		
	2-**Aminopropane** See Isopropylamine		
	(S)-2-**Aminopropionic Acid** See l-Alanine		
	(R)-2-**Aminopropionic Acid** See d-Alanine		
008555 $C_{19}H_{20}N_8O_5$ (54-62-6)	3-**Amino Pterin** (4-Amino Folic Acid) M. W.: 440.4 Assay 98.0%	**2601.00** **5850.00**	**10 mg** **25 mg**
TC1091 ATC $C_{19}H_{20}N_8O_5$ (54-62-6)	▲**Amino Pterin** (4-Aminofolic acid) Cell Culture Tested M. W.: 440.41 Assay : ≥98%	**3636.00** **8964.00** **27810.00**	**10 mg** **25 mg** **100 mg**
027135 $N.CH.CH.CH.CH.\ C.NH_2$ (504-29-0)	2-**Amino Pyridine** for Synthesis (o-Amino Pyridine) M. W.: 94.12 Assay (G.C) 98.0%	**603.00** **2799.00** **5500.00**	**100 gm** **500 gm** **1 kg**
008655 $C_5H_6N_2$ (462-08-8)	3-**Amino Pyridine** (m-Aminopyridine) (for Synthesis) M. W.: 94.12 Assay 99.0%	**3807.00** **14130.00**	**100 gm** **500 gm**
008665 $C_5H_6N_2$ (504-24-5)	4-**Amino Pyridine** for Synthesis (p-Amino pyridine) M. W.: 94.12	**1000.00** **3600.00**	**25 gm** **100 gm**
	Aminopyrine See 4-**Dimethylamino Antipyrine**		
008765 $C_7H_7NO_3$ (89-57-6)	5-**Amino Salicylic Acid** for Synthesis (5-Amino-2-Hydroxybenzoicacid, Mesalamine) M. W.: 153.14	**2196.00** **8910.00**	**100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
008865 $CH_3N_5.H_2O$ (15454-54-3)	5-**Amino Tetrazole** Monohydrate for Biochemistry M. W.: 103.08 Assay 97.0%	**3006.00**	**100 gm**
009015 $C_3N_4N_2S$ (96-50-4)	2-**Amino Thiazole** for Synthesis M. W.: 100.14 Assay 97.0%	**1800.00**	**50 gm**
009075 C_6H_7NS (137-07-5)	2-**Amino Thiophenol** for Synthesis (2-Mercaptoaniline) M. W.: 125.19 Assay 98.0%	**7489.00**	**500 ml**
	o-**Aminotoluene** See o-Toluidine		
	m-**Aminotoluene** See m-Toluidine		
	p-**Aminotoluene** See p-Toluidine		
009125 $C_2H_4N_2$ (61-82-5)	3-**Amino**-1,2,4-**Triazole** for Synthesis (Amitrol,3-Amino-1H-1,2,4-Triazole) M. W.: 84.08	**3087.00** **10800.00** **POR**	**100 gm** **500 gm** **1 kg**
009135 $C_2H_4N_4$ (584-13-4)	▲4-**Amino**-1,2,4-**Triazole** (4-H-1,2,4-Triazole-4-Amine) M. W.: 84.08	**1602.00** **6408.00**	**100 gm** **500 gm**
	N-**Amino Urea Hydrochloride** See Semicarbazide Hydrochloride		
PCT2141 PTC $C_{11}H_{17}N_2O_4PS$ (36001-88-4)	▲**Amiprophos methyl** Plant Culture Tested M. W.: 304.3	**10710.00** **35555.00**	**250 mg** **1 gm**
009235 $C_{20}H_{23}N.HCl$ (549-18-8)	**Amitriptyline Hydrochloride** for Biochemistry M. W.: 313.86	**1062.00** **3461.00** **12006.00**	**25 gm** **100 gm** **500 gm**
	Amitrol See 3-**Amino**-1,2,4-**Triazole**		
804800	**Ammonia** TS acc. to USP	**369.00**	**500 ml**
804500	**Ammonia** Buffer Solution	**270.00**	**500 ml**
804550	**Ammonia** Buffer Solution for Hardness of Water Determination	**243.00** **1134.00**	**500 ml** **2.5 lit**
804585	**Ammonia** Solution 0.04%	**99.00**	**500 ml**
804600	**Ammonia** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
804750	**Ammonia** Solution About 10% w/v Nh_3	**144.00** **585.00**	**500 ml** **2.5 lit**
009305 NH_3 (1336-21-6)	**Ammonia** Solution (SP. GR. 0.91) M. W.: 17.03 Assay (NH_3) About 25%	**252.00** **702.00** **981.00**	**500 ml** **2.5 lit** **5 lit**
009315 NH_3 (1336-21-6)	**Ammonia** Solution (SP. GR. 0.89) M. W.: 17.03 Assay (NH_3) About 30%	**333.00** **999.00**	**500 ml** **2.5 lit**
456145 NH_3 (1336-21-6)	**Ammonia** Solution **AR** (SP. GR. 0.91) M. W.: 17.03 Assay (NH_3) About 25%	**302.00** **792.00** **1044.00**	**500 ml** **2.5 lit** **5 lit**

Product Code	Product Name	Price	Packing
456165 NH_3 (1336-21-6)	**Ammonia** Solution **AR/ACS** (SP. GR. 0.89) M. W.: 17.03 Assay (NH_3) About 28-30%	**396.00** **1206.00**	**500 ml** **2.5 lit**
703740 Nh_3 (1336-21-6)	**Ammonia** Solution for HPLC Concentration In Water ~10% M. W.: 17.03	**801.00**	**500 ml**
804805	**Ammonia Ammonium Chloride Buffer** TS acc. to USP	**225.00**	**500 ml**
027142 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** Cryst. Pure M. W.: 77.08 Assay (ex NH_3) 96.0%	**423.00** **3231.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
456255 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** Cryst. **AR/ACS** M. W.: 77.08 Assay (ex NH_3) 98.0%	**495.00** **4140.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
703790 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for HPLC M. W.: 77.08 Assay (Acidimetric; ex NH_3 Calculated. on dried subs.) 99.0%	**432.00** **693.00**	**250 gm** **500 gm**
913150 MB CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for Molecular Biology M. W.: 77.08 Assay (Acidimetric ex NH_3 Calc. on dry subs.) 99.0%	**302.00** **801.00**	**100 gm** **500 gm**
703890 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for ULC-MS Hygroscopic M. W.: 77.08	**6156.00**	**100 gm**
804960 MB	**Ammonium Acetate** 5M Ultrapure Solution For Molecular Biology	**1800.00** **3402.00**	**250 ml** **500 ml**
456300 $C_6H_{16}N_2O_4$ (3385-41-9)	**Ammonium Adipate AR** M. W.: 180.20 Assay (Acidimetric) 99.6%	**963.00** **POR**	**500 gm** **25 kg**
703940 $C_6H_{16}N_2O_4$ (3385-41-9)	**Ammonium Adipate** EL Grade M. W.: 180.20 Assay (Acidimetric) 99.0%	**1090.00**	**500 gm**
	Ammonium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammonium Sulphate		
	Ammonium Amido Sulphonate See Ammonium Sulphamate		
009405 $C_6H_5COONH_4$ (1863-63-4)	**Ammonium Benzoate** M. W.: 139.15 Assay(by acidimetry) 98.0%	**1422.00** **POR**	**500 gm** **25 kg**
	Ammonium Bicarbonate See Ammonium Hydrogen Carbonate		
	Ammonium Bichromate See Ammonium Dichromate		
009415 $NH_4F.HF$ (1341-49-7)	**Ammonium Bifluoride** Pure (Ammonium Hydrogen Difluoride) M. W.: 57.04 Assay (acidimetric) 98.0%	**702.00** **5805.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
456390 $NH_4F.HF$ (1341-49-7)	**Ammonium Bifluoride AR/ACS** M. W.: 57.04 Assay (acidimetric) 98.5%	**990.00**	**500 gm**
	Ammonium Bismuth Citrate See Bismuth Ammonium Citrate		
009435 $(NH_4)HSO_4$ (7803-63-6)	**Ammonium Bisulphate** Pure (Ammonium Hydrogen Sulphate) M. W.: 115.11 Assay 98.0%	**2403.00** **3006.00**	**250 gm** **500 gm**
027145 NH_4Br (12124-97-9)	**Ammonium Bromide** M. W.: 97.94 Assay (Argentometric; on dried substance) 99.0%	**1305.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
456435 NH_4Br (12124-97-9)	**Ammonium Bromide AR/ACS** M. W.: 97.94 Assay (Argentometric; after drying) 99.5%	**1404.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
H02265 NH_4Br (12124-97-9)	**Ammonium Bromide** M. W.: 97.94 Assay (Argentometric; after drying) 99.5%	**3825.00**	**500 gm**
027147 NH_4HCO_3+ $NH_2CO_2NH_4$ (10361-29-2)	**Ammonium Carbonate** Purified M. W.: 157.13 Assay (Acidimetric NH_3) 30-33%	**432.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
456525 NH_4HCO_3+ NH_2COONH_4 (10361-29-2)	**Ammonium Carbonate AR/ACS** M. W.: 157.13 Assay (Acidimetric) : 31.0%	**531.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
704900 NH_4HCO_3+ NH_2COONH_4 (10361-29-2)	**Ammonium Carbonate** for HPLC M. W.: 157.13	**1000.00**	**500 gm**
805070	**Ammonium Carbonate** TS acc. to USP	**302.00**	**500 ml**
805100	**Ammonium Ceric Nitrate** N/20 Soln. Normality 0.05 ± 0.0005	**333.00**	**500 ml**
RE0100 $(NH_4)_2[Ce(NO_3)_6]$ (16774-21-3)	**Ammonium Ceric Nitrate** (Ammonium Cerium (IV) Nitrate) M. W.: 548.23 Assay (after drying ex Ce) 98.0%	**437.00** **1305.00**	**25 gm** **100 gm**
RE0110 $(NH_4)_2[Ce(NO_3)_6]$ (16774-21-3)	**Ammonium Ceric Nitrate AR/ACS** M. W.: 548.23 Assay (after drying ex Ce) 99.0%	**1602.00** **6138.00**	**100 gm** **500 gm**
H02755 $(NH_4)_2[Ce(NO_3)_6]$ (16774-21-3)	**Ammonium Ceric Nitrate** M. W.: 548.23 Assay (after drying ex Ce) 99.0%	**2781.00**	**100 gm**
RE0120 $(NH_4)_4[Ce(SO_4)_4].2H_2O$ (10378-47-9)	**Ammonium Ceric Sulphate** Dihydrate (Ammonium Cerium (IV) Sulphate) M. W.: 632.55 Assay (ex Ce) 90.0-105.0%	**1503.00** **6003.00**	**100 gm** **500 gm**
RE0130 $(NH_4)_4[Ce(SO_4)_4].2H_2O$ (10378-47-9)	**Ammonium Ceric Sulphate AR/ACS** (Ceric Ammonium Sulphate) M. W.: 632.55 Assay 99.0%	**1800.00** **6507.00**	**100 gm** **500 gm**
H02805 $(NH_4)_4[Ce(SO_4)_4].2H_2O$ (10378-47-9)	**Ammonium Ceric Sulphate** Dihydrate (Ceric Ammonium Sulphate) M. W.: 632.55 Assay 99.0%	**3960.00** **15300.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
027149 NH_4Cl (12125-02-9)	**Ammonium Chloride** Purified M. W.: 53.49 Assay (ex Cl) 99.0%	**311.00** **550.00** **2304.00** **POR** **POR**	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
456615 NH_4Cl (12125-02-9)	**Ammonium Chloride AR/ACS** Suitable for Chromatographic use M. W.: 53.49 Assay (Argentometric; ex Cl) 99.8%	**477.00** **4005.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
913350 MB NH_4Cl (12125-02-9)	**Ammonium Chloride** Molecular Biology M. W.: 53.49	**774.00**	**500 gm**
PCT1123 PTC NH_4Cl (12125-02-9)	**Ammonium Chloride** Plant Culture Tested M. W.: 53.49 Assay 99% Store below 30°C	**104.00** **477.00** **869.00**	**100 gm** **500 gm** **1 kg**
TC1092 ATC NH_4Cl (12125-02-9)	**Ammonium Chloride** Cell Culture Tested M. W.: 53.49 Assay : ≥99.5% Store below 30°C	**460.00** **1206.00**	**100 gm** **500 gm**
TC1092M ATC ClH_4N (12125-02-9)	**Ammonium Chloride** Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 53.49 Store below 30°C	**1819.00** **5454.00**	**100 gm** **500 gm**
805135 MB	**Ammonium Chloride** 5M Ultrapure Solution For Molecular Biology	**2898.00** **5500.00** **8001.00**	**500 ml** **1 lit** **2.5 lit**
805138	**Ammonium Chloride** TS acc. to USP	**239.00**	**500 ml**
805140	**Ammonium Chloride-Ammonium Hydroxide** TS acc. to USP	**320.00**	**500 ml**
009635 $(NH_4)_2$ Pt Cl_6 (16919-58-7)	**Ammonium Chloro Platinate** M. W.: 443.87	**10440.00**	**1 gm**
009645 $(NH_4)_2CrO_4$ (7788-98-9)	**Ammonium Chromate** Extra Pure M. W.: 152.07 Assay 98.0%	**1800.00**	**500 gm**
	di-**Ammonium Citrate** See di-Ammonium hydrogen-Citrate		
027153 $(NH_4)_3C_6H_5O_7$ (3458-72-8)	tri-**Ammonium Citrate** M. W.: 243.22 Assay (ex NH_3) 97.0-103.0%	**1503.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
456705 $(NH_4)_3C_6H_5O_7$ (3458-72-8)	tri-**Ammonium Citrate AR** M. W.: 243.22 Assay (acidimetric) 98.5-101.0%	**1656.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
027159 $(NH_4)_2Cr_2O_7$ (7789-09-5)	**Ammonium Dichromate** Cryst. M. W.: 252.06 Assay (iodometric) 99.5-100.5%	**1026.00** **9000.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
456795 $(NH_4)_2Cr_2O_7$ (7789-09-5)	**Ammonium Dichromate AR/ACS** M. W.: 252.06 Assay (after drying) 99.5%	**1152.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
027161 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Ortho Phosphate** Purified M. W.: 115.03 Assay (acidimetric) 98.0-101.0%	756.00 7002.00 POR POR	500 gm 5 kg 25 kg 50 kg
456885 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Ortho Phosphate AR** M. W.: 115.03 Assay (acidimetric) 99.0%	855.00 7992.00 POR POR	500 gm 5 kg 25 kg 50 kg
704940 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Orthophosphate** for HPLC (Ammonium Phosphate Monobasic) M. W.: 115.03 Assay 99.0%	1305.00	500 gm
913780 MB $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Ortho Phosphate** For Molecular Biology M. W.: 115.03 Assay ≥ 99% Store Below 30°C	1000.00	500 gm
PCT1001 PTC $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Phosphate** Plant Culture Tested M. W.: 115.03 Assay 98% Store below 30°C	873.00 1575.00	500 gm 1 kg
PCT1107 PTC (1185-57-5)	**Ammonium Ferric Citrate** Plant Culture Tested Assay 17 -18.5% Fe Store below 30°C	234.00 936.00	100 gm 500 gm
009685 (1185-57-5)	**Ammonium Ferric Citrate** Brown Meets Analytical Specification of IP Iron content (iodometric) 20.5 - 22.5%	680.00 POR POR	500 gm 25 kg 50 kg
456995 (1185-57-5)	**Ammonium Ferric Citrate** Brown **AR** (Ammonium Iron (III) Citrate)	1000.00 POR POR	500 gm 25 kg 50 kg
TC1453 ATC (1185-57-5)	**Ammonium Ferric Citrate, Brown** Ammonium iron (III) citrate Cell Culture Tested Assay : 16.5-22.5% Fe Store below 30°C	1044.00 4343.00	100 gm 500 gm
TC1453U ATC $C_6H_8O_7.xFe_3 + . yNH_3$ (1185-57-5)	**Ammonium Ferric Citrate, Brown** (Ammonium iron(III) citrate) Meets USP 41-NF 36 testing specifications Store below 30°C	1260.00 5022.00	100 gm 500 gm
009695 (1185-57-5)	**Ammonium Ferric Citrate** Green	954.00	500 gm
457005 (1185-57-5)	**Ammonium Ferric Citrate** Green **AR**	1350.00	500 gm
009705 $C_6FeO_{12}.3H_4N$ (14221-47-7)	**Ammonium Ferric Oxalate** M. W.: 374.01	900.00	500 gm
027164 $NH_4Fe(SO_4)_2.12H_2O$ (7783-83-7)	▲**Ammonium Ferric Sulphate** Dodecahydrate M. W.: 482.18 Assay (ex Fe) 98.0-101.0%	360.00 POR POR	500 gm 25 kg 50 kg
457050 $NH_4Fe(SO_4)_2.12H_2O$ (7783-83-7)	▲**Ammonium Ferric Sulphate AR/ACS** Dodecahydrate M. W.: 482.1 Assay (Iodometric) 99.0%	428.00 POR POR	500 gm 25 kg 50 kg
805155	**Ammonium Ferric Sulphate TS** acc to USP	176.00	500 ml
805150	**Ammonium Ferric Sulphate 8%** W/v for Chloride (Volhard's Indicator)	280.00	100 ml
027166 $(NH_4)_2SO_4FeSO_4.6H_2O$ (7783-85-9)	**Ammonium Ferrous Sulphate** Hexahydrate Cryst. M. W.: 392.13 Assay (redox titration) 98.5%	302.00 504.00 2205.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
457095 $(NH_4)_2SO_4.FeSO_4.6H_2O$ (7783-85-9)	**Ammonium Ferrous Sulphate AR/ACS** Hexahydrate M. W.:392.13 Assay (redox titration) 99.0%	405.00 2808.00 POR POR	500 gm 5 kg 25 kg 50 kg
027167 NH_4F (12125-01-8)	**Ammonium Fluoride** M. W.: 37.04 Assay (Acidimetric) 95.0%	1090.00 1998.00 POR	500 gm 1 kg 25 kg
457140 NH_4F (12125-01-8)	**Ammonium Fluoride AR/ACS** M. W.: 37.04 Assay (Acidimetric) 98.0%	1494.00 2601.00 4806.00 POR	250 gm 500 gm 1 kg 25 kg
805160	**Ammonium Fluoride** 40% Solution In Water	513.00 1022.00 2300.00	500 ml 1 lit 2.5 lit
H03215 NH_4F (12125-01-8)	**Ammonium Fluoride** M. W.: 37.04 Assay (Acidimetric) 98.0%	5720.00 10296.00	250 gm 500 gm
027169 $H.COONH_4$ (540-69-2)	**Ammonium Formate** M. W.: 63.06 Assay (Acidimetric ex NH_3) 97.0%	333.00 540.00 POR	250 gm 500 gm 25 kg
457185 $H.COONH_4$ (540-69-2)	**Ammonium Formate AR** M. W.: 63.06 Assay (Acidimetric ex NH_3)97.0%	693.00 POR	500 gm 50 kg
D06957 CD_5NO_2 (65387-23-7)	**Ammonium-d_4 Formate-d** (for NMR Spectroscopy) M. W.: 68.06 Assay Min. 98 atom%D	9000.00 34610.00	1 gm 5 gm
	Ammonium Hepta Molybdate See Ammonium Molybdate		
	di-**Ammonium Hexanitratocerate (IV)** See Ammonium Ceric Nitrate		
027170 NH_4HCO_3 (1066-33-7)	**Ammonium Hydrogen Carbonate** (Ammonium Bicarbonate) M. W.: 79.06 Assay (acidimetric) 98.5%	203.00 351.00 1400.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 Kg
457230 NH_4HCO_3 (1066-33-7)	**Ammonium Hydrogen Carbonate AR** (Ammonium Bicarbonate) M. W.: 79.06 Assay (Acidimetric) 99.0%	347.00 POR POR	500 gm 25 kg 50 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
027171 $C_6H_8O_7.2NH_3$ (3012-65-5)	di-**Ammonium Hydrogen-Citrate** (di-Ammonium Citrate) M.W.: 226.18	1107.00 POR POR	500 gm 25 kg 50 kg
913450 MB $C_6H_{14}N_2O_7$ (3012-65-5)	**di-Ammonium Hydrogen Citrate** For Molecular Biology M. W.: 226.18 Assay ≥ 99% Store Below 30°C	5500.00	500 gm
	Ammonium Hydrogen Difluoride See Ammonium Bifluoride		
027173 $(NH_4)_2HPO_4$ (7783-28-0)	di-**Ammonium Hydrogen Ortho Phosphate** Anhydrous Purified M. W.: 132.06 Assay (acidimetric) 97.0-102%	837.00 6705.00 POR POR	500 gm 5 kg 25 kg 50 kg
457275 $(NH_4)_2HPO_4$ (7783-28-0)	di-**Ammonium Hydrogen Ortho Phosphate** Anhydrous **AR/ACS** M. W.: 132.06 Assay (Acidimetric) 98.0-102.0%	927.00 POR POR	500 gm 25 kg 50 kg
913770 MB $(NH_4)_2HPO_4$ (7783-28-0)	**di-Ammonium Hydrogen Ortho Phosphate** For Molecular Biology M. W.: 132.06 Assay ≥ 98% Store Below30°C	1071.00	500 gm
TC1578 ATC $(NH_4)_2HPO_4$ (7783-28-0)	**di-Ammonium Hydrogen Phosphate** Ammonium monohydrogen phosphate, Ammonium phosphate Dibasic Cell Culture Tested M. W.: 132.06 Assay : ≥98% Store below 30°C	2170.00 4780.00	100 gm 500 gm
	Ammonium Hydroxide Solution See Ammonia Solution		
027180 NH_4I (12027-06-4)	**Ammonium Iodide** M. W.: 144.94 Assay 99.0%	3654.00 17600.00	100 gm 500 gm
457320 NH_4I (12027-06-4)	**Ammonium Iodide AR/ACS** M. W.: 144.94 Assay (redox titration of iodide) 99.0%	2970.00 13005.00	50 gm 250 gm
	Ammonium Iron (III) **Citrate** See Ammonium Ferric Citrate		
805450	**Ammonium Iron** (II) **Sulphate** CPECTROSOL® 0.1M (0.1N) Standard Solution in accordance with NIST	1400.00	1 lit
	Ammonium Iron (II) **Sulphate** See Ammonium Ferrous Sulphate		
	Ammonium Iron (III) **Sulphate** See Ammonium Ferric Sulphate		
	Ammonium Meta Vanadate See Ammonium-m-Vanadate		

Product Code	Product Name	Price	Packing
027187 $(NH_4)_6.Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate Cold Soluble M. W.: 1235.9 Assay (Oxidimetric) 98.0-102.0%	1602.00 3600.00 6507.00 12520.00 POR	100 gm 250 gm 500 gm 1 kg 25 kg
457430 $(NH_4)_6.Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate **AR/ACS** Cold Soluble M. W.: 1235.9 Assay (Oxidimetric) 99.0%	1908.00 7200.00 13500.00 POR	100 gm 500 gm 1 kg 25 kg
457435 $(NH_4)_6.Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate AR/ACS** Tetrahydrate Hot soluble for steel industry M. W.: 1235.9 Assay (Oxidimetric) 99.0%	1900.00 7200.00 13500.00	100 gm 500 gm 1 kg
914110 MB $(NH_4)_6Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate For Molecular Biology M. W.: 1235.86 Assay ≥ 99% Store Below 30°C	2350.00 10530.00	100 gm 500 gm
PCT1119 PTC $(NH_4)_6Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate Plant Culture Tested M. W.: 1235.86 Assay 99% Store below 30°C	1090.00 2520.00 11340.00	25 gm 100 gm 500 gm
	Ammonium Mono Vanadate See Ammonium-m-Vanadate		
027189 $(NH_4)_2Ni(SO_4)_2.6H_2O$ (7785-20-8)	**Ammonium Nickel Sulphate** Hexahydrate (di-Ammonium Nickel (II) Sulphate) M. W.: 394.97 Assay (Complexometric) 98.5%	999.00 1881.00 POR POR	250gm 500 gm 25 kg 50 kg
457460 $(NH_4)_2Ni(SO_4)_2.6H_2O$ (7785-20-8)	**Ammonium Nickel Sulphate AR** Hexahydrate M. W.: 394.97 Assay (Complexometric) 99.0%	2390.00 POR POR	500 gm 25 kg 50 kg
027192 $(COONH_4)_2H_2O$ (6009-70-7)	**Ammonium Oxalate** Monohydrate Purified M. W.: 142.11 Assay (ex oxalate) 99.0%	495.00 4041.00 POR POR	500 gm 5 kg 25 kg 50 kg
457480 $(COONH_4)_2H_2O$ (6009-70-7)	**Ammonium Oxalate** Monohydrate **AR** M. W.: 142.11 Assay 99.0%	576.00 POR POR	500 gm 25 kg 50 kg
	Ammonium Para Tungstate See Ammonium Tungstate		
009845 $(NH_4)B_5O_8 4H_2O$ (12007-89-5)	**Ammonium Pentaborate** Tetrahydrate M. W.: 272.14 Assay (Acidimetric) 99.0%	693.00 POR POR	500 gm 25 kg 50 kg
457490 $(NH_4)B_5O_8 4H_2O$ (12007-89-5)	**Ammonium Pentaborate** Tetrahydrate **AR** M. W.: 272.14 Assay(Acidimetric) 99.5%	945.00 POR	500 gm 50 kg
009855 ✱ NH_4ClO_4 (7790-98-9)	**Ammonium Perchlorate** M. W.: 117.49	POR POR POR	1 kg 5 kg 25 kg

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
✱ Supply Against Licence
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
457500 ✳ NH_4ClO_4 (7790-98-9)	**Ammonium Perchlorate AR** M. W.: 117.49	1000.00 3006.00 9000.00	5 gm 100 gm 500 gm
805550	**Ammonium Perchlorate** Solution 1M in H_2O	900.00 1998.00 2700.00	100 ml 500 ml 1 lit
	Ammonium Peroxidisulphate See Ammonium Persulphate		
027195 $NH_4)_2S_2O_8$ (7727-54-0)	▲**Ammonium Persulphate** M. W.: 228.19 Assay (iodometric) 98.0%	370.00 3402.00 POR	500 gm 5 kg 50 kg
457510 $(NH_4)_2S_2O_8$ (7727-54-0)	▲**Ammonium Persulphate AR/ACS** M. W.: 228.19 Assay (iodometric) 98.0%	531.00 4203.00 POR POR	500 gm 5 kg 25 kg 50 kg
914350 MB $(NH_4)_2S_2O_8$ (7727-54-0)	▲**Ammonium Persulphate** for Molecular Biology M. W.: 228.19 Assay (iodometric) 98.0%	550.00 1800.00	100 gm 500 gm
	Ammonium Phosphate Dibasic See di-Ammonium Hydrogen Orthophosphate		
	Ammonium Phosphate Mono basic See Ammonium Dihydrogen Orthophosphate		
805600	**Ammonium Potassium Oxalate** Soln. Assay: 10.0±0.5%	131.00	125 ml
282335 $C_8H_4N_5O_6.NH_4$ (3051-09-0)	**Ammonium Purpurate** (Murexide) C.I. 56085 M. W.: 284.19	423.00 1503.00 POR	5 gm 25 gm 500 gm
282345 $C_8H_4N_5O_6.NH_4$ (3051-09-0)	**Ammonium Purpurate AR/ACS** M. W.: 284.19	486.00 1701.00 POR	5 gm 25 gm 500 gm
	Ammonium Pyrochromate See Ammonium Dichromate		
457695 $C_5H_{12}N_2H_2$ (5108-96-3)	**Ammonium Pyrrolidine Dithiocarbamate AR** (Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium Tetramethylene Pithio Carbamate) M. W.: 164.29	2304.00 5508.00	10 gm 25 gm
009905 $NH_4[Cr(NH_3)_2(SCN)_4]H_2O$ (13573-16-5)	**Ammonium Reineckate** Monohydrate Colour Reagent And Precipitant For Mercury M. W.: 354.44	2403.00	25 gm
457745 $NH_4[Cr(NH_3)_2(SCN)_4]H_2O$ (13573-16-5)	**Ammonium Reineckate** Monohydrate **AR** Assay 96.0%	1107.00 4203.00	5 gm 25 gm
009915 $C_4N_2O_4H_{12}$ (2226-88-2)	**Ammonium Succinate** M. W.: 152.15 Assay 99.0%	2196.00	500 gm
027201 $NH_4SO_3NH_2$ (7773-06-0)	**Ammonium Sulphamate** (Ammonium Amido Sulphonate) M. W.: 114.13 Assay (Redox Titration)98.0%	657.00 5202.00 POR POR	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
457790 $NH_4SO_3NH_2$ (7773-06-0)	**Ammonium Sulphamate AR/ACS** M. W.: 114.13 Assay (Redox titration) 99.0%	603.00 2754.00	100 gm 500 gm
805850	**Ammonium Sulphate** CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
805880 MB	**Ammonium Sulphate** 3.2M Ultrapure Solution For Molecular Biology	3744.00 6930.00	250 ml 500 ml
027202 $(NH_4)_2SO_4$ (7783-20-2)	**Ammonium Sulphate** Purified M. W.: 132.13 Assay (Acidimetric) 99.0%	243.00 1656.00 POR POR	500 gm 5 kg 25 kg 50 kg
457815 $(NH_4)_2SO_4$ (7783-20-2)	**Ammonium Sulphate AR/ACS** M. W.: 132.13 Assay after driying (acidimetry) 99.5%	306.00 2007.00 POR POR	500 gm 5 kg 25 kg 50 kg
009940 $H_8N_2SO_4$ (7783-20-2)	**Ammonium Sulphate** enzyme grade low Heavy Metals Content M. W.: 132.13 Assay 99.5%	378.00 1332.00	250 gm 1 kg
914550 MB $(NH_4)_2\ SO_4$ (7783-20-2)	**Ammonium Sulphate** for Molecular Biology M. W.: 132.14 Assay 99.5%	792.00 1566.00 13005.00	250 gm 500 gm 5 kg
PCT1003 PTC $(NH4)_2\ So_4$ (7783-20-2)	**Ammonium Sulphate** Plant Culture Tested M. W.: 132.14 Assay 99% Store below 30°C	460.00 842.00 3402.00 POR	500 gm 1 kg 5 kg 25 kg
805950	**Ammonium Sulphide** Soln. (Yellow)	594.00	500 ml
	Ammonium Sulphocyanide See Ammonium Thiocyanate		
	Ammonium Sulphocyanate Crystalse See Ammonium thiocynate crystals		
009945 $(CHOH.COONH_4)_2$ (3164-29-2)	**Ammonium (+) Tartrate** M. W.: 184.15 Assay (ex NH_3) 98.0%	1503.00 POR POR	500 gm 25 kg 50 kg
457840 $(CHOH.COONH_4)_2$ (3164-29-2)	**Ammonium (+) Tartrate AR** M. W.: 184.15 Assay (ex NH_3) 99.0%	2007.00 POR POR	500 gm 25 kg 50 kg
009955	**Ammonium Tetraborate**	1170.00	500 gm
	Ammonium Tetramethylene Dithiocarbamate See Ammonium Pyrrolidine Dithiocarbamate,		
027206 NH_4SCN (1762-95-4)	**Ammonium Thiocyanate** Cryst. Purified Also suitable for Silver Recovery M. W.: 76.12 Assay (argentometric) 98.0%	594.00 5202.00 POR POR	500 gm 5 kg 25 kg 50 kg
457865 NH_4SCN (1762-95-4)	**Ammonium Thiocyanate AR/ACS** M. W.: 76.12 Assay (Argentometric) 99.0%	869.00 POR POR	500 gm 25 kg 50 kg
914600 MB NH_4SCN (1762-95-4)	**Ammonium Thiocyanate** For Molecular Biology M. W.: 76.12 Assay ≥ 99% Store Below 30°C	900.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
✳ Supply Against Licence
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
806100	**Ammonium Thiocyanate** CPECTROSOL® 0.1M/ (0.1N) CTITRINORM Standard Solution in accordance with NIST	1400.00	1 lit
806150	**Ammonium Thiocyanate** CPECTROSOL® 1M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
806200	**Ammonium Thiocyanate** TS acc. to USP	261.00	500 ml
806203	**Ammonium Thiocyanate** 0.1 mol/l (0.1N) for 500 ml Solution	396.00 765.00 1467.00	1 Amp 3 Amp 6 Amp
027207 $(NH_4)_2S_2O_3$ (7783-18-8)	**Ammonium Thiosulphate** Cryst. M. W.: 148.20 Assay (iodometric) 98.0%	702.00 3195.00	1 kg 5 kg
009985 $(NH_4)_{10}H_2W_{12}O_{42}.XH_2O$ (11120-25-5)	**Ammonium Tungstate** M. W.: 3060.46 (anhy.) Assay (Dried) 98.0%	2961.00 12069.00	100 gm 500 gm
027186 NH_4VO_3 (7803-55-6)	**Ammonium-m-Vanadate** M. W.: 116.98 Assay (oxidimetric) 98.0%	1400.00 6507.00	100 gm 500 gm
457890 NH_4VO_3 (7803-55-6)	**Ammonium-m-Vanadate AR/ACS** M. W.: 116.98 Assay (oxidimetric) 99.0%	1602.00 7002.00	100 gm 500 gm
010005 $C_{16}H_{19}N_3O_5S$ (26787-78-0)	▲**Amoxycillin** for Lab Use M. W.: 365.40	297.00 1287.00 2331.00	1 gm 5 gm 10 gm
PCT2107 PTC $C_{16}H_{19}N_3O_5S$ (26787-78-0)	▲**Amoxycillin** Plant Culture Tested M. W.: 365.4 Potency : ≥900 µg/mg	387.00 3690.00 8820.00	1 gm 10 gm 25 gm
PCT2115 PTC	▲**Amoxycillin:clavulanic acid potassium salt (5:1) (Augmentin)** Plant Culture Tested	3195.00	2 gm
	AMPD See 2-**Amino**-2-**Methyl**-1,3-**Propanediol AR**		
010025 (1397-89-3)	▲**Amphotericine - B** for Biochemistry	4673.00	1 gm
PCT2108 PTC $C_{47}H_{73}NO_{17}$ (1397-89-3)	▲**Amphotericin B** Plant Culture Tested M. W.: 924.08 Potency 750 µg/mg Assay 80%	4673.00 23000.00 POR	1 gm 5 gm 25 gm
TC1019 ATC $C_{47}H_{73}NO_{17}$ (1397-89-3)	▲**Amphotericin B** Cell Culture Tested Recommended for use in cell culture applications at 2.5 mg/L M. W.: 924.08 Assay : ≥90% Potency : ≥750 µg/mg	6210.00 24170.00	1 gm 5 gm
010075 $C_{16}H_{18}N_3N_aO_4S$ (69-52-3)	▲**Ampicillin Sodium Salt** for Biochemistry for Lab Use M. W.: 371.39	1720.00 6282.00	5 gm 25 gm
914750 MB $C_{16}H_{18}N_3NaO_4S$ (69-52-3)	▲**Ampicillin Sodium Salt** For Molecular Biology M. W.: 371.39 Assay ≥ 91%	414.00 1602.00	1 gm 5 gm
PCT2101 PTC $C_{16}H_{18}N_3NaO_4S$ (69-52-3)	▲**Ampicillin Sodium salt** Plant Culture Tested M. W.: 371.39 Assay : ≥ 91%	432.00 1737.00 3123.00 7840.00	1 gm 5 gm 10 gm 25 gm
TC1021 ATC $C_{16}H_{18}N_3NaO_4S$ (69-52-3)	▲**Ampicillin Sodium Salt** Cell Culture Tested Recommended for use in cell culture applications at 100 mg/L MW : 371.39 Assay : ≥91% Potency : ≥845 µg/mg	743.00 2952.00 11520.00	1 gm 5 gm 25 gm
010065 $C_{16}H_{19}N_3O_4S.3H_2O$ (7177-48-2)	▲**Ampicillin Trihydrate** for Lab Use M. W.: 403.46 Assay (anhydrous HPLC) 96-100.5%	1413.00 2570.00	5 gm 10 gm
	Ampyrone See 4-Amino antipyrine		
010115 $C_{20}H_{27}NO_{11}$ (29883-15-6)	D-**Amygadlin** for Biochemistry M. W.: 457.43 Assay 99.0%	4410.00	10 gm
010165 $C_7H_{14}O_2$ (628-63-7)	n-**Amyl Acetate** for Synthesis M. W.: 130.18 Assay 99.0%	558.00 1917.00	500 ml 2.5 lit
	iso-**Amyl Acetate** See Iso-Amyl Acetate		
	iso-**Amyl Alcohol** See Iso-Amyl Alcohol		
029455 $C_5H_{12}O$ (71-41-0)	n-**Amyl Alcohol** for synthesis (n-Pentanol) M. W.: 88.15	1503.00 5490.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
457915 $C_5H_{12}O$ (71-41-0)	n-**Amyl Alcohol AR/ACS** M.W.: 88.15	1701.00 5760.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
010405 $C_5H_{12}O$ (75-85-4)	tert-**Amyl Alcohol** for Synthesis (2-Methyl-2-Butanol Tert-Pentyl Alcohol, Dimethyl Ethyl Carbinol) M. W.: 88.15	1431.00 6606.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
458115 $C_5H_{12}O$ (75-85-4)	tert-**Amyl Alcohol AR** (2-Methyl-2-Butanol, Tert-Pentyl Alcohol, Dimethylethyl Carbinol) M. W.: 88.15	1620.00 7020.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
802000 $C_5H_{13}N$ (110-58-7)	**Amylamine** (1-Aminopentane,n-Amylamine, Pentylamine) M. W.: 87.16	2007.00 8001.00	100 ml 500 ml
	a-**Amylase** See Diastase		
010455 $C_{12}H_{16}O_2$ (2049-96-9)	**Amyl Benzoate** for Synthesis M. W.: 192.25 Assay 98.0%	2700.00	500 gm

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	n-**Amyl Bromide** See 1-Bromo pentane		
010465 $C_9H_{18}O_2$ (540-18-1)	n-**Amyl Butyrate** for Synthesis M. W.: 158.24	**4500.00**	**500 gm**
010485 $C_{14}H_{18}O_2$	n-**Amyl Cinnamate** for Synthesis M. W.: 218.29	**5500.00**	**500 gm**
010495 $C_{14}H_{18}O$ (122-40-7)	a-**Amyl Cinnamaldehyde** for Synthesis M.W. : 202.29	**3699.00**	**500 gm**
010595 $C_6H_{12}O_2$ (638-49-3)	**Amyl Formate** for Synthesis M. W.: 116.15	**3555.00**	**500 gm**
	iso-Amyl Iodide See Iso-Amyl Iodide		
010605 $C_9H_{18}O_2$ (106-27-4)	**Amyl Isobutyrate** for Synthesis M. W.: 158.24	**3231.00**	**500 gm**
010615 $C_{10}H_{20}O_2$ (25415-62-7)	**Amyl Isovalerate** for Synthesis M. W.: 172.26	**3888.00**	**500 gm**
038005 (9037-22-3)	· **Amylopectin** From Potato Starch	**5994.00** **58085.00**	**1 gm** **25 gm**
038006 (9005-82-7)	· **Amylose** From Potato Starch	**10000.00**	**1 gm**
010625 $C_{13}H_{18}O_2$ (5137-52-0)	**Amyl Phenyl Acetate** for Synthesis M. W.: 206.28	**4950.00**	**500 gm**
010635 $C_8H_{16}O_2$ (624-54-4)	**Amyl Propionate** for Synthesis M. W.: 144.21	**2889.00**	**500 gm**
010645 $C_{12}H_{16}O_3$ (2050-08-0)	**Amyl Salicylate** for Synthesis M. W.: 208.25	**2619.00**	**500 gm**
PCT1837 PTC $C_{15}H_{16}N_2O_2$ (12771-68-5)	▲**Ancymidol** Plant Culture Tested M. W.: 256.3 Assay 98%	**9666.00** **19530.00**	**50 mg** **100 mg**
806250	**Andrade's** Indicator	**180.00**	**125 ml**
010865 $CH_3CH{=}CHC_6H_4OCH_3$ (4180-23-8)	**Anethole** for Synthesis [trans-Anethole, 1-Methoxy-4-(1-Propenyl) Benzene] M. W.: 148.20 Assay (GC) 99.0%	**2800.00** **13050.00**	**500 ml** **2.5 lit**
	Aneurine Hydrochloride See Thiamine Hydrochloride		
027226 $C_6H_5NH_2$ (62-53-3)	**Aniline** for Synthesis M. W.: 93.13 Assay (GC) 99.0%	**756.00** **3402.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
458205 $C_6H_5NH_2$ (62-53-3)	**Aniline AR/ACS** M. W.: 93.13 Assay (By GC) 99.5%	**864.00** **3600.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Price	Packing
282485 (8004-91-9)	**Aniline Blue** (Spirit Soluble) C.I. 42775 for Microscopy	**918.00** **2800.00** **POR**	**25 gm** **100 gm** **500 gm**
282535 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4)	**Aniline Blue** (Water Soluble) C.I. 42780 for Microscopy M. W.: 799.80	**423.00** **900.00** **2601.00**	**10 gm** **25 gm** **100 gm**
806270	**Aniline Blue - Orange** (Mallory) Connective Tissue Stain for Collagen	**891.00**	**100 ml**
806267	**Aniline Blue - Orange G Acetic** (for Azan Stain) Connective Tissue Stain for Collagen	**833.00**	**100 ml**
806265	**Aniline Blue** Solution (2.5% in 2% acetic acid)	**770.00**	**250 ml**
027229 $C_6H_5NH_2HCl$ (142-04-1)	**Aniline Hydrochloride** for Synthesis M. W.: 129.59 Assay (Argentometric; ex Cl) 99-100.5%	**707.00** **1251.00**	**250 gm** **500 gm**
027230 $(C_6H_5NH_2)_2H_2SO_4$ (542-16-5)	**Aniline Sulphate** M. W.: 284.33 Assay (acidimetric) 98.0%	**770.00** **1440.00**	**250 gm** **500 gm**
	Anion Exchange RESINS See **Ceralite resins** (33 items) See (2 items) See **Indion resins (18 items)**		
027231 $CH_3OC_6H_4CHO$ (123-11-5)	**Anisaldehyde** M. W.: 136.15 Assay (GC) 99.0%	**1206.00** **2300.00** **POR**	**250 ml** **500 ml** **25 lit**
	m-**Anisaldehyde** See **3-Methoxybenzaldehyde**		
	p-**Anisaldehyde** See **Anisaldehyde**		
011285 $C_8H_8O_3$ (586-38-9)	m-**Anisic Acid** for synthesis (m-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	**900.00** **3303.00**	**25 gm** **100 gm**
011275 $C_8H_8O_3$ (579-75-9)	o-**Anisic Acid** for Synthesis M. W.: 152.15 Assay 98.0%	**1305.00** **5103.00**	**100 gm** **500 gm**
011295 $C_8H_8O_3$ (100-09-4)	p-**Anisic Acid** for Synthesis (4-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	**585.00** **2304.00**	**100 gm** **500 gm**
011395 $C_8H_{10}O_2$ (105-13-5)	**Anisic Alcohol** for Synthesis Anise Alcohol, Anisyl Alcohol) M. W.: 138.16 Assay 98.0%	**855.00** **3006.00**	**100 gm** **500 gm**
011495 $CH_3OC_6H_4NH_2$ (536-90-3)	m-**Anisidine (3-Methoxyaniline, (Anise Alcohol, Anisyl Alcohol) 3-Aminoanisole, 3-Aminophenyl Methyl Ether)** for Synthsis M. W.: 123.15 Assay 98.0%	**2097.00** **7596.00**	**100 ml** **500 ml**
027233 C_7H_9NO (90-04-0)	o-**Anisidine** M. W.: 123.16 Assay (GC) 98.0%	**1206.00** **5256.00**	**500 ml** **2.5 lit**
027235 C_7H_9NO (104-94-9)	p-**Anisidine** M. W.: 123.16 Assay (GC) 98.0%	**720.00** **1350.00**	**250 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
459005 C_7H_9NO (104-94-9)	p-**Anisidine AR** M. W.: 123.16 Assay (GC) 98.0%	**1998.00** **5679.00**	**100 gm** **500 gm**
027237 $CH_3OC_6H_5$ (100-66-3)	**Anisole** M. W.: 108.14 Assay (GC) 98.5%	**950.00** **4104.00** **POR**	**500 ml** **2.5 lit** **25 lit**
011585 $C_{14}H_{10}$ (120-12-7)	**Anthracene** Pure (Blue Fluorescence) M. W.: 178.23 Assay (GC) 97.0%	**1701.00** **7002.00**	**100 gm** **500 gm**
701005 $C_{14}H_{10}$ (120-12-7)	**Anthracene** for Scintillation grade M. W.: 178.22 Assay (GC) 99.5%	**1220.00** **4716.00**	**25 gm** **100 gm**
D12357 $C_{14}D_{10}$ (1719-06-8)	**Anthracene**-d_{10} (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 98 atom%D	**32940.00**	**1 gm**
027243 $(C_6H_4CO)_2$ (84-65-1)	**Anthraquinone** for Synthesis M. W.: 208.22 Assay 98.0%	**1107.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
282685 $C_{14}H_7NaO_5S.H_2O$ (153277-35-1)	**Anthraquinone**-2-**Sulphonic Acid Sodium Salt** M. W.: 328.27 Assay (HPLC) 97.0%	**594.00** **2250.00**	**25 gm** **100 gm**
282695 $C_{14}H_7NaO_5S.H_2O$ (153277-35-1)	**Anthraquinone**-2-**Sulphonic Acid Sodium Salt AR** (Silver Salt) M. W.: 328.27 Assay (HPLC) 98.0%	**752.00** **2700.00**	**25 gm** **100 gm**
282835 $C_{14}H_{10}O$ (90-44-8)	**Anthrone** for Synthesis M. W.: 194.23 Assay (GC) 97.0%	**370.00** **747.00**	**10 gm** **25 gm**
282845 $C_{14}H_{10}O$ (90-44-8)	**Anthrone AR/ACS** M. W.: 194.23 Assay (GC) 98.0%	**405.00** **855.00** **3070.00**	**10 gm** **25 gm** **100 gm**
PCT2106 PTC	**Antimicrobial supplement** Plant Culture Tested Store below 30°C	**4600.00** **8163.00**	**50 ml** **100 ml**
806500	**Antimony** (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**1746.00** **2295.00** **3852.00**	**100 ml** **250 ml** **500 ml**
803502	**Antimony** (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**1746.00** **2295.00** **3852.00**	**100 ml** **250 ml** **500 ml**
806550	**Antimony** (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**5500.00** **8505.00**	**100 ml** **500 ml**
806600	**Antimony** (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	**5500.00** **8505.00**	**100 ml** **500 ml**

Product Code	Product Name	Price	Packing
806650	**Antimony** (Sb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl in accordance With NIST	**16020.00** **48240.00**	**100 ml** **500 ml**
011805 Sb (7440-36-0)	**Antimony** Metal Lumps At. W.: 121.75 Assay (Iodometric) 99.5%	**900.00** **3600.00**	**100 gm** **500 gm**
027248 Sb (7440-36-0)	**Antimony** (Metal) Powder 200 Mesh At. W.: 121.75 Assay (Iodometric; ex Sb) 98.5%	**1107.00** **4770.00** **POR**	**100 gm** **500 gm** **25 kg**
459185 Sb (7440-36-0)	**Antimony** (Metal) Powder **AR** At. W.: 121.75 Assay (Trace metals basis) 99.99%	**2700.00** **5400.00**	**10 gm** **25 gm**
011795 Sb (7440-36-0)	**Antimony** Ingots A. W.: 121.75 Assay (Trace metals basis) 99.999%	**5562.00** **11430.00**	**10 gm** **25 gm**
	Antimony (III) **Chloride** See Antimony Trichloride		
	Antimony (III) **Oxide** See Antimony Trioxide		
	Antimony Pentasulphide See Antimony Sulphide Golden		
011865 Sb_2O_5 (1314-60-9)	**Antimony Pentoxide** (Antimony (V) Oxide) M. W.: 323.52 Assay 99.0%	**2610.00**	**250 gm**
011915 $C_4H_4O_7KSb1/2H_2O$ (28300-74-5)	**Antimony Potassium** (+L) **Tartrate** M. W.: 324.92	**657.00** **1360.00** **2403.00** **POR** **POR**	**100 gm** **250 gm** **500 gm** **25 kg** **50 kg**
459275 $C_4H_4O_7KSb\ 1/2H_2O$ (28300-74-5)	**Antimony Potassium** (+L) **Tartrate AR** M. W.: 324.92	**657.00** **2601.00**	**100 gm** **500 gm**
806750	**Antimony Potassium Tartrate** Solution for Phosphate	**666.00**	**500 ml**
011935 Sb_2S_5 (1315-04-4)	**Antimony Sulphide Golden** (Antimony Pentasulphide) M. W.: 403.85 Assay (Sb basis) 60.0%	**4005.00** **POR**	**500 gm** **25 kg**
011930 Sb_2S_3 (1345-04-6)	**Antimony** (III) **Sulphide** (Antimony Sulphide Black) M. W.: 339.68 Assay (Oxidimetric) 95.0%	**3807.00** **POR**	**500 gm** **25 kg**
027258 $SbCl_3$ (10025-91-9)	**Antimony Trichloride** M. W.: 228.11 Assay (Iodometric; ex Sb) 98.5%	**923.00** **2295.00** **4392.00** **POR** **POR**	**100 gm** **250 gm** **500 gm** **5 kg** **25 kg**
459365 $SbCl_3$ (10025-91-9)	**Antimony Trichloride AR/ACS** M. W.: 228.11 Assay (Iodometric; ex Sb) 99.0%	**1350.00** **2592.00** **4590.00**	**100 gm** **250 gm** **500 gm**
011985 SbF_3 (7783-56-4)	**Antimony Trifluoride** Pure (Antimony (III) Fluoride) M. W.: 178.76 Assay 98.0%	**6327.00**	**250 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
027261 Sb_2O_3 (1309-64-4)	**Antimony Trioxide** Pure M. W.: 291.50 Assay (Iodometric) 99.0%	2601.00 4950.00 POR	500 gm 1 kg 50 kg
459455 Sb_2O_3 (1309-64-4)	**Antimony Trioxide AR** M. W.: 291.50 Assay (Iodimetric) 99.0%	747.00 2997.00 26100.00 POR	100 gm 500 gm 5 kg 25 kg
012065 $C_{11}H_{12}N_2O$ (60-80-0)	**Antipyrine** (Phenazone) M.W.: 188.23 Assay 99.0%	1206.00 4950.00	100 gm 500 gm
PCT2313 PTC	**Apple Green Colour** Plant Culture Tested Store below 30°C	4509.00	250 gm
PCT1411 PTC (9000-69-5)	**Apple Pectin** Plant Culture Tested Store below 30°C	4320.00 7776.00	500 gm 1 kg
PCT1401 PTC	**Apple Powder** (Malus sylvestris) Plant Culture Tested Store below 30°C	6102.00	250 gm
012115 $C_{284}H_{432}N_{84}O_{79}S_7$ (9087-70-1)	**Aprotinin From Bovine Lung** Activity Min 5400 KIU/mg for Biochemistry M. W. 6511.52	1872.00 3636.00 23400.00	5 mgm 10 mgm 100 mgm
914890 MB $C_{284}H_{432}N_{84}O_{79}S_7$ (9087-70-1)	▲**Aprotinin, From Bovine Lung** For Molecular Biology M. W.: 6511.14 Specific activity : ≥ 3.0 PEU/mg (≥ 5400 KIU/mg)	12222.00 22195.00	50 mg 100 mg
	L(-) **Arabinitol** See l (-) **Arabitol**		
	D(+) **Arabinitol** See d (+) **Arabitol**		
TC1717 ATC $C_{284}H_{432}N_{84}O_{79}S_7$ (9087-70-1)	▲**Aprotinin** Source: Bovine lung Cell Culture Tested M. W.: 6511.44	13320.00 25430.00	25 mg 50 mg
459545 $C_5H_{10}O_5$ (10323-20-3)	D-**Arabinose** for Biochemistry **AR** M. W.: 150.13	500.00 1900.00	5 gm 25 gm
038008 $C_5H_{10}O_5$ (5328-37-0)	L **(+) Arabinose AR** M. W.: 150.13 Assay 99.0%	450.00 954.00	10 gm 25 gm
012185 $C_5H_{12}O_5$ (488-82-4)	· D(+)**Arabitol [D (+) Arabinitol]** for Biochemistry M. W.: 152.15	3020.00	5 gm
012235 $C_5H_{12}O_5$ (7643-75-6)	L (-) **Arabitol [L (-) Arabinitol]** for Biochemistry M. W.: 152.15	1152.00 5130.00	1 gm 5 gm
TC1389 ATC $C_{20}H_{32}O_2$ (506-32-1)	· **Arachidonic Acid** Cell Culture Tested M. W.:: 304.47 Assay : ≥90%	4019.00 12700.00	10 mg 50 mg
012265 $C_{12}H_{16}O_7$ (497-76-7)	p-**Arbutin** for Biochemistry M. W.: 272.25	6390.00 13050.00 22293.00	10 gm 25 gm 50 gm

Product Code	Product Name	Price	Packing
012295 $C_6H_{14}N_4O_2$ (74-79-3)	L-**Arginine** for Biochemistry M. W.: 174.20 Assay (Non-aqueous) 98.0%	270.00 873.00 7750.00	25 gm 100 gm 1 kg
PCT1302 PTC $C_6H_{14}N_4O_2$ (74-79-3)	**L-Arginine** Plant Culture Tested M. W.: 174.2 Assay 99% Store below 30°C	302.00 1031.00 9270.00	25 gm 100 gm 1 kg
TC1052 ATC $C_6H_{14}N_4O_2$ (74-79-3)	**L-Arginine** (From non-animal source) Cell Culture Tested M. W.: 174.2 Assay : ≥98% Store below 30°C	1450.00 4383.00 12033.00 18054.00	25 gm 100 gm 500 gm 1 kg
TC1052M ATC $C_6H_{14}N_4O_2$ (74-79-3)	**L-Arginine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 174.2 Store below 30°C	2300.00 5697.00 14922.00 28990.00	25 gm 100 gm 500 gm 1 kg
037016 $C_6H_{14}N_4O_2HCl$ (1119-34-2)	L-**Arginine** Monohydrochloride for Biochemistry M. W.: 210.67 Assay (Non-aqueous) 98.5%	306.00 801.00 6507.00	25 gm 100 gm 1 kg
TC1053 ATC $C_6H_{14}N_4O_2HCl$ (1119-34-2)	**L-Arginine** Monohydrochloride (From non-animal source) Cell Culture Tested M. W.: 210.66 Assay : ≥98.5% Store below 30°C	1260.00 3160.00 9500.00 14310.00	25 gm 100 gm 500 gm 1 kg
TC1053M ATC $C_6H_{14}N_4O_2.HCl$ (1119-34-2)	**L-Arginine** Monohydrochloride (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 210.66 Store below 30°C	2430.00 6170.00 18180.00 27720.00	25 gm 100 gm 500 gm 1 kg
012365 $C_6H_8AsNO_3$ (98-50-0)	p-**Arsanilic Acid** for Synthesis M. W.: 217.05 Assay 99.0%	5000.00 POR	100 gm 500 gm
282995 $C_{16}H_{10}N_2O_{11}S_2AsNa_3$ (520-10-5)	**Arsenazo** I **AR** (Neothorone) M. W.: 614.28	3006.00	5 gm
283035 $C_{22}H_{16}As_2N_4Na_2O_{14}S_2 4H_2O$ (62337-00-2)	**Arsenazo** III **AR** M. W.: 892.40	7506.00	5 gm
807000	**Arsenic** (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
807002	**Arsenic** (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
807050	**Arsenic** (As) CRISTAR®	5301.00	100 ml
	1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	8505.00	500 ml
807100	**Arsenic** (As) CRISTAR®	16660.00	100 ml
	10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	48204.00	500 ml
H04065 (7440-38-2)	**Arsenic Metal** Reference Standard Assay (Trace metal basis) 99.997%	18000.00	25 gm
012475 (7440-38-2)	**Arsenic Metal Lump**	477.00	100 gm
012495 As_2O_3 (1327-53-3)	**Arsenic Trioxide** Pract M. W.:197.84 Assay (iodometric) 95.0%	531.00	500 gm
459815 As_2O_3 (1327-53-3)	**Arsenic Trioxide AR** M. W.: 197.84 Assay (iodometric) 99.0%	360.00	100 gm
		1400.00	500 gm
	Arsenous Oxide See Arsenic Trioxide		
012545 (1334-28-1)	**Asbestos** for Gooch Crucibles	450.00	100 gm
		1980.00	500 gm
459905 (1310-73-2)	**Ascarite AR** 1.6-3 mm Acid Washed Absorption capacity for CO_2 : 50.0%	13500.00	100 gm
		29700.00	250 gm
012585 (9029-44-1)	**Ascorbate Oxidase** ex. Cucumber Activity 150u/mg (Ascorbase, L-Ascorbate: Oxygen Oxidoreductase	10287.00	2500 Units
012625 $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid** M. W.: 176.13 Assay (iodometric) 99.0%	234.00	25 gm
		603.00	100 gm
		2637.00	500 gm
		POR	5 kg
		POR	25 kg
459995 $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid AR/ACS** for Biochemistry Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:176.13 Assay (iodometric) 99.7%	702.00	100 gm
		3078.00	500 gm
		POR	25 kg
H04205 $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid** Type I M. W.: 176.13 Assay (iodometric) 99.0%	7300.00	500 gm
		37000.00	5 kg
H04209 $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid** Type II for Biochemistry Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:176.13 Assay (iodometric) 99.7%	2170.00	100 gm
		8010.00	500 gm
PCT1207 PTC $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid** (Vitamin C) Plant Culture Tested M. W.: 176.12 Assay 99% Store below 30°C	590.00	50 gm
		1044.00	100 gm
TC1094 ATC $C_6H_8O_6$ (50-81-7)	**L-Ascorbic Acid** (Vitamin C) Cell Culture Tested M. W.: 176.12 Assay : ≥99% Store below 30°C	1566.00	25 gm
		2502.00	100 gm
		7947.00	500 gm

Product Code	Product Name	Price	Packing
	Ascorbic Acid Sodium Salt See Sodium L (+) Ascorbate		
037019 $C_4H_8N_2O_3.H_2O$ (5794-24-1)	D-**Asparagine** Monohydrate for Biochemistry M. W.: 150.14 Assay 99.0%	860.00	5 gm
		2970.00	25 gm
		11700.00	100 gm
012665 $C_4H_8N_2O_3.H_2O$ (3130-87-8)	DL-**Asparagine** Monohydrate M. W.: 150.14 Assay (NT) 98.0%	2714.00	25 gm
		8640.00	100 gm
037020 $C_4H_8N_2O_3.H_2O$ (5794-13-8)	L-**Asparagine** Monohydrate for Biochemistry M. W.: 150.13 Assay (Non-aqueous) 98.5%	383.00	25 gm
		1202.00	100 gm
		8811.00	1 kg
TC1057 ATC $C_4H_8N_2O_3.H_2O$ (5794-13-8)	**L-Asparagine** Monohydrate (From non-animal source) Cell Culture Tested M. W.: 150.13 Assay : ≥99% Store below 30°C	1332.00	25 gm
		4014.00	100 gm
		15561.00	500 gm
		28170.00	1 kg
TC1057M ATC $C_4H_8N_2O_3.H_2O$ (5794-13-8)	**L-Asparagine** Monohydrate (From non-animal source) Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 150.13 Store below 30°C	3033.00	25 gm
		9090.00	100 gm
		26676.00	500 gm
		40005.00	1 kg
PCT1303 PTC $C_4H_8N_2O_3.H_2O$ (5794-13-8)	**L-Asparagine** Monohydrate Plant Culture Tested M. W.: 150.13 Assay 99.5% Store below 30°C	396.00	25 gm
		1279.00	100 gm
		5994.00	500 gm
012725 $C_{14}H_{18}O_5N_2$ (22839-47-0)	**Aspartame** for Synthesis M.W.: 294.30	1656.00	5 gm
		3960.00	100 gm
037022 $NH_2CH(COOH)CH_2COOH$ (617-45-8)	DL-**Aspartic Acid** M. W.: 133.10 Assay (Non-aqueous) 99.0%	162.00	25 gm
		500.00	100 gm
		4707.00	1 kg
037021 $NH_2CH(COOH)CH_2.COOH$ (56-84-8)	L-**Aspartic Acid** Pure M. W.: 133.10 Assay (Non-aqueous) 99.0%	153.00	25 gm
		401.00	100 gm
		3501.00	1 kg
PCT1304 PTC $C_4H_7NO_4$ (56-84-8)	**L-Aspartic Acid** Plant Culture Tested M. W.: 133.1 Assay 99% Store below 30°C	145.00	25 gm
		495.00	100 gm
		2142.00	500 gm
TC1059 ATC $C_4H_7NO_4$ (56-84-8)	**L-Aspartic Acid** (From non-animal source) Cell Culture Tested M. W.: 133.1 Assay : ≥99% Store below 30°C	482.00	25 gm
		1459.00	100 gm
		4383.00	500 gm
TC1059M ATC $C_4H_7NO_4$ (56-84-8)	**L-Aspartic Acid** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 133.11 Store below 30°C	1215.00	25 gm
		3636.00	100 gm
		16920.00	500 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
027039 $C_9H_8O_4$ (50-78-2)	**Aspirin** (Acetyl Salicylic Acid) M. W.: 180.16	637.00	250 gm
PCT2526 PTC $C_9H_8O_4$ (50-78-2)	**Aspirin** (Acetyl Salicylic Acid) Plant Culture Tested M. W.: 180.16 Assay 98.5% Store below 30°C	1386.00 2754.00	100 gm 250 gm
PCT2143 PTC $C_8H_{14}ClN_5$ (1912-24-9)	**Atrazine** Plant Culture Tested M. W.: 215.68 Assay : > 97 % Store below 30°C	8316.00	250 mg
	Atomic Absorption Standards Solution See AAS Solution Page No.- 224		
027277 $(C_{17}H_{23}NO_3)_2.H_2SO_4.H_2O$ M. W.:694.84 (5908-99-6)	**Atropine Sulphate** Monohydrate Meets Analytical Specification of IP, BP, USP, Ph. Eur. Assay (Non-aqueous; Calc. W.r.t. anhy. Subs.) 99.0-101%	1755.00 3420.00 7700.00	5 gm 10 gm 25 gm
283175 $C_{17}H_{21}N_3.HCl$ (2465-27-2)	**Auramine** for Microscopy (Auramine-O) C.I. 41000 M. W.: 303.84	221.00 522.00 3600.00	25 gm 100 gm 1 kg
807180	**Auramine Phenolic** (Lempert) Solution for Microscopy	1125.00	100 ml
013125 $C_{20}H_{30}O_7$ (522-16-7)	**Aurantin** for Synthesis M. W.: 372.37	7506.00	500 gm
	Aurin See p-Rosolic Acid		
	Aurin Tricarboxylic Acid Ammonium Salt See Aluminon		
	Auxin See **Indole 3-Acetic Acid**		
TC1410 ATC $C_{48}H_{72}O_{14}$ (65195-55-3)	**Avermectin B1a,EvoPure®** 5-O-Demethylavermectin A1a Cell Culture Tested M. W.: 873.1 Assay : ≥95.00% Store at - 20°C	185130.00	5 mg
915250 MB (1405-69-2)	▲**Avidin, From Egg White** For Molecular Biology M. W.: ~68,000 Activity : ≥ 10U/mg of protein	2862.00 22500.00	10 mg 100 mg
	O-(7-**Azabenzotriazol**-1-yl)- **N,N,N,N-Tetramethyluronium Hexafluoro - phosphate** See **HATU**		
TC1466 ATC $C_8H_{12}N_4O_5$ (320-67-2)	**5-Azacytidine** 4-Amino-1-(β-D-ribofuranosyl)-1,3,5 Triazin-2(1H)-one, Ladakamycin Cell Culture Tested M. W.: 244.2 Assay : ≥98% Store at -20°C	5355.00 11133.00 33183.00	100 mg 250 mg 1 gm
013200 $C_7H_6N_2$ (271-63-6)	7-**Azaindole** for Synthesis (1H-Pyrrolo(2,3-b)pyridine) M. W.: 118.14 Assay 98.0%	923.00 2502.00 9801.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
013225 $C_9H_{16}O_4$ (123-99-9)	**Azelaic Acid** for Synthesis M. W.: 188.20 Assay 98.0%	2700.00 7650.00	100 gm 500 gm
915435 MB $C_{18}H_{24}N_6O_6S_4$ (30931-67-0)	▲2,2'-**Azimo-Bis (3-Ethylbenzothiazoline-6-Sulfonic Acid) Diammonium Salt** For Molecular Biology M. W.: 548.68 Assay : ≥ 98%	8721.00	1 gm
013355 $C_6H_5N{=}NC_6H_5$ (103-33-3)	**Azobenzene** M. W.: 182.22 Assay 98.0%	3996.00	25 gm
	▲2,2'-**Azobis (2-Methylpropionitrile)** See a, a-Azo Iso Butyronitrile		
283315 $C_{28}H_{18}N_3NaO_6S_2$ (25641-18-3)	**Azocarmine G** for Histology (Acid Red 101) C.I. No. 50085 M. W.: 579.59	2601.00	25 gm
013505 $C_2H_4N_4O_2$ (123-77-3)	**Azodicarbonamide** for Synthesis M. W.: 116.07 Assay 97.0%	4203.00	500 gm
013595 $C_8H_{12}N_4$ (78-67-1)	▲a, a-**Azo Iso Butyronitrile** (**AIBN**, 2,2-**Azo Bis** [2-2,**Methyl Propionitrile**] for synthesis M. W.: 164.21 Assay 98.0%	900.00 3663.00 POR	100 gm 500 gm 5 kg
013695 $C_{17}H_{12}NO_8S_2Na.XH_2O$ M. W.: 445.40 (Anhy.) (206752-32-1)	▲**Azomethine**-H-**monosodium Salt Hydrate** Assay 97.0%	702.00 3105.00 14500.00	1 gm 5 gm 25 gm
283455 $C_{18}H_{13}N_3Na_2O_8S_2$ (3734-67-6)	**Azophloxine** (Acid Red I) (C.I. 18050) M. W.: 509.42	504.00 1503.00	25 gm 100 gm
	Azorubin C See Carmosine A		
	Azorubin S See Amaranth		
	Azoviolet See Magneson I		
283595 $C_{14}H_{14}N_3SCl$ (531-53-3)	**Azur A** (M.S.) (C.I. 52005) M. W.: 291.80	297.00 550.00 846.00 POR	5 gm 10 gm 25 gm 1 kg
283645 $C_{15}H_{16}ClN_3S$ (531-55-5)	**Azur B** (M.S.) (Azur I) C.I. 52010 M. W.: 305.83	432.00 950.00 POR	5 gm 25 gm 1 kg
283695 $C_{13}H_{12}ClN_3S$ (531-57-7)	**Azur C** M. W.: 277.77	351.00 1053.00	5 gm 25 gm
	Azur I for Microscopy See Azur B		
283745 $C_{16}H_{18}N_3S.C_{15}H_{16}N_3S.2Cl$ M. W.: 625.68 (37247-10-2)	**Azur** II for Microscopy	432.00 950.00	10 gm 25 gm
283795 (53092-85-6)	**Azur** II **Eosine** for Microscopy	603.00	25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	B-9 See ALAR		
019895 $C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)	▲**Bacitracin** 50,000 Units in vial M. W.: 1422.72 Potency 50000 Unit/g	**1431.00** **4150.00**	**50000 unit** **250000 Unit**
PCT2109 PTC $C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)	▲**Bacitracin** Plant Culture Tested MW : 1422.69 Potency 60 U/mg	**1431.00** **11170.00** **27900.00**	**1 vl** **10X1 vl** **25X1 vl**
TC1201 ATC $C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)	▲**Bacitracin** 50,000 units per vial Cell Culture Tested MW : 1422.69 Potency : ≥60 units/mg	**1692.00** **6120.00**	**1 vl** **5 vl**
019985 (8007-47-4)	**Balsam Canada** Natural	**6003.00**	**500 gm**
019995 (8007-47-4)	**Balsam Canada** Synthetic	**801.00** **3501.00**	**100 gm** **500 gm**
020005 (8007-00-9)	**Balsam Peru**	**7605.00**	**500 gm**
020010 (9000-64-0)	**Balsam Tolu**	**6903.00**	**500 gm**
PCT1402 PTC	**Banana** Powder Plant Culture Tested Store below 30°C	**2106.00**	**100 gm**
PCT2403 PTC	· 6- **BAP Solution** **(6-Benzyladenine solution)** w/ 1 mg/ml 6-BAP in sterile distilled water Sterile filtered Plant Culture Tested	**891.00** **2673.00**	**20 ml** **5X20 ml**
TC1723 ATC $C_{34}H_{40}N_2O_{18}$ (126150-97-8)	**BAPTA AM** 1,2-Bis (2-aminophenoxy) ethane-N,N,N',N'-tetraacetic acid tetrakis (acetoxy methyl ester) Cell Culture Tested MW : 764.68 Store below -20°C	**19190.00**	**25 mg**
027284 $C_4H_4N_2O_3$ (67-52-7)	**Barbituric Acid** M. W.:128.09 Assay (acidimetric) 99.0%	**855.00** **3600.00** **6804.00**	**100 gm** **500 gm** **1 kg**
461405 $C_4H_4N_2O_3$ (67-52-7)	**Barbituric Acid AR** M. W.:128.09 Assay (acidimetric) 99.5%	**432.00** **1206.00**	**25 gm** **100 gm**
915740 MB $C_4H_4N_2O_3$ (67-52-7)	**Barbituric Acid** For Molecular Biology M. W.: 128.09 Assay : ≥ 99% Store Below 30°C	**1540.00** **6930.00**	**100 gm** **500 gm**
807400	**Barfoed's** Reagent	**144.00**	**125 ml**
	Barium Dioxide See **Barium Peroxide**		
807450	**Barium** (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**

Product Code	Product Name	Price	Packing
807452	**Barium** (Ba) CPECTROSOL ® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl In accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**
807500	**Barium** (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	**5301.00** **8505.00**	**100 ml** **500 ml**
807550	**Barium** (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**16020.00** **48240.00**	**100 ml** **500 ml**
807502	**Barium** (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in Diluted Hcl in accordance with NIST	**5301.00** **8505.00**	**100 ml** **500 ml**
807552	**Barium** (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in Diluted Hcl In accordance with NIST	**16020.00** **48240.00**	**100 ml** **500 ml**
020255 $C_4H_6O_4Ba$ (543-80-6)	**Barium Acetate** M. W.: 255.43 Assay (complexometric) 98.0%	**1143.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
461585 $C_4H_6O_4Ba$ (543-80-6)	**Barium Acetate AR/ACS** M. W.: 255.43 Assay (Complexometric) 98.0%	**1980.00** **POR**	**500 gm** **25 kg**
020275 B_2O_4Ba (13701-59-2)	**Barium Borate** M.W. : 181.15 Assay 96.0%	**603.00**	**250 gm**
027287 $BaBr_2.2H_2O$ (7791-28-8)	**Barium Bromide** Dihydrate M. W.: 333.17 Assay 98.0%	**1850.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
027288 $BaCO_3$ (513-77-9)	**Barium Carbonate** M. W.:197.34 Assay (acidimetric) 99.0-101.0%	**558.00** **4001.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
461740 $BaCO_3$ (513-77-9)	**Barium Carbonate AR/ACS** M. W.: 197.34 Assay 99.0%	**950.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
020315 $BaCO_3$ (513-77-9)	**Barium Carbonate** Practical Grade M. W.: 197.34	**387.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
H05607 HISURE $BaCO_3$ (513-77-9)	**Barium Carbonate AR** M. W.: 197.34 Assay (Base on Trace metal analysis) 99.99%	**8730.00** **23040.00**	**25 gm** **100 gm**
461790 $BaC_6Cl_2O_4$ (13435-46-6)	**Barium Chloranilate AR/ACS** M. W.: 344.31 Assay (ex Ba) 99.0%	**2007.00**	**25 gm**
808072	**Barium Chloride** CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
808070	**Barium Chloride** 0.05 mol/L (0.1N) for 500 ml Solution	**153.00** **342.00** **612.00**	**1 amp** **3 amp** **6 amp**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
027290 $BaCl_2.2H_2O$ (10326-27-9)	**Barium Chloride** Dihydrate Cryst.Pure M. W.:244.27 Assay (Argentometric) 99.0-102.0%	370.00 657.00 2800.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
461815 $BaCl_2.2H_2O$ (10326-27-9)	**Barium Chloride** Dihydrate **AR/ACS** M. W.:244.27 Assay 99.0-100.5%	414.00 756.00 3105.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
020395 $BaCrO_4$ (10294-40-3)	**Barium Chromate** M. W.: 253.32 Assay (Iodometric) 98.0%	1400.00	500 gm
461840 $BaCrO_4$ (10294-40-3)	**Barium Chromate AR** M. W.: 253.32 Assay (iodometric) 99.0%	500.00 1701.00 15003.00	100 gm 500 gm 5 kg
284705 $C_{24}H_{20}BaN_2O_6S_2$ (6211-24-1)	**Barium Diphenylamine Sulphonate AR** Redox Indicator M. W.: 633.9	405.00 1107.00	5 gm 25 gm
808130	**Barium Diphenylamine Sulphonate** Solution (Oxidation-reduction indicator for the titration of iron with potassium dichromate and zinc with potassium Ferrocynate)	320.00	100 ml
020415 BaF_2 (7787-32-8)	**Barium Fluoride** Pure M. W.: 175.32	1800.00	500 gm
808050	**Barium Chloride** CPECTROSOL ® 0.1M (0.2N) Standard Solution In accordance with NIST	1400.00	1 lit
808082	**Barium Chloride** TS acc. to USP	275.00	500 ml
808100	**Barium Chloride** 10% Solution Assay ($Bacl_2.2H_2O$) Abt 10.0% W/W	144.00	500 ml
461890 BaF_2 (7787-32-8)	**Barium Fluoride AR** M. W.: 175.32 Assay (Trace metal basis) 99.99%	4932.00	25 gm
027295 $Ba(OH)_2.8H_2O$ (12230-71-6)	**Barium Hydroxide** Octahydrate Purified M. W.:315.47 Assay (acidimetric) 97.0%	441.00 3870.00 POR POR	500 gm 5 kg 25 kg 50 kg
461915 $Ba(OH)_2.8H_2O$ (12230-71-6)	**Barium Hydroxide** Octahydrate **AR/ACS** M. W.:315.47 Assay 98.0%	1602.00 POR POR	500 gm 25 kg 50 kg
808173	**Barium Hydroxide** 0.3 mol/L Solution	383.00	500 ml
808170	**Barium Hydroxide** 0.05 mol/L (0.1N) Solution	414.00	500 ml
027297 $Ba(IO_3)_2.H_2O$ (7787-34-0)	**Barium Iodate** M. W.: 505.15 Assay 98.0%	9801.00	100 gm
020565 $BaI_2Aq.$ (13718-50-8)	**Barium Iodide** Pure M. W.: 391.15 Aq. Assay 99.0%	5900.00	100 gm

Product Code	Product Name	Price	Packing
027299 $Ba(NO_3)_2$ (10022-31-8)	**Barium Nitrate** Purified M. W.: 261.34 Assay 99.0%	518.00 4392.00 POR POR	500 gm 5 kg 25 kg 50 kg
461940 $Ba(NO_3)_2$ (10022-31-8)	**Barium Nitrate AR/ACS** M. W.:261.34 Assay 99.5%	621.00 POR POR	500 gm 25 kg 50 kg
706440 $Ba(NO_3)_2$ (10022-31-8)	**Barium Nitrate** EL Grade M. W.: 261.34 Assay (ex Ba) 99.5%	6930.00	5 kg
808200	**Barium Nitrate** TS acc. to USP	261.00	500 ml
020685 BaC_2O_4 (516-02-9)	**Barium Oxalate** M. W.: 225.35	558.00	250 gm
020695 BaO (1304-28-5)	**Barium Oxide** M.W.: 153.34 Assay 90%	9351.00	25 gm
020715 ✳ $Ba(ClO_4)_2$ (13465-95-7)	**Barium Perchlorate** (Anhydrous) M. W.: 336.23 Assay 98.0%	POR POR	1 kg 25 kg
461965 ✳ $Ba(ClO_4)_2$ (13465-95-7)	**Barium Perchlorate** (Anhydrous) **AR** M. W.: 336.23 Assay 98.0%	27009.00 60030.00	250 gm 1 kg
020720 ✳ $Ba(ClO_4)_2.3H_2O$ (10294-39-0)	**Barium Perchlorate** (Trihydrate) M. W.: 390.29 Assay 99.0 - 101.0%	6300.00 23940.00 POR	250 gm 1 kg 25 kg
808500	**Barium Perchlorate** 0.005 M/lit Volumetric Solution Water	1431.00	1 lit
808503	**Barium Perchlorate** 0.005 M/lit (0.005M) Alcoholic Solution	1980.00	1 lit
020740 BaO_2 (1304-29-6)	**Barium Peroxide** M. W.: 169.34 Assay (iodometric on dried basis) 90.0%	963.00 POR POR	500 gm 25 kg 50 kg
020810 $Ba_3(PO_4)_2$ (13517-08-3)	**Barium Phosphate** M. W.: 601.92 Assay (ex Ba) 55.0%	432.00	250 gm
020895 $C_{36}H_{70}O_4Ba$ (6865-35-6)	**Barium Stearate** Pure M.W.: 704.28	873.00 POR	1 kg 25 kg
027303 $BaSO_4$ (7727-43-7)	**Barium Sulphate** M. W.: 233.39 Assay (Gravimetric) 95.0%	306.00 1197.00 POR	500 gm 2 kg 25 kg
461990 $BaSO_4$ (7727-43-7)	**Barium Sulphate AR/ACS** M. W.: 233.39 Assay (Gravimetric; as $BaSO_4$) 97.5-100.5%	581.00 POR	500 gm 25 kg
020995 BaS (21109-95-5)	**Barium Sulphide** M. W.: 169.39 Assay 98.0%	4392.00	500 gm
021050 BaO_3S (7787-39-5)	**Barium Sulphite Pure** M. W.: 217.39	6903.00	500 gm
021075 $C_4H_4BaO_6$ (5908-81-6)	**Barium Tartrate** Pure M. W.: 285.39 Assay 98.0%	2709.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
✳ Supply Against Licence
Supply Only to End User

Product Code	Product Name	Price	Packing
021115 $BaTiO_3$ (12047-27-7)	**Barium Titanate** for Synthesis M.W.: 233.19 Assay 98.0%	**4509.00**	**100 gm**
N05760 $BaTiO_3$ (12047-27-7)	**Barium Titanate Nanoparticles/ Nanopowder** (100nm) M.W.: 233.19 Assay 99.9%	**3150.00** **10800.00**	**25 gm** **100 gm**
808700	**Barritt** Reagent **A**	**145.00** **495.00**	**100 ml** **500 ml**
808710	**Barritt** Reagent **B**	**90.00** **320.00**	**100 ml** **500 ml**
	Basic Brown 1 See Bismark Brown R		
	Basic Brown 4 See Bismark Brown Y (G)		
	Basic Fuchsin See Fuchsin Basic		
462015 $C_{26}H_{20}N_2$ (4733-39-5)	**Bathocuproin AR/ACS** M. W.: 360.46 Assay (non-aqueous) 99.0%	**1630.00** **7110.00**	**100 mgm** **500 mgm**
462040 $C_{26}H_{18}N_2O_6S_2Na_2$ (52698-84-7)	**Bathocuproin Disulphonic Acid Disodium Salt AR** M. W.: 564.55 Assay (non-aqueous titration on anhydrous substance) 98.5%	**2196.00** **10000.00**	**100 mgm** **500 mgm**
462065 $C_{24}H_{16}N_2$ (1662-01-7)	**Bathophenanthroline AR** (Reagent for Colorimetric determination of Iron) M. W.: 332.41 Assay (non aqueous; dried) 99.5%	**1800.00** **3700.00** **10000.00**	**100 mgm** **250 mgm** **1 gm**
462090 $C_{24}H_{16}N_2Na_2O_6S_2$ (52746-49-3)	**Bathophenanthroline Disulphonic Acid Disodium Salt AR** M.W. : 536.50	**4500.00** **17100.00**	**250 mgm** **1 gm**
	BCIG See 5-Bromo-4-Chloro-3-Indolyl-ß-D- Galactopyranoside		
PCT2201 PTC $C_8H_4BrClNO_4PNa_2$ (102185-33-1)	· **BCIP** **(5-Bromo-4 chloro-3-indolyl phosphate disodium salt)** Plant Culture Tested M. W.: 370.43 Assay 98%	**24930.00** **44910.00**	**500 mg** **1 gm**
	Beef Extract See Meat Extract		
021285 (8012-89-3)	**Bees wax** (white)	**1116.00**	**500 gm**
021295 (8012-89-3)	**Bees Wax** (yellow) for Histology	**954.00**	**500 gm**
808810	**Benedict's** Reagent Qualitative for detection of Sugar in Urine	**230.00** **1206.00** **POR**	**500 ml** **5 lit** **25 lit**
808820	**Benedict's** Reagent Quantitative	**405.00**	**500 ml**
PCT2543 PTC $C_{14}H_{18}N_4O_3$ (17804-35-2)	**Benlate** Plant Culture Tested M. W.: 290.323 Store below 30°C	**5940.00**	**250 mg**

Product Code	Product Name	Price	Packing
021215 $C_{14}H_{18}N_4O_3$ (17804-35-2)	**Benomyl**	**9000.00** **24030.00**	**5 gm** **25 gm**
808960 (17804-35-2)	**Benomyl 100ug/ml in Acetonitrile**	**500.00**	**100 ml**
021375 $H_2Al_2O_6Si$ (1302-78-9)	**Bentonite** Powder (Beige) M. W.: 180.1	**207.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
H05905 $H_2Al_2O_6Si$ (1302-78-9)	**Bentonite** Powder **White** M. W.: 180.1	**702.00**	**500 gm**
021415 $C_{10}H_{10}O$ (122-57-6)	**Benzal Acetone** for Synthesis (Benzylideneacetone, Methyl Styryl Ketone, 4-Phenyl-3-Butene-2-One) M. W.: 146.19	**1107.00**	**500 gm**
021445 $C_{15}H_{12}O$ (614-47-1)	**Benzalacetophenone** for Synthesis (Chalcone) M. W.: 208.26 Assay 97.0%	**4410.00** **16700.00**	**100 gm** **500 gm**
027310 C_6H_5CHO (100-52-7)	**Benzaldehyde** for Synthesis M. W.:106.12 Assay (GC) 98.5%	**792.00** **3393.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
462115 C_6H_5CHO (100-52-7)	**Benzaldehyde AR/ACS** M. W.:106.12 Assay 99.0%	**855.00** **3591.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
021495 (63449-41-2)/ (8001-54-5)	**Benzalkonium Chloride** 50% Solution w/v Aqueous Soln. Assay 49-51 w/v	**567.00** **1044.00** **4293.00** **POR** **POR**	**500 ml** **1 lit** **5 lit** **25 lit** **200 lit**
PCT2322 PTC (8001-54-5)	**Benzalkonium Chloride** 50 wt % aqueous solution Plant Culture Tested Assay 48-55% Store below 30°C	**590.00**	**500 ml**
027311 $C_6H_5CO.NH_2$ (55-21-0)	**Benzamide** for synthesis M. W.: 121.14 Assay (ex N) 98.5%	**351.00** **1494.00** **POR** **POR**	**100 gm** **500 gm** **25 kg** **50 kg**
027312 $C_6H_5.CO.NH.C_6H_5$ (93-98-1)	**Benzanilide** for Synthesis M. W.: 197.24 Assay (GC) 99.0%	**864.00** **3204.00**	**100 gm** **500 gm**
027315 C_6H_6 (71-43-2)	**Benzene** for Synthesis M. W.:78.11 Assay (GC) 99.0%	**432.00** **1602.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
462140 C_6H_6 (71-43-2)	**Benzene AR/ACS** M. W.:78.11 Assay (GC) 99.7%	**513.00** **1908.00** **POR**	**500 ml** **2.5 lit** **25 lit**
706945 C_6H_6 (71-43-2)	**Benzene** EL Grade M. W.: 78.11 Assay (GC) 99.7%	**1116.00**	**1 lit**
462005 C_6H_6 (71-43-2)	**Benzene** Scintillation Grade M. W.: 78.11 Assay (GC) 99.7%	**360.00** **1360.00**	**500 ml** **2.5 lit**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
706950 C_6H_6 (71-43-2)	**Benzene** for HPLC & Spectroscopy M. W.: 78.11 Assay (GC) 99.8%	1067.00	1 lit
D14175 C_6D_6 (1076-43-3)	**Benzene**-d_6 (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 99.5 atom%D	9500.00	10 ml
D14517 C_6D_6 (1076-43-3)	**Benzene**-d_6 (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 99.8 atom%D	10800.00	10x0.75 ml
	Benzeneboronic acid See Phenylboronic Acid		
	Benzenecarbaldehyde See Benzaldehyde		
	Benzenemethaneamine See Benzylamine		
021625 $C_6H_5SO_3H$ (98-11-3)	**Benzene Sulphonic Acid** for Synthesis M. W.: 158.18	2106.00	500 gm
021695 $C_6H_5ClO_2S$ (98-09-9)	**Benzene Sulphonyl Chloride** M. W.: 176.62 Assay (GC) 98.0%	1098.00	500 ml
021755 $C_9H_4O_5$ (552-30-7)	1,2,4-**Benzene Tricarboxylic** Anhydride M. W.: 192.13 Assay 97.0%	990.00 3303.00	250 gm 1 kg
	1,4-**Benzenediol Acid** See **Hydroquinone**		
	1,2,3-**Benzenetriol** See Pyrogallol		
	Benzethonium Chloride See Hyamine 1622		
021855 $C_{13}H_{12}O$ (91-01-0)	**Benzhydrol** for Synthesis (diphenylmethanol, Diphenyl carbinol) M. W.: 184.24 Assay 98.0%	2205.00 POR	500 gm 2.5 kg
809200	**Benzidine Hydrochloride** Solution (Reagent for Sulphate)	504.00	100 ml
027329 $C_6H_5.CO.CO.C_6H_5$ (134-81-6)	**Benzil** for Synthesis M. W.: 210.23 Assay (GC) 99.0%	981.00 3402.00	250 gm 1 kg
	a-**Benzildioxime** See **Diphenylglyoxime**		
027331 $C_6H_4.N:CH.NH$ (51-17-2)	**Benzimidazole** for Synthesis M. W.: 118.13 Assay (non-aqueous) 98.0%	801.00 3600.00	100 gm 500 gm
	Benzimidazolethiol See 2-Mercapto benzimidazole		
284845 $C_{35}H_{25}N_7Na_2O_{10}S_2$ (3441-14-3)	**Benzo Fast Scarlet 4BS** (C.I. 29160) M. W.: 813.74 Dye Content (Titanometry on dried substance) Min 30%	261.00	25 gm
	Benzo-15-**Crown**-5**(Crown Ether)** See **Crown Ether** / **Benzo**-15-**Crown**-5		
	7,8-**Benzoflavone** See a-Naphthoflavone		

Product Code	Product Name	Price	Packing
027333 $C_7H_6O_2$ (65-85-0)	**Benzoic Acid** for Synthesis M. W.:122.12 Assay (acidimetric) 99.0%	603.00 4590.00 POR POR	500 gm 5 kg 25 kg 50 kg
462165 $C_7H_6O_2$ (65-85-0)	**Benzoic Acid** (Iron Free) **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:122.12 Assay (Acidimetric) 99.9%	846.00 5490.00 POR POR	500 gm 5 kg 25 kg 50 kg
	Benzoic Acid Ammonium Salt See Ammonium Benzoate		
	Benzoic Acid Ethyl Ester See Ethylbenzoate		
	Benzoic Acid Hydrazide See Benzoic Hydrazide		
H06005 (65-85-0)	**Benzoic Acid for Synthesis**	1494.00 9702.00	500 gm 5 kg
022005 $C_{14}H_{10}O_3$ (93-97-0)	**Benzoic Anhydride** for Synthesis M. W.: 226.23	1701.00 6003.00	100 gm 500 gm
027336 $C_6H_5CH(OH)COC_6H_5$ (119-53-9)	**Benzoin** for Synthesis M. W.: 212.25 Assay (GC) 98.0%	432.00 752.00 POR	100 gm 250 gm 25 kg
462190 $C_6H_5CH(OH).C.(NOH)C_6H_5$ (441-38-3)	a-**Benzoin Oxime AR** (Cupron) M. W.: 227.26 Assay 98.5%	522.00 1800.00	25 gm 100 gm
809250	a-**Benzoin Oxime** Solution (Reagent for Cu, Mo, W)	423.00	100 ml
027337 C_6H_5CN (100-47-0)	**Benzonitrile** for Synthesis M. W.:103.12 Assay 99.0%	2300.00	500 ml
027338 $(C_6H_5)_2.CO$ (119-61-9)	**Benzophenone** Purified M. W.:182.22 Assay (GC) 99.0%	1000.00 1944.00 POR	250 gm 500 gm 5 kg
022225 $C_{13}H_{12}N_2$ (5350-57-2)	▲**Benzophenone Hydrazone** M. W.:196.25	3033.00 12006.00	100 gm 500 gm
022245 $C_{17}H_6O_7$ (2421-28-5)	3,3,4,4-**Benzophenone Tetra Carboxylic Dianhydride** Pure for synthesis M. W.: 322.23	3852.00	100 gm
022275 $C_6H_4O_2$ (106-51-4)	p-**Benzoquinone** (P-Quinone,1,4-Benzoquinone) M. W.:108.09	1602.00 6400.00 POR	100 gm 500 gm 5 kg
022335 $C_7H_5Cl_3$ (98-07-7)	**Benzotrichloride** M. W.: 195.48 Assay (GC) 99.0%	873.00 4500.00	500 ml 2.5 lit
027344 $C_6H_5N_3$ (95-14-7)	1,2,3, **Benzotriazole** for Synthesis (IH-Benzotriazole) M. W.:119.13 Assay 99.0%	603.00 5004.00 POR	100 gm 1 kg 10 kg
	1H-**Benzothiazolethiol** See 2-Mercaptobenzothiazole		
	O-(**Benzotriazol**-1-**yl**)-N,N,N',N'-**Tetramethyluronium Tetrafluoroborate** See TBTU		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	O-(**Benzotriazol**-1-**yl**)-N,N,N',N'-**Tetramethyluronium Hexafluoride Phosphate** See HBTU		
	1H-**Benzotriazol** See 1,2,3-Benzotriazole		
027347 $C_{10}H_{10}O_2$ (93-91-4)	**Benzoyl Acetone** M. W.: 162.19 Assay (GC) 98.0%	**2304.00** **8820.00**	**10 gm** **50 gm**
PCT1808 PTC $C_{12}H_9N_5O$ (4005-49-6)	▲N^6-**Benzoyladenine** Plant Culture Tested M. W.: 239.23 Assay 99%	**7182.00**	**1 gm**
022425 $C_{15}H_{23}ClN_4O_3$ (2645-08-1)	· N-a-**Benzoyl**-L-**Arginine Ethyl Ester Hydrochloride** (BAEE) M. W.: 342.83 Assay (Argentometric) 99.0%	**941.00** **4320.00**	**1 gm** **5 gm**
027349 C_6H_5COCl (98-88-4)	**Benzoyl Chloride** for Synthesis (Benzoic acid chloride) M. W.: 140.57 Assay (ex Cl) 99.0%	**900.00** **3807.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
462215 C_6H_5COCl (98-88-4)	**Benzoyl Chloride AR** M. W.: 140.57 Assay 99.5%	**1107.00** **4100.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
462240 $C_6H_5CON(OH)C_6H_5$ (304-88-1)	**n-Benzoyl-n-Phenyl Hydroxylamine AR** M.W.: 213.23	**4500.00**	**5 gm**
027350 $(C_6H_5.CO)_2O_2$ (94-36-0)	**Benzoyl Peroxide** (25% with Water) M. W.:242.23 Assay (anhydrous basis) 98.0%	**999.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
022535 ✠ $C_6H_5COCH_2CH_2COOH$ (2051-95-8)	3-**Benzoyl Propionic Acid** M. W.: 178.18	**8010.00** **15480.00**	**100 gm** **250 gm**
022585 $C_9H_{10}O_2$ (140-11-4)	**Benzyl Acetate** for Synthesis M. W.:150.17 Assay (GC) 99.0%	**500.00** **2232.00**	**500 ml** **2.5 lit**
022625 $C_{12}H_{11}N_5$ (1214-39-7)	· 6-**Benzyl Adenine** (6-Benzyl Aminopurine) M. W.: 225.26 Assay (Non-aqueous) 99.0%	**153.00** **648.00** **1400.00** **4194.00** **POR**	**1 gm** **5 gm** **25 gm** **100 gm** **500 gm**
PCT1802 PTC $C_{12}H_{11}N_5$ (1214-39-7)	· 6-**Benzyladenine (6-BAP)** (6-Benzylaminopurine) Plant Culture Tested M. W.: 225.25 Assay 98%	**203.00** **900.00** **4883.00**	**1 gm** **5 gm** **25 gm**
027354 $C_6H_5CH_2OH$ (100-51-6)	**Benzyl Alcohol** for Synthesis M. W.:108.14 Assay (GC) 99.0%	**837.00** **3200.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
462265 $C_6H_5CH_2OH$ (100-51-6)	**Benzyl Alcohol AR/ACS** M. W.:108.14 Assay (GC) 99.0%	**590.00** **918.00** **1647.00** **3492.00** **POR** **POR**	**250 ml** **500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Price	Packing
707052 $C_6H_5CH_2OH$ (100-51-6)	**Benzyl Alcohol** GC-HS for GC- Headspace Analysis M.W: 108.14 Assay 99.0%	**3402.00** **5500.00**	**1 lit** **2.5 lit**
027355 $C_7H_7NH_2$ (100-46-9)	**Benzylamine** M.W. : 107.16 Assay (Acidimetric) 99.0%	**1260.00** **5301.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
463385 $C_7H_7NH_2$ (100-46-9)	**Benzylamine AR** M.W. : 107.16 Assay 99.0%	**1998.00** **7965.00**	**500 ml** **2.5 lit**
	6-**Benzylamine Purine** See 6- Benzyl Adenine		
	Benzyl Benzene See Diphenyl Methane		
027357 $C_6H_5COOCH_2C_6H_5$ (120-51-4)	**Benzyl Benzoate** M. W.:212.25 Assay (GC) 98.0%	**846.00** **3780.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
022755 C_7H_7Br (100-39-0)	**Benzyl Bromide** M. W.: 171.04 Assay (GC) 98.0%	**4194.00**	**500 ml**
022805 $C_{19}H_{20}O_4$ (85-68-7)	**Benzyl Butyl Phthalate** for Synthesis (Butylbenzyl Phthalate) M. W.: 312.36 Assay 98.0%	**1000.00** **4500.00**	**500 ml** **2.5 lit**
027361 $C_6H_5.CH_2Cl$ (100-44-7)	**Benzyl Chloride** for Synthesis M. W.: 126.59 Assay (GC) 99.0%	**558.00** **2196.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Benzyl Chlorocarbonate See Benzyl Chloroformate 50% In Toluene		
027362 C_8H_7N (140-29-4)	**Benzyl Cyanide** M. W.: 117.15 Assay (ex N) 98.0%	**1107.00** **4707.00**	**500 ml** **2.5 lit**
	α-**Benzyl Dioxime AR** See Diphenylglyoxime		
	Benzylideneacetone See Banzalacetone		
	Benzyl dimethyhexadecyl ammonium chloride See Cetyl Dimethyl Benzyl Ammonium Chloride		
023075 $C_{11}H_{14}O_2$ (103-28-6)	**Benzyl Isobutyrate** for Synthesis M. W.: 178.23	**2601.00**	**500 gm**
023085 $C_{12}H_{16}O_2$ (103-38-8)	**Benzyl Isovalerate** for Synthesis M. W.: 192.25	**4410.00**	**500 gm**
023185 $C_6H_6CH_2NHCH_3$ (103-67-3)	N-**Benzyl Methylamine** (N-methyl benzylamine) M. W.: 121.18	**1242.00** **2205.00**	**250 ml** **500 ml**
023335 $C_6H_5CH_2OC_6H_4CHO$ (4397-53-9)	4-**Benzyl Oxybenzaldehyde** M. W.: 212.24 Assay 97.0%	**2754.00** **12600.00**	**100 gm** **500 gm**
023405 $C_{15}H_{14}O_2$ (102-16-9)	**Benzyl Phenyl Acetate** for Synthesis M. W.: 226.27	**2169.00**	**500 gm**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
023455 $C_{10}H_{12}O_2$ (122-63-4)	**Benzyl Propionate** for Synthesis M. W.: 164.2 Assay 98.0%	2304.00	500 gm
023505 $C_{12}H_{11}N$ (101-82-6)	2-**Benzyl Pyridine** M. W.: 169.23 Assay (GC) 98.0%	2403.00	100 gm
023555 $C_{14}H_{12}O_3$ (118-58-1)	**Benzyl Salicylate** for Synthesis M. W.: 228.24 Assay 98.0%	2304.00	500 gm
463965 $[C_6H_5.CH_2.S.C.(:NH).NH_3]Cl$ (538-28-3)	S-**Benzyl Thiuronium Chloride AR** M. W.: 202.70 Assay (Argentometric) 98.0%	500.00 2106.00 POR	100 gm 500 gm 25 kg
023705 $C_{19}H_{34}NBr$ (25316-59-0)	**Benzyl Tributyl Ammonium Bromide** for Synthesis M. W.: 356.38	4203.00	100 gm
023735 $C_{19}H_{34}ClN$ (23616-79-7)	**Benzyl Tributyl Ammonium Chloride** for Synthesis (Tributylbenzylammonium Chloride) M. W.: 311.93	2754.00	500 gm
023755 $C_{13}H_{22}ClN$ (56-37-1)	**Benzyl Triethyl Ammonium Chloride** M. W.: 227.78 Assay (Argentometric) 98.0%	1053.00 POR	500 gm 25 kg
023805 $C_6H_5.CH_2.N(CH_3)_3.Cl$ (56-93-9)	**Benzyl Trimethyl Ammonium Chloride** M. W.: 185.70 Assay (argentometric) 98.0%	1620.00 POR POR	500 gm 25 kg 50 kg
809300 $C_{10}H_{17}NO$ (100-85-6)	**Benzyl Trimethyl ammonium Hydroxide** 40% Soln. in Methanol M. W.: 167.25	900.00 3807.00	100 ml 500 ml
809350	**Beryllium** (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 HF in 2% HNO_3 in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
809352	**Beryllium** (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
809400	**Beryllium** (Be) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	4815.00 7713.00	50 ml 100 ml
464085 $BeSO_4.4H_2O$ (7787-56-6)	**Beryllium Sulphate AR** (Beryllium Sulphate Tetrahydrate) M. W.: 177.14	14175.00 48600.00	25 gm 100 gm
023905 $C_6H_{15}NO_5S$ (10191-18-1)	**BES** Buffer M.W.: 213.25 Assay (T) 99.0%	1413.00 4680.00 POR	25 gm 100 gm 500 gm
915990 MB $C_6H_{15}NO_5S$ (10191-18-1)	**BES** Buffer For Molecular Biology M. W.: 213.25 Assay : ≥ 99.5% Store Below 30°C	1404.00 4950.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
TC1042 ATC $C_6H_{15}NO_5S$ (10191-18-1)	▲**BES** Buffer, Free Acid (NN-bis[2-Hydroxyethyl]-2-aminoethanesulphonic acid; 2-[bis(2-Hydroxyethyl)amino]-ethanesulfonic Acid) Cell Culture Tested MW : 213.25 Assay : ≥99%	2223.00 6687.00 27720.00 46000.00	25 gm 100 gm 500 gm 1 kg
	B.H.A. See Butylated Hydroxy Anisole		
	B.H.T. See Butylated Hydroxy Toluene		
	Biacetyl See Diacetyl		
809500	**Bial's** Reagent for Detection Of Pentoses And Gluconic Acid	293.00 378.00	125 ml 250 ml
809600	**Bicarbonate** Indicator Solution	450.00	125 ml
023955 $C_6H_{13}NO_4$ (150-25-4)	**Bicine** Buffer M. W.: 163.17 Assay (non-aqueous) 99.0%	702.00 2007.00 POR	25 gm 100 gm 500 gm
916200 MB $C_6H_{13}NO_4$ (150-25-4)	**Bicine** Buffer For Molecular Biology M. W.: 163.17 Assay : ≥ 99% Store Below 30°C	945.00 3070.00 13590.00	25 gm 100 gm 500 gm
284985 $C_{22}H_{14}N_4O_7S_2Na_2$ (4196-99-0)	**Biebrich Scarlet** (W.S) (C.I. 26905) M. W.: 556.48	783.00 2907.00	25 gm 100 gm
809640	**Biebrich Scarlet Acetic** Solution (For connective tissue plasma stain)	603.00	100 ml
333565	**Bile Salt** for Bacteriology Bile acid : Min. 70%	1720.00 7700.00	100 gm 500 gm
	Bile Salt Mixture See in Culture Media Basis		
	Bilirubin Determination Reagent A See Diazo reagent A		
	Bilirubin Determination Reagent B See Diazo reagent B		
464175 $C_{33}H_{36}N_4O_6$ (635-65-4)	▲**Bilirubin AR** M. W.: 584.68 Assay (spectrophotometric) 99.0%	1400.00 11700.00	100 mgm 1 gm
024000 $C_{20}H_{14}O_2$ (18531-99-2)	S-**Binol** for Synthesis (S(-)-1,1' Bi(2-Naphthol)) (-)-2,22-Dihydroxy-1,12-(dinaphthyl) M.W : 286.33 Assay 99.0%	1000.00 4203.00 13005.00	5 gm 25 gm 100 gm
024060 $C_{10}H_{16}N_2O_3S$ (58-85-5)	▲D-**Biotin** for Biochemistry (Vitamin-H) M. W.:244.31 Assay (Acidimetric) 99-102%	117.00 640.00 4833.00	100 mgm 1 gm 10 gm
PCT1201 PTC $C_{10}H_{16}N_2O_3S$ (58-85-5)	▲D-**Biotin** (Vitamin H) Plant Culture Tested MW : 244.31 Assay 98.5%	765.00 6930.00 13833.00	1 gm 10 gm 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1096 ATC $C_{10}H_{16}N_2O_3S$ (58-85-5)	▲D-**Biotin** (Vitamin B7, Vitamin H) Cell Culture Tested MW : 244.31 Assay : ≥99%	**2899.00** **11620.00** **43700.00**	**1 gm** **5 gm** **25 gm**
	Biphenyl-4-OL See p-Hydroxydiphenyl		
028240 $(C_6H_5)_2$ (92-52-4)	**Biphenyl** for Synthesis M. W.: 154.21 Assay (GC) 98.0%	**441.00** **2403.00**	**100 gm** **1 kg**
D16227 $C_{12}D_{10}$ (1486-01-7)	**Biphenyl**-d_{10} (for NMR Spectroscopy) M.W.: 164.27 Assay Min. 99.0 atom%D	**18270.00**	**1 gm**
024175 $C_{13}H_{10}O_2$ (92-92-2)	4-**Biphenyl Carboxylic Acid** for Synthesis (4-Phenylbenzoic Acid) M. W.: 198.22	**6570.00**	**100 gm**
024185 $HOC_6H_4C_6H_4OH$ (92-88-6)	**Biphenyl**-4:4-**Diol** for Synthesis M. W.: 186.21	**7470.00**	**100 gm**
285135 $(C_5H_4N)_2$ (366-18-7)	2,2-**Bipyridyl AR** (A,a-Bipyridyl) M. W.:156.19 Assay (non-aqueous) 99.5%	**860.00** **3501.00**	**5 gm** **25 gm**
809700	**Bipyridyl** Reagent Solution (Reagent for molybdenum)	**675.00**	**100 ml**
285235 $C_{18}H_{12}N_2$ (119-91-5)	2,2-**Biquinoline AR** (2,2-Diquinolyl) M. W.: 256.31 Assay (Non-aqueous) 99.0%	**1301.00** **6003.00**	**1 gm** **5 gm**
	Bisacrylamide See N,N' Methylene Bis acrylamide		
024425 $(ClCH_2CH_2)_2NH.HCl$ (821-48-7)	Bis-2-**Chloro Ethylamine Hydrochloride** for Synthesis M. W.: 178.49 Assay 98.0%	**2205.00**	**500 gm**
024525 $C_6H_4(CH_2Cl)_2$ (612-12-4)	**Bis** 1;2-**(Chloro Methyl Benzene)** for Synthesis M. W.: 175.06 Assay 98.0%	**2800.00** **POR**	**25 gm** **500 gm**
464445 $C_{14}H_{22}N_4O_2$ (370-81-0)	**Bis-Cyclohexanone Oxalyl Dihydrazone AR** M. W.: 278.36 Assay (Non-aqueous) 99.0%	**1701.00** **4005.00**	**10 gm** **25 gm**
	N,N-Bis(2-Hydroxyethyl) Methylamine) See N-(Methyldiethanol)Amine		
	Bis (2-Chloroethyl) Ammonium Chloride See Bis (2-Chloroethyl)Amine Hydrochloride		
	2-Bis(2-Hydroxyethyl)Amine See Diethanolamine		
	Bis(Acetato)Dioxouranium See Uranyl Acetate Dihydrate		
	N,N-Bis(2(bis(Carboxylmethyl)Amino)Ethyl) Glycine See Diethylenetriaminepentaacetic acid		
	4,4'-**Bis-(Dimethylamino) Benzophenonimide**		

Product Code	Product Name	Price	Packing
	Hydrochloride See BES Buffer		
	1,2-**Bis(Dimethylamino) Ethane** See N,N,N',N'-Tetramethylethylenediamine		
024665 $C_{17}H_{22}N_2$ (101-61-1)	4,4-**Bis(Dimethylamino-Phenyl) Methane** (N,N,N'N'Tetramethyl-4,4-Diaminodiphenylmethane, Michler's base, 4,4-Methylenebis)(N,N-Dimethyl Aniline) M. W.: 254.37 Assay 98.0%	**4100.00** **POR**	**100 gm** **500 gm**
024705 $[(C_6H_5)_2PC_{10}H_6-]_2$ (76189-56-5)	**(S)-(-)-2,2'-Bis-(Diphenylphosphino) -1,1'-Binaphthyl 97%** **(S)-(-)-2,2'(S)-(-)-Binap** M. W.: 622.67	**5500.00** **16002.00**	**1 gm** **5 gm**
707600 $C_{27}H_{26}P_2$ (6737-42-4)	1,3-**Bis-(Diphenylphosphino) Propane** for HPLC M. W.: 412.45	**675.00** **2034.00**	**1 gm** **5 gm**
024805 $C_{22}H_{42}O_4$ (103-23-1)	**Bis-**(2-**Ethylhexyl) Adipate** for Synthesis (Dioctyl Adipate; DOA) M. W.: 370.57	**972.00** **3870.00**	**500 ml** **2.5 lit**
024825 $C_{24}H_{38}O_4$ (117-81-7)	**Bis-**(2-**Ethyl Hexyl) Phthalate** for Synthesis M. W.: 390.56	**603.00** **2808.00**	**500 ml** **2.5 lit**
024845 $C_{26}H_{50}O_4$ (122-62-3)	**Bis-**2-**Ethyl Hexyl Sebacate** for Synthesis M. W.: 426.68	**1220.00** **5500.00**	**500 ml** **2.5 lit**
	Bis-(2-**Hydroxy Ethyl) Amino Tris (Hydroxymethyl) Methane** See Bis-Tris		
	N,N'-**Bis-**(2-**Hydroxy Ethyl) Glycine** See Bicine		
	N,N-**Bis-**(2-**Hydroxyethyl) Taurine** See BES Buffer		
285375 $C_{18}H_{20}Cl_2N_8$ (10114-58-6)	**Bismark Brown (G) Y** for Microscopy C.I. 21000 M. W.: 419.32 Dye content (titanometry) Abt 50.0%	**207.00** **540.00** **4001.00**	**25 gm** **100 gm** **1 kg**
285435 $C_{21}H_{24}N_8.2HCl$ (5421-66-9)	**Bismark Brown R** C.I.21010 M. W.:461.40 Dye content (Spectrophotometric) Abt 40%	**225.00** **585.00** **4860.00**	**25 gm** **100 gm** **1 kg**
809900	**Bismuth** (Bi) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**
809950	**Bismuth** (Bi) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**5301.00** **8514.00**	**100 ml** **500 ml**
809952	**Bismuth** (Bi) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**16020.00** **48222.00**	**100 ml** **500 ml**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
027384 Bi (7440-69-9)	**Bismuth** (Metal) Granulated At. W. 208.98 Assay (complexometric) 99.0%	1242.00 5805.00	100 gm 500 gm
025005 Bi (7440-69-9)	**Bismuth** Metal Lump M.W. : 208.98 Assay (Complexometric) 99.5%	963.00	100 gm
025010 Bi (7440-69-9)	**Bismuth** Metal Powder M.W. : 208.98	1917.00	100 gm
464885 Bi (7440-69-9)	**Bismuth** Ingots **AR** M.W. : 208.98 Assay 99.99%	2610.00	10 gm
025055 $CH_3(CO_2)_3Bi$ (22306-37-2)	**Bismuth (III) Acetate** M.W. : 386.11	3600.00 9000.00	100 gm 500 gm
464930 (31886-41-6)	**Bismuth Ammonium Citrate AR** Assay (Complexometric ex Bi) ~ 45%	1602.00 5643.00	100 gm 500 gm
025125	**Bismuth Borate**	1683.00 5040.00	100 gm 500 gm
025145 $BiBr_3$ (7787-58-8)	**Bismuth** (III) **Bromide** M. W.: 448.69	2151.00 9603.00	100 gm 500 gm
	Bismuth Carbonate (Basic) See Bismuth oxycartbonate		
	Bismuth Chloride See Bismuth Trichloride		
	Bismuth Chloride Oxide See Bismuth Oxychloride		
025165	**Bismuth Chromate**	3960.00	500 gm
025185 $BiC_6H_5O_7$ (813-93-4)	**Bismuth** (III) **Citrate** M. W.: 398.08 Assay (Complexometric) 98.0%	1287.00 4203.00 POR	100 gm 500 gm 25 kg
025205 BiF_3 (7787-61-3)	**Bismuth** (III) **Fluoride** M. W.: 265.98	3906.00	500 gm
025225 BiI_3 (7787-64-6)	**Bismuth** (III) **Iodide** (Bismuth Triiodide) M. W.: 589.69	6400.00	25 gm
027388 $Bi(NO_3)_3.5H_2O$ (10035-06-0)	**Bismuth Nitrate** Pentahydrate Purified (Bismuth III Nitrate) M. W.: 485.07 Assay (Complexometric) 98.0%	972.00 4203.00 POR	100 gm 500 gm 25 kg
465020 $Bi(NO_3)_3.5H_2O$ (10035-06-0)	**Bismuth Nitrate** Pentahydrate **AR/ACS** M. W.:485.07 Assay (Complexometric) 98.5%	1062.00 4491.00	100 gm 500 gm
	Bismuth Nitrate Basic See Bismuth Subnitrate		
025265 $Bi_2(C_2O_4)_3$ (6591-55-5)	**Bismuth Oxalate** M. W.: 682.02	4352.00	500 gm
027389 Bi_2O_3 (1304-76-3)	**Bismuth Oxide** M. W.:465.96 Assay (Complexometric) (ex Bi) 99.0%	1197.00 5193.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
H06507 HISURE Bi_2O_3 (1304-76-3)	**Bismuth Oxide** M. W.:465.96 Assay (Trace metal basis) 99.999%	10000.00	100 gm
027390 Bi_2CO_5 (5892-10-4)	**Bismuth Oxycarbonate** (Bismuth Carbonate Basic, Bismuth Sub Carbonate) M. W.: 509.97 Assay (as Bi on dried basis) 80-82%	1107.00 5103.00	100 gm 500 gm
027391 BiOCl (7787-59-9)	**Bismuth Oxychloride** M. W.:260.43 Assay (Complexometric; Bi) 79.0-82.0%	1305.00 5500.00	100 gm 500 gm
	Bismuth Oxynitrate See Bismuth Subnitrate		
025345 $BiPO_4$ (10049-01-1)	**Bismuth Phosphate** M. W.: 303.95 Assay 98.0%	1980.00 5508.00	100 gm 500 gm
025365 $C_7H_5BiO_4$ (14882-18-9)	**Bismuth** (III) **Salicylate** M. W.: 362.09	1485.00 4509.00	100 gm 500 gm
	Bismuth Sub Carbonate See Bismuth oxycarbonate Basic		
025385 $C_7H_5BiO_6$ (99-26-3)	**Bismuth Subgallate** (Basic Bismuth Gallate) M. W.: 394.40	1521.00 6507.00	100 gm 500 gm
025405 $Bi(O)NO_3$ (10361-46-3)	**Bismuth Subnitrate** M.W.: 286.99 Assay (Bi) 71.0-74.0%	1206.00 4806.00	100 gm 500 gm
465110 $Bi(O)NO_3$ (10361-46-3)	**Bismuth Subnitrate AR** M.W.: 286.99 Assay (Complexometric) (as Bi) 71.0-74.0%	1400.00 5202.00	100 gm 500 gm
027404 $Bi_2(SO_4)_3$ (7787-68-0)	**Bismuth Sulphate** M. W.: 706.18	1251.00 6003.00	100 gm 500 gm
025445	**Bismuth Sulphite**	3609.00	100 gm
025465 $BiCl_3$ (7787-60-2)	**Bismuth Trichloride** M. W.: 315.34 Assay (ex Bi) 92.0%	2790.00 12492.00	100 gm 500 gm
465495 $C_2H_2N_2S_3$ (1072-71-5)	**Bismuthiol-I AR (Reagent** for The Determination of BI, Cu, Pb, Sb M. W.: 150.25 Assay 98.0%	1990.00 POR	25 gm 500 gm
025605 $C_{15}H_{16}O_2$ (80-05-7)	**Bisphenol A** M. W.: 228.29 Assay (GC) 97.0%	770.00 POR POR	500 gm 25 kg 50 kg
	1,4-**Bis (5-Phenyl Oxazol -2-yl)** **Benzene** See POPOP		
465625 $C_{20}H_{18}N_4O_2$ (7477-67-0)	**Bispyrazolone AR** [3.3-Dimethyl-1,1-Diphenyl- (4,4-bi-2-Pyrazoline)-5,5-Dione] (for Determination of Cyanide) M. W.: 346.38	2025.00 5706.00	5 gm 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
025705 $C_{24}H_{54}OSn_2$ (56-35-9)	**Bis-Tributyl Tin Oxide** for Synthesis M. W.: 596.10 Assay 96.0%	**1620.00** **7506.00**	**100 ml** **500 ml**
025725 $C_8H_{18}F_3NOSi_2$ (25561-30-2)	· N,O-**Bis-(Trimethylsilyl) Trifluoro Acetamide** M. W.: 257.40 Assay 99.0%	**1990.00** **7070.00** **28620.00**	**25 ml** **100 ml** **500 ml**
025755 $C_8H_{19}NO_5$ (6976-37-0)	**Bis-Tris** for Biochemistry M.W.: 209.24 Assay (Non-aqueous) 98.0%	**1305.00** **4770.00**	**25 gm** **100 gm**
916370 MB $C_8H_{19}NO_5$ (6976-37-0)	**Bis-Tris** (Bis[2-hydroxyethyl]-amino-tris [hydroxymethyl] methane) For Molecular Biology M. W.: 209.24 Assay : ≥ 98% Store Below 30°C	**1701.00** **5900.00**	**25 gm** **100 gm**
TC1043 ATC $C_8H_{19}NO_5$ (6976-37-0)	**BIS TRIS** (Bis[2-Hydroxy Methyl]amino-tris (hydroxyethyl) methane; 2-bis[2-Hydroxyethyl] amino-2-[2-Hydroxy Methyl]-1,3 propanediol Cell Culture Tested MW : 209.24 Assay : ≥99% Store below 30°C	**2970.00** **8910.00** **34700.00** **50500.00**	**25 gm** **100 gm** **500 gm** **1 kg**
TC1267 ATC $C_{11}H_{26}N_2O_6$ (64431-96-5)	**BIS-TRIS propane** 1,3-Bis[tris(hydroxy methyl) methylamino] propane Cell Culture Tested MW: 282.33 Assay : ≥99% Store below 30°C	**5913.00** **17100.00** **62330.00**	**25 gm** **100 gm** **500 gm**
465715 $NH_2.CO.NH.CO.NH_2$ (108-19-0)	**Biuret AR** M. W.: 103.08 Assay (Kjeldhal method) 96.0%	**1206.00** **4203.00**	**25 gm** **100 gm**
916850 MB $C_2H_5N_3O_2$ (108-19-0)	**Biuret** For Molecular Biology M. W.: 103.08 Assay : ≥ 97% Store Below 30°C	**1260.00** **4320.00**	**25 gm** **100 gm**
810300	**Biuret** Reagent	**104.00**	**125 ml**
TC1421 ATC $C_{17}H_{26}N_8O_5.HCl$ (3513-03-9)	▲**Blasticidin S Hydrochloride** Blasticidin S` Cell Culture Tested MW : 458.9 Assay : ≥99.5	**15003.00** **52443.00** **POR**	**25 mg** **100 mg** **1 gm**
025925 $Ca(OCl)_2$ (7778-54-3)	**Bleaching** Powder About 33% Available Chlorine M. W.: 142.98	**225.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
PCT2509 PTC $Ca(OCl)_2$ (7778-54-3)	**Bleaching** Powder Plant Culture Tested M. W.: 142.98 Assay 98% Store below 30°C	**360.00** **7300.00**	**500 gm** **50 kg**

Product Code	Product Name	Price	Packing
PCT2314 PTC	**Blue Colour** Plant Culture Tested Store below 30°C	**5630.00**	**250 gm**
917250 MB (87915-38-6)	**Blue Dextran** Form Leuconostoc Mesenteroides For Molecular Biology Av. M. W.: 2,000,000 Store Below 30°C	**16812.00**	**1 gm**
285595 $C_{40}H_{32}N_8O_2Cl_2$ (1871-22-3)	· **Blue Tetrazolium** for Microscopy **AR** (Blue tetrazolium chloride) M.W 727.66 Assay (Argentometric; ex Cl on dried basis) 95.0%	**1800.00** **8505.00**	**1 gm** **5 gm**
PCT2209 PTC $C_{40}H_{32}Cl_2N_8O_2$ (1871-22-3)	· **Blue Tetrazolium Chloride** Plant Culture Tested MW : 727.64 Assay 95% Store below 30°C	**1900.00** **8573.00**	**1 gm** **5 gm**
PCT2207 PTC $C_{14}H_{16}BrNO_6$ (97753-82-7)	▲**Bluo-Gal (5-Bromo-3-indolyl-b-Dgalacto Pyranoside)** Plant Culture Tested MW : 374.18 Assay 99%	**7570.00** **27180.00**	**100 mg** **500 mg**
BOC026 ✠ $C_8H_{15}NO_4$ (3303-84-2)	· **BOC**-B-**Alanine** for Biochemistry M.W 189.21	**2187.00** **6264.00**	**5 gm** **25 gm**
BOC010 ✠ $C_8H_{15}NO_4$ (7764-95-6)	· **BOC**-D-**Alanine** M.W 189.21	**3564.00** **8020.00**	**10 gm** **25 gm**
BOC014 ✠ $C_{11}H_{20}N_2O_5S$ (19746-37-3)	· **BOC**-L-**Acetamidomethyl-L-Cysteine** for Biochemistry M.W 292.35	**17370.00** **30420.00**	**10 gm** **25 gm**
BOC020 $C_8H_{15}NO_4$ (15761-38-3)	· **BOC**-L-**Alanine** M. W.: 189.21 Assay (on dried subs) 99.0%	**747.00** **1400.00** **5094.00**	**10 gm** **25 gm** **100 gm**
BOC023 ✠ $C_9H_{17}NO_4$ (28875-17-4)	· **BOC**-L-**Alanine Methyl Ester** for Biochemistry M. W.: 203.24	**8334.00** **14590.00**	**10 gm** **25 gm**
BOC028 $[(CH_3)_3COCO]_2O$ (24424-99-5)	· **BOC-Anhydride** M. W.: 218.25	**1170.00** **4600.00** **28990.00**	**100 gm** **500 gm** **5 kg**
BOC030 ✠ $C_9H_{16}N_2O_5$ (75647-01-7)	· **BOC**-D-**Asparagine** M. W.: 232.23	**4707.00** **10980.00**	**10 gm** **25 gm**
BOC040 $C_9H_{16}N_2O_5$ (7536-55-2)	· **BOC**-L-**Asparagine** M. W.: 232.23	**1071.00** **2385.00** **9027.00**	**10 gm** **25 gm** **100 gm**
BOC045 ✠ $C_{16}H_{21}NO_6$ (7536-58-5)	· **BOC**-L-**Aspartic Acid**-4- **Benzylester** M. W.: 323.34	**6507.00**	**25 gm**
BOC050 ✠ (62396-48-9)	· **BOC**-D-**Aspartic Acid**	**3915.00** **8802.00**	**10 gm** **25 gm**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
BOC060 ✲ $C_9H_{15}NO_6$ (13726-67-5)	· **BOC**-L-**Aspartic Acid** M. W.: 233.22	1062.00 2350.00 8820.00	10 gm 25 gm 100 gm
	BOC-Ala-OH See BOC-L-Alanine		
BOC063 ✲ $C_{15}H_{21}NO_5S$ (5068-28-0)	· **BOC**-L-**Benzyl**-L-**Cysteine** for Biochemistry M.W.: 311.40	5985.00 20934.00	5 gm 25 gm
BOC065 ✲ $C_6H_5CH_2OCH_2CH(COOH)NHCOOC(CH_3)_3$ (23680-31-1)	· N-**BOC**-O-**Benzyl**-L- **Serine** for Biochemistry M. W.: 295.33	27360.00 47800.00	10 gm 25 gm
BOC070 $C_{16}H_{28}N_2O_8S_2$ (10389-65-8)	· **BOC**-L-**Cystine** M. W.: 440.53	1062.00 2350.00 POR	10 gm 25 gm 100 gm
BOC080 (34404-28-9)	· **BOC**-D-**Glutamic Acid**	5418.00 12186.00	10 gm 25 gm
BOC090 ✲ $C_{10}H_{17}NO_6$ (2419-94-5)	· **BOC**-L-**Glutamic Acid** M. W.: 247.25	1071.00 2385.00 9027.00	10 gm 25 gm 100 gm
BOC093 ✲ $C_{17}H_{23}NO_6$ (13574-13-5)	· **BOC**-L-**Glutamic Acid**-5- **Benzyl Ester** for Biochemistry M. W.: 337.37	5220.00 10450.00	10 gm 25 gm
BOC100 ✲ $C_{10}H_{18}N_2O_5$ (61348-28-5)	· **BOC**-D-**Glutamine** M. W.: 246.26	6507.00 14621.00	10 gm 25 gm
BOC110 ✲ $C_{10}H_{18}N_2O_5$ (13726-85-7)	· **BOC**-L-**Glutamine** M. W.: 246.26	1062.00 2350.00 8820.00	10 gm 25 gm 100 gm
BOC120 $C_7H_{13}NO_4$ (4530-20-5)	· **BOC-Glycine** M. W.: 175.18 Assay Cal. on dried subs) 99.0%	1980.00 5445.00	25 gm 100 gm
BOC122 ✲ $C_8H_{15}NO_4$ (31954-27-5)	· **BOC-Glycine Methyl Ester** for Biochemistry M. W.: 189.21	8280.00	25 ml
	BOC-GLY-OH See BOC-Glycine		
BOC124 ✲ $C_{17}H_{19}N_5O_8$ (17791-52-5)	· **BOC-Histidine** for Biochemistry M. W.: 421.36	2223.00 8613.00	5 gm 25 gm
BOC128 $C_{11}H_{22}N_2O_3$ (77279-24-4)	1-**BOC**-4-(2-**Hydroxyethyl) Piperazine** M. W.: 230.30	10053.00	5 gm
BOC130 $C_{11}H_{19}NO_4$ (84358-13-4)	· **BOC-Isonipecotic Acid** for Biochemistry M. W.: 229.27	6390.00 11170.00	10 gm 25 gm
BOC135 ✲	· **BOC-Isonipecotic Acid Methyl Ester** for Biochemistry	10233.00 17892.00	10 gm 25 gm
BOC140 ✲ $C_{11}H_{21}NO_4$ (55721-65-8)	· **BOC**-D-**Isoleucine** M. W.: 231.29	31600.00	1 gm

Product Code	Product Name	Price	Packing
BOC150 $C_{11}H_{21}NO_4$ (13139-16-7)	· **BOC**-L-**Isoleucine** M. W.: 231.29	1197.00 2673.00 9000.00	10 gm 25 gm 100 gm
BOC160 ✲ $C_{11}H_{21}NO_4$ (16937-99-8)	· **BOC**-D-**Leucine** M. W.: 231.29	5590.00 12186.00	10 gm 25 gm
BOC162 ✲ $C_{11}H_{21}NO_4$ (13139-15-6)	· **BOC**-L-**Leucine** for Biochemistry M. W.: 231.29	990.00 3240.00 11732.00	5 gm 25 gm 100 gm
BOC180 ✲ $C_{11}H_{22}N_2O_4$ (2418-95-3)	· **BOC**-L-**Lysine** M. W.: 246.30	3245.00 14580.00 POR	5 gm 25 gm 100 gm
BOC182 ✲ (15098-69-8)	· N-a-ε-L-**BOC**-L-**Lysine Dicyclohexyl ammonium** Salt for Biochemistry	5814.00 10180.00	10 gm 25 gm
BOC184 ✲ $C_{10}H_{19}NO_4S$ (2488-15-5)	· **BOC**-L-**Methionine** for Biochemistry M. W.: 249.33	3942.00 12132.00	25 gm 100 gm
BOC186 ✲ $C_{11}H_{19}NO_4$ (1487631-41-1)	· **BOC-Nipecotic Acid Methyl Ester** for Biochemistry M. W.: 229.27	11241.00 19661.00	10 gm 25 gm
BOC188 ✲ (7535-56-0)	· **BOC-4-Nitro-L- Phenylalanine Ethyl Ester** for Biochemistry	11642.00 20367.00	10 gm 25 gm
BOC189 ✲ $C_{14}H_{18}N_2O_6$ (33305-77-0)	· **BOC**-4-**Nitro-L- Phenylalanine** for Biochemistry M. W.: 310.30	6561.00 11480.00	10 gm 25 gm
BOC190 $C_{14}H_{19}NO_4$ (18942-49-9)	· **BOC-D-Phenylalanine** M. W.: 265.30	5270.00 11831.00	10 gm 25 gm
BOC192 ✲ (35909-92-3)	· **BOC**-D-**Phenylalanine Methyl Ester** for Biochemistry	13050.00 22833.00	10 gm 25 gm
BOC194 ✲ (33125-05-2)	· **BOC**-D-**Phenylglycine** for Biochemistry	1503.00 3015.00	10 gm 25 gm
BOC200 $C_{14}H_{19}NO_4$ (13734-34-4)	· **BOC-L-Phenylalanine** M. W.: 265.31 Assay (Cal. on dried subs) 99.0%	882.00 1656.00 4622.00	10 gm 25 gm 100 gm
BOC204 ✲ $C_{15}H_{21}NO_4$ (51987-73-6)	· **BOC**-L-**Phenylalanine Methyl Ester** for Biochemistry M. W.: 279.33	10152.00 17753.00	10 gm 25 gm
BOC206 $C_{13}H_{17}NO_4$ (2900-27-8)	· **BOC**-L-**Phenylglycine** for Biochemistry M. W.: 251.28	1485.00 2970.00	10 gm 25 gm
BOC208 ✲ $C_{11}H_{19}NO_4$ (26250-84-0)	· **BOC**-L-**Pipecolinic Acid** for Biochemistry M. W.: 229.27	5860.00 10278.00	10 gm 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
BOC210 $C_{10}H_{17}NO_4$ (37784-17-1)	· **BOC-D-Proline** M. W.: 215.25	3564.00 8028.00	10 gm 25 gm
BOC212 ✻ (733323-65-6)	· **BOC**-D-**Proline Methyl Ester** for Biochemistry	16740.00 29300.00	10 gm 25 gm
BOC220 ✻ $C_{10}H_{17}NO_4$ (15761-39-4)	· **BOC-L-Proline** M. W.: 215.25 Assay (Cal. on dried subs) 99.0%	1134.00 2097.00 5994.00	10 gm 25 gm 100 gm
BOC223 (59936-29-7)	· **BOC**-L-**Proline Methyl Ester** for Biochemistry	11070.00 22005.00	10 gm 25 gm
	BOC-PHE-OH See BOC-L-Phenylalanine		
	2,3-Boranedione See DL-Camphorquinone		
BOC230 $C_8H_{15}NO_5$ (6368-20-3)	· **BOC-D-Serine** M. W.: 205.21	13550.00 25300.00	10 gm 25 gm
BOC240 ✻ $C_8H_{15}NO_5$ (3262-72-4)	· **BOC-L-Serine** M. W.: 205.21	2300.00 5157.00 15948.00	10 gm 25 gm 100 gm
BOC250 ✻ (55674-67-4)	· **BOC-D-Threonine**	4716.00 10981.00	10 gm 25 gm
BOC260 ✻ $C_9H_{17}NO_5$ (2592-18-9)	· **BOC-L-Threonine** M. W.: 219.23	1193.00 2673.00 9000.00	10 gm 25 gm 100 gm
BOC270 $C_{16}H_{20}N_2O_4$ (5241-64-5)	· **BOC-D-Tryptophane** M. W.: 304.34	13811.00	25 gm
BOC280 $C_{16}H_{20}N_2O_4$ (13139-14-5)	· **BOC-L-Tryptophane** M. W.: 304.34	1170.00 2097.00 6381.00	10 gm 25 gm 100 gm
BOC290 $4\text{-}(OH)C_6H_4CH_2CH(COOH)NHC(O)OC(CH_3)_3$ M. W.: 281.30 (3978-80-1)	· **BOC-L-Tyrosine**	2547.00 5346.00 16984.00	10 gm 25 gm 100 gm
BOC294 ✻ $4\text{-}(OH)C_6H_4CH_2CH[NHCO_2C(CH_3)_3]CO_2HCH_3$ M. W.: 295.33 (4326-36-7)	· **BOC**-L-**Tyrosine Methyl Ester** for Biochemistry	10152.00 17753.00	10 gm 25 gm
BOC300 ✻ $C_{10}H_{19}NO_4$ (22838-58-0)	· **BOC-D-Valine** M. W.: 217.26	5418.00 12186.00	10 gm 25 gm
BOC310 $C_{10}H_{19}NO_4$ (13734-41-3)	· **BOC-L-Valine** M. W.: 217.26 Assay (Cal on dried subs) 99.0%	693.00 1386.00 4995.00	10 gm 25 gm 100 gm
BOC313 ✻ $C_{11}H_{21}NO_4$ (58561-04-9)	· **BOC**-L-**Valine Methyl Ester** for Biochemistry M. W.: 231.29	7335.00 12821.00	10 gm 25 gm
465895 $Na_2B_4O_7$ (1330-43-4)	**Borax** Anhydrous **AR** M. W.: 201.22 Assay 99.0%	1350.00 3033.00	100 gm 500 gm
030230 $Na_2B_4O_7.10H_2O$ (1303-96-4)	**Borax** Decahydrate (Di-Sodium Tetraborate) M. W.: 381.36 Assay (acidimetric) 99.0-103.0%	370.00 2691.00 POR POR	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
465985 $Na_2B_4O_{7\,10}H_2O$ (1303-96-4)	**Borax** Decahydrate **AR/ACS** M. W.: 381.36 Assay (Acidimetric) 99.5-102.5%	576.00 4600.00 POR POR	500 gm 5 kg 25 kg 50 kg
917600 MB $Na_2B_4O_7.10H_2O$ (1303-96-4)	**Borax** Decahydrate For Molecular Biology M. W.: 381.37 Assay : ≥ 99.5% Store Below 30°C	720.00	500 gm
810600	**Borax Carmine** Alcoholic Solution	315.00	125 ml
810620	**Borax Carmine** Aqueous Solution	190.00	125 ml
285735	**Borax Carmine** (Grenacher) (powder) (M.S.)Bromo Cresol Green-Methyl Red.Indicator	1206.00	25 gm
027205 H_3BO_3 (10043-35-3)	**Boric Acid** Powder M. W.:61.83 Assay (acidimetric) 99.5%	621.00 1098.00 4392.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
466080 H_3BO_3 (10043-35-3)	**Boric Acid** Powder **AR/ACS** (Ortho Boric Acid) M.W : 61.83 Assay 99.5%	693.00 4680.00 POR POR	500 gm 5 kg 25 kg 50 kg
027410 H_3BO_3 (10043-35-3)	**Boric Acid** Crystal/Granular M. W.: 61.83 Assay (acidimetric) 99.5%	513.00 3906.00 POR POR	500 gm 5 kg 25 kg 50 kg
466075 H_3BO_3 (10043-35-3)	**Boric Acid** Crystal/Granular **AR** Meets of IP, BP, USP, PH. Eur. M. W.: 61.83 Assay (Acidimetric) 99.5%	860.00 6030.00 POR	500 gm 5 kg 50 kg
918000 MB H_3BO_3 (10043-35-3)	**Boric Acid** for Molecular Biology M. W.: 61.83 Assay (Acidimetric) 99.5%	594.00 981.00 1827.00	250 gm 500 gm 1 kg
H06903 HISURE H_3BO_3 (10043-35-3)	**Boric Acid AR** M. W.: 61.83 Assay 99.99%	15350.00 67500.00	50 gm 500 gm
PCT1102 PTC H_3BO_3 (10043-35-3)	**Boric Acid** Plant Culture Tested MW : 61.83 Assay 99.5% Store below 30°C	945.00 1692.00	500 gm 1 kg
TC1580M ATC H_3BO_3 (10043-35-3)	**Boric Acid** Hydrogen borate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 61.83 Store below 30°C	3033.00 5153.00	500 gm 1 kg
810740	**Boric Acid 4%** (w/v) Aqueous Solution	185.00	100 ml
	Boric Acid Tributyl Ester See Tri-Butyl Borate		
	Boric Anhydride See di-Boron Trioxide		
810840	**Boron** (B) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H_2O In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
810860	**Boron** (B) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	5220.00 8505.00	100 ml 500 ml
810862	**Boron** (B) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	16020.00 48200.00	100 ml 500 ml
027255 B (7440-42-8)	**Boron** (Metal) **Powder** M. W.: 10.81 Assay 95.0%	8200.00 11700.00	5 gm 50 gm
027285 CB_4 (12069-32-8)	**Boron Carbide** 90 Mesh M. W.: 55.26	2880.00	100 gm
027300 CB_4 (12069-32-8)	**Boron Carbide** 150 Mesh M. W.: 55.25 Assay 98.0%	2745.00	100 gm
027305 CB_4 (12069-32-8)	**Boron Carbide** 220 Mesh M. W.: 55.25 Assay 98.0%	1503.00 4104.00	25 gm 100 gm
N06984 CB_4 (12069-32-8)	**Boron Carbide Nanopowder/ Nanoparticles** (Hexagonal, 50nm) M. W.: 55.25 Assay 99%	15120.00 28350.00	10 gm 25 gm
027365 BN (10043-11-5)	**Boron Nitride** M. W.: 24.82 Assay(Alkalimetric) 98.0%	4500.00 39420.00	50 gm 500 gm
N06993 BN (10043-11-5)	**Boron Nitride Nanoparticles/ Nanopowder** (Hexagonal, 50nm) M. W.: 24.82 Assay 99%	3150.00 8406.00	25 gm 100 gm
810950	**Boron Tribromide** 1M in Dichloromethane	4905.00	100 ml
027415 Bbr_3 (10294-33-4)	**Boron Tribromide** for Synthesis M.W.: 250.52	8200.00 36900.00	100 gm 500 gm
027455 $BF_3C_4H_{10}O$ (109-63-7)	**Boron Trifluoride Etherate** (Boron Trifluoride Ethyl Ether complex) 48-53% Bf3 M. W.: 141.93 Assay (BF_3) ~50%	1305.00 2304.00 10530.00 POR POR	250 ml 500 ml 2.5 lit 25 lit 200 lit
027505 B_2O_3 (1303-86-2)	di-**Boron Trioxide** Anhydrous M. W.: 69.62 Assay 97.0%	3402.00 6507.00	250 gm 500 gm
466605 B_2O_3 (1303-86-2)	di-**Boron Trioxide** Anhydrous **AR** For Analysis of Silicates M. W.: 69.62 Assay 98.0%	4001.00 15003.00	250 gm 1 kg
H07003 B_2O_3 (1303-86-2)	di-**Boron Trioxide** Anhydrous **AR** For Analysis of Silicates M. W.: 69.62 Assay 98.0%	18000.00 45000.00	250 gm 1 kg
811000	**Borsche's** Reagent For detection of Ketones	153.00	125 ml
	Bouin's Picro Formal Fixing Solution See Bouin's Fluid		

Product Code	Product Name	Price	Packing
811040	**Bouin's** Fluid (Bouin's Picro Formal fixing Soln.)	144.00 495.00	100 ml 500 ml
027580 (9048-46-8)	· **Bovine Albumin** FRACTION V Assay (Calculated to anhy.material) 97.0% PH 6.8-7.2	1098.00 1800.00 15030.00	5 gm 10 gm 100 gm
918730 MB (9048-46-8)	· **Bovine Albumin** for Molecular Biology Assay (ex N) 98.0% PH 6-7	882.00 1620.00 12006.00	5 gm 10 gm 100 gm
918750 MB (9048-46-8)	· **Bovine Serum Albumin** (Nuclease and Protein Free) For Molecular Biology Assay : ≥ 98% Protein	657.00 2907.00 9423.00 45720.00	5 gm 25 gm 100 gm 500 gm
TC1545 ATC	· **Bovine Serum Albumin** Cell Culture Tested Ultra-low IgG	1360.00 5427.00 20350.00 86400.00	5 gm 25 gm 100 gm 500 gm
TC1546 ATC	· **Bovine Serum Albumin** Cell Culture Tested Protease free, Diagnostic grade	1279.00 4671.00 17415.00 76311.00	5 gm 25 gm 100 gm 500 gm
TC1548 ATC	· **Bovine Serum Albumin** Cell Culture Tested Manufacturing grade New Zealand/ Australia origin	12843.00 41310.00 125330.00	5 gm 25 gm 100 gm
TC1194 ATC	· **Bovine Serum Albumin Fraction-V** Cell Culture Tested PH 7.0	1090.00 4257.00 14760.00 62721.00	5 gm 25 gm 100 gm 500 gm
TC1348 ATC	· **Bovine Serum Albumin, pH 7.0** Low Fatty acid Cell Culture Tested	2493.00 5990.00 10990.00	10 gm 25 gm 50 gm
811020	**Brady's** Reagent	234.00	125 ml
PCT2521 PTC $C_{28}H_{46}O$ (474-67-9)	▲**Brassicasterol** Plant Culture Tested MW : 398.66 Assay 98%	40410.00 70700.00	5 mg 10 mg
PCT2522 PTC $C_{28}H_{48}O_6$ (72962-43-7)	**Brassinolide** Plant Culture Tested MW : 480.68 Assay 90% Store below 30°C	33930.00 122400.00	10 mg 50 mg
811060	**Breed's Stain** (For bacteria in milk smear)	441.00	100 ml
811090 (9002-92-0)	**Brij 30®** (Polyethlene Glycol Dodecyl Ether)	1301.00	500 ml
027755 (9002-92-0)	**Brij 35** Solid	1305.00 2476.00	500 gm 1 kg
811100	**Brij 35** 30% Solution	1107.00	500 ml
285875 $C_{28}H_{17}N_5Na_4O_{14}S_4$ (2519-30-4)	**Brilliant Black** BN C.I.-28440 M.W.: 867.68	765.00	10 gm
	Brilliant Blue G 250 See Coomassie Brilliant Blue G 250		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	Brilliant Blue R 250 See Coomassie Brilliant Blue R 250		
	Brilliant Blue FCF See Erioglaucine		
285965 $C_{17}H_{20}ClN_3O$ 1/2 $ZnCl_2$ (81029-05-2)	**Brilliant Cresyl Blue** Indicator C.I. 51010 M.W:.386.0 Dye content (titanometry) Abt 45.0%	**702.00** **2700.00** **8001.00**	**5 gm** **25 gm** **100 gm**
811200	**Brilliant Cresyl Blue** Solution Alcoholic	**153.00**	**125 ml**
811220	**Brilliant Cresyl Blue** Solution Aqueous	**140.00**	**125 ml**
286065 $C_{22}H_{14}N_4Na_2O_7S_2$ (5413-75-2)	**Brilliant Crocein** (M.S.) C.I. 27290 M. W.: 556.49	**900.00**	**100 gm**
286155 $C_{27}H_{34}N_2O_4S$ (633-03-4)	**Brilliant Green** Indicator C.I. 42040 For Bacteriology & Microscopy M. W.:482.65 Dye content (titanometry) 95.0%	**261.00** **702.00** **6507.00**	**25 gm** **100 gm** **1 kg**
811270	**Brilliant Green** 1% (w/v) Aqueous Indicator Solution	**113.00**	**100 ml**
286255 $C_{26}H_{18}N_4Na_2O_8S_2$ (3051-11-4)	**Brilliant Yellow** C.I. 24890 M. W.: 624.56 Assay (Spectrophotometric) Abt 70.0%	**396.00**	**25 gm**
PA0075	**Brilliant Yellow** Indicator Papers	**360.00**	**200 lvs**
811282	**Bromate Bromide** Solution 0.1N acc. to USP	**351.00**	**500 ml**
027845 (9001-00-7)	**Bromelain** **Source : Pineapple stem**	**1170.00** **2700.00**	**25 gm** **100 gm**
TC1680 ATC (9001-00-7)	**Bromelain** Source : Pineapple stem Cell Culture Tested M.W : ~33 kDa Store at -20°C	**6813.00** **23850.00**	**25 gm** **100 gm**
811281	**Bromide Bromate** Volumetric Solution 0.05 M (0.1N)	**1323.00**	**1 lit**
811283	**Bromide Bromate** Volumetric Solution 0.25 M (0.5N)	**1323.00**	**1 lit**
027895 Br_2 (7726-95-6)	**Bromine** M.W. : 159.82	**1400.00**	**100 ml**
027890 Br_2 (7726-95-6)	**Bromine** for Synthesis M. W.: 159.82 Assay (iodometric) 99.0%	**2620.00**	**250 ml**
466695 Br_2 (7726-95-6)	**Bromine AR** M. W.: 159.82 Assay (iodometric) 99.5%	**2997.00**	**250 ml**
811323	**Bromine Number Titration Solvent** (Dichloro Methane formulation)	**1548.00** **2862.00** **4401.00**	**1 lit** **2.5 lit** **4 lit**
811320	**Bromine** Water	**302.00**	**500 ml**
	Bromine Volumetric Solution See Bromide Bromate Solution		

Product Code	Product Name	Price	Packing
027945 $BrCH_2CH(OCH_3)_2$ (7252-83-7)	**Bromo Acetaldehyde Dimethylacetal** (2-Bromo-1,1-Dimethoxyethane) M. W.: 169.02	**2493.00** **11412.00**	**100 gm** **500 gm**
027995 C_8H_8BrNO (103-88-8)	p-**Bromo Acetanilide** for Synthesis M.W. : 214.07 Assay (GC) 98.0%	**1413.00** **6210.00**	**100 gm** **500 gm**
028045 $C_2H_3BrO_2$ (79-08-3)	**Bromoacetic Acid** for Synthesis M.W. :138.95 Assay (Alkalimetric) 98.0%	**801.00** **3402.00**	**100 gm** **500 gm**
028095 C_8H_7BrO (99-90-1)	4-**Bromo Acetophenone** for Synthesis (1-acetyl-4-bromobenzene) M.W.: 199.04 Assay 98.0%	**1305.00** **5590.00**	**100 gm** **500 gm**
028145 $BrCH_2COBr$ (598-21-0)	**Bromo Acetyl Bromide** for Synthesis M.W. : 201.84 Assay 98.0%	**2187.00** **6750.00**	**100 gm** **500 gm**
027431 C_6H_6BrN (106-40-1)	p-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay (GC) 98.0%	**1602.00** **5805.00**	**100 gm** **500 gm**
028245 C_6H_6BrN (615-36-1)	2-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay 98.0%	**2403.00** **8010.00**	**25 gm** **100 gm**
028250 $BrC_6H_4NH_2$ (591-19-5)	3-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay 98.0%	**1863.00** **6705.00**	**25 ml** **100 ml**
028350 C_7H_7BrO (2398-37-0)	3-**Bromo Anisole** for Synthesis (1-Bromo-3-Methoxybenzene) M. W.: 187.04 Assay 98.0%	**1400.00** **6003.00**	**100 ml** **500 ml**
028355 $BrC_6H_4OCH_3$ (104-92-7)	4-**Bromo Anisole** for Synthesis (1-bromo-4-methoxybenzene) M. W.: 187.04 Assay 98.0%	**1206.00** **4401.00**	**100 gm** **500 gm**
028455 BrC_6H_4CHO (3132-99-8)	3-**Bromo Benzaldehyde** for Synthesis M. W.: 185.02 Assay 97.0%	**2106.00** **8505.00**	**100 ml** **500 ml**
028465 BrC_6H_4CHO (1122-91-4)	4-**Bromo Benzaldehyde** for Synthesis M. W.: 185.02 Assay 99.0%	**1656.00** **6300.00**	**25 gm** **100 gm**
027434 C_6H_5Br (108-86-1)	**Bromo Benzene** for Synthesis M. W.:157.01 Assay (GC) 98.0%	**1301.00** **2403.00** **11007.00**	**250 ml** **500 ml** **2.5 lit**
467305 C_6H_5Br (108-86-1)	**Bromo Benzene AR** (Phenyl Bromide) M. W.:157.01 Assay 99.0%	**1503.00**	**250 ml**
028865 $C_7H_5BrO_2$ (88-65-3)	2-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	**1152.00** **4500.00**	**100 gm** **500 gm**
028875 $BrC_6H_4CO_2H$ (585-76-2)	3-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	**1602.00** **5243.00**	**25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
028885 $BrC_6H_4CO_2H$ (586-76-5)	4-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	1206.00 3807.00	50 gm 250 gm
029005 BrC_6H_4CN (6952-59-6)	3-**Bromo Benzonitrile** for Synthesis (M-Bromobenzonitrile) M. W.: 182.02	2187.00 6750.00	25 gm 100 gm
029015 BrC_6H_4CN (623-00-7)	4-**Bromo Benzonitrile** (p-Bromobenzonitrile) M. W.: 182.02	1557.00 5301.00	25 gm 100 gm
467485 $C_{13}H_9OBr$ (90-90-4)	p-**Bromo Benzophenone AR** M. W.: 261.12 Assay (GC) 98.0%	3330.00 10566.00	25 gm 100 gm
029115 C_7H_8BrN (3959-07-7)	4-**Bromo Benzylamine** M. W.: 186.05 Assay 96.0%	2250.00 6570.00 19990.00	1 gm 5 gm 25 gm
	1-**Bromo Butane** See n-Butyl Bromide		
029215 C_4H_9Br (78-76-2)	2-**Bromo Butane** (sec-Butyl Bromide) M. W.: 137.03	855.00 3200.00	100 ml 500 ml
029315 ✠ C_8H_6BrClO (536-38-9)	2-**Bromo**-4'-**Chloro Acetophenone** M. W.: 233.49 Assay 98.0%	4140.00 16700.00	100 gm 500 gm
467575 BrC_6H_4Cl (106-39-8)	1-**Bromo**-4- **Chlorobenzene AR** M. W.: 191.45	770.00 2907.00	100 gm 500 gm
029625 $C_{14}H_{15}BrClNO_6$ (7240-90-6)	▲5-**Bromo**-4-**Chloro**-3-**Indolyl β D-Galactopyranoside** (X-Gal,Bcig, 5-Bromo-4-Chloro-3-Indoly β-D-Galactoside) M. W.: 408.60 Assay 98.0%	1377.00 11007.00 36000.00	100 mgm 1 gm 5 gm
286395 $C_{19}H_{10}Br_2Cl_2O_5S$ (2553-71-1)	**Bromo Chlorophenol Blue AR** M. W.: 581.06	4500.00	25 gm
286425 $C_{19}H_9Br_2Cl_2NaO_5S$ (102185-52-4)	**Bromo Chlorophenol Blue Sodium Salt AR** M. W.: 603.04	4950.00	25 gm
029725 C_3H_6BrCl (109-70-6)	1-**Bromo**-3-**Chloropropane** for Synthesis M. W.: 157.44 Assay 98.0%	2403.00	500 ml
	Bromo Cresol Blue See Bromo Cresol Green		
286575 $C_{21}H_{14}Br_4O_5S$ (76-60-8)	**Bromo Cresol Green** Indicator **AR** M. W.: 698.04	243.00 963.00 4100.00	1 gm 5 gm 25 gm
H07272 HIBURE $C_{21}H_{14}Br_4O_5S$ (76-60-8)	**Bromo Cresol Green** Cerified Grade **AR** (pH 3.8-5.4) M. W.: 698.01	1656.00 6597.00	5 gm 25 gm
811743	**Bromocresol Green** Solution For TLC spray for Detection of Acidic (pKA<5) groups	162.00	125 ml

Product Code	Product Name	Price	Packing
811744	**Bromocresol Green** TS acc. to USP	167.00	125 ml
811740	**Bromo Cresol Green** 01.% Aqueous	127.00	125 ml
286615 $C_{21}H_{13}Br_4NaO_5S$ (62625-32-5)	**Bromo Cresol Green Sodium AR** M. W.: 720.00	1197.00 4590.00	5 gm 25 gm
811745	**Bromo Cresol Green Sodium Salt** Solution 0.04%	198.00	125 ml
811750	**Bromo Cresol Green/Methyl Red** Mixed Indicator Solution In Alcohol	990.00	500 ml
286765 $C_{21}H_{16}O_5Br_2S$ (115-40-2)	**Bromo Cresol Purple** Indicator **AR** M. W.:540.24	360.00 1251.00	5 gm 25 gm
PCT2515 PTC $C_{21}H_{16}Br_2O_5S$ (115-40-2)	**Bromocresol purple** Plant Culture Tested MW : 540.22 Assay 99.0% Store below 30°C	441.00 2007.00	5 gm 25 gm
811780	**Bromo Cresol Purple** Indicator Solution	117.00	125 ml
286855 $C_{21}H_{15}Br_2NaO_5S$ (62625-30-3)	**Bromo Cresol Purple Sodium Salt** M. W.: 562.22	351.00 1000.00	5 gm 25 gm
029925 $C_6H_{11}Br$ (108-85-0)	**Bromo Cyclohexane** for Synthesis (Cyclohexyl Bromide) M. W.: 163.06	4194.00	500 gm
030015 $C_{10}H_{21}Br$ (112-29-8)	1-**Bromo Decane** for Synthesis (n-Decyl Bromide) M. W.: 221.18	1206.00 5607.00	100 ml 500 ml
TC1372 ATC $C_9H_{11}BrN_2O_5$ (59-14-3)	· **5-Bromo-2'-Deoxyuridine** 5-BrdU Cell Culture Tested MW : 307.10 Assay : ≥96.5%	2660.00 4131.00 6750.00	100 mg 250 mg 500 mg
030085 C_2H_5Br (74-96-4)	**Bromo Ethane** for Synthesis M. W.: 108.97 Assay (GC) 99.0%	1197.00 2205.00 POR	250 ml 500 ml 25 lit
030100 $BrCH_2CH_2SO_3Na$ (4263-52-9)	2-**Bromo Ethane Sulphonic Acid Sodium Salt** for Synthesis M. W.: 211.01	550.00 2502.00	10 gm 50 gm
030175 $C_2H_6BrN.HBr$ (2576-47-8)	**2-Bromo Ethylamine Hydrobromide** (2-Aminoethyl Bromide Hydrobromide) M. W.: 204.89	1305.00 4806.00	100 gm 500 gm
TC1516 ATC $BrCH_2CH_2NH_2 \cdot HBr$ (2576-47-8)	**Bromoethyl Amine Hydrobromide** 2-Aminoethyl bromide hydrobromide MW : 204.89 Assay ≥96% Store below 30°C	1503.00 9990.00 POR	100 gm 1 kg 5 kg
030350 $CHBr_3$ (75-25-2)	**Bromoform** Pure M. W.: 252.73 Assay (GC) 98.0%	6422.00	250 ml
030355 $CHBr_3$ (75-25-2)	**Bromoform** Special Grade **ACS** M. W.: 252.73 Assay (GC) 99.0%	6800.00	250 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
H07475 $CHBr_3$ (75-25-2)	**Bromoform** M. W.: 252.73 Assay (GC) 99.0%	**11120.00**	**250 ml**
030270 C_6H_4BrF (460-00-4)	1-**Bromo**-4-**Fluorobenzene** for Synthesis (P-Bromofluorobenzene) (Stabilised with Ethanol) M. W.: 175.00	**1206.00** **4410.00**	**100 gm** **500 gm**
030325 ✲ C_5H_3BrFN (128071-98-7)	4-**Bromo**-2-**Fluoropyridine** M. W.: 175.99	**4770.00** **6903.00**	**1 gm** **5 gm**
030375 ✲ $C_5H_3BrO_3$ (585-70-6)	5-**Bromo-2-Furoic Acid** M. W.: 190.98	**3582.00**	**25 gm**
030425 $C_7H_{15}Br$ (629-04-9)	1-**Bromo Heptane** for Synthesis (n-Heptyl Bromide) M. W.: 179.10	**1206.00** **4203.00**	**100 ml** **500 ml**
030475 $C_{16}H_{33}Br$ (112-82-3)	1-**Bromo Hexadecane** for Synthesis (N-Hexadecyl Bromide, Cetyl Bromide) M. W.: 305.34	**2754.00** **8010.00**	**100 ml** **500 ml**
030525 $CH_3(CH_2)_5Br$ (111-25-1)	1-**Bromo Hexane** for Synthesis (N-Hexyl Bromide) M. W.: 165.07	**873.00** **2844.00**	**100 ml** **500 ml**
030572 C_8H_6BrN (10075-50-0)	5-**Bromo Indole** for Synthesis M.W.: 196.04	**1530.00** **4896.00**	**25 gm** **100 gm**
030625 $C_7H_4BrIO_2$ (25252-00-0)	2-**Bromo**-5-**Iodobenzoic Acid** M. W.: 326.91	**2889.00** **19998.00**	**1 gm** **10 gm**
468085 $C_{10}H_8BrNO_2$ (17357-14-1)	· 5-**Bromo Indoxyl Acetate AR** M. W.:254.09 Assay (HPLC) 99.0%	**2440.00** **11260.00**	**100 mgm** **500 mgm**
030675 $CH_3OC_6H_4COCH_2Br$ (2632-13-5)	2-**Bromo**-4'-**Methoxy Acetophenone** M. W.: 229.07	**1080.00** **3600.00**	**25 gm** **100 gm**
	1-**Bromo**-3-**Methoxybenzene** See 3-Bromo anisole		
	1-**Bromo**-4-**Methoxybenzene** See 4-Bromo anisole		
	1-**Bromo**-4-**Methylbenzene** See 4-Bromo toluene		
	2- **Bromo**-2-**Methylpropane** for Synthesis Methylpropane See tert-Butyl Bromide		
	Bromo-2-Methylpropane See Iso-Butyl Bromide		
030825 $C_{10}H_7Br$ (90-11-9)	1-**Bromo Naphthalene** for Synthesis M. W.: 207.07	**1800.00** **7506.00**	**100 ml** **500 ml**
030875 $C_{16}H_{17}BrO_6$ (15572-30-2)	6-**Bromo-2-Naphthyl** B-D-**Galactopyranoside** M. W.: 385.20	**6660.00**	**1 gm**

Product Code	Product Name	Price	Packing
030925 $C_3H_6BrNO_4$ (52-51-7)	2-**Bromo**-2-**Nitropropane**-1,3- **Propanediol** (Bronopol) M.W.: 199.99	**765.00** **2745.00**	**100 gm** **500 gm**
030975 ✲ $C_9H_{19}Br$ (693-58-3)	1-**Bromo Nonane** for Synthesis (Nonyl Bromide) M. W.: 207.15	**8073.00**	**100 ml**
030985 $C_8H_{17}Br$ (111-83-1)	1-**Bromo Octane** (n-Octyl Bromide) M. W.: 193.12	**981.00** **3807.00**	**100 ml** **500 ml**
031025 $C_5H_{11}Br$ (110-53-2)	1-**Bromo Pentane** for Synthesis (N-Amyl Bromide, N-Pentyl Bromide) M. W.: 151.04	**1151.00** **3501.00**	**100 ml** **500 ml**
031075 $BrC_6H_4COCH_2Br$ (99-73-0)	4-**Bromo Phenacyl Bromide** M. W.: 277.94	**1980.00** **5850.00**	**25 gm** **100 gm**
031225 C_6H_5BrO (95-56-7)	2-**Bromo Phenol** for Synthesis M. W.: 173.01	**3200.00** **10800.00**	**25 gm** **100 gm**
031245 C_6H_5BrO (106-41-2)	4-**Bromo Phenol** for Synthesis M. W.: 173.01	**1575.00** **6606.00**	**100 gm** **500 gm**
287015 $C_{19}H_{10}O_5SBr_4$ (115-39-9)	**Bromo Phenol Blue** Indicator **AR** M. W.: 669.98	**306.00** **1152.00**	**5 gm** **25 gm**
919300 MB $C_{19}H_{10}Br_4O_5S$ (115-39-9)	**Bromo Phenol Blue** For Molecular Biology M. W.: 669.96 Store Below 30°C	**423.00** **1962.00**	**5 gm** **25 gm**
920000 MB $C_{19}H_{10}Br_4O_5S.Na$	**Bromo Phenol Blue Sodium Salt** for Moleculer Biology for Electrophoresis M. W.: 691.95	**3195.00**	**5 gm**
812000	**Bromo Phenol Blue** Solution	**117.00**	**125 ml**
812010	**Bromo Phenol Blue** ABT. 1% Solution in DMF	**657.00**	**50 ml**
812005	**Bromo Phenol Blue** TS acc. to USP	**252.00**	**125 ml**
812050	**Bromo Phenol Blue-Xylene Cyanol** Dye Solution	**5400.00**	**5 ml**
031545 $CH_3CHBrCOOH$ (598-72-1)	2-**Bromo Propionic Acid** for Synthesis M. W.: 152.97	**1206.00** **3245.00**	**100 gm** **500 gm**
	1-**Bromo Propane** See n-Propyl Bromide		
	2-**Bromo Propane** See ISO-Propyl Bromide		
	3-**Bromo Propene** See Allyl Bromide		
287225 $C_{19}H_{10}Br_2O_8S$ (16574-43-9)	**Bromo Pyrogallol Red AR** M. W.: 558.15	**693.00** **3006.00**	**1 gm** **5 gm**

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	2-Bromo Propanoic Acid See 2-Bromopropionic Acid		
031595 $(CH_2.CO)_2NBr$ (128-08-5)	n-**Bromo Succinimide** M. W.: 177.98 Assay (iodometric) 99.0%	531.00 2205.00 4302.00 POR	100 gm 500 gm 1 kg 2.5 kg
469035 $C_4H_4BrNO_2$ (128-08-5)	n-**Bromo Succinimide AR** M. W.: 177.98	1000.00 3006.00	100 gm 500 gm
287375 $C_{20}H_8Br_4Na_2O_{10}S_2$ (71-67-0)	**Bromo Sulphalein AR** M. W.: 838.00	1800.00	1 gm
287525 $C_{27}H_{28}Br_2O_5S$ (76-59-5)	**Bromo Thymol Blue AR** (pH Indicator) M. W.:624.40	405.00 1503.00	5 gm 25 gm
920030 MB $C_{27}H_{28}Br_2O_5S$ (76-59-5)	**Bromo Thymol Blue** For Molecular Biology M. W.: 624.38 Store Below 30°C	450.00 3330.00	5 gm 50 gm
PCT2516 PTC $C_{27}H_{28}Br_2O_5S$ (76-59-5)	**Bromo Thymol Blue** Plant Culture Tested MW : 624.38 Store below 30°C	405.00 3006.00	5 gm 50 gm
812170	**Bromo Thymol Blue** Solution	126.00 370.00	125 ml 500 ml
812175	**Bromo Thymol Blue** TS acc. to USP	288.00	125 ml
PA0100	**Bromo Thymol Blue** Paper	333.00	200 lvs
287575 $C_{27}H_{27}Br_2NaO_5S$ (34722-90-2)	**Bromo Thymol Blue Sodium Salt** M. W.: 646.37	405.00	10 gm
031845 $CH_3C_6H_4Br$ (95-46-5)	2-**Bromo Toluene** for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03	855.00 1898.00	25 gm 100 gm
031865 $CH_3C_6H_4Br$ (591-17-3)	3-**Bromo Toluene** for Synthesis M. W.: 171.03 Assay (GC) 98.0%	1269.00 4401.00	25 gm 100 gm
031885 $CH_3C_6H_4Br$ (106-38-7)	4-**Bromo Toluene** for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03 Assay 98.0%	1251.00 5000.00	100 gm 500 gm
469575 $C_4H_3BrN_2O_2$ (51-20-7)	· 5-**Bromo Uracil AR** M. W.:190.99 Assay (Alkalimetric) 97.0%	207.00 810.00 POR	1 gm 5 gm 25 gm
	Bronopol See 2-Bromo-2-Nitroprohane-1,3-propanediol		
469865 $C_{23}H_{26}N_2O_4$ (357-57-3)	**Brucine AR** M. W.:394.47 Assay (non aq.) 99.0%	963.00 2205.00	10 gm 25 gm
812250	**Brucine** Solution (Reagent for nitrate & Bismuth)	662.00	100 ml

Product Code	Product Name	Price	Packing
470045 $(C_{23}H_{26}N_2O_4)_2H_2SO_4 7H_2O$ M.W.:1013.12 (60583-39-3)	**Brucine Sulphate** Heptahydrate **AR** Assay (Non-aqueous) 99.0%	1854.00 16506.00	25 gm 250 gm
812270	**Brucke's** Reagent (For proteins)	1845.00	100 ml
K005005	**Buffer** kit pH 4.0-7.0-9.0-10.0 +/-0.02 at (25°C)	1062.00	1 Box
812300	**Buffer** Powder pH Approx. 4.0	297.00	10 cP
812320	**Buffer** Powder pH Approx. 6.4	297.00	10 cP
812340	**Buffer** Powder pH Approx. 6.8	297.00	10 cP
812360	**Buffer** Powder pH Approx. 7.0	297.00	10 cP
812380	**Buffer** Powder pH Approx. 7.2	297.00	10 cP
812400	**Buffer** Powder pH Approx. 9.0	297.00	10 cP
812420	**Buffer** Powder pH Approx. 9.2	297.00	10 cP
812440	**Buffer** Powder pH Approx. 10.0	297.00	10 cP
812590	· **Buffer** Solution pH 1.0	333.00 576.00 2556.00	500 ml 1 lit 5 lit
812600	· **Buffer** Solution pH 2.0 (Citrate)	540.00 702.00 3200.00	500 ml 1 lit 5 lit
812610	· **Buffer** Solution pH 3.0 (Citrate)	540.00 702.00 3200.00	500 ml 1 lit 5 lit
812620	· **Buffer** Solution pH 4.0 (Phthalate)	333.00 576.00 2556.00	500 ml 1 lit 5 lit
812630	· **Buffer** Solution pH 4.0 Citrisol Concentrated	360.00 666.00	3 Amp 6 Amp
812635	· **Buffer** Standard Solution pH 4.0 at 20°C Nist Traceable	1400.00	1 lit
812640	· **Buffer** Solution pH 5.0 (Citrate)	540.00 743.00 3200.00	500 ml 1 lit 5 lit
812650	· **Buffer** Solution pH 6.0 (Acetate)	333.00 576.00 2556.00	500 ml 1 lit 5 lit
812660	· **Buffer** Solution pH 6.0 (Citrate)	540.00 702.00 3200.00	500 ml 1 lit 5 lit
812670	· **Buffer** Solution pH 6.4 (Saline Phosphate)	333.00 999.00 1737.00	500 ml 2.5 lit 5 lit
812680	· **Buffer** Solution pH 6.8 (Phosphate)	320.00 550.00 1737.00	500 ml 1 lit 5 lit
812675	· **Buffer** Standard Solution pH 6.86 at 25°C Nist Traceable	1400.00	1 lit
812690	· **Buffer** Solution pH 7.0 (Phosphate)	320.00 550.00 2440.00	500 ml 1 lit 5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
812700	· **Buffer** Solution pH 7.0 Citrisol Concentrated	360.00 666.00	3 Amp 6 Amp
812705	· **Buffer** Standard Solution pH 7.0 at 20°C Nist Traceable	1400.00	1 lit
812707	· **Buffer** Standard Solution pH 7.1 at 20°C	450.00	3 amp
812710	· **Buffer** Solution pH 7.2 (Albumine Phosphate)	320.00 550.00 2440.00	500 ml 1 lit 5 lit
812720	· **Buffer** Solution pH 7.6 (CitroPhosphate)	320.00 999.00 1737.00	500 ml 2.5 lit 5 lit
812730	· **Buffer** Solution pH 8.0 (Borate)	333.00 576.00 2440.00	500 ml 1 lit 5 lit
812740	· **Buffer** Solution pH 9.0 (Borate)	333.00 576.00 2440.00	500 ml 1 lit 5 lit
812745	· **Buffer** Standard Solution pH 9.18 at 20°C Nist Traceable	1400.00	1 lit
812750	· **Buffer** Solution pH 9.2 (Borate)	333.00 1206.00 1926.00	500 ml 2.5 lit 5 lit
812752	· **Buffer** Solution pH 9.3	450.00	3 amp
812765	· **Buffer** Standard Solution pH 10.0 at 20°C Nist Traceable	1400.00	1 lit
812760	· **Buffer** Solution pH 10.0	333.00 576.00 2304.00	500 ml 1 lit 5 lit
812768	· **Buffer** Solution pH 11.0	333.00 576.00 2304.00	500 ml 1 lit 5 lit
812770	· **Buffer** Solution pH 12.0	333.00 576.00 2304.00	500 ml 1 lit 5 lit
812825	· **Buffer** Tablets pH 4.0	522.00	20 Tab
812830	· **Buffer** Tablets pH 7.0	522.00	20 Tab
812835	· **Buffer** Tablets pH 9.2	522.00	20 Tab
	Butan-2-OL See Butanol		
	Butan-2-One See Butanone		
	Butan-1-OL See N-Butyl Alcohol		
	N-(tert-Butoxycarbonyl-L-Phenylalanine See BOC-L-Phenylalanine		
	N-(tert-Butoxycarbonyl-L-Alanine See BOC-L-Alanine		
	N-(tert-Butoxycarbonyl-L-Proline See BOC-L-Proline		
	N-(tert-Butoxycarbonyl-L-Valine See BOC-L-Valine		

Product Code	Product Name	Price	Packing
032250 $C_4H_{10}O_2$ (107-88-0)	1,3-**Butanediol** for Synthesis M. W.: 90.12 Assay 98.0%	1503.00 6800.00	500 ml 2.5 lit
032295 $C_4H_{10}O_2$ (110-63-4)	1,4-**Butanediol** for Synthesis (1,4-Butylene Glycol, Tetramethylene Glycol) M. W.: 90.12	1098.00 5292.00	500 ml 2.5 lit
470135 $C_4H_{10}O_2$ (110-63-4)	1,4-**Butanediol AR** M. W.: 90.12	2700.00	1 lit
	2,3-**Butanedione** See Diacetyl		
	2,3-**Butanedione Oxime** See Diacetyl Monoxime		
470270 $C_4H_9NaO_3S$ (2386-54-1)	1-**Butane Sulphonic Acid Sodium Salt** Anhydrous for **AR**/ HPLC M. W.: 160.17	1103.00 4001.00	25 gm 100 gm
709605 $C_4H_9NaO_3S.H_2O$ (127791-51-9)	1-**Butane Sulphonic Acid Sodium Salt** Monohydrate for HPLC M. W : 178.16 Assay 99.0%	1103.00 4001.00	25 gm 100 gm
	1-**Butanol** See n-Butanol		
027500 $(CH_3).(CH_2)_3OH$ (71-36-3)	n-**Butanol** for Synthesis (n-Butyl Alcohol, 1-Butanol) M. W.:74.12 Assay(G.C) 98.0%	504.00 1800.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
470410 $(CH_3)(CH_2)_3OH$ (71-36-3)	n-**Butanol AR** (n-Butyl Alcohol, 1-Butanol) M. W.:74.12 Assay (GC) 99.5%	640.00 2403.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
709705 $C_4H_{10}O$ (71-36-3)	n-**Butanol** GC-HS Grade M. W : 74.12 Assay 99.9%	1251.00 1962.00	500 ml 1 lit
709700 $C_4H_{10}O$ (71-36-3)	n-**Butanol** HPLC & Spectroscopy M.W : 74.12 Assay 99.7%	1368.00	1 lit
920800 MB $C_4H_{10}O$ (71-36-3)	n-**Butanol** (n-Butyl Alcohol) For Molecular Biology M. W.: 74.12 Assay : ≥ 99.5% Store Below 30°C	3700.00	500 ml
027507 $CH_3.CH_2.CHOH.CH_3$ (78-92-2)	2-**Butanol** for Synthesis (Sec-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	513.00 2106.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
470445 $CH_3.CH_2.CHOH.CH_3$ (78-92-2)	2-**Butanol AR** (Sec-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	594.00 2403.00 POR POR	500 ml 2.5 lit 25 lit 200 lit

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
920600 MB $C_4H_{10}O$ (78-92-2)	2-**Butanol** For Molecular Biology M. W.: 74.12 Assay : ≥ 99% Store Below 30°C	**4104.00**	**500 ml**
	iso-**Butanol** See Iso Butanol		
027508 $(CH_3)_3$. COH (75-65-0)	tert-**Butanol** (tert-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	**603.00** **2502.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
470535 $(CH_3)_3COH$ (75-65-0)	tert-**Butanol AR** (Tert-Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**684.00** **2700.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
710000 $(CH_3)_3C.OH$ (75-65-0)	tert-**Butanol for** HPLC & Spectroscopy M. W.: 74.12	**1854.00** **4005.00**	**1 lit** **2.5 lit**
032525 C_4H_8O (78-93-3)	**Butanone** for Synthesis M.W.: 72.11	**801.00** **3200.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
470575 C_4H_8O (78-93-3)	**Butanone AR/ACS** M.W.: 72.11	**900.00** **3501.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
711100 C_4H_8O (78-93-3)	**Butanone** for HPLC & Spectroscopy M.W.: 72.11	**1602.00**	**1 lit**
	trans-2-**Butenoic Acid** See Crotonic Acid		
	2-**Butoxy Ethanol** See Ethylene Glycol Mono Butyl Ether		
027502 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate** for Synthesis M. W.: 116.16 Assay(GC) 98.0%	**585.00** **2106.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
470975 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate AR** M. W.: 116.16 Assay 99.5%	**702.00** **2601.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
712095 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate** GC- HS Grade M. W.: 116.16 Assay(GC) 99.7%	**1584.00** **2890.00**	**500 ml** **1 lit**
712100 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate** for Pesticide residue Analysis M. W.: 116.16	**4077.00**	**1 lit**
032605 $C_6H_{12}O_2$ (540-88-5)	tert-**Butyl Acetate** for Synthesis M. W.: 116.16	**1251.00** **5508.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	iso-**Butyl Acetate** See ISO-butyl Acetate		

Product Code	Product Name	Price	Packing
032655 $C_7H_{12}O_2$ (141-32-2)	n-**Butyl Acrylate** Monomer M. W.: 128.17 Assay (GC) 99.0%	**855.00** **3204.00**	**500 ml** **2.5 lit**
	n-**Butyl Alcohol** See n-Butanol		
	iso-**Butyl Alcohol** See ISO Butanol		
	sec-**Butyl Alcohol** See 2-Butanol		
	tert-**Butyl Alcohol** See tert-Butanol		
032865 $C_6H_5C(CH_3)_3$ (98-06-6)	tert-**Butyl Benzene** for Synthesis M. W.: 134.22 Assay 99.0%	**1305.00** **5805.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
032895 $C_{11}H_{14}O_2$ (98-73-7)	p-tert-**Butyl Benzoic Acid** M. W.: 178.23 Assay 98.0%	**1602.00**	**500 gm**
	Butyl Carbitol See Diethylene Glycol Mono Butyl Ether		
027510 $C_4H_{11}N$ (109-73-9)	n-**Butylamine** M. W.: 73.14 Assay 99.0%	**666.00** **3006.00** **POR**	**500 ml** **2.5 lit** **200 lit**
471185 $C_4H_{11}N$ (109-73-9)	n-**Butylamine AR** M. W.: 73.14 Assay 99.0%	**730.00** **3204.00** **POR**	**500 ml** **2.5 lit** **200 lit**
032715 $C_4H_{11}N$ (75-64-9)	tert-**Butylamine** for Synthesis M. W.: 73.14 Assay (GC) 98.0%	**882.00** **3852.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
471190 $C_4H_{11}N$ (75-64-9)	tert-**Butylamine AR** M. W : 73.14	**936.00** **POR**	**500 ml** **25 lit**
027515 $C_{11}H_{16}O_2$ (25013-16-5)	**Butylated Hydroxy Anisole** (B.H.A.) M. W.: 180.25	**950.00** **3402.00** **POR** **POR** **POR**	**100 gm** **500 gm** **10 kg** **25 kg** **50 kg**
028067 $[(CH_3)_3C]_2C_6H_2(CH_3)OH$ (128-37-0)	**Butylated Hydroxy Toluene** (B.H.T) Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 220.35 Assay(GC) 99.00%	**1296.00** **10440.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
027442 $CH_3.CH_2.CH_2.CH_2.Br$ (109-65-9)	n-**Butyl Bromide** for Synthesis M. W.: 137.02 Assay (GC) 98.0%	**819.00** **1494.00** **6750.00** **POR** **POR**	**250 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
032965 $(CH_3)_3Br$ (507-19-7)	**tert-Butyl Bromide** M. W.: 137.02	**2286.00** **7920.00**	**100 ml** **500 ml**
033005 $C_{10}H_{16}O_2$ (109-21-7)	**Butyl Butyrate** M. W.: 144.22 Assay 98.0%	**1310.00**	**500 ml**
033105 $C_5H_{12}O_2N_2$ (870-46-2)	tert-**Butyl Carbazate** for Synthesis M. W.: 132.16 Assay 98.0%	**1980.00** **6345.00**	**25 gm** **100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
033130 $C_{10}H_{14}O_2$ (98-29-3)	p-tert-**Butyl Catechol** (p-tert Butyl Pyrocatechol) M. W.: 166.22 Assay (GC) 97.0%	**1800.00**	**500 gm**
	Butyl Cellosolve See Ethylene Glycol Mono Butyl ether		
	Butyl Cellosolve Acetate See Ethylene Glycol Mono butyl Ether Acetate,		
033155 C_4H_9Cl (109-69-3)	n-**Butyl Chloride** for Synthesis (1-Chloro Butane) M. W.: 92.57	**1098.00** **4500.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
714900 C_4H_9Cl (109-69-3)	n-**Butyl Chloride** HPLC (1-Chloro Butane) M. W.: 92.57	**6102.00**	**1 lit**
033175 $(CH_3)_3CCl$ (507-20-0)	tert-**Butyl Chloride** for Synthesis M. W.: 92.57 Assay 98.0%	**1305.00** **6003.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Butyl Cyanide See Valeronitrile		
033325 $C_8H_{19}NO_2$ (102-79-4)	n-**Butyl Diethanolamine** for Synthesis M. W.: 161.24 Assay 98.5%	**1400.00** **5900.00**	**500 ml** **2.5 lit**
	Butyl Digol See Diethylene Glycol Mono Butyl Ether		
033415 $C_6H_{15}ClSi$ (18162-48-6)	tert-**Butyl Dimethylsilyl Chloride** (tert-Butyl (Chloro) Dimethyl silane, TBDMCL) (tert-Butyl dimethyl Chlorosilane) M. W.: 150.72	**702.00** **2304.00** **10080.00**	**25 gm** **100 gm** **500 gm**
	1,3-**Butylene Glycol** See 1,3 Butanediol		
	1,4-**Butylene Glycol** See 1,4 Butanediol		
	n-**Butyl Ether** See Dibutyl Ether		
	Butyl Glycol See Ethylene Glycol Mono Butyl Ether		
033425 $(CH_3)_3COOH$ (75-91-2)	tert-**Butyl Hydroperoxide** 70% in Water M. W.: 90.12	**450.00** **1503.00**	**100 ml** **500 ml**
033605 $C_{11}H_{14}O_3$ (94-26-8)	**Butyl-p-Hydroxy Benzoate** M. W.: 194.23 Assay (GC) 99.0%	**1850.00**	**500 gm**
033515 $C_{10}H_{14}O_2$ (1948-33-0)	tert-**Butyl Hydroquinone** (TBHQ) M. W.:166.22 Assay (By GC) 97.0%	**1350.00** **13050.00** **POR**	**250 gm** **2.5 kg** **10 kg**
033625 H_4H_9I (542-69-8)	n-**Butyl Iodide** (1-iodobutane) M. W.: 184.02	**6400.00** **29700.00**	**100 ml** **500 ml**

Product Code	Product Name	Price	Packing
033825 $C_7H_{14}O_3$ (138-22-7)	n-**Butyl Lactate** for Synthesis M. W.: 146.18 Assay 98.0%	**3006.00** **4500.00**	**250 ml** **500 ml**
034009 C_4H_9Li (109-72-8)	n-**Butyl Lithium** 1.6M in Hexane M. W.: 64.06	**4005.00** **POR**	**100 ml** **10x100ml**
034205 $C_8H_{12}O_2$ (97-88-1)	n-**Butyl Methacrylate** (Stabilised) M. W.: 142.20	**756.00** **3006.00**	**500 ml** **2.5 lit**
034295 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for Synthesis M. W.: 88.15 Assay (By GC) 99.0%	**441.00** **1800.00** **POR**	**500 ml** **2.5 lit** **25 lit**
472355 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether AR** M. W.: 88.15	**522.00** **2403.00** **POR**	**500 ml** **2.5 lit** **25 lit**
712900 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for HPLC M. W.: 88.15 Assay (By GC) 99.8%	**1602.00** **3303.00**	**1 lit** **2.5 lit**
712897 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for GC-HS Grade M.W : 88.15 Assay 99.9%	**2232.00**	**1 lit**
712950 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for Pesticide Residue Trace M. W.: 88.15	**2511.00**	**1 lit**
034405 $C_8H_{15}ClN_2$ (79917-90-1)	1-**Butyl-3-Methyl Imidazolium Chloride** M. W.: 174.67 Assay 98.0%	**3726.00** **25470.00**	**25 gm** **250 gm**
	iso-**Butyl Methyl Ketone** See Iso Butyl Methyl Ketone		
034455 $C_8H_{15}F_6N_2P$ (174501-64-5)	1-**Butyl-3-Methylimidazolium Hexafluorophosphate** (BMIM.PF_6) extrapure for catalysis and nanotechnology M.W. 284.18 Assay 98.0%	**3492.00** **10940.00** **33530.00**	**5 gm** **25 gm** **100 gm**
034505 $C_8H_{15}AlCl_4N_2$ (80432-09-3)	1-**Butyl-3-Methylimidazolium Tetrachloroaluminate** (BMIM.$AlCl_4$) extrapure for catalysis and nanotechnology M.W. 308.01 Assay 95%	**5607.00** **8082.00** **11561.00**	**10 gm** **25 gm** **50 gm**
034525 $C_8H_{15}BF_4N_2$ (174501-65-6)	1-**Butyl-3-Methylimidazolium Tetrafluoroborate (BMIM.BF4) Extrapure** for catalysis and nanotechnology M.W. 226.02 Assay 98%	**3492.00** **10180.00**	**5 gm** **25 gm**
034625 $C_9H_{15}F_3N_2O_3S$ (174899-66-2)	1-**Butyl-3-Methylimidazolium Trifluoromethanesulfonate** (1-Butyl-3-Methylimidazolium Triflate, BMIM.Otf) extrapure for catalysis, proteomics and nanotechnology M.W. 288.29 Assay 95%	**2890.00** **6710.00** **23481.00**	**1 gm** **5 gm** **25 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
034645 $C_{11}H_{20}F_6N_2O_4S_2$ (223437-11-4)	1-**Butyl-1-Methylpyrrolidinium Bis(trifluoromethyl-Sulfonyl)imide** (BMP.TFSI) Extra Pure for catalysis, electrochemistry and nanotechnology M.W. 422.41 Assay.98%	5580.00 14283.00 POR	5 gm 25 gm 100 gm
034665 $C_9H_{20}ClN$ (479500-35-1)	1-**Butyl-1-Methylpyrrolidinium Chloride** Extrapure for catalysis and nanotechnology M.W. 177.71 Assay 98%	2440.00 11016.00	5 gm 25 gm
034715 $C_9H_{20}F_6NP$ (330671-29-9)	1-**Butyl-1-Methylpyrrolidinium Hexafluorophosphate (BMP.FP6)** Extrapure for catalysis and nanotechnology M.W. 287.23 Assay 97.5%	4343.00 11052.00 POR	5 gm 25 gm 100 gm
034745 $C_9H_{20}BF_4N$ (345984-11-4)	1-**Butyl-1-Methylpyrrolidinium Tetrafluoroborate (BMP.BF4)** Extrapure for catalysis and nanotechnology M.W. 229.07 Assay 97%	3150.00 11052.00 POR	1 gm 5 gm 25 gm
034845 $C_{22}H_{42}O_2$ (142-77-8)	**Butyl Oleate** for Synthesis M. W.: 338.57 Assay Abt. 75.0%	3906.00	500 ml
	Butyl Paraben See Butyl-p-Hydroxbenzoate		
	Butyl-PBD See 2-(4-tert-Butylphenyl)-5-(4-biphenylyl)-1,3,4-oxadiazole		
035045 $C_{11}H_{14}O_3$ (614-45-9)	tert-**Butyl Perbenzoate** M.W.: 194.23	1656.00	500 ml
035065 $C_{10}H_{14}O$ (98-54-4)	4-tert-**Butyl Phenol** for Synthesis (P-tert-Butylphenol) M. W.: 150.22	657.00	500 gm
473265 $C_{10}H_{14}O$ (98-54-4)	4- tert-**Butyl Phenol AR** M. W.: 150.22	2025.00	1 kg
035085 ✠ $C_{24}H_{22}N_2O$ (15082-28-7)	2-(4-**tert-Butyl phenyl**)-5-(4-**Biphenyl**)-1,3,4-**Oxadiazole** (Butyl-PBD) M. W.: 354.44	3303.00 POR	5 gm 100 gm
	n-**Butyl Phthalate** See Di-n-Butyl Phthalate		
	n-**Butyl Phosphate** See Tri-n-Butyl Phosphate		
035105 $C_{22}H_{44}O_2$ (123-95-5)	n-**Butyl Stearate** for Synthesis M. W.: 340.59 Assay (GC) 50.0%	387.00 1503.00	500 ml 2.5 lit
035500 C_4H_8O (123-72-8)	n-**Butyraldehyde** M. W.: 72.11	657.00 2800.00 POR	500 ml 2.5 lit 200 lit

Product Code	Product Name	Price	Packing
027535 $CH_3CH_2CH_2COOH$ (107-92-6)	n-**Butyric Acid** M. W.: 88.11 Assay (GC) 99.0%	720.00 2907.00	500 ml 2.5 lit
473455 $CH_3CH_2CH_2COOH$ (107-92-6)	n-**Butyric Acid AR** M. W.: 88.11 Assay (GC) 99.5%	900.00 3600.00	500 ml 2.5 lit
035605 $C_8H_{14}O_3$ (106-31-0)	n-**Butyric Anhydride** for Synthesis M. W.: 158.19 Assay (GC) 98.0%	2178.00 3960.00	500 ml 1 lit
	1,4-**Butyrolactone** See -gamma-Butyrolactone		
035635 $C_4H_6O_2$ (96-48-0)	gamma- **Butyrolactone** M. W.: 86.09 Assay (GC) 99.0%	1647.00 6993.00	500 ml 2.5 lit
	Butyrolactum See 2-Pyrrolidone		
473595 $C_{10}H_{12}O$ (495-40-9)	**Butyrophenone AR** M. W.: 148.20 Assay 99.0%	2300.00	25 ml
035705 C_4H_7ClO (141-75-3)	**Butyryl Chloride** for Synthesis M. W.: 106.55 Assay 99.0%	783.00 3402.00	100 ml 500 ml
035735 $C_9H_{20}NO_2Cl$ (2963-78-2)	**Butyrylcholine Chloride** for biochemistry M.W. 209.70 Assay 98.0%	2844.00 9846.00	1 gm 5 gm

LABROX-ID072

(2.4% Glutaraldehyde Solution with activator for High Level Disinfection)

Activation: Activate the Labrox ID072 solution by adding the entire contents of the activator Pouch /bottle supplied along with the Labrox ID072 solution container.

Cleaning: Blood and other body fluids must be thoroughly cleaned from surfaces and lumens of devices before reprocessing. Thoroughly clean, rinse and rough dry devices before immersing in Labrox ID072 solution.

USE: Medical, Industrial

Activity: Broad spectrum; Virucidal, Bactericidal, Fungicidal and Sporicidal.

Usage: Immerse cleaned medical instruments / equipment completely in Labrox ID072 solution for the required time at the appropriate temperature.

Action : Surfactant free High level Surgical Instrument Sterilizing and Disinfectant solution

P Code-DI810

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
041005	**Cacodylic Acid**	**5805.00**	**5 gm**
	Cacodylic Acid Sodium Salt See Sodium Cacodylate		
288495 $C_{21}H_{21}N_3O_7$ (561-20-6)	**Cacotheline AR** (Redox Indicator) M. W.: 427.42 Assay (Non-aqueous) 95.0%	**702.00** **3303.00**	**5 gm** **25 gm**
478635 $C_{18}H_{14}N_6O_2$ (5392-67-6)	**Cadion AR** M. W.: 346.34 Assay 98.0%	**3924.00** **POR**	**100 mg** **5 gm**
813350	**Cadmium** (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**
813352	**Cadmium** (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**
813400	**Cadmium** (Cd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**5301.00** **8505.00**	**100 ml** **500 ml**
813420	**Cadmium** (Cd) CRISTAR® 10,000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	**16020.00** **48204.00**	**100 ml** **500 ml**
478685 Cd (7440-43-9)	**Cadmium** Metal **Powder AR** 90% - 40 MESH A. W.: 112.41	**5994.00** **21240.00**	**100 gm** **500 gm**
041075 Cd (7440-43-9)	**Cadmium** metal Lumps M. W.: 112.41 Assay 99.0%	**486.00** **2205.00**	**100 gm** **500 gm**
478730 Cd (7440-43-9)	**Cadmium** (Metal) Granular **AR** At.W : 112.41 Assay (ex; cd; Complexometric) 99.0%	**486.00** **2205.00**	**100 gm** **500 gm**
041205 Cd (7440-43-9)	**Cadmium** (Shots) M. W.: 112.41 Assay (trace metals basis) 99.999%	**9000.00** **12960.00**	**10 gm** **50 gm**
027545 $(CH_3COO)_2Cd.2H_2O$ (5743-04-4)	**Cadmium Acetate** Dihydrate M. W.: 266.53 Assay (complexometric) 98.0%	**531.00** **950.00** **1584.00**	**100 gm** **250 gm** **500 gm**
478775 $(CH_3COO)_2Cd.2H_2O$ (5743-04-4)	**Cadmium Acetate** Dihydrate **AR** M. W.: 266.53 Assay (complexometric) 99.0%	**621.00** **1107.00** **1980.00**	**100 gm** **250 gm** **500 gm**
041275 CdB_4O_7	**Cadmium Borate** M. W.: 267.60 Assay 98.0%	**2997.00**	**500 gm**
027546 $CdBr_2$ (7789-42-6)	**Cadmium Bromide** M. W.: 272.22 Assay (EDTA Titration) 99%	**900.00** **3600.00**	**100 gm** **500 gm**
027547 $CdCO_3$ (513-78-0)	**Cadmium Carbonate** M. W.: 172.42 Assay (cd) 62-66%	**450.00** **1701.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
041355 $CdCl_2$ (10108-64-2)	**Cadmium Chloride** Anhydrous Dried M. W.: 183.32 Assay (Argentometric) 95.0%	**1000.00** **3267.00**	**100 gm** **500 gm**
027548 $CdCl_2H_2O$ (35658-65-2)	**Cadmium Chloride** Monohydrate M. W.: 201.32 Assay (Argentometric) 98.0%	**603.00** **2700.00**	**100 gm** **500 gm**
478820 $CdCl_2H_2O$ (35658-65-2)	**Cadmium Chloride** Monohydrate **AR** M. W.: 201.32 Assay (argentometric) 99.0%	**657.00** **2907.00**	**100 gm** **500 gm**
041395 CdF_2 (7790-79-6)	**Cadmium Fluoride** M. W.: 150.41 Assay 98.0%	**3200.00**	**500 gm**
027553 CdI_2 (7790-80-9)	**Cadmium Iodide** M. W.: 366.21 Assay (complexometric) 99.0%	**3060.00** **15003.00**	**100 gm** **500 gm**
027554 $Cd(NO_3)_2.4H_2O$ (10022-68-1)	**Cadmium Nitrate** tetrahydrate Purified M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	**585.00** **1206.00** **2250.00** **POR**	**100 gm** **250 gm** **500 gm** **25 kg**
478865 $Cd(NO_3)_2.4H_2O$ (10022-68-1)	**Cadmium Nitrate** Tetrahydrate **AR** M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	**2350.00**	**500 gm**
041425 $Cd(COO)_2.3H_2O$	**Cadmium Oxalate** Trihydrate M. W.: 254.00 Assay 99.0%	**693.00** **2997.00**	**100 gm** **500 gm**
027556 CdO (1306-19-0)	**Cadmium Oxide** M. W.: 128.41 Assay (ex Cd) (Complexometric) 99.5%	**649.00** **2790.00**	**100 gm** **500 gm**
478910 CdO (1306-19-0)	**Cadmium Oxide AR** M. W.: 128.41 Assay (Complexometric) 99.7%	**1503.00**	**250 gm**
041460 $Cd_3(PO_4)_2$	**Cadmium Phosphate** M.W:.527.18 Assay (ex Cd) 98.0%	**621.00** **2430.00**	**100 gm** **500 gm**
041505 CdSe (1306-24-7)	**Cadmium Selenide** M. W.: 191.37 Assay (trace metals basis) 99.99%	**2502.00** **8289.00**	**5 gm** **25 gm**
041575 $Na_2Cd(CN)_4$	**Cadmium Sodium Cyanide** M.W : 262.00 Assay 98.5%	**2080.00**	**500 gm**
041615 $C_4H_4CdO_4$ (141-00-4)	**Cadmium Succinate** M. W.: 228.48 Assay 98.0%	**1800.00** **7200.00**	**100 gm** **500 gm**
027557 $3CdSO_4.8H_2O$ (7790-84-3)	**Cadmium Sulphate** M. W.: 769.52 Assay (Complexometric) 98.0-103.0%	**630.00** **2300.00**	**100 gm** **500 gm**
479000 $3CdSO_4.8H_2O$ (7790-84-3)	**Cadmium Sulphate AR/ACS** M. W.: 769.52 Assay (Complexometric) 98-102%	**2502.00**	**500 gm**
H07821 HISURE CdS (1306-23-6)	**Cadmium Sulphide** Powder M. W.: 144.48 Assay (trace metals basis) 99.995%	**12006.00**	**25 gm**
027558 CdS (1306-23-6)	**Cadmium Sulphide** Orange M. W.: 144.48 Assay (Complexometric) 99.0%	**846.00** **2790.00**	**100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
041765 CdTe (1306-25-8)	**Cadmium Telluride** M. W.: 240.01 Assay (trace metals basis) 99.9%	3573.00 11080.00	5 gm 25 gm
	Caesium See Cesium		
041865 $C_9H_8O_4$ (331-39-5)	**Caffeic Acid** for Synthesis M. W.: 180.16 Assay 95.0%	3069.00 13500.00	10 gm 50 gm
041885 $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous Pure M. W.: 194.19 Assay (non-aqueous) 98.5 - 101%	900.00 2030.00 3250.00 POR	100 gm 250 gm 500 gm 25 kg
479235 $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous **AR/ACS** Suitable for Determination of Serum Bilirubin M. W.: 194.19	981.00 2394.00 3510.00	100 gm 250 gm 500 gm
PCT2544 PTC $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous Plant Culture Tested M.W.: 194.19 Store below 30°C	1360.00 3006.00	100 gm 250 gm
041905 (8011-96-9)	**Calamine** (Residue on ignition) 68-74% (Meets Spec. of BP)	950.00 1755.00 POR	500 gm 1 kg 25 kg
	Calcein See Fluorescein Complexone		
814010	**Calcium** (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
814012	**Calcium** (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
814030	**Calcium** (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	5301.00 8505.00	100 ml 500 ml
814070	**Calcium** (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	16020.00 48204.00	100 ml 500 ml
814050	**Calcium** (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	5301.00 8505.00	100 ml 500 ml
814090	**Calcium** (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	16020.00 48204.00	100 ml 500 ml
041955 Ca (7440-70-2)	**Calcium** metal M. W.:. 40.08 Assay (complexometric) 98.5%	550.00 1900.00	100 gm 500 gm
027576 $(CH_3.COO)_2Ca\ XH_2O$ (114460-21-8)	**Calcium Acetate** for Soil Test M. W.: 158.17 (Anhy.) Assay (Complexometric; Calc. on dried subs. As $(CH_3COO)_2.Ca$) 99.0-100.5%	851.00 POR POR	500 gm 25 kg 50 kg

Product Code	Product Name	Price	Packing
479415 $(CH_3COO)_2Ca.XH_2O$ (114460-21-8)	**Calcium Acetate AR/ACS** for Soil Test M. W.: 158.17 (Anhydrous) Assay (on dried material) 99.0%	1350.00	500 gm
041995 $Ca(BO_2)_2.2H_2O$ (13701-64-9)	**Calcium Borate** M.W. : 161.73 Assay (EDTA Tritration) 99.0%	450.00	250 gm
042015 $CaBr_2XH_2O$ (71626-99-8)	**Calcium Bromide** Hydrate M.W. : 199.89 (Anhydrous basis) Assay (Complexometric as $CaBr_2$) 84.70%	1818.00	500 gm
042035 CaC_2 (75-20-7)	**Calcium Carbide** M. W.: 64.1 Assay (Gas Volumetric) 60.0%	207.00 405.00	100 gm 250 gm
042055 $CaCO_3$ (471-34-1)	**Calcium Carbonate** Precipitated Meets Analytical Specification of FCC. M. W.: 100.09 Assay (Complexometric; after drying) 98.5-100.5%	270.00 1800.00 POR	500 gm 5 kg 25 kg
479595 $CaCO_3$ (471-34-1)	**Calcium Carbonate** Precipitated **AR** M. W.: 100.09 Assay 99.5%	342.00	500 gm
PCT2528 PTC $CaCO_3$ (471-34-1)	**Calcium Carbonate** Plant Culture Tested M. W.: 100.09 Assay 98% Store below 30°C	199.00 900.00 1611.00	100 gm 500 gm 1 kg
042075 (9005-43-0)	**Calcium Caseinate**	801.00 2997.00	100 gm 500 gm
042115 $CaCl_2$ (10043-52-4)	**Calcium Chloride** Fused for elementary analysis M. W.: 110.99 Assay (ex Cl on dried substance) 98.0%	270.00 1602.00 POR	500 gm 5 kg 25 kg
PCT1017 PTC $CaCl_2$ (10043-52-4)	**Calcium Chloride** Anhydrous Plant Culture Tested M. W.: 110.98 Assay 93% Store below 30°C	2061.00	500 gm
TC1097 ATC $CaCl_2$ (10043-52-4)	**Calcium Chloride** Anhydrous Cell Culture Tested M. W.: 110.98 Assay : ≥93% Store below 30°C	2089.00 8343.00	100 gm 500 gm
027584 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Pure M. W.: 147.02 Assay ($CaCl_2.2H_2O$, Argentometric) 98.0%	360.00 2106.00 POR POR	500 gm 5 kg 25 kg 50 kg
479775 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 147.02 Assay (Complexometric) 99.0-103.0%	648.00 POR	500 gm 25 kg
H08025 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate **AR** **Meets Analytical Specification** of IP, BP, USP, Ph. Eur. M. W.: 147.02 Assay (Complexometric) 99.0-103.0%	1917.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
920900 MB $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate for Molecular Biology M. W.: 147.02 Assay 99.0%	401.00 1503.00	100 gm 500 gm
PCT1004 PTC $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Plant Culture Tested M. W.: 147.01 Assay 99% Store below 30°C	1773.00 3186.00 13717.00 POR	500 gm 1 kg 5 kg 25 kg
TC1001 ATC $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Cell Culture Tested M. W.: 147.01 Assay : ≥98% Store below 30°C	5814.00 9140.00	500 gm 1 kg
TC1001M ATC $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 147.01 Store below 30°	7272.00 10900.00	500 gm 1 kg
814240	**Calcium Chloride** CPECTROSOL® 0.005M (0.01N) Standard Solution In accordance with NIST	1400.00	1 lit
814245	**Calcium Chloride** CPECTROSOL® 0.01M (0.02N) Standard Solution In accordance with NIST	1400.00	1 lit
814250	**Calcium Chloride** CPECTROSOL® 0.02M (0.04N) Standard Solution In accordance with NIST	1400.00	1 lit
814270	**Calcium Chloride** CPECTROSOL® 0.05M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
814290	**Calcium Chloride** CPECTROSOL® 0.1M Standard Solution	1400.00	1 lit
814310 MB	**Calcium Chloride** 1.0 M Ultra Pure Volumetric Solution For Molecular Biology	3600.00 5400.00	250 ml 500 ml
027590 $(C_6H_5O_7)_2Ca_3.4H_2O$ (5785-44-4)	**Calcium Citrate** Tetrahydrate Pure M. W.: 570.49 Assay (ex Ca on dried subs.) 97.5-100.5%	702.00 POR	500 gm 25 kg
PCT2552 PTC $C_{12}H_{10}Ca_3O_{14}.4H_2O$ (5785-44-4)	**Calcium Citrate** Tetrahydrate Plant Culture Tested M. W.: 570.49 Store below 30°C	1584.00	500 gm
	Tri-Calcium Dicitrate tetrahydrate Extra Pure See Tri-Calcium citrate tetrahydrate extra pure		
	Calcium Dihydrogen Phosphate See Calcium Phosphate Mono		
027594 CaF_2 (7789-75-5)	**Calcium Fluoride** Purified M. W.: 78.08 Assay (after ignition at 500°C; Complexo metric) 97.0%	1008.00 4203.00 POR	500 gm 2.5 kg 25 kg

Product Code	Product Name	Price	Packing
027595 $C_2H_2CaO_4$ (544-17-2)	**Calcium Formate** M. W.: 130.11 Assay (Complexometric) 98.5%	495.00 3969.00	500 gm 5 kg
027596 $C_{12}H_{22}CaO_{14}H_2O$ (18016-24-5)	**Calcium Gluconate** Monohydrate M. W.: 448.39 Assay (ex Ca Complexometric) 99.0-104.0%	594.00 4600.00 POR POR	500 gm 5 kg 25 kg 50 kg
814350	**Calcium Hardness** Powder	86.00	25 gm
814355	**Calcium Hardness** Indicator Tablet	495.00	100 Tab
027597 CaH_2 (7789-78-8)	**Calcium Hydride** M. W.: 42.10 Assay (Complexometric) 95.0%	2970.00 14805.00	100 gm 500 gm
	Calcium Hydrogen Phosphate See di-Calcium Phosphate		
027599 $Ca(OH)_2$ (1305-62-0)	**Calcium Hydroxide** M. W.: 74.09 Assay (acidimetric) 90.0%	320.00 POR	500 gm 50 kg
479955 $Ca(OH)_2$ (1305-62-0)	**Calcium Hydroxide AR** M. W.: 74.09 Assay (acidimetric) 96.0%	657.00	500 gm
	Calcium Hypochlorite See Bleaching Powder		
042365 $Ca(H_2PO_2)_2$ (7789-79-9)	**Calcium Hypophosphite** M. W.: 170.05	4005.00	500 gm
027602 $Ca(IO_3)_2$ (7789-80-2)	**Calcium Iodate** M. W.: 389.88	1890.00 8001.00	100 gm 500 gm
042465 $CaI_2.4H_2O$ (13640-62-5)	**Calcium Iodide** Extra Pure M. W.: 365.95 Assay 99.0%	4230.00 15570.00	100 gm 500 gm
027604 $C_6H_{10}CaO_65H_2O$ (5743-47-5)	**Calcium Lactate** for Soil Test Meets Analytical Specification of IP, BP, USP, Ph. Eur. M.W.:308.30 Assay (Complexometric; on dried material) 98.0-102.0%	432.00 1305.00	250 gm 1 kg
027606 $Ca(NO_3)_2\ 4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Purified M. W.: 236.15 Assay (ex Ca) 98.0%	306.00 POR	500 gm 50 kg
480135 $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate **AR/ACS** M. W.: 236.15 Assay (Complexometric) 99.0%	387.00 POR	500 gm 50 kg
PCT1005 PTC $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Plant Culture Tested M. W.: 236.15 Assay 99% Store below 30°C	590.00 1080.00 4860.00 21870.00	500 gm 1 kg 5 kg 25 kg
TC1099 ATC $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Cell Culture Tested M. W.: 236.15 Assay : ≥99% Store below 30°C	1755.00 2637.00	500 gm 1 Kg

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
027609 $(COO)_2Ca.H_2O$ (5794-28-5)	**Calcium Oxalate** M. W.: 146.12 Assay (ex oxalate) 98.0%	423.00 702.00	250 gm 500 gm
042510 CaO (1305-78-8)	**Calcium Oxide** (Selected Lump) for chromatographic analysis M. W.: 56.08 Assay (Complexometric) 95.0%	243.00 1670.00 POR	500 gm 5 kg 50 kg
480315 CaO (1305-78-8)	**Calcium Oxide** Lump **AR** M. W.: 56.08 Assay (Complexometric) 97.5%	360.00	500 gm
042505 CaO (1305-78-8)	**Calcium Oxide** Anhydrous Powder M. W.: 56.08 Assay (After ignition); (Complexometric) 96.0%	252.00 2115.00	500 gm 5 kg
042520 $C_{18}H_{32}CaN_2O_{10}$ (137-08-6)	**Calcium-D-Pantothenate** for Biochemistry M. W.: 476.54 Assay (ex Ca dried) 98.0%	351.00 801.00 2556.00 6480.00	10 gm 25 gm 100 gm 500 gm
TC1159 ATC $C_9H_{16}O_5N.1/2Ca$ (137-08-6)	▲**Calcium-D-Pantothenic** Cell Culture Tested M. W.: 238.27 Assay : ≥98%	1170.00 3619.00 14445.00	25 gm 100 gm 500 gm
PCT1202 PTC $C_9H_{16}O_5N.^1/_2Ca$ (137-08-6)	▲**Calcium-D-Pantothenate** (D-Pantothenic acid hemicalcium salt) Plant Culture Tested M. W.: 238.27 Assay 98%	1314.00 4635.00	25 gm 100 gm
042530 CaO_2 (78403-22-2)	**Calcium Peroxide** M.W : 72.08 Assay 65.0%	3600.00	1 kg
	Calcium Phosphate Dibasic See di-Calcium Phosphate		
042550 $CaHPO_4$ (7757-93-9)	di-**Calcium Phosphate** Anhydrous M. W.: 136.06 Assay (Complexometric) 98-100.5%	621.00 POR	500 gm 50 kg
042555 $CaHPO_4.2H_2O$ (7789-77-7)	di-**Calcium Phosphate** Dihydrate M. W.: 172.10 Assay (Complexometric) 98.0-102.5%	432.00 POR POR	500 gm 25 kg 50 kg
	Calcium Phosphate Tribasic See tri-Calcium Phosphate		
042570 $Ca_3(PO_4)_2$ (7758-87-4)	tri-**Calcium Phosphate** (Calcium Phosphate Tribasic) M. W.: 310.18 Assay (Complexometric) 90.0%	540.00 4806.00 POR POR	500 gm 5 kg 25 kg 50 kg
PCT1006 PTC $Ca_3(PO_4)_2$ (7758-87-4)	**Calcium Phosphate** Tribasic Plant Culture Tested M. W.: 310.2 Assay 90% Store below 30°C	473.00 860.00 3870.00	500 gm 1 kg 5 kg
042600 $H_4CaO_4P_2$ (7789-79-9)	**Calcium Phosphinate** Pure M. W.: 170.06 Assay (iodometric) 98-101%	4005.00	500 gm

Product Code	Product Name	Price	Packing
042630 $C_6H_{10}CaO_4$ (4075-81-4)	**Calcium Propionate** Monohydrate Pure M. W.: 186.22 Assay (dried substances acidimetric) 98.0%	684.00 1206.00 POR	500 gm 1 kg 25 kg
489205 $C_6H_{10}CaO_4$ (4075-81-4)	**Calcium Propionate AR** M. W.: 186.22	783.00	500 gm
042765 (52009-14-0)	**Calcium Pyruvate** (Pyruvic Acid Calcium Salt)	900.00 3600.00	25 gm 100 gm
042815 $C_6H_8CaO_8.4H_2O$ (5793-89-5)	**Calcium-D-Saccharate** Tetrahydrate M. W.: 320.27 Assay (Complexometric) 98.5-102.0%	1566.00 6255.00	100 gm 500 gm
042865 $CaSO_3$ (1344-95-2)	**Calcium Silicate** Pure M. W.: 116.16	360.00	500 gm
PCT2326 PTC $CaSiO_3$ (10101-39-0)	**Calcium Silicate** Plant Culture Tested M. W.: 116.16 Assay 95% Store below 30°C	7407.00 24660.00	50 gm 250 gm
042965 $CaSi_2$ (12013-56-8)	**Calcium Silicide** for Synthesis M. W.: 96.25	1800.00 POR	500 gm 25 kg
043005 $C_{36}H_{70}CaO_4$ (1592-23-0)	**Calcium Stearate** M. W.: 607.04 Assay (as CaO; complexometric) 9.0-10.5%	720.00 5000.00 POR POR	500 gm 5 kg 25 kg 50 kg
027624 $CaSO_4$ (7778-18-9)	**Calcium Sulphate** Anhydrous M. W.: 136.14 Assay (Complexometric) 97.0%	405.00 3105.00 POR	500 gm 5 kg 25 kg
TC1502 ATC $CaSO_4$ (7778-18-9)	**Calcium Sulphate** Anhydrous Cell Culture Tested M. W.: 136.14 Store below 30°C	1130.00	500 gm
027622 $CaSO_4.2H_2O$ (10101-41-4)	**Calcium Sulphate** Dihydrate M. W.: 172.17 Assay (Complexometric) 98.0%	306.00 POR POR	500 gm 25 kg 50 kg
489505 $CaSO_4.2H_2O$ (10101-41-4)	**Calcium Sulphate** Dihydrate **AR/ACS** M. W.: 172.17 Assay (Complexometric) 99.0%	450.00	500 gm
814470	**Calcium Sulphate** TS acc. to USP	234.00	500 ml
043165 CaS (20548-54-3)	**Calcium Sulphide** Pure M. W.: 72.14	2700.00	500 gm
043215 CaO_4W (7790-75-2)	**Calcium Tungstate** M. W.: 287.93	4806.00 19089.00	100 gm 500 gm
PCT2551 PTC $C_{40}H_{42}N_{12}O_{10}S_2Na_2$ (4193-55-9)	**Calcofluor** White M2R Plant Culture Tested M. W.: 960.95 Store below 30°C	649.00 3096.00 14860.00	1 gm 5 gm 25 gm
	Calcon See Solochrome Dark Blue		
288645 $C_{21}H_{14}N_2O_7S$ (3737-95-9)	**Calcon Carboxylic Acid AR** M. W.: 438.41 Dye content (titanometry on dried substance) abt. 60.0 %	289.00 972.00	5 gm 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
288745 $C_{17}H_{14}N_2O_5S$ (3147-14-6)	**Calmagite** Indicator **AR** M. W.: 358.37 Dye content (spectrophotometric)~60.0%	**230.00** **900.00** **18000.00**	**1 gm** **5 gm** **250 gm**
814520	**Calmagite** 0.1% (w/v) Aqueous Indicator Solution for Water Hardness, APHA	**243.00**	**100 ml**
	Calomel See Mercurous Chloride		
	CALVER II See calmagite (M.I.)		
043585 $C_{10}H_{14}O_2$ (10373-78-1)	DL-**Camphorquinone** for Synthesis (2,3-born anedione) M. W.: 166.22	**1701.00** **6606.00**	**25 gm** **100 gm**
027632 $C_{10}H_{16}O$ (76-22-2)	**Camphor** MAR (DL-Camphor) Micro Analytical Reagent M. W.: 152.24 Assay 95.0%	**550.00** **2727.00**	**100 gm** **500 gm**
348155	**Camphor Oil**	**1503.00**	**500 ml**
043595 $C_{10}H_{16}O_4S$ (35963-20-3)	L-(-)**Camphor Sulphonic Acid** M. W.: 232.30 Assay 98.0%	**3200.00** **27900.00**	**100 gm** **1 kg**
043575 $C_{10}H_{16}O_4S$ (3144-16-9)	D-**Camphor Sulphonic Acid** for Synthesis (D-10-Camphor Sulphonic Acid) M. W.: 232.30	**1800.00** **7506.00**	**100 gm** **500 gm**
	Canada Balsam See Balsam Canada		
043615 $CH_3(CH_2)_8COOH$ (334-48-5)	n-**Capric Acid** M.W.:172.27 Assay (acidimetric) 98.50%	**2205.00** **9810.00**	**500 ml** **2.5 lit**
043675 $CH_3(CH_2)_4COOH$ (142-62-1)	**Caproic Acid** for Synthesis M. W.: 116.16	**1400.00** **6003.00**	**500 ml** **2.5 lit**
043715 $C_6H_{11}NO$ (105-60-2)	**Caprolactam** for Synthesis M. W.: 113.16	**2277.00**	**1 kg**
	N-**Capryl Alcohol** See 1-Octanol		
029413 $CH_3(CH_2)_6COOH$ (124-07-2)	N-**Caprylic Acid** (N-Octanoic Acid) M. W.: 144.21 Assay (acidimetric) 97.5%	**1450.00** **6597.00** **POR**	**500 ml** **2.5 lit** **25 lit**
489535 $CH_3(CH_2)_6COOH$ (124-07-2)	n-**Caprylic Acid AR** M. W.: 144.21	**4509.00**	**1 lit**
043755 $C_8H_{15}NaO_2$ (1984-06-1)	N-**Caprylic Acid Sodium Salt** (Octanoic Acid Sodium Salt, Sodium Caprylate) M. W.: 166.20 Assay (on dried material; non-aqueous) 99.0%	**1602.00** **4806.00**	**250 gm** **1 kg**
	Carbitol See Diethylene Glycol mono Ethylether		
043775 $C_9H_{19}NO_3S$ (1135-40-6)	**CAPS** Buffer M.W.: 221.32 Assay (T) (Alkalimetric) 99.0%	**1152.00** **3600.00** **POR**	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Price	Packing
920920 MB $C_9H_{19}NO_3S$ (1135-40-6)	**CAPS** Buffer (3-[Cyclohexylamino]-1-Propanesulphonic Acid) For Molecular Biology M. W.: 221.32 Assay : ≥ 99% Store Below 30°C	**1233.00** **4599.00** **POR** **POR**	**25 gm** **100 gm** **250 gm** **1 kg**
043765 (404-86-4)	**Capsaicin** Pract	**4905.00**	**1 gm**
043795 $C_9H_{19}NO_4S$ (73463-39-5)	**CAPSO** Buffer M. W.: 237.32 Assay (T) (Acidimetric) 97.0%	**1647.00** **5310.00**	**25 gm** **100 gm**
K010005	**Capsule stain kit**	**396.00**	**KIT**
	N-**(Carbamoylmethyl)-2-Aminoethane Sulphonic Acid** See ACES Buffer		
	N-**(Carbamoylmethyl)Iminodiacetic Acid** See ADA Buffer		
027640 $C_{12}H_9N$ (86-74-8)	**Carbazole** M.W. : 167.21 Assay (GC) 95.0%	**2601.00** **11007.00**	**100 gm** **500 gm**
PCT2121 PTC $C_9H_9N_3O_2$ (10605-21-7)	▲**Carbendazim** Plant Culture Tested M. W.: 191.19 Assay 91%	**2826.00** **11372.00** **42400.00**	**1 gm** **5 gm** **25 gm**
PCT2102 PTC $C_{17}H_{16}N_2O_6SNa_2$ (4800-94-6)	▲**Carbenicillin Disodium Salt** Plant Culture Tested M. W.: 422.36 Potency 770 µg/mg	**711.00** **1683.00** **7560.00** **13600.00**	**250 mg** **1 gm** **5 gm** **10 gm**
TC1199 ATC $C_{17}H_{16}N_2O_6SNa_2$ (4800-94-6)	▲**Carbenicillin Disodium Salt** Cell Culture Tested M. W.: 422.36 Potency : ≥770 µg/mg	**1422.00** **3114.00** **9342.00** **14022.00**	**250 mg** **1 gm** **5 gm** **10 gm**
PCT2501 PTC	**Carbenicillin** solution w/ 100 mg/ml Carbenicillin in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	**3700.00** **13910.00**	**20 ml** **5X20 ml**
029192 CH_4O (67-56-1)	**Carbinol** for Synthesis M. W.: 32.04 Assay (GC) 99.0%	**315.00** **621.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
582495 CH_4O (67-56-1)	**Carbinol AR/ACS** Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, M. W.: 32.04 Assay (GC) 99.5%	**351.00** **950.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
752140 CH_4O (67-56-1)	**Carbinol** for HPLC & UV Spectroscopy M. W.: 32.04 Assay (GC) 99.8%	**378.00** **630.00** **972.00**	**500 ml** **1 lit** **2.5 lit**
043915 CH_6N_4O (497-18-7)	**Carbohydrazide** for Synthesis M. W.: 90.08 Assay 98.0%	**1800.00** **5500.00**	**25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
288885 $C_{26}H_{26}ClN_3O$ (4197-24-4)	**Carbol Fuchsin** Powder for Microscopy M. W.: 431.96	410.00 1206.00 POR	25 gm 100 gm 1 kg
814900	**Carbol Fuchsin** Staining Solution Strong (Ziehl Neelsen Staining Soln.)	162.00 518.00	125 ml 500 ml
814920	**Carbol Fuchsin** (Dilute) Solution (Ziehl Neelsen Staining Soln.)	131.00 369.00	125 ml 500 ml
814930	**Carbol Gentian Violet** Stain Grams's Stain an alternative to Gentian Violet	252.00	125 ml
814940	**Carbol Methylene Blue** Stain Bacterial Stain	297.00	125 ml
814950	**Carbol Thionine** Solution (Stain for bacteria and fungi)	495.00	100 ml
	Carbolic Acid See Phenol		
815000	**Carbol Xylene** For Microscopy (Content 25% Phenol)	306.00	500 ml
043965 CS_2 (75-15-0)	**Carbon Disulphide** for Synthesis M. W.: 76.14 Assay (GC) 99.0% Order must be placed for 4x500 ml	752.00	500 ml
489965 CS_2 (75-15-0)	**Carbon Disulphide AR** M. W.: 76.14 Assay (By GC) 99.5% Order must be placed for 4x500 ml	1188.00	500 ml
713880 Cs_2 (75-15-0)	**Carbon Disulphide** PRA for Pesticide Residue Trace Analysis M. W.: 76.14 Assay 99.9%	2520.00	1 lit
044015 CBr_4 (558-13-4)	**Carbon Tetrabromide** for Synthesis (Tetrabromethane) M. W.: 331.63	4203.00 17100.00	100 gm 500 gm
	Carbon Tetra Chloride See Carbo Tech		
044165 $C_7H_6N_4O$ (530-62-1)	▲N,N'-**Carbonyldiimidazole** for Synthesis (CDI, 1,1-Carbonyldiimidazole M. W.: 162.15	2457.00 9000.00	100 gm 500 gm
044215 (9003-01-4)	**Carbopol** 934	3200.00 6003.00 POR	500 gm 1 kg 5 kg
044275 (9003-01-4)	**Carbopol** 940® (Carboxypoly methylene-940; CarboxyvinylPolymer-940)	3006.00 5805.00	500 gm 1 kg
044295	**Carbo Tech** for Synthesis M. W.: 153.82 Assay (By GC) 99.0%	2340.00 10800.00 POR	500 ml 2.5 lit 25 lit
490010	**Carbo Tech AR/ACS** M. W.: 153.82 Assay (GC) 99.5%	2529.00 11430.00	500 ml 2.5 lit
713910	**Carbo Tech** for HPLC & Spectroscopy M. W.: 153.82	5000.00	1 lit

Product Code	Product Name	Price	Packing
	Carbowax See Polyethylene Glycol		
PCT2144 PTC $C_{12}H_{13}NO_2S$ (5234-68-4)	**Carboxin** Plant Culture Tested M. W.: 235.31 Assay 95% Store below 30°C	10112.00	250 mg
044425 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** **ACS** High Viscosity (1100 - 1900 Cps)	1107.00 POR	500 gm 25 kg
027649 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** **ACS** Low Viscosity (250-300)	1053.00 POR	500 gm 25 kg
044375 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** (High Viscosity) (1100 - 1900 Cps) Confirming to IP	1206.00 POR	500 gm 25 kg
920960 MB (9004-32-4)	**Carboxy Methyl Cellulose Sodium** **Salt** Medium Viscosity (CMC) For Molecular Biology Viscosity : 400-800cP (1% In Water) Store Below 30°C	9090.00	100 gm
	4-Carboxy Pyridine See Isonicotinic acid		
	Carmellose Sodium See Carboxymethyl Cellulose Sodium Salt		
289025 (1390-65-4)	**Carmine** Stains for Microscopy C.I. No. 75470	810.00 3470.00	5 gm 25 gm
815100	**Carmine** Best's Solution	891.00	100 ml
815105	**Carmine** Solution (Zorkin) (Reagent for Boric acid)	1107.00	100 ml
815110	**Carmine Aceto** for Microscopical Staining	900.00 1800.00	100 ml 250 ml
289055 $C_{22}H_{20}O_{13}$ (1260-17-9)	**Carminic Acid AR** (M.S.) (Natural Red 4) (C.I. 75470) M. W.: 492.4 Assay 95.0%	2502.00 8001.00	1 gm 5 gm
289195 $C_{20}H_{12}N_2Na_2O_7S_2$ (3567-69-9)	**Carmoisine A** (Chromotrope FB) (C.I. 14720) M. W.: 502.44 Dye Content 85.0%	203.00 6507.00	25 gm 1 kg
044625 $C_7H_{15}NO_3$ (541-15-1)	**L-Carnitine** for Biochemistry M. W.: 161.20	1053.00 4608.00 10000.00	5 gm 25 gm 100 gm
815160	**Carnoy** Fluid (Fixative)	378.00	100 ml
044745 $C_{40}H_{56}$ (7235-40-7)	B-**Carotene** M. W.: 536.87	2295.00 10400.00	1 gm 5 gm
044855 (9000-07-1)	**Carrageenan** (Gelling or Non-Gelling Type Gelatin, Vegetable, Irish Moss) (Irish Moss)	927.00 4140.00	100 gm 500 gm
	Casamino Acid See Casein Acid Hydrolysate		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
044885 (9000-71-9)	**Casein** According to Hammarsten for Biochemistry Assay (ex N) 95% Protein	**2610.00** **11520.00** **20520.00**	**100 gm** **500 gm** **1 kg**
044915 (9000-71-9)	**Casein** Fat free Purified	**1953.00** **POR**	**500 gm** **25 kg**
044925 (9000-71-9)	**Casein** Protein Rich Purified For feed experiment	**1422.00** **2700.00** **12600.00**	**500 gm** **1 kg** **5 kg**
044935 (9000-71-9)	**Casein** Soluble in Alkali	**2106.00** **POR**	**500 gm** **25 kg**
	Casein (soluble, light, white) See Casein Protein Rich		
333665 (65072-00-6)	**Casein Acid Hydrolysate**	**4370.00**	**500 gm**
PCT1403 PTC	**Casein Enzymic Hydrolysate** Plant Culture Tested Store below 30°C	**4460.00**	**500 gm**
044945 (9000-71-9)	**Casein** Vitamin Free	**1953.00** **POR**	**500 gm** **25 kg**
348385 (8001-79-4)	**Castor Oil** Saponification value :- 176-187	**680.00** **2700.00** **POR**	**500 ml** **2.5 lit** **25 lit**
044995 (9001-05-2)	**Catalase** for Biochemistry 100000 U/g	**2800.00** **7560.00**	**1 gm** **5 gm**
TC1037 ATC (9001-05-2)	· **Catalase** Source : Bovine Liver Cell Culture Tested Activity : 100000 U/g protein	**3285.00** **14940.00** **27900.00**	**1 gm** **5 gm** **10 gm**
045045 $C_{15}H_{14}O_6.xH_2O$ (225937-10-0)	**Catechin Hydrate** for Biochemistry M. W.: 290.27 (anhydrous basis)	**2106.00** **5040.00**	**1 gm** **5 gm**
	Catechol See Pyrocatechol		
	Catechol Violet See pyrocatechol Violet		
	CATION EXCHANGE RESIN See Cerlite resin see indion resins (18 items)		
	Caustic Potash See Potassium Hydroxide		
	Caustic Soda See Sodium Hydroxide		
	CDI See 1,1'-Carbonyldimidazole		
	CDTA See trans-1, 2-Diaminocylohexane- N,N,N',N'-tetra Acetic Acid		
348615 (8000-27-9)	**Cedar Wood Oil** (Natural)	**603.00** **2003.00**	**25 ml** **100 ml**
348635 (8000-27-9)	**Cedar Wood Oil** For Microscopy	**810.00** **972.00** **2610.00**	**25 ml** **30 ml** **100 ml**
DI055	**Cedepol™** also known as Teepol	**288.00** **1940.00**	**500 ml** **5 lit**
	Cedepol™ also known as Teepol see Di055		

Product Code	Product Name	Price	Packing
289285 $C_{17}H_{18}ClN_3O_4$ (1562-90-9)	**Celestine Blue** B for Microscopy C. I. 51050) M. W.: 363.80	**3105.00** **14004.00**	**5 gm** **25 gm**
045195 (61790-53-2)	**Celite** 545 Filter Aid	**657.00** **1206.00** **4203.00** **POR**	**500 gm** **1 kg** **5 kg** **25 kg**
490205 (61790-53-2)	**Celite** 545 Filter Aid **AR**	**1000.00**	**500 gm**
045225 $C_{12}H_{22}O_{11}$ (528-50-7)	D-**Cellobiose** extra Pure for Biochemistry M. W.: 342.30	**1400.00** **6606.00**	**5 gm** **25 gm**
PCT2529 PTC $C_{12}H_{22}O_{11}$ (528-50-7)	D-(+)-**Cellobiose** Plant Culture Tested M. W.: 342.3 Assay 98% Store below 30°C	**7470.00** **26200.00**	**25 gm** **100 gm**
815210	**Celloidine** 8%	**1000.00**	**500 ml**
	Cellosolve See Ethylene Glycol Monoethyl Ether		
045315 $CH_3.COO.CH_2.CH_2.OC_2H_5$ (111-15-9)	**Cellosolve Acetate** (2-Ethoxy ethyl acetate) M. W.:132.12 Assay (GC) 99.0%	**630.00** **2502.00**	**500 ml** **2.5 lit**
045365 (9012-54-8)	**Cellulase** from Aspergilus Niger For Biochemistry 10000 U/g	**7974.00** **27900.00**	**1 gm** **5 gm**
PCT2518 PTC $C_{16}H_{18}ClN_3S.3H_2O$ (9012-54-8)	▲**Cellulase** Plant Culture Tested M. W.: 373.9 Potency : =10mg	**2880.00** **11511.00** **24980.00** **43700.00**	**5 ku** **25 ku** **50 ku** **100 ku**
045445 (9004-34-6)	**Cellulose** Microcrystalline for TLC	**640.00**	**500 gm**
045435 (9004-34-6)	**Cellulose** Powder for Column Chromatography	**550.00** **POR**	**500 gm** **25 kg**
045425 (9004-34-6)	**Cellulose** Powder Pract.	**401.00**	**500 gm**
920990 MB (9004-34-6)	**Cellulose Powder** For Molecular Biology Assay : ≥ 97% Store Below 30°C	**910.00**	**500 gm**
027654 (9004-35-7)	**Cellulose Acetate**	**2300.00**	**500 gm**
045395 (9004-36-8)	**Cellulose Acetate Butyrate** Extra Pure	**3024.00**	**250 gm**
045405 (9004-38-0)	**Cellulose Acetate Phthalate**	**820.00** **7200.00**	**100 gm** **1 kg**
	Cellulose Nitrate See Nitro Cellulose		
045535 $C_{16}H_{17}N_3O_5S.H_2O$ (66592-87-8)	· **Cephadroxil** Monohydrate for Lab Use M.W. : 381.40 Assay (HPLC) 95.0%	**1737.00**	**1 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
045545 $C_{16}H_{17}N_3O_4S.xH_2O$ (15686-71-2)	▲**Cephalexin** Hydrate for Lab use (Anhydrous basis) M. W.: 347.39 Assay 95-103%	1872.00 8200.00 19305.00	1 gm 5 gm 25 gm
PCT2129 PTC $C_{16}H_{17}N_3O_4S$ (15686-71-2)	▲**Cephalexin** Plant Culture Tested M. W.: 347.39 (anhydrous basis) Assay 97%	1692.00 6777.00 10850.00	1 gm 5 gm 10 gm
045555 $C_{19}H_{17}N_3O_4S_2$ (50-59-9)	**Cephaloridine** for Lab use M. W.: 415.49	2295.00	1 gm
TC1022 ATC $C_{16}H_{15}N_2NaO_6S_2$ (58-71-9)	▲**Cephalothin Sodium Salt** Cell Culture Tested Recommended for use in cell culture Applications at 100 mg/L M. W.: 418.42 Assay : ≥95%	3520.00 10630.00 34034.00	250 mg 1 gm 5 gm
920970 MB $C_{16}H_{16}N_5NaO_7S_2$ (64485-93-4)	▲**Cephotaxime Sodium Salt** For Molecular Biology M. W.: 477.45 Assay : ≥ 98%	1170.00 4833.00 POR POR	1 gm 5 gm 10 gm 25 gm
PCT2103 PTC $C_{16}H_{16}N_5NaO_7S_2$ (64485-93-4)	▲**Cephotaxime sodium salt** Plant Culture Tested M. W.: 477.45 Assay 98% Potency : 916 - 964 µg/mg	1476.00 5913.00 10665.00 24890.00	1 gm 5 gm 10 gm 25 gm
TC1352 ATC $C_{16}H_{16}N_5O_7S_2Na$ (64485-93-4)	▲✲**Cephotaxime Sodium Salt** Cell Culture Tested M. W.: 477.45 Assay : ≥98% Potency : 916-964 µg/mg	16830.00 34700.00 100630.00	1 gm 5 gm 25 gm
PCT2502 PTC	**Cephotaxime Solution** w/ 100 mg/ml Cephotaxime in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	3816.00 11421.00	20 ml 5X20 ml
PCT2505 PTC	**Cephotaxime Solution** w/ 250 mg/ml Cephotaxime in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	5346.00 16070.00 14445.00	20 ml 5X20 ml 100 ml
045585	**Ceralite IR 120** Standard grade Particle size 20-50 mesh Na^+Form (Strongly Cationic Resin)	666.00	500 gm
045595	**Ceralite IRA 400** Standard grade Particle size 20-50 mesh Cl Form (Strongly Basic Anion Exchangers)	1080.00	500 gm
045605	**Ceralite IRA 410** Standard grade Particle size 20-50 mesh Cl Form (Strongly Basic Anion Exchangers)	1107.00	500 gm
045615	**Ceralite IRC 50** Standard grade Particle size 20-50 mesh (Weakly cationic resin)	1224.00	500 gm

Product Code	Product Name	Price	Packing
045645 (8001-75-0)	**Ceresin Wax** White	927.00	500 gm
	Ceric Ammonium Nitrate See Ammonium Ceric Nitrate		
	Ceric Ammonium Sulphate See Ammonium Ceric Sulphate		
RE0150 $Ce(OH)_4$ (12014-56-1)	**Ceric Hydroxide AR** M. W.: 208.15 Assay (trace Metals Basis) 99.9%	3969.00 4995.00	50 gm 100 gm
RE0165 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.9%	1400.00 6003.00	100 gm 500 gm
RE0170 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.99%	5220.00 15840.00	100 gm 500 gm
RE0175 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.999%	14000.00 47970.00	10 gm 50 gm
RE0190 $Ce(SO_4)_2.4H_2O$ (10294-42-5)	**Ceric Sulphate** Tetrahydrate **AR** M. W.: 404.30 Assay (ex Ce) 99.0%	2295.00 21006.00	100 gm 1 kg
815300	**Ceric Sulphate** N/10 Solution (0.1N) Volumetric Solution	617.00	500 ml
815350	**Cerium** (Ce) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
815400	**Cerium** (Ce) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00 8505.00	100 ml 500 ml
815420	**Cerium** (Ce) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16020.00 48222.00	100 ml 500 ml
RE0205 Ce (7440-45-1)	**Cerium** Metal Ingot M. W.: 140.12 Assay (Trace metal basis) 99.99%	44100.00 118900.00	25 gm 100 gm
RE0210 Ce (7440-45-1)	**Cerium** Metal Lump (1cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	44100.00 118900.00	25 gm 100 gm
RE0215 Ce (7440-45-1)	**Cerium** Metal Powder 325 mesh At. W. 140.12 Assay (Trace metals basis) 99.9%	14670.00 55000.00	5 gm 25 gm
RE0260 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.9%	5000.00 17460.00	100 gm 500 gm
RE0265 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.99%	16506.00 61551.00	50 gm 250 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
RE0270 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**10 gm** **50 gm**
RE0285 $Ce_2(CO_3)_3.xH_2O$ (54451-25-1)	**Cerium (III) Carbonate** M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.9%	**5868.00** **28538.00**	**100 gm** **500 gm**
RE0295 $Ce_2(CO_3)_3.xH_2O$ (54451-25-1)	**Cerium (III) Carbonate** M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.99%	**POR** **POR**	**25 gm** **100 gm**
RE0310 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.9%	**2700.00** **6840.00** **18000.00** **POR**	**5 gm** **25 gm** **100 gm** **500 gm**
RE0315 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.99%	**38030.00** **POR**	**25 gm** **100 gm**
RE0320 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.999%	**POR** **POR**	**10 gm** **100 gm**
RE0325 $CeCl_3.7H_2O$ (18618-55-8)	**Cerium (III) Chloride** Heptahydrate **AR** M. W.: 372.58 Assay (Trace metal basis) 98.5%	**2403.00** **7200.00**	**100 gm** **500 gm**
RE0340 CeF_3 (7758-88-5)	**Cerium (III) Fluoride** M. W.: 197.12 Assay (trace metals basis) 99.9%	**3636.00** **10980.00**	**25 gm** **100 gm**
RE0345 CeF_3 (7758-88-5)	**Cerium (III) Fluoride** M. W.: 197.12 Assay (trace metals basis) 99.99%	**5500.00** **18000.00**	**10 gm** **50 gm**
RE0355 CeI_3 (7790-87-6)	**Cerium (III) Iodide** M. W.: 520.83 Assay (Trace metal basis) 99.95%	**5000.00** **18000.00** **POR**	**1 gm** **5 gm** **25 gm**
RE0370 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.9%	**1098.00** **8505.00**	**100 gm** **1 kg**
RE0375 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.99%	**9100.00** **42840.00**	**50 gm** **250 gm**
RE0380 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE0395 $Ce_2(C_2O_4)_3.xH_2O$ (15750-47-7)	**Cerium (III) Oxalate** M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.9%	**12600.00**	**100 gm**
RE0405 $Ce_2(C_2O_4)_3.xH_2O$ (15750-47-7)	**Cerium (III) Oxalate** M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.999%	**POR**	**50 gm**
	Cerium (IV) oxide See Ceric oxide		
RE0415 $Ce(SO_4)_3.xH_2O$ (13550-47-5)	**Cerium** (III) **Sulphate** M. W.: 568.42 Assay (ex Ce)(trace metals basis) 99.0%	**6903.00**	**50 gm**
RE0425 $Ce(SO_4)_3.xH_2O$ (13550-47-5)	**Cerium (III) Sulphate** M. W.: 568.42 Assay (trace metals basis) 99.99%	**13150.00** **39600.00**	**25 gm** **100 gm**

Product Code	Product Name	Price	Packing
815520	**Cerium** (IV) **Sulphate** CPECTROSOL® 0.05M (0.05N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
815540	**Cerium** (IV) **Sulphate** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
815545	**Cerium** (IV) **Sulphate** CPECTROSOL® 0.25M (0.25N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
	Cerous See Cerium		
	Cesein Enzyme Hydrolysate See Tryptone		
815590	**Cesium** CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**2160.00** **2700.00** **3600.00**	**100 ml** **250 ml** **500 ml**
815610	**Cesium** (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**4968.00** **7938.00**	**100 ml** **500 ml**
815650	**Cesium** (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**15021.00** **45144.00**	**100 ml** **500 ml**
815612	**Cesium** (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	**4968.00** **7938.00**	**100 ml** **500 ml**
815652	**Cesium** (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	**15021.00** **45144.00**	**100 ml** **500 ml**
491085 CsBr (7787-69-1)	**Cesium Bromide AR** M. W.: 212.81	**5400.00**	**50 gm**
045695 CS_2CO_3 (534-17-8)	**Cesium Carbonate** Extra Pure M. W.: 325.82	**1530.00** **6003.00**	**25 gm** **100 gm**
491095 CsCl (7647-17-8)	**Cesium Chloride AR** M. W.: 168.36 Assay(ex Cl) 99.5%	**1152.00** **4343.00**	**25 gm** **100 gm**
921000 MB CsCl (7647-17-8)	**Cesium Chloride** for Molecular Biology M. W.: 168.36 Assay (Argentometric) 99.9-100.1%	**1944.00** **7245.00** **33930.00**	**25 gm** **100 gm** **500 gm**
491105 CsF (13400-13-0)	**Cesium Fluoride AR** M. W.: 151.90	**2421.00** **8910.00**	**25 gm** **100 gm**
491125 CsI (7789-17-5)	**Cesium Iodide** Ultra Pure For Scintillation Counting M. W.: 259.81	**1530.00** **7120.00**	**10 gm** **50 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
491135 $CsNO_3$ (7789-18-6)	**Cesium Nitrate AR** M. W.: 194.91 Assay (Acid-base titrimetry) 99.0%	3006.00 9000.00	10 gm 50 gm
491145 Cs_2SO_4 (10294-54-9)	**Cesium Sulphate AR** M. W.: 361.87 Assay (Trace metal basis) 99.9%	1170.00 5000.00	10 gm 50 gm
	Cetane See n-Hexadecane		
045825 $C_{17}H_{38}BrN$ (1119-97-7)	**Cetrimide** M.W.: 336.41 Assay (Iodometric; on anhy. basis) 96.0-101.0%	585.00 2480.00 POR	100 gm 500 gm 25 kg
921110 MB $C_{17}H_{38}BrN$ (8044-71-1)	**Cetrimide** For Molecular Biology M. W.: 336.4 Assay : ≥ 96% Store Below 30°C	630.00 2997.00	100 gm 500 gm
045795 $C_{18}H_{38}OC_{16}H_{34}O$ (8005-44-5)	**Cetostearyl Alcohol** Meets Analytical Specification of IP, BP, USP, MF, Ph. Eur. M. W.: 512.95 Assay (as stearyl alcohol) (GC) 40.0%	747.00 POR	500 gm 25 kg
	CETYL BROMIDE See 1-Bromohexadecane		
045855 $CH_3(CH_2)_{14}.CH_2OH$ (36653-82-4)	**Cetyl Alcohol** Pure M. W.: 242.45 Assay (GC) 95.0%	882.00 7902.00 POR	500 gm 5 kg 25 kg
045885 $C_{25}H_{46}NCl$ (122-18-9)	**Cetyl Dimethyl Benzyl Ammonium Chloride** for Synthesis M.W. : 396.09	756.00 3762.00	100 gm 500 gm
045915 $C_{20}H_{44}BrN$ (124-03-8)	**Cetyl Dimethyl Ethyl Ammonium Bromide** M. W.: 378.47 Assay : ≥ 98%	4203.00	100 gm
921140 MB $C_{20}H_{44}BrN$ (124-03-8)	▲**Cetyl dimethyl ethyl ammonium Bromide** For Molecular Biology M. W.: 378.47 Assay : ≥ 98%	5049.00	100 gm
027664 $C_{21}H_{37}N.HBr.H_2O$ (140-72-7)	**Cetyl Pyridinium Bromide** Monohydrate M. W.: 402.46 Assay (ex br) (Argentometric) 95.0%	3447.00	250 gm
045975 $C_{21}H_{38}NCl.H_2O$ (6004-24-6)	**Cetyl Pyridinium Chloride** Monohydrate M. W.: 358.01 Assay (Redox titration; Calc. with refference to the anhy. Sub.) 99.0-102.0%	702.00 3105.00	100 gm 500 gm
	CETYLKONIUM CHLORIDE See Cetyl Dimethyl Benzyl ammonium chloride		
027665 $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N, N, N-**Trimethyl Ammonium Bromide** M. W.: 364.45 Assay (by iodometric on dried substance) 98.0%	500.00 2106.00 POR	100 gm 500 gm 25 kg

Product Code	Product Name	Price	Packing
491325 $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N, N, N-**Trimethyl Ammonium Bromide AR** M. W.: 364.45 Assay (iodometric, on dried substance) 99.0%	585.00 2403.00	100 gm 500 gm
921160 MB $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N,N,N-**Trimethyl Ammonium Bromide** (CTAB) For Molecular Biology M. W.: 364.45 Assay : ≥ 99% Store Below 30°C	558.00 2637.00	100 gm 500 gm
TC1555U ATC (57-09-0)	**Cetyl Trimethyl Ammonium Bromide** Cetrimonium bromide; Hexadecyltrimethylammonium Bromide Meets USP 41-NF 36 testing specifications M. W.: 364.45 Store below 30°C	5184.00 12591.00 25560.00	25 gm 100 gm 500 gm
815880	N-**Cetyl**-N,N,N-**Trimethyl Ammonium Chloride** 30% w/v	360.00 1080.00	100 ml 500 ml
046035 MgO_3Si (1343-88-0)	**Cflorisil**™ 60-100 mesh CHR analysis M.W. : 100.39	2970.00 13230.00 26100.00	100 gm 500 gm 1 kg
046090 $C_{32}H_{58}N_2O_7S$ (75621-03-3)	**CHAPS** Buffer M.W.: 614.90 Assay (ex N) 99.0%	770.00 3600.00 6993.00 17010.00	1 gm 5 gm 10 gm 25 gm
921190 MB $C_{32}H_{58}N_2O_7S$ (75621-03-3)	**CHAPS** Buffer For Molecular Biology M. W.: 614.88 Assay : ≥ 98% Store Below 30°C	1935.00 8712.00 15705.00 24210.00	1 gm 5 gm 10 gm 25 gm
046095 $C_{32}H_{58}N_2O_8S$ (82473-24-3)	**CHAPSO** Buffer M. W.: 630.88 Assay (By HPLC) 99.0%	5500.00 21906.00	1 gm 5 gm
046155 C (7440-44-0)	**Charcoal Activated** Decolorizing Powder Acid Wash MB Value Min. 180 At. W.: 12.01	522.00 3700.00 POR	500 gm 5 kg 25 kg
491520 C (7440-44-0)	**Charcoal Activated** Acid Washed **AR/ACS** Activated Carbon Meets Analytical Spec. of USP, BP, Ph. Eur., MB Value Min. 280 At. W.: 12.01	441.00 1152.00 POR POR	100 gm 500 gm 5 kg 25 kg
491515 C (7440-44-0)	**Charcoal Activated AR** Phosphorous Free for soil test MB Value Min. 300 At .W. : 12.01	401.00 801.00 1301.00 12600.00	100 gm 250 gm 500 gm 5 kg
H09019 HISURE C (7440-44-0)	**Charcoal Activated AR** Certified grade (Acid Washed) At. W.: 12.01 Min. 300	990.00 2475.00 4356.00	100 gm 500 gm 1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
046175 C (7440-44-0)	**Charcoal Activated** E.P. Granular about 2.0-5.0mm At. W.: 12.01	**486.00** **3807.00** **POR**	**500 gm** **5 kg** **25 kg**
TC1100 ATC C (7440-44-0)	**Charcoal, Activated** HCl-washed Cell Culture Tested At. W : 12.01 Store below 30°C	**2241.00** **16740.00**	**500 gm** **5 kg**
PCT2001 PTC C (7440-44-0)	**Charcoal Activated** Powder Plant Culture Tested At. W.: 12.01 Store below 30°C	**576.00** **1251.00** **2260.00** **20440.00**	**100 gm** **250 gm** **500 gm** **5 kg**
921200 MB (11139-85-8)	**Chelex® -100 Sodium Form (50-100 Mesh)** For Molecular Biology Cation Exchange Resin Av. M. W.: 3500 Mesh Size : 50-100 (Dry) Store Below 30°C	**26672.00**	**25 gm**
046385 (103-47-9)	**CHES** **2-(Cyclohexylamino) Ethanesulfonic** Acid	**2493.00** **8982.00**	**25 gm** **100 gm**
046395 ✠ $C_8H_{16}NNaO_3S$ (3076-05-9)	**CHES Sodium** M.W. 229.27	**24840.00** **99000.00**	**25 gm** **100 gm**
	China Blue See Aniline Blue		
	China Clay See Kaolin		
046505 $(C_8H_{13}NO_5)n$ (1398-61-4)	**Chitin** Purified Flakes	**396.00** **1494.00**	**100 gm** **500 gm**
046515 $(C_8H_{13}NO_5)n$ (1398-61-4)	**Chitin Purified** Powder	**1000.00** **3002.00** **6003.00**	**25 gm** **100 gm** **500 gm**
H09225 HISURE $(C_8H_{13}NO_5)n$ (1398-61-4)	**Chitin Purified** Powder	**3420.00** **10130.00** **POR**	**25 gm** **100 gm** **500 gm**
	Chitosamine Hydrochloride See Glucosamine Hydrochloride		
046555 (9012-76-4)	**Chitosan**	**567.00** **1701.00** **4680.00**	**25 gm** **100 gm** **500 gm**
PCT1817 PTC $(C_6H_{11}NO_4)_n$ (9012-76-4)	**Chitosan** Plant Culture Tested From Shrimp shells Degree of deacetylation =75% Store below 30°C	**900.00** **2700.00** **8100.00**	**25 gm** **100 gm** **500 gm**
TC1242 ATC (9012-76-4)	**Chitosan** Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥75% Store below 30°C	**3627.00** **6040.00** **18756.00**	**50 gm** **100 gm** **500 gm**

Product Code	Product Name	Price	Packing
TC1633 ATC (9012-76-4)	**Chitosan** Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥90% Store below 30°C	**4473.00** **6714.00** **20170.00**	**50 gm** **100 gm** **500 gm**
046665 $C_8H_{11}Cl_3O_6$ (15879-93-3)	**α-Chloralose** [(2,2,2-Trichloroethylidene) A-D-Glucofuranose] M. W.: 309.53	**2961.00** **11700.00**	**25 gm** **100 gm**
027670 $C_7H_7ClNNaO_2S.3H_2O$ (7080-50-4)	**Chloramine T** M. W.: 281.69 Assay (by iodometric) 95%	**2106.00** **3501.00** **POR**	**500 gm** **1 kg** **25 kg**
491825 $C_7H_7ClNNaO_2S.3H_2O$ (7080-50-4)	**Chloramine T AR/ACS** M. W.: 281.69	**1503.00** **5000.00**	**250 gm** **1 kg**
044204 $C_{11}H_{12}Cl_2N_2O_5$ (56-75-7)	· **Chloramphenicol** for Lab use M. W.: 323.13 Assay 98.0%	**828.00** **2241.00** **5711.00** **28440.00**	**5 gm** **25 gm** **100 gm** **500 gm**
PCT2117 PTC $C_{11}H_{12}Cl_2N_2O_5$ (56-75-7)	· **Chloramphenicol** Plant Culture Tested for more details refer PTC section M. W.: 323.13 Assay : 97%	**1170.00** **2664.00** **6660.00**	**5 gm** **25 gm** **100 gm**
TC1204 ATC $C_{11}H_{12}Cl_2N_2O_5$ (56-75-7)	· **Chloramphenicol** Cell Culture Tested M. W.: 323.13 Assay : ≥98%	**1953.00** **5364.00**	**5 gm** **25 gm**
027671 $C_6Cl_4O_2$ (118-75-2)	**Chloranil** for Synthesis M. W.: 245.88 Assay (Argentometric) 95.0%	**1251.00**	**250 gm**
492005 $C_6Cl_4O_2$ (118-75-2)	p-**Chloranil AR** M. W.: 245.88 Assay 99.0%	**2250.00**	**25 gm**
492035 $C_6H_2Cl_2O_4$ (87-88-7)	**Chloranillic Acid AR** M. W.: 208.99 Assay (acidimetric) 99.0%	**2502.00**	**25 gm**
	Chloranillic Acid Barium Salt See Barium Chloranilate		
PA0167	**Chlorine** test Papers (Estimates free Chlorine 5 to 100 ppm)	**387.00**	**200 lvs**
816005	**Chlorine Water**	**360.00**	**500 ml**
PCT1824 PTC $C_5H_{13}Cl_2N$ (999-81-5)	**Chlormequat Chloride** Plant Culture Tested M. W.: 158.07 Assay 98% Store below 30°C	**1000.00** **3600.00**	**1 gm** **5 gm**
046865 C_2H_4ClNO (79-07-2)	2-**Chloro Acetamide** for Synthesis (α-Chloro acetamide) M. W.: 93.51 Assay 97.0%	**2376.00**	**500 gm**
492155 C_8H_8ClNO (539-03-7)	p-**Chloro Acetanilide AR** M. W.: 169.61 Assay 99.0%	**630.00** **1926.00**	**25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Chloroacetic acid sodium salt see sodium chloroacetate		
	4-Chloroaniline see p-chloroaniline		
	Chlorobenzene see chlorobenzene mono		
	(O-(6-Chlorobenzotriaol-1yl)-N,N,N,N-tetramethyl uronium hexafluorophosphate) see HCTU		
	4-Chlorobromo benzene see 1-Bromo-4-Chloro Benzene		
	2-Chloro-3-Amino see 2-Amino-5-chloro pyridine		
027677 $CH_2Cl.COOH$ (79-11-8)	**Chloro Acetic Acid** Mono Pure M. W.: 94.50 Assay (acidimetric) 99.0%	**477.00**	**500 gm**
492335 $CH_2Cl.COOH$ (79-11-8)	**Chloro Acetic Acid** Mono **AR** M. W.: 94.50 Assay 99.5%	**603.00**	**500 gm**
047015 $ClCH_2CN$ (107-14-2)	**Chloro Acetonitrile** for Synthesis M. W.: 75.50 Assay 99.0%	**2700.00** **11007.00**	**100 gm** **500 gm**
047115 C_8H_7ClO (99-91-2)	p-**Chloro Acetophenone** for Synthesis (4-chloroacetophenone) M. W.: 154.59 Assay 98.0%	**1413.00** **5760.00**	**100 ml** **500 ml**
047105 $C_6H_5COCH_2Cl$ (532-27-4)	o-**Chloro Acetophenone** for Synthesis M. W.: 154.59 Assay 98.0%	**7290.00** **POR**	**100 gm** **500 gm**
047165 $C_2H_2Cl_2O$ (79-04-9)	**Chloro Acetyl Chloride** for Synthesis M. W.: 112.94 Assay (GC) 98.0%	**1152.00** **4806.00**	**500 ml** **2.5 lit**
027682 $Cl.C_6H_4.NH_2$ (108-42-9)	m-**Chloro Aniline** M. W.: 127.57 Assay (GC) 98.0%	**1593.00** **7290.00**	**500 ml** **2.5 lit**
027681 $Cl.C_6H_4NH_2$ (95-51-2)	o-**Chloro Aniline** M. W.: 127.6 Assay (GC) 98.0%	**792.00** **3790.00**	**500 ml** **2.5 lit**
027683 $Cl.C_6H_4.NH_2$ (106-47-8)	p-**Chloro Aniline** M. W.: 127.6 Assay (GC) 99.0%	**1161.00**	**500 gm**
027686 $HAuCl_4.3H_2O$ (16961-25-4)	**Chloroauric Acid** M. W.: 393.83 Assay (Au) 49%	**12060.00**	**1 gm**
816150	tetra-**Chloro Auric Acid** Solution 2% w/v $HAuCl_4$ $3H_2O$	**10566.00**	**25 ml**
047495 C_7H_5ClO (89-98-5)	2-**Chloro Benzaldehyde** (o-Chloro benzaldehyde) M. W.: 140.58 Assay 98.0%	**702.00** **2300.00** **5000.00**	**100 ml** **500 ml** **2.5 lit**
047505 C_7H_5ClO (587-04-2)	3-**Chloro Benzaldehyde** for Synthesis (m-Chlorobenzaldehyde) M. W.: 140.57 Assay 97.0%	**1800.00** **5994.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
047535 C_7H_5ClO (104-88-1)	4-**Chloro Benzaldehyde** (p-Chloro Benzaldehyde) M. W.: 140.57 Assay (GC) 98.0%	**603.00** **2070.00** **9500.00**	**100 gm** **500 gm** **5 kg**
027690 C_6H_5Cl (108-90-7)	**Chloro Benzene** Mono for Synthesis M. W.: 112.56 Assay 99.0%	**540.00** **2007.00** **POR**	**500 ml** **2.5 lit** **25 lit**
492645 C_6H_5Cl (108-90-7)	**Chloro Benzene** Mono **AR** M. W.: 112.56 Assay 99.5%	**657.00** **2300.00** **POR**	**500 ml** **2.5 lit** **25 lit**
714850 C_6H_5Cl (108-90-7)	**Chloro Benzene** Mono for HPLC M.W. 112.56	**1368.00**	**1 lit**
D28827 C_6ClD_5 (3114-55-4)	**Chloro Benzene**-d_5 (for NMR Spectroscopy) M.W.: 117.60 Assay Min. 99.0 atom%D	**22460.00**	**5 ml**
047595 ✣ $C_6H_5ClSO_3$ (98-66-8)	p-**Chloro Benzene Sulphonic Acid** (4-Chlorobenzene Sulphonic Acid) M. W.: 192.62 Assay 90.0%	**963.00** **4104.00**	**25 gm** **500 gm**
047795 $ClC_6M_4CO_2H$ (535-80-8)	m-**Chloro Benzoic Acid** M. W.: 156.57 Assay 99.0%	**2800.00** **12960.00**	**100 gm** **500 gm**
027693 $Cl.C_6H_4.COOH$ (118-91-2)	o-**Chloro Benzoic Acid** M. W.: 156.57 Assay (Acidimetric) 98.0%	**1503.00**	**500 gm**
027695 $C_7H_5.ClO_2$ (74-11-3)	p-**Chloro Benzoic Acid** M. W.: 156.57 Assay (acidimetric) 99.0%	**432.00** **1602.00**	**100 gm** **500 gm**
047945 C_7H_4ClN (873-32-5)	2-**Chloro Benzonitrile** for Synthesis (o-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	**1206.00** **5000.00**	**100 gm** **500 gm**
047955 C_7H_4ClN (766-84-7)	3-**Chloro Benzonitrile** for Synthesis (m-Chlorobenzonitrile) M. W.: 137.57 Assay 98.0%	**1602.00** **4500.00**	**25 gm** **100 gm**
047965 C_7H_4ClN (623-03-0)	4-**Chloro Benzonitrile** for Synthesis (p-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	**1008.00** **2205.00** **7200.00**	**25 gm** **100 gm** **500 gm**
048055 $C_{13}H_9ClO$ (134-85-0)	p-**Chloro Benzophenone** for Synthesis M. W.: 216.67 Assay 99.0%	**801.00** **3402.00**	**100 gm** **500 gm**
048215 $C_7H_4Cl_2O$ (609-65-4)	2-**Chloro Benzoyl Chloride** for Synthesis M. W.: 175.02 Assay 98.0%	**5000.00**	**500 ml**
048225 $C_7H_4Cl_2O$ (122-01-0)	4-**Chloro Benzoyl Chloride** for Synthesis M. W.: 175.02 Assay 98.0%	**5175.00**	**500 ml**
048275 ✣ C_7H_7ClO (17849-38-6)	2-**Chloro Benzyl Alcohol** M. W.: 142.58	**1494.00** **5400.00**	**25 gm** **100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
048285 ✠ C_7H_7ClO (873-63-2)	3-**Chloro Benzyl Alcohol** M. W.: 142.58	1044.00 3250.00	25 gm 100 gm
048295 ✠ C_7H_7ClO (873-76-7)	4-**Chloro Benzyl Alcohol** M. W.: 142.58	2097.00 10400.00	100 gm 500 gm
048375 $C_7H_6Cl_2$ (611-19-8)	2-**Chloro Benzyl Chloride** for Synthesis (o-Chloro benzyl Chloride) M. W.: 161.03	2493.00 21150.00	250 ml 2.5 lit
048385 $C_7H_6Cl_2$ (620-20-2)	3-**Chloro Benzyl Chloride** (m-Chlorobenzyl Chloride) M. W.: 161.03	1143.00 5076.00	100 ml 500 ml
048395 $C_7H_6Cl_2$ (104-83-6)	4-**Chloro Benzyl Chloride** (p-Chlorobenzyl Chloride) M. W.: 161.03	1134.00 3807.00	100 ml 500 ml
048485 $ClC_6H_4CH_2CN$ (2856-63-5)	2-**Chloro Benzyl Cyanide** (o-Chlorobenzyl Cyanide) M. W.: 151.59	2763.00 12600.00	100 gm 500 gm
048495 (1529-41-5)	3-**Chloro Benzyl Cyanide** for Synthesis (m-Chlorobenzyl Cyanide)	1557.00	100 gm
048505 $ClC_6H_4CH_2CN$ (140-53-4)	4-**Chloro Benzyl Cyanide** for Synthesis (p-Chloro benzyl Cyanide) M. W.: 151.59	846.00 4159.00	100 gm 500 gm
048585 C_7H_8ClN (89-97-4)	2-**Chloro Benzylamine** for Synthesis M. W.: 141.6	1620.00 5310.00	25 gm 100 gm
	1-**Chloro Butane** for Synthesis See N-Butyl Chloride		
048895 $Cl(CH_2)_2COCl$ (4635-59-0)	4-**Chloro Butyryl Chloride** for Synthesis M. W.: 141.00	2601.00	500 ml
817000	**Chloro Choline Chloride** 50% Aqueous Solution	351.00 1602.00	100 ml 500 ml
048975 (999-81-5)	**Chloro Choline Chloride** 98%	1900.00 5310.00 32040.00	5 gm 25 gm 500 gm
027702 C_7H_7ClO (59-50-7)	4-**Chloro**-3-**Cresol** M. W.: 142.59 Assay (GC) 98-101%	1377.00 2601.00 23940.00 POR	250 gm 500 gm 5 kg 25 kg
049135 $C_6H_{11}Cl$ (542-18-7)	**Chloro Cyclohexane** for Synthesis (Cyclohexyl Chloride) M. W.: 118.06	2232.00	250 ml
	2-**Chloro**-N-**Dimethyl Ethylamine Hydrochloride** See 2-Dimethyl Amino Ethyl Chloride Hydrochloride		
	4-**Chloro**-3,5-**XYLENOL** See 4-Chloro-m-Xylenol (PCMX)		

Product Code	Product Name	Price	Packing
	4-**Chloro**-3,5-**Dimethyl-Phenol** (4-Chloro-3,5-Xylenol) See 4-Chloro-m-Xylenol		
049205 $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2, 4-**Dinitro Benzene** for Synthesis M. W.: 202.55 Assay(GC) 98.0%	820.00 1206.00	500 gm 1 kg
492735 $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2, 4-**Dinitro Benzene AR** for the detection of Nicotinic Acid, Nicotinamide M. W.: 202.55 Assay (GC) 99.0%	207.00 603.00	25 gm 100 gm
921300 MB $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2,4-**Dinitro Benzene** For Molecular Biology M. W.: 202.55 Assay : ≥ 99% Store Below 30°C	2700.00	500 gm
817100	1-**Chloro**-2,4-**Dinitrobenzene** Reagent Solution (test for mercaptens)	266.00	100 ml
493505 $C_5H_2ClN_3O_4$ (2578-45-2)	· 2,-**Chloro**-3,5-**Dinitropyridine AR** Terminal N-Blocking Reagent for Proteins M. W.: 203.55	5103.00 15714.00	1 gm 5 gm
	2-**Chloroethyl Trimethlammonium Chloride** See Chloro Choline Chloride		
	1-**Chloro**-2,3-**Epoxy Propane** See Epichlorohydrin		
	N-(2-Chloroethyl)-morpholinium chloride See 4-(2-chloroethyl) morpholine hydrochloride		
	Chloroformic acid isobutylester See Iso butyl chloroformate		
	Chloroformic acid phenyl ester See Phenyl chloroformate		
049345 C_2H_5ClO (107-07-3)	2-**Chloro Ethanol** M. W.: 80.51 Assay (GC) 98.0%	1270.00 6003.00 POR	500 ml 2.5 lit 25 lit
493685 C_2H_5ClO (107-07-3)	2-**Chloro Ethanol AR** M. W.: 80.51 Assay (GC) 99.0%	1360.00 6507.00 POR	500 ml 2.5 lit 25 lit
049485 $C_2H_6ClN.HCl$ (870-24-6)	2-**Chloro Ethyl Ammonium Hydro Chloride** for Synthesis M. W.: 115.99	4905.00	500 gm
049585 $C_2H_6ClO_3P$ (16672-87-0)	2-**Chloro Ethyl Phosphonic Acid** (Ethrel) An effective germinating agent M. W.: 144.49 Assay About 39.0%	1287.00 2440.00	100 ml 250 ml
049695 ✠ $C_6H_{12}ClN.HCl$ (7250-67-1)	1-(2-**Chloro Ethyl**)**Pyrrolidine Hydro Chloride** for Synthesis M. W.: 170.08	1845.00 7803.00	100 gm 500 gm

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
049885 $ClC_6H_3(F)NH_2$ (367-21-5)	3-**Chloro**-4-**Fluoro Aniline** for Synthesis M. W.: 145.56	2205.00 8001.00	100 gm 500 gm
027710 $CHCl_3$ (67-66-3)	**Chloroform** for Synthesis M. W.: 119.38 Assay(GC) 99.5%	396.00 1503.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
493905 $CHCl_3$ (67-66-3)	**Chloroform AR** M. W.: 119.38 Assay (By GC) (excluding stabilizer) 99.0-99.4%	486.00 1908.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
493915 $CHCl_3$ (67-66-3)	**Chloroform** Specially Dried **AR** M. W.: 119.38 Assay (GC) 99.0-99.4%	702.00 2187.00	500 ml 2.5 lit
715916 $CHCl_3$ (67-66-3)	**Chloroform** GC HS Grade M.W. 119.38 Assay 99.5%	1953.00	1 lit
715910 $CHCl_3$ (67-66-3)	**Chloroform** for HPLC & Spectroscopy M. W.: 119.38 Assay(GC) 99.0%	1044.00 2300.00	1 lit 2.5 lit
921400 MB $CHCl_3$ (67-66-3)	**Chloroform** For Molecular Biology M. W.: 119.38 Assay : ≥ 99.8% Store Below 30°C	482.00 2052.00	100 ml 500 ml
715940 $CHCl_3$ (67-66-3)	**Chloroform** for Pesticide Residue Trace Analysis (tri-Chloromethane) M. W.: 119.38	3700.00	1 lit
D29718 CCl_3D (865-49-6)	▲**Chloroform**-d (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	3924.00	10x0.75 ml
D29727 CCl_3D (865-49-6)	▲**Chloroform**-d (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	5364.00 8811.00	25 ml 100 ml
D29754 CCl_3D (865-49-6)	▲**Chloroform**-d, **Cont**. 0.03 v/v% **TMS** (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	4464.00	10x0.75 ml
D29772 CCl_3D (865-49-6)	▲**Chloroform**-d, **Cont**. 0.03 v/v% **TMS** (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	9100.00	100 ml
921500 MB	**Chloroform : Iso Amyl Alcohol** 24:1 for Molecular Biology	2367.00	500 ml
049995 $C_{16}H_{18}O_9$ (327-97-9)	**Chlorogenic Acid** M. W.: 354.31 Assay (on dry basis) 95.0%	459.00 3951.00 17505.00	100 mgm 1 gm 5 gm
817200	**Chlorohexidine Gluconate** 20% Solution in water for Lab Use only	963.00 8883.00	500 ml 5 lit
PCT2146 PTC $C_{34}H_{54}C_{12}N_{10}O_{14}$ (18472-51-0)	**Chlorhexidine digluconate** Plant Culture Tested M. W.: 897.8 Store below 30°C	3123.00 11871.00	250 ml 1 lit

Product Code	Product Name	Price	Packing
	2-**Chloro**-5-**Hydroxy Toluene** See 4-Chloro-3-Cresol		
050165 C_2H_5ClO (107-30-2)	**Chloro Methyl Methyl Ether** M. W.: 80.51	2403.00 8100.00 27500.00	25 gm 100 gm 500 gm
050365 $C_{10}H_7CH_2Cl$ (86-52-2)	1-**Chloro Methyl Naphthalene** M. W.: 176.64	3951.00 9450.00	100 gm 500 gm
	2-**Chloro**-2-**Methylpropane** See Tert-Butyl Chloride		
050655 $C_6H_5ClN_2O_2$ (121-87-9)	2-**Chloro**-4-**Nitroaniline** for Synthesis M. W.: 172.57	1305.00	250 gm
050665 $C_6H_5ClN_2O_2$ (89-63-4)	4-**Chloro**-2-**Nitroaniline** M. W.: 172.57	1206.00	250 gm
027723 $Cl.C_6H_4.NO_2$ (88-73-3)	1-**Chloro**-2-**Nitro Benzene** M. W.:157.66 Assay (GC) 99.0%	594.00	500 gm
050745 $C_6H_4ClNO_2$ (121-73-3)	1-**Chloro**-3-**Nitro Benzene** M. W.: 157.66 Assay (GC) 98.0%	531.00 1031.00	250 gm 500 gm
027725 $Cl.C_6H_4.NO_2$ (100-00-5)	1-**Chloro**-4-**Nitro Benzene** M. W.: 157.66 Assay (GC) 99.0%	486.00	500 gm
050795 $C_7H_4ClNO_4$ (99-60-5)	2-**Chloro**-4-**Nitro Benzoic Acid** for Synthesis M. W.: 201.56	5050.00	100 gm
050805 $C_7H_4ClNO_4$ (2516-96-3)	2-**Chloro**-5-**Nitro Benzoic Acid** for Synthesis M. W.: 201.56	954.00 3636.00	100 gm 500 gm
050895 $C_8H_{17}Cl$ (111-85-3)	**1-Chloro Octane** for Synthesis (Octyl Chloride) M.W.: 148.67	828.00 2421.00	100 ml 500 ml
050995 $C_7H_5ClO_3$ (937-14-4)	m-**Chloro Perbenzoic Acid** for Synthesis (3-Chloro Peroxy Benzoic Acid) M. W.: 172.57	1900.00 7596.00	100 gm 500 gm
051095 ClC_6H_4OH (108-43-0)	m-**Chlorophenol** M. W.: 128.56 Assay 98.0%	846.00 2800.00 13500.00	25 gm 100 gm 500 gm
051045 $Cl.C_6H_4.OH$ (95-57-8)	o-**Chlorophenol** M. W.: 128.56 Asssay (GC) 99.0%	1090.00 4690.00	500 ml 2.5 lit
027730 $Cl.C_6H_4.OH$ (106-48-9)	p-**Chlorophenol** M. W.: 128.56 Assay (By GC) 99.5%	1251.00	500 gm
289435 $C_{19}H_{12}Cl_2O_5S$ (4430-20-0)	**Chloro Phenol Red** Indicator **AR** M. W.: 423.28	567.00 2304.00	5 gm 25 gm
817340	**Chloro Phenol Red** Indicator Solution	144.00	125 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
051275 $C_8H_7ClO_3$ (122-88-3)	p-**Chloro Phenoxy Acetic Acid** for Synthesis M. W.: 186.59	**1557.00** **7030.00**	**100 gm** **500 gm**
PCT1841 PTC $C_8H_7ClO_3$ (122-88-3)	p-**Chloro Phenoxy Acetic Acid** Plant Culture Tested M. W.: 186.59 Assay 98% Store below 30°C	**450.00** **1557.00** **7030.00**	**25 gm** **100 gm** **500 gm**
051375 $C_8H_{17}ClO_2$ (2444-36-2)	2-**Chloro Phenylacetic Acid** (o-chlorophenylacetic acid) M. W.: 170.6	**387.00** **1000.00** **3303.00**	**25 gm** **100 gm** **500 gm**
051385 $C_8H_7ClO_2$ (1878-66-6)	4-**Chloro Phenylacetic Acid** (p-chlorophenylacetic acid) M. W.: 170.6	**1278.00** **4402.00** **POR**	**100 gm** **500 gm** **5 kg**
051445 $C_6H_6BClO_2$ (63503-60-6)	3-**Chloro Phenyl Boronic Acid** M.W. : 156.37 Assay 98.0%	**2205.00** **6381.00** **POR**	**5 gm** **25 gm** **500 gm**
051505 C_8H_9ClO (1875-88-3)	4-**Chloro Phenyl Ethyl Alcohol** (4-Chloro Phenethyl Alcohol) M. W.: 156.61	**3510.00** **8820.00**	**5 gm** **25 gm**
051605 $C_8H_{10}ClN$ (13078-79-0)	2-(3-**Chloro Phenyl**) **Ethylamine** M. W.: 155.62 Assay 97.0%	**4370.00** **12384.00**	**5 gm** **25 gm**
051675 $C_8H_{10}ClN$ (156-41-2)	2-(4-**Chloro Phenyl**) Ethylamine M. W.: 155.62 Assay 98.0%	**3160.00** **6120.00**	**5 gm** **25 gm**
051725 $H_2PtCl_6.XH_2O$ (26023-84-7)	**Chloro Platinic Acid** Pt 40% M. W.: 409.81(Anhy.) Assay (Gravimetric) (as Pt) about 40%	**9801.00**	**1 gm**
817410	**Chloro Platinic Acid** 5% Soln. W/v **AR**	**8595.00**	**25 ml**
	3-**Chloro**-1-**Propene** See Allyl Chloride		
051785 C_3H_5ClO (78-95-5)	1-**Chloro**-2-**Propanone** for Synthesis M. W.: 92.53	**8001.00**	**250 gm**
051755 $C_3H_7ClO_2$ (96-24-2)	3-**Chloro**-1,2-**Propanediol** for Synthesis M. W.: 110.54	**5500.00**	**250 gm**
051855 $C_3H_5ClO_2$ (598-78-7)	2-**Chloro Propionic Acid** M. W.: 108.52 Assay (GC) 98.0%	**1341.00** **5850.00**	**100 ml** **500 ml**
051925 $CH_3CHClCOCl$ (7623-09-8)	2-**Chloro Propionyl Chloride** M. W.: 126.97	**1260.00** **4500.00**	**100 gm** **500 gm**
051935 $ClCH_2CH_2COCl$ (625-36-5)	3-**Chloro Propionyl Chloride** M. W.: 126.97	**3600.00**	**500 ml**
052035 C_5HClN (109-09-1)	2-**Chloro Pyridine** for Synthesis M. W.: 113.54	**3006.00**	**500 ml**

Product Code	Product Name	Price	Packing
052045 C_5HClN (626-60-8)	3-**Chloro Pyridine** for Synthesis M. W.: 113.54	**5220.00**	**100 ml**
052125 $C_6H_5ClO_2$ (95-88-5)	4-**Chloro Resorcinol** for Synthesis M. W.: 144.56	**1242.00** **5500.00**	**100 gm** **500 gm**
052215 $C_7H_5ClO_2$ (635-93-8)	5-**Chloro Salicylaldehyde** M. W.: 156.57 Assay 98.0%	**2003.00** **7803.00**	**5 gm** **25 gm**
052245 $C_4H_4ClNO_2$ (128-09-6)	n-**Chloro Succinimide** M. W.: 133.53 Assay (iodometric) 98.0%	**550.00** **2255.00**	**100 gm** **500 gm**
052285 $ClSO_3H$ (7790-94-5)	**Chloro Sulphonic Acid** Pract M. W.: 116.52 Assay 97.0%	**1017.00**	**500 ml**
494825 $ClSO_3H$ (7790-94-5)	**Chloro Sulphonic Acid AR** M. W.: 116.52	**3960.00**	**500 ml**
052365 C_7H_7Cl (95-49-8)	o-**Chloro Toluene** for Synthesis (2-Chlorotoluene) M. W.: 126.58	**1251.00** **5202.00**	**500 ml** **2.5 lit**
052375 C_7H_7Cl (108-41-8)	m-**Chloro Toluene** for Synthesis (3-chlorotoluene) M. W.: 126.58	**1602.00** **6003.00**	**250 ml** **1 lit**
052385 C_7H_7Cl (106-43-4)	p-**Chloro Toluene** for Synthesis (4-chlorotoluene) M. W.: 126.58	**1310.00** **5391.00**	**500 ml** **2.5 lit**
	1-**Chloro**-p-**Toluenesulphonamide** **Sodium Salt** See Chloramine T		
052425 C_3H_9ClSi (75-77-4)	**Chloro Trimethylsilane** for Synthesis (Trimethylsilyl Chloride) M. W.: 108.64	**567.00** **2304.00** **9603.00**	**100 ml** **500 ml** **2.5 lit**
	Chloro Triphenylmethane See Trityl Chloride		
495135 ✠ $(CH_3)_2C_6H_3Cl$ (615-60-1)	4-**Chloro** O-**Xylene AR** M. W.: 140.61 Assay 90.0%	**945.00** **3681.00**	**5 gm** **25 gm**
052435 C_8H_9ClO (88-04-0)	4-**Chloro**-m-**Xylenol** (PCMX) M. W. : 156.61 Assay (GC) 98.0%	**4500.00**	**500 gm**
PCT2145 PTC $C_{12}H_{12}ClN_5O_4S$ (64902-72-3)	**Chlorsulfuron** Plant Culture Tested M. W. : 357.8 Assay : > 95 % Store below 30°C	**14860.00**	**100 mgm**
	3-**[(3-Cholamidopropyl) Dimethylammonio]** -1-**Propanesulphonate** See Chaps Buffer		
	3-**[(3-Cholamidopropyl) Dimethlammnio]** -2-**Hydroxy**-1-**Propanesulphonate** See Chapso Buffer		

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	3-[(Cholamidopropyl) Dimethylammonio] -1-propanesulphonate See Caps Buffer		
PCT1216 PTC $C_{27}H_{44}O$ (67-97-0)	▲Cholecalciferol (Vitamin D3) Plant Culture Tested M. W. : 384.64 Assay 97%	2277.00 20421.00	1 gm 10 gm
TC1029 ATC $C_{27}H_{44}O$ (67-97-0)	▲Cholecalciferol (Vitamin D3) Cell Culture Tested M. W. : 384.64 Assay : ≥97%	2120.00 15930.00 35820.00	1 gm 10 gm 25 gm
052475 $C_{27}H_{46}O$ (57-88-5)	· Cholesterol M. W.: 386.66 Assay (GC) 95.0%	2403.00 9000.00 41000.00	25 gm 100 gm 500 gm
495315 $C_{27}H_{46}O$ (57-88-5)	· Cholesterol AR M. W.: 386.66 Assay (GC) 99.0%	702.00 2700.00 10710.00	5 gm 25 gm 100 gm
TC1101 ATC $C_{27}H_{46}O$ (57-88-5)	· Cholesterol (5-Cholesten-3β-ol) Cell Culture Tested M. W. : 386.65 Assay : ≥98%	3240.00 12942.00 37440.00	5 gm 25 gm 100 gm
052515 (9026-00-0)	Cholesterol Esterase from Porcine pancreas Lyophilized powder, activity ~ 35 U/mg (sterol-ester acylhydrolase)	10422.00	10 mgm
052525 (9028-76-6)	Cholesterol Oxidase Ex. Streptomyces Micro organism Lyophilized Powder, Activity ~ 15 U/mg	7452.00	500 units
817500	Cholesterol Stock Standard Soln. 0.1% Assay 0.099-0.101%	144.00	125 ml
052625 $C_{24}H_{40}O_5$ (81-25-4)	Cholic Acid for Biochemistry M. W.: 408.57	2907.00 11007.00	25 gm 100 gm
	Cholic Acid Sodium Salt See Sodium Cholate		
052695 $C_9H_{19}NO_7$ (87-67-2)	Choline Bitartrate M.W. 253.25 Assay 99.0%	2205.00	500 gm
042014 $[CH_2.(OH).CH_2.N(CH_3)_3]Cl$ M. W.:139.63 (67-48-1)	Choline Chloride Pure	360.00 1305.00 POR	100 gm 500 gm 25 kg
PCT1203 PTC $C_5H_{14}ClNO$ (67-48-1)	Choline Chloride Plant Culture Tested M. W.: 139.62 Assay 99% Store below 30°C	351.00 1575.00	100 gm 500 gm
TC1102 ATC $C_5H_{14}ClNO$ (67-48-1)	Choline Chloride Cell Culture Tested M. W.: 139.62 Assay : ≥97% Store below 30°C	1377.00 5270.00 8343.00	100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
052755	Choline Chloride for Feed experiments	1202.00	2.5 kg
TC1040 ATC (39455-18-0)	▲Chondroitin Sulfate A Sodium Salt Cell Culture Tested Assay : ≥90%	3690.00 13860.00	5 gm 25 gm
289525 $C_{23}H_{13}Cl_2Na_3O_9S$ (1667-99-8)	Chromazural S (Chrome azural S, pM Indicator) (C.I. 43825) M. W.: 605.29	1305.00 2300.00	10 gm 25 gm
	Chrome Alum See Chromium Potassium Sulphate		
	Chromic See Chromium		
	Chromic Acid See Chromium Trioxide		
817540	Chromium (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
817542	Chromium (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
817580	Chromium (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	5301.00 8505.00	100 ml 500 ml
817600	Chromium (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	16020.00 48222.00	100 ml 500 ml
817620	Chromium (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	5301.00 8505.00	100 ml 500 ml
817640	Chromium (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	16020.00 48222.00	100 ml 500 ml
H09738 HISURE Cr (7440-47-3)	Chromium Pieces Metal basis M. W.: 51.10 Assay (Trace metals basis) 99.99%	10000.00	10 gm
495790 Cr (7440-47-3)	Chromium (Metal) Powder AR At W. 52.00 Assay 99.0%	1090.00 4905.00	100 gm 500 gm
052955 $Cr(CH_3COO)_3$ (1066-30-4)	Chromium (III) Acetate Tech. M. W.: 229.13 Assay 98.0%	603.00	250 gm
052965 $Cr_2(CO_3)_3$ (51142-19-9)	Chromium(III) Carbonate Tech. M. W.: 284.01 Assay (Cr content) 50.0-55.0%	1242.00	500 gm
052975 $CrCl_3.6H_2O$ (10060-12-5)	Chromium(III) Chloride HexahydrateTech. M. W.: 266.45	797.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
052985 $CrCl_3.6H_2O$ (10060-12-5)	**Chromium** (III) **Chloride** Hexahydrate M. W.: 266.45 Assay (iodometric) 96.0%	**1125.00**	**500 gm**
495820 $CrCl_3.6H_2O$ (10060-12-5)	**Chromium** (III) **Chloride Hexahydrate AR** (Chromic Chloride) M. W.: 266.45	**1400.00**	**500 gm**
052995 CrF_3 (7788-97-8)	**Chromium Fluoride** M. W.: 108.99	**1908.00**	**500 gm**
053025 $Cr(OH)_3 3H_2O$ (41646-40-6)	**Chromium** (III) **Hydroxide** Tech. M. W.: 157.02 Assay 98.0%	**1494.00**	**250 gm**
053035 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium** (III) **Nitrate** Tech. M. W.: 400.15	**441.00**	**250 gm**
053045 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium** (III) **Nitrate** Nonahydrate M. W.: 400.15 Assay (exCr) 98.0%	**1107.00**	**500 gm**
495845 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium Nitrate** Nonahydrate **AR** M. W.: 400.15	**1305.00**	**500 gm**
053055 ✲ $CrC_2H_2O_4$ (814-90-4)	**Chromium** (II) **Oxalate** M. W.: 140.00	**5391.00**	**500 gm**
027757 Cr_2O_3 (1308-38-9)	**Chromium** (III) **Oxide** Green M. W.: 151.99 Assay 99.0%	**1566.00** **14994.00**	**500 gm** **5 kg**
N09765 Cr_2O_3 (1308-38-9)	**Chromium Oxide Nanopowder** (60nm) M. W.: 151.99 Assay 99+%	**20386.00** **42570.00**	**10 gm** **100 gm**
	Chromium (VI) **Oxide** See Chromium Trioxide		
053195 $C_{18}H_{12}CrN_3O_6$ (14639-25-9)	**Chromium Piconilate** for Synthesis Confirms to USP M.W. 418.3 Assay 98%	**2403.00**	**100 gm**
027758 $CrK(SO_4)_2.12H_2O$ (7788-99-0)	**Chromium (III) Potassium Sulphate** Dodecahydrate M. W.: 499.39 Assay (iodometric) 98.0-102.0%	**963.00**	**500 gm**
053205 $CrK(SO_4)_2.12H_2O$ (7788-99-0)	**Chromium Potassium Sulphate** Pract M. W.: 499.39	**693.00**	**500 gm**
495900 $CrK(SO_4)_2.12H_2O$ (7788-99-0)	**Chromium** (III) **Potassium Sulphate** Dodecahydrate **AR/ACS** M. W.: 499.39 Assay (iodometric) 99.0%	**1400.00**	**500 gm**
053225 (39380-78-4)	**Chromium** (III) **Sulphate** Tech.	**401.00**	**500 gm**
027759 $Cr_4(SO_4)_5.(OH)_2$ (39380-78-4)	**Chromium** (III) **Sulphate** Basic M. W.: 722.30	**450.00** **2160.00**	**500 gm** **2.5 kg**

Product Code	Product Name	Price	Packing
027762 CrO_3 (1333-82-0)	**Chromium Trioxide** Purified M. W.: 99.99 Assay (iodometric) 99.0%	**1098.00** **1998.00** **4608.00** **9198.00** **POR**	**500 gm** **1 kg** **2.5 kg** **5 kg** **50 kg**
495935 CrO_3 (1333-82-0)	**Chromium Trioxide AR** M. W.: 99.99 Assay 99.0%	**1260.00**	**500 gm**
	Chromoxane Cyanine R See Eriochrome Cyanine R		
289615 $C_{16}H_{10}N_2Na_2O_8S_2$ (4197-07-3)	**Chromotrope** 2R for Microscopy M. W.: 468.37 Dye content (titanometry, dried) about 75.0%	**450.00** **900.00**	**10 gm** **25 gm**
289715 $C_{10}H_6Na_2O_8S_2.2H_2O$ Dihydrate (5808-22-0)	**Chromotropic Acid Disodium Salt** M. W.: 400.28	**891.00**	**25 gm**
289725 $C_{10}H_6Na_2O_8S_2.2H_2O$ (5808-22-0)	**Chromotropic Acid Disodium Salt** Dihydrate **AR** M. W.: 400.28 Assay (by acidimetry on anhydrous substances) 98.5%	**950.00** **1899.00**	**10 gm** **25 gm**
289865 $C_{13}H_{15}N_4Cl$ (4438-16-8)	**Chrysoidine R** for Microscopy C.I. No. 11320 M. W.: 262.74 Dye content (titanometry, dried) abt. 65.0%	**207.00** **603.00**	**25 gm** **100 gm**
289915 $C_{12}H_{12}N_4HCl$ (532-82-1)	**Chrysoidine Y** for Microscopy C.I.No. 11270 M. W.: 248.72 Dye content (titanometry, dired) abt. 90.0%	**207.00** **603.00**	**25 gm** **100 gm**
053335 (9004-07-3)	**α-Chymotrypsin** Crystalline	**1220.00** **3735.00** **16155.00**	**250 mgm** **1 gm** **5 gm**
	Cinnamic Aldehyde See Cinnamaldehyde		
	D-cinchonine see cinechonine Anhydrous		
053435 $C_{19}H_{22}N_2O$ (118-10-5)	**Cinchonine** for Synthesis M. W.: 294.39	**3303.00** **12600.00**	**25 gm** **100 gm**
027772 C_9H_8O (104-55-2)	**Cinnamaldehyde** M. W.: 132.16 Assay (GC) 98.0%	**1350.00** **6400.00** **POR**	**500 ml** **2.5 lit** **25 lit**
027773 $C_9H_8O_2$ (140-10-3)	**Cinnamic Acid** for Synthesis M. W.: 148.16 Assay (acidimetric) 99.0%	**1062.00** **2007.00**	**250 gm** **500 gm**
496370 $C_9H_8O_2$ (140-10-3)	**Cinnamic Acid AR** M. W.: 148.16 Assay (HPLC) 99.0%	**1400.00**	**250 gm**
PCT1846 PTC $C_9H_8O_2$ (140-10-3)	trans-**Cinnamic Acid** Plant Culture Tested M. W.: 148.16 Store below 30°C	**500.00** **1040.00**	**10 gm** **25 gm**
053545 $C_{11}H_{12}O_2$ (103-54-8)	**Cinnamyl Acetate** for Synthesis M. W.: 176.21	**7002.00**	**500 gm**

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
053635 $C_9H_{10}O$ (104-54-1)	**Cinnamyl Alcohol** for Synthesis (3-Phenylallyl Alcohol, 3-Phenyl-2-Propene-1-ol) M. W.: 134.17	2106.00	500 ml
053655 $C_{17}H_{18}FN_3O_3.HCl.H_2O$ M.W. : 385.82 (86393-32-0)	· **Ciprofloxacin Hydrochloride** for Lab Use Assay (on anhydrous basis) 98.0%	441.00 1656.00 6580.00	1 gm 5 gm 25 gm
TC1447 ATC $C_{17}H_{18}FN_3O_3HCl.H_2O$ M. W.: 385.82 (86393-32-0)	· **Ciprofloxacin Hydrochloride** Monoydrate Cell Culture Tested Assay : ≥98%	900.00 3627.00 14500.00	1 gm 5 gm 25 gm
053675 $C_{10}H_{16}O$ (5392-40-5	**Citral** (Cis+trans) M. W.: 152.23 Assay (GC) 96.0%	576.00 2800.00	100 ml 500 ml
053725 $C_6H_5NO_4$ (99-11-6)	**Citrazinic Acid** for Synthesis M. W.: 155.11	2205.00	25 gm
053755 $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous M. W.: 192.13 Assay(acidimetric) 99.0%	594.00 4860.00 POR POR	500 gm 5 kg 25 kg 50 kg
496415 $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 192.13 Assay (Acidimetric; Cal. on anhsuy. b.) 99.5-101.0%	702.00 5508.00 POR POR	500 gm 5 kg 25 kg 50 kg
922000 MB $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous For Molecular Biology M. W.: 192.12 Assay : ≥ 99.5% Store Below 30°C	2480.00	500 gm
PCT1501 PTC $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous Plant Culture Tested M. W.: 192.12 Assay 99.7% Store below 30°C	910.00	500 gm
TC1105 ATC $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous Cell Culture Tested M. W.: 192.12 Assay : ≥97% Store below 30°C	1143.00 1737.00	100 gm 500 gm
TC1105M ATC $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 192.12 Store below 30°	2300.00 7272.00	100 gm 500 gm
027780 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate M. W.: 210.14 Assay (acidimetric) 99.5%	450.00 3501.00 POR POR	500 gm 5 kg 25 kg 50 kg
496420 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur., FCC. M. W.: 210.14 Assay (Acidimetric; Cal. on anhy. sub.) 99.5-100.5%	630.00 4995.00 POR POR	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
716610 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate for HPLC & Spectroscopy M. W.: 210.14 Assay (Acidimetric) 99.7%	900.00	500 gm
TC1454M ATC $C_6H_8O_7.H_2O$ (5949-29-1)	**Citric Acid** Monohydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 210.14 Store below 30°C	4671.00 7002.00	500 gm 1 kg
	Citric Acid Trisodium Salt Dihydrate See tri sodium citrate		
053815 $C_{10}H_{18}O$ (106-23-0)	**Citronellal** Pract. M. W.: 154.26	4689.00	500 ml
053825 $C_{10}H_{20}O$ (106-22-9)	**Citronellol** Pract. M. W.: 156.27	3933.00	500 ml
053905 $C_{12}H_{22}O_2$ (150-84-5)	**Citronellyl Acetate** for Synthesis (Citronellol Acetate) M. W.: 198.30	3879.00	500 gm
053915 $C_{14}H_{26}O_2$ (141-16-2)	**Citronellyl Butyrate** for Synthesis (Citronellol Butyrate) M. W.: 226.36	4500.00	500 gm
053925 $C_{11}H_{20}O_2$ (105-85-1)	**Citronellyl Formate** for Synthesis (Citronellol Formate) M. W.: 184.28	4500.00	500 gm
053975 $C_6H_{13}N_3O_3$ (372-75-8)	L-**Citrulline** CHR (for Biochemistry) M.W. : 175.19 Assay (Non-aqueous) 98.0%	603.00 1305.00	10 gm 25 gm
DI095	**Clentorn**™ MA 01 Alkaline For Industrial & Laboratory Cleaning pH 6.0 - 12.0	320.00 2421.00 POR	500 ml 5 lit 25 lit
DI100	**Clentorn**™ MA 02 Neutral For Cleaning Laboratory Glassware Instruments pH 7.2 - 7.5	460.00 2304.00 POR	500 ml 5 lit 25 lit
DI105	**Clentorn**™ MA 03 Phosphate Free For Specific Cleaning work in Laboratories	522.00 2520.00 POR	500 ml 5 lit 25 lit
PCT2147 PTC $C_{18}H_{33}ClN_2O_5S.HCl$ (21462-39-5)	▲**Clindamycin Hydrochloride** Plant Culture Tested M. W.: 461.05	5454.00	5 gm
348865 (8000-34-8)	**Clove Oil** for Microscopy	1278.00 4806.00	100 ml 500 ml
054055 $C_{19}H_{18}ClN_3NaO_5S.H_2O$ M.W. : 475.90 (61-72-3)	**Cloxacillin** for Lab Use	1998.00	1 gm
922100 MB (9000-11-7)	**CM-Cellulose Cm 32** **(Dry Macrogranular)** For Caution Exchange For Molecular Biology Store Below 30°C	140513.00 252900.00	500 gm 1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
817710	**Cobalt** (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	2403.00 2800.00 4023.00	100 ml 250 ml 500 ml
817712	**Cobalt** (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	2403.00 2800.00 4023.00	100 ml 250 ml 500 ml
817740	**Cobalt** (Co) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	5544.00 8856.00	100 ml 500 ml
817770	**Cobalt** (Co) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	16740.00 50320.00	100 ml 500 ml
	COBALT (II) See cobalt		
054135 Co (7440-48-4)	**Cobalt** Metal (Cathode) At. W. 58.93	8352.00	250 gm
027786 Co (7440-48-4)	**Cobalt** (Metal) Powder At. W. 58.93 Assay (complexometric) 99.5%	4203.00 19962.00 37000.00	100 gm 500 gm 1 kg
027787 $C_4H_6CoO_4.4H_2O$ (6147-53-1)	**Cobalt** (Ous) **Acetate** Purified (Cobalt II Acetate) M. W.: 249.08 Assay (complexometric) 99.0%	1400.00 6480.00 POR	100 gm 500 gm 50 kg
496445 $C_4H_6CoO_4.4H_2O$ (6147-53-1)	**Cobalt** (Ous) **Acetate** Tetrahydrate **AR/ACS** (Cobalt (II) Acetate) M. W.: 249.08 Assay (ex Co) 99.0%	1710.00 7560.00	100 gm 500 gm
H09900 $C_4H_6CoO_4.4H_2O$ (6147-53-1)	**Cobalt** (Ous) **Acetate** Tetrahydrate M. W.: 249.08 Assay (ex Co) 99.0%	10090.00	500 gm
054185 $B_4CoO_7 10H_2O$	**Cobalt** (Ous) **Borate** M. W.: 394.10 Assay (ex Co) 99.0-102.0%	4059.00 18099.00	100 gm 500 gm
027789 $CoCO_3$ (12602-23-2)	**Cobalt** (Ous) **Carbonate** Purified (Cobalt (II) Carbonate) M. W.: 118.94 Assay cobalt : 45-50%	2592.00 11493.00	100 gm 500 gm
027790 $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt** (Ous) **Chloride** Hexahydrate Purified (Cobalt (II) Chloride) M. W.: 237.93 Assay (complexometric) (ex Co) 98.0%	1296.00 5994.00 POR POR	100 gm 500 gm 5 kg 50 kg
496465 $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt** (Ous) **Chloride** Hexahydrate **AR/ACS** Reagent for zinc M. W.: 237.93 Assay (complexometric) (ex Co) 99.0-102.0%	1602.00 7506.00 POR	100 gm 500 gm 5 kg
PCT1103 PTC $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt Chloride** Hexahydrate Plant Culture Tested M. W.: 237.93 Assay 99% Store below 30°C	2250.00 10161.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
TC1107 ATC $CoCl_2.6H_2O$) (7791-13-1)	**Cobalt Chloride** Hexahydrate Cell Culture Tested M. W.: 237.93 Assay : ≥98% Store below 30°C	3960.00 10350.00	25 gm 100 gm
PA0190	**Cobalt Chloride Paper**	333.00	200 lvs
054215 (61789-51-3)	**Cobalt Naphthenate** (6% Co) for Synthesis Assay (CO) 5.8-6.2%	1251.00 11120.00	500 gm 5 kg
027795 $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt** (Ous) **Nitrate** Hexahydrate Purified (Cobalt (II) Nitrate) M. W.: 291.03 Assay (complexometric) (ex Co) 97.0-101.0%	1098.00 4392.00 POR	100 gm 500 gm 25 kg
496475 $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt** (Ous) **Nitrate** Hexahydrate **AR/ACS** (Cobalt (II) Nitrate) M. W.: 291.03 Assay (complexometric) 99.0%	1350.00 4806.00	100 gm 500 gm
PCT1120 PTC $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt Nitrate** Hexahydrate Plant Culture Tested M. W.: 291.03 Assay 99% Store below 30°C	2025.00 5076.00 9126.00	100 gm 250 gm 500 gm
054325 $CoC_2O_4.2H_2O$ (5965-38-8)	**Cobalt** (Ous) **Oxalate** Dihydrate M. W.: 182.95 Assay (ex Co) 99.0-101.0%	2700.00 9000.00	100 gm 500 gm
H10053 HISURE Co_3O_4 (1308-06-1)	**Cobalt Oxide** M. W.: 240.80 Assay (Trace metal basis) 99.995%	9324.00	10 gm
054355 Co_3O_4 (1308-06-1)	**Cobalt Oxide** Black (II & III) M. W.: 240.80 Assay (complexometric) 70.0%	3105.00 13500.00	100 gm 500 gm
496485 Co_3O_4 (1308-06-1)	**Cobalt Oxide** Black **AR** (II & III) M. W.: 240.80 Assay (by complexometric Co) 71.0-74.0%	3402.00 15003.00	100 gm 500 gm
054375 $Co_3(PO_4)_2.8H_2O$ (10294-50-5)	**Cobalt** (Ous) **Phosphate** Octahydrate Purified M. W.: 510.87 Assay (ex Co) 98.0%	2772.00 11079.00	100 gm 500 gm
027801 $CoSO_4.7H_2O$ (10026-24-1)	**Cobalt** (Ous) **Sulphate** Heptahydrate (Cobalt (II) Sulphate) M. W.: 281.10 Assay (complexometric) 98.0%	918.00 4194.00 POR	100 gm 500 gm 50 kg
496500 $CoSO_4.7H_2O$ (10026-24-1)	**Cobalt** (Ous) **Sulphate** Heptahydrate **AR** M. W.: 281.10 Assay (complexometric) 99.0%	1107.00 4401.00	100 gm 500 gm
PCT1414 PTC	▲**Coconut Water** Sterile filtered Plant Culture Tested	1026.00 3600.00	100 ml 5X100 ml
	Cocktail's For Scintillation		
818205	**Cocktail 'O'** Scintillation Grade Contents per litre 6gm PPO and 0.2gm POPOP	1000.00 2003.00	1 lit 2.5 lit
818215	**Cocktail 'T'** Scintillation Grade Contents per litre 5gm PPO and 0.15gm POPOP in toluene	936.00 1935.00	1 lit 2.5 lit

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
818225	**Cocktail 'W'** Scintillation Grade Contents per litre 10 gm PPO, 0.25gm POPOP and 100 gm Naphthalene in 1,4-dioxan	2043.00 4770.00	1 lit 2.5 lit
054425 (68411-97-2)	**Cocobetaine**	2349.00	500 gm
054455 (68603-42-9)	**Cocodiethanolamide**	1602.00	500 gm
054485 (68140-00-1)	**Cocomonoethanolamide**	1305.00	500 gm
054585 (303-98-0)	**Coenzyme** Q10	730.00 5553.00 10863.00	100 mg 1 gm 5 gm
PCT2553 PTC $C_{21}H_{25}NO_5$ (477-30-5)	**Colcemid** Plant Culture Tested M. W.: 371.43 Store below 30°C	10900.00 21420.00 117900.00	5 mg 10 mg 50 mg
TC1566 ATC $C_{21}H_{25}NO_5$ (477-30-5)	▲**Colcemid**® Demecolcine Cell Culture Tested M. W.: 371.43 Assay : ≥95%	12870.00 23680.00 108950.00	5 mg 10 mg 50 mg
K012305	**Cold Stain** TB Kit For Mycobacteria	2570.00	1 kit
027805 $C_{22}H_{25}NO_6$ (64-86-8)	**Colchicine** Used in Research in Plant M. W.: 399.45 Assay (on anhydrous, substance) 98.0%	2601.00 24003.00	1 gm 10 gm
PCT2302 PTC $C_{22}H_{25}NO_6$ (64-86-8)	**Colchicine** Plant Culture Tested MW : 399.44 Assay 95% Store below 30°C	2907.00 27000.00	1 gm 10 gm
TC1030 ATC $C_{22}H_{25}NO_6$ (64-86-8)	**Colchicine** Cell Culture Tested M. W.: 399.44 Assay : ≥95% Store below 30°C	2520.00 4203.00 38430.00	500 mg 1 gm 10 gm
PCT2142 PTC (1264-72-8)	▲**Colistin Sulphate** Plant Culture Tested Potency : > 19.000 units / mg	4752.00 19009.00	1 gm 5 gm
TC1211 ATC (9001-12-1)	▲**Collagenase** Type I Source : Clostridium histolyticum Suggested for epithelial, liver, lung and adrenal primary cell isolations Cell Culture Tested Activity : ≥125 units per mg of dry weight M. W.: 68- 130 kDa	7416.00 29403.00 44100.00 208440.00	100 mg 500 mg 1 gm 5 gm
TC1212 ATC (9001-12-1)	▲**Collagenase** Type II Clostridopeptidase A) Source : Clostridium histolyticum Suggested for bone, heart, liver, thyroid and salivary primary cell Isolation Cell Culture Tested Activity : ≥125 units per mg of dry weight	7061.00 28009.00 42012.00 198500.00	100 mg 500 mg 1 gm 5 gm

Product Code	Product Name	Price	Packing
TC1214 ATC (9001-12-1)	▲**Collagenase** Type IV Source : Clostridium histolyticum Prepared to contain lower tryptic activity levels to limit damage to membrane proteins and receptors but with normal to above normal collagenase activity, Suggested for pancreatic islet primary isolation Cell Culture Tested Activity : ≥160 units per mg (dry weight basis)	7061.00 28009.00 42012.00 198531.00	100 mg 500 mg 1 gm 5 gm
TC1280 ATC (9001-12-1)	▲**Collagenase** Animal Origin Free Cell Culture Tested Activity : ≥150 units per mg of dry weight	8352.00 38070.00 60930.00	100 mg 500 mg 1 gm
TC1253 ATC (9001-12-1)	▲**Collagenase** Purified 50 Caseinase units/mg Chromatographically purified collagenase which is specially purified to reduce caseinase activity and provide high specific activity. It is typically used for pancreatic and parotid acini isolations and collagen structural analysis Cell Culture Tested Activity : ≥500 U/mg dry basis	39420.00	10000 Units
TC1343 ATC	**Collagen Peptide** **Hydrolysed form of collagen type I** Cell Culture Tested Assay : 90% Store below 30°C	4410.00 6615.00 11570.00	5 gm 10 gm 25 gm
818805	**Collodion** 7%	900.00	500 ml
054935 $C_8H_{11}N$ (108-75-8)	2,4,6 -**Collidine** for Synthesis (2,4,6-Trimethyl Pyridine) M. W.: 121.18	1926.00 9000.00	100 ml 500 ml
818790	**Collodion** 2% in Amyl Acetate For Microscopy	693.00	500 ml
818800	**Collodion** 4%	720.00	500 ml
818810 (9004-70-0)	**Collodion** Flexible	1400.00	500 ml
	Colophony See Gum Rosin		
818830	**Conductivity Standard 5** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818833	**Conductivity Standard 10** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818836	**Conductivity Standard 15** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818839	**Conductivity Standard 20** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
818842	**Conductivity Standard 25** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818845	**Conductivity Standard 29.4** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818848	**Conductivity Standard 50** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818851	**Conductivity Standard 70** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818855	**Conductivity Standard 75** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818858	**Conductivity Standard 84** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818861	**Conductivity Standard 100** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818864	**Conductivity Standard 147** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818867	**Conductivity Standard 185** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818870	**Conductivity Standard 200** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818873	**Conductivity Standard 250** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818876	**Conductivity Standard 300** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818879	**Conductivity Standard 390** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818882	**Conductivity Standard 400** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818885	**Conductivity Standard 500** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818888	**Conductivity Standard 600** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818891	**Conductivity Standard 718** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818894	**Conductivity Standard 1000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818987	**Conductivity Standard 1412** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818900	**Conductivity Standard 1413** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818903	**Conductivity Standard 2000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml

Product Code	Product Name	Price	Packing
818906	**Conductivity Standard 2060** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818909	**Conductivity Standard 2500** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818912	**Conductivity Standard 3000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818915	**Conductivity Standard 5000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818918	**Conductivity Standard 7000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818921	**Conductivity Standard 10000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818924	**Conductivity Standard 12880** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818927	**Conductivity Standard 13250** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818930	**Conductivity Standard 13400** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818933	**Conductivity Standard 15000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818936	**Conductivity Standard 20000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818939	**Conductivity Standard 30000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818942	**Conductivity Standard 35000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818945	**Conductivity Standard 40000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818948	**Conductivity Standard 50000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818951	**Conductivity Standard 58700** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818954	**Conductivity Standard 60000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818957	**Conductivity Standard 80000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818960	**Conductivity Standard 84000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818963	**Conductivity Standard 100000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818966	**Conductivity Standard 111800** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
818969	**Conductivity Standard 150000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818976	**Conductivity Standard 200000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818979	**Conductivity Standard 300000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818982	**Conductivity Standard 500000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
TC1220 ATC (11028-71-0)	· **Concanavalin A** Cell Culture Tested Assay : ≥90% Store at - 2-8°C	2331.00 6840.00	25 mg 100 mg
TC1411 ATC $C_{28}H_{38}N_2O_6$ (72263-05-9)	**Conglobatin** (3Z,5R,7S,8S,11Z,13R,15S,16S)-3,5,7,11,13,15- hexamethyl-8, 16-bis (1, 3-oxazol-5-ylmethyl)-1,9-Dioxacyclohexadeca-3,11-diene-2,10-dione Cell Culture Tested M. W.: 498.61 Assay : ≥95% Store at - 20°C	29340.00	1 mg
290065 $C_{32}H_{22}N_6Na_2O_6S_2$ (573-58-0)	**Congo Red** Indicator C.I. No. 22120 M. W.: 696.68	270.00 603.00 4500.00	25 gm 100 gm 1 kg
PA0210	**Congo Red** Paper	360.00	200 lvs
819040	**Congo Red** Solution	144.00	125 ml
819045	**Congo Red** TS acc.to USP	261.00	125 ml
290165 $C_{47}H_{48}N_3O_7S_2Na$ (6104-58-1)	**Coomassie Brilliant Blue** G for Electrophoresis (Brilliant Blue G 250) C.I. No. 42655 M W.: 854.04	680.00 2502.00	5 gm 25 gm
922460 MB $C_{47}H_{48}N_3NaO_7S_2$ (6104-58-1)	**Coomassie® Brilliant Blue G - 250** For Molecular Biology C. I. No. : 42655 M. W.: 854.02 Store Below 30°C	1485.00 6840.00	5 gm 25 gm
290195 $C_{45}H_{44}N_3NaO_7S_2$ (6104-59-2)	**Coomassie Brilliant Blue** R 250 C.I. 42660 For Electrophoresis M. W.: 825.99	531.00 2007.00	5 gm 25 gm
922510 MB $C_{45}H_{44}N_3NaO_7S_2$ (6104-59-2)	**Coomassie Brilliant Blue R 250** For Molecular Biology C. I. No. : 42660 M. W.: 825.97 Store Below 30°C	1746.00 2763.00 10800.00	5 gm 25 gm 100 gm
H10245 $C_{45}H_{44}N_3NaO_7S_2$ (6104-59-2)	**Coomassie Brilliant Blue** R 250 C.I. 42660 For Certified Grade M. W.: 825.97	3006.00	5 gm
819100	**Copper** (Cu) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

Product Code	Product Name	Price	Packing
819102	**Copper** (Cu) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
819150	**Copper** (Cu)1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3	5301.00 8505.00	100 ml 500 ml
819180	**Copper** (Cu)10000 ppm Single Element Std. Soln. for ICP-MS in HNO_3	16020.00 48200.00	100 ml 500 ml
027810 Cu (7440-50-8)	**Copper** (Metal) Powder 325 mesh Electrolytic At W. 63.55 Assay (iodometric) 99.5%	3060.00 POR	500 gm 25 kg
496595 Cu (7440-50-8)	**Copper** (Metal) Powder Fine **AR** At. W. 63.55 Assay (iodometric) 99.7%	3510.00	500 gm
N10368 Cu (7440-50-8)	**Copper Nanopowder** (40nm) At. W. 63.55 Assay 99.9%	12006.00 36000.00	5 gm 25 gm
027812 Cu (7440-50-8)	**Copper** (Metal) Turning At W. 63.55 Assay (iodometric) 99.5%	594.00 2800.00	100 gm 500 gm
055125 Cu (7440-50-8)	**Copper Foil** tech. M. W.: 63.55 Assay (Iodometric) 99.5%	576.00	100 gm
027808 Cu (7440-50-8)	**Copper Foil** 0.1 mm Approx. At W. 63.55 Assay (iodometric) 99.7%	4806.00	500 gm
496605 Cu (7440-50-8)	**Copper Foil** Approx. 0.1 mm **AR** At W. 63.55	5103.00	500 gm
819280	**Copper Acetate** TS acc. to USP	306.00	500 ml
027829 $C_4H_6CuO_4.H_2O$ (6046-93-1)	**Copper** (II) **Acetate** Monohydrate M. W.: 199.65 Assay (iodometric) 98.0%	1053.00 1800.00 POR	250 gm 500 gm 25 kg
496630 $C_4H_6CuO_4.H_2O$ (6046-93-1)	**Copper** (II) **Acetate** Monohydrate **AR** M. W.: 199.65 Assay (iodometric) 99.0%	1602.00	250 gm
923560 MB $(CH_3COO)_2Cu.H_2O$ (6046-93-1)	**Copper Acetate** Monohydrate For Molecular Biology M. W.: 199.65 Assay : ≥ 98.0% Store Below 30°C	360.00 550.00 2223.00	50 gm 100 gm 500 gm
027830 (39290-85-2)	**Copper** (II) **Borate** Assay 95.0%	2700.00	250 gm
055225 $CuBr_2$ (7789-45-9)	**Copper** (II) **Bromide** for Synthesis M. W.: 223.35	4600.00	500 gm
027833 $CuCO_3.Cu(OH)_2$ (12069-69-1)	**Copper** (II) **Carbonate** Purified M.W.:221.12 Assay (as Copper) (Iodometric): 54.0-57.0%	1800.00 POR POR	500 gm 25 kg 50 kg
055255 $CuCl_2$ (7447-39-4)	**Copper** (II) **Chloride** Anhydrous M. W.: 134.45 Assay (iodometric) 98.0%	1503.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
496655 $CuCl_2$ (7447-39-4)	**Copper** (II) **Chloride** Anhydrous **AR** M. W.: 134.45 Assay (iodometric) 98.0%	**2340.00**	**500 gm**
027834 $CuCl_2.2H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate Cryst. M. W.: 170.48 Assay (iodometric) (ex Cu) 99.0%	**1413.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
496660 $CuCl_2.2H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate **AR** M. W.: 170.48 Assay (Iodometric) (ex Cu) 99.0-100.5%	**1890.00** **POR**	**500 gm** **25 kg**
TC1108 ATC $CuCl_2.2H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate (Cupric chloride dihydrate) Cell Culture Tested M. W.: 170.48 Assay : ≥99% Store below 30°C	**1206.00** **4266.00**	**100 gm** **500 gm**
TC1108M ATC $CuCl_2.H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate Cupric dichloride; Copper(II) chloride Meets USP 41-NF 36 testing specifications M. W.: 170.48 Store below 30°C	**3024.00** **9081.00**	**100 gm** **500 gm**
819300	**Copper** (II) **Chloride** 0.3M Solution (Cupric Chloride 0.3M Solution)	**720.00** **1323.00** **1989.00**	**500 ml** **1 lit** **2.5 lit**
055285 $2CuO.Cr_2O_3$ (12053-18-8)	**Copper Chromite** for Synthesis M. W.: 311.08	**4167.00** **18720.00**	**500 gm** **2.5 kg**
055305 $C_6H_4Cu_2O_7 2½H_2O$ (10402-15-0)	**Copper** (II) **Citrate** Hemipentahydrate M. W.: 360.19 Assay 99.0-101.0%	**2106.00**	**500 gm**
819320 $C_4H_{18}CuN_4O_2$ (14552-35-3)	**Copper** (II) **Ethylenediamine** Complex, 1M Solution In Water M.W : 217.76	**4510.00**	**1 lit**
	Copper (II) **Hydroxide Carbonate** See Copper(II) Carbonate		
055355 (1338-02-9)	**Copper Napthenate**	**2997.00**	**500 gm**
027839 $Cu(NO_3)_2.3H_2O$ (10031-43-3)	**Copper** (II) **Nitrate** Trihydrate M. W.: 241.60 Assay (Iodometric) (ex Cu) 99.0%	**801.00** **1450.00** **POR**	**250 gm** **500 gm** **50 kg**
496685 $Cu(NO_3)_2.3H_2O$ (10031-43-3)	**Copper** (II) **Nitrate** Trihydrate **AR/ACS** M. W.: 241.60 Assay (by (Iodometry) 99.5%	**1602.00**	**500 gm**
027842 CuC_2O_4 (814-91-5)	**Copper** (II) **Oxalate** M. W.: 151.56 Assay 98.0%	**1845.00**	**500 gm**
496700 CuO (1317-38-0)	**Copper Oxide** WIRE **AR** for Elementary Analysis M.W.: 79.54	**5103.00**	**100 gm**
027843 CuO (1317-38-0)	**Copper** (II) **Oxide** Powder M. W.: 79.55 Assay (Iodometric) 97.0%	**770.00** **3402.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
496710 CuO (1317-38-0)	**Copper** (II) **Oxide** Powder **AR/ACS** Suitable for Elementary Analysis M. W.: 79.55 Assay (Iodometric) 99.0%	**882.00** **3906.00**	**100 gm** **500 gm**
H10542 HISURE Cu_2O (1317-39-1)	**Copper Oxide AR** M. W.: 143.08 Assay (Based on trace metal analysis) 99.9%	**6210.00**	**25 gm**
H10539 HISURE CuO (1317-38-0)	**Copper** (II) **Oxide AR** M. W.: 79.55 Assay (Based on trace metal analysis) 99.995%	**9109.00**	**25 gm**
N10450 CuO (1317-38-0)	**Copper Oxide Nanopowder/ Nanoparticles** (40nm) M. W.: 79.55 Assay 99%	**1900.00** **5436.00** **9963.00**	**5 gm** **25 gm** **100 gm**
027841 (7798-23-4)	**Copper** (II) **Phosphate**	**747.00**	**250 gm**
027850 $CuSO_4$ (7758-98-7)	**Copper** (II) **Sulphate** Anhydrous M. W.: 159.61 Assay 99.0%	**1620.00**	**500 gm**
496780 $CuSO_4$ (7758-98-7)	**Copper** (II) **Sulphate** Anhydrous **AR** (Cupric Sulphate Anhydrous) M.W. 159.60 Assay 99%	**1980.00**	**500 gm**
TC1609M ATC $CuSO_4$ (7758-98-7)	**Copper** (II) **Sulphate** Anhydrous Cupric (II)sulphate Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 159.61 Store below 30°C	**1809.00** **6048.00**	**100 gm** **1 kg**
027849 $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydate M. W.: 249.68 Assay (iodometric) 99.0%	**837.00** **1503.00** **7002.00** **POR**	**500 gm** **1 kg** **5 kg** **50 kg**
496775 $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **sulphate** Pentahydrate **AR /ACS** M. W.: 249.68 Assay (Iodometric) 99.5%	**900.00** **7992.00** **POR**	**500 gm** **5 kg** **50 kg**
922780 MB $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydrate For Molecular Biology M. W.: 249.69 Assay : ≥ 99.5% Store Below 30°C	**252.00** **1000.00**	**100 gm** **500 gm**
PCT1104 PTC $CuSO_4.5H_2O$ (7758-99-8)	**Copper (II) Sulphate** Pentahydrate Plant Culture Tested M. W.: 249.69 Assay 99.5% Store below 30°C	**612.00** **1112.00**	**250 gm** **500 gm**
TC1003 ATC $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydrate (Cupric sulphate pentahydrate) Cell Culture Tested M. W.: 249.69 Assay : ≥98.5% Store below 30°C	**1422.00** **2570.00**	**500 gm** **1 kg**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1003M ATC $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydrate Cupric sulphate pentahydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 249.69 Store below 30°C	3024.00 5571.00	500 gm 1 kg
819380	**Copper** (II) **Sulphate** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
819390	**Copper Sulphate** TS acc. to USP	351.00	500 ml
055535 CuS (1317-40-4)	**Copper** (II) **Sulphide (Cupric Sulphide)** M. W.: 95.61	3006.00	500 gm
	Corn Oil See Oil Corn		
	Cortisol See Hydrocortisone		
055580 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4)	**Cotton Blue** for Microscopy M. W.: 799.80	882.00 2800.00	25 gm 100 gm
859260	**Cotton Blue Lactophenol** Solution	414.00	500 ml
027816 $C_9H_6O_2$ (91-64-5)	**Coumarin** for Synthesis M. W.: 146.15	1800.00 3105.00	250 gm 500 gm
	Cream of Tartar See Potassium Hydrogen (+) Tartrate		
	Creatine phosphate disodium salt See Creatine phosphoric acid disodium salt		
037047 $C_4H_9N_3O_2H_2O$ (6020-87-7)	**Creatine** (Monohydrate) M. W.: 149.15 Assay (non-aqueous dried) 8.0%	315.00 950.00 9000.00	25 gm 100 gm 1 kg
498365 $C_4H_8N_3Na_2O_5P.4H_2O$ (922-32-7)	· **Creatine Phosphoric Acid Disodium Salt AR** (Creatine Phosphate Disodium Salt, Phosphocreatine) M. W.: 327.15 Assay 98.0%	1400.00 5000.00	1 gm 5 gm
037049 $C_4H_7N_3O$ (60-27-5)	**Creatinine** Pure M. W.: 113.12 Assay (Non aqueous) 99.0%	792.00 2790.00 21960.00	25 gm 100 gm 1 kg
498400 $C_4H_7N_3O$ (60-27-5)	**Creatinine AR** for determination of Creatine in Blood M. W.:113.12 Assay (Non-aqueous; dried basis) 99.5%	950.00 2880.00 25002.00	25 gm 100 gm 1 kg
819600	**Creatinine** Standard Solution Concentration 0.0099-0.011mg/lit	140.00	125 ml
055715 $C_4H_7N_3O.HCl$ (19230-81-0)	**Creatinine Hydrochloride** for Biochemistry M. W.:149.58 Assay (argentometric) 99.5%	855.00 2943.00	25 gm 100 gm
037051 (62708-52-5)	**Creatinine Zinc Chloride**	1098.00 22600.00	10 gm 250 gm
055785 (8021-39-4)	**Creosote** Beechwood	4500.00	500 gm

Product Code	Product Name	Price	Packing
055875 C_7H_8O (1319-77-3)	**Cresol** Mixed (Cresylic Acid) M. W.: 108.14	1251.00 5500.00	500 ml 2.5 lit
027820 C_7H_8O (108-39-4)	m-**Cresol** M. W.: 108.14 Assay (GC) 98.0%	2205.00 9891.00 POR	500 ml 2.5 lit 25 lit
498445 C_7H_8O (108-39-4)	m-**Cresol** 99% **AR/ACS** M. W.: 108.14 Assay GC) 99.0%	2403.00	500 ml
027818 C_7H_8O (95-48-7)	o-**Cresol** M. W.: 108.14 Assay (GC) 99.0%	882.00 3807.00 POR	500 ml 2.5 lit 25 lit
027821 C_7H_8O (106-44-5)	p-**Cresol** M. W.: 108.14 Assay (GC) 98.0%	1197.00 4905.00 POR	500 gm 2.5 kg 25 kg
290295 $C_{22}H_{18}O_4$ (596-27-0)	o-**Cresolphthaleine** pH Indicator M. W.: 346.39	261.00 792.00 2403.00	5 gm 25 gm 100 gm
290305 $C_{32}H_{32}N_2O_{12}$ (2411-89-4)	o-**Cresolphthaleine Complexone** (Phthalein Purple) M.W.: 636.62	500.00 2403.00	1 gm 5 gm
819650	o-**Cresolphthalein** pH Indicator Solution (pH transition 8.2 (colorless) to 10.4 (red))	261.00	100 ml
290355 $C_{21}H_{18}O_5S$ (2303-01-7)	m-**Cresol Purple** pH Indicator **AR** M. W.:382.43	360.00 1400.00	1 gm 5 gm
819700	m-**Cresol Purple** Solution	117.00	125 ml
290415 $C_{21}H_{18}O_5S$ (1733-12-6)	**Cresol Red** Indicator **AR** M.W.: 382.44	280.00 900.00	5 gm 25 gm
819740	**Cresol Red** Indicator Solution	113.00	125 ml
	Cresol and Soap Solution See Lysol		
	Cresyl Blue See Brilliant Cresyl Blue		
	p-Cresyl methyl ether See 4-methylanisole		
	Cresylic Acid See Cresol (mixed isomers)		
055745 $C_{18}H_{15}N_3O_3$ (10510-54-0)	**Cresyl Violet** (Acetate) for Microscopy M. W.: 321.33	702.00 2601.00	1 gm 5 gm
DI065 $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**™ X100 M. W.: 646.87 Assay (iodometric) 98-021%	819.00 3501.00 POR	500 ml 2.5 lit 25 lit
716990 $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**™ X100 Scintillation Grade M. W.: 646.87 Assay (iodometric) 98-102%	927.00 3906.00	500 ml 2.5 lit
923500 MB $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**™ X100 for Molecular Biology M. W.: 646.87	558.00 891.00 4356.00	50 ml 100 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1286 ATC $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton®** X-100 Cell Culture Tested M. W.: 646.87 Store below 30°C	**3349.00** **5004.00**	**100 ml** **500 ml**
055925 C_4H_6O (123-73-9)	**Crotonaldehyde** for Synthesis M. W.: 70.1 Assay 99.0%	**1400.00** **5904.00** **POR**	**500 ml** **2.5 lit** **25 lit**
055955 $C_4H_6O_2$ (107-93-7)	**Crotonic Acid** M. W.: 86.09 Assay (GC) 98.0%	**630.00** **2745.00**	**100 gm** **500 gm**
055965 $C_{14}H_{20}O_5$ (14098-44-3)	**Crown Ether /Benzo**-15-**Crown**-5 for Synthesis M. W.: 268.31	**2043.00** **9054.00**	**5 gm** **25 gm**
055985 $C_{10}H_{20}O_5$ (33100-27-5)	**Crown Ether** /15-**Crown**-5 for Synthesis M. W.: 220.26	**1503.00** **5643.00**	**5 gm** **25 gm**
056005 $C_{12}H_{24}O_6$ (17455-13-9)	18-**Crown**-6-**Ether** for Synthesis M. W.:264.32 Assay (GC) 99.0%	**900.00** **3006.00** **14400.00**	**25 gm** **100 gm** **500 gm**
055995 $C_{20}H_{20}O_6$ (14187-32-7)	**Crown Ether / Dibenzo-18-Crown-6** for Synthesis(Dibenzo 18-Crown-6) M. W.: 360.40	**891.00** **3843.00**	**5 gm** **25 gm**
027825 Na_3AlF_6 (15096-52-3)	**Cryolite** Powder (Sodium Hexafluoro Aluminate) M. W.: 209.94 Assay (Gravimetric) (ex F) 97.0%	**550.00** **2205.00** **POR**	**500 gm** **2.5 kg** **25 kg**
290555 $C_{25}H_{30}ClN_3$ (548-62-9)	**Crystal Violet** for Microscopy C.I. No. 42555 M.W:.407.99 Dye content (Titanometry, on dried subs.) 88.0%	**657.00** **2205.00** **10000.00** **18000.00**	**25 gm** **100 gm** **500 gm** **1 kg**
290575 (548-62-9)	**Crystal Violet AR/ACS** for Microscopy C.I. No. 42555 Dye content (Titanometry, on dried subs.) 96.0%	**756.00** **2502.00**	**25 gm** **100 gm**
819900	**Crystal Violet** for Microscopy Staining Solution Oxalated	**144.00**	**125 ml**
819905	**Crystal Violet** 1% w/v in Glacial Acetic Acid (For Non-Aqueous Titration)	**297.00**	**100 ml**
819960	**C.S.F.** Diluting Fluid	**108.00**	**125 ml**
056080 (80-15-9)	**Cumene Hydroperoxide** for Synthesis Assay 70.0%	**1044.00** **3393.00**	**100 ml** **500 ml**
499660 $C_6H_9N_3O_2$ (135-20-6)	**Cupferron AR** M.W.: 155.16 Assay (Acidimetric) (NH_4) 97.0%	**684.00** **2520.00**	**25 gm** **100 gm**
	Cupric Bromide See Copper (II) Bromide		
	Cupric (I) **Compound** See Cuprous Compound		
	Cupric (II) **Compounds** See Copper Compounds		
	Cupric Sulphide See Copper (II) Sulphide		

Product Code	Product Name	Price	Packing
	Cuprizon See BIS-cyclohexanone oxalyl dihydrazone		
	Cuproin AR See 2,2'-Biquinoyl AR		
	Cupron See a-Benzoin-Oxime		
056165 CuBr (7787-70-4)	**Cuprous Bromide** Anhydrous M. W.: 143.45 Assay (redox titration) 97.0%	**828.00** **3357.00**	**100 gm** **500 gm**
027854 CuCl (7758-89-6)	**Cuprous Chloride** (Copper I Chloride) M. W.: 99.00 Assay (by Iodometric titration of reductive Capacity of cul) 96.0%	**1701.00** **3105.00** **POR**	**500 gm** **1 kg** **25 kg**
499705 CuCl (7758-89-6)	**Cuprous Chloride AR/ACS** M. W.: 99.00 Assay(by cerimetry) 97.0%	**2502.00**	**250 gm**
056185 ⚛ CuCN (544-92-3)	**Cuprous Cyanide** for Synthesis [Copper (I) Cyanide] M. W.: 89.56	**2601.00**	**500 gm**
056195 CuI (7681-65-4)	**Cuprous Iodide** for Synthesis (Copper (I) Iodide) M. W.: 190.45	**2440.00** **11520.00**	**100 gm** **500 gm**
027858 Cu_2O (1317-39-1)	**Cuprous Oxide** Red (Copper I Oxide) M. W.: 143.08 Assay (as Cu_2O) 94.0%	**2601.00**	**500 gm**
056220 ⚛ C_2CuKN_2 (13682-73-0)	**Cuprous Potassium** Cyanide M.W :154.67	**3200.00**	**500 gm**
290625 $C_{21}H_{20}O_6$ (458-37-7)	**Curcumin** Crystalline C.I. 75300 M. W.: 368.39 Assay (HPLC mix of curcumin) 95.0%	**603.00** **1103.00**	**5 gm** **10 gm**
820000	**Curcumin Reagent** Solution (Reagent for Boron & For TLC Derivatization)	**230.00**	**100 ml**
056270 (9005-64-5)	**Cween** 20	**1089.00** **POR** **POR**	**500 ml** **25 lit** **200 lit**
H10836 HISURE $C_{58}H_{114}O_{26}$ (9005-64-5)	**Cween** 20 (Confirms to Pharma Grade) M.W.1227.72	**1296.00**	**500 ml**
923600 MB $C_{58}H_{114}O_{26}$ (9005-64-5)	**Cween** 20 for Molecular Biology (Polyoxyethylene (20) Sorbitan Monolaurate) M.W. 1227.72	**4311.00** **POR**	**100 ml** **5x100 ml**
PCT2310 PTC (9005-64-5)	**Cween®** 20 Plant Culture Tested Store below 30°C	**1431.00**	**500 ml**
TC1287 ATC (9005-64-5)	**Cween** 20 (See: Polysorbate 20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications Store below 30°C	**2160.00** **4545.00**	**100 ml** **5x100 ml**

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1287M ATC (9005-64-5)	**Cween** 20 (See: **Polysorbate** 20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications Store below 30°C	2790.00 8352.00	100 ml 5x100 ml
056280 (9005-64-8)	**Cween** 40	1197.00 9504.00	500 gm 5 kg
056290 (9005-67-8)	**Cween** 60	963.00	500 ml
056300 (9005-65-6)	**Cween** 80 Meets Analytical Specification of IP, BP, USP, Ph. Eur.	954.00 4100.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
H10863 HISURE (9005-65-6)	**Cween** 80 (Polyoxyethylene (20) Sorbitan Monooleate) Confirming to BP, USP	1170.00 5040.00	500 ml 2.5 lit
PCT2513 PTC (9005-65-6)	**Cween®** 80 Plant Culture Tested Store below 30°C	460.00 1494.00	100 ml 500 ml
TC1543M ATC (9005-65-6)	**Cween** 80 (See: Polysorbate 80) Polyxyethylene 20 sorbitan monooleate Meets USP and EP testing specifications Store below 30°C	1656.00 3726.00	100 ml 500 ml
056345 $NCCH_2CONH_2$ (107-91-5)	**Cyanoacetamide** for Synthesis (2-Cyanoacetamide) M. W.: 84.08	702.00 2502.00	100 gm 500 gm
056445 $C_3H_3NO_2$ (372-09-8)	**Cyanoacetic Acid** for Synthesis M.W.: 85.06	5202.00 9504.00	500 gm 1 kg
499945 NCC_6H_4CHO (105-07-7)	4-**Cyanobenzaldehyde AR** M. W.: 131.13	747.00 2601.00 9504.00	5 gm 25 gm 100 gm
056525 $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	· **Cyanocobalamin** for Biochemistry (Vitamin B12) M. W.: 1355.38 Assay(by Spectrophotometry) (on dried material) 96.0%	851.00 3006.00	250 mgm 1 gm
PCT1204 PTC $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	▲**Cyanocobalamin** (Vitamin B12) Plant Culture Tested M. W.: 1355.37 Assay 97%	1260.00 4343.00	250 mg 1 gm
TC1183 ATC $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	▲**Cyanocobalamin** (See: Vitamin B12) Cell Culture Tested M. W.: 1355.37 Assay : ≥96%	1369.00 2052.00 5157.00 15490.00	100 mg 250 mg 1 gm 5 gm
TC1183M ATC $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	▲**Cyanocobalamin** (See: Vitamin B12) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 1355.37	3033.00 3870.00 6490.00 24260.00	100 mg 250 mg 1 gm 5 gm

Product Code	Product Name	Price	Packing
056565 CNBr (506-68-3)	· **Cyanogen Bromide** for Synthesis M. W.: 105.93 Assay (Iodometric) 98.0%	1800.00 8010.00	100 gm 500 gm
	1-**Cyanoguanidine** See Dicyanadiamide		
	5-**Cyanoindole** See Indole-5-Carbonitrile		
056585 $C_6H_4N_2$ (100-54-9)	3-**Cyanopyridine** (Pyridine-3-Carbonitrile) M. W.: 104.12	1296.00	100 gm
056587 $C_6H_4N_2$ (100-48-1)	4-**Cyanopyridine** (Isonicotinic Acid Nitrile) M. W.: 104.12	1404.00 5850.00	100 gm 500 gm
056765 $C_3Cl_3N_2$ (108-77-0)	**Cyanuric Chloride** (2,4,6,-Trichloro-1,3,5-Triazine) (for Synthesis) M. W.: 184.41	1400.00	500 gm
500195 $C_{10}H_{24}N_4$ (295-37-4)	**Cyclam AR** M. W.: 200.32	3906.00 13005.00	1 gm 5 gm
500335 $C_{36}H_{60}O_{30}$ (10016-20-3)	a-**Cyclodextrin AR** M. W.: 972.84	1062.00 3303.00 10800.00	1 gm 5 gm 25 gm
PCT1608 PTC $C_{36}H_{60}O_{30}$ (10016-20-3)	a-**Cyclodextrin** Plant Culture Tested M. W.: 972.84 Assay 98% Store below 30°C	4185.00 37800.00	1 gm 10 gm
TC1103 ATC $C_{36}H_{60}O_{30}$ (10016-20-3)	α - **Cyclodextrin** Cell Culture Tested M. W.: 972.84 Assay : ≥98% Store below 30°C	2934.00 11682.00	1 gm 5 gm
056845 $C_{42}H_{70}O_{35}$ (7585-39-9)	▲β-**Cyclodextrin** M. W.: 1134.98	801.00 2331.00	100 gm 500 gm
PCT1609 PTC $C_{42}H_{70}O_{35}$ (7585-39-9)	▲β-**Cyclodextrin** Plant Culture Tested M. W.: 1134.98 Assay 98%	860.00 3870.00	100 gm 500 gm
TC1104 ATC $C_{42}H_{70}O_{35}$ (7585-39-9)	▲β - **Cyclodextrin** Cell Culture Tested M. W.: 1134.98 Assay : ≥98.5%	1683.00 6732.00 20187.00	5 gm 25 gm 100 gm
027867 C_6H_{12} (110-82-7)	**Cyclohexane** for Synthesis M. W.: 84.16 Assay (GC) 99.0%	450.00 2007.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
500380 C_6H_{12} (110-82-7)	**Cyclohexane AR** M. W.: 84.16 Assay (GC) 99.5%	594.00 2502.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
500390 C_6H_{12} (110-82-7)	**Cyclohexane** Specially Dried **AR** M. W.: 84.16 Assays (By GC) 99.5%	801.00 2385.00	500 ml 2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
717595 C_6H_{12} (110-82-7)	**Cyclohexane** GC-HS Grade M.W. 84.16 Assay (GC) 99.9%	**2673.00**	**1 lit**
717600 C_6H_{12} (110-82-7)	**Cyclohexane** For HPLC & Spectroscopy M. W.: 84.16 Assay (GC) 99.7%	**1503.00** **3006.00**	**1 lit** **2.5 lit**
717700 C_6H_{12} (110-82-7)	**Cyclohexane** for Pesticide Residue Trace Analysis M. W.: 84.16	**4455.00** **6993.00**	**1 lit** **2.5 lit**
056995 $C_6H_{10}(CO_2H)_2$ (2305-32-0)	trans-1-2-**Cyclohexane Dicarboxylic Acid** M. W.: 172.18 Assay 95.0%	**6930.00** **51300.00**	**25 gm** **500 gm**
	1,2-**Cyclohexanediamine Tetra Aceteic Acid (CDTA)** See Trans-1,2-Diaminocyclohexane N,N,N'N-Tetra Acetic Acid		
057025 $C_6H_8O_2$ (504-02-9)	1,3-**Cyclohexane Dione** for Synthesis M. W.: 112.13 Assay 97.0%	**1647.00** **2196.00** **3200.00**	**25 gm** **100 gm** **500 gm**
027870 $C_6H_{12}O$ (108-93-0)	**Cyclohexanol** for Synthesis M. W.: 100.16 Assay (GC) 98.0%	**846.00** **3790.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
500845 $C_6H_{12}O$ (108-93-0)	**Cyclohexanol AR** M. W.: 100.16	**918.00** **4100.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
027871 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for Synthesis M.W.: 98.15 Assay (GC) 99.0%	**698.00** **3105.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
500865 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone AR** M. W.:98.15 Assay (GC) 99.5%	**819.00** **3249.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
717850 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for GC-HS M.W.: 98.15	**2016.00** **4257.00**	**1 lit** **2.5 lit**
717800 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for Pesticide Residue Trace Analysis M.W.: 98.15	**1485.00**	**1 lit**
	Cycloheximide See Actidione		
057235 $C_6H_{13}N$ (108-91-8)	**Cyclohexylamine** for Synthesis M. W.: 99.18 Assay (Acidimetric) 99.0%	**639.00** **2907.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	3-(Cyclohexylamino-1-propane suphonic acid See CAPS		
	3-(Cyclohexylamino-2-hydroxy-1-propane suphonic acid See CAPSO		
	Cyclohexylbromide See Bromocyclohexane		
	Cyclohexylchloride See Chlorocyclohexane		

Product Code	Product Name	Price	Packing
057465 $C_{10}H_{20}N_2$ (17766-28-8)	1-**Cyclohexylpiperazin** M. W.: 168.28 Assay 97.0%	**4590.00**	**5 gm**
057525 $C_8H_{14}O$ (502-49-8)	**Cyclooctanone** for Synthesis M. W.: 126.20 Assay 98.0%	**3303.00**	**25 gm**
	Cyclopentadiene(Dimer) See Dicyclopentadiene		
057685 C_5H_{10} (287-92-3)	**Cyclopentane** for Synthesis M. W.: 70.13	**2610.00** **39150.00** **POR**	**250 ml** **5 lit** **25 lit**
057745 C_5H_9OH (96-41-3)	**Cyclopentanol** for Synthesis M. W.: 86.13	**2422.00**	**500 ml**
057815 C_5H_8O (120-92-3	**Cyclopentanone** for Synthesis M. W.: 84.12	**1400.00** **6507.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
057855 $C_{13}H_{16}O_3$ (427-49-6)	a-**Cyclopentylmandelic Acid** M.W. 220.27 Assay 98%	**5202.00**	**5 gm**
501475 $C_6H_{12}O$ (5614-37-9)	**Cyclopentyl Methyl Ether AR** M. W.: 100.16 Assay 99.0%	**2601.00** **4806.00**	**500 ml** **1 lit**
057905 C_3H_5CN (5500-21-0)	**Cyclopropanecarbonitrile** M. W.: 67.09 Assay 98.0%	**990.00** **3303.00**	**5 gm** **25 gm**
501535 ✠ $C_3H_5CO_2H$ (1759-53-1)	▲**Cyclopropane Carboxylic Acid AR** M. W.: 86.09 Assay 95.0%	**2907.00** **13005.00**	**100 gm** **500 gm**
057995 ✠ $C_3H_5CH_2NH_2.HCl$ (7252-53-1)	**Cyclopropanemethylamine Hydro Chloride** M. W.: 107.58 Assay 99.0%	**19233.00** **POR**	**1 gm** **10 gm**
058115 $C_3H_5NH_2$ (765-30-0)	**Cyclopropylamine** for Synthesis M. W.: 57.09 Assay 98.0%	**1701.00** **6507.00**	**100 ml** **500 ml**
058285 $C_3H_5COCH_3$ (765-43-5)	**Cyclopropylmethylketone** (Acetylcy clopropane) M. W.: 84.12 Assay 99.0%	**1440.00** **6120.00**	**100 ml** **500 ml**
PCT2130 PTC $C_3H_6N_2O_2$ (68-41-7)	▲**D-Cycloserine (D-4-Amino-3-isoxazolidone)** Plant Culture Tested M. W.: 102.09 Assay 98%	**2520.00** **10130.00**	**1 gm** **5 gm**
058385 $C_{10}H_{14}$ (99-87-6)	p-**Cymene** for Synthesis M. W.: 134.22 Assay 99.0%	**1400.00**	**250 ml**
058485 $C_2H_7NS.HCl$ (156-57-0)	**Cysteamine Hydrochloride** for Synthesis (2-Mercapto Ethylamine HCl, 2-Amino Ethanethiol Hcl) M. W.: 113.61 Assay 98%	**2106.00** **9504.00**	**100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
058585 $C_3H_7SNO_2$ (52-90-4)	L-**Cysteine** for Biochemistry M. W.: 121.16 Assay (Iodometric ex SH) 98.0%	720.00 2520.00 8505.00	25 gm 100 gm 500 gm
PCT1305 PTC $C_3H_{7N}O_2S$ (52-90-4)	**L-Cysteine** Plant Culture Tested M. W.: 121.16 Assay 99% Store below 30°C	662.00 2300.00 10360.00	25 gm 100 gm 500 gm
TC1060 ATC $C_3H_7NO_2S$ (52-90-4)	**L-Cysteine** (From non-animal source) Cell Culture Tested M. W.: 121.16 Assay : ≥98% Store below 30°C	2800.00 8389.00 25200.00 38052.00	25 gm 100 gm 500 gm 1 kg
501715 $C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	L-**Cysteine Hydrochloride AR** (Monohydrate) for Biochemistry M. W.: 175.63 Assay (Iodometric; calc. to the dried sub.) 99.5-101.0%	360.00 1107.00 3501.00 6201.00	25 gm 100 gm 500 gm 1 kg
PCT1325 PTC $C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	**L-Cysteine HCl** Monohydrate Plant Culture Tested MW : 175.63 Assay 98% Store below 30°C	370.00 1143.00 5130.00	25 gm 100 gm 500 gm
TC1058 ATC $C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	**L-Cysteine Hydrochloride** (From non-animal source) Cell Culture Tested MW : 175.63 Assay : ≥98.5% Store below 30°C	1459.00 4401.00 18441.00 27450.00	25 gm 100 gm 500 gm 1 kg
TC1058M ATC $HSCH_2CH(NH_2)COOH.HCl.H_2O$ (7048-04-6)	**L-Cysteine Hydrochloride** Monohydrate (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 175.63 Store below 30°C	1611.00 4600.00 20620.00 30933.00	25 gm 100 gm 500 gm 1 kg
037057 $C_6H_{12}N_2O_4S_2$ (56-89-3)	L-**Cystine** for Biochemistry M. W.: 240.30 Assay (Non-aqueous) 99.0%	460.00 1400.00 10170.00	25 gm 100 gm 1 kg
PCT1306 PTC $C_6H_{12}N_2O_4S_2$ (56-89-3)	**L-Cystine** Plant Culture Tested M. W.: 240.3 Assay 99% Store below 30°C	612.00 2300.00 9837.00 18612.00	25 gm 100 gm 500 gm 1 kg
TC1070 ATC $C_6H_{12}N_2O_4S_2$ (56-89-3)	**L-Cystine** (From non-animal source) Cell Culture Tested M. W.: 240.3 Assay : ≥98.5% Store below 30°C	1575.00 4707.00 17496.00 25070.00	25 gm 100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1070M ATC $HSCH_2CH(NH_2)CO_2H$ (56-89-3)	**L-Cystine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 240.3 Store below 30°C	3259.00 10171.00 33710.00 60030.00	25 gm 100 gm 500 gm 1 kg
058985 $C_6H_{12}N_2O_4S_2.2HCl$ (30925-07-6)	L-**Cystine Dihydrochloride** M. W.: 313.22 Assay (Iodometric; calc. to the dried subs.) 98.0%	8406.00	25 gm
TC1062 ATC $C_6H_{12}N_2O_4S_2.2HCl$ (30925-07-6)	**L-Cysteine** Dihydrochloride (From non-animal source) Cell Culture Tested M. W.: 313.22 Assay : ≥98.5% Store below 30°C	8397.00 31950.00 101610.00 180189.00	25 gm 100 gm 500 gm 1 kg
042017 $C_9H_{13}N_3O_5$ (65-46-3)	▲**Cytidine** for Biochemistry M.W.: 243.22 Assay (Non-aq) 98.0%	171.00 594.00 1900.00	1 gm 5 gm 25 gm
TC1110 ATC $C_9H_{13}N_3O_5$ (65-46-3)	▲**Cytidine** Cell Culture Tested M. W.: 243.22 Assay : ≥99%	1287.00 3852.00 27900.00	1 gm 5 gm 50 gm
059085 $C_9H_{14}N_3O_8P$ (63-37-6)	· **Cytidine-5-Monophosphate** (5-CMP) M. W.: 323.20	603.00 2430.00	1 gm 5 gm
TC1224 ATC $C_{29}H_{37}NO_5$ (14930-96-2)	**Cytochalasin B** Cell Culture Tested M. W.: 479.61 Assay : ≥98% Store at -20°C	64000.00 POR	10 mg 5x10 mg
059285 (9007-43-6)	· **Cytochrome**- 'C' (Oxidised) Ex Horse Heart Extra Pure for Biochemistry (Approx. 10% Reduced from) Assay (UV) 90.0%	4455.00 36711.00	100 mg 1 gm
	Cytokinine for Biochemistry See Kinetin		
059375 $C_4H_5N_3O$ (71-30-7)	**Cytosine** for Biochemistry M. W.: 111.10 Assay (HPLC) 98.0%	756.00 3330.00	5 gm 25 gm

FOR SYNTHESIS (LR & EP)

General purpose reagents used in many potential applications in chemical laboratories, careful control ensures that a consistently high defined quality is maintained throughout.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
820050 H_2O (7732-18-5)	**D.M. Water** M. W.: 18.02	**113.00** **504.00**	**500 ml** **5 lit**
	Daminozide See ALAR (B9)		
PCT1838 PTC $C_6H_{12}N_2O_3$ (1596-84-5)	**Daminozide** (Alar) Plant Culture Tested M. W.: 160.17 Assay 99% Store below 30°C	**820.00** **3690.00**	**1 gm** **5 gm**
923800 MB $C_{16}H_{15}N_5.2HCl$ (28718-90-3)	· **DAPI Dihydrochloride** (4',6-Diamidino-2-Phenylindole Dihydrochloride) For Molecular Biology M. W.: 350.25 Assay : ≥ 95%	**3906.00** **7776.00**	**10 mg** **25 mg**
PCT2539 PTC $C_{16}H_{15}N_5.2HCl$ (28718-90-3)	· **DAPI Dihydrochloride** (4',6-Diamidino-2-phenylindole Dihydrochloride) Plant Culture Tested M. W.: 350.25 Assay 98%	**1720.00** **7209.00**	**5 mg** **25 mg**
062525 (7440-44-0)	**Darco** G 60	**973.00**	**500 gm**
505495 (7440-44-0)	**Darco** G 60 **AR**	**2250.00**	**500 gm**
TC1417 ATC $C_{27}H_{29}NO_{10}.HCl$ (23541-50-6)	▲**Daunorubicin Hydrochloride** Cell Culture Tested M. W.: 563.98 Assay : ≥90%	**7551.00** **28310.00**	**5 mg** **25 mg**
	DDQ See 2,3-Dichloro-5,6-dicyano-p-Benzoquinone		
	Deacetylated Chitin See Chitosan		
062805 (9013-34-7)	**Deae Cellulose** 11 for Column Chromatography	**2440.00** **10035.00** **35001.00**	**5 gm** **25 gm** **100 gm**
923850 MB (9013-34-7)	**Deae Cellulose -** 52 (Diethylaminoethyl-Cellulose) Fine Mesh For Column Chromatography For Molecular Biology Store Below 30°C	**2170.00** **10053.00** **35001.00**	**5 gm** **25 gm** **100 gm**
923900 MB (9015-73-0)	**Deae Dextran -** 52 For Molecular Biology Av. M. W. 500000 Store Below 30°C	**11800.00** **29997.00**	**25 gm** **100 gm**
062955 $C_{10}H_{22}$ (124-18-5)	n-**Decane** for Synthesis M. W.: 142.29 Assay 97.0%	**3753.00** **18162.00**	**500 ml** **2.5 lit**
505785 $C_{10}H_{22}$ (124-18-5)	n-**Decane AR** M. W.: 142.29	**8919.00**	**500 ml**

Product Code	Product Name	Price	Packing
720200 $CH_3(CH_2)_8CH_2SO_3Na$ (13419-61-9)	1-**Decanesulphonic Acid Sodium Salt AR** for HPLC Anhydrous M. W.: 244.33	**1098.00** **3996.00**	**25 gm** **100 gm**
063005 $C_{10}H_{21}NaO_3S.H_2O$ (13419-61-9)	1-**Decanesulphonic Acid Sodium Salt** Monohydrate M. W.: 262.33	**1098.00** **3996.00**	**25 gm** **100 gm**
063035 $C_{10}H_{22}O$ (112-30-1)	1-**Decanol** for Synthesis (Decan-1-OL, n-Decanol) M.W.: 158.28	**1107.00** **4806.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	n-**Decanoic Acid** See n-Capric Acid		
063065 $C_{10}H_{19}ClO$ (112-13-0)	**Decanoyl Chloride** for Synthesis M.W. 190.71 Assay 98.0%	**981.00** **4600.00**	**100 ml** **500 ml**
	n-**Decyl Sulphate Sodium Salt** See Sodium Decyl Sulphate		
063115 $C_{19}H_{28}O_2$ (53-43-0)	**Dehydroepiandrosterone** for Synthesis (Trans-Dehydroandrosterone) M. W.: 288.42	**3006.00** **13743.00**	**5 gm** **25 gm**
063155 $C_{10}H_{18}$ (91-17-8)	**Dekalin** for Synthesis M. W.: 138.25 Assay (GC) 99.0% (Cis+trans isomer)	**3006.00** **14000.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
824650	**Denige's** Reagent (Reagent for Citrates in Milk)	**882.00**	**100 ml**
063205 $C_{10}H_{13}N_5O_3.H_2O$ (16373-93-6)	· 2-**Deoxy Adenosine** Extra Pure for Biochemistry M. W.: 269.26 Assay 99.0%	**1260.00** **5652.00** **POR**	**1 gm** **5 gm** **10 gm**
TC1111 ATC $C_{10}H_{13}N_5O_3.H_2O$ (16373-93-6)	· 2'-**Deoxyadenosine** Monohydrate Cell Culture Tested M. W.: 269.26 Assay : ≥99%	**1990.00** **8001.00**	**1 gm** **5 gm**
063285 $C_6H_5COCH_2C_6H_5$ (451-40-1)	**Deoxybenzoin** for Synthesis (α-Phenylacetophenone) M. W.: 196.24	**730.00** **1800.00**	**25 gm** **100 gm**
063315 $C_{24}H_{40}O_4$ (83-44-3)	· **Deoxy Cholic Acid** for Biochemistry M. W.: 392.57 Assay (TLC) 99.0%	**1917.00** **7650.00**	**25 gm** **100 gm**
	▲**Deoxycholic Acid Sodium Salt** See Sodium Deoxycholate		
TC1112 ATC $C_9H_{13}N_3O_4.HCl$ (3992-42-5)	2'-**Deoxycytidine** Hydrochloride Cell Culture Tested M. W.: 263.68 Assay : ≥99% Store below 30°C	**1845.00** **5535.00** **39960.00**	**250 mg** **1 gm** **10 gm**
063405 $C_6H_{12}O_5$ (154-17-6)	· 2-**Deoxy**-D-**Glucose** for Biochemistry M. W.: 164.16	**4491.00** **16200.00**	**1 gm** **5 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
063455 (9003-98-9)	**Deoxyribonuclease** Type I for Biochemistry (DNase-I) Ex. Bovine Pancreas 1800 K Unit U/mg	1013.00 9500.00 17200.00	5 mg 50 mg 100 mg
924550 MB (9003-98-9)	**Deoxy ribonuclease I** From Bovien Pancreas For Molecular Biology E. C. No. : 3.1.21.1 M. W.: ~31 kDa Activity : ≥ 400 Units/mg (Kunitz) Store at 20°C	752.00 7236.00 12402.00	3750 unit 37500 unit 75000 unit
TC1696 ATC (9003-98-9)	**Deoxyribonuclease I Dnase I** Source : Pineapple stem Cell Culture Tested Av M. W.: ~84.5 kDa Activity : NLT 30 U/mg Store at -20°C	6156.00 9243.00 13860.00	10 ku 20 ku 40 ku
063615 (100403-24-5)	**Deoxy Ribonucleic Acid** for Biochemistry Degraded free acid ex fish sperm	2736.00 10400.00 POR	5 gm 25 gm 100 gm
063625 (73049-39-5)	**Deoxy Ribonucleic Acid Sodium Salt Extra Pure** for Biochemistry Ex. Calf Thymus (DNA Sodium Salt) (Highly Polymerised From Calf Thymus)	6867.00 28620.00	100 mg 500 mg
063655 (9007-49-2)	**Deoxyribonucleic Acid Sodium Salt** ex. salmon mist (Not Highly Polymerised) (DNA sodium salt, SS-DNA, SM-DNA)	2925.00 11052.00 POR	5 gm 25 gm 100 gm
042029 $C_5H_{10}O_4$ (533-67-5)	· 2-**Deoxy**-D-**Ribose** for Biochemistry M. W.: 134.13 Assay (HPLC) 97.0%	495.00 1980.00 7340.00	1 gm 5 gm 25 gm
TC1114 ATC $C_5H_{10}O_4$ (533-67-5)	· 2'-**Deoxy**-D-**Ribose** Cell Culture Tested M. W.: 134.13 Assay : ≥99%	1440.00 5059.00	1 gm 5 gm
063745	**Dermutit**	2997.00	500 gm
506135 $C_{13}H_{13}IO_8$ (87413-09-0)	▲**Dess Martin Periodinane Puriss AR** (Triacetoxy Periodine, 1,1,1-Tris (Acetyloxy)(1,1-Dihydro-1,2-Benziodoxol-3(1H) M. W.: 424.14	576.00 2268.00	5 gm 25 gm

Disinfectant & Detergent for Medical, Industrial, Domestic

HAND WASH GEL/ SOAP

Product Code	Product Name	Price	Packing
DI032	**HWS09** (Hand Wash Soap)	185.00 423.00	100 ml 500 ml
Description	Liquid Microbicidal Handwash Soap	2772.00	5 lit
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.		
Action	Fights germs leaving hands soft and totally clean		
Use	Domestic Medical Industrial		
DI050	**HWG09** Dispenser Pump (Instant hand Sanitizer)	126.00 621.00	50 ml 500 ml
Description	Liquid Handrub Antiseptic with Triple Action		
Contents	Denatured Alchol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate crosspolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume		
Action	Kills 99.9% of germs in seconds without water		
Use	Domestic, Medical, Industrial		

ENVIRONMENT DISINFECTANT

Product Code	Product Name	Price	Packing
DI280	**ED005**	387.00	250ml
Description	Air and surface spray disinfectant solution for preventing cross infection	716.00 6894.00	500ml 5 lit
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours		
Action	An air and surface sprayable disinfectant for preventing cross infections		
Use	Medical Industrial		
DI325	**ED009**	1036.00	1 lit
Description	Aerial Fumigant and Surfaceand Water Disinfectant Solution	3672.00 14000.00	5 lit 25 lit
Contents	0.01% w/v Silver Nitrate, 10.0% w/v Hydrogen peroxide		
Action	Disinfectant solution for Surface and Water Disinfection as well as for Aerial Fumigation		
Use	Medical Industrial		

SURFACE DISINFECTANT

Product Code	Product Name	Price	Packing
DI500	**SD005**	225.00	500 ml
Description	Disinfectant Cleaner for Floors & Hard Surfaces	1071.00	5 lit
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.		
Use	Domestic Medical Industrial		
DI522	**SD009**	225.00	500ml
Description	Disinfectant Solution for Floors & Hard Surfaces	1224.00	5 lit
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.		
Use	Domestic Medical Industrial		
DI541	**SD014**	1998.00	1 lit
Description	Disinfectant for hospital, hotels, food and pharmaceutical industry	7075.00	5 lit
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride (PHMB) 10% w/v Didecyl ammonium chloride		
Action	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface. Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing Equipments		
Use	Medical, Industrial.		
DI055	**Cedepol**™ also known as Teepol	288.00 1940.00	500 ml 5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	LABORATORY DISINFECTANT		
DI675	**LD009**	**4518.00**	**10x500ml**
Description	Disinfectant Solution for heat sensitive Lab ware	**6876.00**	**2x5 lit**
Contents	5 % w/v Phenol, Permitted colours.		
Action	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material		
Use	Medical Industrial		
	INSTRUMENT DISINFECTANT		
DI770	**ID018**	**1053.00**	**500ml**
Description	Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments	**1998.00**	**1 lit**
		4343.00	**2.5 lit**
Contents	12% Enzymes (Combination of Proteases,Lipases and Amylases), Non Ionic surfactants, Preservatives	**7497.00**	**5 lit**
Action	Medical:- To rapidly clean surgical instruments before sterilization Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms		
Use	Medical, Industrial		
DI774	**ID045**	**3456.00**	**1 lit**
Description	High Efficiency Rust Remover	**10782.00**	**5 lit**
Contents	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).		
Action	Removal of Rust from Surgical/Medical Instruments and Surfaces.		
Use	Medical, Industrial		
DI792	**ID063**	**666.00**	**500ml**
Description	High level Surgical Instrument Sterilizing and Disinfectant Solution	**3825.00**	**5 lit**
Contents	5% w/v Benzal konium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitior.		
Action	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection		
Use	Medical		
DI810	**ID072**	**423.00**	**1 lit**
Description	2.4% Glutaraldehyde Solution for High Level Disinfection	**1400.00**	**5 lit**
Contents	2.45% w/v Glutaraldehyde		
Action	Surfactant free High ievel Surgical Instrument Sterilizing and Disinfectant solution		
Use	Medical		
DI819	**ID090**	**5040.00**	**1 lit**
Description	Aldehyde Free High level Disinfectant for medical devices.	**25020.00**	**5 lit**
Contents	3% w/v poly(hexamethylene biguanide) hydrochloride (PHMB) 10% w/v Didecyl dimethyl ammonium chloride		
Action	Medical-Sterilization of endoscopes & surgical instruments surface disinfection. Industry- As a surface disinfectant for general Purposes		
Use	Medical, Industrial		
DI837	**ID099**	**595.00**	**500ml**
Description	For high level disinfection.	**4851.00**	**5 lit**
Contents	0.55% w/v ortho-Phthalaldehyde,Permitted colours.		

Product Code	Product Name	Price	Packing
Action	Glutaraldehyde free, High level Surgical		
Use	Medical		
DI065	**Criton** X100	**819.00**	**500 ml**
$C_{34}H_{62}O_{11}$	M. W.: 648.87	**3501.00**	**2.5 lit**
(9002-93-1)	Assay iodometric 98-021%	**POR**	**25 lit**
MB	**Criton** X100 for Molecular Biology See 923500		
	Criton X100 Scintillation Grade See 716990		
DI095	**Clentron** MA 01 Alkaline For Industrial & Laboratory Cleaning pH 6.0-12.0	**320.00**	**500 ml**
		2421.00	**5 lit**
		POR	**25 lit**
DI100	**Clentorn** MA 02 Neutral For Cleaning Laboratory glassware instruments pH 7.2-7.5	**460.00**	**500 ml**
		2304.00	**5 lit**
		POR	**25 lit**
DI105	**Clentorn** MA 03 Phosphate Free For Specific Cleaning work in Laboratories	**522.00**	**500 ml**
		2520.00	**5 lit**
		POR	**25 lit**
	DISINFECTANT FOR LABORATORY HOSPITAL, HOTELS AND DAIRY/FOOD,INDUSTRY		
DI910	**DW009** (Dish Wash)	**270.00**	**500ml**
DI1800	**Iodophor Disinfectant**	**1098.00**	**1 lit**
		4707.00	**5 lit**
DI1900	**Iodophor-FD**	**1098.00**	**1 lit**
		4707.00	**5 lit**
		POR	**10x5 lit**
DI2007	**Lysol** (Cresol and Soap Solution)	**604.00**	**500 ml**
(12772-68-8)	Assay (cresol) 47-53.0% v/v	**4617.00**	**5 lit**
DI2160	**Sodium Hypochlorite** Solution (Approximately 4% w/v available chlorine)	**162.00**	**500 ml**
		280.00	**1 lit**
		999.00	**5 lit**
		POR	**25 lit**
DI918	**FCL09** (Fabric Cleaner Liquid)	**572.00**	**1 lit**
DI927	**FCP09** (Fabric Cleaner Powder)	**270.00**	**1 kg**
FW009	**FW009** (Floor Wash)	**603.00**	**5 lit**
DI963	**GC009** (Glass Cleaner)	**180.00**	**500ml**
DI3060	**TC009**	**180.00**	**500ml**
	(Toilet Cleaner)	**347.00**	**1 lit**
DI3150	**TW009**	**180.00**	**500ml**
	(Tiles Wash)	**347.00**	**1 lit**
063765	**Deuterium Oxide** (heavy water) for NMR Spectroscopy	**6003.00**	**25 gm**
D_2O (7789-20-0)	M.W.: 20.03		
063785	**Devardas Alloy** Powder	**621.00**	**100 gm**
(8049-11-4)		**2502.00**	**500 gm**
506225	**Devardas Alloy** Powder **AR** Reducing Agent	**801.00**	**100 gm**
		1701.00	**250 gm**
(8049-11-4)			
TC1277 ATC	▲**Dexamethasone** Cell Culture Tested	**1845.00**	**25 mg**
		5355.00	**100 mg**
$C_{22}H_{29}FO_5$	M. W.: 392.46	**15300.00**	**500 mg**
(50-02-2)	Assay : ≥97%	**23252.00**	**1 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
924685 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 5** For Molecular Biology Av.M. W.: 4000-6000	4302.00	25 gm
924690 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 6** For Molecular Biology Av.M. W.: 5500-7500	7110.00	25 gm
924695 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 10** For Molecular Biology Av.M. W.: 9000-11000	5841.00	25 gm
924700 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 20** For Molecular Biology Av.M. W.: 17000-23000	9144.00	25 gm
924705 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 40** For Molecular Biology Av.M. W.: 35000-45000	16830.00	25 gm
924710 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 60** For Molecular Biology Av.M. W.: 54000-66000	6372.00	25 gm
924715 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 70** For Molecular Biology Av.M. W.: 64000-76000	6444.00	25 gm
924720 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 110** For Molecular Biology Av.M. W.: 1,00,000 - 1,20,000	5841.00	25 gm
924730 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 250** For Molecular Biology Av.M. W.: 2,25,000 - 2,75,000	12960.00	25 gm
924735 MB $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 500** For Molecular Biology Av.M. W.: 4,50,000 - 5,50,000	7992.00	25 gm
924780 MB (9011-18-1)	▲**Dextran Sulphate Sodium Salt** For Molecular Biology M. W.: ~8,000	2421.00 10170.00 37350.00	5 gm 25 gm 100 gm
TC1589 ATC (9011-18-1)	▲**Dextran Sulphate, Sodium Salt** Cell Culture Tested M. W.: 5,00,000 Assay : ≥98%	5000.00 23400.00	10 gm 50 gm
063815 (9004-53-9)	**Dextrin White** for Bacteriology	1206.00	500 gm
063805 $(C_6H_{10}O_5)n.XH_2O$ (9004-53-9)	**Dextrin** White Pract	225.00 POR	500 gm 25 kg
028450 $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous Purified M. W.: 180.16	405.00 2502.00 POR POR	500 gm 5 kg 25 kg 50 kg
506250 $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 180.16	477.00 2808.00 POR POR	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
924900 MB $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous For Molecular Biology M. W. : 180.16 Assay : ≥ 99.5% Store Below 30°C	1440.00 7020.00	100 gm 500 gm
PCT1603 PTC $C_6H_{12}O_6$ (50-99-7)	**D-(+)-Dextrose** Anhydrous Plant Culture Tested M. W.: 180.16 Assay 99.5% Store below 30°C	464.00 828.00	500 gm 1 kg
TC1130 ATC $C_6H_{12}O_6$ (50-99-7)	**D-(+)-Dextrose** Anhydrous (Dextrose anhydrous) Cell Culture Tested M. W.: 180.16 Assay : ≥99% Store below 30°C	333.00 1940.00 4743.00 7020.00	100 gm 1 kg 5 kg 10 kg
TC1130M ATC $C_6H_{12}O_6$ (50-99-7)	**D-(+)-Dextrose** Anhydrous Dextrose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 180.16 Store below 30°C	684.00 3960.00	100 gm 1 kg
063940 $C_6H_{12}O_6.H_2O$ (14431-43-7)	**Dextrose** Monohydrate M. W.:198.17	288.00 POR POR	500 gm 25 kg 50 kg
506260 $C_6H_{12}O_6H_2O$ (14431-43-7)	**Dextrose** Monohydrate **AR** for Microbiology M. W.: 198.17	351.00 POR POR	500 gm 25 kg 50 kg
PCT1612 PTC $C_6H_{12}O_6.H_2O$ (14431-43-7)	**Dextrose** Monohydrate Plant Culture Tested M. W.: 198.17 Assay 99.5% Store below 30°C	325.00	500 gm
TC1208 ATC $C_6H_{12}O_6.H_2O$ (14431-43-7)	**D-(+)-Dextrose** Monohydrate (Dextrose monohydrate) Cell Culture Tested M. W.: 198.17 Assay : ≥99% Store below 30°C	873.00 1287.00 3825.00 5733.00	500 gm 1 kg 5 kg 10 kg
028010 $C_6H_{12}O_2$ (123-42-2)	**Diacetone Alcohol** Purified M. W.: 116.16 Assay (GC) 99.0%	657.00 3006.00	500 ml 2.5 lit
028011 $C_4H_6O_2$ (431-03-8)	**Diacetyl** for Synthesis M. W.: 86.09 Assay (GC) 97.0%	1350.00	100 ml
063995 $C_4H_7NO_2$ (57-71-6)	**Diacetyl Monoxime** M. W.: 101.11 Assay (N) 98.0%	495.00	25 gm
506600 $C_4H_7NO_2$ (57-71-6)	**Diacetyl Monoxime AR** M. W.: 101.11 Assay (Gravimetric) 99.0%	657.00 2106.00 9000.00	25 gm 100 gm 500 gm
824705	**Diacetyl Monoxine** Solution 2%	127.00	125 ml
064005 $C_{14}H_{14}O_4$ (131-17-9)	**Diallyl Phthalate** for Synthesis M. W.: 246.26 Assay 97.0%	900.00 3150.00	100 ml 500 ml
064115 $C_{14}H_{10}N_2O_2$ (128-95-0)	1,4-**Diamino Anthraquinone** for Synthesis M. W.: 238.24 Assay 95.0%	1350.00 4860.00	25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
506685 $C_{12}H_{14}N_4$ (91-95-2)	▲3,3-**Diamino Benzidine Base AR** M. W.: 214.27 Assay (HPLC) 99.0%	**1647.00** **6561.00** **22815.00**	**5 gm** **25 gm** **100 gm**
506688 $C_{12}H_{14}N_4.4HCl.2H_2O$ (7411-49-6)	▲3-3'-**Diaminobenzidine Tetra Hydrochloride AR** M.W : 396.14	**1800.00** **8001.00**	**1 gm** **5 gm**
064185 ✠ $C_7H_8N_2O_2$ (535-87-5)	3,5-**Diamino Benzoic Acid** for Synthesis M. W.: 152.15 Assay 98.0%	**918.00** **4167.00**	**100 gm** **500 gm**
064225 ✠ $C_6H_5COC_6H_3(NH_2)_2$ (39070-63-8)	3,4-**Diamino Benzophenone** M. W.: 212.25 Assay 97.0%	**2700.00** **8501.00**	**25 gm** **100 gm**
064245 $C_{12}H_{12}N_2$ (92-87-5)	4,4-**Diamino Biphenyl** M. W.: 184.25	**1098.00** **1656.00** **4941.00**	**10 gm** **25 gm** **100 gm**
064265 (531-85-1)	4,4- **Diamino Biphenyl Hydrochloride**	**1008.00** **1998.00** **7506.00**	**10 gm** **25 gm** **100 gm**
064275 $C_{14}H_{22}N_2O_8.H_2O$ (125572-95-4)	trans-1,2 **Diamino Cyclohexane N,N,N',N' Tetra Acetic Acid** (CDTA) Monohydrate M. W.: 364.35 Assay (Complexometric) 99.0%	**3501.00** **13005.00**	**25 gm** **100 gm**
506905 $C_{14}H_{22}N_2O_8.H_2O$ (125572-95-4)	trans-1,2 **Diamino Cyclohexane** N,N,N',N' **Tetra Acetic Acid** (CDTA) **AR/ACS** M. W.: 364.35 Assay (Complexometric) 99.0%	**3906.00** **14500.00**	**25 gm** **100 gm**
H11005 $C_{14}H_{22}N_2O_8.H_2O$ (125572-95-4)	trans-1,2 **Diamino Cyclohexane** N,N,N',N' **Tetra Acetic Acid** (CDTA) **AR/ACS** M. W.: 364.35 Assay (Complexometric) 99.0%	**7641.00** **26100.00**	**25 gm** **100 gm**
064305 $C_{12}H_{12}N_2O$ (101-80-4)	4,4-**Diamino Diphenyl Ether** for Synthesis M. W.: 200.24 Assay 97.0%	**5500.00** **10683.00**	**100 gm** **500 gm**
064365 $C_{13}H_{14}N_2$ (101-77-9)	4,4-**Diamino Diphenyl Methane** for Synthesis M. W.: 198.26 Assay (GC) 97.0%	**3492.00**	**500 gm**
064415 ✠ $C_{12}H_{12}N_2O_2S$ (80-08-0)	4.4-**Diamino Diphenyl Sulphone** for Synthesis M. W.: 248.30 Assay 97.0%	**2880.00**	**100 gm**
	1,2-**Diamino Ethane** See Ethylenediamine		
064505 $C_8H_{20}N_2$ (373-44-4)	1:8-**Diamino Octane** for Synthesis M. W.: 144.26 Assay 98.0%	**3591.00**	**25 gm**
064545 $NH_2(CH_2)_5NH_2$ (462-94-2)	1:5-**Diamino Pentane** for Synthesis M. W.: 102.18 Assay 95.0%	**5292.00**	**5 ml**

Product Code	Product Name	Price	Packing
064575 $NH_2(CH_2)_3NH_2$ (109-76-2)	1,3-**Diamino Propane** M. W.: 74.12 Assay 99.0%	**3096.00** **15300.00**	**500 ml** **2.5 lit**
507175 $NH_2(CH_2)_3NH_2$ (109-76-2)	1,3-**Diamino Propane AR** M. W.: 74.12 Assay 99.0%	**3006.00**	**250 ml**
064615 $C_5H_7N_3$ (141-86-6)	2,6-**Diamino Pyridine** for Synthesis M. W.: 109.13	**1000.00** **2205.00** **9900.00**	**25 gm** **100 gm** **500 gm**
064685 C (7782-40-3)	**Diamond Powder** 1 Micron At. W.: 12.01	**2340.00** **11430.00**	**1 gm** **5 gm**
064695 C (7782-40-3)	**Diamond Powder** 50 Micron At. W.: 12.01	**1134.00** **5500.00**	**1 gm** **5 gm**
N11930 C (7782-40-3)	**Diamond Nanoparticles/ Nanopowder** (3-10nm) At. W.: 12.01 Assay 98%	**9000.00** **18720.00** **74880.00**	**1 gm** **5 gm** **25 gm**
064705 $C_{14}H_{16}N_2O_2$ (119-90-4)	▲o-**Dianisidine** M.W.: 244.30 Assay (Non-aq) 96.0%	**522.00** **1800.00** **8100.00**	**25 gm** **100 gm** **500 gm**
TC1462 ATC (9001-18-7)	▲**Diaphorase** Source : Cl. Kluyveri Cell Culture Tested Activity: NLT 30 U/mg	**16700.00**	**1 ku**
064725 (9000-92-4)	**Diastase** Amylase Activity 1300 IU/g	**666.00** **2448.00**	**100 gm** **500 gm**
064755 $C_6H_{12}N_2$ (280-57-9)	· 1,4-**Diazabicyclo (2.2.2) Octane** (Dabco, Ted,Triethylenediamine) M. W.: 112.17 Assay 99.0%	**1044.00** **3150.00**	**100 gm** **500 gm**
064825 $C_9H_{16}N_2$ (6674-22-2)	1:8-**Diaza Bicyclo Undecene** for Synthesis (DBU) M. W.: 152.24 Assay 98.0%	**441.00** **1305.00** **4401.00**	**25 ml** **100 ml** **500 ml**
	2,6-**Di-Tert**-4-**Methyl Phenol** See Butylated Hydroxy Toluene		
824800	**Diazo** Reagent **A**	**117.00**	**125 ml**
824810	**Diazo** Reagent **B**	**117.00**	**125 ml**
	Dibenzo-18-**Crown**-6 See 18-Crown-6-Ether		
507385 $(C_6H_5CO)_2CH_2$ (120-46-7)	**Dibenzoyl Methane AR** M. W.: 224.25 Assay 98.0%	**1944.00** **6102.00**	**25 gm** **100 gm**
065055 $C_{18}H_{14}O_8$ (2743-38-6)	(-)-2,3-**Dibenzoyl**-L-**Tartaric Acid** Anhy. M. W.: 358.30	**500.00** **1350.00**	**25 gm** **100 gm**
507525 $C_{18}H_{14}O_8.H_2O$ (62708-56-9)	(-)-o,o-**Dibenzoyl** L-**Tartric Acid** Mono Hydrate **AR** M. W.: 376.31	**1341.00** **4455.00**	**100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
064965 $C_{18}H_{14}O_8$ (17026-42-5)	(+)-2,3-**Dibenzoyl**-D-**Tartaric Acid** Anhy. [(+)-Di-Benzoyl-D-Tartaric Acid, (+)-2,3-Di-Benzoyl-D-Tartaric Acid) M. W.: 358.30 Assay (T) Acidimetric 98.0%	504.00 1450.00	25 gm 100 gm
064995 $C_{18}H_{14}O_8.H_2O$ (80822-15-7)	(+)-2,3-**Dibenzoyl**-D-**Tartaric Acid** Monohydrate M.W. : 358.30 (anhy.)	550.00 1900.00	25 gm 100 gm
065185 $C_{14}H_{15}N$ (103-49-1)	**Dibenzylamine** for Synthesis [N,N-Bis (Methylphenyl) Amine] M. W.: 197.28 Assay 97.0%	864.00 4010.00	100 ml 500 ml
065265 $C_{14}H_{14}S_2$ (150-60-7)	**Dibenzyl Disulphide** for Synthesis M. W.: 246.39 Assay 98.0%	1900.00 5400.00 POR	25 gm 100 gm 1 kg
065335 $C_{14}H_{15}O_4$ (1623-08-1)	**Dibenzyl Phosphate** for Synthesis M. W.: 298.25	621.00 2772.00	5 gm 25 gm
065415 $C_7H_6Br_2O$ (74137-36-3)	3,5-**Dibromo Anisole** M. W.: 265.93 Assay 97.0%	3582.00	5 gm
065615 $C_6H_4Br_2$ (106-37-6)	1,4-**Dibromo Benzene** for Synthesis M. W.: 235.90	2007.00	500 gm
065715 $C_4H_8Br_2$ (110-52-1)	1,4-**Dibromo Butane** for Synthesis (Tetramethylene Dibromide) M. W.: 215.91	2097.00	250 ml
	1,8-**Dibromo Butane** See 1,8-**Dibromo octane**		
065805 $C_5H_6Br_2N_2O_2$ (77-48-5)	1,3-**Dibromo** 5,5-**Dimethyl Hydantion** for Synthesis M. W.: 285.92 Assay 98.0%	1350.00 11250.00	500 gm 5 kg
065855 $C_2H_4Br_2$ (106-93-4)	1,2-**Dibromo Ethane** for Synthesis M. W.: 187.89 Assay (GC) 98.0%	1593.00 2800.00 12510.00 POR POR	250 ml 500 ml 2.5 lit 25 lit 200 lit
507835 $C_2H_4Br_2$ (106-93-4)	1-2-**Dibromo Ethane AR** M. W.: 187.86 Assay (GC) 98.0%	4397.00 20655.00	500 ml 2.5 lit
291475 $C_{20}H_{10}Br_2O_5$ (596-03-2)	4:5-**Dibromo Fluorescein** M. W.: 490.10 Assay Dye Content 95.0%	2880.00	50 gm
508005 $Br(CH_2)_6Br$ (629-03-8)	1,6-**Dibromo Hexane AR** M. W.: 243.97 Assay 96.0%	1125.00 4806.00	100 gm 500 gm
066005 CH_2Br_2 (74-95-3)	**Dibromo Methane** for Synthesis (Methylene Bromide) M. W.: 173.83 Assay 99.0%	4095.00	500 gm
066105 $C_5H_{10}Br_2$ (111-24-0)	1,5-**Dibromo Pentane** for Synthesis (Pentamethylenedibromide) M. W.: 229.94 Assay 97.0%	5535.00	500 gm

Product Code	Product Name	Price	Packing
066215 $Br_2C_6H_3OH$ (608-33-3)	2,6-**Dibromo Phenol** M. W.: 251.90 Assay 99.0%	1503.00 6507.00 22005.00	5 gm 25 gm 100 gm
066265 $Br(CH_2)_3Br$ (109-64-8)	1,3-**Dibromo Propane** (trimethylene dibromide) M. W. : 201.89	1305.00 4905.00	100 ml 500 ml
508140 (537-45-1)	2,6-**Dibromo Quinone**-4-**Chlorimide AR**	3105.00	5 gm
028064 $C_8H_{19}N$ (111-92-2)	**Di**-n-**Butylamine** for Synthesis (Dibutylamine) M. W.: 129.25 Assay (GC) 99.0%	774.00 3204.00 POR	500 ml 2.5 lit 25 lit
	2,6-**Di**-Tert-**Butyl**-p-**Cresol** See Butylated Hydroxy Toluene		
	Di-tert-**Butyl Dicarbonate** See Boc-Anhydride		
066405 $C_8H_{18}O$ (142-96-1)	**Dibutyl Ether** for Synthesis M. W.: 130.23	801.00 3303.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
508275 $C_8H_{18}O$ (142-96-1)	**Dibutyl Ether AR** (n-Butyl ether) M. W.: 130.23	882.00 3600.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
066435 $C_{12}H_{20}O_4$ (105-76-0)	**Di**-n-**Butyl Maleate** (DBM) M. W.: 228.29 Assay (GC) 97.0%	585.00 2403.00 POR	500 ml 2.5 lit 25 lit
	2,6-**Di**-tert-**Butyl**-4-**Methyl Phenol** See Butylated Hydroxy Toluene		
028073 $C_{16}H_{22}O_4$ (84-74-2)	**Di**-n-**Butyl Phthalate** M. W.: 278.35 Assay (GC) 98.0%	648.00 2610.00 4968.00 POR	500 ml 2.5 lit 5 lit 25 lit
508365 $C_{16}H_{22}O_4$ (84-74-2)	**Di**-n-**Butyl Phthalate AR/ACS** M. W.: 278.35 Assay (GC) 98.5%	792.00 3501.00	500 ml 2.5 lit
	Di-tert-**Butyl Pyrocarbonate** See BOC Anhydride		
066515 $(CH_3CH_2CH_2CH_2)_2Sn(OCOCH_3)_2$ (1067-33-0)	**Dibutyl Tin Diacetate** M. W.: 351.03	3780.00 8505.00	100 gm 500 gm
066555 $(CH_3CH_2CH_2CH_2)_2Sn(OCO(CH_2)10CH_3)_2$ (77-58-7)	**Dibutyl Tin Dilaurate** for Synthesis M. W.: 631.56 Assay 95.0%	6710.00	500 ml
066595 $C_{12}H_{20}O_4Sn$ (78-04-6)	**Dibutyl Tin Dimaleate** for Synthesis M. W.: 346.99 Assay 95.0%	8200.00	500 gm
066635 $C_8H_{18}OSn$ (818-08-6)	**Di-Butyl Tin Oxide** for synthesis M. W.: 248.92 Assay (ex Sn) 98.0%	3852.00 14000.00	250 gm 1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1467 ATC $C_{18}H_{23}N_5O_8PNa$ (16980-89-5)	▲N6-2'-O-**Dibutyryladenosine-3',5' Cyclic Monophosphate Sodium Salt** Bucladesine sodium salt, Dibutyryl cAMP sodium salt, Dibutyryl cyclic-AMP sodium salt Cell Culture Tested M. W.: 491.37 Assay : ≥95%	4519.00 13563.00 27109.00 76005.00	25 mg 100 mg 250 mg 1 gm
	Dicalcium Phosphate See di-**Calcium Phosphate**		
066715 $C_8H_6Cl_2O_3$ (1918-00-9)	▲**Dicamba** **(3,6 dichloro-o-anisic acid)** M. W.: 221.04 Assay 98%	2520.00 18630.00	100 mg 1 gm
PCT1834 PTC $C_8H_6Cl_2O_3$ (1918-00-9)	▲**Dicamba** (3,6 dichloro-o-anisic acid) Plant Culture Tested M. W.: 221.04 Assay 98%	7857.00 71321.00	100 mg 1 gm
066795 $C_8H_6Cl_2O$ (2234-16-4)	2,4-**Dichloroacetophenone** for Synthesis M. W.: 189.04	909.00 3150.00	100 gm 500 gm
066835 $C_8H_6Cl_2O$ (2642-63-9)	3,4-**Dichloroacetophenone** for Synthesis M. W.: 189.04	1548.00 6102.00	25 gm 100 gm
066925 $C_6H_5Cl_2N$ (608-27-5)	2,3-**Dichloroaniline** for Synthesis M. W.: 162.02	1683.00 7943.00	500 ml 2.5 lit
066945 ✲ $C_6H_5Cl_2N$ (554-00-7)	2,4-**Dichloroaniline** for Synthesis M. W.: 162.02	2300.00 9000.00	100 gm 500 gm
066965 $Cl_2C_6H_3NH_2$ (95-82-9)	2:5-**Dichloroaniline** for Synthesis M. W.: 162.02 Assay 99.0%	2250.00	500 gm
067005 $Cl_2C_6H_3NH_2$ (608-31-1)	2,6-**Dichloroaniline** M. W.: 162.02 Assay 98.0%	3690.00	250 gm
067025 $Cl_2C_6H_3NH_2$ (95-76-1)	3,4-**Dichloroaniline** for Synthesis M. W.: 162.02	1953.00	500 gm
067115 $Cl_2C_6H_3CHO$ (874-42-0)	2:4-**Dichlorobenzaldehyde** for Synthesis M. W.: 175.01 Assay 99.0%	1000.00 3402.00	100 gm 500 gm
067145 $Cl_2C_6H_3CHO$ (6287-38-3)	3,4-**Dichlorobenzaldehyde** for Synthesis M. W.: 175.01 Assay 95.0%	1503.00 4203.00	5 gm 25 gm
	m-**Dichloro Benzene** See 1,3-Dichlorobenzene		
028082 $C_6H_4Cl_2$ (95-50-1)	o-**Dichloro Benzene** for Synthesis (1, 2-Dichlorobenzene) M. W.: 147.00 Assay (GC) 98.0%	612.00 2475.00 POR POR	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Price	Packing
508585 $C_6H_4Cl_2$ (95-50-1)	o-**Dichloro Benzene AR** (1,2-Dichlorobenzene) M. W.: 147.00	702.00 2601.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
720650 $C_6H_4Cl_2$ (95-50-1)	o-**Dichloro Benzene** for HPLC (1,2-Dichloro benzene) M.W : 147.00 Assay (GC) 99.0%	3303.00	1 lit
	1,2-**Dichloro Benzene** See o-Dichloro Benzene		
	1,4-**Dichloro Benzene** See p-Dichloro Benzene		
067225 $C_6H_4Cl_2$ (541-73-1)	1,3-**Dichloro Benzene** for Synthesis (m-Dichlorobenzene) M. W.: 147.00	2106.00 9000.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
028084 $C_6H_4Cl_2$ (106-46-7)	p-**Dichloro Benzene** for Synthesis (1,4-Dichloro Benzene) M. W.: 147.00 Assay (GC) 97.0%	567.00 POR	500 gm 25 kg
067355 $C_7H_4Cl_2O_2$ (50-84-0)	2,4-**Dichloro Benzoic Acid** M. W.: 191.02 Assay (acidimetric) 98.0%	1953.00	500 gm
067405 ✲ $C_{13}H_8Cl_2O$ (90-98-2)	4,4'-**Dichlorobenzophenone** for Synthesis M. W.: 251.11 Assay 99.0%	2502.00	100 gm
067555 ✲ $Cl_2C_6H_3CH_2OH$ (1777-82-8)	2,4-**Dichlorobenzyl Alcohol** for Synthesis M. W.: 177.03 Assay 99.0%	2502.00	50 gm
067715 ✲ $Cl_2C_6H_3CH_2NH_2$ (102-49-8)	3,4-**Dichlorobenzylamine** M. W.: 176.04 Assay 95.0%	2250.00 9000.00	5 gm 25 gm
067855 $C_7H_5Cl_3$ (94-99-5)	2,4-**Dichlorobenzyl Chloride** (A-2,4-Trichlorotoluene) M. W.: 195.47	3250.00	500 ml
067895 $C_4H_8Cl_2$ (110-56-5)	1,4-**Dichlorobutane** for Synthesis (Tetramethylene dichloride) M.W: 127.01	3006.00	500 ml
068025 $C_8Cl_2N_2O_2$ (84-58-2)	▲2,3-**Dichloro**-5,6-**Dicyano**-P-**Benzoquinone** for Synthesis (DDQ) M. W.: 227.00 Assay 98.0%	1404.00 5022.00 24525.00	25 gm 100 gm 500 gm
068335 $C_2H_6Cl_2Si$ (75-78-5)	**Dichlorodimethylsilane** for Synthesis (Repelsilane, Dimethyldichlorosilane) M. W.: 129.06 Assay 98.0%	1584.00 6471.00	500 ml 2.5 lit

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
068435 $C_{12}H_{10}Cl_2Si$ (80-10-4)	**Dichlorodiphenylsilane** for Synthesis (Diphenyl dichlorosilane) M. W.: 253.21 Assay 98.0%	2790.00 6291.00	100 gm 500 gm
028093 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane** M. W.: 98.96 Assay (GC) 99.0%	441.00 1701.00 POR	500 ml 2.5 lit 25 lit
508635 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane AR** M. W.: 98.96 Assay (GC) 99.5%	522.00 1900.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
720750 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane** for HPLC & Spectroscopy M. W.: 98.96 Assay (GC) 99.5%	1737.00	1 lit
068545 $Cl_2C_6H_3F$ (1435-48-9)	2:4-**Dichlorofluoro Benzene** M. W.: 164.99 Assay 99.0%	2610.00 9360.00	25 gm 100 gm
291625 $C_{20}H_{10}Cl_2O_5$ (76-54-0)	2,7-**Dichloro fluoroscein AR/ACS** Adsorption Indicator M. W.: 401.20 Assay Abt. 90.0%	666.00 2790.00	5 gm 25 gm
824755	**Dichlorofluorescein** indicator 0.1% w/v in 70% Alcohol	297.00	100 ml
068575 $Cl_2C_6H_2(OH)CO_2H$ (3336-41-2)	3,5-**Dichloro**-4-**Hydroxy Benzoic Acid** M. W.: 207.01 Assay 97.0%	4500.00	25 gm
068605 $C_3Cl_2N_3NaO_3.2H_2O$ (51580-86-0)	**Dichloroiso-Cyanuric Acid** **Sodium Salt** for Synthesis M. W.: 255.98 Assay 98.0%	1350.00	500 gm
028096 CH_2Cl_2 (75-09-2)	**Dichloromethane** Pure M. W.: 84.93 Assay (GC) 99.0%	550.00 2007.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
508705 CH_2Cl_2 (75-09-2)	**Dichloromethane AR/ACS** M. W.: 84.93 Assay (GC) 99.5%	657.00 2502.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
508710 CH_2Cl_2 (75-09-2)	**Dichloromethane** Specially Dried **AR** M. W.: 84.93 Assay (GC) 99.5%	702.00 3006.00	500 ml 2.5 lit
925600 CH_2Cl_2 (75-09-2)	**Dichloromethane** for Molecular Biology M. W.: 84.93 Assay (GC) 99.5%	1152.00	500 ml
720946 CH_2Cl_2 (75-09-2)	**Dichloromethane** GC HS Grade M.W : 84.93 Assay (GC) 99.9%	1760.00	1 lit
720950 CH_2Cl_2 (75-09-2)	**Dichloromethane** for HPLC & Spectroscopy M. W.: 84.93 Assay (GC) 99.7%	1206.00 2808.00	1 lit 2.5 lit

Product Code	Product Name	Price	Packing
721050 CH_2Cl_2 (75-09-2)	**Dichloromethane** for Pesticide Residue Trace Analysis (Methylene Chloride) M. W.: 84.93	3024.00	1 lit
D39663 CD_2Cl_2 (1665-00-5)	**Dichloromethane**-d_2 (for NMR Spectroscopy) M.W.: 86.95 Assay Min. 99.5 atom%D	19782.00	10x0.75ml
D39672 CD_2Cl_2 (1665-00-5)	**Dichloromethane**-d_2 (for NMR Spectroscopy) M.W.: 86.95 Assay Min. 99.5 atom%D	17910.00	10 ml
068815 $C_3H_6Cl_2Si$ (124-70-9)	**Dichloromethyl Vinyl Silane** for Synthesis M. W.: 141.07 Assay 97.0%	2691.00 10980.00	100 gm 500 gm
068845 $C_{10}H_4Cl_2O_2$ (117-80-6)	2,3-**Dichloro**-1,4-**Naphthoquinone** for Synthesis M. W.: 227.04 Assay 98.0%	1593.00 4806.00	25 gm 500 gm
068935 $Cl_2C_6H_3NO_2$ (99-54-7)	3:4-**Dichloronitro Benzene** for Synthesis M. W.: 192.00 Assay 99.0%	702.00 3150.00 6003.00	100 gm 500 gm 1 kg
068925 $Cl_2C_6H_3NO_2$ (611-06-3)	2:4-**Dichloronitro Benzene** for Synthesis M.W. : 192.0 Assay 97.0%	1602.00	100 gm
069065 $C_{13}H_{10}O_2Cl_2$ (97-23-4)	**Dichlorophene Pract** for Synthesis [5,5-Dichloro-2,2-Dihydroxy Diphenyl Methane, bis (5-Chloro-2-Hydroxyphenyl) Methane] M. W.: 269.14 Assay 95.0%	1863.00	500 gm
069225 $Cl_2C_6H_3OH$ (576-24-9)	2,3-**Dichlorophenol** M. W.: 163.00 Assay 98.0%	1206.00 3969.00 12609.00	25 gm 100 gm 500 gm
069235 $Cl_2C_6H_3OH$ (120-83-2)	2,4-**Dichlorophenol** for Synthesis M. W.: 163.00	550.00 1602.00	100 gm 500 gm
069230 $C_6H_4OCl_2$ (120-83-2)	2,4-**Dichloro Phenol** Pract M.W.: 163.0 Assay (GC) 98.0%	1035.00	250 gm
069275 $C_6H_4Cl_2O$ (87-65-0)	2,6-**Dichloro Phenol** M. W.: 163.0 Assay (GC) 98.0%	1107.00 4203.00	100 gm 500 gm
291775 $C_{12}H_6Cl_2NNaO_2.XH_2O$ (620-45-1)	2,6-**Dichloro Phenol Indophenol** **Sodium Salt AR** for the determination of Ascorbic Acid M. W.: 290.08 (Anhy.) Assay (By Titanometry on anhydrous material) 98.0%	302.00 1206.00 4806.00	1 gm 5 gm 25 gm
069315 $C_8H_6Cl_2O_3$ (94-75-7)	2,4-**Dichlorophenoxy Acetic Acid** M. W.: 221.04 Assay 97.0%	3762.00	250 gm
PCT1825 PTC $C_8H_6Cl_2O_3$ (94-75-7)	2,4-**Dichlorophenoxy Acetic Acid** **(2,4-D)** Plant Culture Tested M. W.: 221.04 Assay : ≥ 98% Store below 30°C	1908.00 3807.00	100 gm 250 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
PCT2401 PTC	▲2,4-**Dichlorophenoxy Acetic Acid (2,4-D) solution** w/ 1 mg/ml 2,4-D in sterile distiiled water Sterile filtered Plant Culture Tested	**765.00** **2300.00**	**20 ml** **5X20 ml**
069365 $C_8H_6Cl_2O_2$ (19719-28-9)	2,4-**Dichlorophenyl Acetic Acid** for Synthesis M. W.: 205.04 Assay 99.0%	**1107.00** **4104.00**	**25 gm** **100 gm**
069385 $Cl_2C_6H_3CH_2CO_2H$ (5807-30-7)	3,4-**Dichlorophenyl Acetic Acid** M. W.: 205.04 Assay 98.0%	**1251.00** **3906.00**	**5 gm** **25 gm**
069415 $Cl_2C_6H_3B(OH)_2$ (67492-50-6)	3,5-**Dichloro Phenyl Boronic Acid** M. W.: 190.82 Assay 98.0%	**1850.00** **6606.00** **25002.00**	**1 gm** **5 gm** **25 gm**
069445 $C_{10}H_{12}Cl_2N_2$ (57260-67-0)	1-(3,4-**Dichlorophenyl) Piperazine** M. W.: 231.12 Assay (GC) 98.0%	**6237.00** **POR** **POR**	**1 gm** **5 gm** **25 gm**
069645 $C_8H_2Cl_2O_3$ (942-06-3)	4,5-**Dichlorophthalic Anhydride** M. W.: 217.01 Assay 98.0%	**11493.00** **POR**	**5 gm** **100 gm**
069725 $C_9H_5Cl_2N$ (86-98-6)	4:7-**Dichloroquinoline** for Synthesis M. W.: 198.05 Assay 99.0%	**3096.00**	**25 gm**
069795 $C_6H_2Cl_3NO$ (101-38-2)	▲2,6-**Dichloroquinone**-4-Chloroimide (N,2,6-Trichloro-p-Benzoquinonemide Gibbs Reagent, Reagent for Vitamin B_6) M.W.: 210.45 Assay 98.0%	**1557.00** **2808.00**	**5 gm** **10 gm**
069865 $Cl_2C_6H_2(OH)CHO$ (90-60-8)	3:5-**Dichlorosalicylaldehyde** for Synthesis M.W.: 191.01 Assay 99.0%	**1656.00** **6003.00**	**5 gm** **25 gm**
069935 $C_7H_6Cl_2$ (95-73-8)	2,4-**Dichlorotoluene** for Synthesis M. W.: 161.03 Assay 98.0%	**2106.00** **6300.00** **POR**	**100 ml** **500 ml** **10x500 ml**
069955 $C_7H_6Cl_2$ (95-75-0)	3,4-**Dichlorotoluene** for Synthesis M. W.: 161.03 Assay 98.0%	**3960.00**	**500 gm**
509565 $C_{14}H_{10}Cl_2NNaO_2$ (15307-79-6)	**Diclofenac Sodium AR** for Lab use only M. W.: 318.13 Assay (HPLC) 98.5%	**999.00** **2403.00** **6039.00**	**5 gm** **25 gm** **100 gm**
070155 $C_{18}H_{22}O_2$ (80-43-3)	**Dicumyl Peroxide** M. W.: 270.37 Assay 98.0%	**2089.00**	**250 gm**
028108 $C_2H_4N_4$ (461-58-5)	**Dicyandiamide** Pure M. W.: 84.08 Assay (HPLC) 98.0%	**828.00** **POR** **POR**	**500 gm** **5 kg** **25 kg**
	Dicyanomethane See Malononitrile		
028111 $C_{12}H_{23}N$ (101-83-7)	**Dicyclohexylamine** for Synthesis M. W.: 181.32 Assay (GC) 99.0%	**950.00** **4001.00** **POR**	**500 ml** **2.5 lit** **25 lit**

Product Code	Product Name	Price	Packing
509755 $C_{12}H_{23}N$ (101-83-7)	**Dicyclohexylamine AR** M. W.: 181.32 Assay (GC) 99.0%	**1755.00**	**500 ml**
070235 $C_{13}H_{22}N_2$ (538-75-0)	▲n,n'-**Dicyclohexyl Carbodiimide** for Synthesis M. W.: 206.33	**1107.00** **4203.00**	**100 gm** **500 gm**
824855 ✠	n,n'-**Dicyclohexylcarbodiimide** 1M Solution in Dichloromethane	**900.00**	**100 ml**
070355 $C_{20}H_{26}O_4$ (84-61-7)	**Dicyclo Hexyl Phthalate** for Synthesis M. W.: 330.42 Assay 99.0%	**3960.00**	**500 gm**
070465 $C_{10}H_{12}$ (77-73-6)	**Dicylopentadiene** for Synthesis (Stabilized) M. W.: 132.20	**370.00** **1701.00**	**100 ml** **500 ml**
RE0430 $Nd_2O_3.Pr_2O_3$ (11141-21-2)	**Didymium Oxide** M. W.: 666.29	**3600.00** **9000.00**	**25 gm** **100 gm**
070545 $C_4H_{11}NO_2$ (111-42-2)	**Diethanolamine** for Synthesis M. W.: 105.14 Assay (acidimetric) 98.0%	**513.00** **2304.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
509965 $C_4H_{11}NO_2$ (111-42-2)	**Diethanolamine AR/ACS** for Biochemistry M. W.: 105.15 Assay 98.0%	**594.00** **2403.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
070655 $C_5H_{12}O_2$ (462-95-3)	**Diethoxymethane** for Synthesis (Formaldehyde Diethyl Acetal, Ethylal) (Stabilized with BHT) M. W.: 104.15 Assay 99.0%	**1800.00** **8200.00**	**500 ml** **2.5 lit**
510155 $C_5H_{12}O_2$ (462-95-3)	**Diethoxymethane AR** (Stabilized with BHT) M.W.: 104.15 Assay 99.0%	**2250.00**	**500 ml**
028120 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine** for Synthesis M. W.: 73.14 Assay (GC) 99.0%	**621.00** **2394.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
510405 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine AR** M. W.: 73.14 Assay (GC) 99.5%	**702.00** **2592.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
721800 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine** for HPLC & Spectroscopy M. W.: 73.14	**2178.00**	**1 lit**
070805 $C_4H_{11}N.HCl$ (660-68-4)	**Diethylamine Hydrochloride** for Synthesis (Diethyl ammonium Chloride) M. W .:109.6 Assay 98.0%	**1107.00**	**500 gm**
028122 $C_6H_{15}NO$ (100-37-8)	2-**Diethyl Amino Ethanol** (N,N-Diethyl Amino Ethanolamine) M.W.: 117.19 Assay (GC) 99.0%	**820.00** **3690.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
510455 $C_6H_{15}NO$ (100-37-8)	2-**Diethyl Amino Ethanol AR** M. W.: 117.19	1350.00	500 ml
070865 $(C_2H_5)_2NCH_4Cl.HCl$ (869-24-9)	▲2-**Diethyl Amino Ethyl Chloride Hydrochloride** for Synthesis M. W.: 172.10 Assay 99.0%	342.00 1188.00 10000.00	25 gm 100 gm 1 kg
070895 $C_{10}H_{15}N$ (91-66-7)	n,n'-**Diethyl Aniline** M. W.: 149.25 Assay (GC) 98.5%	1107.00 4905.00 POR	500 ml 2.5 lit 25 lit
510495 $C_{10}H_{15}N$ (91-66-7)	n,n-**Diethyl Aniline AR** M. W.: 149.25 Assay (GC) 99.0%	1305.00	500 ml
510615 $C_6H_{10}N_2O_4$ (1972-28-7)	**Diethyl Azodicarboxylate AR** (Dad, Daed, Azocarboxylicacid Diethylester) M. W.: 174.16	1107.00 4001.00 15003.00	5 gm 25 gm 100 gm
	Diethyl Carbamoyl Chloride See Diethyl Carbamyl Chloride,		
070975 $C_5H_{10}ClNO$ (88-10-8)	**Diethyl Carbamyl Chloride** (Diethyl Carbamoyl Chloride) M.W : 135.59 Assay 99.0%	2250.00	100 gm
071125 $C_5H_{10}O_3$ (105-58-8)	**Diethyl Carbonate** for Synthesis M. W.: 118.13 Assay 99.0%	1000.00 4707.00 POR	500 ml 2.5 lit 25 lit
	Diethylene Diamine See Piperazine		
028150 $C_4H_{10}O_3$ (111-46-6)	**Diethylene Glycol** for Synthesis M. W.: 106.12 Assay (GC) 98.5%	495.00 2007.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
510705 $C_4H_{10}O_3$ (111-46-6)	**Diethylene Glycol AR** M. W.: 106.12 Assay (GC) 99.0%	576.00 2304.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
071275 $(C_2H_5OCH_2CH_2)_2O$ (112-36-7)	**Diethylene Glycol Diethylether** (Diethyldiglycol) M. W.: 162.23	1710.00 6850.00	500 ml 2.5 lit
510795 $(C_2H_5OCH_2CH_2)_2O$ (112-36-7)	**Diethylene Glycol Diethylether AR** (Diethyldiglycol) M. W.: 162.23	4266.00 23000.00	500 ml 2.5 lit
071365 $C_6H_{14}O_3$ (111-96-6)	**Diethylene Glycol Dimethyl Ether** (Dimethyl Digol, Diglyme) M. W.: 134.18 Assay (GC) min. 99%	1701.00 8001.00 POR	500 ml 2.5 lit 25 lit
027522 $C_8H_{18}O_3$ (112-34-5)	**Diethylene Glycol Mono Butyl Ether** (Butyl Carbitol, Butyl Digol) M. W.: 162.23 Assay (GC) 97.0%	820.00 3807.00 POR	500 ml 2.5 lit 25 lit
071405 $C_6H_{14}O_3$ (111-90-0)	**Diethylene Glycol Mono Ethyl Ether** for Synthesis (Ethyl Digol) M. W.: 134.18 Assay (GC) 98.0%	680.00 2970.00 POR	500 ml 2.5 lit 25 lit

Product Code	Product Name	Price	Packing
510940 $C_6H_{14}O_3$ (111-90-0)	**Diethylene Glycol Mono Ethyl Ether AR** M. W.: 134.18	1998.00	1 lit
071425 $C_5H_{12}O_3$ (111-77-3)	**Diethylene Glycol Mono Methyl Ether** for Synthesis (Methyl Digol) M.W.: 120.15 Assay (GC) 98.0%	720.00 3303.00 POR	500 ml 2.5 lit 25 lit
071445 $C_4H_{13}N_3$ (111-40-0)	**Diethylene Triamine** for Synthesis M. W.: 103.17 Assay (GC) 97.0%	1143.00 4860.00 POR	500 ml 2.5 lit 25 lit
071485 $C_{14}H_{23}N_3O_{10}$ (67-43-6)	▲**Diethylene Triamine Penta Acetic Acid** (D.T.P.A.) M. W.: 393.35 Assay 98.0%	522.00 1900.00 POR POR	100 gm 500 gm 5 kg 25 kg
511545 $C_{14}H_{23}N_3O_{10}$ (67-43-6)	▲**Diethylene Triamine Penta Acetic Acid** (D.T.P.A.) **AR** M. W.: 393.35 Assay (anhydrous substance) 99.0%	585.00 2205.00 POR	100 gm 500 gm 5 kg
824895	**Diethylene Triaminepenta Acetic Acid Pentasodium Salt** 40% Aq. Soln. (DTPA Na5)	720.00	500 ml
028132 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** M. W.: 74.12 Assay (GC) 99.5%	567.00 POR 2205.00 POR POR	500 ml 20x500ml 2.5 lit 25 lit 200 lit
511080 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether AR** M. W.: 74.12 Assay (GC) 99.5%	630.00 2403.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
511085 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** Dry **AR** (Solvent Ether, Ethyl Ether) Meets Analytical Specification of ACS M. W.: 74.12 Assay 99.5%	820.00 3258.00	500 ml 2.5 lit
721900 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** for HPLC (Solvent Ether, Ethyl Ether) M. W.: 74.12	4113.00	1 lit
722000 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** for Pesticide Residue Trace Analysis M. W.: 74.12	4410.00	1 lit
071575 $C_{10}H_{16}O_5$ (87-13-8)	**Diethyl Ethoxy Methylene Malonate** for Synthesis M. W.: 216.23 Assay 98.0%	3303.00	500 ml
071605 $C_{16}H_{35}O_4P$ (298-07-7)	**Di-2-Ethyl Hexyl Phosphate** M. W.: 322.43	2745.00	500 gm
071625 $CH_3CH_2COCH_2CH_3$ (96-22-0)	**Diethyl Ketone** for Synthesis (3-Pentanone) M. W.: 86.13	1485.00	500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
028138 $C_7H_{12}O_4$ (105-53-3)	**Diethyl Malonate** for Synthesis M. W.: 160.17 Assay (GC) 98.0%	**1170.00** **5481.00** **POR**	**500 ml** **2.5 lit** **25 lit**
511275 $C_7H_{12}O_4$ (105-53-3)	**Diethyl Malonate AR** M. W.: 160.17 Assay 99.0%	**1350.00** **5760.00**	**500 ml** **2.5 lit**
511365 $C_8H_{11}O_5Na$ (40876-98-0)	**Diethyl Oxalacetate Sodium Salt AR** M.W.: 210.16 Assay 95.0%	**6003.00** **19900.00**	**100 gm** **500 gm**
071685 $C_6H_{10}O_4$ (95-92-1)	**Diethyl Oxalate** M.W.: 146.14 Assay (GC) 99.0%	**738.00** **3303.00** **POR**	**500 ml** **2.5 lit** **25 lit**
511455 $C_6H_{10}O_4$ (95-92-1)	**Diethyl Oxalate AR** M. W.: 146.14	**1494.00**	**500 ml**
511480 $(C_2H_5)_2NC_6H_4NH_4.H_2SO_4$ (6283-63-2)	N,N-**Diethyl**-P-**Phenylenediamine Sulphate AR** M.W.: 262.33 Assay 98.0%	**8640.00** **31500.00**	**100 gm** **500 gm**
028142 $C_{12}H_{14}O_4$ (84-66-2)	**Diethyl Phthalate** for Synthesis M. W.: 222.24 Assay (GC) 99.0%	**603.00** **2502.00** **POR**	**500 ml** **2.5 lit** **25 lit**
511605 $C_{12}H_{14}O4$ (84-66-2)	**Diethyl Phthalate AR** M. W.: 222.24 Assay 97.0%	**900.00**	**500 ml**
926010 MB $C_6H_{10}O_5$ (1609-47-8)	▲**Diethyl Pyrocarbonate** (DEPC) For Molecular Biology M. W.: 162.14 Assay : ≥ 99%	**2502.00** **8856.00**	**25 ml** **100 ml**
PCT2510 PTC $O(COOC_2H_5)_2$ (1609-47-8)	▲**Diethyl Pyrocarbonate** Plant Culture Tested M. W.: 162.14 Assay 97.0%	**3402.00** **5590.00** **9423.00**	**25 ml** **50 ml** **100 ml**
071925 $C_8H_{14}O_4$ (123-25-1)	**Diethyl Succinate** for Synthesis M.W.: 174.19 Assay 99.0%	**1818.00**	**500 ml**
028144 $C_4H_{10}SO_4$ (64-67-5)	**Diethyl Sulphate** M. W.: 154.19 Assay (GC) 98.0%	**666.00** **2808.00** **POR**	**500 ml** **2.5 lit** **25 lit**
	(2R,3R)-(+)-**Diethyl Tartrate** See (+)-Diethyl L-Tartrate		
071975 $C_8H_{14}O_6$ (13811-71-7)	**Diethyl**-D-(-)-**Tartarate** M. W.: 206.20	**1301.00** **3501.00** **15003.00**	**25 gm** **100 gm** **500 gm**
071995 $C_8H_{14}O_6$ (87-91-2)	(+)-**Diethyl** L-**Tartrate** M.W. 206.20	**1152.00** **2106.00** **10000.00**	**25 gm** **100 gm** **500 gm**
072015 $C_{11}H_{17}N$ (91-67-8)	N,N-**Diethyl**-M-**Toluidine** for Synthesis M. W.: 163.27	**1314.00** **4095.00**	**100 ml** **500 ml**
072165 $F_2C_6H_3NH_2$ (367-25-9)	2:4-**Difluoro Aniline** M. W.: 129.11 Assay 99.0%	**1332.00** **4230.00**	**25 gm** **100 gm**
072175 ✠ $F_2C_6H_3NH_2$ (372-39-4)	3:5-**Difluoro Aniline** M. W.: 129.11 Assay 98.0%	**2295.00**	**5 gm**

Product Code	Product Name	Price	Packing
072225 $F_2C_6H_3CHO$ (437-81-0)	2,6-**Difluoro Benzaldehyde** M. W.: 142.10 Assay 98.0%	**4500.00** **18500.00**	**5 gm** **25 gm**
072305 $F_2C_6H_3C(O)NH_2$ (18063-03-1)	2,6-**Difluoro Benzamide** M. W.: 157.12 Assay 97.0%	**3186.00**	**25 gm**
	m-**Difluorobenzene** See 1,3-Difluorobenzene		
072385 $C_6H_4F_2$ (372-18-9)	1,3-**Difluoro Benzene** (m-Difluorobenzene) M. W.: 114.10 Assay 99.0%	**2205.00** **10206.00**	**100 ml** **500 ml**
072425 ✠ $(FC_6H_4)_2CO$ (345-92-6)	4,4-**Difluoro Benzophenone** for Synthesis M. W.: 218.20 Assay 99.0%	**5500.00**	**250 gm**
072525 $C_5H_2ClF_2N$ (89402-43-7)	2,3-**Difluoro** 5-**Chloro Pyridine** M. W.: 149.53 Assay 95%	**6210.00**	**5 gm**
072795 $C_6H_3F_2NO_2$ (446-35-5)	2:4-**Difluoro Nitro Benzene** M. W.: 159.09 Assay 99.0%	**1557.00** **3897.00** **19180.00**	**25 gm** **100 gm** **500 gm**
072825 ✠ $F_2C_6H_3NO_2$ (2265-94-3)	3:5-**Difluoro Nitro Benzene** M. W.: 159.09 Assay 99.0%	**6381.00** **22140.00**	**5 gm** **25 gm**
291915 $C_{56}H_{92}O_{29}$ (11024-24-1)	**Digitonin AR** M. W.: 1229.34 Assay (Gravimetric) 98.0%	**30960.00**	**1 gm**
	Diglyme See Diethylene Glycol Dimethyl Ether		
	Digol See Diethylene Glycol		
072845 C_5H_8O (110-87-2)	3,4-**Dihydro**-2H-**Pyran** M.W : 84.12	**1647.00** **6903.00**	**100 ml** **500 ml**
072885 $C_6H_{12}O_6$ (26776-70-5)	1,3-**Dihydroxy Acetone** for Synthesis (Dimer) M. W.: 180.16	**1791.00** **3150.00**	**25 gm** **100 gm**
072945 $(HO)_2C_6H_3COCH_3$ (89-84-9)	2,4-**Dihydroxy Acetophenone** for Synthesis (4-Acetylresorcinol, Resacetophenone) M. W.: 152.15	**2601.00** **12510.00**	**100 gm** **500 gm**
072965 $C_8H_8O_3$ (490-78-8)	2,5-**Dihydroxy Acetophenone** (2-Acetyl Hydroquinone, Quinacetophenone) M. W.: 152.15 Assay (GC) 98.0%	**1450.00** **6480.00** **22005.00**	**5 gm** **25 gm** **100 gm**
072975 $C_8H_8O_3$ (699-83-2)	2,6-**Dihydroxy Acetophenone** M.W 152.15 Assay (GC) 99.0%	**1305.00** **4203.00** **14000.00**	**5 gm** **25 gm** **100 gm**
	1,4-**Dihydroxy Anthraquinone** See Quinizarine		
512515 $C_7H_6O_3$ (139-85-5)	3,4-**Dihydroxy Benzaldehyde AR** (Protocatechualdehyede) M. W.: 138.12	**1450.00** **4100.00** **15003.00**	**25 gm** **100 gm** **500 gm**
	1,4-**Dihydroxy Benzene** See Hydroquinone		
	o-**Dihydroxy Benzene** See Pyrocatechol		

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	1,2-**Dihydroxybenzene**-3,5-**Disulfonic Acid Sodium Salt** See Tiron		
073085 $C_7H_6O_4$ (89-86-1)	2,4-**Dihydroxy Benzoic Acid** for Synthesis (β-resor-cylic acid) M. W.: 154.12 Assay 98.0%	**1900.00** **6507.00**	**100 gm** **500 gm**
073105 $C_7H_6O_4$ (99-10-5)	3,5-**Dihydroxy Benzoic Acid** for Synthesis (α-resor-cylic acid) M. W.: 154.12 Assay 98.0%	**6930.00** **POR**	**100 gm** **500 gm**
073125 $C_{13}H_{10}O_3$ (131-56-6)	· 2,4-**Dihydroxy Benzophenone** for Synthesis M. W.: 214.22 Assay 99.0%	**1206.00** **4851.00**	**100 gm** **500 gm**
073165 ✲ $(HOC_6H_4)_2CO$ (611-99-4)	4,4-**Dihydroxy Benzophenone** for Synthesis M. W.: 214.22	**3807.00** **12690.00**	**25 gm** **100 gm**
	1,3-**Dihydroxynapthalene** See Naphthoresorcinol		
073255 $C_{10}H_8O_2$ (83-56-7)	▲1,5-**Dihydroxynaphthalene** M. W.: 160.17	**12200.00**	**500 gm**
	3,(3-4-**Dihydroxy Phenyl)** Di- **Alanine** See DL-DOPA		
	3-(3-4-**Dihydroxy Phenyl)-l-Alanine** See L-DOPA		
	2,2-**Di (4-Hydroxy Phenyl) Propane** See Bisphenol A		
073315 $C_9H_{10}O_3$ (938-46-5)	2,5-**Dihydroxy Propiophenone** M. W.: 166.17 Assay 98.0%	**5850.00**	**25 gm**
	1,8-**Dihydroxy-2-(4-Sulfophenylazo) Naphthalene-3, 6-Disulfonic Trisodium Salt** See SPADNS		
	3,5-**Dihydroxytoluene** See Orcinol		
PCT1852 PTC $C_{10}H_{15}N_5O$ (14894-18-9)	▲**Dihydrozeatin (DHZ)** Plant Culture Tested M. W.: 221.3	**1981.00** **3753.00** **7146.00** **17127.00**	**25 mg** **50 mg** **100 mg** **250 mg**
073365 CH_2I_2 (75-11-6)	**Diiodomethane** for Synthesis Separation of Minerals M.W : 267.84 Assay 98.0%	**6390.00** **19908.00**	**100 gm** **500 gm**
078865 $C_6H_{15}N$ (108-18-9)	**Di**-ISO-**Propylamine** for Synthesis M. W.: 101.19 Assay (GC) 99.0%	**1107.00** **4806.00** **POR**	**500 ml** **2.5 lit** **25 lit**
	Diisopropyl Azodiformate See Diisopropylazodicarboxylate		
078885 $C_8H_{14}N_2O_4$ (2446-83-5)	**DI**-ISO-**Propyl Azo Dicarboxylate** for Synthesis M. W.: 202.21	**1008.00** **3753.00**	**25 gm** **100 gm**
078925 $C_6H_{14}O$ (108-20-3)	**Di**-ISO-**Propyl Ether** M. W.: 102.18 Assay (G.C) 98.0%	**680.00** **3105.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Price	Packing
512605 $C_6H_{14}O$ (108-20-3)	**Di**-ISO-**Propyl Ether AR/ACS** M. W.: 102.18 Assay (GC) 98.5%	**730.00** **3303.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
078965 $C_8H_{19}N$ (7087-68-5)	n, n'-**Di**-ISO-**Propyl Ethylamine** for Synthesis M. W.: 129.25	**1044.00** **3591.00** **POR**	**250 ml** **500 ml** **25 lit**
PCT1832 PTC $C_{12}H_{18}O_7.H_2O$ (68539-16-2)	· **Dikegulac** Plant Culture Tested M. W.: 292.28 Assay 97.5%	**38079.00** **68500.00**	**500 mg** **1 gm**
926490 MB	**Diluent** For DNA Extraction (For Molecular Biology) Assay : ≥ 99.8% Store Below 30°C	**882.00** **2170.00** **19404.00**	**100 ml** **500 ml** **10x500 ml**
	Diluting Fluide WBC See W.B.C.Diluting Fluid (Turk's)		
512695 $C_8H_{12}O_2$ (126-81-8)	**Dimedone AR** M. W.: 140.18 Assay (acidimetric) 99.5%	**1107.00** **3006.00**	**25 gm** **100 gm**
825950	**Dimedone** Reagent (Reagent for aldehydes)	**1557.00**	**100 ml**
073665 $C_{10}H_{12}O_3$ (829-20-9)	2,4-**Dimethoxy Acetophenone** for Synthesis (Resacetophenonedimethyl Ether) M. W.: 180.21 Assay 98.0%	**1850.00** **6800.00**	**25 gm** **100 gm**
073675 $C_{10}H_{12}O_3$ (1201-38-3)	2,5-**Dimethoxy Acetophenone** for Synthesis (Resacetophenonedimethyl Ether) M. W.: 180.21 Assay 99.0%	**2907.00** **7920.00** **31100.00**	**25 gm** **100 gm** **500 gm**
073685 $C_{10}H_{12}O_3$ (1131-62-0)	3,4-**Dimethoxy Acetophenone** M. W.: 180.21 Assay 98.0%	**829.00** **2403.00**	**25 gm** **100 gm**
073715 $C_9H_{10}O_3$ (120-14-9)	▲3,4-**Dimethoxy Benzaldehyde** for Synthesis (veratraldehyde) M. W.: 166.17 Assay ≥ 98.0%	**1098.00** **4140.00**	**100 gm** **500 gm**
	1,4-**Dimethoxybenzene** See Hydroquinone Dimethyl Ether		
	3,3'-**Dimethoxybenzidine** See O-Dianisidine		
073745 $(CH_3OC_6H_4)_2CO$ (90-96-0)	4,4'-**Dimethoxy Benzophenone** M. W.: 242.27 Assay 97.0%	**2610.00** **8406.00**	**25 gm** **100 gm**
073805 $C_4H_{10}O_2$ (110-71-4)	1,2-**Dimethoxy Ethane** (Ethylene Glycol Dimethyl Ether, Monoglyme) (Stabilised with BHT ~ 100 ppm) M. W.: 90.12 Assay 99.0%	**1908.00** **8802.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
073845 $C_3H_8O_2$ (109-87-5)	1,2-**Dimethoxy Methane** (FormaldehydeDimethyl Acetal, Methylal) M. W.: 76.10 Assay 98.0%	**1107.00** **4600.00**	**500 ml** **2.5 lit**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
512895 $C_3H_8O_2$ (109-87-5)	1,2-**Dimethoxy Methane** Anhydrous **AR** M. W.: 76.10 Assay 99.5%	**1400.00** **6660.00**	**500 ml** **2.5 lit**
073905 $C_5H_{12}O_2$ (77-76-9)	2,2-**Dimethoxy Propane** for Synthesis (Acetone Dimethyl Acetal) M. W.: 104.15 Assay 98.0%	**1206.00** **5202.00**	**500 ml** **2.5 lit**
073985 $C_6H_{12}O_3$ (696-59-3)	2:5-**Dimethoxy Tetrahydrofuran** For Synthesis M. W.: 132.16	**4005.00** **12600.00**	**100 gm** **500 gm**
074115 $C_{21}H_{19}ClO_2$ (40615-36-9)	4,4'-**Dimethoxy Trityl Chloride** for Biochemistry M. W.: 338.83 Assay 95.0%	**1350.00** **4806.00** **17460.00**	**5 gm** **25 gm** **100 gm**
074165 C_4H_9NO (127-19-5)	n,n'-**Dimethyl Acetamide** M. W.: 87.12 Assay (GC) 99.0%	**603.00** **2502.00** **POR**	**500 ml** **2.5 lit** **25 lit**
513210 C_4H_9NO (127-19-5)	n,n'-**Dimethyl Acetamide AR** M. W.: 87.12 Assay (GC) 99.5%	**684.00** **2700.00** **POR**	**500 ml** **2.5 lit** **25 lit**
513215 C_4H_9NO (127-19-5)	n,n'-**Dimethyl Acetamide** "Dry" **AR** M. W.: 87.12 Assay 99.5%	**1125.00** **3420.00**	**500 ml** **2.5 lit**
723100 C_4H_9NO (127-19-5)	N,N-**Dimethyl Acetamide** For GC-HS M. W.: 87.12	**1701.00** **3200.00**	**1 lit** **2.5 lit**
723000 C_4H_9NO (127-19-5)	n,n;-**Dimethyl Acetamide** For HPLC & Spectroscopy M. W.: 87.12 Assay (GC) 99.7%	**1602.00**	**1 lit**
074225 $C_5H_8O_2$ (541-47-9)	3,3-**Dimethyl Acrylic Acid** for Synthesis (3-**Methyl**-2-**Butenoic Acid**) M. W.: 100.12 Assay 97.0%	**2493.00** **10296.00**	**100 gm** **500 gm**
074335 $C_8H_{14}O_4$ (627-93-0)	**Dimethyl Adipate** M. W.: 174.2 Assay 98.0%	**1800.00**	**500 ml**
074395 C_2H_7N (124-40-3)	**Dimethylamine** Solution 40% for Synthesis M. W.: 45.08 Assay $(CH_3)_2NH$ abt. 40% w/w	**360.00** **1494.00** **POR**	**500 ml** **2.5 lit** **25 lit**
	Dimethylamine Hydrochloride See Dimethyl Ammonium Chloride		
074465 $C_{13}H_{17}N_3O$ (58-15-1)	4-**Dimethyl Amino Antipyrine** (Aminopyrine,4-Dimethylamino-1, 5-Dimethy-2-Phenylpyrazol-3-one) M. W.: 231.30	**1670.00** **6210.00**	**25 gm** **100 gm**
292055 $C_9H_{11}NO$ (100-10-7)	▲p-**Dimethyl Amino Benzaldehyde** for Synthesis (EHRLICH Reagent) M. W.: 149.19 Assay (non aqueous) 98.0%	**1575.00** **14500.00** **POR**	**100 gm** **1 kg** **25 kg**
292065 $C_9H_{11}NO$ (100-10-7)	▲p-**Dimethyl Amino Benzaldehyde** **AR/ACS** M. W.: 149.19 Assay (Non-aqueous) 99.0%	**1746.00** **15930.00** **POR**	**100 gm** **1 kg** **25 kg**

Product Code	Product Name	Price	Packing
292165 $C_{12}H_{12}N_2OS_2$ (536-17-4)	p-**Dimethylaminobenzylidene** **Rhodanine AR** M. W.: 264.36	**1935.00** **9000.00**	**5 gm** **25 gm**
825990	▲p-**Dimethylamine Benzylidine** Rhodamine Solution (Reagent for Au, Hg & Ag)	**522.00**	**100 ml**
292265 $C_{11}H_{13}NO$ (6203-18-5)	▲p-**Dimethyl Amino Cinnamaldehyde AR** M. W.: 175.23 Assay (HPLC) 98.0%	**3006.00** **14000.00**	**5 gm** **25 gm**
028190 $C_4H_{11}NO$ (108-01-0)	n,n'-**Dimethyl Amino Ethanol** M. W.: 89.14 Assay (GC) 99.0%	**950.00** **4401.00**	**500 ml** **2.5 lit**
074615 $C_4H_{10}ClN.HCl$ (4584-46-7)	2-**Dimethyl Amino Ethyl Chloride** **Hydrochloride** M. W.: 144.04 Assay (non aqueous) 99.0%	**414.00** **2907.00**	**100 gm** **1 kg**
074675 $C_5H_{14}N_2$ (109-55-7)	3-**Dimethyl Amino**-1-**Propylamine** M. W.: 102.18 Assay 98.0%	**1647.00** **6993.00**	**500 ml** **2.5 lit**
074715 $C_5H_{12}ClN.HCl$ (5407-04-5)	3-**Dimethyl Aminopropyl Chloride** **Hydrochloride** for Synthesis M. W.: 158.07	**1305.00** **5000.00**	**100 gm** **500 gm**
074785 (25952-53-8)	· 1-(3-**Dimethyl Aminopropyl**)-3- **Ethylcarbodiimide Hydrochloride** Assay 98.0%	**270.00** **1008.00** **3501.00** **17010.00**	**5 gm** **25 gm** **100 gm** **500 gm**
074895 $C_7H_{10}N_2$ (1122-58-3)	p-**Dimethyl Amino Pyridine** for Synthesis (4-Dimethylaminopyridine) M. W.: 122.17	**1647.00** **4950.00** **POR**	**100 gm** **500 gm** **1 KG**
074915	p-**Dimethyl Amino Styryl-** B-**Naphthiazole Methiodide AR**	**18000.00**	**100 mgm**
028194 $C_2H_7N.HCl$ (506-59-2)	**Dimethyl Ammonium Chloride** for Synthesis M. W.: 81.55 Assay (argentometric) 97.0%	**320.00** **648.00** **5805.00** **POR**	**100 gm** **500 gm** **5 kg** **25 kg**
513405 $(CH_3)_2NH.HCl$ (506-59-2)	**Dimethyl Ammonium Chloride AR** (Dimethylamine Hydrochloride) M. W.: 81.54	**1926.00**	**250 gm**
	2,4-**Dimethylaniline** See 2,4 Xylidine		
	2,6-**Dimethylaniline** See 2,6 Xylidine		
028196 $C_8H_{11}N$ (121-69-7)	N,N-**Dimethyl Aniline** M. W.: 121.18 Assay (GC) 99.0%	**851.00** **3906.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
513450 $C_8H_{11}N$ (121-69-7)	N,N-**Dimethyl Aniline AR** M. W.: 121.18 Assay (GC) 99.5%	**954.00** **4203.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
074995 $C_9H_{11}NO_2$ (85-91-6)	**Dimethyl Anthranilate** M. W.: 165.19	**10000.00**	**500 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Dimethyl Arsenic Acid Sodium Salt See Sodium Cacodylate		
075085 $C_9H_{10}N_2$ (582-60-5)	5,6-**Dimethyl Benzimidazole** M. W.: 146.19 Assay 99.0%	3150.00 11970.00	25 gm 100 gm
	N,N'-**Dimethyl Benzylamine** See N,N-**Dimethyl Aniline**		
514115 $C_6H_{12}O_2$ (595-37-9)	2,2-**Dimethyl Butyric Acid AR** M. W.: 116.16	1206.00 3402.00 11394.00	25 ml 100 ml 500 ml
075285 $C_3H_6O_3$ (616-38-6)	**Dimethyl Carbonate** for Synthesis M. W.: 90.08 Assay 99.0%	612.00 2502.00 POR	500 ml 2.5 lit 25 lit
	5,5-**Dimethyl**-1,3-**Cyclohexanedione** See Dimedone		
075395 $C_8H_{17}N$ (98-94-2)	N,N-**Dimethyl Cyclohexylamine** for Synthesis M. W.: 127.23 Assay 99.0%	3060.00	500 ml
	Dimethyl Dichlorosilane See Dichloro dimethyl silane		
	Dimethyldigol See Diethylene Glycol Dimethyl Ether		
	2,9-**Dimethyl**-4, 7-**Diphenyl**-1,10 **Phenanthroline** See Bathocuproin		
075505 $C_2H_6S_2$ (624-92-0)	**Dimethyl Disulphide** M. W.: 94.2	1998.00	250 ml
	N,n'-**Dimethyl Ethanolamine** See N,N-Dimethyl Amino Ethanol		
075595 C_3H_7NO (68-12-2)	n,n'-**Dimethyl Formamide** M. W.: 73.09 Assay (GC) 99.0%	576.00 2502.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
514360 C_3H_7NO (68-12-2)	n,n'-**Dimethyl Formamide AR** M. W.: 73.09 Assay (GC) 99.5%	630.00 2700.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
514365 C_3H_7NO (68-12-2)	n,n'-**Dimethyl Formamide** Specially Dried **AR/ACS** M. W.: 73.09 Assay (GC) 99.5%	702.00 3141.00	500 ml 2.5 lit
PCT2533 PTC C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** Plant Culture Tested M. W.: 73.09 Store below 30°C	594.00	500 ml
TC1736 ATC C_3H_7NO (68-12-2)	**N,N-Dimethyl Formamide** DMF Cell Culture Tested M. W.: 73.09 Store belwo 30°C	POR	500 ml
926500 MB C_3H_7NO (68-12-2)	n,n'-**Dimethyl Formamide** for Molecular Biology M. W.: 73.09	1152.00	500 ml

Product Code	Product Name	Price	Packing
727800 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** For GC-HS M. W.: 73.09	2412.00 5000.00	1 lit 2.5 lit
723600 C_3H_7NO (68-12-2)	n,n'-**Dimethyl Formamide** for HPLC & Spectroscopy M. W.: 73.09 Assay (GC) 99.5%	657.00 1197.00	500 ml 1 lit
723700 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** for Pesticide Residue Trace Analysis M. W.: 73.09	3600.00	1 lit
D44172 C_3HD_6NO (185990-36-7)	N,N-**Dimethyl**-d_6-**Formamide** (DMF-d_6) (for NMR Spectroscopy) M.W.: 79.14 Assay Min. 99 atom%D	81810.00	5 ml
514375 $C_5H_{13}NO_2$ (4637-24-5)	N,N-**Dimethyl Formamide** **Dimethylacetal AR** M. W.: 119.16	981.00 3807.00	100 ml 500 ml
075765 C_8H_{10} (2175-91-9)	6,6-**Dimethyl Fulvene** M. W.: 106.17	2800.00 11160.00	1 gm 5 gm
075855 $C_4H_8N_2O_2$ (95-45-4)	**Dimethyl Glyoxime** for Industrial Use M. W.: 116.12	20970.00	5 kg
075905 $C_4H_8N_2O_2$ (95-45-4)	**Dimethyl Glyoxime** (2,3-Butanedione Dioxime) M. W.: 116.12 Assay (Gravimetric via Nickel complex, on dried subs.) 98.0%	783.00 3303.00	100 gm 500 gm
514465 $C_4H_8N_2O_2$ (95-45-4)	**Dimethyl Glyoxime AR/ACS** reagent for Nickel M. W.: 116.12 Assay Gravimetric via Nickel complex, on dried subs.) 99.0%	882.00 3600.00	100 gm 500 gm
826040	**Dimethyl Glyoxime** Solution (Reagent for Bi, CO, Ni, Ag)	801.00	100 ml
514530 $C_4H_6N_2Na_2O_2.8H_2O$ (75006-64-3)	**Dimethyl Glyoxime Di Sodium Salt** Octahydrate **AR** M. W.: 304.21 Assay (anhydrous non aqueous) 99.0%	1062.00	250 gm
075965 $C_5H_{10}N_2O$ (80-73-9)	N,N-**Dimethyl Imidazolidinone** for pesticide residue analysis for Residual Solvent Impurity Profile & Headspace Analysis (1,3-Dimethyl-2-Imidazolidinone) M. W.: 114.15	1170.00 5031.00 24660.00	100 ml 500 ml 2.5 lit
076005 $C_5H_8O_4$ (108-59-8)	**Dimethyl Malonate** for Synthesis M. W.: 132.11	927.00 4050.00	500 ml 2.5 lit
076065 $C_8H_{10}N_2O$ (138-89-6)	n,n-**Dimethyl**-4-**Nitrosoaniline** for Synthesis M. W.: 150.18	3591.00	25 gm
076105 (7378-99-6)	n,n-**Dimethyl Octylamine**	2007.00	25 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	2,9-**Dimethyl** 1,10-**Phenanthroline Hydrochloride** See Neocuproine Hydrochloride		
076155 $C_8H_{10}O$ (526-75-0)	2,3-**Dimethyl Phenol** M. W.: 122.16	**5940.00**	**100 gm**
076165 $C_8H_{10}O$ (105-67-9)	2,4-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**1000.00** **2205.00** **9000.00**	**25 ml** **100 ml** **500 ml**
076175 ✲ $C_8H_{10}O$ (95-87-4)	2,5-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**1800.00**	**100 gm**
076185 ✲ $C_8H_{10}O$ (576-26-1)	2,6-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**1503.00** **4600.00**	**25 gm** **500 gm**
076195 ✲ $C_8H_{10}O$ (95-65-8)	3,4-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**1791.00** **14220.00**	**25 gm** **500 gm**
076205 ✲ $C_8H_{10}O$ (108-68-9)	3,5-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**2358.00** **5607.00**	**100 gm** **500 gm**
514925 $C_8H_{12}N_2.2HCl$ (536-46-9)	n,n-**Dimethyl** P-**Phenylenediamine Dihydrochloride AR** M. W.: 209.12	**3501.00**	**25 gm**
514895 $C_{18}H_{26}N_4O_4$ (62778-12-5)	n,n-**Dimethyl** P-**Phenylene Diamine Oxalate** for Synthesis M. W.: 181.21	**2250.00** **9225.00**	**5 gm** **25 gm**
514935 $C_8H_{12}N_2H_2.SO_4$ (536-47-0)	n,n-**Dimethyl** P-**Phenylene Diamine Sulphate Salt AR** M. W.: 234.27	**1800.00** **3996.00** **38300.00**	**5 gm** **25 gm** **500 gm**
076405 $C_{10}H_{10}O_4$ (131-11-3)	**Dimethyl Phthalate** M. W.: 194.19 Assay 99.0%	**540.00** **2205.00** **POR**	**500 ml** **2.5 lit** **25 lit**
515025 $C_{10}H_{10}O_4$ (131-11-3)	**Dimethyl Phthalate AR** M. W.: 194.19	**999.00**	**1 lit**
	Dimethyl Polysiloxane See Silicon oil		
076505 $C_{26}H_{20}N_2O_2$ (3073-87-8)	**Dimethyl Popop** Scintillation Grade [1,4-Bis(4-Methyl-5-Phenyl-2-Oxazolyl)Benzene] M. W.: 392.45	**10170.00** **36405.00**	**5 gm** **25 gm**
	2,2-**Dimethyl**-1,3-**Propanediol** See Neopentyl Glycol		
515225 $C_6H_{12}N_2O$ (7226-23-5)	**Dimethyl Propylene Urea AR** (DMPU) M. W.: 128.17	**2250.00** **7002.00**	**100 gm** **500 gm**
	2,3 **Dimethyl Pyridine** See 2,3 Lutidine		
	2,6 **Dimethyl Pyridine** See 2,6 Lutidine		
	3,4 **Dimethyl Pyridine** See 3,4 Lutidine		
	3,5 **Dimethyl Pyridine** See 3,5 Lutidine		

Product Code	Product Name	Price	Packing
PCT2554 PTC $(C_2H_{40})_n.C_{11}H_{30}O_3Si_3$ (27306-78-1)	**Dimethylsiloxane Ethylene Oxide Block Copolymer** Plant Culture Tested M. W.: 338.66 Store below 30°C * Equivalent to Silwet L-77	**370.00** **900.00** **3420.00**	**10 ml** **25 ml** **100 ml**
028214 $C_2H_6O_4S$ (77-78-1)	**Dimethyl Sulphate** for Synthesis M. W.: 126.13 Assay (GC) 99.0%	**486.00**	**500 ml**
515415 C_2H_6S (75-18-3)	**Dimethyl Sulphide AR** M.W.: 62.12	**1251.00** **4500.00**	**500 ml** **2.5 lit**
	Dimethyl Sulphone See Methyl sulphonyl methane		
028216 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for Synthesis M. W.: 78.13 Assay (GC) 99.0%	**1494.00** **7300.00** **POR**	**500 ml** **2.5 lit** **25 lit**
515505 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide AR** M. W.: 78.13 Assay (GC) 99.5%	**1630.00** **8091.00** **POR**	**500 ml** **2.5 lit** **25 lit**
515510 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** Specially Dried **AR** M. W.: 78.13 Assay (GC) 99.5%	**1854.00** **8973.00**	**500 ml** **2.5 lit**
926590 MB C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for Molecular Biology M. W.: 78.13 Assay 99.0%	**1107.00** **3906.00**	**100 ml** **500 ml**
PCT2303 PTC C_2H_6OS (67-68-5)	**Dimethyl Sulphoxide (DMSO)** Plant Culture Tested M. W.: 78.13 Assay 99.5% Store below 30°C	**1040.00** **4185.00**	**100 ml** **500 ml**
TC1349 ATC C_2H_6OS (67-68-5)	**Dimethyl Sulphoxide (DMSO), Sterile** Sterile Filtered Cell Culture Tested M. W.: 78.13 Assay : ≥99.5% Store below 30°C	**13311.00**	**100 ml**
TC1185 ATC C_2H_6OS (67-68-5)	**Dimethyl Sulphoxide (DMSO)** Cell Culture Tested M. W.: 78.13 Assay : ≥99.5% Store below 30°C	**6210.00** **14310.00**	**100 ml** **250 ml**
TC1450M ATC C_2H_6OS (67-68-5)	▲**Dimethyl Sulphoxide** (See: CryoXL ™ DMSO) Sterile Filtered Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 78.13 Assay : ≥99.5%	**18190.00**	**100 ml**
728700 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for GC-HS M. W.: 78.13 Assay 99.0%	**3700.00** **7470.00**	**1 lit** **2.5 lit**

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
728300 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for HPLC & Spectroscopy M. W.: 78.13 Assay (GC) 99.8%	1900.00 3600.00 7200.00	500 ml 1 lit 2.5 lit
728400 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for Pesticide residue analysis M. W.: 78.13	7200.00	1 lit
D54072 C_2D_6OS (2206-27-1)	**Dimethyl-d_6 Sulphoxide** (DMSO-d_6) M.W.: 84.18 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	6444.00	10x0.75 ml
D54126 C_2D_6OS (2206-27-1)	**Dimethyl-d_6 Sulphoxide** (DMSO-d_6) M.W.: 84.18 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	6408.00 11430.00	10 ml 25 ml
926640 MB $C_{18}H_{16}BrN_5S$ (298-93-1)	▲3-(4,5-**Dimethyl**-2-**Thiazolyl)**-2,5-**Diphenyl**-2H-**Tetrazolium Bromide)** (See : MTT: Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98%	640.00 3168.00 4905.00	100 mg 500 mg 1 gm
076900 $C_3H_8N_2S$ (534-13-4)	n,n-**Dimethyl Thiourea** for Synthesis M. W.: 104.17 Assay 98.5%	3501.00	100 gm
028218 $C_9H_{13}N$ (99-97-8)	n,n-**Dimethyl**-p-**Toluidine** M. W.: 135.21 Assay (GC) 98.0%	2295.00	500 ml
	1,3-**Dimethylurea** See N,N'-Dimethylurea		
076915 $C_3H_8N_2O$ (96-31-1)	n,n'-**Dimethyl Urea** for Synthesis (1,3-Dimethylurea) M. W.: 88.11	640.00	500 gm
292405 $C_{14}H_{15}N_3$ (60-11-7)	**Dimethyl Yellow** Indicator pH 2.9-4.0 Red to Orange Yellow Carcinogenic M. W.: 225.3	153.00 270.00 756.00	10 gm 25 gm 100 gm
076955 $C_{20}H_{18}BrN_3$ (518-67-2)	**Dimidium Bromide** M. W.: 380.29 Assay (Spectrophotometric br) about 95.0%	801.00 5801.00	100 mg 1 gm
826080	**Dimidium Bromide** Disulphine Blue Indicator Stock Solution (for use in the two phase method for anionic surfactant)	3002.00	100 ml
028220 $C_6H_5N_3O_4$ (97-02-9)	2,4-**Dinitro Aniline** M. W.: 183.12 Assay (HPLC) 98.0%	918.00 2196.00	100 gm 500 gm
	1,3 **Dinitrobenzene** See m-Dinitrobenzene		
077115 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene** tech M. W.: 168.11 Assay (GC) 97.0%	720.00 1422.00	250 gm 500 gm
028224 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene** for Synthesis M. W.: 168.11 Assay (GC) 98.0%	1017.00 1701.00 POR	250 gm 500 gm 25 kg

Product Code	Product Name	Price	Packing
515605 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene AR** for determination of 17 Ketosteroids M. W.: 168.11 Assay (GC) 99.0%	198.00 693.00 2394.00	25 gm 100 gm 500 gm
826110	m-**Dinitro Benzene** Reagent Solution (test reagent for glucose & other reducing sugars)	324.00	100 ml
077055 $C_6H_4N_2O_4$ (528-29-0)	1,2-**Dinitrobenzene** M. W.: 168.11	7740.00	5 gm
077135 $C_6H_4N_2O_4$ (100-25-4)	1-4,**Dinitro Benzene** for Synthesis M. W.: 168.11	3996.00	5 gm
077225 $C_7H_4N_2O_6$ (99-34-3)	3,5-**Dinitro Benzoic Acid** M. W.: 212.12 Assay (acidimetric) 99.0%	756.00 3006.00	100 gm 500 gm
515785 $C_7H_4N_2O_6$ (99-34-3)	3,5-**Dinitro Benzoic Acid AR** M. W.: 212.12 Assay 99.7%	900.00 3204.00	100 gm 500 gm
	2,4 **Dinitro Chloro Benzene** See 1-Chloro-2,4-Dinitro Benzene		
077365 $C_6H_4N_2O_5$ (51-28-5)	2,4-**Dinitro Phenol** (1-Hydroxy-2,4-Dinitrobenzene, A-Dinitrophenol) M. W.: 184.11 Assay 97.0%	203.00 603.00	25 gm 100 gm
028234 $C_6H_6N_4O_4$ (119-26-6)	2,4-**Dinitro Phenyl Hydrazine** M. W.: 198.14 Assay (HPLC) 98.0%	203.00 657.00 3006.00	25 gm 100 gm 500 gm
515875 $C_6H_6N_4O_4$ (119-26-6)	2,4-**Dinitro Phenyl Hydrazine AR** Reagent for aldehydes and ketones M. W.: 198.14 Assay (HPLC) 99.0%	297.00 860.00 3636.00	25 gm 100 gm 500 gm
826135	2,4-**Dinitrophenyl Hydrazine** Solution For TLC spray (For Detection Of Aldehyde & Ketones)	351.00	125 ml
028235 $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid** for Synthesis M. W.: 228.12 Asssay (HPLC) 98.0%	680.00 2601.00 POR	25 gm 100 gm 1 kg
515920 $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid AR** M. W.: 228.12 Assay (HPLC) 99.0%	860.00 3303.00	25 gm 100 gm
926780 MB $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid** For Molecular Biology M. W.: 228.12 Assay : ≥ 98% Store Below 30°C	1638.00 5715.00	25 gm 100 gm
	Dioctyl Sebacate See Bis-2-Ethylhexyl Sebacate		
	Dioctyl Phthalate See Bis-(2-ethyl hexyl) phthalate		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
077505 $C_{20}H_{37}NaO_7S$ (577-11-7)	**Dioctyl Sodium Sulphosuccinate** M. W.: 444.56 Assay (Redox titration, calculated on anhydrous basis) 99-100.5%	**1800.00** **16497.00** **POR**	**500 gm** **5 kg** **25 kg**
028238 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Pure M. W.: 88.11 Assay (GC) 99.0%	**837.00** **3294.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
515965 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane AR** M. W.: 88.11 Assay (GC) 99.5%	**891.00** **3492.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
515970 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Specially Dried **AR** M. W.: 88.11 Assay (GC) 99.5%	**900.00** **3096.00**	**500 ml** **2.5 lit**
729496 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** GC HS Grade M.W : 88.11 Assay (GC) 99.9%	**2430.00**	**1 lit**
729500 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	**1098.00** **1683.00**	**500 ml** **1 lit**
729700 $C_4H_8O_2$ (123-91-1)	1,4- **Dioxane** for Pesticide residue Analysis M. W.: 88.11	**7200.00**	**1 lit**
729720 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Scintillation Grade M. W.: 88.11 Assay (GC) 99.5%	**1000.00** **3600.00**	**500 ml** **2.5 lit**
077675 $C_3H_6O_2$ (646-06-0)	1,3-**Dioxolane** for Synthesis (Ethylene Glycol Methylene Ether) M. W.: 74.08 Assay 99.0%	**1107.00** **4320.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
516055 $C_3H_6O_2$ (646-06-0)	1,3-**Dioxolane AR** M. W.: 74.08	**1251.00** **4500.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
077885 $C_{10}H_{16}$ (138-86-3)	**Dipentene** for Synthesis M. W.: 136.23	**2565.00**	**2.5 lit**
077985 $C_{17}H_{21}NO.HCl$ (147-24-0)	**Diphenhydramine Hydrochloride** M. W.: 291.82 Assay 99.0%	**1260.00**	**100 gm**
	Diphenyl See Biphenyl		
	Diphenylamine-4-Sulphonic Acid Barium Salt See Barium Diphenylamine Sulphonate		
	Diphenylamine-4-Sulphonic Acid Sodium Salt See Sodium Diphenylamine Sulphonate		
078255 $C_{14}H_{12}O_2$ (117-34-0)	**Diphenyl Acetic Acid** for Synthesis M. W.: 212.25 Assay 98.0%	**1602.00** **7700.00**	**100 gm** **500 gm**
516475 $C_{15}H_{14}O$ (102-04-5)	1,3-**Diphenyl Acetone AR** M. W.: 210.27	**5000.00** **18500.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
078295 $C_{14}H_{11}N$ (86-29-3)	**Diphenyl Acetonitrile** M. W.: 193.25 Assay (GC) 99.0%	**792.00** **3380.00**	**100 gm** **500 gm**
028243 $(C_6H_5)_2NH$ (122-39-4)	**Diphenylamine** for Synthesis Reagent for Nitrate M. W.: 169.23 Assay (GC) 98.0%	**770.00** **1206.00**	**250 gm** **500 gm**
516295 $(C_6H_5)_2NH$ (122-39-4)	**Diphenylamine AR/ACS** M. W.: 169.23 Assay (GC) 99.0%	**450.00** **1503.00**	**100 gm** **500 gm**
826165	**Diphenylamine** Solution (Kopp's Reagent) (Reagent for nitrates & nitrites)	**666.00**	**100 ml**
516505 $(C_6H_4.NH.C_6H_5)_2$ (531-91-9)	N,N-**Diphenyl Benzidine AR** M. W.: 336.44 Assay (ex-N) 96.5%	**2601.00**	**5 gm**
826195	**Diphenyl Benzidine** Indicator Solution (Oxidation - Reduction Indicator)	**495.00**	**100 ml**
078375 $C_{13}H_{14}N_4O$ (140-22-7)	1,5-**Diphenyl Carbazide** M. W.: 242.28 Assay(HPLC) 97.0%	**1710.00** **4707.00**	**25 gm** **100 gm**
516525 $C_{13}H_{14}N_4O$ (140-22-7)	1,5-**Diphenyl Carbazide AR/ACS** M. W.: 242.28 Assay (HPLC) 98.0%	**1296.00** **2502.00**	**10 gm** **25 gm**
826215	**Diphenyl Carbazide** Solution (Reagent for arsenate, Cd, Cr, Hg)	**855.00**	**100 ml**
078400 $C_{13}H_{12}N_4O$ (538-62-5)	1,5-**Diphenyl Carbazone** M. W.: 240.27	**1900.00**	**25 gm**
516535 $C_{13}H_{12}N_4O$ (538-62-5)	1,5-**Diphenyl Carbazone AR** M. W.: 240.27	**693.00** **2790.00** **8775.00**	**5 gm** **25 gm** **100 gm**
826245	**Diphenyl Carbazone** Solution (Reagent for Ge & Hg)	**990.00**	**100 ml**
826265	**Diphenyl Carbazone Bromophenol** Blue (0.5 : 0.05) w/v in 95% Alcohol (For Chloride)	**693.00**	**100 ml**
	Diphenylcarbinol See Benzhydrol		
078445 $(C_6H_5O)_2CO$ (102-09-0)	**Diphenyl Carbonate** for Synthesis M. W.: 214.22	**1000.00** **3700.00**	**250 gm** **1 kg**
078505 $C_{12}H_{10}Se_2$ (1666-13-3)	**Diphenyl Diselenide** for Synthesis (Phenyl Diselenide) M. W.: 312.1 Assay 97.0%	**910.00** **3600.00**	**5 gm** **25 gm**
078545 $C_{12}H_{10}O$ (101-84-8)	**Diphenyl Ether** for Synthesis (Diphenyloxide,Phenylether) M. W.: 170.21	**855.00** **4005.00** **POR**	**500 ml** **2.5 lit** **25 lit**
516665 $C_{12}H_{10}O$ (101-84-8)	**Diphenyl Ether AR** M. W.: 170.21	**1350.00**	**500 ml**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
516855 $C_{14}H_{12}N_2O_2$ (23873-81-6)	**Diphenyl Glyoxime AR** (Anti-Diphe-nylglyoxime) (α-Benzyl Dioxime) M. W.: 240.26	1530.00 4491.00 POR	5 gm 25 gm 100 gm
078615 $C_{13}H_{13}N_3$ (102-06-7)	1,3-**Diphenyl Guanidine** for Synthesis M. W.: 211.26	2205.00	500 gm
078695 $C_{15}H_{12}N_2O_2$ (57-41-0)	5,5-**Diphenyl Hydantoin** for Synthesis M. W.: 252.27	540.00 2520.00	100 gm 500 gm
078715 $(C_6H_5)_2CH_2$ (101-81-5)	▲**Diphenyl Methane** M. W.: 168.24 Assay (GC) 99.0%	1206.00 5000.00	500 ml 2.5 lit
	2,5-**Diphenyl Oxazole** See PPO		
	Diphenyl Oxide See Diphenyl Ether		
	4, 7-**Diphenyl**-1, 10-**Phenanthroline** See Bathophenanthroline		
	1,4-**Di**-2-**(5-Phenyl Oxazolyl) Benzene** See POPOP		
078745 $C_{18}H_{12}N_5O_6$ (1898-66-4)	▲2,2-**Diphenyl**-1-**Picrylhydrazyl** M. W.: 394.32	8200.00 32616.00	1 gm 5 gm
926800 MB $C_{18}H_{12}N_5O_6$ (1898-66-4)	▲2,2-**Diphenyl**-1-**Picryl Hydrazyl** For Molecular Biology M. W.: 394.32 Assay : 95.0%	11250.00	1 gm
	Diphenyl Thiocarbazone See Dithizone		
078805 $C_{13}H_{12}N_2S$ (102-08-9)	n,n'-**Diphenyl Thiourea** for Synthesis M. W.: 228.31 Assay 98.0%	801.00 2493.00	100 gm 500 gm
	Diphospho Pyridine Nucleotide See Nicotinamide Adenine Dinucleotide		
517045 $C_7H_5NO_4$ (499-83-2)	2,6-**Dipicolinic Acid AR** M. W.: 167.12 Assay 99.0%	972.00 3276.00 8505.00	25 gm 100 gm 500 gm
079100 $C_7H_{16}O_3$ (34590-94-8)	**Dipropylene Glycol Monomethyl Ether** M. W.: 148.20	1044.00 4690.00	500 ml 2.5 lit
	2,2-**Dipyridyl** See 2,2-Bipyridyl		
	2,2'-**Diquinolyl** See 2,2'-Biquinoline		
	Dish Wash See Dw009		
	Disodium Phenyl Phosphate See Phenyl Phosphate Disodium Salt		
TC1303 ATC (42613-33-2)	▲**Dispase®** Cell Culture Tested Activity : ≥0.5 Units/mg dry weight	4140.00	100 mg
	Disulphine Blue See Patent Blue VF		
	Disulphuric Acid Disodium Salt See Sodium Pyrosulphate		
	Distilled Water See Water Distilled		

Product Code	Product Name	Price	Packing
517135 $(C_6H_4SCN)_2S_2$ (120-78-5)	2,2-**Dithio Bisbenzothiazole AR** M. W.: 332.49 Assay 99.0%	2520.00	25 gm
079195 $C_{14}H_8N_2O_8S_2$ (69-78-3)	· 5,5-**Dithio Bis** Extra Pure (2-Nitro Benzoic Acid) M. W.: 396.35 Assay 98.0%	990.00 3600.00 6840.00 15530.00	1 gm 5 gm 10 gm 25 gm
079285 ✠ $C_4H_6O_4S_2$ (505-73-7)	**Dithiodiglycollic Acid** for Synthesis M. W.: 182.22	4005.00	5 gm
079335 $C_4H_{10}O_2S_2$ (6892-68-8)	· **Dithioerythreitol** (D.T.E.) M. W.: 154.24 Assay (Iodometric; ex SH) 97.0%	1220.00 5500.00 POR	1 gm 5 gm 25 gm
928500 MB $C_4H_{10}O_2S_2$ (6892-68-8)	· **Dithioerythreitol** (D.T.E.) For Molecular Biology M. W.: 154.24	1584.00 7110.00	1 gm 5 gm
	Dithiol See Toluene 3,4 Dithiol		
079395 $C_2H_4N_2S_2$ (79-40-3)	· **Dithiooxamide** (Rubeanic Acid) M. W.: 120.20	2106.00 7506.00	1 gm 10 gm
826310	**Dithioxamide** Solution (Rubeanic Acid Solution) (Reagent for Co, Cu, Fe, Ni)	2601.00	50 ml
079435 $C_4H_{10}O_2S_2$ (3483-12-3)	· DL-**Dithiothreitol** (D.T.T.) (Cleland's regent) M. W.: 154.24 Assay (Iodometric; ex SH) 98.0%	576.00 2052.00 9666.00	1 gm 5 gm 25 gm
928550 MB $C_4H_{10}O_2S_2$ (3483-12-3)	· DL-**Dithiothreitol** (D.T.T.) for Molecular Biology M. W.: 154.24	693.00 2421.00	1 gm 5 gm
TC1540 ATC $HSCH_2CH(OH)CH(OH)CH_2SH$ (3483-12-3)	· DL-**Dithiothreitol** Threo-1,4-Dimercapto-2,3-butanediol, Cleland's reagent, DTT Cell Culture Tested M. W.: 154.25 Assay : ≥99%	2925.00 8613.00 28710.00	1 gm 5 gm 25 gm
292695 $C_{13}H_{12}N_4S$ (60-10-6)	**Dithizone** M. W.: 256.33	963.00 4203.00	5 gm 25 gm
292705 $C_{13}H_{12}N_4S$ (60-10-6)	**Dithizone AR** Reagent for Lead, Mercury and Zinc M. W.: 256.33 Assay (Spectrophotometry) 85.0%	1098.00 4590.00	5 gm 25 gm
826330	**Dithizone** Reagent (For detection of Pb)	927.00	100 ml
079515 $C_{20}H_{18}O_8$ (32634-68-7)	(±)-**Di**-o,o'-**p-Toluyl**-D-**Tartaric Acid** (Anhydrous) M. W.: 386.35 Assay 98.0%	630.00 2007.00	25 gm 100 gm
079555 $C_{20}H_{18}O_8$ (32634-66-5)	**(-)-Di**-o,o'-P-**Toluyl**-L-**Tartaric Acid** for Synthesis M. W.: 386.35 Assay (T) 97.0%	603.00 1900.00	25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	DMSO See Dimethyl Sulphoxide		
079635 $C_{22}H_{46}$ (629-97-0)	n-**Docosane** for Synthesis M. W.: 310.60 Assay 99.0%	**2970.00** **7596.00**	**25 gm** **100 gm**
	Docusate Sodium Salt See Dioctyl Sodium Sulphosuccinate		
	Dodecan-1-ol See Lauryl Alcohol		
079705 $C_{12}H_{26}$ (112-40-3)	n-**Dodecane** for Synthesis M. W.: 170.34	**4401.00** **12060.00** **POR**	**500 ml** **2.5 lit** **10 lit**
730300 $CH_3(CH_2)_{11}SO_3Na$ (2386-53-0)	1-**Dodecane Sulphonic Acid Sodium Salt AR** for HPLC M. W.: 272.38	**2070.00** **7920.00**	**25 gm** **100 gm**
	1-**Dodecanethiol** See n-Dodecyl Mercaptan		
	n-**Dodecanoic Acid** See Lauric Acid		
079815 $C_{16}H_{26}O_3$ (26544-38-7)	**Dodecenyl Succinic Anhydride** for Synthesis M.W. : 266.38	**1791.00**	**25 gm**
	Dodecyl Alcohol **(1-Dodecan-1-ol)** See Lauryl Alcohol		
079905 $C_{12}H_{27}N$ (124-22-1)	**Dodecylamine** for Synthesis (Laurylamine) M. W.: 185.35 Assay 99.0%	**680.00** **3006.00** **POR**	**100 ml** **500 ml** **10 lit**
	Dodecyl Benzene See 1-Phenyl dodecane		
080035 $C_{18}H_{29}NaO_3S$ (25155-30-0)	**Dodecyl Benzene Sulphonic Acid Sodium Salt** M. W. : 348.48	**1301.00** **9000.00** **POR**	**500 gm** **5 kg** **25 kg**
080105 $C_{18}H_{36}O_6$ (59122-55-3)	n-**Dodecyl β-D-GlucoPyranoside for Biochemistry** (Dodecyl Glucoside) M. W.: 348.47	**2502.00** **5000.00** **11160.00**	**100 mgm** **250 mgm** **1 gm**
080225 $C_{12}H_{25}SH$ (25103-58-6)	tert-**Dodecyl Mercaptan** M. W.: 202.40	**2790.00** **9243.00**	**500 ml** **2.5 lit**
080205 $C_{12}H_{26}S$ (112-55-0)	n-**Dodecyl Mercaptan** (1-Dodecanethiol) M. W.: 204.4	**2403.00** **9990.00**	**500 ml** **2.5 lit**
080265 $C_{17}H_{30}ClN.XH_2O$ (207234-02-4)	1-**Dodecyl Pyridinium Chloride** hydrate for Synthesis M. W.: 283.88 (anhy.)	**4500.00** **9000.00** **POR**	**25 gm** **100 gm** **1 kg**
	Dodecyl Sulphate Sodium Salt See Sodium Lauryl Sulphate		

Product Code	Product Name	Price	Packing
080325 $CH_3(CH_2)_{11}N(CH_3)_3Br$ (1119-94-4)	**Dodecyl Trimethyl Ammonium Bromide** for Synthesis (Lauryltrimethyl AmmoniumBromide) M. W.: 308.34 Assay 98.0%	**810.00** **1476.00** **4500.00**	**25 gm** **100 gm** **500 gm**
517615 $CH_3(CH_2)_{11}N(CH_3)_3Br$ (1119-94-4)	**Dodecyl Trimethyl Ammonium Bromide AR** M. W.: 308.34	**1260.00** **4806.00**	**25 gm** **100 gm**
037038 $C_9H_{11}NO_4$ (63-84-3)	DL-**Dopa** M. W.: 197.2 Assay (non aqueous) 97.0%	**1107.00** **4401.00**	**5 gm** **25 gm**
037079 $C_9H_{11}NO_4$ (59-92-7)	L-**Dopa** For Biochemistry M. W.: 197.19 Assay (non aqueous) 98.5%	**900.00** **4203.00**	**5 gm** **25 gm**
TC1281 ATC $C_8H_{11}NO_2.HCl$ (62-31-7)	▲**Dopamine Hydrochloride** Cell Culture Tested M. W.: 189.64 Assay : ≥98%	**473.00** **2160.00** **8010.00**	**1 gm** **5 gm** **25 gm**
	DOSS See Dioctyl Sodium Sulphosuccinate		
	Dowex See Towex		
TC1420 ATC $C_{27}H_{29}NO_{11}.HCl$ (25316-40-9)	▲**Doxorubicin Hydrochloride** DOX, Hydroxydaunorubicin hydrochloride M. W.: 579.98 Assay : ≥98%	**25785.00**	**10 mg**
080400 $C_{22}H_{24}N_2O_8.HCl$ (10592-13-9)	▲**Doxycycline Hydrochloride** for Lab Use M. W.: 480.90	**801.00** **2394.00**	**1 gm** **5 gm**
PCT2138 PTC $C_{22}H_{24}N_2O_8.HCl$ (10592-13-9)	▲**Doxycycline Hydrochloride** Plant Culture Tested M. W.: 480.9	**5310.00** **13320.00**	**10 gm** **25 gm**
	DPN See a-Nicotinamide Adenine Dinucleotide		
	DPNH See a-Nicotinamide Adenine Dinucleotide Reduced		
080415	**DPX Mountant** for Microscopy & Histology	**621.00** **963.00**	**250 ml** **500 ml**
827000	**Drabkin's** Solution	**325.00** **927.00**	**1 lit** **5 lit**
827020	**Dragendorff's** Reagent	**1620.00**	**125 ml**
	DTPA Penta Sodium Salt See Diethylene Triamine Penta acetic acid Penta Sodium Salt		
	Dulcite See Dulcitol		
	iso-**Dulcite** See L(+)Rhamnose		
028281 $C_6H_{14}O_6$ (608-66-2)	▲**Dulcitol** for Microbiology M. W.: 182.17	**855.00** **3105.00**	**25 gm** **100 gm**
RE0435 Dy (7429-91-6)	**Dysprosium** Metal Ingot M. W.: 162.50 Assay (Trace metals basis) 99.99%	**5247.00** **21600.00**	**5 gm** **25 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
RE0440 Dy (7429-91-6)	**Dysprosium** Metal Lump M. W.: 162.50 Assay (Trace metals basis) 99.99%	5247.00 21600.00	5 gm 25 gm
RE0445 Dy (7429-91-6)	**Dysprosium** Metal Powder 325 mesh M. W.: 162.50 Assay (Trace metals basis) 99.99%	POR POR POR	5 gm 10 gm 25 gm
RE0485 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.9%	4950.00	25 gm
RE0490 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.99%	5202.00 15030.00	10 gm 50 gm
RE0495 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.999%	POR POR	1 gm 10 gm
RE0505 $DyBr_3$ (14456-48-5)	**Dysprosium** (III) **Bromide** M. W.; 402.21 Assay (Trace metals basis) 99.95%	10000.00 45000.00	10 gm 50 gm
RE0515 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99%	9000.00 27000.00	25 gm 100 gm
RE0520 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99.99%	2601.00 10260.00	5 gm 25 gm
RE0525 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99.999%	POR POR	5 gm 25 gm
RE0540 $DyCl_3.6H_2O$ (15059-52-6)	**Dysprosium** (III) **Chloride** M. W.: 376.95 Assay (Trace metals basis) 99.99%	5202.00 17010.00	10 gm 50 gm
RE0545 $DyCl_3.6H_2O$ (15059-52-6)	**Dysprosium** (III) **Chloride** M. W.: 376.95 Assay (Trace metals basis) 99.999%	POR POR	5 gm 25 gm
RE0565 DyF_3 (13569-80-7)	**Dysprosium** (III)**Fluoride** M. W.: 219.50 Assay (Trace metals basis) 99.99%	19000.00	25 gm
RE0570 DyF_3 (13569-80-7)	**Dysprosium** (III) **Fluoride** M. W.: 219.50 Assay (Trace metals basis) 99.999%	POR POR	5 gm 25 gm

Product Code	Product Name	Price	Packing
RE0580 DyI_3 (15474-63-2)	**Dysprosium** (III) **Iodide** M. W.: 543.21 Assay (Trace metals basis) 99.9%	7335.00 26100.00	1 gm 5 gm
RE0585 DyI_3 (15474-63-2)	**Dysprosium** (III) **Iodide** M. W.: 543.21 Assay (Trace metals basis) 99.99%	8290.00 29079.00 POR	1 gm 5 gm 25 gm
RE0600 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.9%	7340.00 19305.00	25 gm 100 gm
RE0605 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.99%	3690.00 10656.00	5 gm 25 gm
RE0610 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.999%	POR POR	5 gm 25 gm
RE0625 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.9%	3470.00 13446.00	25 gm 100 gm
RE0630 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.99%	POR POR	5 gm 25 gm
RE0635 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.999%	POR POR	5 gm 25 gm
RE0650 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.9%	1098.00 5301.00 12600.00	5 gm 25 gm 100 gm
RE0655 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.99%	11530.00	25 gm
RE0660 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.999%	10900.00 36720.00	5 gm 25 gm
RE0675 $Dy(SO_4)_3.XH_2O$ (14373-91-2)	**Dysprosium** (III) **Sulphate** M. W.: 613.19 (Anhy.) Assay (Trace metals basis) 99.9%	5500.00 19998.00	25 gm 100 gm
RE0680 $Dy(SO_4)_3.XH_2O$ (14373-91-2)	**Dysprosium** (III) **Sulphate** M. W.: 613.19 (Anhy.) Assay (Trace metals basis) 99.99%	4100.00 12600.00	5 gm 25 gm

Dysprosium

Dysprosium, atomic no.: 66, symbol as Dy, weight at 162.50, is most commonly used as in Neodymium-iron-boron high strength permanent magnets. While it has one of the highest magnetic moments of any of the rare earths (10.6uB), this has not resulted in an ability to perform on its own as a practical alternative to Neodymium compositions.

It is however now an essential additive in NdFeB production. It is also used in special ceramic compositions based on BaTiO formulations.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
PCT1121 PTC $C_{18}H_{16}O_6N_2NaFe$ (16455-61-1)	**Fe-EDDHA** Ethylenediamine-N,N'-bis (2hydroxyphenylaceticacid) ferric-sodium complex Plant Culture Tested M. W.: 435.17 Assay : 5 - 7% Fe Store below 30°C	**3060.00** **5517.00** **9936.00**	**25 gm** **50 gm** **100 gm**
	E.D.T.A Acid and it's Salt See Ethylene Diamine Tetra Acetic Acid and it's Salt		
829210	**E.D.T.A** 0.01 M (0.02N) CITRISOL	**270.00** **450.00** **828.00**	**1 Amp** **3 Amp** **6 Amp**
829280	**E.D.T.A** CPECTROSOL® 0.01 M (0.02N) CTITRINORM Standard Soln. In accordance with NIST	**1400.00**	**1 lit**
829360	**EDTA** CPECTROSOL® 0.1M (0.2N) for 500 ml Standard Solution in accordance with NIST	**252.00** **450.00** **801.00**	**1 Amp** **3 Amp** **6 Amp**
829320	**E.D.T.A** CPECTROSOL® 0.1 M (0.2N) Standard Soln. In accordance with NIST	**1400.00**	**1 lit**
829400	**EDTA** CPECTROSOL® 0.1M (0.2N) Standard Solution In accordance with NIST	**1000.00** **1400.00** **POR**	**500 ml** **1 lit** **2.5 lit**
829420	**EDTA** CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
829100	**E.D.T.A** 5% w/v Solution	**126.00**	**125 ml**
829120	**E.D.T.A** 10% w/v Solution	**149.00**	**125 ml**
829150	**E.D.T.A** N/10 Solution	**171.00**	**500 ml**
829180	**E.D.T.A** N/50 Solution	**280.00** **900.00**	**500 ml** **2.5 lit**
829050	**Edetate Disodium** TS acc. to USP	**495.00**	**500 ml**
829450	**E.D.T.A** Caustic Soda Powder (for estimatiion of milk fat by electronic milko tester)	**145.00**	**52.6 gm**
	E.G.T.A. See (Ethylene Glycol-O-,O'-bis (2-Amino Ethyl) N,N,N',N'-Tetra Acetic Acid		
082180 (9006-59-1)	· **Egg Albumin** Flakes (Protein - 95 %)	**1242.00** **11160.00**	**25 gm** **500 gm**
082190 (9006-59-1)	· **Egg Albumin** Powder	**2655.00**	**500 gm**
829520	**Ehrlich's** Reagent	**144.00** **522.00**	**125 ml** **500 ml**
082225 $CH_3(CH_2)_{18}CH_3$ (112-95-8)	n-**Eicosane** for Synthesis M. W.: 282.55 Assay 97%	**2394.00** **8793.00**	**25 gm** **100 gm**
TC1283 ATC $C_{20}H_{42}O$ (629-96-9)	**1-Eicosanol** Cell Culture Tested M. W.: 298.55 Assay : ≥98% Store below 30°C	**2323.00** **10540.00**	**5 gm** **25 gm**

Product Code	Product Name	Price	Packing
TC1311 ATC (39445-21-1)	▲**Elastase** Source Porcine Pancreas Cell Culture Tested Activity : ≥ 25 Units/mg Protein M. W.: 282.46	**5958.00** **11889.00** **45450.00**	**10 mg** **25 mg** **100 mg**
082295	**Emulsifying Wax**	**666.00**	**500 gm**
082315 $C_{12}H_8Cl_6O$ (72-20-8)	**Endrin** M. W.: 380.91	**3600.00** **8901.00**	**100 mgm** **1 gm**
293605 $C_{20}H_6Br_2N_2Na_2O_9$ (548-24-3)	**Eosine Blue** for Microscopy C.I. No. 45400 M. W.: 624.09 Dye content (Gravimetry; on dried substance) >85.0%	**855.00** **2800.00**	**25 gm** **100 gm**
293665 $C_{22}H_{11}Br_4KO_5$ (6359-05-3)	**Eosine** Spirit Soluble C.I. No. 45386 M.W.: 714.07 Dye content (spectro, dried) 90.0%	**801.00** **2300.00**	**25 gm** **100 gm**
293725 $C_{20}H_6Br_4Na_2O_5$ (17372-87-1)	**Eosine** Yellow Indicator for Microscopy Water Soluble C.I. No. 45380 M. W.: 691.88 Dye content (Gravimetric, dried) 88.0%	**432.00** **1400.00** **5500.00**	**25 gm** **100 gm** **500 gm**
829620	**Eosine** Yellow Stain Solution 2% w/v	**144.00** **500.00**	**125 ml** **500 ml**
829660	**Eosinophil** Diluting Fluid	**144.00**	**125 ml**
TC1284 ATC $C_{19}H_{30}O_2$ (481-29-8)	**Epiandrosterone** Cell Culture Tested M. W.: 290.44 Assay : ≥97% Store below 30°C	**2493.00** **7506.00**	**1 gm** **5 gm**
PCT2550 PTC $C_{28}H_{48}O_6$ (78821-43-9)	**Epibrassinolide** Plant Culture Tested M. W.: 480.68 Assay: ≥85% Store below 30°C	**7704.00** **14310.00**	**5 mg** **10 mg**
082405 C_3H_5ClO (106-89-8)	**Epichlorohydrin** M. W.: 92.53 Assay (GC) 98.0%	**1000.00** **4500.00** **POR**	**500 ml** **2.5 lit** **25 lit**
522265 C_3H_5ClO (106-89-8)	**Epichlorohydrin AR** (1-Chloro-2,3-Epoxypropane) M. W.: 92.53 Assay 99.0%	**1098.00** **4806.00** **POR**	**500 ml** **2.5 lit** **25 lit**
	Epinephrine See L-Adrenaline		
TC1063 ATC $C_9H_{20}N_2O_4S$ (16052-06-5)	**EPPS** (HEPPS) [N-(2-Hydroxyethyl) piperazine-N'-3- propanesulfonic acid] Cell Culture Tested M. W.: 252.33 Assay : ≥99% Store below 30°C	**2457.00** **10450.00** **20141.00** **30214.00**	**25 gm** **100 gm** **500 gm** **1 kg**
	Epsom Salt See Magnesium Sulphate Dried		

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
829695	**Erbium** (Er) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	3978.00 13392.00	100 ml 500 ml
829700	**Erbium** (Er) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12051.00 40176.00	100 ml 500 ml
RE0700 Er (7440-52-0)	**Erbium** Metal **Ingot** M. W.: 167.26 Assay (Trace metal basis) 99.99%	10602.00	10 gm
RE0705 Er (7440-52-0)	**Erbium** Metal **Lump** (1 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	5500.00 POR	5 gm 25 gm
RE0710 Er (7440-52-0)	**Erbium** Metal **Powder** 325 Mesh M. W.: 167.26 Assay (Trace metal basis) 99.9%	29700.00 204107.00	5 gm 25 gm
RE0755 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.9%	3699.00 6840.00 16200.00 POR	5 gm 10 gm 25 gm 100 gm
RE0760 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.99%	5400.00 20250.00	5 gm 25 gm
RE0765 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE0780 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.9%	4330.00 16200.00 POR	5 gm 25 gm 100 gm
RE0785 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.99%	8190.00 20250.00	5 gm 25 gm
RE0790 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE0805 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.9%	6399.00 20709.00	25 gm 100 gm
RE0810 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.99%	3006.00 12069.00	5 gm 25 gm
RE0815 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.999%	POR	20 gm
RE0825 ErI_3 (13813-42-8)	**Erbium** (III) **Iodide** M. W.: 547.97 Assay (Trace metal basis) 99.99%	9909.00 40509.00	1 gm 5 gm
RE0840 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.9%	9000.00 24300.00	25 gm 100 gm
RE0845 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.99%	12969.00 43029.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
RE0850 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE0865 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.9%	7902.00 19089.00 POR	25 gm 100 gm 1 kg
RE0870 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.99%	3006.00 10809.00 31500.00 POR	5 gm 25 gm 100 gm 500 gm
RE0875 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.999%	POR POR POR	5 gm 25 gm 100 gm
RE0890 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.9%	3204.00 15400.00 POR	5 gm 50 gm 100 gm
RE0895 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.99%	POR POR	5 gm 25 gm
RE0900 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
	Eriochrome Blue Black B See Solochrome Dark blue		
	Eriochrome Blue Black R See Solochrome Dark blue		
293875 $C_{20}H_{12}N_3NaO_7S$ (1787-61-7)	**Eriochrome Black** T C.I. 14645 M. W.: 461.38	387.00 1008.00 7506.00	25 gm 100 gm 1 kg
293885 $C_{20}H_{12}N_3NaO_7S$ (1787-61-7)	**Eriochrome Black** T **AR/ACS** C.I. 14645 Metal (pH) Indicator M. W.: 461.38	450.00 1206.00	25 gm 100 gm
829710	**Eriochrome Black** T Indicator Solution	315.00	125 ml
294035 $C_{23}H_{15}Na_3O_9S$ (3564-18-9)	**Eriochrome Cyanine** R **AR** M. W.: 536.40	900.00 1900.00	10 gm 25 gm
H15660 HISURE $C_{37}H_{34}N_2Na_2O_9S_3$ (3844-45-9)	**Erioglaucine A** Certified grade (C.I.No. 42090) M. W.: 792.86	855.00 3402.00	5 gm 25 gm
294185 $C_{37}H_{34}N_2Na_2O_9S_3$ (3844-45-9)	**Erioglaucine AR** (C.I. No. : 42090) M. W.: 792.86 Dye content Abt. 70.0%	603.00 1296.00	10 gm 25 gm
TC1412 ATC $C_{22}H_{23}N_3O_4$ (183321-74-6)	▲**Erlotinib** Cell Culture Tested M. W.: 393.44 Assay : ≥98%	29196.00 121221.00	1 gm 5 gm
082635 $C_4H_{10}O_4$ (149-32-6)	**Erythritol** (Erythrite) for Biochemistry M.W.: 122.12	203.00 504.00 1522.00 5076.00	5 gm 25 gm 100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
082705 $C_{37}H_{67}NO_{13}$ (114-07-8)	▲**Erythromycin** M.W.: 733.93	**770.00** **3717.00**	**5 gm** **25 gm**
PCT2123 PTC $C_{37}H_{67}NO_{13}$ (114-07-8)	▲**Erythromycin** Plant Culture Tested M. W.: 733.93 Potency 850µg/mg	**513.00** **2304.00** **10360.00**	**1 gm** **5 gm** **25 gm**
TC1024 ATC $C_{37}H_{67}NO_{13}$ (114-07-8)	▲**Erythromycin** Cell Culture Tested Recommended for use in Cell culture applications at 100 mg/L M. W.: 733.93 Assay : ≥98% Potency : ≥920 µg/mg	**1476.00** **5616.00**	**1 gm** **5 gm**
082720 $C_{40}H_{71}NO_{14}.C_{12}H_{26}SO_4$ (3521-62-8)	**Erythromycin Estolate** for Lab Use M.W.: 1056.39	**1458.00**	**5 gm**
082730 $C_{37}H_{67}NO_{13}.C_{18}H_{36}O_2$ (643-22-1)	**Erythromycin Stearate** for Lab Use M.W.: 1018.40	**1089.00**	**5 gm**
294325 $C_{20}H_6I_4Na_2O_5$ (16423-68-0)	**Erythrosin** B for Microscopy C.I. 45430 M. W.: 879.87 Dye content (Gravimetric; on dried substance) >80.0%	**1197.00** **4392.00**	**25 gm** **100 gm**
829820	**Esbach's** Reagent	**131.00** **423.00**	**125 ml** **500 ml**
522640 (8007-09-8)	**Eschka's** Mixture **AR** For determination of Sulphur in coal Assay (complexometric, Mg) 38-42%	**5940.00** **23004.00**	**250 gm** **1 kg**
H15990 (8007-09-8)	**Eschka's** Mixture	**22600.00** **66600.00**	**250 gm** **1 kg**
	Esculin See Aesculin		
082780 $C_{18}H_{24}O_2$ (50-28-2)	β-**Estradiol** M. W.: 272.38	**2898.00** **8694.00** **26082.00** **POR**	**1 gm** **5 gm** **25 gm** **100 gm**
TC1346 ATC $C_{18}H_{24}O_2$ (50-28-2)	β-**Estradiol** Cell Culture Tested M. W.: 272.38 Assay : ≥97% Store below 30°C	**6012.00**	**1 gm**
082815 $C_{18}H_{22}O_2$ (53-16-7)	**Estrone** for Biochemistry M. W.: 270.37	**2025.00** **9324.00**	**1 gm** **5 gm**
	Ethanediol See Ethylene glycol		
730850 $NaO_3SCH_2CH_2SO_3Na$ (5325-43-9)	**Ethane**-1,2-**Disulfonic Acid Disodium Salt** (Anhydrous) HPLC for Ion Pair Chromatography M.W.: 234.16	**756.00** **3402.00**	**5 gm** **25 gm**
082975 $C_2H_6S_2$ (540-63-6)	**Ethane Dithiol** for Synthesis M. W.: 94.20 Assay (GC) 98.0%	**2340.00** **6120.00** **POR**	**25 ml** **100 ml** **500 ml**

Product Code	Product Name	Price	Packing
082985 $CH_3CH_2SO_3H$ (594-45-6)	**Ethane Sulphonic Acid** M. W.: 110.13 Assay 95.0%	**4734.00**	**25 gm**
028306 C_2H_7NO (141-43-5)	**Ethanolamine** Mono for Synthesis M. W.: 61.08 Assay (acidimetric) 99.0%	**567.00** **2592.00** **POR**	**500 ml** **2.5 lit** **25 lit**
522830 C_2H_7NO (141-43-5)	**Ethanolamine** Mono **AR/ACS** M. W.: 61.08 Assay (Acidimetric) 99.0%	**648.00** **2907.00** **POR**	**500 ml** **2.5 lit** **25 lit**
083105 C_2H_8ClNO (2002-24-6)	**Ethanolamine Hydrochloride** (2-Hydroxymethyl Ammonium Chloride) M. W.: 97.55 Assay 98.0%	**1800.00**	**500 gm**
TC1044 ATC $C_2H_7NO.HCl$ (2002-24-6)	**Ethanolamine Hydrochloride** (2-Aminoethanol; 2-Amino ethyl alcohol; Monoethanolamine) Cell Culture Tested MW: 97.54 Assay : ≥99% Store below 30°C	**612.00** **2466.00**	**5 gm** **25 gm**
PCT1853 PTC $ClCH_2CH_2P(O)(OH)_2$ (16672-87-0)	▲**Ethephon** Plant Culture Tested MW : 144.49 Assay > 97.5%	**2179.00** **9666.00** **18180.00**	**100 mg** **500 mg** **1 gm**
	Ether Solvent See Diethyl Ether		
	Ethrel See 2-Chloroethyl Phosphonic acid		
083205 $C_{21}H_{20}BrN_3$ (1239-45-8)	**Ethidium Bromide** M. W.: 394.32 Assay (Non-aqueous, on dried Subs.) 98.0%	**828.00** **3294.00**	**1 gm** **5 gm**
932400 MB $C_{21}H_{20}BrN_3$ (1239-45-8)	**Ethidium Bromide** For Molecular Biology M. W.: 394.31 Assay : ≥ 95% Store Below 30°C	**860.00** **3330.00**	**1 gm** **5 gm**
829930	▲**Ethidium Bromide Solution** ~1% in Water for Fluorescence	**1980.00**	**50 ml**
932450 MB $C_{21}H_{20}BrN_3$ (1239-45-8)	▲**Ethidium Bromide Solution (10mg/ml)** For Molecular Biology M. W.: 394.31 Assay : ≥ 95%	**2925.00**	**10 ml**
083275 $C_{10}H_{12}O_2$ (2142-67-8)	o-**Ethoxy Acetophenone** for Synthesis M. W.: 164.20 Assay 98.0%	**4770.00**	**25 gm**
083295 $C_{10}H_{12}O_2$ (1676-63-7)	p-**Ethoxy Acetophenone** for Synthesis M. W.: 164.20 Assay 98.0%	**4770.00**	**25 gm**
083355 $C_9H_{10}O_2$ (10031-82-0)	p-**Ethoxy Benzaldehyde** for Synthesis M. W.: 150.17 Assay 99.0%	**2880.00** **POR**	**25 gm** **500 gm**
083390 $C_9H_{11}NO_2$ (938-73-8)	2-**Ethoxy Benzamide** M.W. 165.19 Assay 97.0%	**1710.00** **3600.00** **POR**	**25 gm** **100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
083415 $C_9H_{10}O_3$ (619-86-3)	p-**Ethoxy Benzoic Acid** for Synthesis M. W.: 166.17 Assay 99.0%	1800.00 6120.00	25 gm 100 gm
	Ethoxy Carbonil Chloride See Ethyl Chloroformate		
	2-**Ethoxy Ethanol** See Ethylene Glycol Monoethyl Ether		
	2-**Ethoxy Ethyl Acetate** See Cellosolve acetate		
083435 (61790-81-6)	**Ethoxylated Lanolin**	2106.00	500 gm
083465 $C_8H_{10}O_2$ (94-71-3)	2-**Ethoxyphenol** M.W : 138.17 Assay 97.5%	1800.00 8460.00	100 ml 500 ml
028311 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Synthesis M. W.: 88.11 Assay (GC) 99.0%	450.00 1404.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
522920 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate AR/ACS** M. W.: 88.11 Assay (GC) 99.5%	513.00 1701.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
522925 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** "Dry" **AR** M. W.: 88.11	630.00 2003.00	500 ml 2.5 lit
730897 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** GC-HS Grade M.W : 88.11	1143.00	1 lit
730900 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	477.00 900.00 2016.00	500 ml 1 lit 2.5 lit
731000 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Pesticide Residue Trace Analysis M. W.: 88.11	1431.00 3573.00	1 lit 2.5 lit
731100 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Protein Sequence Analysis for Biochemistry M. W.: 88.11	1467.00	500 ml
028312 $C_6H_{10}O_3$ (141-97-9)	**Ethyl Acetoacetate** for Synthesis M. W.: 130.14 Assay (GC) 97.0%	990.00 4293.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
523105 $C_6H_{10}O_3$ (141-97-9)	**Ethyl Acetoacetate AR** M. W.: 130.14	3096.00	1 lit
028313 $C_5H_8O_2$ (140-88-5)	**Ethyl Acrylate** for Synthesis M. W.: 100.1 Assay (GC) 99.0%	855.00 3402.00	500 ml 2.5 lit
	Ethylal See Diethoxy Methane		
083635 C_2H_7N (75-04-7)	**Ethylamine** Solution for Synthesis (Mono Ethylamine) M. W.: 45.08 Assay (Acidimetric) 70% w/w	558.00 2403.00 POR POR	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Price	Packing
083715 $C_4H_{11}NO$ (110-73-6)	2-(**Ethylamino) Ethanol** for Synthesis M.W.: 89.14	1665.00 7250.00	500 ml 2.5 lit
083855 $C_8H_{11}N$ (103-69-5)	n-**Ethyl Aniline** for Synthesis (Monoethyl Aniline) M. W.: 121.18	783.00 3303.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
083945 $C_9H_{11}NO_2$ (87-25-2)	**Ethyl Anthranilate** for Synthesis M.W.: 165.19 Assay 99.0%	1206.00 5000.00	25 ml 500 ml
028320 $C_6H_5.C_2H_5$ (100-41-4)	**Ethyl Benzene** M. W.: 106.17 Assay (GC) 98.0%	900.00 4203.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
028321 $C_9H_{10}O_2$ (93-89-0)	**Ethyl Benzoate** M. W.: 150.18 Assay(GC) 99.0%	1206.00 5202.00	500 ml 2.5 lit
084215 $C_{11}H_{12}O_3$ (94-02-0)	**Ethyl Benzoyl Acetate** for Synthesis M.W.: 192.21 Assay 97.0%	2907.00 11300.00	100 ml 500 ml
	Ethyl Bromide See Bromo Ethane		
084305 $C_4H_7BrO_2$ (105-36-2)	**Ethyl Bromo Acetate** for Synthesis M. W.: 167.01 Assay (GC) 97.0%	4401.00 8208.00	250 ml 500 ml
084395 ✠ $BrC_9H_9O_2$ (24398-88-7)	**Ethyl-3-Bromo Benzoate** for Synthesis M. W.: 229.07 Assay 98.0%	2160.00 8190.00	25 gm 100 gm
084415 ✠ $BrC_9H_9O_2$ (5798-75-4)	**Ethyl-4-Bromo Benzoate** for Synthesis M. W.: 229.07 Assay 98.0%	1503.00 4887.00	25 gm 100 gm
084475 ✠ $BrC_5H_9O_2$ (535-11-5)	**Ethyl-2-Bromo Propionate** for Synthesis M. W.: 181.03 Assay 99.0%	1656.00 6120.00	100 gm 500 gm
084495 $BrC_5H_9O_2$ (539-74-2)	**Ethyl-3-Bromo Propionate** for Synthesis M. W.: 181.03 Assay 98.0%	7200.00	100 gm
084525 $C_6H_{12}O_2$ (105-54-4)	**Ethyl Butyrate** M. W.: 116.16 Assay (GC) 98.0%	1450.00 5067.00	500 ml 2.5 lit
084585 $C_8H_{16}O_2$ (123-66-0)	**Ethyl Caproate** for Synthesis M. W.: 144.21	3780.00	500 ml
084605 $C_{10}H_{20}O_2$ (106-32-1)	**Ethyl Caprylate** for Synthesis M. W.: 172.26	2997.00	500 gm
084625 $C_3H_8N_2O_2$ (4114-31-2)	**Ethyl Carbazate** M. W.: 104.11 Assay 97.0%	990.00 2700.00	25 gm 100 gm
	Ethyl Carbitol See Diethylene Glycol Monoethyl Ether		
	Ethyl Cellosolve See Etheylene Glycol Monoethyl Ether		
	Ethyl Cellosolve Acetate See Cellosolve Acetate		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
028330 (9004-57-3)	**Ethyl Cellulose** 18-22 CPS	**1800.00** **6804.00**	**100 gm** **500 gm**
084655	**Ethyl Cellulose** Low Viscosity (7 CPS)	**7101.00**	**500 gm**
084685 $C_4H_7ClO_2$ (105-39-5)	**Ethyl Chloro Acetate** for Synthesis M. W.: 122.55 Assay (GC) 98.0%	**1400.00** **6390.00**	**500 ml** **2.5 lit**
084715 $C_6H_9O_3Cl$ (638-07-3)	**Ethyl-4-Chloro Aceto Acetate** for Synthesis M. W.: 164.59 Assay 95.0%	**1143.00** **4590.00**	**100 gm** **500 gm**
	Ethyl Chlorocarbonate See Ethyl Chloroformate		
084805 $C_3H_5O_2Cl$ (541-41-3)	**Ethyl Chloroformate** (Ethyl Chlorocarbonate) M. W.: 108.52	**1791.00** **7992.00** **POR**	**500 ml** **2.5 lit** **25 lit**
084915 $C_5H_9O_2Cl$ (535-13-7)	**Ethyl-2-Chloro Propionate** for Synthesis M. W.: 136.58 Assay 97.0%	**1638.00**	**100 ml**
084975 $C_{11}H_{12}O_2$ (103-36-6)	**Ethyl Cinnamate** M. W.: 176.22 Assay (GC) 98.0%	**3402.00**	**500 ml**
	Ethyl Cyanide See Propionitrile		
028337 $C_5H_7NO_2$ (105-56-6)	**Ethyl Cyanoacetate** for Synthesis M. W.: 113.12 Assay (GC) 98.0%	**1215.00** **5490.00** **POR**	**500 ml** **2.5 lit** **25 lit**
085105 C_8H_{16} (1678-91-7)	**Ethyl Cyclohexane** for Synthesis M. W.: 112.21 Assay 97.0%	**1251.00** **4960.00**	**500 ml** **2.5 lit**
	Ethyl Digol See Diethylene Glycol Mono Ethyl Ether		
	1-**Ethyl**-3-3-**Dimethyl Amino Propylcarbodimide Hydrochloride** See 1-(3-Dimethyl amino Propyl)-3-ethyl Carbodiimide Hydrochloride		
	Ethylene Bromide See 1,2-Dibromoethane		
	Ethylene Chloride See 1,2-Dichloroethane		
	Ethylene Chlorohydrine See 2-Chloroethanol		
085135 $C_2H_8N_2$ (107-15-3)	**Ethylene Diamine** for Synthesis (1,2-Diamino Ethane) M. W.: 60.10 Assay 99.0%	**1197.00** **5094.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
523455 $C_2H_8N_2$ (107-15-3)	**Ethylene Diamine AR** M. W.: 60.10	**1494.00**	**500 ml**
085155 $C_2H_8N_2.2HCl$ (333-18-6)	**Ethylenediamine Dihydrochloride** M. W.: 133.03 Assay (Argentometric) 99.0%	**810.00** **3303.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
085175 $C_2H_8N_2H_2SO_4$ (22029-36-3)	**Ethylene Diamine Sulphate** for Synthesis M. W.: 158.177	**2350.00**	**25 gm**
085235 $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Acid** M. W.: 292.25 Assay (Complexometric) 98.0%	**360.00** **1152.00** **11610.00** **POR** **POR**	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
523495 $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Acid AR/ACS** For Complexometry M. W.: 292.25 Assay (Complexometric) 99.0%	**432.00** **1404.00** **12250.00** **POR** **POR**	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
TC1115 ATC $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Free Acid** Anhydrous Cell Culture Tested M. W.: 292.24 Assay : ≥99% Store below 30°C	**1062.00** **4077.00**	**100 gm** **500 gm**
TC1115M ATC $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Free Acid** (See: Edetic Acid, EDTA free acid, anhydrous) Diaminoethane-tetraacetic acid, Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 292.24 Store below 30°C	**1062.00** **4077.00**	**100 gm** **500 gm**
085255 $C_{10}H_{12}CaN_2Na_2O_8.XH_2O$ (304695-78-1)	**Ethylene Diamine Tetra Acetic Acid Calcium Disodium Salt** M. W.: 374.27. XH2O Assay (Complexometric; on anhydrous basis) 97-102%	**1503.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
085275 $C_{10}H_{14}K_2O_8N_2.2H_2O$ (25102-12-9)	**Ethylene Diamine Tetra Acetic Acid Dipotassium Salt** M.W.: 404.46 Assay (Complexometric) 98.0%	**396.00** **1593.00** **POR** **POR**	**100 gm** **500 gm** **25 kg** **50 kg**
523515 $C_{10}H_{14}K_2O_8N_2.2H_2O$ (25102-12-9)	**Ethylene Diamine Tetra Acetic Acid Dipotassium Salt AR** M. W.: 404.46 Assay (complexometric) 99.0%	**513.00** **1845.00** **14310.00** **POR** **POR**	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
085295 $C_{10}H_{14}O_8Na_2N_2.2H_2O$ (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** M. W.: 372.24 Assay (complexometric) 98.0%	**468.00** **1908.00** **11250.00** **POR**	**100 gm** **500 gm** **5 kg** **25 kg**
523525 $C_{10}H_{14}O_8Na_2N_2.2H_2O$ (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 372.24 Assay (Complexometric) 99.5%	**558.00** **2106.00** **13005.00** **POR**	**100 gm** **500 gm** **5 kg** **25 kg**
932500 MB $C_{10}H_{14}N_2Na_2O_8.2H_2O$ (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** for Molecular Biology M. W.: 372.24 Assay (Complexometric) 99.5%	**1305.00** **2997.00** **28800.00**	**100 gm** **500 gm** **5 kg**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT1105 PTC	**Ethylene Diamine Tetra Acetic Acid**	378.00	100 gm
	Disodium Salt Dihydrate	1683.00	500 gm
	Plant Culture Tested	3042.00	1 kg
$C_{10}H_{14}N_2Na_2O_8.2H_2O$	M. W.: 372.24	13500.00	5 kg
(6381-92-6)	Assay 99.5%		
	Store below 30°C		
TC1038 ATC	**Ethylene Diamine Tetra Acetic Acid**	1350.00	500 gm
	Disodium Salt Dihydrate	2070.00	1 kg
	Cell Culture Tested	POR	5 kg
$C_{10}H_{14}N_2O_8.Na_2.2H_2O$	M. W.: 372.24		
(6381-92-6)	Assay : ≥99%		
	Store below 30°C		
TC1038M ATC	**Ethylene Diamine Tetra Acetic Acid**	3690.00	100 gm
	Disodium Salt Dihydrate	13100.00	500 gm
	EDTA disodium salt		
	Meets USP 41-NF 36, EP 9.0, JP 17		
	and BP 2016 testing specifications		
$C_{10}H_{14}N_2O_8Na_2..2H_2O$	M. W.: 372.24		
(6381-92-6)			
	Store below 30°C		
085315	**Ethylene Diamine Tetra Acetic Acid**	342.00	100 gm
	Ferric Monosodium Salt	1404.00	500 gm
$C_{10}H_{12}FeN_2NaO_8.3H_2O$	M. W.: 421.10	POR	25 kg
(18154-32-0)	Fe content (on anhydrous basis) 12-14%	POR	50 kg
PCT1106 PTC	**Ethylene Diamine Tetra Acetic Acid**	351.00	100 gm
	Ferric Monosodium Salt	1494.00	500 gm
	Plant Culture Tested	2871.00	1 kg
$C_{10}H_{12}FeN_2NaO_8.3H_2O$	M. W.: 421.10	POR	5 kg
(18154-32-0)	Assay : 12 -14% Fe		
	Store below 30°C		
085375	**Ethylene Diamine Tetra Acetic Acid**	1107.00	500 gm
	Magnesium Disodium Salt	POR	50 kg
$C_{10}H_{12}MgN_2O_8.2Na.XH_2O$	M. W.: 358.50 (Anhy.)		
(14402-88-1)			
085405	**Ethylene Diamine Tetra Acetic Acid**	1800.00	500 gm
	Tetra Sodium Salt	13500.00	5 kg
$C_{10}H_{12}N_2Na_4O_8.2H_2O$	M. W.: 416.20	POR	25 kg
(10378-23-1)	Assay (complexometric) 98.0%		
TC1116 ATC	**Ethylene Diamine Tetra Acetic Acid**	1944.00	100 gm
	Tetra Sodium Salt	5860.00	500 gm
	EDTA Dihydrate		
	Cell Culture Tested		
$C_{10}H_{12}N_2Na_4O_82H_2O$	M. W.: 416.2		
(10378-23-1)	Assay : ≥99%		
	Store below 30°C		
085515	**Ethylene Diamine Tetra Acetic Acid**	1800.00	500 gm
	Tripotassium Salt	15300.00	5 kg
	(Dihydrate) Reagent for Complexometry		
$(KOOCCH_2)_2NCH_2CH_2N(CH_2COOK)CH_2COOH \cdot 2H_2O$			
	M. W.: 442.54		
(65501-24-8)	Assay 98.0%		
085525	**Ethylenediamine Tetra Acetic Acid**	477.00	100 gm
	Tri Sodium Salt	1557.00	500 gm
$C_{10}H_{13}N_2Na_3O_82H_2O$	M. W.: 394.22	POR	50 kg
(150-38-9)Anhy.	Assay 98.0%		
	Ethylenedibromide		
	See 1,2-Dibromoethane		

Product Code	Product Name	Price	Packing
	Ethylene Dinitrilotetra Acetic Acid		
	See Ethylenediamine Tetra Acetic Acid		
	Ethylenedichloride		
	See 1,2-Dichloro Ethane		
085545	**Ethylene Glycol** for Synthesis	522.00	500 ml
$CH_2(OH)CH_2OH$	M. W.: 62.07	1800.00	2.5 lit
(107-21-1)	Assay (GC) 99.0%	POR	25 lit
523575	**Ethylene Glycol AR**	603.00	500 ml
$CH_2(OH)CH_2OH$	M. W.: 62.07	2007.00	2.5 lit
(107-21-1)		POR	25 lit
	Ethylene Glycol Dimethyl Ether		
	See 1,2-Dimethoxyethane, (Monoglyme)		
	Ethylene Glycol Methylene Ether		
	See 1,3-Dioxolane		
085555	**Ethylene Glycol Mono Butyl Ether**	675.00	500 ml
	(2-Butoxy Ethanol) for Synthesis	2961.00	2.5 lit
$C_6H_{14}O_2$	M. W.:118.18	POR	25 lit
(111-76-2)	Assay (GC) 98.0%	POR	200 lit
085560	**Ethylene Glycol Mono Butyl Ether**	810.00	500 ml
	Acetate for Synthesis	3807.00	2.5 lit
	(Butyl Cellosolve acetate)	POR	25 lit
$C_8H_{16}O_3$	M.W : 160.21	POR	200 lit
(112-07-2)			
028309	**Ethylene Glycol Mono Ethyl Ether**	576.00	500 ml
	(2-Ethoxy Ethanol) for Synthesis	2196.00	2.5 lit
$C_4H_{10}O_2$	M. W.: 90.12	POR	25 lit
(110-80-5)	Assay (GC) 98.0%		
029198	**Ethylene Glycol Mono Methyl Ether**	657.00	500 ml
	for Synthesis (2-Methoxy Ethanol)	2907.00	2.5 lit
$C_3H_8O_2$	M. W.: 76.10	POR	25 lit
(109-86-4)	Assay (GC) 99.0%	POR	200 lit
523610	**Ethylene Glycol Mono Methyl Ether**	720.00	500 ml
	AR/ACS (2-Methoxy Ethanol)	3105.00	2.5 lit
$C_3H_8O_2$	M. W.: 76.10	POR	25 lit
(109-86-4)		POR	200 lit
731250	**Ethylene Glycol Mono Methyl Ether**	1647.00	1 lit
	for HPLC (2-Methoxy Ethanol)		
$C_3H_8O_2$	M. W.: 76.10		
(109-86-4)	Assay (GC) 99.9%		
085595	**Ethylene Glycol Mono Phenyl Ether**	945.00	500 ml
	(Phenyl cellosolve)	3690.00	2.5 lit
$C_8H_{10}O_2$	M. W.: 138.17	POR	25 lit
(122-99-6)	Assay 99.0-100.5%	POR	200 lit
TC1549M ATC	**Ethylene Glycol Mono Phenyl Ether**	6030.00	500 ml
	Phenoxyethanol, 2-Phenoxyethyl alcohol		
	Meets USP 41-NF 36, EP 9.0, and		
	BP 2016 testing specifications		
$C_8H_{10}O_2$	M. W.: 138.16		
(122-99-6)			
	Store below 30°C		
085610	**Ethylene Glycol Mono Stearate**	1089.00	500 gm
$C_{20}H_{40}O_3$	M. W.: 328.54		
(111-60-4)			

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
085645 $C_{14}H_{24}N_2O_{10}$ (67-42-5)	▲**Ethylene Glycol**-O,O-**bis (2-Amino Ethyl)** N,N,N',N'-**Tetra Acetic Acid** (E.G.T.A.) M. W.: 380.35 Assay (complexometric) 98.0%	2844.00	10 gm
932600 MB $C_{14}H_{24}N_2O_{10}$ (67-42-5)	▲**Ethylene Glycol**-O,O-**bis (2-Amino Ethyl)** N,N,N',N'-**Tetra Acetic Acid** (E.G.T.A.) For Molecular Biology M. W.: 380.35 Assay : ≥ 99%	3330.00	10 gm
TC1721 ATC $C_{14}H_{24}O_{10}N_2$ (67-42-5)	▲**Ethylene glycol-bis(2-aminoethyl Ether)-N,N,N'N'-tetraacetic Acid** Cell Culture Tested (EGTA) M. W.: 380.35 Assay : ≥97%	4176.00 9460.00 36144.00	10 gm 25 gm 100 gm
TC1722 ATC $C_{26}H_{40}N_2O_8$ (99590-86-0)	**Ethylene glycol-bis(β-aminoethyl Ether)-N,N,N'N'-tetraacetoxy methyl ester** Cell Culture Tested **(EGTA AM)** Store at -20°C	22266.00	10 mg
085660 $C_3H_6N_2S$ (96-45-7)	**Ethylene Thiourea** for Synthesis M. W.: 102.16	4059.00	500 gm
085675 $C_3H_6N_2O$ (120-93-4)	**Ethylene Urea** for Synthesis M. W.: 86.09	4001.00	500 gm
	Ethyl Eosin for Microscopy See Eosin (Spirit Soluble)		
	n-**Ethyl Ethanolamine** See 2-(Ethylamino) Ethanol		
085725 $C_3H_6O_2$ (109-94-4)	**Ethyl Formate** for Synthesis (Formic Acid Ethyl Ester) M. W.: 74.08 Assay (GC) 98.0%	765.00 3591.00 POR	500 ml 2.5 lit 25 lit
	Ethylglycinate Hydrochloride See Glycine Ethylester Hydrochloride		
085815 $C_9H_{18}O_2$ (106-30-9)	**Ethyl Heptanoate** for Synthesis M. W.: 158.24 Assay (GC) 99.0%	4500.00	500 gm
085885 $C_8H_{16}O_2$ (149-57-5)	2-**Ethyl Hexanoic Acid** for Synthesis (Ethyl Caproic Acid, Octoic Acid) M. W.: 144.21	720.00 2997.00 POR	500 ml 2.5 lit 25 lit
523775 $C_8H_{16}O_2$ (149-57-5)	2-**Ethyl Hexanoic Acid AR** M.W.: 144.21	1800.00	1 lit
028345 $C_8H_{18}O$ (104-76-7)	2-**Ethyl-1-Hexanol** (2-Ethyl Hexane-1-ol) M. W.: 130.23 Assay (GC) 99.0%	576.00 2196.00 POR	500 ml 2.5 lit 25 lit
085915 $C_{11}H_{20}O_2$ (103-11-7)	2-**Ethyl Hexyl Acrylate** M.W.: 184.28 Assay (GC) 99.0%	585.00 2565.00	500 ml 2.5 lit
523965 $C_{11}H_{20}O_2$ (103-11-7)	2-**Ethyl Hexyl Acrylate AR** M.W.: 184.28	1980.00	1 lit

Product Code	Product Name	Price	Packing
085930 $C_{12}H_{22}O_2$ (688-84-6)	2-**Ethyl Hexyl Methacrylate** for Synthesis (Stabilized) M. W.: 198.30 Assay 98.0%	801.00 6750.00	250 ml 2.5 lit
085945 $C_9H_{10}O_3$ (120-47-8)	**Ethyl**-p-**Hydroxy Benzoate** (Ethyl Paraben) M.W.: 166.17 Assay (GC) 99.0%	2350.00 POR POR POR	500 gm 5 kg 25 kg 50 kg
085960 $C_9H_9NaO_3$ (35285-68-8)	**Ethyl**-p-**Hydroxy Benzoate Sodium Salt** (Ethyl Paraben Sodium) M.W : 188.16	2444.00	500 gm
028581 C_2H_5I (75-03-6)	**Ethyl Iodide** for Synthesis M. W.: 155.97 Assay (GC) 99.0%	5904.00 27000.00	100 ml 500 ml
085995 $C_6H_{12}O_2$ (97-62-1)	**Ethyl-Iso-Butyrate** for Synthesis M. W.: 116.16	2799.00	500 gm
086025 $C_7H_{14}O_2$ (108-64-5)	**Ethyl-Iso-Valerate** for Synthesis M. W.: 130.18	2619.00	500 gm
086075 $C_5H_{10}O_3$ (97-64-3)	**Ethyl Lactate** (Biodegradeble) Solvent Replacement for Optical and Microelectronical Purpose M. W.: 118.13 Assay 98.0%	1503.00 12250.00	250 ml 2.5 lit
086100 $C_6H_7NO_2$ (128-53-0)	n-**Ethyl Maleimide** M. W.: 125.13	1980.00 8775.00	5 gm 25 gm
086125 $C_3H_8O_3S$ (62-50-0)	**Ethyl Methane Sulfonate** (Plant Mutagen) M. W.: 124.16	923.00 7812.00 POR	10 gm 100 gm 5 kg
PCT2324 PTC $C_3H_8O_3S$ (62-50-0)	**Ethyl Methane Sulfonate** (Methanesulphonic acid ethyl ester) (1ml = 1.21g) Plant Culture Tested MW : 124.16 Assay 99% Store below 30°C	3834.00 34542.00	10 gm 100 gm
086275 C_3H_9N (624-78-2)	n-**Ethyl Methylamine** M. W.: 59.11 Assay 97.0%	3250.00 12600.00	5 gm 25 gm
087395 $C_{11}H_{13}N$ (40876-94-6)	1-**Ethyl**-2-**Methyl Indole** M. W.: 159.23	3285.00	5 gm
	Ethyl Methyl Ketone See Butanone		
087515 $C_6H_{13}NO$ (100-74-3)	n-**Ethyl Morpholine** for Synthesis (4-Ethylmorpholine) M. W.: 115.17	1098.00 9747.00	250 ml 2.5 lit
028356 $C_{20}H_{38}O_2$ (111-62-6)	▲**Ethyl Oleate** for Synthesis M. W.: 310.52 Assay (Saponification) 98.0%	1197.00 5193.00 POR	500 ml 2.5 lit 25 lit
294625 $C_{16}H_{18}N_3.Na.SO_3$ (62758-12-7)	**Ethyl Orange Sodium Salt** M. W.: 355.39 Dye content 90.0%	900.00	25 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Ethyl Orthoformate See Triethyl Orthoformate		
	Ethyl Paraben See Ethyl-p-Hydroxybenzoate		
	Ethyl Paraben Sodium See Ethyl-p-Hydroxybenzoate sodium		
087585 $C_{10}H_{12}O_2$ (101-97-3)	**Ethyl Phenyl Acetate** M. W.: 164.20	2196.00	500 ml
087615 $C_6H_{14}N_2$ (5308-25-8)	n-**Ethyl Piperazine** for Synthesis M. W.: 114.19	1701.00 5904.00	250 ml 1 lit
087725 $C_7H_{14}N_2O_2$ (120-43-4)	**Ethyl Piperazine**-1-**Carboxylate** M. W.: 158.20 Assay 99.0%	2170.00	25 gm
	Ethyl Potassium Xanthate See Potassium Ethyl Xanthate		
087765 $C_5H_{10}O_2$ (105-37-3)	**Ethyl Propionate** M. W.: 102.13 Assay (GC) 99.0%	1701.00	500 ml
087805 $C_5H_8O_3$ (617-35-6)	**Ethyl Pyruvate** for Synthesis M. W.: 116.12 Assay 98.0%	2106.00 9000.00	100 gm 500 gm
	o-**Ethyl Salicylamide** See 2-Ethoxybenzamide		
087855 2-(OH)$C_6H_4CO_2C_2H_5$ (118-61-6)	**Ethyl Salicylate** M. W.: 166.17	1197.00	500 ml
087900 $C_6H_9ClO_3$ (14794-31-1)	**Ethyl Succinyl Chloride** M.W. 164.59 Assay 98.0%	1350.00	100 ml
087945 $C_4F_3H_5O_2$ (383-63-1)	**Ethyl Trifluoroacetate** for Synthesis M. W.: 142.08 Assay 99.0%	1296.00 6192.00	100 gm 500 gm
	Ethyl Triphenyl Phosphonium Bromide See Triphenylethyl Phosphonium Bromide		
088185 $C_9H_{10}O_3$ (121-32-4)	**Ethyl Vanilin** for Synthesis M. W.: 166.17	1593.00 7191.00	100 gm 500 gm
294765 $C_{31}H_{42}N_3Cl$ (2390-59-2)	**Ethyl Violet** for Microscopy C.I.No.42600 M. W.: 492.14	873.00	25 gm
	Ethynyl Carbinol See Propargyl Alcohol		
349325 (8000-48-4)	**Eucalyptus Oil** Assay (as cineole content) >60.0%	2304.00	250 ml
088995 (25086-15-1)	**Eudragit L-100** for Synthesis	2007.00 4005.00	100 gm 250 gm
089015 (3343-24-1)	**Eudragit RL-100** for Synthesis	3006.00 5994.00	100 gm 250 gm
089035 (3343-24-1)	**Eudragit RS -100** for Synthesis	3006.00 5994.00	100 gm 250 gm
089055 (25086-15-1)	**Eudragit S -100** for Synthesis	3600.00 6030.00	100 gm 250 gm

Product Code	Product Name	Price	Packing
028374 $C_{10}H_{12}O_2$ (97-53-0)	**Eugenol** Pure M. W.: 164.21 Assay (GC) 99.0%	1400.00 6507.00	100 ml 500 ml
089150 $C_{12}H_{14}O_3$ (93-28-7)	**Eugenol Acetate** for Synthesis M. W.: 206.24	6003.00	500 gm
	Eugenol Methyl Ether See Methyl Eugenol		
089195	**Euparol** for Microscopy	2502.00	100 ml
830070	**Europium** (Eu)CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	4014.00 10845.00	100 ml 500 ml
830080	**Europium** (Eu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12051.00 40176.00	100 ml 500 ml
RE0910 Eu (7440-53-1)	**Europium** Metal **Ingot** M. W.: 151.96 Assay (Trace metal basis) 99.99%	10341.00 42120.00 POR	1 gm 5 gm 25 gm
RE0915 Eu (7440-53-1)	**Europium** Metal **Lump** M. W.: 151.96 Assay (Trace metal basis) 99.99%	10341.00 42120.00 POR	1 gm 5 gm 25 gm
RE0925 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.9%	7272.00 28136.00	5 gm 25 gm
RE0930 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.99%	1953.00 7560.00 32400.00	1 gm 5 gm 25 gm
RE0935 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.999%	7650.00 39600.00 POR	1 gm 10 gm 50 gm
RE0945 $EuBr_3.XH_2O$ (560069-78-5)	**Europium** (III) **Bromide** M. W.: 391.68 (anhy.) Assay (Trace metal basis) 99.99%	14310.00	5 gm
RE0955 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.9%	7200.00 29700.00	5 gm 25 gm
RE0960 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.99%	2970.00 12069.00 39200.00	1 gm 5 gm 25 gm
RE0965 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.999%	POR POR POR	1 gm 5 gm 25 gm
RE0975 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.9%	11890.00 47030.00	5 gm 25 gm
RE0980 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.99%	4230.00 14310.00 38232.00	1 gm 5 gm 25 gm
RE0985 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.999%	POR POR POR	1 gm 5 gm 25 gm
RE0995 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.9%	2997.00 5445.00 13887.00 48060.00	1 gm 2 gm 10 gm 50 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
RE1000 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.99%	**5000.00** **15300.00** **45000.00**	**1 gm** **5 gm** **25 gm**
RE1005 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.999%	**POR** **POR** **POR**	**1 gm** **5 gm** **25 gm**
RE1015 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.9%	**14310.00** **POR**	**10 gm** **25 gm**
RE1020 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.99%	**9000.00** **27000.00**	**5 gm** **25 gm**
RE1025 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR** **POR**	**1 gm** **5 gm** **25 gm**
RE1035 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.9%	**1503.00** **5000.00** **22059.00**	**1 gm** **5 gm** **25 gm**
RE1040 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.99%	**2907.00** **11170.00** **34020.00** **81090.00**	**1 gm** **5 gm** **25 gm** **100 gm**
RE1045 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.999%	**10900.00** **36360.00**	**1 gm** **5 gm**

Product Code	Product Name	Price	Packing
RE1055 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.9%	**2700.00** **10800.00** **POR**	**1 gm** **5 gm** **25 gm**
RE1060 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.99%	**3006.00** **11709.00** **47160.00**	**1 gm** **5 gm** **25 gm**
RE1065 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.999%	**POR** **POR** **POR**	**1 gm** **5 gm** **25 gm**
294905 $C_{34}H_{24}N_6Na_4O_{14}S_4$ (314-13-6)	**Evans Blue** for Microscopy For estimation of blood volume M. W.: 960.82 Dye content (titanometric dried) About 85.0%	**293.00** **1112.00**	**5 gm** **25 gm**
	Extract of Meat See Meat Extract		
	Extract of Yeast See Yeast Extract		
830180	**Exton's** Reagent (Test reagent for albumin in urine)	**230.00**	**100 ml**
	Extra Special Neutral Detergent For Cleaning Laboratory Glass Wares & Instruments See CEDEPOL		

Europium

Europium, atomic no.: 63, symbol as Eu, weight at 151.96, is utilized primarily for its unique luminescent behavior. Excitation of the Europium atom by absorption of ultra violet radiation can result in specific energy level transitions within the atom creating an emission of visible radiation. It is a dopant in some types of glass in lasers and other optoelectronic devices. Europium Oxide (Eu_2O_3) is widely used as a red phosphor in television sets and fluorescent lamps, and as an activator for Yttrium-based phosphors.

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Fe-EDDHA See Ethylenediamine-N,N'-bis (2hydroxyphenylaceticacid) ferric-sodium complex		
	Fabric Cleaner Liquid See FCL009		
	Fabric Cleaner Powder See FCP009		
834000	**FA Rhodamine Counterstain**	396.00 1818.00	100 ml 500 ml
295815 $C_{14}H_{12}N_4O_2Cl_2.ZNCl_2$ (14263-94-6)	▲**Fast Blue B Salt** (C.I. 37235) M. W.: 475.47	828.00 3051.00 POR	25 gm 100 gm 1 kg
295875 $C_{17}H_{18}ClN_3O_3.1/2\ ZnCl_2$ (5486-84-0)	▲**Fast Blue BB Salt** for Microbiology (C.I. 37175) M. W.: 415.94 Dye content 80.0%	2412.00 6012.00	5 gm 25 gm
295935 $C_{15}H_{14}ClN_3O_3.1/2\ ZNCl_2$ (14726-29-5)	▲**Fast Blue RR Salt** (C.I. 37155) M. W.: 387.89	21600.00	5 gm
296085 $C_{14}H_{14}N_4O_4S$ (101-89-3)	**Fast Garnet GBC Salt** Purified (C. I. No. 37210) M. W.: 334.35	576.00	25 gm
296175 $C_{52}H_{54}N_4O_{12}$	**Fast Green** for Microscopy C.I. 42000 M.W.: 927.02 Dye content (titanometric on dried substance) Abt. 90.0%	284.00 936.00	25 gm 100 gm
296205 $C_{37}H_{34}N_2Na_2O_{10}S_3$ (2353-45-9)	**Fast Green FCF** for Microscopy C.I. No. 42053 M.W.: 808.85 Dye content (titanometry, on dried subs.) >85.0%	550.00 2007.00	5 gm 25 gm
933200 MB $C_{37}H_{34}N_2O_{10}S_3Na_2$ (2353-45-9)	**Fast Green FCF** For Molecular Biology C. I. No. : 42053 M. W.: 808.85 Store Below 30°C	4510.00 9927.00	10 gm 25 gm
834100	**Fast Green** FCF Solution (Useful for non-lignified tissues)	882.00	100 ml
296255 $C_{20}H_{14}N_2O_7S_2.2Na$ (2302-96-2)	**Fast Red E** (C.I. 16045) M. W.: 502.43	630.00	25 gm
296395 $C_{30}H_{17}N_4Na_3O_{11}S_3$ (3682-47-1)	**Fast Sulphon Black** F C.I. No. 26990 M. W.: 774.6 Dye content (titanometry) Approx 30.0%	567.00	25 gm
	Fehling's Solution A and B See Fehling's Solution 1 and 2		
834200	**Fehling's** Solution NO. 1 Assay iodometric ($CuSO_4$) min. 7.0%w/v	410.00	500 ml
834220	**Fehling's** Solution NO. 2	603.00	500 ml
092675 $C_4H_7.FeO_5$ (10450-55-2)	**Ferric Acetate** Basic M.W.: 190.93	2808.00	500 gm

Product Code	Product Name	Price	Packing
092725 $C_{15}H_{21}O_6.Fe$ (14024-18-1)	**Ferric Acetyl Acetonate** for Synthesis (Iron. III Acetyl Acetronate) M. W.: 353.17	4095.00 10000.00	100 gm 500 gm
	Ferric Alum See Ammonium Ferric Sulphate		
	Ferric Ammonium Citrate See Ammonium Ferric Citrate		
	Ferric Ammonium Sulphate See Ammonium Ferric Sulphate		
092855 $BFeO_3$ (20542-97-6)	**Ferric Borate** M.W.: 114.65	3006.00	500 gm
092900 $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous M. W.: 162.21 Assay (iodometric) 97.0%	306.00 522.00 2196.00 POR	500 gm 1 kg 5 kg 50 kg
528615 $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous **AR** M. W.: 162.21 Assay (Iodometric) 98.0%	432.00	500 gm
934400 MB $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous For Molecular Biology M. W.: 162.2 Assay : ≥ 98% Store Below 30°C	243.00 585.00 1103.00	50 mg 1 gm 5 gm
TC1583 ATC $FeCl_2$ (7705-08-0)	**Ferric Chloride** Anhydrous Ferric chloride Cell Culture Tested M. W.: 162.2 Assay : 14-16% Fe Store below 30°C	1422.00 2719.00 5841.00	5 gm 25 gm 100 gm
092940 $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate M. W.: 270.30 Assay (Iodometric) 98.0%	387.00 POR	500 gm 50 kg
528620 $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate **AR/ACS** M. W.: 270.30 Assay (Iodometric) 98.0%	468.00	500 gm
PCT1108 PTC $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate Plant Culture Tested M. W.: 270.3 Assay 99% Store below 30°C	225.00 500.00 900.00 1611.00	100 gm 250 gm 500 gm 1 kg
TC1587M ATC $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate Iron(III) chloride hexahydrate Meets EP 9.0, and BP 2016 testing specifications M. W.: 270.28 Store below 30°C	1872.00 2817.00 9612.00	5 gm 25 gm 100 gm
834320	**Ferric Chloride** Solution 10% (Gerhardt's Reagent) Assay 9.9-10.1%	126.00 396.00	125 ml 1 lit
834325	**Ferric Chloride** TS acc. to USP	167.00	500 ml
028381 $C_6H_5FeO_7.3H_2O$ (2338-05-8)	**Ferric Citrate** M. W.: 298.99 Iron (Fe) Iodometric 18-20%	1602.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
PCT1109 PTC $C_6H_5FeO_7.H_2O$ (2338-05-8)	**Ferric Citrate** Monohydrate Plant Culture Tested M. W.: 262.96 Assay : 18 - 20% Fe Store below 30°C	**783.00** **1413.00**	**250 gm** **500 gm**
TC1117 ATC $C_6H_5FeO_7.H_2O$ (2338-05-8)	**Ferric Citrate** Monohydrate Cell Culture Tested M. W.: 262.96 Assay : ≥98% Store below 30°C	**1179.00** **1760.00** **2646.00**	**250 gm** **500 gm** **1 kg**
	Ferric Diphosphate Hydrate See Ferric Pyrophosphate		
028384 $Fe(NO_3)_3.9H_2O$ (7782-61-8)	**Ferric Nitrate** (Iron (III) Nitrate) M. W.: 404.00 Assay (oxidimetric) 98.0%	**405.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
528650 $Fe(NO_3)_3.9H_2O$ (7782-61-8)	**Ferric Nitrate** Nonahydrate **AR/ACS** M. W.: 404.00 Assay (Oxidimetric) 99-101%	**702.00**	**500 gm**
TC1118 ATC $FeN_3O_9.9H_2O$ (7782-61-8)	**Ferric Nitrate** Nonahydrate Cell Culture Tested M. W.: 404 Assay : ≥98% Store below 30°C	**1395.00** **5553.00**	**100 gm** **500 gm**
093155 Fe_2O_3 (1309-37-1)	**Ferric Oxide Black** M. W.: 159.69	**469.00**	**500 gm**
028386 Fe_2O_3 (1309-37-1)	**Ferric Oxide Red** (Iron Oxide Red) M. W.: 159.69 Assay (Iodometric) 98.5%	**158.00** **405.00** **3087.00** **POR**	**100 gm** **500 gm** **5 kg** **50 kg**
093180 ✳ (15201-61-3)	**Ferric Perchlorate** Against Licence	**POR** **POR** **POR**	**1 kg** **5 kg** **25 kg**
528675 ✳ $Fe(ClO_4)_3.XH_2O$ (15201-61-3)	**Ferric Perchlorate AR** M. W.: 354.20 (Anhy.) Assay 97.0%	**6080.00** **18900.00** **36000.00**	**100 gm** **500 gm** **1 kg**
028385 $FePO_4.4H_2O$ (31096-47-6)	**Ferric** ortho **Phosphate** M. W.: 222.88 Assay (by cerimetry, Fe) 24%	**972.00**	**500 gm**
528705 $FePO_4.4H_2O$ (31096-47-6)	**Ferric** ortho **Phosphate AR** M. W.: 222.88	**1530.00**	**500 gm**
093195 $Fe_4(P_2O_7)_3$ (10058-44-3)	**Ferric Pyrophosphate** Pure Iron. III Pyro Phosphate M. W.: 745.21	**1908.00**	**500 gm**
093235 $Fe_2(SO_4)_3.XH_2O$ (15244-10-7)	**Ferric Sulphate** M. W.: 399.88 Assay (as Fe) (Iodometric) 20.5%	**441.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
528795 $Fe_2(SO_4)_3.XH_2O$ (15244-10-7)	**Ferric Sulphate Hydrate AR** [Iron (III) Sulphate Hydrate] M. W.: 399.88 (anhydrous)	**603.00**	**500 gm**

Product Code	Product Name	Price	Packing
PCT1124 PTC $Fe_2(SO_4)_3.xH_2O$ (10028-22-5)	**Ferric Sulphate** Hydrate Plant Culture Tested M. W.: 399.88 (anhydrous basis) Store below 30°C	**1310.00**	**500 gm**
093285 $Fe_2(C_4H_4O_6)_3$ (2944-68-5)	**Ferric Tartrate** M. W.: 555.90	**7830.00**	**500 gm**
093445 $Fe(C_5H_5)_2$ (102-54-5)	**Ferrocene** for Synthesis (Dicyclopentadienyliron) M.W. : 186.03	**1701.00** **15003.00**	**100 gm** **1 kg**
834360	**Ferroin** Indicator Solution 0.1 Wt% in H_2O	**3132.00**	**500 ml**
834365	**Ferroin** Solution 0.025M **AR** (Redox Indicator)	**900.00** **3330.00**	**100 ml** **500 ml**
834369	**Ferroin** Indicator Solution in Sulphuric Acid	**1143.00**	**100 ml**
529000 $C_9H_6INO_4S$ (547-91-1)	**Ferron AR** M. W.: 351.12	**15030.00**	**25 gm**
	Ferrous Ammonium Sulphate See Ammonium Ferrous Sulphate		
093495 $FeCO_3$ (563-71-3)	**Ferrous Carbonate** M. W.: 115.86 Assay 97.0%	**990.00**	**500 gm**
028394 $FeCl_2.XH_2O$ (13478-10-9)	**Ferrous Chloride** Hydrate Tech. M. W.: 126.75	**860.00**	**500 gm**
093525 $C_4H_2FeO_4$ (141-01-5)	**Ferrous Fumarate** Pure M. W.: 169.90 Assay (Fe) 31-33%	**585.00**	**500 gm**
093595 $C_{12}H_{22}FeO_{14}.XH_2O$ (699014-53-4)	**Ferrous Gluconate** for Synthesis M. W.: 446.14 (anhy.)	**1404.00**	**500 gm**
093615 $C_2FeO_4.2H_2O$ (6047-25-2)	**Ferrous Oxalate** Dihydrate M. W.: 179.89 Assay 98.0%	**590.00** **2610.00**	**100 gm** **500 gm**
093635 $Fe_3(PO_4)_2.8H_2O$ (10028-23-6)	**Ferrous Phosphate** M. W.: 501.60	**891.00**	**500 gm**
093645 $C_4H_4FeO.4H_2O$	**Ferrous Succinate Tetrahydrate** M.W.: 243.92	**4680.00**	**500 gm**
028400 $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Purified M. W.: 278.01 Assay (Redox titration) 99.0%	**280.00** **1305.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
529075 $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 278.01 Assay (Redox titration) 99.5%	**351.00**	**500 gm**
PCT1111 PTC $Fe_2SO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Plant Culture Tested M. W.: 278.01 Assay 99% Store below 30°C	**460.00** **833.00** **3753.00**	**500 gm** **1 kg** **5 kg**

F

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
✳ Supply Against Licence
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1119 ATC $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Cell Culture Tested M. W.: 278.01 Assay : ≥99.5% Store below 30°C	1647.00 2601.00	500 gm 1 kg
TC1119M ATC $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Iron(II) sulphate hexahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 278.01 Store below 30°C	1971.00 3123.00	500 gm 1 kg
028401 $FeSO_4.XH_2O$ (13463-43-9)	**Ferrous Sulphate** Hydrate (Ferrous Sulphate Exsiccated (Dried)) M. W.: 151.91(anhy.) Assay ($FeSO_4$) 86-90%	306.00	500 gm
093695 FeS (1317-37-9)	**Ferrous Sulphide** Fused Sticks for Producing H_2S M. W.: 87.92 Assay (Oxidimetry) 95.0%	720.00 POR	1 kg 50 kg
737530 $C_{20}H_{13}N_4NaO_6S_2$ (69898-45-9)	**Ferrozine** for Biochemistry [3-(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine-4, 4"-Disulphonic Acid Sodium Salt, PDT Disulphonate] (for Spectrophotometric det. of Fe) M. W.: 492.46	2664.00 12537.00	1 gm 5 gm
093775 $C_{10}H_{10}O_4$ (537-98-4)	▲trans-**Ferulic Acid** for Synthesis M. W.: 194.2	1593.00 4257.00	10 gm 50 gm
TC1278 ATC (9014-81-7)	· **Fetuin** Cell Culture Tested	POR POR POR	100 mg 1 gm 5 gm
	Feulgen Solution See Schiff's Reagent		
934650 MB (26873-85-8)	· **Ficoll 400** For Molecular Biology Av. M. W.: 400000	2493.00 11385.00	5 gm 25 gm
296685	**Field's** Stain A	230.00 5805.00	25 gm 1 kg
834430	**Field's Stain** Solution A	162.00 477.00	125 ml 500 ml
296715	**Field's** Stain B	230.00 5805.00	25 gm 1 kg
834440	**Field's Stain** Solution B	162.00 477.00	125 ml 500 ml
	Floor Wash See Fw009		
093850 (1343-88-0)	**Florisil** 30-60™Mesh (Adsorbent for Chromatography) TM of US Silicate	4410.00 18000.00	100 gm 500 gm
093875 MgO_3Si (1343-88-0)	**Florisil** 60-100™Mesh for Column-Chromatography M.W. : 100.39 TM of US Silicate	2700.00 12006.00 23000.00	100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
093900 $C_{13}H_{12}F_2N_6O$ (86386-73-4)	**Fluconazole**	5000.00 19800.00	1gm 5 gm
093960 HBF_4 (16872-11-0)	**Fluo Boric Acid** Abt. 40% M.W:.87.81 Assay 38.5-42.5%	675.00 5805.00	500 ml 5 lit
094025 $C_{13}H_{10}$ (86-73-7)	**Fluorene** for Synthesis M. W.: 166.22	2970.00 8910.00	100 gm 500 gm
094105 $C_{14}H_{12}O$ (24324-17-2)	▲9-**Fluorene Methanol** M. W.: 196.24 Assay 99.0%	3087.00 12150.00	25 gm 100 gm
094195 $C_{13}H_8O$ (486-25-9)	9-**Fluorenone** for Synthesis M.W. : 180.20 Assay 98.0%	1305.00 4401.00	100 gm 500 gm
296875 $C_{20}H_{12}O_5$ (2321-07-5)	**Fluorescein** C.I. No. 45350 M. W.: 332.31 Dye Content : Abt. 95.0%	320.00 900.00 7200.00	25 gm 100 gm 1 kg
834700	**Fluorescein** Indicator Solution (Adsorption indicator for precipitation analysis)	486.00	100 ml
834705	**Fluorescein** Solution (Reagent for Bromate)	468.00	100 ml
296935 $C_{30}H_{26}N_2O_{13}$ (1461-15-0)	**Fluorescein Complexone AR** (Calcein Indicator) M. W.: 622.55 Abs. Max. (1N NaOH) 499 nm	225.00 801.00	1 gm 5 gm
094295 $C_{21}H_{11}NO_5S$ (3326-32-7)	· **Fluorescein**-iso-**Thiocyanate** M.W.: 389.38 Assay (HPLC) 98.0%	3492.00 21510.00	100 mgm 1 gm
296985 $C_{20}H_{10}Na_2O_5$ (518-47-8)	**Fluorescein Sodium** C.I. No. 45350 M. W.: 376.3 Assay (by spectro. In buffer pH 8.0 Calc. on dried basis 98.0%	297.00 950.00 8505.00	25 gm 100 gm 1 kg
297085 (68611-47-2)	**Fluorescent** F 254 Indicator for TLC	6030.00	50 gm
K027015	**Fluorescent stains kit** for mycobacteria	1584.00	KIT
094495 C_8H_7FO (403-42-9)	4-**Fluoro Acetophenone** for Synthesis M. W.: 138.14 Assay 99.0%	2205.00 8505.00	100 gm 500 gm
094675 C_6H_6FN (348-54-9)	2-**Fluoro Aniline** for Synthesis M. W.: 111.12 Assay 99.0%	1720.00 7902.00 69003.00	100 ml 500 ml 5 lit
094985 ✣ C_6H_6FN (372-19-0)	3-**Fluoro Aniline** M. W.: 111.12	2727.00 8901.00	25 gm 100 gm
094995 C_6H_6FN (371-40-4)	4-**Fluoro Aniline** for Synthesis (p-fluoroaniline) (1-Amino-4-Fluorobenzene) M. W.: 111.12	1130.00 5130.00	100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
095055 FC_6H_4CHO (459-57-4)	4-**Fluoro Benzaldehyde** M. W.: 124.11 Assay 98.0%	**1845.00** **6453.00**	**100 gm** **500 gm**
095060 C_6H_5F (462-06-6)	**Fluoro Benzene** for Synthesis M.W : 96.11 Assay 99.0%	**3105.00** **15003.00**	**500 ml** **2.5 lit**
095085 $C_4H_4FN_3O$ (2022-85-7)	▲5-**Fluoro Cytosin** for Biochemistry M. W.: 129.09	**2097.00** **6390.00**	**1 gm** **5 gm**
529900 $C_6H_3FN_2O_4$ (70-34-8)	1-**Fluoro**-2, 4-**Dinitro Benzene AR** M. W.: 186.10 Assay (GC) 99.0%	**1800.00** **6003.00**	**25 gm** **100 gm**
095195 ✲ $FC_6H_3(NO_2)NH_2$ (369-36-8)	2-**Fluoro**-5-**Nitro Aniline** for Synthesis M. W.: 156.11 Assay 98.0%	**5994.00** **13590.00**	**25 gm** **100 gm**
095255 $FC_6H_4NO_2$ (350-46-9)	1-**Fluoro**-4-**Nitro Benzene** for Synthesis M. W.: 141.10 Assay 98.0%	**1728.00** **6102.00**	**100 gm** **500 gm**
095345 ✲ FC_6H_4OH (367-12-4)	2-**Fluoro Phenol** M. W.: 112.10 Assay 97.5%	**2205.00** **7002.00** **POR**	**25 gm** **100 gm** **2.5 kg**
529925 ✲ FC_6H_4OH (371-41-5)	4-**Fluoro Phenol AR** M. W.: 112.10 Assay 98.5%	**3411.00**	**100 gm**
095495 ✲ $C_8H_7FO_2$ (405-50-5)	4-**Fluoro Phenyl Acetic Acid** for Synthesis M. W.: 154.14	**2800.00** **8640.00**	**25 gm** **100 gm**
095515 $C_{10}H_{13}FN_2$ (2252-63-3)	1-(4-**Fluoro Phenyl) Piperazine** M. W.: 180.22 Assay 98.0%	**3501.00** **12600.00** **POR**	**25 gm** **100 gm** **1 kg**
095625 C_5H_4FN (372-48-5)	2-**Fluoro Pyridine** M. W.: 97.02 Assay 98.0%	**4491.00** **15120.00**	**25 gm** **100 gm**
530035 $C_{24}H_{16}O_7$ (596-09-8)	**Fluoro Science Diacetate AR** M. W.: 416.38	**6120.00**	**5 gm**
095735 H_2SiF_6 (16961-83-4)	**Fluoro Silicic Acid** for Synthesis M.W. : 144.90	**725.00**	**500 ml**
530145 C_7H_7F (352-32-9)	4-**Fluoro Toluene AR** M. W.: 110.13 Assay 97.0%	**1440.00** **5500.00** **26100.00**	**100 gm** **500 gm** **2.5 kg**
095810 $C_4H_3FN_2O_2$ (51-21-8)	▲5-**Fluoro Uracil** M. W.: 130.08 Assay (Acidimetric, dried basis) 99.0-102.0%	**405.00** **1602.00**	**1 gm** **5 gm**
PCT2139 PTC $C_4H_3FN_2O_2$ (51-21-8)	▲5-**Fluoro Uracil (5-FU)** Plant Culture Tested M. W.: 130.1 Assay 98 %	**891.00** **4014.00**	**1 gm** **5 gm**
PCT1843 PTC $C_{19}H_{14}F_3NO$ (59756-60-4)	**Fluridon** Plant Culture Tested M. W.: 329.3 Assay > 99 % Store below 30°C	**5720.00** **10620.00**	**100 mg** **250 mg**

Product Code	Product Name	Price	Packing
PCT1844 PTC $C_{15}H_{15}F_3N_2O_2$ (56425-91-3)	**Flurprimidol** Plant Culture Tested M. W.: 312.29 Store below 30°C	**2440.00** **20115.00**	**10 mg** **100 mg**
FM0055 ✲ $C_{18}H_{17}NO_4$ (79990-15-1)	· **FMOC**-D-**Alanine** M. W.: 311.33	**639.00** **2466.00** **10242.00**	**1 gm** **5 gm** **25 gm**
FM0065 $C_{18}H_{17}NO_4$ (35661-39-3)	· **FMOC**-L-**Alanine** M. W.: 311.33	**495.00** **2196.00** **8046.00**	**5 gm** **25 gm** **100 gm**
FM0075 ✲ $C_{15}H_{13}NO_2$ (84418-43-9)	· **FMOC-Amide** for Biochemistry M. W.: 239.27	**5900.00** **28000.00**	**1 gm** **5 gm**
FM0085 $C_{19}H_{19}NO_4$ (135112-27-5)	· **FMOC**-2-**Aminobutric Acid** M. W.: 325.36	**2547.00** **12470.00**	**1 gm** **5 gm**
TC1653 ATC $C_{19}H_{19}NO_4$ (94744-50-0)	**FMOC-Aib-OH** N-α-Fmoc-α-aminoisobutyric acid M. W.: 325.36 Store below 30°C	**POR** **POR**	**1 gm** **5 gm**
TC1654 ATC $C_{18}H_{17}NO_4$ (35661-39-3)	· **FMOC-Ala-OH** Fmoc-L-alanine; N-(9-Fluorenylmethoxycarbonyl)-L-alanine M. W.: 311.33	**POR** **POR** **POR** **POR**	**5 gm** **25 gm** **100 gm** **1 kg**
FM0095 ✲ (130752-32-8)	· **FMOC**-D-**Arginine**	**2179.00** **43470.00**	**1 gm** **25 gm**
FM0105 ✲ $C_{21}H_{24}N_4O_4$ (91000-69-0)	· **FMOC**-L-**Arginine** M. W.: 396.44	**428.00** **1467.00** **6174.00** **22194.00**	**1 gm** **5 gm** **25 gm** **100 gm**
TC1655 ATC $C_{34}H_{40}N_4O_7S$ (154445-77-9)	**FMOC-L-Arg(Pbf)-OH** N_{α}-Fmoc-N◆-Pbf-L-arginine M. W.: 648.77 Store below 30°C	**POR** **POR** **POR** **POR**	**5 gm** **25 gm** **100 gm** **1 kg**
FM0115 ✲ $C_{19}H_{18}N_2O_5$ (108321-39-7)	· **FMOC**-D-**Asparagine** M. W.: 354.36	**720.00** **2997.00** **12492.00**	**1 gm** **5 gm** **25 gm**
TC1657 ATC $C_{23}H_{25}NO_6$ (71989-14-5)	**FMOC-L-Asp(OtBu)-OH** Fmoc-L-aspartic acid 4-tert-butyl ester M.W.: 411.45 Store below 30°C	**POR** **POR** **POR** **POR**	**5 gm** **25 gm** **100 gm** **1 kg**
FM0125 ✲ $C_{19}H_{18}N_2O_5$ (71989-16-7)	· **FMOC**-L-**Asparagine** M. W.: 354.36	**495.00** **2196.00** **8046.00**	**5 gm** **25 gm** **100 gm**
TC1656 ATC $C_{38}H_{32}N_2O_5$ (132388-59-1)	· **FMOC-Asn(trt)-OH** N_{α}-Fmoc-Nγ_{β}-trityl-L-asparagine M.W.: 596.67	**POR** **POR** **POR** **POR**	**5 gm** **25 gm** **100 gm** **1 kg**
FM0135 ✲ $C_{26}H_{23}NO_6$ (86060-84-6)	· **FMOC-L-Aspartic Acid-4- Benzy Ester** for Biochemistry M. W.: 445.46	**11403.00** **19944.00**	**10 gm** **25 gm**
FM0145 ✲ (53298-33-2)	· **FMOC-S-Benzyl-L-Cysteine** (FMOC-L-Cys(BZL)-OH)	**11565.00** **20246.00**	**10 gm** **25 gm**

F

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
FM0155 ✲ $C_{25}H_{23}NO_5$ (83792-48-7)	· **FMOC-O-Benzyl-L-Serine** for Biochemistry M. W.: 417.45	27836.00 48690.00	10 gm 25 gm
FM0165 $C_{15}H_{11}ClO_2$ (28920-43-6)	· **FMOC-Chloride** for Biochemistry M. W.: 258.70	720.00 2457.00	5 gm 25 gm
FM0175 ✲ (200344-33-8)	· **FMOC-D-Citrulline**	2907.00 12011.00	100 mgm 500 mgm
FM0185 ✲ $C_{21}H_{23}N_3O_5$ (133174-15-9)	· **FMOC-L-Citrulline** M. W.: 397.42	1782.00 6300.00	1 gm 5 gm
TC1658 ATC $C_{21}H_{22}N_2O_5S$ (86060-81-3)	· **FMOC-Cys(Acm)-OH** N_{α}-Fmoc-S-acetaminomethyl-L-cysteine M. W.: 414.47	POR POR	5 gm 25 gm
TC1659 ATC $C_{22}H_{25}NO_4S_2$ (73724-43-3)	**FMOC-L-Cys(StBu)-OH** N_{α}-Fmoc-S-tert-butylthio-L-cysteine M. W.: 431.57 Store below 30°C	POR	1 gm
TC1660 ATC $C_{37}H_{31}NO_4S$ (103213-32-7)	**FMOC-Cys(Trt)-OH** N_{α}-Fmoc-S-trityl-L-cysteine M. W.: 585.71 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
TC1661 ATC $C_{39}H_{34}N_2O_5$ (132327-80-1)	· **FMOC-L-Gln(Trt)-OH** N_{α}-Fmoc-N-trityl-L-glutamine M. W.: 610.7	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
TC1662 ATC $C_{24}H_{27}NO_6$ (71989-18-9)	· **FMOC-L-Glu(otBu)-OH** Fmoc-L-glutamic acid 5-tert-butyl ester M. W.: 425.47	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0195 ✲ $C_{27}H_{25}NO_6$ (123639-61-2)	· **FMOC-L-Glutamic Acid-Benzyl Ester** for Biochemistry M. W.: 459.49	11530.00 20187.00	10 gm 25 gm
FM0205 ✲ $C_{20}H_{20}N_2O_5$ (112898-00-7)	· **FMOC-D-Glutamine** M. W.: 368.38	630.00 22352.00	500 mg 25 gm
FM0215 ✲ $C_{20}H_{20}N_2O_5$ (71989-20-3)	· **FMOC-L-Glutamine** M. W.: 368.38	495.00 2196.00 8046.00	5 gm 25 gm 100 gm
FM0225 (29022-11-5)	· **FMOC-L-Glycine**	482.00 2124.00 7812.00	5 gm 25 gm 100 gm
TC1663 ATC $C_{17}H_{15}NO_4$ (29022-11-5)	· **FMOC-Gly-OH** Fmoc-glycine M. W.: 297.31	POR POR POR POR	5 gm 25 gm 100 gm 500 gm
TC1664 ATC $C_{40}H_{33}N_3O_4$ (109425-51-6)	· **FMOC-L-His(trt)-OH** N_{α}-Fmoc-$N_{(im)}$-trityl-L-histidine M. W.: 619.71	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0235 ✲ $C_{21}H_{23}NO_4$ (143688-83-9)	· **FMOC-D-Isoleucine** M. W.: 353.41	17100.00	500 mgm
FM0245 $C_{21}H_{23}NO_4$ (71898-23-6)	**FMOC-L-Isoleucine** M. W.: 353.41	594.00 2484.00 8766.00	5 gm 25 gm 100 gm
TC1665 ATC $C_{21}H_{23}NO_4$ (71989-23-6)	· **FMOC-Ile-OH** Fmoc-L-isoleucine M. W.: 353.41	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0255 ✲ $C_{21}H_{23}NO_4$ (114360-54-2)	· **FMOC-D-Leucine** M. W.: 353.41	630.00 2520.00 10490.00	1 gm 5 gm 25 gm
FM0265 ✲ $C_{21}H_{23}NO_4$ (35661-60-0)	· **FMOC-L-Leucine** M. W.: 353.41	504.00 2196.00 7200.00	5 gm 25 gm 100 gm
TC1666 ATC $C_{21}H_{23}NO_4$ (35661-60-0)	· **FMOC-L-Leu-OH** Fmoc-L-leucine M. W.: 353.41	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0285 ✲ $C_{29}H_{30}N_2O_6$ (86060-82-4)	· **FMOC-N-e-Z-L-Lysine** for Biochemistry M. W.: 502.56	14256.00 24237.00	10 gm 25 gm
TC1667 ATC ✲# $C_{26}H_{32}N_2O_6$ (71989-26-9)	**FMOC-L-Lys(Boc)-OH** N_{α}-Fmoc-N^{ε}(Boc)-L-lysine M. W.: 468.54	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0275 ✲ $C_{25}H_{28}N_2O_6$ (146982-27-6)	· **FMOC-Lys (Alloc)-OH** for Biochemistry M. W.: 452.50	4001.00 15030.00	1 gm 5 gm
TC1668 ATC $C_{31}H_{36}N_2O_6$ (150629-67-7)	**FMOC-Lys(Dde)-OH** N_{α}-Fmoc-N^{ε}-1-(4,4-dimethyl-2,6-dioxycyclohex-1-ylidene) ethyl-L-lysine M. W.: 532.63 Store below 30°C	POR	1 gm
FM0295 ✲ $C_{20}H_{21}NO_4S$ (112883-40-6)	· **FMOC-D-Methionine** M. W.: 371.45	1035.00 4330.00 18027.00	1 gm 5 gm 25 gm
FM0315 $C_{20}H_{21}NO_4S$ (71989-28-1)	· **FMOC-L-Methionine** M. W.: 371.45	495.00 2196.00 8046.00	5 gm 2196.00 100 gm
TC1669 ATC $C_{20}H_{21}NO_4S$ (71989-28-1)	· **FMOC-L-Met-OH** Fmoc-L-methionine M. W.: 371.45 Store below 30°C	POR POR POR	5 gm 25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
FM0325 ✲ $C_{24}H_{20}N_2O_6$ (95753-55-2)	· **FMOC-4-Nitro-L-Phenylalanine** for Biochemistry M. W.: 432.43	4257.00 14950.00	5 gm 25 gm
FM0335 ✲ $C_{21}H_{23}NO_4$ (112883-41-7)	· **FMOC-D-Norleucine** M W.: 353.41	3807.00 17325.00	1 gm 5 gm
FM0355 ✲ $C_{20}H_{21}NO_4$ (144701-24-6)	· **FMOC-D-Norvaline** M. W.: 339.4	3807.00 17325.00	1 gm 5 gm
FM0345 ✲ $C_{21}H_{23}NO_4$ (77284-32-3)	· **FMOC-L-Norleucine** M W.: 353.41	2700.00 12258.00	1 gm 5 gm
FM0365 ✲ $C_{20}H_{21}NO_4$ (135112-28-6)	· **FMOC-L-Norvaline** M. W.: 339.4	3020.00 13073.00	1 gm 5 gm
TC1670 ATC $C_{25}H_{30}N_2O_6$ (109425-55-0)	**FMOC-Orn(Boc)-OH** N_{α}-Fmoc-N^{δ}-Boc-L-Ornithin M. W.: 454.52 Store below 30°C	POR POR	5 gm 25 gm
FM0375 $C_{19}H_{15}NO_5$ (82911-69-1)	· **FMOC-Osu** for Biochemistry M. W.: 337.33	747.00 2709.00	5 gm 25 gm
FM0385 ✲ $C_{24}H_{21}NO_4$ (86123-10-6)	· **FMOC-D-Phenylalanine** M. W.: 387.43	630.00 2556.00 8946.00 32193.00	1 gm 5 gm 25 gm 100 gm
TC1671 ATC $C_{24}H_{21}NO_4$ (35661-40-6)	· **FMOC-L-Phe-OH** Fmoc-L-phenylalanine M. W.: 387.43	POR POR POR	5 gm 25 gm 100 gm
FM0395 $C_{24}H_{21}NO_4$ (35661-40-6)	· **FMOC-L-Phenylalanine** M. W.: 387.43	482.00 2124.00 7812.00	5 gm 25 gm 100 gm
FM0405 ✲ $C_{23}H_{19}NO_4$ (111524-95-9)	· **FMOC-D-Phenylglycine** for Biochemistry M. W.: 373.40	7470.00 13068.00	10 gm 25 gm
FM0415 ✲ $C_{23}H_{19}NO_4$ (102410-65-1)	· **FMOC-L-Phenylglycine** for Biochemistry M. W.: 373.40	6462.00 11286.00	10 gm 25 gm
FM0425 ✲ $C_{20}H_{19}NO_4$ (101555-62-8)	· **FMOC-D-Proline** M. W.: 337.37	999.00 4330.00 16920.00	1 gm 5 gm 25 gm
FM0435 $C_{20}H_{19}NO_4$ (71989-31-6)	· **FMOC-L-Proline** M. W.: 337.37	594.00 2484.00 8766.00	5 gm 25 gm 100 gm
TC1672 ATC $C_{20}H_{19}NO_4$ (71989-31-6)	· **FMOC-Pro-OH** Fmoc-L-proline M. W.: 337.37	POR POR	25 gm 100 gm

Product Code	Product Name	Price	Packing
TC1673 ATC $C_{22}H_{25}NO_5$ (71989-33-8)	· **FMOC-L-Ser(tBu)-OH** Fmoc-O-tert-Butyl-L-serine M. W.: 383.44	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0445 ✲ $C_{18}H_{17}NO_5$ (116861-26-8)	· **FMOC-D-Serine** M. W.: 327.33	2322.00 40230.00	500 mgm 25 gm
FM0455 $C_{18}H_{17}NO_5$ (73724-45-5)	· **FMOC-L-Serine** M. W.: 327.33	3231.00 8775.00 POR	5 gm 25 gm 100 gm
FM0465 ✲ $C_{19}H_{19}NO_5.H_2O$ (157355-81-2)	· **FMOC-D-Threonine** M. W.: 359.37	13005.00 POR POR	5 gm 25 gm 100 gm
FM0475 ✲ $C_{19}H_{19}NO_5.H_2O$ (73731-37-0)	· **FMOC-L-Threonine** M. W.: 359.37	909.00 4032.00 13698.00	5 gm 25 gm 100 gm
TC1674 ATC $C_{23}H_{27}NO_5$ (71989-35-0)	**FMOC-Thr(tBu)-OH** Fmoc-O-tert-Butyl-L-threonine M. W.: 397.46 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0485 ✲ $C_{26}H_{22}N_2O_4$ (86123-11-7)	· **FMOC-D-Tryptophan** M. W.: 426.46	5770.00 14697.00	5 gm 25 gm
TC1675 ATC $C_{31}H_{30}N_2O_6$ (143824-78-6)	**FMOC-L-Trp(Boc)-OH** N_{α}-Fmoc-N(in)-Boc-L-tryptophan M. W.: 526.58 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0495 $C_{26}H_{22}N_2O_4$ (35737-15-6)	· **FMOC-L-Tryptophan** M. W.: 426.46	945.00 2898.00 7533.00	5 gm 25 gm 100 gm
FM0505 ✲ $C_{24}H_{21}NO_5$ (112883-29-1)	· **FMOC-D-Tyrosine** M. W.: 403.43	1040.00 4330.00 18036.00	1 gm 5 gm 25 gm
FM0515 ✲ $C_{24}H_{21}NO_5$ (92954-90-0)	· **FMOC-L-Tyrosine** M. W.: 403.43	1431.00 6003.00 21160.00	5 gm 25 gm 100 gm
TC1676 ATC $C_{28}H_{29}NO_5$ (71989-38-3)	· **FMOC-L-Tyr(tBu)-OH** Fmoc-O-tert-Butyl-L-tyrosine M. W.: 459.53	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0525 ✲ $C_{20}H_{21}NO_4$ (84624-17-9)	· **FMOC-D-Valine** M. W.: 339.39	1360.00 5616.00 23409.00	1 gm 5 gm 25 gm
FM0635 $C_{20}H_{21}NO_4$ (68858-20-8)	· **FMOC-L-Valine** M. W.: 339.39	414.00 1872.00 7011.00	5 gm 25 gm 100 gm
TC1677 ATC $C_{20}H_{21}NO_4$ (68858-20-8)	· **FMOC-L-Val-OH** Fmoc-L-valine M. W.: 339.39	POR POR	25 gm 100 gm
095885 $C_{19}H_{19}N_7O_6$ (59-30-3)	**Folic Acid** for Biochemistry M. W.: 441.40 Assay (ex N on dry material) 94.0-101.0%	302.00 504.00 1008.00 4302.00	5 gm 10 gm 25 gm 100 gm

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT1205 PTC $C_{19}H_{19}N_7O_6$ (59-30-3)	▲**Folic Acid** (Vitamin M; Vitamin B9) Plant Culture Tested M. W.: 441.4 Assay 98%	783.00 1440.00 12960.00	5 gm 10 gm 100 gm
TC1123 ATC $C_{19}H_{19}N_7O_6$ (59-30-3)	▲**Folic Acid** (Vitamin M; Vitamin B9) Cell Culture Tested M. W.: 441.4 Assay : ≥95%	954.00 4330.00	5 gm 25 gm
TC1123M ATC $C_{19}H_{19}N_7O_6$ (59-30-3)	▲**Folic Acid** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 441.4	1360.00 5850.00	5 gm 25 gm
835020	**Folin & Ciocalteu's Phenol** Reagent	486.00 1107.00 1900.00	125 ml 250 ml 500 ml
835030	**Folin & Ciocalteu's Phenol** Reagent **AR** Suitable for use in protein determination (2.0 normal)	558.00 2170.00	125 ml 500 ml
802860	**Folin & Wu's Alkaline Copper** Solution	432.00	500 ml
835100	**Folin & Wu's Phosphate Molybdate** Solution Percentage of H_3PO_4 30-35% w/v	212.00 783.00	100 ml 500 ml
K027725	**Food adulteration test kit** (For the detection of common adulterants in food products)	2592.00	20x25 te
835250	**Formaldehyde** 4% Buffered (pH 6.9) For Histology	860.00	5 lit
835270	**Formaldehyde** 20% Solution **AR** Stabilized with 10% methanol	140.00 261.00 495.00	500 ml 1 lit 2.5 lit
TC1557M ATC CH_2O (50-00-0)	**Formaldehyde** Sol, ≥35% Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 30.03 Store below 30°C	1819.00	500 ml
028421 CH_2O (50-00-0)	**Formaldehyde** Solution 37-41% w/v for Synthesis (Formalin) M. W.: 30.03 Assay (acidimetric after oxidation) 37-41% w/v	252.00 900.00 1602.00 POR POR	500 ml 2.5 lit 5 lit 30 lit 100 lit
531140 CH_2O (50-00-0)	**Formaldehyde** Solution 37-41% w/v **AR/ACS** M. W.: 30.03 Assay (acidimetric after oxidation) 37.0-41.0%v	320.00 1053.00 1935.00 POR POR	500 ml 2.5 lit 5 lit 30 lit 100 lit
935800 MB CH_2O (50-00-0)	**Formaldehyde** Soln. 37-41% (Formalin; Methanal) For Molecular Biology M. W.: 30.03 Assay : 37-41% Store Below 30°C	1107.00	500 ml

Product Code	Product Name	Price	Packing
	Formaldehyde Diethyl Acetal See Diethoxy Methane (DEM)		
	Formaldehyde Dimethyl Acetal See 1,2 Dimethoxy methane		
	Formaldehyde Sodium Bisulphite See Sodium Formaldehyde Bisulphite		
	Formalin See Formaldehyde		
028422 CH_3NO (75-12-7)	**Formamide** M. W.: 45.04 Assay(GC) 98.5%	756.00 3501.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
531160 CH_3NO (75-12-7)	**Formamide AR/ACS** M. W.: 45.04 Assay (GC) 99.5%	873.00 3708.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
937530 MB CH_3NO (75-12-7)	**Formamide** for Molecular Biology M. W.: 45.04 Assay (GC) 99.5%	1305.00 2502.00	500 ml 1 lit
737800 CH_3NO (75-12-7)	**Formamide** for UV Spectroscopy M. W.: 45.04	1962.00 3700.00	500 ml 1 lit
096005 $NH{=}CHNH_2.CH_3COOH$ (3473-63-0)	**Formamidine Acetate** for Synthesis M. W.: 104.11 Assay 99.0%	1548.00 6710.00	100 gm 500 gm
	Formdiethylamide See N,N Dimethylformamide		
028428 H.COOH (64-18-6)	**Formic Acid** for Synthesis M. W.: 46.03 Assay(acidimetric) about 85.0%	657.00 2620.00 POR	500 ml 2.5 lit 25 lit
028430 H.COOH (64-18-6)	**Formic Acid** for Synthesis M. W.: 46.03 Assay (acidimetric) 98.0%	873.00 3483.00 POR	500 ml 2.5 lit 25 lit
531190 H.COOH (64-18-6)	**Formic Acid AR** M. W.: 46.03 Assay(acidimetric) 98.0%	927.00 3681.00	500 ml 2.5 lit
	Formic Acid Ethyl Ester See Ethyl Formate		
737845 $C_7H_5NaO_4S$ (1008-72-6)	2-**Formyl Benzene-Sulphonic Acid Sodium Salt** (Benzaldehyde-2-Sulphonic Acid Sodium Salt) M. W.: 208.17 Assay 95.0%	1044.00 4176.00	100 gm 500 gm
531235 $HO_2CC_6H_4CHO$ (619-66-9)	4-**Formyl Benzoic Acid AR** M. W.: 150.13 Assay 96.5-103.5%	2493.00 6903.00 19800.00	25 gm 100 gm 500 gm
	Formyldimethyl Aniline See p-Dimethylamino Benzaldehyde		
531305 $C_6H_{11}NO$ (2591-86-8)	n-**Formyl Piperidine AR** (Piperidine -1-Carboxaldehyde) M. W.: 113.16 Assay 99.0%	3393.00 9792.00	100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1472 ATC $C_{22}H_{34}O_7$ (66575-29-9)	**Forskolin** 7β-Acetoxy-8,13-epoxy-1α,6β,9α–trihydroxylabd-14-en-11-one, Coleonol, Colforsin Cell Culture Tested M. W.: 410.5 Assay : ≥99.5% Store below 30°C	24422.00 49050.00	10 mg 25 mg
835500	**Fouchet's** Reagent for Bile Pigment	185.00	125 ml
028433 $C_6H_{12}O_6$ (57-48-7)	D-**Fructose** Pure M. W.: 180.16	243.00 405.00 702.00 5157.00 POR	100 gm 250 gm 500 gm 5 kg 50 kg
531345 $C_6H_{12}O_6$ (57-48-7)	D-**Fructose AR** M. W.: 180.16	320.00 1000.00	100 gm 500 gm
937600 MB $C_8H_{12}O_6$ (57-48-7)	**D-Fructose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	370.00 1220.00 2205.00	100 gm 500 gm 1 kg
PCT1601 PTC $C_6H_{12}O_6$ (57-48-7)	**D-(-)-Fructose** Plant Culture Tested M. W.: 180.16 Assay 99% Store below 30°C	280.00 1233.00 2223.00	100 gm 500 gm 1 kg
TC1124 ATC $C_6H_{12}O_6$ (57-48-7)	D-(-)-**Fructose** (Fruit sugar) Cell Culture Tested M. W.: 180.16 Assay : ≥99.5% Store below 30°C	910.00 2727.00 17730.00	100 gm 500 gm 5 kg
096325 (81028-91-3)	· D-**Fructose**-1,6-**Diphosphate** **Trisodium Salt** for Biochemistry	500.00 1530.00	1 gm 5 gm
297225 $C_{20}H_{17}N_3O_9S_3Na_2$ (3244-88-0)	**Fuchsin Acid** for Microscopy C.I. No. 42685 M. W.: 585.55 Dye content (titanometry, dried) >60.0%	630.00 2300.00	25 gm 100 gm
297325 $C_{20}H_{20}N_3Cl$ (632-99-5)	**Fuchsin Basic** for Microscopy C.I. No. 42510 M. W.: 337.86 Dye content (titanometry, dried substance) >88.0%	252.00 702.00 5805.00	25 gm 100 gm 1 kg
	Fuchsin (NB) See New Fuchsin		
835600	**Fuchsin Basic** 0.1% Aqueous Solution	126.00 387.00	125 ml 500 ml
096415 $C_6H_{12}O_5$ (2438-80-4)	▲L-**Fucose** for Biochemistry M. W.: 164.16	2340.00 9459.00	1 gm 5 gm
TC1611 ATC $C_6H_{12}O_5$ (2438-80-4)	▲L-(-)-**Fucose** (Fucose) Cell Culture Tested M. W.: 164.16 Assay : ≥95%	38840.00 133772.00	25 gm 100 gm
096515 (8031-18-3)	**Fuller's Earth** for adsorption purpose pH (10% Suspension)-3.0-5.0	221.00	500 gm

Product Code	Product Name	Price	Packing
N20250 (99685-96-8)	**Fullerene C60** (Carbon 60)	11547.00 32661.00	250 mgm 1 gm
N20260 (115383-22-7)	**Fullerene C70** (Carbon 70)	16632.00 63000.00 110880.00	100 mgm 500 mgm 1 gm
028435 $C_4H_4O_4$ (110-17-8)	**Fumaric Acid** for Synthesis M. W.: 116.07 Assay (acidimetric) 99.0%	792.00 6300.00 POR	500 gm 5 kg 50 kg
531365 $C_4H_4O_4$ (110-17-8)	**Fumaric Acid AR** M.W.: 116.07 Assay 99.5%	1350.00	500 gm
TC1125 ATC $C_4H_4O_4$ (110-17-8)	**Fumaric Acid** Cell Culture Tested M. W.: 116.07 Assay : ≥99% Store below 30°C	1071.00 4240.00	100 gm 500 gm
	Fumaric Acid Disodium Salt See Sodium Fumarate		
	Fungal Diastase See Diastase		
096725 C_4H_4O (110-00-9)	**Furan** for Synthesis M. W.: 68.07 Assay 99.0%	2052.00 6210.00 POR	100 ml 500 ml 2.5 lit
096755 $C_4H_5BO_3$ (55552-70-0)	3-**Furanboronic Acid** M. W.: 111.89	4806.00 13050.00	1 gm 5 gm
096785 $C_8H_7N_3O$ (67-45-8)	**Furazolidone** for Lab Use M. W.: 225.16	1000.00 4100.00	5 gm 25 gm
	Furfural See Furfuraldehyde		
028438 $C_5H_4O_2$ (98-01-1)	**Furfuraldehyde** (FURFURAL) M. W.: 96.09 assay (ex CHO) 98-101%	1197.00 5490.00 POR	500 ml 2.5 lit 25 lit
531410 $C_5H_4O_2$ (98-01-1)	**Furfuraldehyde AR/ACS** (FURFURAL) M. W.: 96.09 Assay (GC) 99.0%	1494.00	500 ml
096865 $C_5H_6O_2$ (98-00-0)	**Furfuryl Alcohol** for Synthesis M. W.: 98.10 Assay (GC) 98.0%	1107.00 4707.00 POR	500 ml 2.5 lit 25 lit
	6-**Furfuryl Amino Purine** See Kinetine		
096915 C_5H_7NO (617-89-0)	**Furfurylamine** for Synthesis M. W.: 97.12	1710.00 7974.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
097225 $C_5H_4O_3$ (88-14-2)	2-**Furoic Acid** for Synthesis M. W.: 112.08	954.00 4293.00	100 gm 500 gm
097335 $C_5H_3ClO_2$ (527-69-5)	2-**Furoyl Chloride** for Synthesis (Furan-2-Carbonyl Chloride) M. W.: 130.53	2205.00	100 ml
097425	**Fusion Mixture**	432.00	500 gm
531455	**Fusion Mixture AR**	504.00	500 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT2116 PTC	▲**G-418 Disulfate Salt** (Geneticin disulphate) Plant Culture Tested $C_{20}H_{40}N_4O_{10}.2H_2SO_4$ M. W.: 692.71 (108321-42-2) Potency 500 µg/mg	9810.00 44190.00	1 gm 5 gm
	Gaba See p-Amino Butyric Acid		
839060	**Gadolinium** (Gd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3 In accordance with NIST	3735.00 9405.00	100 ml 500 ml
839070	**Gadolinium** (Gd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12240.00 48213.00	100 ml 500 ml
RE1075 Gd (7440-54-2)	**Gadolinium** Metal Ingot M. W.: 157.25 Assay (Trace metal basis) 99.99%	9774.00	10 gm
RE1080 Gd (7440-54-2)	**Gadolinium** Metal Lump (1 cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	5000.00 15300.00	5 gm 25 gm
RE1085 Gd (7440-54-2)	**Gadolinium** Metal Powder 325 mesh M. W.: 157.25 Assay (Trace metal basis) 99.99%	9000.00 32900.00 POR	5 gm 25 gm 100 gm
RE1125 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.9%	1602.00 5112.00 13680.00	5 gm 25 gm 100 gm
RE1130 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.99%	2601.00 7803.00	5 gm 25 gm
RE1135 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.999%	12483.00 24800.00 41400.00	5 gm 10 gm 25 gm
RE1145 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99%	7245.00 24400.00 POR	25 gm 100 gm 500 gm
RE1150 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.9%	9000.00 28000.00	25 gm 100 gm
RE1155 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.99%	10800.00	25 gm
RE1160 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE1175 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.9%	4455.00 8532.00 23000.00 142200.00	10 gm 25 gm 100 gm 1 kg
RE1180 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.99%	3204.00 9990.00	5 gm 25 gm
RE1185 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.999%	12600.00 46400.00	5 gm 25 gm

Product Code	Product Name	Price	Packing
RE1195 GdI_3 (13572-98-0)	**Gadolinium** (III) **Iodide** M.W. : 537.96 Assay (Trace metal basis) 99.99%	8600.00 36000.00	1 gm 5 gm
RE1210 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.9%	5400.00 21069.00	25 gm 100 gm
RE1215 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.99%	3591.00 9981.00	5 gm 25 gm
RE1220 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.999%	POR	10 gm
RE1230 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99%	4059.00 12240.00 POR	25 gm 100 gm 500 gm
RE1240 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99.99%	2520.00 5670.00	5 gm 25 gm
RE1245 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE1255 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.9%	1314.00 3501.00 12060.00 POR	5 gm 25 gm 100 gm 500 gm
RE1260 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.99%	7983.00 10386.00 25200.00 60309.00	25 gm 50 gm 250 gm 1 kg
RE1265 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.999%	8946.00 23940.00	25 gm 100 gm
RE1270 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
RE1285 $Gd_2(SO_4)_3.8H_2O$ (13450-87-8)	**Gadolinium** (III) **Sulphate** M. W.: 746.81 Assay (Trace metal basis) 99.9%	6480.00 20390.00 POR	10 gm 50 gm 100 gm
RE1295 $Gd_2(SO_4)_3.8H_2O$ (13450-87-8)	**Gadolinium** (III) **Sulphate** M. W.: 746.81 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
	▲**X-Gal** See 5-Bromo-4-Chloro-3-Indolyl-B-D-Galactopyranoside		
	Galactitol See Dulcitol		
104305 $C_6H_{14}ClNO_5$ (1772-03-8)	D-**Galactosamine Hydrochloride** M. W.: 215.63 Assay (Non-aqueous) 98.0%	1890.00	1 gm
TC1126 ATC $C_6H_{13}NO_5.HCl$ (1772-03-8)	**D-(+)-Galactosamine Hydrochloride** Cell Culture Tested M. W.: 215.63 Assay : ≥99% Store below 30°C	3591.00 5410.00 20853.00	500 mg 1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
038026 $C_6H_{12}O_6$ (59-23-4)	D-**Galactose** M.W 180.16	**702.00** **2196.00**	**25 gm** **100 gm**
937750 MB $C_6H_{12}O_6$ (59-23-4)	D-**Galactose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	**1999.00** **9559.00** **18801.00**	**100 gm** **500 gm** **1 kg**
PCT1602 PTC $C_6H_{12}O_6$ (59-23-4)	**D-(+)-Galactose** Plant Culture Tested M. W.: 180.16 Assay 99% Store below 30°C	**729.00** **2539.00** **24400.00**	**25 gm** **100 gm** **1 kg**
TC1127 ATC $C_6H_{12}O_6$ (59-23-4)	**D-(+)-Galactose** Anhydrous Cell Culture Tested M. W.: 180.16 Assay : ≥98% Store below 30°C	**2980.00** **13500.00** **24850.00**	**100 gm** **500 gm** **1 kg**
TC1127M ATC $C_6H_{12}O_6$ (59-23-4)	**D-(+)-Galactose** Anhydrous Meets EP 9.0 and BP 2016 testing specifications M. W.: 180.16 Store below 30°C	**4824.00** **21740.00** **32580.00**	**100 gm** **500 gm** **1 kg**
TC1127U ATC $C_6H_{12}O_6$ (3646-73-9)	α-**(D)-Galactose** Anhydrous Meets USP 41-NF 36 testing specifications M. W.: 180.16 Store below 30°C	**9216.00** **36270.00** **53550.00**	**100 gm** **500 gm** **1 kg**
030512 $C_7H_6O_5.H_2O$ (5995-86-8)	**Gallic Acid** M. W.: 188.14 Assay (acidimetric) 98.0%	**1206.00** **4001.00** **POR**	**100 gm** **500 gm** **25 kg**
PCT2546 PTC $C_7H_6O_5.H_2O$ (5995-86-8)	**Gallic Acid** Monohydrate Plant Culture Tested M. W.: 188.13 Store below 30°C	**6570.00**	**500 gm**
839085	**Gallic Acid** Solution (Reagent for Cerium)	**486.00**	**100 ml**
839100	**Gallium** (Ga) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 In accordance with NIST	**2655.00** **6696.00**	**100 ml** **500 ml**
839110	**Gallium** (Ga) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	**3375.00** **4977.00**	**50 ml** **100 ml**
103505 (7440-55-3)	**Gallium** Metal Assay 99.99%	**2700.00** **4600.00** **40050.00** **POR**	**5 gm** **10 gm** **100 gm** **500 gm**
103555 (7440-55-3)	**Gallium** Metal Assay 99.999%	**5000.00** **9000.00** **50580.00** **POR**	**5 gm** **10 gm** **100 gm** **500 gm**

Product Code	Product Name	Price	Packing
103635 (69365-72-6)	**Gallium Nitrate** Assay 99.9%	**3402.00** **12960.00** **POR** **POR**	**5 gm** **25 gm** **100 gm** **500 gm**
534915 (12024-21-4)	**Gallium Oxide AR** Assay 99.99%	**6507.00** **23283.00** **POR** **POR**	**5 gm** **25 gm** **100 gm** **500 gm**
TC1414 ATC $C_{22}H_{24}ClFN_4O_3$ (184475-35-2)	▲**Gefitinib** Cell Culture Tested M. W.: 446.9 Assay : ≥98%	**26640.00** **87300.00**	**1 gm** **5 gm**
103795 (9000-70-8)	**Gelatin** for Bacteriology	**1800.00** **POR**	**500 gm** **50 kg**
937800 MB (9000-70-8)	**Gelatin,** Type A For Molecular Biology Assay : 70-90% Protein (Biuret) Store Below 30°C	**1998.00**	**500 gm**
TC1041 ATC (9000-70-8)	**Gelatin** Cell Culture Tested Store below 30°C	**810.00** **3141.00**	**100 gm** **500 gm**
TC1415 ATC $C_{29}H_{40}N_2O_9$ (30562-34-6)	▲**Geldanamycin** 2-azabicyclo[16.3.1]docasa-4,6,10, 18,21-pentaene-3, 20, 22-trione, 9, 13-dihydroxy-8, 14,19-trimethoxy-4, 10,12,16-tetramethyl-9-carbamate Cell Culture Tested M. W.: 560.64 Assay : ≥98%	**43560.00** **58203.00** **73530.00**	**25 mg** **50 mg** **100 mg**
TC1025 ATC $C_{20}H_{40}N_4O_{10}.2H_2SO_4$ (108321-42-2)	▲**Geneticin Disulphate** G418 Disulfate salt Cell Culture Tested Recommended for use in cell culture applications at 100-800 mg/L M. W.: 692.71 Potency : ≥650 µg/mg	**12051.00** **42120.00**	**1 gm** **5 gm**
103935 (1405-41-0)	▲**Gentamicin Sulphate** for Lab Use	**405.00** **1638.00** **6080.00**	**1 gm** **5 gm** **25 gm**
PCT2118 PTC (1405-41-0)	▲**Gentamicin Sulphate** Plant Culture Tested Potency 590 µg/mg	**972.00** **4410.00** **7939.00** **19620.00**	**1 gm** **5 gm** **10 gm** **25 gm**
TC1026 ATC (1405-41-0)	▲**Gentamicin Sulphate** Cell Culture Tested Recommended for use in Cell Culture application 50 mg/L Potency : ≥590 IU/mg	**2070.00** **6237.00** **24966.00**	**1 gm** **5 gm** **25 gm**
298245 $C_{25}H_{30}ClN_3$ (548-62-9)	**Gentian Violet Powder** M. W.: 407.99 Dye content (spectrophotometry; on dried substance) Abt. 75.0%	**297.00** **999.00** **8460.00**	**25 gm** **100 gm** **1 kg**
298265 (548-62-9)	**Gentian Violet AR** (C.I. No. 42555+42535)	**540.00** **1485.00**	**25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
839200	**Gentian Violet** Alcoholic Solution	144.00	125 ml
839210	**Gentian Violet** Aqueous Solution	135.00	125 ml
104195 $(CH_3)_2C=CHCH_2CH_2C(CH_3)=CHCH_2OH$ (106-24-1)	**Geraniol** for Synthesis M. W.: 154.25 Assay 98.0%	1602.00 4995.00	100 gm 500 gm
104205 $CH_3CO_2CH_2CH=C(CH_3)CH_2CH_2CH=(CH_3)_2$ (105-87-3)	**Geraniol Acetate** for Synthesis M. W.: 196.29 Assay 97.5%	4626.00	500 gm
104315 $C_{14}H_{24}O_2$ (106-29-6)	**Geranyl Butyrate** for Synthesis M. W.: 224.34	4059.00	500 gm
104325 $C_{11}H_{18}O_2$ (105-86-2)	**Geranyl Formate** for Synthesis M. W.: 182.26	3996.00	500 gm
104335 $C_{18}H_{24}O_2$ (102-22-7)	**Geranyl Phenyl Acetate** for Synthesis M. W.: 272.38	7002.00	500 gm
104345 $C_{13}H_{22}O_2$ (105-90-8)	**Geranyl Propionate** for Synthesis M. W.: 210.31	3501.00	500 gm
839265	**Germanium** (Ge) CPECTROSOL® Atomic AbsorptionStd. Soln. Contain 1000 mg/ lit AAS in HNO_3 In accordance with NIST	3132.00 6021.00	100 ml 500 ml
839270	**Germanium** (Ge) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 5%HNO_3 1% HF	8487.00	100 ml
104505 Ge (7440-56-4)	**Germanium** (Metal) Lump M. W.: 72.64 Assay 99.9%	9909.00	5 gm
104515 Ge (7440-56-4)	**Germanium** (Metal) Powder M.W.: 72.64 Assay 99.9%	17100.00	10 gm
028446 GeO_2 (1310-53-8)	**Germanium Dioxide** M. W.: 104.64 Assay (trace metals basis) 99.999%	873.00 7002.00 16740.00	1 gm 10 gm 25 gm
104565 $C_{19}H_{22}O_6$ (77-06-5)	**Gibberellic Acid** M.W.: 346.38 Assay - min. 90%	280.00 2205.00 17010.00 POR	1 gm 10 gm 100 gm 1 kg
PCT1830 PTC $C_{19}H_{22}O_6$ (77-06-5)	▲**Gibberellic Acid (GA3)** Plant Culture Tested M. W.: 346.37 Assay 90%	280.00 2205.00 17010.00	1 gm 10 gm 100 gm
	Gibbs Reagent See 2,6, Dichloroquinone-4-Chlorimide		
	Giemsa's Azur Eosin Methylene Blue Solution See Giemsa's Staining Solution		
298405 $C_{14}H_{14}ClN_3S$ (51811-82-6)	**Giemsa's** Stain for Microscopy for staining blood smears and protozoa M. W.: 291.8	266.00 837.00 2790.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
839300	**Giemsa's** Stain Solution (AZUR-eosin-methylene blue soln.)	334.00 1350.00	100 ml 500 ml
535915 (123-46-6)	**Girard's Reagent** T **AR** (Acethydrazide Trimethyl Ammonium Chloride)	2800.00	100 gm
	Glass Cleaner, Kolin See G.C009		
104665	**Glass Wool**	351.00	250 gm
104615	**Glass** Beads 3.5 - 4.5 mm	405.00	500 gm
104725 $C_6H_{12}O_7$ (526-95-4)	D-**Gluconic Acid** (45-50%) M. W.: 196.16	693.00 3501.00	500 ml 2.5 lit
104805 $C_6H_{13}NO_5.HCl$ (66-84-2)	D (+) **Glucosamine Hydrochloride** for Biochemistry (2-Amino-2-Deoxy-D-Glucose) M. W.: 215.63	1431.00 5500.00	100 gm 500 gm
TC1129 ATC $C_6H_{13}NO_5{\cdot}HCl$ (66-84-2)	**D-(+)-Glucosamine Hydrochloride** Cell Culture Tested M. W.: 215.63 Assay : ≥98% Store below 30°C	3042.00 12231.00	100 gm 500 gm
	D-**Glucose** Anhydrous/Monohydrate See Dextrose Anhydrous / Monohydrate		
	Glucose Reagent (o-Toluidine) See o-Toluidine		
104835 (9001-37-0)	**Glucose Oxidase** (GOD) Aspergillus Niger Lyophilised Powder Containing 75% Protein Activity 100,000 - 150,000 Units/g Protein	2160.00 18000.00	10000 Units 100000 Units
TC1486 ATC (9001-37-0)	**Glucose Oxidase** Cell Culture Tested Activity : NLT 100 U/mg Store at -20°C	2034.00 3771.00 6597.00	25 mg 50 mg 100 mg
104945 $C_6H_{11}O_9PK_2.2H_2O$ (5996-14-5)	· **Glucose**-1-**Phosphate Dipotassium** **Salt** for Biochemistry M. W.: 372.35	1400.00	1 gm
536335 $C_6H_{11}O_9PNa_2.XH_2O$ (56401-20-8)	**Glucose**-1-**Phosphate Disodium** **Salt AR** for Biochemistry M. W.: 304.10 (Anhy.)	1540.00	1 gm
104995 (150399-99-8)	▲D-**Glucose** 1-**Phosphate Disodium** **Salt** Tetrahydrate for Biochemistry	585.00 2106.00 POR	1 gm 5 gm 25 gm
105155 (9001-40-5)	**Glucose**-6-**Phosphate Dehydrogenase** from Microorganism Lyophilized Powder, Activity ~ 400-450U/mg	7560.00 20520.00	1000 units 5000 units
TC1682 ATC (9001-40-5)	▲**Glucose-6-Phosphate** **Dehydrogenase** Cell Culture Tested Activity : ≥ 400 U/mg	27270.00	500 units

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
105095 (3671-99-6)	· D-**Glucose** 6-**Phosphate Disodium Salt Dihydrate** for Biochemistry	**1323.00** **5877.00** **29052.00**	**1 gm** **5 gm** **25 gm**
839440	**Glucose Stock** Standard solution 1% Assay (Benedice's test) 0.95-1.05% w/v	**126.00**	**125 ml**
105265 (9001-42-7)	α-**Glucosidase** from Microorganism Lyophilized Powder, Acivity ~ 100-150 U/mg (α-D-Glucoside Glucohydrolase)	**3051.00** **27666.00**	**10 mgm** **100 mgm**
TC1681 ATC (9001-22-3)	· β-**Glucosidase** Source : Sweet almond Cell Culture Tested	**24773.00** **43713.00**	**2500units** **5000units**
TC1128 ATC $C_6H_9NaO_7.H_2O$ (207300-70-7)	**D-Glucuronic Acid Sodium Salt** Monohydrate (Sodium glucoronate) Cell Culture Tested M. W.: 234.14 Assay : ≥98% Store below 30°C	**1459.00** **5860.00**	**5 gm** **25 gm**
105305 (9029-11-2)	L-**Glutamate Dehydrogenase (L-GLDH)** ex. Bovine Liver 10 U/mg	**7920.00**	**100 mgm**
TC1490 ATC (9029-12-3)	▲**Glutamate Dehydrogenase** From **E.coli** Cell Culture Tested Activity : NLT 80 U/mg	**6615.00** **11120.00** **19400.00**	**25 mg** **50 mg** **100 mg**
105325 $C_5H_9NO_4$ (6893-26-1)	D-**Glutamic Acid** for Biochemistry M. W.: 147.13 Assay 99.0%	**621.00** **1674.00** **4001.00**	**1 gm** **5 gm** **25 gm**
037102 $C_5H_9NO_4$ (56-86-0)	L-**Glutamic Acid** for Biochemistry M. W.: 147.13 Assay (Non. aq.) 99.0%	**325.00** **693.00** **9990.00** **POR**	**100 gm** **250 gm** **5 Kg** **10 kg**
PCT1307 PTC $C_5H_9NO_4$ (56-86-0)	**L-Glutamic Acid** Plant Culture Tested M. W.: 147.13 Assay 98.5% Store below 30°C	**801.00** **3619.00** **POR**	**100 gm** **500 gm** **10 kg**
TC1074 ATC $C_5H_9NO_4$ (56-86-0)	**L-Glutamic Acid** (From non-animal source) Cell Culture Tested M. W.: 147.13 Assay : ≥98.5% Store below 30°C	**910.00** **1845.00** **6440.00** **9576.00**	**25 gm** **100 gm** **500 gm** **1 kg**
TC1074M ATC $C_5H_9NO_4$ (56-86-0)	**L-Glutamic Acid** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 147.13 Store below 30°C	**1215.00** **3636.00** **14553.00** **24242.00**	**25 gm** **100 gm** **500 gm** **1 kg**
	L-**Glutamic Acid Mono Sodium Salt** See Sodium-L-Glutamate		
TC1489 ATC (9001-47-2)	▲**Glutaminase** L-Glutamine amidohydrolase Cell Culture Tested Activity : NLT 100 U/mg Store at 2-8°C	**7020.00** **11790.00** **20520.00**	**25 mg** **50 mg** **100 mg**

Product Code	Product Name	Price	Packing
PCT1324 PTC $C_5H_{10}N_2O_3$ (5959-95-5)	D-**Glutamine** Plant Culture Tested M. W.: 146.14 Assay 98.5% Store below 30°C	**3663.00** **16421.00**	**1 gm** **5 gm**
105395 $C_5H_{10}N_2O_3$ (56-85-9)	L-**Glutamine** for Biochemistry M. W.: 146.15 Assay (Non-aq. dried) 99.0%	**280.00** **950.00** **8505.00**	**25 gm** **100 gm** **1 kg**
PCT1308 PTC $C_5H_{10}N_2O_3$ (56-85-9)	L-**Glutamine** Plant Culture Tested M. W.: 146.14 Assay 99% Store below 30°C	**432.00** **1306.00** **5850.00**	**25 gm** **100 gm** **500 gm**
TC1243 ATC $C_5H_{10}N_2O_3$ (56-85-9)	**L-Glutamine** (From non-animal source) Cell Culture Tested M. W.: 146.14 Assay : ≥99% Store below 30°C	**1161.00** **2331.00** **7002.00** **39006.00**	**10 gm** **25 gm** **100 gm** **1 kg**
TC1243M ATC $C_5H_{10}N_2O_3$ (56-85-9)	**L-Glutamine** (From non-animal source) Meets USP 41-NF 36 and JP 17 testing specifications M. W.: 146.14 Store below 30°C	**1809.00** **2907.00** **9702.00** **53380.00**	**10 gm** **25 gm** **100 gm** **1 kg**
105415 (7300-59-6)	L-γ-**Glutamyl-p-Nitroanilide** Monohydrate [GPNA, L-Glutamic Acid 1-(4-Nitroanilde)] for Biochemistry	**3933.00** **17820.00** **POR**	**1 gm** **5 gm** **25 gm**
DI815 $C_5H_8O_2$ (111-30-8)	**Glutaraldehyde** Soln. 25% M. W.: 100.12 Assay (Glutaraldehyde) 25.0%	**747.00** **3105.00** **POR**	**500 ml** **2.5 lit** **25 lit**
937880 MB $C_6H_8O_2$ (111-30-8)	▲**Glutaraldehyde Soln.** 25% w/w For Molecular Biology M. W. : 100.12 Concentration : 24.5-30%	**14770.00**	**100 ml**
TC1558M ATC (111-30-8)	▲**Glutaraldehyde, 50%** Glutaral Meets USP 41-NF 36 and BP 2016 testing specifications M. W.: 100.12	**17550.00**	**100 ml**
DI811	**Glutaraldehyde** 2% Solution in water	**270.00** **1125.00**	**1 lit** **5 lit**
DI813	**Glutaraldehyde** 8% Solution in Water Fixing Agent	**198.00**	**100 ml**
105595 (110-94-1)	**Glutaric Acid** for Synthesis M. W.: 132.11	**1044.00** **4293.00**	**100 gm** **500 gm**
037109 $C_{10}H_{17}N_3O_6S$ (70-18-8)	**Glutathione** Reduced for Biochemistry M. W.: 307.33 Assay (Iodometric) 98.0%	**288.00** **873.00** **3942.00**	**1 gm** **5 gm** **25 gm**
939200 MB $C_{10}H_{17}N_3O_6S$ (70-18-8)	· **L-Glutathione** Reduced For Molecular Biology M. W.: 307.32 Assay : ≥ 98%	**730.00** **2142.00** **8055.00** **18702.00**	**1 gm** **5 gm** **25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT1309 PTC $C_{10}H_{17}N_3O_6S$ (70-18-8)	· **Glutathione** Plant Culture Tested M. W.: 307.32 Assay 98%	469.00 2070.00 9333.00	1 gm 5 gm 25 gm
TC1282 ATC $C_{20}H_{32}N_6O_{12}S_2$ (27025-41-8)	· **Glutathione Oxidized** Aminomethanamidine hydrochloride, Guanidinium chloride Cell Culture Tested M. W.: 612.63 Assay : ≥98%	2120.00 4266.00 8910.00 30663.00	100 mg 250 mg 1 gm 5 gm
TC1695 ATC (9013-66-5)	**Glutathione Peroxidase** Cell Culture Tested M. W.: 84.5kDa Store at -20°C	POR POR POR	100 units 200 units 500 units
TC1134 ATC $C_{10}H_{17}N_3O_6S$ (70-18-8)	· **Glutathione Reduced** (GSH) Cell Culture Tested M. W.: 307.32 Assay : ≥98%	5175.00 10360.00 31005.00	10 gm 25 gm 100 gm
TC1492 ATC (50812-37-8)	▲**Glutathione-S-Transferase** Cell Culture Tested Activity : NLT 25 U/mg	7506.00	1 mg
028454 $C_3H_8O_3$ (56-81-5)	**Glycerine** Purified (Glycerol) M. W.: 92.09 Assay (GC) 98.0%	621.00 1152.00 2601.00 5000.00 POR	500 ml 1 lit 2.5 lit 5 lit 25 lit
537055 $C_3H_8O_3$ (56-81-5)	**Glycerine AR** M. W.: 92.09 Assay (GC) 99.5%	702.00 1305.00 2907.00 5522.00 POR POR	500 ml 1 lit 2.5 lit 5 lit 25 lit 200 lit
H23567 $C_3H_8O_3$ (56-81-5)	**Glycerine** M. W.: 92.09 Assay (GC) 99.5%	1000.00 4410.00 8514.00	500 ml 2.5 lit 5 lit
839650	**Glycerin** TS acc. to USP	333.00	500 ml
105755 (9030-66-4)	**Glycerokenase (GK)** ex. Microoganism 30U/mg	9432.00	1 k units
	Glycerol See Glycerine		
	Glycerol A-Chloro Hydrin See **3-Chloro-1,2-Propanediol**		
940500 MB $C_3H_8O_3$ (56-81-5)	**Glycerin** (Glycerol) for Molecular Biology M. W.: 92.09 Assay (GC) 99.0%	1890.00 3645.00	500 ml 1 lit
PCT2541 PTC $C_3H_8O_3$ (56-81-5)	**Glycerin** (Glycerol) Plant Culture Tested M. W.: 92.09 Assay 98% Store below 30°C	1386.00	500 ml
TC1503 ATC $C_3H_8O_3$ (56-81-5)	**Glycerin** (Glycerol) 1,2,3-Propanetriol Cell Culture Tested M. W.: 92.09 Assay : ≥98.5% Store below 30°C	1755.00 3150.00	500 ml 1 lit

Product Code	Product Name	Price	Packing
TC1503M ATC $HOCH_2CH(OH)CH_2OH$ (56-81-5)	**Glycerin** (Glycerol) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 92.09 Store below 30°C	4050.00 7830.00	500 ml 1 lit
105885 $C_4H_8O_3$ (99569-11-6)	**Glycerol Formal** (Mixture of Alpha & Beta Isomers) M. W.: 104.10	1800.00 6003.00	100 ml 500 ml
	Glycerol Jelly Kaiser's See Kaiser's glycerol gelatin		
105915 $C_{17}H_{35}.COO.CH_2.CHOH.CH_2OH$ (31566-31-1)	**Glycerol Monosterate** Self Emulsifying M. W.: 358.56	594.00 1107.00	500 gm 1 kg
028456 $C_9H_{14}O_6$ (102-76-1)	**Glycerol Triacetate** for Biochemistry M. W.: 218.21 Assay (GC) 99.0%	1080.00 4104.00 POR	500 ml 2.5 lit 25 lit
105975 $C_{15}H_{26}O_6$ (60-01-5)	**Glycerol Tributyrate** for Biochemistry M. W.: 302.36	1540.00 6291.00 POR	100 ml 500 ml 25 lit
106035 (9046-28-0)	**L-a-Glycerophosphate Oxidase (GPO)** ex. microorganism 15U/mg	5256.00	1000 units
537235 $C_3H_6O_2$ (57044-25-4)	**R (+)Glycidol AR** M. W.: 74.08 Assay (GC) 97.0%	2673.00 5652.00	5 gm 25 gm
537255 $C_3H_6O_2$ (60456-23-7)	**S (-)Glycidol AR** M. W.: 74.08 Assay (GC) 97.0%	1000.00 3123.00 10935.00	1 gm 5 gm 25 gm
028458 $C_2H_5NO_2$ (56-40-6)	**Glycine** Pure M. W.: 75.07 Assay (Non-aq.) 99.0%	747.00 1296.00 11880.00 POR POR	250 gm 500 gm 5 kg 25 kg 50 kg
537345 $C_2H_5NO_2$ (56-40-6)	**Glycine AR** for Biochemistry, Bacteriology Tissue Culture Buffering Substance Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 75.07 Assay (Non-aqueous, on dried subs.) 99.5%	360.00 1503.00 12960.00 POR POR	100 gm 500 gm 5 kg 25 kg 50 kg
940600 MB $C_2H_5NO_2$ (56-40-6)	**Glycine** for Molecular Biology M. W.: 75.07 Assay (Non-aqueous) 99.0%	432.00 1413.00 2610.00 12510.00	100 gm 500 gm 1 kg 5 kg
PCT1310 PTC $C_2H_5NO_2$ (56-40-6)	**Glycine** Plant Culture Tested M. W.: 75.07 Assay 99% Store below 30°C	1422.00 11741.00	500 gm 5 kg
TC1075 ATC $C_2H_5NO_2$ (56-40-6)	**Glycine** (From non-animal source) Cell Culture Tested M. W.: 75.07 Assay : ≥98% Store below 30°C	2142.00 14301.00	100 gm 1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1075M ATC NH_2CH_2COOH (56-40-6)	**Glycine** 2-Aminoacetic acid Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 75.07 Store below 30°C	**5823.00** **20385.00**	**100 gm** **1 kg**
106185 ✠ $C_4H_6N_2O_2$ (106-57-0)	**Glycine Anhydride** M. W.: 114.10	**3960.00** **13203.00**	**25 gm** **100 gm**
106285 $C_9H_{11}NO_2.HCl$ (2462-31-9)	▲**Glycine Benzyl Ester** HCl for Biochemistry M.W. : 201.65	**2620.00** **11160.00**	**5 gm** **25 gm**
106385 $C_9H_{11}NO_2C_7H_8O_3S$ (1738-76-7)	▲**Glycine Benzyl Ester P-Toluene Sulfonate** for Biochemistry M. W.: 337.39 Assay (T) 99.0%	**5760.00**	**25 gm**
106405 $NH_2CH_2COOC_2H_5.HCl$ (623-33-6)	▲**Glycine Ethyl Ester Hydrochloride** for Synthesis M. W.: 139.58 Assay 99.0%	**522.00** **2205.00**	**100 gm** **500 gm**
106455 $C_2H_5NO_2.HCl$ (6000-43-7)	**Glycine Hydrochloride** M. W.: 111.53	**2565.00**	**100 gm**
106525 $NH_2CH_2COOCH_3.HCl$ (5680-79-5)	**Glycine Methyl Ester** HCl for Synthesis M. W.: 125.55 Assay 99.0%	**1341.00** **4500.00**	**100 gm** **500 gm**
038042 $(C_6H_{10}O_5)_X$ (9005-79-2)	▲**Glycogen** for Biochemistry from Oyster Assay 85.0%	**900.00** **3006.00** **13230.00**	**1 gm** **5 gm** **25 gm**
940900 MB $(C_6H_{10}O_5)_n$ (9005-79-2)	▲**Glycogen** (From Oysters) Type II For Molecular Biology Total Sugar : ≥ 90%	**1125.00** **3893.00** **15561.00**	**1 gm** **5 gm** **25 gm**
106585 $C_2H_4O_3$ (79-14-1)	**Glycolic Acid** (65 % in water) M. W.: 76.05 Assay (acidimetric) Abt. 65.0%	**1395.00** **6192.00** **POR**	**500 ml** **2.5 lit** **25 lit**
TC1065 ATC $C_7H_{13}N_3O_4.H_2O$ (172669-64-6)	**Glycyl-L-Glutamine Monohydrate** Cell Culture Tested M. W.: 221.21 Assay : ≥98% Store below 30°C	**3501.00** **12830.00**	**1 gm** **5 gm**
037113 $C_4H_8N_2O_3$ (556-50-3)	▲N-**Glycyl Glycine** for Biochemistry M. W.: 132.12 Assay (non-aqueous) 99.0%	**864.00** **6507.00**	**10 gm** **100 gm**
TC1061 ATC $C_4H_8N_2O_3$ (556-50-3)	▲**Glycyl Glycine** (Gly-Gly) Cell Culture Tested M. W.: 132.12 Assay : ≥99%	**2890.00** **11070.00** **37350.00** **63630.00**	**25 gm** **100 gm** **500 gm** **1 kg**
106705 (107-22-2)	**Glyoxal** (Solution 40% In Water) for Synthesis	**765.00** **1935.00**	**500 ml** **2.5 lit**

Product Code	Product Name	Price	Packing
537625 (107-22-2)	**Glyoxal** (Solution 40% In Water) **AR**	**900.00**	**1 lit**
537695 (1149-16-2)	**Glyoxal Bis-(2-Hydroxyanil) AR** Reagent for Calcium & Uranium	**4203.00**	**25 gm**
	Glyoxaline See Imidazole		
839850 (298-12-4)	**Glyoxylic Acid Solution** 50% for Synthesis	**1584.00** **4977.00**	**500 ml** **2.5 lit**
PCT1835 PTC $C_3H_8NO_5P$ (1071-83-6)	▲**Glyphosate** **[N-(Phosphonomethyl)glycine]** Plant Culture Tested M. W.: 169.07 Assay 95%	**30483.00**	**1 gm**
839910	**Gold** (Au) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl In accordance with NIST	**5400.00**	**250 ml**
839960	**Gold** (Au) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Diluted Hcl In accordance with NIST	**12330.00** **26910.00**	**100 ml** **500 ml**
839980	**Gold** (Au) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Diluted Hcl In accordance with NIST	**50670.00** **151300.00**	**100 ml** **500 ml**
106855 Au (7440-57-5)	**Gold** Metal Powder M .W.: 196.97	**POR**	**1 gm**
537865 Au (7440-57-5)	**Gold** Metal **AR** M. W.: 196.97 Assay (trace tetal basis) 99.999%	**POR** **POR**	**1 gm** **5 gm**
	Gold Chloride See Chloroauric Acid		
	Gower's Reagent See R.B.C. Diluting Fluid (Gower's)		
K032015	**Gram's Colour Staining kit**	**1296.00**	**Kit**
840090	**Gram's Crystal Violet**	**194.00**	**125 ml**
840120	**Gram's Decolourizer**	**297.00** **2880.00**	**125 ml** **2x500 ml**
840150	**Gram's Fuchsin Basic** 0.1%	**167.00**	**125 ml**
298875	**Gram's Iodine** for Microscopical Staining	**855.00** **3303.00**	**25 gm** **100 gm**
840200	**Gram's Iodine** Solution Iodine content 0.33%	**153.00**	**125 ml**
840250	**Gram's Safranine** 0.5% w/v	**288.00**	**125 ml**
N23882 (7782-42-5)	**Graphene Nanopowder** **(C, 1-5 nm)** Assay 99.5+%	**2315.00** **9023.00** **33545.00** **108729.00**	**1 gm** **5 gm** **25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
N23886	**Graphene Nanopowder**	2315.00	1 gm
	(C, 6-8 nm)	9023.00	5 gm
(7782-42-5)	Assay 99.5+%	33545.00	25 gm
N23891	**Graphene Nanopowder**	2315.00	1 gm
	(C, 11-15 nm)	8098.00	5 gm
(7782-42-5)	Assay 99.5+%	28917.00	25 gm
106905	**Graphite** Fine Powder Pract	342.00	500 gm
C	A.W.: 12.01		
(7782-42-5)			
106955	**Griseofulvin**	9000.00	100 gm
$C_{17}H_{17}ClO_6$	M. W.: 352.8	27000.00	500 gm
(126-07-8)		45000.00	1 kg
PCT2148 PTC	**Griseofulvin**	1665.00	5 gm
	Plant Culture Tested	8001.00	25 gm
$C_{17}H_{17}ClO_6$	M. W.: 352.8		
(126-07-8)			
	Store below 30°C		
107105	**Guaiacol** (o-Methoxyphenol)	1647.00	500 ml
$C_7H_8O_2$	M. W. : 124.14	6606.00	2.5 lit
(90-05-1)			
PCT2555 PTC	**Guaiacol,**	306.00	25 gm
	Plant Culture Tested	1161.00	100 gm
$C_7H_8O_2$	M. W.: 124.1	2800.00	250 gm
(90-05-1)			
	Store below 30°C		
107285	**Guanidine Carbonate** for Synthesis	540.00	100 gm
(593-85-1)		5000.00	1 kg
107310	**Guanidine Hydrochloride**	500.00	100 gm
	(Guanidinium Chloride)	1990.00	500 gm
$CH_5N_3.HCl$	M. W.: 95.53		
(50-01-1)	Assay (Argentometric) 98.0%		
540865	**Guanidine Hydrochloride AR**	657.00	100 gm
	for Biochemistry	3051.00	500 gm
$CH_5N_3.HCl$	M. W.: 95.53		
(50-01-1)	Assay (Argentometric) 98.0%		
941100 MB	**Guanidine Hydrochloride**	765.00	100 gm
(50-01-1)	for Molecular Biology	3483.00	500 gm
	Guanidine Hydrothiocynate		
	See Guanidine Thiocyanate		
107335	**Guanidine Nitrate**	540.00	250 gm
$CH_6N_4O_3$	M.W.: 122.08		
(506-93-4)	Assay (Non-aqueous) 98.0%		
107360	**Guanidine Thiocyanate**	820.00	100 gm
$C_2H_6N_4S$	M. W.: 118.16	3996.00	500 gm
(593-84-0)	Assay 99.0%		
941180 MB	**Guanidine Thiocyanate**	532.00	25 gm
	(Guanidine Isothiocyanate)	873.00	100 gm
	For Molecular Biology	4140.00	500 gm
$CH_5N_3.CHNS$	M. W.: 118.16	8172.00	1 kg
(593-84-0)	Assay : ≥ 99%	38350.00	5 kg
	Store Below 30°C		
	Guanidinium Rhodanide		
	See Guanidine Thiocyanate		
107385	▲**Guanine** for Biochemistry	275.00	5 gm
$C_5H_5N_5O$	M. W.: 151.13	900.00	25 gm
(73-40-5)	Assay (dried, Non-aqueous) 97.0%	3006.00	100 gm

Product Code	Product Name	Price	Packing
042036	▲**Guanine Hydrochloride** for Biochemistry	306.00	5 gm
$C_5H_5N_5O.HCl$	M. W.: 187.59	1026.00	25 gm
(635-39-2)	Assay (Acidimetric) 98.0%		
107435	▲**Guanine Sulphate** for Biochemistry	270.00	1 gm
$C_5H_5N_5O½H_2SO_4$	M. W.: 200.20	1305.00	5 gm
(10333-92-3)	Assay 99.0%		
107485	**Guanosine** for Biochemistry	360.00	5 gm
	(D-Guanosine)	1503.00	25 gm
(118-00-3)		10000.00	500 gm
107520	**Guanosine-5-Monophosphate Disodium**	320.00	1 gm
	Salt for Biochemistry	1215.00	5 gm
$C_{10}H_{12}N_5NaO_8P.XH_2O$	M.W. : 407.19 (anhy.)	5040.00	25 gm
(5550-12-9)	Assay (On drired metrial	17370.00	100 gm
	spectrophotometric 260nm)96.0%		
	Guanylhydrazine Bicarbonate Salt		
	See Aminoguanidine Bicarbonate		
107590	**Guar Gum** Powder of Endosperm	477.00	500 gm
(9000-30-0)			
H23967 HISURE	**Guar Gum AR**	3276.00	500 gm
(9000-30-0)			
	Gum Acacia See Acacia		
107555	**Gum Ghatti**	410.00	100 gm
	Suitable for Urea Nitrogen estimation	1494.00	500 gm
(9000-28-6)			
840390	**Gum Ghatti** Solution	162.00	125 ml
	Gum Guar See Guar Gum		
107675	**Gum Karaya** for Synthesis	1206.00	500 gm
(9000-36-6)		POR	25 kg
107725	**Gum Rosin**	486.00	250 gm
(8050-09-7)		1809.00	1 kg
107775	**Gum Tragacanth** Powder	774.00	500 gm
(9000-65-1)			
	Gum Xanthan		
	See Xanthan Gum		
840590	**Gunzburg** Reagent	558.00	100 ml
	(Test reagent for free HCl in gastric juice)		
	Gurber Reagent		
	See Osmic Acid Solution		
107875	**Gypsum Powder** Pract	522.00	500 gm
	(Natural Hydrated Calcium Sulphate)		

FOR MICROSCOPY

Microscopy stains are standardised by UV spectrum and controlled by TLC. They correspond normally to the specifications given in H.J. Conn's Biological Stain (1977).

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	HABA See 2-(4-Hydroxy benzeneazo) **Benzoic Acid**		
299775	**Haematoxylin** Stain	**2808.00**	**5 gm**
	C.I. No. 75290 For Microscopy	**11520.00**	**25 gm**
$C_{16}H_{14}O_6.H_2O$	M.W.: 302.29		
(517-28-2)	Dye content (Spectrophotometry) 80.0%		
H26982 HISURE	**Haematoxylin** Stain Certified	**6507.00**	**5 gm**
	C.I. No. 75290 For Microscopy	**22500.00**	**25 gm**
$C_{16}H_{14}O_6.H_2O$	M.W.: 302.29		
(517-28-2)	Dye content (Spectrophotometry) >95.0%		
844050	**Haematoxylin** Delafield Staining Soln.	**558.00**	**125 ml**
844070	**Haematoxylin** (Ehrlich) Staining Soln.	**603.00**	**125 ml**
	Haematoxylin Harri's Staining Solution See Papanicolaous Solution 1a Harris		
844100	**Haematoxylin Solution Modified Acc.** to Gill II for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	**1926.00**	**500 ml**
844120	**Haematoxylin Solution Modified Acc.** to Gill III for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	**2403.00**	**500 ml**
844140	**Haematoxylin Mayer's Solution**	**306.00**	**100 ml**
	(Hemalum Mayer's)	**657.00**	**500 ml**
109885	**Haemoglobin** Powder	**1557.00**	**100 gm**
(9008-02-0)		**7506.00**	**500 gm**
844000	**Hafnium** (Hf) CPECTROSOL®	**3204.00**	**100 ml**
	Atomic Absorption Std. Soln.	**9405.00**	**500 ml**
	Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST		
844020	**Hafnium** (Hf) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**11970.00**	**100 ml**
109935	**Hafnium Oxide**	**4302.00**	**5 gm**
HFO_2	M. W.: 210.49	**19359.00**	**25 gm**
(12055-23-1)	Assay 99%		
540955	**Hafnium Oxide AR**	**6300.00**	**1 gm**
HFO_2	M. W.: 210.49	**14940.00**	**5 gm**
(12055-23-1)	Assay 99.9%	**36000.00**	**25 gm**
		POR	**100 gm**
	Hand Wash See HW009		
844035	**Hanus'** Solution (for determining Iodine number)	**608.00**	**100 ml**
110035	**Harmaline**	**4842.00**	**1 gm**
$C_{13}H_{14}N_2O$	M. W.: 214.26		
(304-21-2)			
110085	▲**Harmine**	**5760.00**	**1 gm**
$C_{13}H_{12}N_2O$	M. W.: 212.25		
(442-51-3)	Assay 98.0%		
110135	▲**HATU** for Peptide Synthesis	**370.00**	**1 gm**
	[O-(7-Azabenzotriazol-1-yl)-	**1593.00**	**5 gm**
	N,N,N,N-Tetramethyl-Uronium Hexafluorophosphate]	**6993.00**	**25 gm**
$C_{10}H_{15}F_6N_6OP$	M. W.: 380.23		
(148893-10-1)			

Product Code	Product Name	Price	Packing
	Hayem's Reagent See R.B.C. Diluting Fluid		
110175	▲**HBTU** Solid Phase PeptideSynthesis	**392.00**	**5 gm**
	Reagent (O-(1H -Benzotriazol -1-Yl)	**1701.00**	**25 gm**
	N,N,N,'N'Tetramethyluroniumhexa Fluorophosphate)	**6102.00**	**100 gm**
$C_{11}H_{16}F_6N_5OP$	M. W.: 379.24		
(94790-37-1)	Assay (HPLC) 99.0%		
110205	▲**HCTU** for Synthesis	**950.00**	**5 gm**
	(O-(6-Chlorobenzotriazol-1yl)-	**2610.00**	**25 gm**
	N,N,N,N-Tetramethyluronium Hexafluorophosphate)	**9000.00**	**100 gm**
$C_{11}H_{15}ClF_6N_5OP$	M. W.: 413.69		
(330645-87-9)	Assay (HPLC) 98.0%		
	Hemalum (Mayer's) See Hematoxylin Mayer's Solution		
541545	**Hemicellulase AR** for Biochemistry	**1872.00**	**5 gm**
(9025-56-3)	Activity 100000 IU/gm	**6327.00**	**25 gm**
110565	▲**Hemin** for Biochemistry	**1476.00**	**1 gm**
$C_{34}H_{32}ClFeN_4O_4$	M.W. : 651.94	**5400.00**	**5 gm**
(16009-13-5)	Assay (HPLC) 90.0%		
TC1559 ATC	▲**Hemin**	**4240.00**	**1 gm**
$C_{34}H_{32}ClFeN_4O_4$	M.W. : 651.94	**18190.00**	**5 gm**
(16009-13-5)			
110635	**Heparin Sodium** Pure 20,000 Unit	**1701.00**	**vial**
	Does not contain 1,00,000 Unit	**4005.00**	**vial**
	Preservative		
(9041-08-1)	Assay 150 U/mg		
TC1138 ATC	▲**Heparin Sodium Salt**	**5220.00**	**vial**
	Cell Culture Tested 100000 Unit	**POR**	**10x vial**
(9041-08-1)			
	Potency : ≥140 USP U/mg		
110685	**HEPES** (Buffer)	**585.00**	**25 gm**
	Suitable for Tissue Culture Work	**1845.00**	**100 gm**
	pKa - 7.5	**8082.00**	**500 gm**
$C_8H_{18}N_2O_4S$	M. W.: 238.30		
(7365-45-9)	Assay (potentiometric) 99.0%		
941220 MB	**HEPES** Buffer	**837.00**	**25 gm**
	[N-(2-Hydroxyethyl)Piperazine-N'-(2-	**2530.00**	**100 gm**
	Ethanesulphonic Acid]	**9243.00**	**500 gm**
	For Molecular Biology		
$C_8H_{18}N_2O_4S$	M. W.: 238.3		
(7365-45-9)	Assay : ≥ 99.5%		
	Store Below 30°C		
941390 MB	**HEPES, Low Sodium**	**5022.00**	**25 gm**
	For Molecular Biology	**13212.00**	**100 gm**
$C_8H_{18}N_2O_4S$	M. W. : 238.31		
(7365-45-9)	Assay : ≥ 99.5%		
	Store Below 30°C		
PCT2532 PTC	**HEPES**	**783.00**	**25 gm**
	Plant Culture Tested	**2151.00**	**100 gm**
$C_8H_{18}N_2O_4S$	M. W.: 238.3	**9450.00**	**500 gm**
(7365-45-9)	Assay 99%		
	Store below 30°C		
TC1050 ATC	**HEPES Free Acid**	**2790.00**	**25 gm**
	[N-(2Hydroxyethyl)-piperazine-N'-	**8370.00**	**100 gm**
	(2-ethane sulphonic acid)]	**24210.00**	**500 gm**
$C_8H_{18}N_2O_4S$	M. W.: 238.30	**35361.00**	**1 kg**
(7365-45-9)	Assay : ≥99%		
	Store below 30°C		

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
844200	**HEPES** Buffer Solution 1 M Solution in Water	1008.00 4500.00	100 ml 500 ml
110720 (75277-39-3)	**HEPES Sodium Salt** (Buffer)	950.00 2727.00 9234.00	25 gm 100 gm 500 gm
941440 MB $C_8H_{17}N_2NaO_4S$ (75277-39-3)	**HEPES, Sodium Salt** For Molecular Biology M. W.: 260.29 Assay : ≥ 99% Store Below 30°C	1566.00 3700.00 12520.00	25 gm 100 gm 500 gm
TC1066 ATC $C_8H_{17}N_2NaO_4S$ (75277-39-3)	**HEPES Sodium Salt** [N-2Hydroxyethyl)-piperazine-N'-(2-ethanesulfonic acid) sodium salt] Cell Culture Tested M. W.: 260.29 Assay : ≥99% Store below 30°C	2907.00 8730.00 25200.00 39340.00	25 gm 100 gm 500 gm 1 kg
TC1063 ATC $C_9H_{20}N_2O_4S$ (16052-06-5)	**HEPPS** (EPPS) [N-2Hydroxyethyl)-piperazine-N'-(3-propanesulfonic acid] Cell Culture Tested M. W.: 252.33 Assay : ≥99% Store below 30°C	2466.00 10450.00 20151.00 POR	25 gm 100 gm 500 gm 1 kg
110755 (111-71-7)	1-**Heptaldehyde** for Synthesis	900.00 3780.00	500 ml 2.5 lit
028471 (142-82-5)	**Heptane** Fraction from petroleum	500.00 2007.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
028473 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for Synthesis M. W.: 100.21 Assay (GC) 99.0%	702.00 2907.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
542005 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane AR** M. W.: 100.21 Assay (GC) 99.0%	774.00 3204.00	500 ml 2.5 lit
743100 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for HPLC & Spectroscopy M. W.: 100.21 Assay (GC) 99.0%	1071.00 2070.00	500 ml 1 lit
743140 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for Pesticide Residue Trace Analysis M. W.: 100.21	3330.00 7543.00	1 lit 2.5 lit
743160 (22767-50-6)	1-**Heptanesulphonic Acid Sodium Salt** Anhydrous **AR** for HPLC	1107.00 4001.00	25 gm 100 gm
743180 $C_7H_5NaO_3S.H_2O$ (207300-90-1)	1-**Heptane Sulphonic Acid Sodium Salt AR** Monohydrate for HPLC M. W.: 220.27 Assay (Acidimetric) 99.0%	1107.00 4001.00	25 gm 100 gm
110945 $CH_3(CH_2)_5COOH$ (111-14-8)	**Heptanoic Acid** for Synthesis (Enanthic acid, Oenanthic Acid) M. W.: 130.18 Assay (GC) 98.0%	1251.00	500 ml

Product Code	Product Name	Price	Packing
111155 $C_7H_{16}O$ (111-70-6)	n-**Heptanol**, for Synthesis (Heptan-1-OL, n-Heptyl Alcohol) M. W.: 116.21	1440.00 6570.00 POR	500 ml 2.5 lit 25 lit
542075 $C_7H_{16}O$ (111-70-6)	n-**Heptanol AR** (Ethanthic acid,Oenanthic Acid) M. W.: 116.21	1602.00 6606.00 POR	500 ml 2.5 lit 25 lit
	n-**Heptyl Alcohol** See n-Heptanol		
111305 $C_{28}H_{34}O_{15}$ (520-26-3)	**Hesperidin** M. W.: 610.56 Assay 80.0%	1270.00 2997.00 10809.00	25 gm 100 gm 500 gm
H27171 HISURE C_6Cl_6 (118-74-1)	**Hexachloro Benzene AR** M. W.: 284.78	9000.00 21600.00	5 gm 25 gm
111445 C_2Cl_6 (67-72-1)	**Hexachloro Ethane** M. W.: 236.74 Assay (GC) 98.0%	837.00 7290.00	500 gm 5 kg
	Hexachloro Platinic (IV) Acid Hydrate See Chloro Platinic Acid Abt 40% Pt		
	1-**Hexa Decanol** See Cetyl Alcohol		
111615 $C_{16}H_{34}$ (544-76-3)	n-**Hexa Decane** for Synthesis M. W.: 226.45 Assay 95.0%	2003.00 8244.00	100 ml 500 ml
542295 $C_{16}H_{34}$ (544-76-3)	n-**Hexa Decane AR** M. W.: 226.45 Assay (GC) 95.0%	5000.00 19800.00	100 ml 500 ml
743320 $CH_3(CH_2)_{15}SO_3Na$ (15015-81-3)	1-**Hexa Decane Sulfonic Acid Sodium Salt** (Anhydrous) HPLC M. W.: 328.49	702.00 3006.00	5 gm 25 gm
111745 $CH_3(CH_2)_{15}NH_2$ (143-27-1)	**Hexa Decylamine** for Synthesis M. W.: 241.46 Assay 98.0%	2350.00 9900.00	5 gm 25 gm
	Hexadecyl Trimethyl Ammonium Bromide See N-Cetyl-N,N,N-Trimethyl Ammonium Bromide		
542485 HPF_6 (16940-81-1)	**Hexafluoro Phosphoric Acid** 55% **AR** M. W.: 145.97	3002.00	500 gm
111805 $(CF_3)_2CHOH$ (920-66-1)	1,1,1,3,3,3-**Hexafluoro** 2-**Propanol** for Synthesis M. W.: 168.04 Assay 99.0%	1656.00 4500.00 21250.00	25 gm 100 gm 500 gm
743405 (920-66-1)	1,1,1,3,3,3-**Hexafluoro 2-Propanol** for Spectroscopy	9450.00	100 ml
112195 $C_6H_{19}NSi_2$ (999-97-3)	1,1,1,3,3,3-**Hexamethyl Disilazane** for Synthesis (Hmds,Bis-(Trimethylsilyl) Amine) M. W.: 161.39	770.00 2570.00 8703.00	100 ml 500 ml 2.5 lit
112295 $(CH_3)_3SiOSi(CH_3)_3$ (107-46-0)	**Hexamethyl Disiloxane** for Synthesis M. W.: 162.38	558.00 2106.00	100 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	Hexamethylene Glycol See 1,6-Hexanediol		
	Hexamethylene Tetramine See Hexamine		
112345 $[(CH_3)2N]_3PO$ (680-31-9)	**Hexamethylphosphoric Acid Triamide** (HMPA) M.W: 179.2 Assay 98.5%	**2070.00** **9720.00**	**100 ml** **500 ml**
028483 $(CH_2)_6N_4$ (100-97-0)	**Hexamine** (Hexamethylene Tetramine) M. W.: 140.19 Assay (acidimetric on dried subs.) 99.0%	**432.00** **3303.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
542535 $(CH_2)_6N_4$ (100-97-0)	**Hexamine AR/ACS** M. W.: 140.19 Assay (acidimetric on dried subs.) 99.5%	**531.00** **4185.00** **POR**	**500 gm** **5 kg** **25 kg**
112455 C_6H_{14} (110-54-3)	**Hexane** 65-70°C (FG) Fraction From Petroleum M.W : 86.18 Assay 85.0%	**432.00** **1800.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
112475 C_6H_{14} (110-54-3)	**Hexane** 65-70°C Fraction from Petroleum M. W.: 86.18 Assay 95.0%	**567.00** **1827.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
542815 C_6H_{14} (110-54-3)	**Hexane AR** 65-70°C Fraction from Petroleum M. W.: 86.18 Assay 95.0%	**675.00** **2421.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
743560 C_6H_{14} (110-54-3)	**Hexane** for HPLC & Spectroscopy M. W.: 86.18	**1656.00** **3240.00**	**1 lit** **2.5 lit**
D63126 C_6D_{14} (21666-38-6)	**Hexane**-d_{14} (for NMR Spectroscopy) M.W.: 100.29 Assay Min. 99 atom%D	**88010.00**	**5 ml**
112485 C_6H_{14} (110-54-3)	n-**Hexane** M.W. 86.18 Assay 95.0%	**567.00** **2358.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
743605 C_6H_{14} (110-54-3)	n-**Hexane** HPLC & Spectroscopy M.W. 86.18 Assay 95.0%	**1305.00** **3510.00**	**500 ml** **2.5 lit**
028488 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for Synthesis M. W.: 86.18 Assay (GC) 99.0%	**603.00** **2800.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
542820 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane AR** M. W.: 86.18 Assay (GLC) 99.0%	**702.00** **3303.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
743600 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for HPLC & Spectroscopy M. W.: 86.18 Assay (GLC) 99.0%	**1720.00** **4140.00**	**1 lit** **2.5 lit**
743650 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for Pesticide Residue Trace Analysis M. W.: 86.18	**2440.00** **4671.00**	**1 lit** **2.5 lit**
112515 $HO(CH_2)_6OH$ (629-11-8)	1,6-**Hexanediol** (Hexamethylene Glycol) for Synthesis M. W.: 118.17	**1800.00**	**500 gm**

Product Code	Product Name	Price	Packing
743700 $C_6H_{13}O_3SNa$ (2832-45-3)	1-**Hexane Sulphonic Acid Sodium Salt** Anhydrous For HPLC M. W.: 188.22 Assay 99.0%	**1107.00** **4001.00**	**25 gm** **100 gm**
743705 $C_6H_{13}NaO_3S.H_2O$ (207300-91-2)	1-**Hexane Sulphonic Acid** **Sodium Salt** Monohydrate For HPLC M. W.: 206.24 Assay (cation exchange) 99.0%	**1107.00** **4001.00**	**25 gm** **100 gm**
112595 $C_6H_{14}O$ (111-27-3)	**n-Hexanol** for Synthesis (n-Hexyl Alcohol, Hexan-1-OL) M. W.: 102.18 Assay 98.0%	**1400.00** **6507.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
542795 $C_6H_{14}O$ (111-27-3)	**n-Hexanol AR** (n-Hexyl Alcohol, Hexan-1-OL) M. W.: 102.18 Assay 98.5%	**1602.00** **7506.00** **POR**	**500 ml** **2.5 lit** **25 lit**
	n-**Hexanoic Acid** See Caproic Acid		
	N-**Hexanol** See Hexan-1-OL		
112635 (9001-51-8)	**Hexokinase** from Ex- Saccharomyces sp. 150 U/mg	**6030.00**	**5000 units**
TC1683 ATC (9001-51-8)	▲**Hexokinase** Cell Culture Tested	**5454.00** **14760.00**	**1000 units** **5000 units**
	n-**Hexyl Alcohol** See Hexan-1-OL		
543415 $C_{10}H_{19}ClN_2$ (171058-17-6)	1-**Hexyl**-3-**Methyl Imidazolium** **Chloride AR** M. W.: 202.72 Assay (HPLC) 98.5%	**2340.00** **7920.00**	**5 gm** **25 gm**
029243 $C_6H_{14}O_2$ (107-41-5)	**Hexylene Glycol** M. W.: 118.18 Assay (GC) 99.0%	**1296.00** **5940.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
112805 $C_{12}H_{18}O_2$ (136-77-6)	4-**Hexyl Resorcinol** for Synthesis M. W.: 194.27 Assay 98.0%	**3645.00**	**25 gm**
112840	**High Vacuum Silicon Grease** (Vacuum Grease)	**432.00** **1206.00** **4104.00**	**50 gm** **250 gm** **1 kg**
028497 $C_9H_9NO_3$ (495-69-2)	**Hippuric Acid** Cryst. M. W.: 179.18 Assay (acidimetric) 99.0%	**531.00** **3807.00**	**100 gm** **1 kg**
112955 $C_9H_8NO_3Na.XH_2O$ (532-94-5)	**Hippuric Acid Sodium Salt** M. W.: 201.15 Anhy	**900.00** **3492.00**	**25 gm** **100 gm**
113135 $C_5H_9N_32H_3PO_4.H_2O$ (51-74-1)	**Histamine Acid Phosphate** for Biochemistry (Histamine Biphosphate mono hydrate) M. W.: 325.15	**2007.00** **4001.00**	**1 gm** **5 gm**
113170 $C_6H_9N_3O_2$ (71-00-1)	L-**Histidine** for Biochemistry M. W.: 155.16 Assay (ex Non-aqueous) 98.0%	**900.00** **3024.00** **14400.00**	**25 gm** **100 gm** **500 gm**

H

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT1311 PTC $C_6H_9N_3O_2$ (71-00-1)	**L-Histidine** Plant Culture Tested M. W.: 155.15 Assay 99% Store below 30°C	1413.00 4541.00 22113.00	25 gm 100 gm 500 gm
TC1076 ATC $C_6H_9N_3O_2$ (71-00-1)	**L-Histidine** (From non-animal source) Cell Culture Tested M. W.: 155.15 Assay : ≥98.5% Store below 30°C	4410.00 15850.00 27360.00	100 gm 500 gm 1 kg
TC1076M ATC $C_6H_9N_3O_2$ (71-00-1)	**L-Histidine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 155.15 Store below 30°C	7272.00 24260.00 43610.00	100 gm 500 gm 1 kg
037118 $C_6H_9N_3O_2.HCl.H_2O$ (5934-29-2)	**L-Histidine Monohydrochloride** Monohydrate M. W.: 209.63 Assay (Argentometric; ex Cl) 99.0%	801.00 2800.00 12510.00	25 gm 100 gm 500 gm
941920 MB $C_6H_{10}ClN_3O_2.H_2O$ (5934-29-2)	**L-Histidine Monohydrochloride** for Molecular Biology M. W : 209.63 Assay 99.0%	900.00 3006.00	25 gm 100 gm
TC1077 ATC $C_6H_9N_3O_2.HClH_2O$ (5934-29-2)	**L-Histidine Monohydrochloride** Monohydrate (From non-animal source) Cell Culture Tested M. W.: 209.63 Assay : ≥99% Store below 30°C	1571.00 4716.00 35411.00	25 gm 100 gm 1 kg
TC1077M ATC $C_6H_9N_3O_2.HCl.H_2O$ (5934-29-2)	**L-Histidine Monohydrochloride** Monohydrate (From non-animal source) Meets EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 209.63 Store below 30°C	2907.00 8001.00 43677.00	25 gm 100 gm 1 kg
844267	**Histological Fixative-Formalin Neutral Sodium Salt** Bufferd pH 7.0 at 25°C	8801.00	5 lit
	HOBT See 1-Hydroxybenzotriazole		
844395	**Holmium** (Ho) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	3735.00 9405.00	100 ml 500 ml
844400	**Holmium** (Ho) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12160.00 36504.00	100 ml 500 ml
RE1305 Ho (7440-60-0)	**Holmium** Metal Ingot M. W.: 164.93 Assay (Trace metal basis) 99.99%	12830.00 44451.00	5 gm 25 gm
RE1310 Ho (7440-60-0)	**Holmium** Metal Lump M. W.: 164.93 Assay (Trace metal basis) 99.99%	12830.00	5 gm

Product Code	Product Name	Price	Packing
RE1315 Ho (7440-60-0)	**Holmium** Metal Powder 325 mesh M. W.: 164.93 Assay (Trace metal basis) 99.99%	12240.00 56070.00	5 gm 25 gm
RE1360 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.9%	1503.00 4330.00 18900.00	1 gm 5 gm 25 gm
RE1365 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.99%	10800.00 42840.00	10 gm 50 gm
RE1370 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE1380 $Ho_2(CO_3)_3.XH_2O$ (38245-34-0)	**Holmium** (III) **Carbonate** M. W.: 509.88 Assay (Trace metal basis) 99.90%	3600.00 15750.00 POR	10 gm 50 gm 100 gm
RE1390 $HoCl_3.6H_2O$ (14914-84-2)	**Holmium** (III) **Chloride** M. W.: 379.38 Assay (Trace metal basis) 99.90%	3609.00 9000.00 33800.00	5 gm 25 gm 100 gm
RE1400 HoI_3 (13813-41-7)	**Holmium** (III) **Iodide** M.W. : 545.64 Assay (Trace metal basis) 99.95%	8550.00 30960.00	1 gm 5 gm
RE1415 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.9%	2106.00 4100.00 18009.00	5 gm 10 gm 50 gm
RE1420 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.99%	7200.00 12060.00 30870.00	5 gm 10 gm 50 gm
RE1425 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.999%	3303.00 10080.00 38520.00	1 gm 5 gm 25 gm
RE1440 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.9%	4995.00 19998.00	5 gm 25 gm
RE1445 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.99%	5832.00 24210.00	5 gm 25 gm
RE1450 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
	Homidium Bromide See Ethidium Bromide		
TC1302 ATC	**Human Recombinant Prolactin** Source : **E-coli** Cell Culture Tested Store at -20°C	POR POR	10 mcg 50 mcg
TC1613 ATC (70024-90-7)	▲**Human Serum Albumin** Low Fatty acid Cell Culture Tested	2592.00 11350.00 35055.00	1 gm 5 gm 25 gm
TC1306 ATC (83380-82-9)	**Human Vitronectin** Bloom Strength : 120g Cell Culture Tested Store at -20°C	POR POR	100 mcg 1 mg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
113415 (1415-93-6)	**Humic Acid**	**324.00** **2808.00**	**500 gm** **5 kg**
942020 MB (68131-04-4)	**Humic Acid Sodium Salt** For Molecular Biology Store Below 30°C	**2214.00**	**100 gm**
TC1331 ATC (37326-33-3)	**Hyaluronidase** Cell Culture Tested Activity : 400 - 1000 units/mg solid Store below -20°C	**5031.00**	**25 mg**
543965 $C_{27}H_{42}ClNO_2$ (121-54-0)	**Hyamine 1622** for Tensile Test **AR** M. W.: 448.10 Assay (Non-aqueous) (on dried subs.) 99.0%	**1494.00** **4707.00**	**25 gm** **100 gm**
TC1554M ATC $C_{27}H_{42}ClNO_2$ (121-54-0)	**Hyamine 1622** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 448.09 Store below 30°C	**6750.00** **13500.00**	**100 gm** **250 gm**
844460	**Hyamine 1622** Soln. 0.004m	**720.00** **3960.00**	**500 ml** **5 lit**
844465	· **Hyamine 1622** CPECTROSOL® Solution 0.004M (0.004N) Standardized Solution In accordance with NIST	**1980.00**	**1 lit**
844455	· **Hyamine 1622** CPECTROSOL® Solution 0.04M (0.04N) Standardized Solution In accordance with NIST	**2421.00**	**1 lit**
028501 $H_4N_2.2HCl$ (5341-61-7)	**Hydrazine Dihydrochloride** (Hydrazine Chloride) M. W.: 104.97 Assay (Oxidimetric) 97.0%	**513.00** **2106.00**	**100 gm** **500 gm**
844500	**Hydrazine Hydrate** 24-26% Solution in Water	**770.00** **3105.00**	**500 ml** **2.5 lit**
844510 $N_2H_4.H_2O$ (7803-57-8)	**Hydrazine Hydrate** M.W. 50.06 Assay 60.0%	**4005.00**	**2.5 lit**
028500 $H_4N_2.H_2O$ (7803-57-8)	**Hydrazine Hydrate** 80% M. W.: 50.06 Assay (iodometric) 80.0%	**1710.00** **7740.00** **POR**	**500 ml** **2.5 lit** **25 lit**
543985 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 80% **AR** M.W.:50.06 Assay 80.0%	**1800.00** **8505.00** **POR**	**500 ml** **2.5 lit** **25 lit**
028502 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 99% for Synthesis M. W.: 50.06 Assay (Oxidimetric) 99.0%	**2205.00** **10503.00** **POR**	**500 ml** **2.5 lit** **25 lit**
543990 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 99% **AR** M. W.: 50.06 Assay (Oxidimetric) 99.0%	**2952.00** **9666.00**	**500 ml** **2.5 lit**
028503 $H_4N_2.H_2SO_4$ (10034-93-2)	**Hydrazine Sulphate** Purified M. W.: 130.12 Assay (By iodometric) 99.0%	**495.00** **1692.00** **POR**	**100 gm** **500 gm** **25 kg**
544105 $H_4N_2.H_2SO_4$ (10034-93-2)	**Hydrazine Sulphate AR/ACS** M. W.: 130.12 Assay (By iodometric) 99.0%	**550.00** **1845.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
	Hydrazinium Chloride See Hydrazine Dihydrochloride		
	Hydrazinium Sulphate See Hydrazine Sulphate		
113555 $C_{12}H_{12}.N_2$ (122-66-7)	**Hydrazobenzene** M. W.: 184.24 Assay (HPLC) 98.0%	**550.00**	**100 gm**
	2-**Hydrazone**-2-3-**Dihydromethyl Benzothiazole Hydrochloride (MBTH)** See 3 Methyl-2 Benzothiazolinone Hydrazone Hydrochloride (MBTH)		
544215 $C_{18}H_{14}O_8$ (5950-69-6)	**Hydrindantine** Dihydrate **AR** M. W.: 358.30	**4338.00**	**25 gm**
544305 HI (10034-85-2)	**Hydriodic Acid AR/ACS** M. W.: 127.91 Assay (Acid-base titration) 54-56%	**2570.00** **7803.00**	**50 ml** **250 ml**
028505 Hbr (10035-10-6)	**Hydrobromic Acid** M. W.: 80.91 Assay(acidimetric) 48.0-49.0%	**1494.00** **6570.00**	**500 ml** **2.5 lit**
544425 HBr (10035-10-6)	**Hydrobromic Acid AR/ACS** M.W. : 80.91 Assay (acidimetric) 48.0%-49.0%	**1647.00** **7092.00**	**500 ml** **2.5 lit**
028516 HBr (10035-10-6)	**Hydrobromic Acid** in Glacial acetic acid M.W. : 80.91 Assay (Argentometric) About 33.0%	**1341.00** **5760.00**	**500 ml** **2.5 lit**
845050	**Hydrochloric Acid** 10%	**387.00** **1540.00**	**500 ml** **2.5 lit**
845056 HCl (7647-01-0)	**Hydrochloric Acid** M.W. : 36.46 Assay 30.0%	**297.00** **711.00**	**500 ml** **2.5 lit**
845058 HCl (7647-01-0)	**Hydrochloric Acid** M.W. : 36.46 Assay 32.0%	**280.00** **621.00**	**500 ml** **2.5 lit**
113655 HCl (7647-01-0)	**Hydrochloric Acid** (1.18) M.W. : 36.46 Assay 35-38%	**370.00** **891.00** **1090.00**	**500 ml** **2.5 lit** **5 lit**
(Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in a boxes)			
544475 HCl (7647-01-0)	**Hydrochloric Acid** (1.18) **AR** M.W. : 36.46 Assay 35.4%	**423.00** **1170.00** **1692.00**	**500 ml** **2.5 lit** **5 lit**
(Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in a boxes)			
744580 HCl (7647-01-0)	**Hydrochloric Acid** Abt. 36% (1.18) EL M.W. : 36.46 Assay 36.0%	**7623.00**	**2.5 lit**
942120 MB (7647-01-0)	**Hydrochloric Acid** Fuming 37% for Molecular Biology	**702.00**	**500 ml**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
845065 HCl (7647-01-0)	**Hydrochloric Acid** 37% ACIPUR for Trace Metal Analysis M.W. 36.46 Assay 37.0%	950.00 3906.00	500 ml 2.5 lit
844680	**Hydrochloric Acid** 0.01M (0.01N) Volumetric Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
844685	**Hydrochloric Acid** 0.01M Solution	180.00 333.00 495.00	500 ml 1 lit 2.5 lit
844700	**Hydrochloric Acid** 0.02 M (0.02N) Volumetric Solution	126.00	500 ml
844720	**Hydrochloric Acid** 0.05 M (0.05N) Volumetric Solution	180.00 333.00 495.00	500 ml 1 lit 2.5 lit
844730	**Hydrochloric Acid** 0.1 M (0.1N) 1.82350g HCl for 500 ml. 0.1N Volumetric Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
844780	**Hydrochloric Acid** 0.1M (0.1N) Volumetric Solution	144.00 410.00	500 ml 2.5 lit
844640	**Hydrochloric Acid** N/10 (Hydrochloric Acid 0.1 N Solution)	149.00 396.00	500 ml 2.5 lit
844800	**Hydrochloric Acid** 0.2 M (0.2N) Volumetric Solution	144.00	500 ml
844803	**Hydrochloric Acid** CPECTROSOL® 0.2M (0.2N) Standardized Solution In accordance with NIST	1400.00	1 lit
844805	**Hydrochloric Acid** CPECTROSOL® 0.25M (0.25N) Standardized Solution In accordance with NIST	1400.00	1 lit
844820	**Hydrochloric Acid** 0.357 Mol/L (1/2.8N) Solution	189.00 333.00 495.00	500 ml 1 lit 2.5 lit
844840	**Hydrochloric Acid** 0.5 M (0.5N) Volumetric Soln.	167.00 306.00 450.00	500 ml 1 lit 2.5 lit
844845	**Hydrochloric Acid** CPECTROSOL® 0.5M (0.5N) Standardized Solution In accordance with NIST	1400.00	1 lit
844860	**Hydrochloric Acid** 1.0M (1.0N) Volumetric Solution	275.00 495.00 747.00	500 ml 1 lit 2.5 lit
844862	**Hydrochloric Acid** CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	1400.00	1 lit
844865	**Hydrochloric Acid** 1N acc. to USP	333.00	500 ml
844620	**Hydrochloric Acid** N/1	189.00	500 ml
844870	**Hydrochloric Acid** 2 M (2N) CTITRINORM Volumetric Solution	306.00 567.00 855.00	500 ml 1 lit 2.5 lit
844875	**Hydrochloric Acid** CPECTROSOL® 2M (2N) Standardized Solution In accordance with NIST	1400.00	1 lit

Product Code	Product Name	Price	Packing
844890	**Hydrochloric Acid** 3.571 mol/L (1/0.28N) Solution	495.00 900.00 1350.00	500 ml 1 lit 2.5 lit
844900	**Hydrochloric Acid** 3N (3 mol/L) Solution	333.00 608.00 910.00	500 ml 1 lit 2.5 lit
844910	**Hydrochloric Acid** 4 M (4 N) Volumetric Solution	360.00 675.00 1017.00	500 ml 1 lit 2.5 lit
844915	**Hydrochloric Acid** 4M in Dioxane	1467.00	1 lit
844990	**Hydrochloric Acid** 5 M (5N) CTITRINORM Volumetric Solution	387.00 693.00 1058.00	500 ml 1 lit 2.5 lit
844995	**Hydrochloric Acid** CPECTROSOL® 5M (5N) Standardized Solution In accordance with NIST	1400.00	1 lit
845000	**Hydrochloric Acid** 6M (6N) Volumetric Solution	405.00 747.00 1116.00	500 ml 1 lit 2.5 lit
845005	**Hydrochloric Acid** CPECTROSOL® 6M (6N) Standardized Solution In accordance with NIST	1400.00	1 lit
113715 $C_{21}H_{30}O_5$ (50-23-7)	**Hydrocortisone** For Lab Use M. W.: 362.46	702.00 3006.00	1 gm 5 gm
TC1344 ATC $C_{21}H_{30}O_5$ (50-23-7)	**Hydrocortisone** Cell Culture Tested M. W.: 362.46 Assay : ≥98% Store below 30°C	1971.00 7020.00 12281.00	1 gm 5 gm 10 gm
113735 $C_{23}H_{32}O_6$ (50-03-3)	**Hydrocortisone Acetate** For Lab Use M. W.: 404.51	792.00 3402.00	1 gm 5 gm
028514 HF (7664-39-3)	**Hydrofluoric Acid** M. W.: 20.01 Assay(acidimetric) 39.0-43.0%	756.00 2700.00 4806.00	500 ml 2.5 lit 5 lit
544735 HF (7664-39-3)	**Hydrofluoric Acid AR/ACS** M. W.: 20.01 Assay 40.0-42.0%	1206.00	500 ml
744120 HF (7664-39-3)	**Hydrofluoric Acid** EL grade M. W.: 20.01 Assay 48.0-51.0%	1800.00	500 ml
544738 HF (7664-39-3)	**Hydrofluoric Acid AR/ACS** M. W.: 20.01 Assay 48.0-51.0%	1305.00 5040.00	500 ml 2.5 lit
845100 HF (7664-39-3)	**Hydrofluoric Acid** Acipur for Trace Metal Analysis M.W : 20.01 Assay 48.0%	1760.00 3200.00 4806.00	500 ml 1 lit 2.5 lit
	Hydrogen Hexa Chloro Platinate (IV) See Platinic Chloride		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
845150	**Hydrogen Bromide** 2M (2N) Volumetric Solution	**1098.00**	**1 lit**
845160	**Hydrogen Chloride** 0.1M (0.1N) in 2-Propanole	**3870.00** **5670.00**	**100 ml** **500 ml**
845200 H_2O_2 (7722-84-1)	**Hydrogen Peroxide** Solution about 6% w/v H_2O_2 20 Volumes M. W.: 34.01 Assay(H_2O_2) 6.0% w/v	**297.00**	**1 lit**
845250 H_2O_2 (7722-84-1)	**Hydrogen Peroxide** Solution about 30% w/v H_2O_2 100 Volumes M. W.: 34.01 Assay(H_2O_2) 30.0% w/v	**405.00** **2106.00**	**500 ml** **5 lit**
845300 H_2O_2 (7722-84-1)	**Hydrogen Peroxide** Solution **AR** 30% 100 Volumes M. W.: 34.01 Assay : Contains not less than 30% w/v	**468.00** **2300.00**	**500 ml** **5 lit**
PCT2511 PTC H_2O_2 (7722-84-1)	▲**Hydrogen Peroxide** Plant Culture Tested M. W.: 34.0147 Assay min 30%	**4060.00** **7120.00** **10620.00**	**100 ml** **500 ml** **1 lit**
030011 $C_6H_4(OH)_2$ (123-31-9)	**Hydroquinone** for Synthesis M. W.: 110.11 Assay (GC) 99.0%	**693.00** **3096.00** **POR**	**100 gm** **500 gm** **25 kg**
544875 $C_6H_4(OH)_2$ (123-31-9)	**Hydroquinone AR** M. W.: 110.11 Assay 99.5%	**819.00** **3492.00**	**100 gm** **500 gm**
PCT2556 PTC $C_6H_6O_2$ (123-31-9)	**Hydroquinone** Plant Culture Tested M. W.: 110.11 Store below 30°C	**693.00** **3096.00**	**100 gm** **500 gm**
113835 $C_6H_4(OCH_3)_2$ (150-78-7)	**Hydroquinone Dimethyl Ether** for Synthesis M. W.: 138.16	**1863.00** **7002.00**	**250 gm** **1 kg**
113880 $C_7H_8O_2$ (150-76-5)	**Hydroquinone Monomethyl Ether** M. W.: 124.14 Assay (GC) 98.0%	**819.00** **3393.00**	**100 gm** **500 gm**
	4-**Acetaamido Phenol** See p-Hydroxy Acetanilide (Paracetamol)		
028521 $C_8H_8O_2$ (118-93-4)	2-**Hydroxy Acetophenone** M.W 136.15 Assay (GC) 95.0%	**972.00** **4095.00**	**100 ml** **500 ml**
114015 $HOC_6H_4COCH_3$ (121-71-1)	3-**Hydroxy Acetophenone** for Synthesis (m-Hydroxyacetophenone) M. W.: 136.15	**702.00** **2205.00**	**25 gm** **100 gm**
028522 $CH_3.CO.C_6H_4.OH$ (99-93-4)	4-**Hydroxy Acetophenone** M. W.: 136.15 Assay (GC) 99.0%	**603.00** **2493.00**	**100 gm** **500 gm**
114075 $C_{10}H_{16}O$ (768-95-6)	1-**Hydroxy Adamantane** M. W.: 152.23 Assay 99.0%	**1170.00** **3960.00**	**5 gm** **25 gm**

Product Code	Product Name	Price	Packing
028525 $C_{12}H_{10}N_2O$ (1689-82-3)	p-**Hydroxy Azobenzene** absorption indicator M. W.: 198.23 Assay 98.0%	**820.00**	**25 gm**
545025 $C_5H_4N_4O$ (39968-33-7)	▲1-**Hydroxy-7-Azabenzo Triazole** (Hoat) **AR** Protecting Reagent M. W.: 136.11	**675.00** **2800.00** **11700.00**	**1 gm** **5 gm** **25 gm**
	2-**Hydroxy Benzaldehyde** See Salicylaldehyde		
028526 $C_7H_6O_2$ (100-83-4)	m-**Hydroxy Benzaldehyde** M. W.: 122.12 Assay (Acidimetric) 98.0%	**1908.00** **9000.00**	**100 gm** **500 gm**
028527 $C_7H_6O_2$ (123-08-0)	p-**Hydroxy Benzaldehyde** M. W.: 122.12 Assay (GC) 98.0%	**630.00** **2502.00**	**100 gm** **500 gm**
114255 $C_7H_7NO_2$ (619-57-8)	4-**Hydroxy Benzamide** M. W.: 137.14 Assay 98.0%	**1980.00** **7470.00**	**5 gm** **25 gm**
545045 $C_{13}H_{10}N_2O_3$ (1634-82-8)	2-(4-**Hydroxybenzeneazo) Benzoic Acid** for Automatic analysis **AR** M. W.: 242.24 Assay (HPLC) 99.0%	**396.00** **1206.00**	**1 gm** **5 gm**
114425 $HOC_6H_4CO_2H$ (99-06-9)	m-**Hydroxy Benzoic Acid** for Synthesis M. W.: 138.12	**1602.00** **7200.00**	**100 gm** **500 gm**
028529 $C_6H_4(OH).COOH$ (99-96-7)	p-**Hydroxy Benzoic Acid** M. W.: 138.12 Assay (acidimetric) 99.0%	**342.00** **1296.00**	**100 gm** **500 gm**
545235 ✠ $HOC_6H_4CO_2Na$ (114-63-6)	p-**Hydroxy Benzoic Acid Sodium Salt AR** for Biochemistry	**2592.00** **3591.00** **POR**	**25 gm** **100 gm** **1 kg**
114515 $HOC_6H_4COC_6H_5$ (1137-42-4)	p-**Hydroxy Benzophenone** M. W.: 198.22 Assay 98.0%	**3645.00** **12420.00**	**100 gm** **500 gm**
114585 $C_6H_5N_3O$ (2592-95-2)	1-**Hydroxy Benzotriazole** Anhydrous (HOBT) M.W : 135.12 Assay 99.0%	**540.00** **1710.00** **7700.00**	**25 gm** **100 gm** **500 gm**
	[(2-**Hydroxy**-1,1-Bis (Hydroxymethyl) Ethyl) Amino]-1-Ethanesulphonic Acid See TAPS Buffer		
066214 $C_{12}H_{10}O$ (90-43-7)	o-**Hydroxy Biphenyl** M. W.: 170.21 Assay 99.0%	**2610.00** **9207.00**	**500 gm** **2.5 kg**
114705 $C_8H_6O_3$ (6272-26-0)	6-**Hydroxy**-3-**Coumaranone** M. W.: 150.13 Assay 97.0%	**2890.00** **5590.00**	**1 gm** **5 gm**
066213 $C_{12}H_{10}O$ (92-69-3)	p-**Hydroxy Diphenyl** M. W.: 170.21 Assay (GC) 98.0%	**1206.00** **4005.00**	**100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
114805 (9004-62-0)	**Hydroxy Ethyl Cellulose** (Hv 45) mPas	3807.00	500 gm
114815 (9004-62-0)	**Hydroxy Ethyl Cellulose** HV 145 mPas	3807.00	500 gm
114825 (9004-62-0)	**Hydroxy Ethyl Cellulose** HV 270 mPas	4050.00	500 gm
	N,N-bis-(2-**Hydroxyethyl**)-2-**Amino Ethane Sulfonic** Acid See BES Buffer		
	4-**Hydroxy**-2,4-**Dinitrobenzene** See 2,4-Dinitrophenol		
	N-(2-**Hydroxyethyl**) **Ethylenediamine** See 2-(2-Aminoethyl) Ethanolamine		
	N,N-BIS-**(2-Hydroxy Ethyl) Glycine** See Bicine Buffer		
115155 $C_6H_{10}O_3$ (868-77-9)	2-**Hydroxy Ethyl Methacrylate** M.W: 130.14 Assay 96.5%	1900.00	500 ml
	2-**(Hydroxyethyl) Methylamine** See - 2-(Methylamino) Ethanol		
115205 $C_6H_{13}NO_2$ (622-40-2)	4-(2-**Hydroxy Ethyl) Morpholine** (2-Morpholinoethanol) M. W.: 131.17	1944.00 9000.00	500 ml 2.5 lit
115315 $C_{10}H_9NO_3$ (3891-07-4)	n-(2-**Hydroxy Ethyl) Phthalimide** (2-Phthalimidoethanol) M. W.: 191.18	1098.00 4770.00	100 gm 500 gm
	N-(2-**Hydroxy Ethyl) Piperazine**-N-2-**Ethane Sulphonic Acid Sodium Salt** See HEPES Sodium Salt Buffer		
	N-(2-**Hydroxy Ethyl) Piperazine**-N-2-**Ethane Sulphonic Acid** See HEPES (Buffer)		
115515 $C_7H_{15}NO$ (3040-44-6)	1-(2-**Hydroxy Ethyl) Piperidine** (1-Piperidine Ethanol, 2-Piperidino Ethanol) M. W.: 129.20	2502.00	500 ml
	[(2-**Hydroxy**-1,1-Bis(**Hydroxymethyl**) **Ethyl) Amino]-Ethanesulphonic Acid** See TES Buffer		
	2-**Hydroxy** -1(2-**Hydroxy**-4-**Sulpho**-1-**Napthylazo**)-3-**Napthoic Acid** See Patton And Reeder's Reagent		
115605 C_8H_7NO (2380-94-1)	4-**Hydroxy Indole** (4-Indolol) for Synthesis M. W.: 135.15	9900.00	5 gm
115635 ✲ C_8H_7NO (1953-54-4)	5-**Hydroxy Indole** for Synthesis M. W.: 133.15 Assay 97.0%	2520.00 7506.00	1 gm 5 gm
115735 HOC_6H_3-1,3-$(CO_2H)_2$ (618-83-7)	5-**Hydroxy Isophthalic Acid** for Synthesis M. W.: 182.13	900.00 3006.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
115825 $NH_2OH.HCl$ (5470-11-1)	**Hydroxylamine Hydrochloride** for Synthesis (Hydroxyl Ammonium Chloride) M. W.: 69.49 Assay 98.0%	342.00 1503.00 POR	100 gm 500 gm 50 kg
545325 $NH_2OH.HCl$ (5470-11-1)	**Hydroxylamine Hydrochloride AR/ACS** M. W.: 69.49 Assay 99.0%	460.00 1746.00	100 gm 500 gm
845400	**Hydroxylamine Hydrochloride** Solution TS acc. USP	423.00	500 ml
845405 $C_{16}H_{30}BN$ (33725-74-5)	**Hydroxylamine Hydrochloride** Solution (For determining Pb & for benzaldehyde test as per IP) M.W. 257.31	945.00	250 ml
115915 $(NH_2OH)_2.H_2SO_4$ (10039-54-0)	**Hydroxylamine Sulphate** (Hydroxyl Ammonium Sulphate) M. W.: 164.13 Assay (oxidimetric) 97.0%	603.00 POR	500 gm 50 kg
545335 $(NH_2OH)_2.H_2SO_4$ (10039-54-0)	**Hydroxylamine Sulphate AR/ACS** M. W.: 164.13 Assay (Oxidimetric) 99.0%	801.00	500 gm
	Hydroxyl Ammonium Chloride See- Hydroxylamine Hydrochloride		
	Hydroxyl Ammonium Sulphate See Hydroxylamine Sulphate		
	3-**Hydroxy**-4-**Methoxy Benzaldehyde** See Iso Vaniline		
	4-**Hydroxy**-3-**Methoxy Benzaldehyde** See Vanillin		
116105 ✲ $HOC_6H_3(CH_3)CO_2H$ (499-76-3)	4-**Hydroxy**-3-**Methyl Benzoic Acid** M. W.: 152.15 Assay 97.0%	4050.00	5 gm
116195 $C_{10}H_8O_3$ (90-33-5)	·7-**Hydroxy**-4-**Methyl-Coumarin** (β-Methylumbelliferone) M. W.: 176.17	783.00 2862.00	25 gm 100 gm
	2-**Hydroxymethyl Furan** See Furfuryl Alcohol		
116365 $C_6H_6O_3$ (67-47-0)	▲5-**Hydroxy Methyl Furfural** M. W.: 126.11 Assay (HPLC) 99.0%	1620.00 5400.00 24930.00	1 gm 5 gm 25 gm
	4-**Hydroxy**-4-**Methyl Pentan**-2-**One** See Diacetone Alcohol		
	4-**Hydroxy**-4-**Methyl**-2-**Pentanone** See Diacetone Alcohol		
116685 $C_{11}H_8O_2$ (708-06-5)	2-**Hydroxy**-1-**Naphthaldehyde** M. W.: 172.18 Assay (GC) 88.0%	2214.00 7470.00	25 gm 100 gm
299935 $C_{20}H_{12}N_2Na_2O_{11}S_3$ (165660-27-5)	**Hydroxy Naphthol Blue AR** Indicator For Calcium determination M. W.: 598.50	370.00 1458.00	5 gm 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
H27981 HISURE $C_{20}H_{12}N_2Na_2O_{11}S_3$ (165660-27-5)	**Hydroxy Naphthol Blue ACS** Certified grade M. W.: 598.50	**2304.00**	**25 gm**
	2-**Hydroxy**-1-**Nitroso**-3,6-**Naphthalene Disulfonic Acid Disodium Salt** See Nitroso R Salt		
	DL-α-**Hydroxyphenyl Acetic Acid** See DL-Mandelic Acid		
116825 $HOC_6H_4CH_2CO_2H$ (156-38-7)	4-**Hydroxy Phenyl Acetic Acid** for Synthesis M. W.: 152.15	**1305.00** **4500.00**	**25 gm** **100 gm**
	L-**Hydroxy Phenylalanine** See L-DOPA		
	2-(4'-**Hydroxyphenylazo**) **Benzoic Acid** See 2-(4-Hydroxy benzene azo) Benzoic Acid		
116945 $C_5H_{11}NO$ (5382-16-1)	4-**Hydroxy Piperidine** (4-Piperidinol) M. W.: 101.15	**2745.00** **9000.00**	**25 gm** **100 gm**
037120 $C_5H_9NO_3$ (51-35-4)	L-**Hydroxy Proline** for Biochemistry M. W.: 131.13 Assay (Non-aqueous) 99.0%	**131.00** **370.00** **1350.00** **4707.00**	**1 gm** **5 gm** **25 gm** **100 gm**
117165 $HOC_6H_4COC_2H_5$ (70-70-2)	4-**Hydroxy Propiophenone** (p-Hydroxypropiophenone) M. W.: 150.17	**2790.00** **7560.00**	**100 gm** **500 gm**
117275 $C_{42}H_{70}O_{35}.C_2H_5O$ (128446-35-5)	2-**Hydroxy Propyl Beta Cyclodextrine** for Synthesis M. W.: 1180.04	**2601.00** **8001.00**	**25 gm** **100 gm**
TC1446 ATC $C_{54}H_{102}O_{39}$ (94035-02-6)	**Hydroxypropyl-β-Cyclodextrin** 2-Hydroxypropylether-B-cyclodextrin Cell Culture Tested M. W.: 1375.36 Assay : ≥98.5% Store at 15 - 30°C	**9153.00** **34340.00**	**5 gm** **5x5 gm**
117325 (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 5 cPs	**4901.00**	**1 kg**
117330 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 15 cPs M. W.: 318.233	**4901.00**	**1 kg**
117335 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 50 cPs M. W.: 318.233	**5508.00**	**1 kg**
117340 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 3000 cPs + M. W.: 318.233	**3654.00**	**500 gm**
117350 (9004-65-3)	**Hydroxy Propyl Methyl Cellulose**	**9900.00**	**500 gm**

Product Code	Product Name	Price	Packing
	6-**Hydroxypurine** See Hypoxanthine		
117555 C_5H_5NO (142-08-5)	2-**Hydroxy Pyridine** for Synthesis M. W.: 95.10 Assay 98.0%	**3501.00** **12600.00**	**100 gm** **500 gm**
117585 C_5H_5NO (109-00-2)	3-**Hydroxy Pyridine** for Synthesis M. W.: 95.10 Assay 98.0%	**711.00** **2412.00** **10900.00**	**25 gm** **100 gm** **500 gm**
117620 C_5H_5NO (626-64-2)	4-**Hydroxy Pyridine** M.W.: 95.10 Assay (By GC) 95.0%	**1404.00** **5301.00**	**25 gm** **100 gm**
117655 C_9H_7NO (148-24-3)	8-**Hydroxy Quinoline** (Oxine) M. W.: 145.16 Assay ($HClO_4$ titration) 99.0-101.0%	**1098.00** **4797.00**	**100 gm** **500 gm**
545475 C_9H_7NO (148-24-3)	8-**Hydroxy Quinoline AR/ACS** (Oxine) Reagent for Vanadium Magnesium M. W.: 145.16 Assay ($HClO_4$ titration) 99.0%	**1305.00** **5202.00**	**100 gm** **500 gm**
PCT2128 PTC C_9H_7NO (148-24-3)	8-**Hydroxyquinoline** Plant Culture Tested M. W.: 145.16 Assay 99% Store below 30°C	**1540.00** **6219.00** **11970.00**	**100 gm** **500 gm** **1 kg**
845450	8-**Hydroxy Quinoline** Solution (Oxine Reagent) Reagent for Al, In, Mo, Co, Cd	**360.00**	**100 ml**
117725 $C_4H_5NO_3$ (6066-82-6)	n-**Hydroxy Succinimide** for Synthesis M. W.: 115.09	**2394.00** **7920.00**	**100 gm** **500 gm**
117815 $C_{11}H_{12}N_2O_3$ (4350-09-8)	5-**Hydroxy**-L-**Trpytophan** for Biochemistry M. W.: 220.22	**2570.00**	**1 gm**
117905 (61790-53-2)	**Hyflosupercel** (Filter AID)	**550.00** **792.00** **POR**	**500 gm** **1 kg** **10 kg**
117995 $C_{20}H_{37}N_3O_{13}$ (31282-04-9)	**Hygromycin-B** M. W.: 527.52 Assay 60%	**2430.00** **13150.00**	**100 mg** **1 gm**
PCT2104 PTC $C_{20}H_{37}N_3O_{13}$ (31282-04-9)	▲**Hygromycin-B** From Streptomyces hygroscopicus Plant Culture Tested M. W.: 527.52 Assay 60%	**3852.00** **8470.00** **29664.00**	**100 mg** **250 mg** **1 gm**
PCT2503 PTC	▲**Hygromycin B** Solution w/ 50 mg/ml Hygromycin B in sterile distilled water Sterile filtered Plant Culture Tested	**19998.00** **96300.00**	**20 ml** **5X20 ml**
TC1027 ATC $C_{20}H_{37}N_3O_{13}$ (31282-04-9)	▲**Hygromycin-B** Cell Culture Tested Recommended for use in cell culture applications at 200-400 mg/L M. W.: 527.52 Assay : ≥80% Potency : ≥1170 µg/mg	**2790.00** **4824.00** **9756.00** **28220.00**	**50 mg** **100 mg** **250 mg** **1 gm**
	Hypo See Sodium Thiosulphate		

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
118265 H_3PO_2 (6303-21-5)	**Hypophosphorous Acid** M. W.: 66.00 Assay 30-32%	1800.00	500 ml
545505 H_3PO_2 (6303-21-5)	**Hypophosphorous Acid AR** M. W.: 66.00 Assay (acidimetric) 50.0%	2394.00	500 ml
118515 $C_5H_4N_4O$ (68-94-0)	**Hypoxanthine** for Biochemistry M. W.: 136.11 Assay (Non-aqueous) 99.0%	270.00 1000.00 3393.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
PCT1206 PTC $C_5H_4N_4O$ (68-94-0)	**Hypoxanthine** (6-Hydroxypurine) Plant Culture Tested M. W.: 136.11 Assay 99% Store below 30°C	900.00 4041.00 8240.00	5 gm 25 gm 100 gm
TC1139 ATC $C_5H_4N_4O$ (68-94-0)	**Hypoxanthine** (6-Hydroxypurine) Cell Culture Tested M. W.: 136.11 Assay : ≥99% Store below 30°C	1485.00 5940.00	5 gm 25 gm

HPLC SOLVENTS

Product Features

- Solvents of this Special Quality are carefully analysed to exceed or to meet the limit of UV absorbtion.
- These Solvents of high quality standards are of much greater mechanical strength.
- Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.
- Solvents are filtered through 0.22 m filter.
- All of our HPLC Solvents are packed under Nitrogen for its better Resistance and bottles are sealed with Teflon Liner to prevent contamination.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	ICP Single/Multi Element Standard Solution Manufactured from the High Purity D.I. Water, Metal Free Acids and High Purity Metals & Metal Salts. Manufactured in intensively Controlled clean room for prevention of cross contamination.Each element solutions In accordance with NIST		
	See Complete List Standard Solution Page No.-		
106815 $C_3H_4N_2$ (288-32-4)	**Imidazole** (Glyoxaline) M.W.: 68.08 Assay (GC) 99.0%	**558.00** **2205.00** **16533.00**	**100 gm** **500 gm** **5 kg**
546015 $C_3H_4N_2$ (288-32-4)	**Imidazole AR/ACS** M. W.: 68.08 Assay (By acidimetric) 99.5%	**657.00** **2502.00** **19000.00**	**100 gm** **500 gm** **5 kg**
948100 MB $C_3H_4N_2$ (288-32-4)	**Imidazole** for Molecular Biology M. W.: 68.08 Assay (GC) 99.5%	**2502.00** **7560.00**	**100 gm** **500 gm**
028547 $C_4H_7NO_4$ (142-73-4)	**Imino Diacetic Acid** for Synthesis M. W.: 133.10 Assay (acidimetric) 99.0%	**1062.00**	**250 gm**
120875 $C_{19}H_{24}N_2.HCl$ (113-52-0)	**Imipramine Hydrochloride** for Biochemistry M. W.: 316.87	**302.00** **864.00** **3222.00**	**5 gm** **25 gm** **100 gm**
351205	**Immersion Oil** Natural	**2120.00**	**500 ml**
351185	**Immersion Oil** for Microscopy Wt. per ml at 20°C Abt. 0.97 gm	**270.00** **320.00** **774.00** **2628.00**	**25 ml** **30 ml** **125 ml** **500 ml**
	1,2,3-**Indanetrione** See Ninhydrin		
121005 C_9H_9O (83-33-0)	1-**Indanone** for Synthesis (A-Hydrindone) M. W.: 132.16	**1917.00**	**25 gm**
121195 C_9H_8 (95-13-6)	**Indene** M. W.: 116.16 Assay 99.0%	**3600.00**	**100 ml**
848910	**Indian Ink Used as Stain** for Proteins on Nitrocellulose Blotting Membranes	**351.00**	**100 ml**
PA0781	**Indicator Paper pH 1-10** Wide Range (10bks)	**396.00**	**200 lvs**
PA0783	**Indicator Paper** Universal **pH 1-10** (Including Colour Scale 100 leaves)	**396.00**	**200 lvs**
PA0785	**Indicator Paper** Universal **pH 1-10** (Without Colour Scale) Accurate to 1pH Unit	**311.00**	**1 refill**
PA0786	**Indicator Paper** Universal **pH 1-10** (Including Colour Scale) Accurate to 1pH Unit	**311.00**	**1 roll**
PA0791	**Indicator Paper pH 1.0-14.0** Full Range (10 bks)	**396.00**	**200 lvs**
PA0801	**Indicator Paper pH 2.0-4.5** Narrow Range (10 bks)	**396.00**	**200 lvs**

Product Code	Product Name	Price	Packing
PA0811	**Indicator Paper pH 2.0-10.5** Wide Range (10 bks)	**370.00**	**200 lvs**
PA0821	**Indicator Paper pH 3.5-6.0** Narrow Range (10 bks)	**387.00**	**200 lvs**
PA0826	**Indicator Paper pH 3.8-5.4** (10 bks) Plastic Box	**450.00**	**200 lvs**
PA0836	**Indicator Paper pH 5.0-7.5** Narrow Range (10 bks)	**360.00**	**200 lvs**
PA0871	**Indicator Paper pH 6.5-9.0** Narrow Range (10 bks)	**360.00**	**200 lvs**
PA0886	**Indicator Paper pH 8.0-10.5** Narrow Range (10 bks)	**374.00**	**200 lvs**
PA0891	**Indicator Paper pH 8.2-10.0** (10 bks) Plastic Box	**387.00**	**200 lvs**
301045 $C_{16}H_8N_2O_8S_2Na_2$ (860-22-0)	**Indigo Carmine AR** for Microscopy C.I. No. 73015 M. W.: 466.36 Dye content (titanometry, on dried subs.) 85.0%	**298.00** **1000.00** **9900.00**	**25 gm** **100 gm** **1 kg**
849000	**Indigo Carmine** Indicator Solution	**198.00**	**100 ml**
121415	**Indion® 190 Ion Exchange Resin** Catalyst grade) (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**1900.00** **5976.00**	**250 gm** **1 kg**
121420	**Indion® 225H Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**927.00** **POR**	**1 kg** **5 kg**
121425	**Indion® 236 Ion Exchange Resin** (Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**1638.00**	**1 kg**
121430	**Indion® 454 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**1450.00** **6291.00**	**250 gm** **1 kg**
121435	**Indion® 464 Ion Exchange Resin** (Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**2196.00** **7340.00**	**250 gm** **1 kg**
121440	**Indion® 730 Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**981.00**	**1 kg**
121445	**Indion® 790 Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**2354.00**	**1 kg**
121450	**Indion® 810 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**2980.00**	**1 kg**
121455	**Indion® 820 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**4248.00**	**1 kg**
121460	**Indion® 830S Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**3231.00**	**1 kg**
121465	**Indion® 860 Ion Exchange Resin** (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**775.00** **2133.00**	**250 gm** **1 kg**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
121470	**Indion® 890 Ion Exchange Resin** (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	3276.00	1 kg
121475	**Indion® BSR Ion Exchange Resin** (Chelating resin) (Product of Ion Exchange India Ltd)	2300.00 8163.00	250 gm 1 kg
121480	**Indion® CAM-1 Ion Exchange Resin** (Nuclear grade) (mixed bed resin) (Product of Ion Exchange India Ltd)	3006.00	1 kg
121485	**Indion® CAM-28 Ion Exchange Resin** (mixed bed resin) (Product of Ion Exchange India Ltd)	3551.00 5153.00	250 gm 1 kg
121490	**Indion® GS-300 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	2012.00	1 kg
121495	**Indion® GS-400 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	1845.00	1 kg
121500	**Indion® NPA2 Ion Exchange Resin** (Industrial grade) (Product of Ion Exchange India Ltd)	4680.00	500 gm
849300	**Indium** (In) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	4788.00	250 ml
849350	**Indium** (In) CRISTAR® 1000 ppm Single Element Std. Soln. "Certisol" for ICP in HNO_3	5490.00	100 ml
546065 In (7440-74-6)	**Indium** Metal Ingots **AR** At W. 114.82 Assay 99.9%	4833.00 POR POR	10 gm 100 gm 500 gm
121580 In $(NO_3)_3.5H_2O$ (13770-61-1)	**Indium Nitrate** M.W. : 390.91 Assay (trace metals basis) 99.9%	3870.00	10 gm
028554 In_2O_3 (1312-43-2)	**Indium Oxide** M. W.: 277.63 Assay (after ignition) 99.5%	5895.00	10 gm
028555 $In_2(SO_4)_3$ (13464-82-9)	**Indium Sulphate** M. W.: 517.82 Assay 99.0%	2943.00	10 gm
028556 $InCl_3$ (10025-82-8)	**Indium Trichloride** M. W.: 221.18 Assay (ex In) 97.0%	4860.00	10 gm
546095 C_8H_7N (120-72-9)	**Indole** Crystalline **AR** For estimation of DNA M. W.: 117.15 Assay (GC) 99.0%	540.00 1503.00 POR	25 gm 100 gm 1 kg
849415	**Indole** Solution (Reagent for Nitrites)	423.00	100 ml
028558 $C_{10}H_9NO_2$ (87-51-4)	**Indole-3-Acetic Acid** for Biochemistry Plant Growth Hormone M. W.: 175.18 Assay (Potentiometric-acidimetry) 98.0%	401.00 1503.00 4901.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
PCT1803 PTC $C_{10}H_9NO_2$ (87-51-4)	▲**Indole-3-Acetic Acid (IAA)** (Heteroauxine) Plant Culture Tested M. W.: 175.19 Assay 99%	675.00 3340.00 10692.00	5 gm 25 gm 100 gm
PCT2404 PTC	▲**Indole-3-Acetic Acid Solution (IAA)** w/ 1 mg/ml IAA in sterile distilled water Sterile filtered Plant Culture Tested	797.00 2403.00	20 ml 5X20 ml
121835 $C_{10}H_8N_2$ (771-51-7)	3-**Indole Acetonitrile** for Biochemistry M. W.: 156.18 Assay (GC) 97.0%	1458.00 5445.00 20970.00	5 gm 25 gm 100 gm
028559 $C_{12}H_{13}NO_2$ (133-32-4)	**Indole-3-Butyric Acid** for Biochemistry Plant Growth Hormone M. W.: 203.24 Assay (HPLC) 99.0%	423.00 1701.00 5517.00 POR	5 gm 25 gm 100 gm 1 kg
PCT1804 PTC $C_{12}H_{13}NO_2$ (133-32-4)	▲**Indole-3-Butyric Acid (IBA)** Plant Culture Tested M. W.: 203.24 Assay 99%	666.00 2997.00 10512.00	5 gm 25 gm 100 gm
PCT2405 PTC	▲**Indole-3-Butyric Acid Solution (IBA)** w/ 1 mg/ml IBA in sterile distilled water Sterile filtered Plant Culture Tested	873.00 2610.00	20 ml 5X20 ml
122005 $C_9H_6N_2$ (15861-24-2)	▲**Indole-5-Carbonitrile** (5-Cyano Indole) M. W.: 142.16 Assay 98.0%	1071.00 4671.00	5 gm 25 gm
122105 C_9H_7NO (487-89-8)	▲**Indole-3-Carboxaldehyde** for Synthesis M. W.: 145.16	1755.00 6120.00	25 gm 100 gm
122155 $C_9H_7NO_2$ (771-50-6)	**Indole-3-Carboxylic Acid** for Biochemistry M. W.: 161.16 Assay 97.5-101.5%	1260.00 5031.00	5 gm 25 gm
122165 $C_9H_7NO_2$ (1670-81-1)	**Indole-5-Carboxylic Acid** M. W.: 161.16	9000.00	5 gm
122245 $C_{11}H_{11}NO_2$ (830-96-6)	**Indole-3-Propionic Acid** for Biochemistry M. W.: 189.21	1107.00 3290.00	5 gm 25 gm
PCT1831 PTC $C_{11}H_{11}NO_2$ (830-96-6)	▲**Indole-3-Propionic Acid (IPA)** Plant Culture Tested M. W.: 189.21 Assay 97%	1836.00 8964.00	5 gm 25 gm
PCT2407 PTC	▲**Indole-3-Propionic Acid Solution (IPA)** w/ 1 mg/ml IPA in sterile distilled water Sterile filtered Plant Culture Tested	910.00 2754.00	20 ml 5X20 ml
122315 $C_{14}H_9Cl_2NO$ (15362-40-0)	**Indolinone** for Synthesis [1-(2,6-dichlorophenyl)-2-indolinone] M. W.: 278.13	621.00 1540.00	25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1465 ATC $C_{19}H_{16}ClNO_4$ (53-86-1)	▲**Indomethacin** 1-(4-Chlorobenzoyl)-5-methoxy-2-methyl-3-indoleacetic acid Cell Culture Tested M. W.: 357.79 Assay : ≥99%	5040.00 8870.00 21020.00 64332.00	5 gm 10 gm 25 gm 100 gm
TC1711 ATC (56090-82-1)	▲**Inomycin Calcium Salt** Cell Culture Tested M. W.: 747.07 Assay : ≥98%	48510.00	10 mg
028561 $C_{10}H_{12}N_4O_5$ (58-63-9)	▲**Inosine** for Biochemistry M. W.: 268.23 Assay (Spectrophotometric 249nm at pH 6.0) 98.0-102.0%	585.00 1305.00 5004.00 19800.00	10 gm 25 gm 100 gm 500 gm
122395 $C_{10}H_{11}N_4Na_2O_8P.8H_2O$ M.W.: 536.3 (4691-65-0)	▲**Inosine-5-Monophosphate Disodium Salt** Octahydrate for Biochemistry Assay (Spectrophotometry; on dried metrial) 98.0%	1040.00 3690.00	5 gm 25 gm
122405 $C_6H_{12}O_6$ (87-89-8)	meso-**Inositol** for Biochemistry M. W.: 180.16	351.00 945.00 8460.00	25 gm 100 gm 1 kg
PCT1208 PTC $C_6H_{12}O_6$ (87-89-8)	**Inositol** (meso-Inositol) Plant Culture Tested M. W.: 180.16 Assay 98% Store below 30°C	522.00 1827.00 16470.00	25 gm 100 gm 1 kg
TC1140 ATC $C_6H_{12}O_6$ (87-89-8)	myo-**Inositol** (meso-Inositol; I-Inositol) Cell Culture Tested M. W.: 180.16 Assay : ≥97% Store below 30°C	1341.00 3996.00 15912.00 24003.00	25 gm 100 gm 500 gm 1 kg
300845 $C_{19}H_{13}ClIN_5O_2$ (146-68-9)	· **I.N.T. AR** Reagent for LDH determination M. W.: 505.70 Assay (Argentometric; on dried) 98.0%	2300.00 11007.00	1 gm 5 gm
943600 MB $C_{19}H_{13}ClIN_5O_2$ (146-68-9)	· **I.N.T. Chloride (Int Dye)** For Molecular Biology M. W.: 505.7 Assay : ≥ 95%	2718.00	1 gm
038046 $(C_6H_{10}O_5)x$ (9005-80-5)	**Inulin** for Biochemistry M. W.: (162.14)x	1000.00 3303.00	25 gm 100 gm
545215 HIO_3 (7782-68-5)	**Iodic Acid AR** M. W.: 175.91 Assay 99.5%	6291.00	100 gm
028564 I_2 (7553-56-2)	**Iodine** Resublimed Meets Analytical Specification of IP, BP, Ph. Eur. M. W : 253.81 Assay (Oxidimetric) 99.5%	1130.00 3402.00 16002.00 POR	25 gm 100 gm 500 gm 25 kg
545255 I_2 (7553-56-2)	**Iodine** Resublimed **AR** M. W : 253.81 Assay (Oxidimetric) 99.8%	1202.00 3600.00 17010.00	25 gm 100 gm 500 gm

Product Code	Product Name	Price	Packing
849600	**Iodine** Solution 1% w/v	158.00	125 ml
849418	**Iodine** Solution For TLC Spray (Universal Reagent for Organic Compounds)	522.00	125 ml
849650	**Iodine** 10% w/v	2133.00 POR	500 ml 2.5 lit
849655	**Iodine** 20% w/v	4266.00 POR	500 ml 2.5 lit
849780	**Iodine** 0.005 M (0.01 N) Volumetric Solution	468.00 2205.00	500 ml 2.5 lit
849725	**Iodine** CPECTROSOL® 0.02365M (0.0473N) Standardized Solution In accordance with NIST	1400.00	1 lit
849730	**Iodine** CPECTROSOL® 0.0241M (0.0482N) Standardized Solution In accordance with NIST	1400.00	1 lit
849750	**Iodine** 0.025 M (0.05 N) Volumetric Solution	1301.00	1 lit
849700	**Iodine** Solution N/10 (0.1 N)	513.00	500 ml
849810	**Iodine** 0.05M Standardized solution Nist Traceble	1400.00	1 lit
849815	**Iodine** 0.05 M (0.1N) Volumetric Solution	990.00 1872.00 3078.00	500 ml 1 lit 2.5 lit
849840	**Iodine** Solution 0.05 M Citrisol 6.3450 g I_2 For 500 ml. 0.1 N solution	990.00 1800.00 3240.00	1 Amp 3 Amp 6 Amp
849845	**Iodine** 0.1N acc. to USP	1400.00	500 ml
849850	**Iodine 0.5M (1N)** Standardized Solution Nist Traceable	4554.00	1 lit
849870	**Iodine** 1N (0.5M) Solution	1540.00 2970.00	250 ml 500 ml
	Iodine Chloride See Iodine Monochloride		
	Iodine Gram's See Gram's Iodine		
849885	**Iodine Iodate** 0.01N (0.005M) Concentrate Solution For 1 lit	1359.00	1 lit
849888	**Iodine Iodate** 1/64N (1/128M) Concentrate Solution For 1 lit	2205.00	1 lit
	Iodine Lugol's See Lugol's Iodine		
122715 BrI (7789-33-5)	**Iodine Mono Bromide** for Synthesis M. W.: 206.81 Assay 98.0%	8730.00 POR	100 gm 5x100 gm
849890	**Iodine Mono Bromide** 1.0 M (in Dichloro methane)	720.00	100 ml
028566 ICl (7790-99-0)	**Iodine Mono Chloride** for Synthesis M. W.: 162.36 Assay (iodometric) 98.0%	5607.00	250 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
849900	**Iodine Mono Chloride** Solution 1.0 M (in Dichloro methane)	3906.00 5400.00	100 ml 500 ml
549025 I_2O_5 (12029-98-0)	**Iodine Pentoxide AR** for Flue Gas Analysis M. W.: 333.81 Assay 98.0%	7200.00	100 gm
849930	**Iodine Phosphoric** Acid Solution (Magnine Reagent) (Reagent for Cellulose)	666.00	25 ml
028569 ICl_3 (865-44-1)	**Iodine Trichloride** M. W.: 233.26 Assay (Iodometric) 97.0%	3105.00	25 gm
122855 ICH_2CONH_2 (144-48-9)	**Iodo Acetamide** for Synthesis M. W.: 184.96	6003.00	25 gm
549165 ICH_2CO_2H (64-69-7)	**Iodo Acetic Acid AR** M. W.: 185.95 Assay 99.5%	1971.00 5904.00	5 gm 25 gm
123015 C_6H_5I (591-50-4)	**Iodo Benzene** for Synthesis M. W.: 204.01 Assay 98.0%	3006.00 13500.00	100 gm 500 gm
549305 $C_6H_5I(O_2CH_3)_2$ (3240-34-4)	**Iodo Benzene Diacetate AR** (Diacetoxyiodobenzene) M. W.: 322.10 Assay 98.0%	1701.00 6300.00	25 gm 100 gm
123225 $IC_6H_4CO_2H$ (88-67-5)	▲2-**Iodo Benzoic Acid** M. W.: 248.02 Assay 98.0%	981.00 3096.00	25 gm 100 gm
113245 $C_{10}H_{21}I$ (2050-77-3)	1-**Iododecane** for Synthesis M.W : 268.18 Assay 98.0%	1350.00 4500.00	25 gm 100 gm
	1-**Iodobutane** See n-Butyl Iodide		
	Iodoeosin See Erythrosin B		
	Iodo Ethane See Ethyl Iodide		
028583 CHI_3 (75-47-8)	**Iodoform** Pure M. W.: 393.73 Assay (Iodometric ex I) 98.0%	1503.00 9702.00	25 gm 250 gm
123365 C_8H_6IN (16066-91-4)	5- **Iodo Indole** M. W.: 243.04 Assay 98.0%	9900.00 27360.00	5 gm 25 gm
	Iodo Methane See Methyl Iodide		
549455 C_6H_5IO (540-38-5)	4- **Iodo Phenol AR** M. W.: 220.01 Asay 99.0%	3600.00 14000.00	25 gm 100 gm
	2-(4-**Iodo Phenyl**)-3(p-**Nitro Phenyl**) 5-**Phenyl Tetra Zolium Chloride** See I.N.T.		
	1-**Iodo**-2,5-**Pyrrolidinedion** See n-Iodosuccinimide		
DI1800	**Iodophor Disinfectant**	1098.00 4707.00	1 lit 5 lit
DI1900	**Iodophor-FD**	1098.00 4707.00 POR	1 lit 5 lit 10x5 lit

Product Code	Product Name	Price	Packing
549565 $C_4H_4INO_2$ (516-12-1)	**n-Iodo Succinimide AR** (Nis, 1-Lodo-2,5-Pyrrolidinedione) Ion Exchange Resins M. W.: 224.98 Assay 95.0%	1647.00 6192.00	25 gm 100 gm
	Ion Exchange Resins See Ceralite		
123965 $C_{13}H_{20}O$ (127-41-3)	**a-Ionone** for Synthesis M. W.: 192.30 Assay 90.0%	1800.00 5400.00 8514.00	100 ml 500 ml 1 lit
124005 $C_{13}H_{20}O$ (79-77-6)	b-**Ionone** for Synthesis M. W.: 192.30 Assay 96.0%	1800.00 7794.00	100 ml 500 ml
	IPTG See Isopropyl ß-D-1-Thiogalactopyranoside		
028596 Ir (7439-88-5)	**Iridium** Metal Powder M. W.: 192.22 Assay (Trace metal basis) 99.9%	7083.00 56700.00	100 mgm 1 gm
124190 $IrCl_3$ (10025-83-9)	**Iridium Trichloride** Iridium Content 46% Approx M.W 298.58 Assay 99.0%	35010.00	1 gm
	Iris Blue B See Lacmoid,		
850040	**Iron** (Fe) CPECTROSOL® Atomic Absorption Std. Soln Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
850042	**Iron** (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
850070	**Iron** (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00 8514.00	100 ml 500 ml
850100	**Iron** (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	16020.00 48204.00	100 ml 500 ml
850130	**Iron** (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8514.00	100 ml 500 ml
850160	**Iron** (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16020.00 48204.00	100 ml 500 ml
850200	**Iron** (II) **Sulphate** CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	1818.00	1 lit
	Iron (III) See Ferric		
028597 Fe (7439-89-6)	**Iron** Filings about 100 Mesh At.W. : 55.85 Assay (Redox titration) 99.5%	828.00 3870.00	1 kg 5 kg
028601 Fe (7439-89-6)	**Iron** (Metal) Powder 300 Mesh Electrolytic At. W. 55.85 Assay (Redox titration) 95.0%	1053.00 4806.00 POR	1 kg 5 kg 50 kg
549975 Fe (7439-89-6)	**Iron** Wire 0.57 mm Diameter **AR** M. W.: 55.85	801.00	100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	Iron Alum See Ammonium Ferric Sulphate		
124315 Fe (7439-89-6)	**Iron Reduced** Extra Pure A. W.: 55.85 Assay 99.0%	**1400.00**	**1 kg**
550065 $C_2FeO_4.2H_2O$ (6047-25-2)	**Iron Oxalate AR** M.W. : 179.90 Assay (trace metal basis) 99.9%	**9000.00**	**25 gm**
	Iron Oxide See Ferric Oxide Red		
N31257 Fe_2O_3 (1309-37-1)	**Iron(III) Oxide Nanopowder/ Nanoparticles** (Alpha, 20-50nm) Assay Fe_2O_3 99.8%	**1908.00** **5139.00** **16511.00** **23810.00**	**5 gm** **25 gm** **100 gm** **250 gm**
N31262 Fe_2O_3 (1309-37-1)	**Iron(III) Oxide Nanopowder/ Nanoparticles** (gamma, 30nm) Assay Fe_2O_3 99.9%	**1578.00** **6300.00** **13500.00** **32310.00**	**5 gm** **25 gm** **100 gm** **250 gm**
	Iron (II) **Sulphate** See Ferrous Sulphate		
	Iron (III) **Sulphate** See Ferric Sulphate		
	Iron Sulphide See Ferrous Sulphide		
301245 $C_8H_5NO_2$ (91-56-5)	**Isatin AR** for Synthesis (Indole-2,3-dione) (Spectrophotometric det.of Proline and Thiophene) M. W.: 147.13	**1026.00** **3492.00** **POR**	**25 gm** **100 gm** **500 gm**
124555 $C_8H_5NO_3$ (118-48-9)	**Isatoic Anhydride** for Synthesis (Anthranilic Acid N-Carboxylic Acid Anhydride) M. W.: 163.13	**396.00** **1494.00**	**100 gm** **500 gm**
124575 $C_7H_{14}O_2$ (123-92-2)	**Iso Amyl Acetate** for Synthesis M. W.: 130.19 Assay (GC) 95.0%	**657.00** **2691.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
550325 $C_7H_{14}O_2$ (123-92-2)	**Iso Amyl Acetate AR** M. W.: 130.19 Assay (GC) 95.0%	**801.00** **3501.00**	**500 ml** **2.5 lit**
124595 $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol** for Synthesis also for Milk testing M. W.: 88.15 Assay Isomer (GC) 98.0%	**648.00** **2394.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
550345 $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol AR/ACS** M. W.: 88.15 Assay (GC) isomers 99.0%	**756.00** **2700.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
949000 MB $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol** for Molecular Biology M. W.: 88.15 Assay (GC) 99.5%	**1800.00**	**500 ml**
124615 $C_5H_{11}I$ (541-28-6)	**Iso Amyl Iodide** M. W.: 198.05 Assay (GC) 97.0%	**6300.00**	**100 ml**

Product Code	Product Name	Price	Packing
	1-**Iso Benzofuranone** See Phthalide		
124665 (124-76-5)	**Iso Borneol Flakes**	**3240.00**	**500 gm**
124715 $C_4H_{10}O$ (78-83-1)	**Iso Butanol** for Synthesis (Iso Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**513.00** **2043.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
550365 $C_4H_{10}O$ (78-83-1)	**Iso Butanol AR/ACS** (Iso Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**603.00** **2304.00** **POR**	**500 ml** **2.5 lit** **25 lit**
124765 $CH_3COOCH_2CH(CH_3)_2$ (110-19-0)	**Iso Butyl Acetate** for Synthesis (acetic acid isobutyl ester) M. W.: 116.16	**639.00** **2907.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Iso Butyl Alcohol See Iso-Butanol		
124905 $C_6H_5CH_2CH(CH_3)_2$ (538-93-2)	**Iso Butyl Benzene** for Synthesis [(2-methylpropyl) benzene] M. W.: 134.22	**550.00** **2300.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
550415 $C_6H_5CH_2CH(CH_3)_2$ (538-93-2)	**Iso Butyl Benzene AR** M. W.: 134.22 Assay 99.0%	**810.00**	**500 ml**
125015 $C_6H_5CO_2CH_2CH(CH_3)_2$ (120-50-3)	**Iso Butyl Benzoate** for Synthesis M. W.: 178.23 Assay 98.0%	**2800.00**	**500 gm**
125095 C_4H_9Br (78-77-3)	**Iso Butyl Bromide** (1-Bromo-2 Methyl Propane) M. W.: 137.03 Assay (GC) 98.0%	**2601.00**	**500 ml**
125205 $CH_3CH_2CH_2CO_2CH_2CH(CH_3)_2$ (539-90-2)	**Iso Butyl Butyrate** for Synthesis M. W.: 144.21 Assay 98.0%	**1890.00**	**500 gm**
125215 $C_5H_9ClO_2$ (543-27-1)	**Iso Butyl Chloro Formate** for Synthesis M.W : 136.58 Assay 98.0%	**6003.00**	**500 ml**
125225 $C_{13}H_{16}O_2$ (122-67-8)	**Iso Butyl Cinnamate** for Synthesis M. W.: 204.26 Assay 98.0%	**3996.00**	**500 gm**
125235 $C_5H_{10}O_2$ (542-55-2)	**Iso Butyl Formate** for Synthesis M. W.: 102.13 Assay 97.0%	**3250.00**	**500 gm**
125255 C_4H_9I (513-38-2)	**Iso Butyl Iodide** for Synthesis (1-Iodo-2-Methyl Propane) M. W.: 184.02 Assay 97.0%	**3753.00** **13870.00**	**100 ml** **500 ml**
125335 $(CH_3)_2CH.CH_2.CO.CH_3$ (108-10-1)	**Iso Butyl Methyl Ketone** for Synthesis (Methyl Iso Butyl Ketone) M. W.: 100.16 Assay (GC) 99.0%	**540.00** **2502.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
550385 $(CH_3)_2CH.CH_2.CO.CH_3$ (108-10-1)	**Iso Butyl Methyl Ketone AR/ACS** M. W.: 100.16 Assay (GC) 99.0%	**702.00** **3006.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
747000 $(CH_3)_2CH.CH_2.CO.CH_3$ (108-10-1)	**Iso Butyl Methyl Ketone** for HPLC & Spectroscopy M. W.: 100.16 Assay (GC) 99.5%	1278.00	500 ml
TC1464 ATC $C_{10}H_{14}N_4O_2$ (28822-58-4)	**3-Isobutyl-1-Methylxanthine** 1-Methyl-3-isobutylxanthine IBMX Cell Culture Tested M. W.: 222.24 Assay : ≥99% Store at -20°C	8442.00 15813.00 46710.00	100 mg 250 mg 1 gm
125535 $C_{12}H_{16}O_2$ (102-13-6)	**Iso Butyl Phenyl Acetate** for Synthesis M. W.: 192.25 Assay 98.0%	3969.00	500 gm
125555 $C_7H_{14}O_2$ (540-42-1)	**Iso Butyl Propionate** for Synthesis M. W.: 130.18 Assay 98.0%	5679.00	500 gm
125575 $C_{11}H_{14}O_3$ (87-19-4)	**Iso Butyl Salicylate** for Synthesis M. W.: 194.23 Assay 98.0%	3105.00	500 gm
125665 $(CH_3)_2CHCHO$ (78-84-2)	**Iso Butyraldehyde** for Synthesis (2-methylpropionaldehyde) M. W.: 72.11	594.00 2691.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
125725 $C_4H_8O_2$ (79-31-2)	**Iso Butyric Acid** M. W.: 88.11 Assay (GC) 98.0%	900.00 4302.00	500 ml 2.5 lit
125785 $C_8H_{14}O_3$ (97-72-3)	**Iso Butyric Anhydride** for Synthesis M. W.: 158.19	3501.00	500 ml
125825 $(CH_3)_2CHCOCl$ (79-30-1)	**Iso Butyryl Chloride** for Synthesis (2-methylpropionyl chloride) M. W.: 106.55	1350.00 4806.00	250 ml 1 lit
125915 $C_9H_8O_2$ (4385-35-7)	3-**Iso Chromanone** M. W.: 148.16	2349.00 8100.00 18000.00	1 gm 5 gm 25 gm
550505 $C_6H_5Na_3O_7.XH_2O$ (1637-73-6)	DL-**Iso Citric Acid Tri-Sodium Salt AR** for Biochemistry M. W.: 258.07 (Anhydrous)	3006.00	1 gm
	Iso Dulcite See L(+) Rhamnose		
126055 $CH_3OC_6H_3(CH{=}CHCH_3)OH$ (97-54-1)	**Iso Eugenol** for Synthesis (2-mehoxy-4-propenylphenol) (4-Propenyl-2-methoxyphenol) M. W.: 164.20	1540.00	100 ml
126215 $C_{12}H_{14}O_3$ (93-29-8)	**Iso Eugenyl Acetate** for Synthesis M. W.: 206.24 Assay 98.0%	7200.00	500 gm
037123 $C_6H_{13}NO_2$ (73-32-5)	L-**Iso-Leucine** for Biochemistry M. W.: 131.17 Assay (Non-aqueous) 99.0%	450.00 1755.00 11007.00	25 gm 100 gm 1 kg
PCT1312 PTC $C_6H_{13}NO_2$ (73-32-5)	**L-Isoleucine** Plant Culture Tested M. W.: 131.17 Assay 99% Store below 30°C	567.00 1971.00 8865.00	25 gm 100 gm 500 gm

Product Code	Product Name	Price	Packing
TC1049 ATC $C_6H_{13}NO_2$ (73-32-5)	**L-Isoleucine** (From non-animal source) Cell Culture Tested M. W.: 131.17 Assay : ≥99% Store below 30°C	1602.00 1917.00 5742.00 43070.00	10 gm 25 gm 100 gm 1 kg
TC1049M ATC $C_6H_{13}NO_2$ (73-32-5)	**L-Isoleucine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 131.18 Store below 30°C	2142.00 4176.00 14400.00 86625.00	10 gm 25 gm 100 gm 1 kg
	Isoniazide See Isonicotinic Acid Hydrazide		
029332 $C_6H_5NO_2$ (55-22-1)	**Iso Nicotinic Acid** M. W.: 123.11 Assay(acidimetric) 98.0%	851.00 3200.00	100 gm 500 gm
028606 $C_6H_7N_3O$ (54-85-3)	**Iso Nicotinic Acid Hydrazide** (Iso Niazid) M. W.: 137.14 Assay (Oxidimetric) 99.0%	801.00 3501.00	100 gm 500 gm
126475 $C_6H_{11}NO_2$ (498-94-2)	**Iso Nipecotinic Acid** for Synthesis M. W.: 129.16 Assay 97.0%	828.00 3105.00 13500.00	25 gm 100 gm 500 gm
030518 C_8H_{18} (540-84-1)	**Iso Octane** M. W.: 114.23 Assay (GC) 99.5%	1143.00 4608.00 POR	500 ml 2.5 lit 25 lit
550555 C_8H_{18} (540-84-1)	**Iso Octane AR/ACS** M. W.: 114.23 Assay (GC) 99.5%	1305.00 5400.00	500 ml 2.5 lit
550558 C_8H_{18} (540-84-1)	**Iso Octane** for Dry (2,2,4-Trimethylpentane) M.W. 114.23 Assay (GC) 99.5%	1503.00 4770.00	500 ml 2.5 lit
747500 C_8H_{18} (540-84-1)	**Iso Octane** for HPLC & Spectroscopy M. W.: 114.23 Assay (GC) 99.7%	2502.00 5706.00	1 lit 2.5 lit
747510 C_8H_{18} (540-84-1)	**Iso Octane** PRA For Pesticide Residue Trace Analysis (2,2,4-Trimethylpentane) M.W. 114.23 Assay (GC) 99.8%	2700.00	1 lit
126575 C_5H_{12} (78-78-4)	**Iso Pentane** M. W.: 72.15 Assay (GC) 99.0%	1206.00 4707.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
550595 C_5H_{12} (78-78-4)	**Iso Pentane AR** M. W.: 72.15 Assay (GC) 99.5%	1170.00 5004.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
	Iso Pentanoic Acid See Iso Valeric Acid		
PCT1807 PTC $C_{10}H_{13}N_5$ (2365-40-4)	▲N^6-(2-**Isopentenyl**) **adenine;(2iP)** [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested M. W.: 203.24 Assay 98%	22905.00 81810.00	1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
PCT1850 PTC $C_{15}H_{21}N_5O_4$ (7724-76-7)	▲N^6-(2-**Isopentenyl) adenine; (2-iP) riboside** [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested M. W.: 335.4 Assay 97%	12078.00 57996.00	1 gm 5 gm
029524 $C_9H_{14}O$ (78-59-1)	**Iso-Phorone** for Synthesis M. W.: 138.21 Assay (GC) 95.0%	666.00 2790.00	500 ml 2.5 lit
551375 $C_9H_{14}O$ (78-59-1)	**Iso Phorone AR** M. W.: 138.21	1670.00	1 lit
126715	**Iso Phorone-Di-Iso-Cyanate** Car No.4098-71-9	1800.00 3460.00 11250.00 POR	25 ml 500 ml 2.5 lit 25 lit
126745 $C_8H_6O_2$ (626-19-7)	**Iso Phthalaldehyde** M. W.: 134.13 Assay 97.0%	4905.00 23400.00	100 gm 500 gm
126785 $C_8H_6O_4$ (121-91-5)	**Iso Phthalic Acid** M. W.: 166.13 Assay (acidimetric) 98.5%	468.00	500 gm
	Iso Propanol See 2-**Propanol**		
126825 $C_5H_{10}O_2$ (108-21-4)	**Iso Propyl Acetate** M. W.: 102.13 Assay (GC) 99.0%	712.00 2570.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
	Iso Propyl Alcohol See 2-Propanol		
	Di-**Isopropylamine** See Diisopropylamine		
126865 C_3H_9N (75-31-0)	**Iso Propylamine** for Synthesis M. W.: 59.11 Assay (GC) 99.0%	756.00 3204.00	500 ml 2.5 lit
551585 C_3H_9N (75-31-0)	**Iso Propylamine AR** M. W.: 59.11	1755.00	1 lit
126945 $(CH_3)_2CHC_6H_4NH_2$ (99-88-7)	4-**Iso Propyl Aniline** for Synthesis M. W.: 135.21	5310.00 9900.00	100 ml 500 ml
TC1539 ATC $(CH_3)_2CHC_6H_4CO_2H$ (536-66-3)	**4-Isopropylbenzoic Acid** Cumic acid, Cuminic acid Cell Culture Tested M. W.: 164.2 Assay : ≥98% Store below 30°C	5050.00 22770.00	5 gm 25 gm
027485 C_3H_7Br (75-26-3)	**Iso Propyl Bromide** M. W.: 123.00 Assay 98.0%	1026.00 1863.00 7920.00	250 ml 500 ml 2.5 lit
127020 $ClCH_2CO_2CH(CH_3)_2$ (105-48-6)	**Iso Propyl Chloro Acetate** M. W.: 136.58 Assay 99.0%	770.00	500 ml
	Iso Propyl Ether See Di-iso-Propyl Ether		

Product Code	Product Name	Price	Packing
127065 C_3H_7I (75-30-9)	**Iso Propyl Iodide** for Synthesis (2-Iodopropane) M. W.: 169.99	7002.00 31005.00	100 ml 500 ml
127125 $C_{17}H_{34}O_2$ (110-27-0)	**Iso Propyl Myristate** M. W.: 270.45 Assay 95.0%	1090.00 4797.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
127175 $C_{19}H_{38}O_2$ (142-91-6)	**Isopropyl Palmitate** M.W. 852	675.00 3006.00	500 ml 2.5 lit
127205 $C_7H_{16}N_2$ (4318-42-7)	1-**Iso Propyl Piperazine** **1-(1-Methyl Ethyl) Piperazine** M. W.: 128.22	5500.00 9720.00	5 gm 25 gm
127315 $C_9H_{18}O_5S$ (367-93-1)	▲**Iso Propyl** β-D-1-**Thiogalactopyranoside** for Biochemistry (Non-Mammalian) (Dioxane free) (IPTG) (TSE-BSE Certificate not Applicable) M. W.: 238.30	378.00 1692.00 7677.00	1 gm 5 gm 25 gm
949110 MB $C_9H_{18}O_5S$ (367-93-1)	▲**Isopropyl**-ß-D-**Thiogalactopyranoside** (Isopropyl-ß-D-Thiogalactoside; IPTG) For Molecular Biology M. W.: 238.3 Assay : ≥ 99%	396.00 1800.00 3321.00 7713.00	1 gm 5 gm 10 gm 25 gm
127405 $C_{10}H_{18}O$ (89-79-2)	(-) **Iso Pulegol** for Synthesis M. W.: 154.25 Assay 98.0%	6255.00	500 gm
127505 C_9H_7N (119-65-3)	**Iso Quinoline** Tech M. W.: 129.16 Assay 97.0%	1845.00 8010.00	100 gm 500 gm
850800	**Isotonic** Sodium Sulphate Copper Sulphate Solution	144.00	500 ml
127635 $C_5H_{10}O$ (590-86-3)	**Iso Valeraldehyde** for Synthesis M. W.: 86.13	630.00 2300.00 10710.00	100 ml 500 ml 2.5 lit
551695 $C_5H_{10}O_2$ (503-74-2)	**Iso Valeric Acid AR** (3-Methyl Butyric Acid) M. W.: 102.13	1000.00 3700.00	100 ml 500 ml
127845 $C_8H_8O_3$ (621-59-0)	**Iso Vaniline** Pure M. W.: 152.15 Assay 95.0%	1692.00 5598.00	25 gm 100 gm
028608 $C_5H_6O_4$ (97-65-4)	**Itaconic Acid** for Synthesis M. W.: 130.10 Assay (Acidimetric) 99.0%	819.00 7750.00	500 gm 5 kg

HISURE

HISURE® These are high purity chemicals specially manufactured and tested for research and synthesis. As required heavy metal content is carefully monitored and reduced to minimum possible levels.

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
130915 (9002-13-5)	**Jack Bean Meal**	522.00 1800.00	100 gm 500 gm
302145 $C_{30}H_{31}ClN_6$ (2869-83-2)	**Janus Green** (B.M.S. & Redox Indicator) (C.I. 11050) M. W.: 511.06	504.00 2304.00	5 gm 25 gm
PCT1805 PTC $C_{12}H_{18}O_3$ (77026-92-7)	▲(±)-**Jasmonic Acid** Plant Culture Tested M. W.: 210.27 Assay 85%	11142.00 24525.00	100 mg 250 mg
302335 (62851-42-7)	**Jenner's** Stain for Microscopy	522.00 1900.00	25 gm 100 gm
852050	**JSB** Stain Solution No. 1	162.00	125 ml
852070	**JSB** Stain Solution No. 2	162.00	125 ml
854100	**Kaiser'S Glycerol Gelatin** Solution	203.00	100 ml
	Kalignost See Sodium Tetra Phenyl Borate		
559145 $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲**Kanamycin Sulphate AR** (Kanamycin Mono Sulphate) M. W.: 582.58 Assay 95-105%	576.00 2286.00 8550.00	1 gm 5 gm 25 gm
950800 MB $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲**Kanamycin Sulphate** For Molecular Biology Potency : ≥ 750µg/mg M. W.: 582.58	693.00 2934.00 10279.00	1 gm 5 gm 25 gm
TC1136 ATC $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲**Kanamycin Sulphate** Cell Culture Tested Recommended for use in Cell Culture application 100 mg/L M. W.: 582.58 Potency : ≥750 µg/mg	1377.00 4510.00 15111.00	1 gm 5 gm 25 gm
TC1136G ATC $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲✻**Kanamycin Sulphate** Gamma irradiated Cell Culture Tested Recommended for use in cell culture applications at 100 mg/L M. W.: 582.58 Potency : ≥750 µg/mg	1485.00 4842.00 16245.00	1 gm 5 gm 25 gm
TC1136M ATC $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	▲**Kanamycin Sulphate** Meets USP 41-NF 36 and JP 17 testing specifications M. W.: 582.58 Potency : ≥750 µg/mg	1656.00 5436.00 18163.00	1 gm 5 gm 25 gm
PCT2105 PTC (64013-70-3)	▲**Kanamycin Acid Sulphate** Plant Culture Tested Potency 670 units/mg	1017.00 4536.00 20260.00 36450.00	1 gm 5 gm 25 gm 50 gm
TC1636 ATC $C_{18}H_{40}N_4O_{19}.S_2$ (64013-70-3)	▲✻**Kanamycin Acid Sulphate** Meets IP and BP testing specifications M. W.: 680.64 Potency : ≥750 µg/mg	POR POR	5 gm 25 gm
TC1636M ATC $C_{18}H_{40}N_4O_{19}S_2$ (64013-70-3)	▲**Kanamycin Acid Sulphate** Meets IP 2018 and BP 2016 testing specifications MW : 680.64 Potency : ≥750 µg/mg	POR POR POR	1 gm 5 gm 25 gm
PCT2504 PTC	▲**Kanamycin** Solution w/ 50 mg/ml Kanamycin in sterile distilled water Sterile filtered Plant Culture Tested	1571.00 5000.00	20 ml 100 ml
131015 $H_2Al_2Si_2O_8.H_2O$ (1332-58-7)	**Kaolin** Pure M. W.: 258.20	243.00 POR	500 gm 25 kg
131105	**Karl Fischer Reagent** Pyridine Free Single Solution	2610.00 2727.00	500 ml 2x250 ml
131215 (8008-20-6)	**Kerosene** (Low Odour)	504.00 1791.00	500 ml 2.5 lit
131305 $C_5H_6O_5$ (328-50-7)	▲a-**Keto Glutaric Acid** M. W.: 146.10 Assay (acidimetric) 99.0%	585.00 2003.00	25 gm 100 gm
950870 MB $C_5H_6N_5$ (328-50-7)	▲a- **Keto Glutaric Acid** For Molecular Biology M. W.: 146.1 Assay : ≥ 99%	3627.00	100 gm
PCT1505 PTC $C_5H_6O_5$ (328-50-7)	▲a-**Keto Glutaric Acid** Plant Culture Tested M. W.: 146.1 Assay 99%	1090.00	25 gm
TC1141 ATC $C_5H_6O_5$ (328-50-7)	▲α-**Ketoglutaric Acid** Cell Culture Tested M. W.: 146.1 Assay : ≥99%	1602.00 4833.00 16390.00	25 gm 100 gm 500 gm
131395 (61790-53-2)	**Kieselguhr** White Purified and Ignited	477.00 792.00 6327.00 POR	500 gm 1 kg 10 kg 25 kg
559255 $C_{10}H_9N_5O$ (525-79-1)	**Kinetin AR** Plant growth Stimulator, Causes rapid cell division M. W.: 215.21 Assay (Non-aqueous) 99.0%	99.00 149.00 279.00 2088.00	100 mgm 250 mgm 1 gm 10 gm
PCT1806 PTC $C_{10}H_9N_5O$ ((525-79-1)	▲**Kinetin** Plant Culture Tested M. W.: 215.21 Assay 99%	675.00 3132.00 15580.00	1 gm 5 gm 25 gm
PCT2406 PTC	▲**Kinetin** Solution w/ 1 mg/ml Kinetin in sterile distilled water Sterile filtered Plant Culture Tested	1189.00 3564.00	20 ml 5X20 ml
131575 $C_6H_6O_4$ (501-30-4)	**Kojic Acid** (5-Hydroxy-2-Hydroxymethyl -4-Pyranone) M. W.: 142.11	194.00 522.00 1944.00 POR	5 gm 25 gm 100 gm 1 kg
854500	**Kovac's** Indole Reagent	221.00	100 ml
854600	**Kraut**'s Reagent (Test Reagent for Choline)	680.00	100 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing

Laboratory Disinfectant & Detergent for Medical, Industrial, Domestic

HAND WASH GEL/ SOAP

DI032	HWS09 (Hand Wash Soap)	185.00 423.00	100 ml 500 ml
Description	Liquid Microbicidal Handwash Soap	2772.00	5 lit
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.		
Action	Fights germs leaving hands soft and totally clean		
Use	Domestic Medical Industrial		
DI050	HWG09 Dispenser Pump (Instant hand Sanitizer)	126.00 621.00	50ml 500ml
Description	Liquid Handrub Antiseptic with Triple Action		
Contents	Denatured Alchol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate crosspolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume		
Action	Kills 99.9% of germs in seconds without water		
Use	Domestic, Medical, Industrial		

ENVIRONMENT DISINFECTANT

DI280	ED005	387.00 716.00 6894.00	250ml 500ml 5 lit
Description	Air and surface spray disinfectant solution for preventing cross infection		
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours		
Action	An air and surface sprayable disinfectant for preventing cross infections		
Use	Medical Industrial		
DI325	ED009	1036.00 3672.00 14000.00	1 lit 5 lit 25 lit
Description	Aerial Fumigant and		
Contents	0.01% w/v Silver Nitrate, 10.0% w/v Hydrogen peroxide		
Action	Disinfectant solution for Surface and Water Disinfection as well as for Aerial Fumigation		
Use	Medical Industrial		

SURFACE DISINFECTANT

DI500	SD005	225.00 1071.00	500 ml 5 lit
Description	Disinfectant Cleaner for Floors & Hard Surfaces		
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.		
Use	Domestic Medical Industrial		
DI522	SD009	225.00 1224.00	500ml 5 lit
Description	Disinfectant Solution for Floors & Hard Surfaces		
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.		
Use	Domestic Medical Industrial		
DI541	SD014	1998.00 7075.00	500ml 5 lit
Description	Disinfectant for hospital, hotels, food and pharmaceutical industry		
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride PHMB 10% w/v Didecyl ammonium chloride		
Action	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface. Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing Equipments		
Use	Medical, Industrial		

Product Code	Product Name	Price	Packing
DI055	Cedepol™ also known as Teepol	288.00 1940.00	500 ml 5 lit

LABORATORY DISINFECTANT

DI675	LD009	4518.00 6876.00	10x500ml 2x5lit
Description	Disinfectant Solution for heat sensitive Lab ware		
Contents	5 % w/v Phenol, Permitted colours.		
Action	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material		
Use	Medical Industrial		

INSTRUMENT DISINFECTANT

DI770	ID018	1053.00 1998.00 4343.00 7497.00	500ml 1 lit 2.5 lit 5 lit
Description	Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments		
Contents	12% Enzymes (Combination of Proteases,Lipases and Amylases), Non Ionic surfactants, Preservatives		
Action	Medical:- To rapidly clean surgical instruments before sterilization Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms		
Use	Medical, Industrial		
DI774	ID045	3456.00 10782.00	1 lit 5 lit
Description	High Efficiency Rust Remover		
Contents	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).		
Action	Removal of Rust from Surgical/Medical Instruments and Surfaces.		
Use	Medical, Industrial		
DI792	ID063	666.00 3825.00	500ml 5 lit
Description	High level Surgical Instrument Sterilizing and Disinfectant Solution		
Contents	5% w/v Benzal konium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitior.		
Action	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection		
Use	Medical		
DI810	ID072	423.00 1400.00	1 lit 5 lit
Description	2.4% Glutaraldehyde Solution for High Level Disinfection		
Contents	2.45% w/v Glutaraldehyde		
Action	Surfactant free High ievel Surgical Instrument Sterilizing and Disinfectant solution		
Use	Medical		
DI819	ID090	5040.00 25020.00	1 lit 5 lit
Description	Aldehyde Free High level Disinfectant for medical devices.		
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride PHMB 10% w/v Didecyl dimethyl ammonium chloride		
Action	Medical-Sterilization of endoscopes & surgical instruments surface disinfection. Industry- As a surface disinfectant for general Purposes		
Use	Medical, Industrial		

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
DI837	**ID099** microshell	595.00	500ml
Description	For high level disinfection.	4851.00	5 lit
Contents	0.55% w/v ortho-Phthalaldehyde,Permitted colours.		
Action	Glutaraldehyde free, High level Surgical		
Use	Medical		
DI065	**Criton** X100	819.00	500 ml
$C_{34}H_{62}O_{11}$	M. W.: 648.87	3501.00	2.5 lit
(9002-93-1)	Assay iodometric 98-021%	POR	25 lit
MB	**Criton** X100 for Molecular Biology		
	See 923500		
	Criton X100 Scintillation Grade		
	See 716990		
DI095	**Clentron** MA 01 Alkaline	320.00	500 ml
	For Industrial & Laboratory Cleaning	2421.00	5 lit
	pH 6.0-12.0	POR	25 lit
DI100	**Clentorn** MA 02 Neutral For Cleaning	460.00	500 ml
	Laboratory glassware instruments	2304.00	5 lit
	pH 7.2-7.5	POR	25 lit
DI105	**Clentorn** MA 03 Phosphate Free	522.00	500 ml
	For Specific Cleaning work in	2520.00	5 lit
	Laboratories	POR	25 lit
DISINFECTANT FOR LABORATORY HOSPITAL, HOTES AND AIRY/FOOD,INDUSTRY			
DI910	**DW009**	270.00	500ml
	(Dish Wash)		
DI1800	**Iodophor Disinfectant** Bioshell	1098.00	1 lit
		4707.00	5 lit
DI1900	**Iodophor-FD**	1098.00	1 lit
		4707.00	5 lit
		POR	10x5 lit
DI2007	**Lysol** (Cresol and Soap Solution)	604.00	500 ml
(12772-68-8)	Assay (cresol) 47-53.0% v/v	4617.00	5 lit
DI2160	**Sodium Hypochlorite** Solution	162.00	500 ml
	(Approximately 4% w/v	280.00	1 lit
	available chlorine)	999.00	5 lit
		POR	25 lit
DI918	**FCL09**	572.00	1 lit
	(Fabric Cleaner Liquid)		
DI927	**FCP09** Bioshell	270.00	1 kg
	(Fabric Cleaner Powder)		
FW009	**FW009**	603.00	5 lit
	(Floor Wash)		
DI963	**GC009** Bioshell	180.00	500ml
	(Glass Cleaner)		
DI3060	**TC009** Bioshell	180.00	500ml
	(Toilet Cleaner)	347.00	1 lit
DI3150	**TW009** Bioshell	180.00	500ml
	(Tiles Wash)	347.00	1 lit
	Lab Lemco Paste & Powder		
	See Meat extract Paste & Powder		
303235	**Lacmoid** pH Indicator	666.00	5 gm
$C_{18}H_{15}O_8N$	M. W.: 373.07	3087.00	25 gm
(42249-61-6)			
PCT2540 PTC	**Lactalbumin Hydrolysate**	5697.00	500 gm
	Plant Culture Tested	45540.00	5 kg
	Store below 30°C		
134005	D-**Lactate Dehydrogenase** from	5000.00	2500 units
	Microorganism Lyophilized Powder		
	Activity ~400-450u/mg (D-LDH, D-Lactic	9500.00	5000 units
(9028-36-8)	Dehydrogenase)		

Product Code	Product Name	Price	Packing
TC1491 ATC	▲**D-Lactate Dehydrogenase**	20520.00	5 Ku
	Cell Culture Tested	37350.00	10 Ku
(9028-36-8)			
029001	L-(+)-**Lactic Acid** (DL-Lactic Acid)	945.00	500 ml
$C_3H_6O_3$	M. W.: 90.08	3591.00	2.5 lit
(50-21-5)	Assay (Titrimetric after hydrolysis of	POR	25 lit
	anhydrides) 88.0%	POR	200 lit
560735	L-(+)-**Lactic Acid AR**	1035.00	500 ml
$C_3H_6O_3$	M. W.: 90.08	3870.00	2.5 lit
(50-21-5)	Assay (Titrimetric after hydrolysis of	POR	25 lit
	anhydrides) 88.0%	POR	200 lit
859230	**Lactic Acid** 0.1 N Solution	275.00	500 ml
		1035.00	2.5 lit
859250	**Lactic Acid** 1N Solution	414.00	500 ml
		774.00	1 lit
		1548.00	2.5 lit
	Lactic Acid Lithium Salt		
	See Lithium Lactate		
859260	**Lactophenol** (Cotton Blue) Solution	540.00	500 ml
	for Microscopy		
859280	**Lactophenol** (Mountant) Special	369.00	500 ml
	for Fungi		
859300	**Lactophenol** Picric Acid Solution	162.00	100 ml
		657.00	500 ml
029002	**Lactose** (a-Lactose Monohydrate)	550.00	500 gm
$C_{12}H_{22}O_{11}.H_2O$	M. W.: 360.31	POR	25 kg
(10039-26-6)		POR	50 kg
560915	**Lactose** Monohydrate **AR**	657.00	500 gm
$C_{12}H_{22}O_{11}.H_2O$	M. W.: 360.31	POR	25 kg
(10039-26-6)			
951290 MB	**Lactose** Monohydrate	720.00	500 gm
	For Molecular Biology	5571.00	5 kg
$C_{12}H_{22}O_{11}.H_2O$	M. W.: 360.31		
(64044-51-5)	Assay : ≥ 99.5%		
	Store Below 30°C		
TC1144 ATC	**Lactose** Monohydrate	864.00	500 gm
	(Milk Sugar)	6400.00	5 kg
	Cell Culture Tested		
$C_{12}H_{22}O_{11}.H_2O$	M. W.: 360.31		
(64044-51-5)	Assay : ≥99%		
	Store below 30°C		
134155	**Lanolin** Anhydrous	1602.00	500 gm
(8006-54-0)	Saponification value 90-105		
859400	**Lanthanum** (La) CPECTROSOL®	1746.00	100 ml
	Atomic Absorption Std. Soln.	2286.00	250 ml
	Contains 1000 mg/lit AAS in HNO_3	3852.00	500 ml
	In accordance with NIST		
859402	**Lanthanum** (La) CPECTROSOL®	1746.00	100 ml
	Atomic Absorption Std. Soln.	2286.00	250 ml
	Contains 1000 mg/lit AAS in	3852.00	500 ml
	Diluted HCl in accordance with NIST		
859430	**Lanthanum** (La) CRISTAR®	5742.00	100 ml
	1000 ppm Single Element Std.	18081.00	500 ml
	Soln. for ICP in HNO_3		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
RE1460 La (7439-91-0)	**Lanthanum** Metal Ingot M. W.: 138.91 Assay (Trace metal basis) 99.99%	**12420.00**	**25 gm**
RE1465 La (7439-91-0)	**Lanthanum** Metal Lump (1cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	**3600.00** **12420.00**	**5 gm** **25 gm**
RE1510 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.9%	**3888.00** **19000.00**	**100 gm** **500 gm**
RE1515 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.99%	**3434.00** **25200.00**	**25 gm** **250 gm**
RE1520 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE1522 $La(CH_3CO_2)_3.xH_2O$ (917-70-4)	**Lanthanum Acetate** Hydrate M.W. 316.04 (Anhydrous) Assay 97.0%	**603.00** **2003.00**	**25 gm** **100 gm**
RE1530 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.5%	**2800.00** **9990.00**	**100 gm** **500 gm**
RE1535 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.9%	**5472.00** **15300.00**	**100 gm** **500 gm**
RE1540 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.99%	**11430.00** **41022.00**	**100 gm** **500 gm**
RE1545 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE1555 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.0%	**4311.00** **16002.00**	**100 gm** **500 gm**
RE1560 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.9%	**4365.00** **16623.00**	**100 gm** **500 gm**
RE1565 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.99%	**11340.00** **45000.00**	**100 gm** **500 gm**
RE1570 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.999%	**8235.00** **24516.00**	**25 gm** **100 gm**
RE1575 $LaCl_3.7H_2O$ (10025-84-0)	**Lanthanum Chloride** Heptahydrate **AR/ACS** M.W : 371.37	**2300.00**	**100 gm**
RE1585 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.9%	**9000.00** **41000.00**	**100 gm** **500 gm**
RE1590 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.99%	**23400.00** **72000.00**	**100 gm** **500 gm**
RE1595 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**

Product Code	Product Name	Price	Packing
RE1610 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.9%	**9387.00** **POR**	**100 gm** **500 gm**
RE1615 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.99%	**11700.00**	**100 gm**
RE1620 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.999%	**6440.00** **16120.00**	**25 gm** **100 gm**
RE1630 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.0%	**3627.00** **12807.00**	**100 gm** **500 gm**
RE1635 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.9%	**4230.00** **19980.00**	**100 gm** **500 gm**
RE1640 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.99%	**9000.00** **39600.00**	**100 gm** **500 gm**
RE1645 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
859500	**Lanthanum Nitrate** 0.1M	**1656.00** **3087.00**	**500 ml** **1 lit**
RE1665 $La_2(C_2O_4).xH_2O$ (312696-10-9)	**Lanthanum Oxalate AR** M.W : 541.87 Assay 99.5%	**707.00** **5000.00**	**10 gm** **100 gm**
RE1685 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.9%	**1000.00** **4401.00**	**100 gm** **500 gm**
RE1690 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.99%	**15210.00** **90000.00**	**100 gm** **1 kg**
RE1700 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.999%	**33400.00**	**100 gm**
RE1715 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.9%	**9000.00** **36000.00**	**100 gm** **500 gm**
RE1720 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.99%	**15300.00** **72000.00**	**100 gm** **500 gm**
RE1725 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR** **POR**	**25 gm** **100 gm** **500 gm**
029011 $C_{12}H_{24}O_2$ (143-07-7)	**Lauric Acid** M. W.: 200.32 Assay (acidimetric) 99.0%	**675.00**	**500 gm**
134315 $C_{15}H_{28}NNaO_3$ (137-16-6)	▲n-**Lauroylsarcosine Sodium Salt** (Sarkosyl NI, N-Dodecanoyl-N-Methylglycine Sodium Salt, Sodium N-Dodecanoyl-N-Methylglycine) M. W.: 293.38	**1395.00** **5427.00**	**25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1541 ATC $CH_3(CH_2)_{10}CON(CH_3)CH_2COONa$ (137-16-6)	▲**N-Lauroylsarcosine Sodium Salt** N-Dodecanoyl-N-methylglycine sodium salt Cell Culture Tested M. W.: 293.38 Assay : ≥99%	770.00 3501.00	5 gm 25 gm
TC1541E ATC $CH_3(CH_2)_{10}CON(CH_3)CH_2COONa$ (137-16-6)	▲**N-Lauroylsarcosine Sodium Salt** N-Dodecanoyl-N-methylglycine sodium salt Meets EP 9.0 testing Specifications M. W.: 293.38	932.00 4190.00	5 gm 25 gm
028276 $C_{12}H_{26}O$ (112-53-8)	**Lauryl Alcohol** M. W.: 186.34 Assay (GC) 98.0%	720.00 3470.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
	Lauryl Amine See Dodecylamine		
	Lauryl Mercaptan See 1-Dodecanethiol		
	Lauryl Sulphate Sodium Salt See Sodium Lauryl Sulphate		
134485 $C_{14}H_{14}O_2P_2S_4$ (19172-47-5)	**Lawesson's Reagent** [2,4-Bis (4-Methoxyphenyl) 2,4-Dithioxo-1,3,2,4-Dithiadiphosphetane] M. W.: 404.47	720.00 2502.00	25 gm 100 gm
859630	**Lead** (Pb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	1746.00 2115.00 3852.00	100 ml 250 ml 500 ml
859660	**Lead** (Pb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00 8514.00	100 ml 500 ml
859690	**Lead** (Pb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16020.00 48213.00	100 ml 500 ml
134525 Pb (7439-92-1)	**Lead** Metal Foil M. W.: 207.2 Assay 97.0%	1503.00	500 gm
561191 Pb (7439-92-1)	**Lead** (Metal) Foil **AR** About 0.2mm thickness At W. 207.2 Assay (Complexometric) 99.0%	2205.00	500 gm
561188 Pb (7439-92-1)	**Lead** (Metal) Granular **AR** At.W. 207.2 Assay (Complexometric) 99.0%	1400.00	500 gm
029018 Pb (7439-92-1)	**Lead** Metal Lumps M. W.: 207.2 Assay 99.0%	680.00	500 gm
561185 Pb (7439-92-1)	**Lead** (Metal) Powder **AR** 325 Mesh (90%) At.W. 207.2 Assay (Complexometric) 99.5%	1251.00	500 gm

Product Code	Product Name	Price	Packing
	Lead Acetate Basic Anhydrous See Lead (II) hydroxide Acetate Anhydrous		
PA1125	**Lead Acetate** Paper	333.00	200 lvs
029021 $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate (Lead (II) Acetate) M. W.: 379.33 Assay (Complexometric) 99.0-103.0%	819.00 POR POR	500 gm 25 kg 50 kg
561285 $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate **AR/ACS** (Lead (II) Acetate) M. W.: 379.33 Assay 99.5%	950.00 POR POR	500 gm 25 kg 50 kg
951590 MB $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate For Molecular Biology M. W.: 379.33 Assay : ≥ 99% Store Below 30°C	405.00 1827.00	100 gm 500 gm
859825	**Lead Acetate** TS acc. to USP	261.00	500 ml
	Lead Acetate Basic See Lead (II) Hydroxide Acetate		
134745 BH_3O_3XPb (35498-15-8)	**Lead Borate** M. W.: 328.85	630.00	250 gm
029023 $PbBr_2$ (10031-22-8)	**Lead** (II) **Bromide** M. W.: 367.01 Assay (Pb) 99.0%	2097.00	500 gm
134825 $(PbCO_3)_2Pb(OH)_2$ (1319-46-6)	**Lead** (II) **Carbonate** Basic M.W.: 775.63 Assay 77.0% (Pb)	851.00	500 gm
134865	**Lead Carbonate** 98.0%	1161.00	500 gm
561555 $PbCO_3$ (598-63-0)	**Lead** (II) **Carbonate AR/ACS** M.W.: 267.21 Assay (Complexometric) 99.0%	3006.00	250 gm
029025 $PbCl_2$ (7758-95-4)	**Lead** (II) **Chloride** Anhydrous for Synthesis M. W.: 278.10 Assay (Argentomertric) 98.0%	882.00	500 gm
134995 $PbCrO_4$ (7758-97-6)	**Lead** (II) **Chromate** M. W.: 323.18	1008.00	500 gm
561615 $PbCrO_4$ (7758-97-6)	**Lead** (II) **Chromate AR** M. W.: 323.18 Assay ($PbCrO_4$) 99.0%	504.00 900.00	100 gm 250 gm
029029 PbO_2 (1309-60-0)	**Lead Dioxide** M. W.: 239.20 Assay (oxidimetric) 94.0%	1845.00 POR	500 gm 50 kg
561675 PbO_2 (1309-60-0)	**Lead Dioxide AR** M. W.: 239.20 Assay (Oxidimetric) 97.0%	2300.00	250 gm
135105 PbF_2 (7783-46-2)	**Lead** (II) **Flouride** M. W.: 245.20 Assay 98.0%	1521.00	500 gm
859900 $Pb(BF_4)_2$ (13814-96-5)	**Lead** (II) **Fluoroborate** 50% Solution for Electroplating M. W.: 380.81	1125.00	1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
029022 $(CH_3COO)_2Pb.Pb(OH)_2$ (51404-69-4)	**Lead** (II) **Hydroxide Acetate** Anhydrous (Lead Acetate basic Lead Sub Acetate) Assay (Pb) 72.75%, Assay (CH_3COOH) 21.5-24.0%	**1701.00** **3807.00** **7002.00**	**1 Kg** **2.5 kg** **5 kg**
859830	**Lead** (II) **Hydroxide Acetate** (Lead Acetate basic) 18-20% Solution	**432.00** **1998.00**	**1 lit** **5 lit**
135295 PbI_2 (10101-63-0)	**Lead** (II) **Iodide** M. W.: 461.01 Assay 98.0%	**3906.00**	**100 gm**
029040 PbO (1317-36-8)	**Lead Monoxide** (Lead II Oxide yellow) M. W.: 223.20 Assay (ex Pb Complexometric) 98.0%	**810.00** **1400.00** **POR**	**500 gm** **1 kg** **50 kg**
561725 PbO (1317-36-8)	**Lead Monoxide AR/ACS** (Lead II Oxide) M. W.: 223.20 Assay (by complexometry) 99.0%	**1998.00**	**250 gm**
029038 $Pb(NO_3)_2$ (10099-74-8)	**Lead Nitrate** (Lead II Nitrate) M. W.: 331.21 Assay (Complexometric) 99.0%	**648.00** **6102.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
561815 $Pb(NO_3)_2$ (10099-74-8)	**Lead Nitrate AR/ACS** (Lead II Nitrate) M. W.: 331.21 Assay (Complexometric) 99.5%	**829.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
860110	**Lead (II) Nitrate** CPECTROSOL® 0.01M (0.02N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
860140	**Lead (II) Nitrate** CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
135475 PbC_2O_4 (814-93-7)	**Lead** (II) **Oxalate** Pure M. W.: 295.22	**901.00**	**500 gm**
029041 Pb_3O_4 (1314-41-6)	**Lead** (II, IV) **Oxide Red** (Lead red)Pb_3O_4) M. W.: 685.60 Assay (Redox titration) 85.0%	**981.00** **POR**	**500 gm** **50 kg**
	Lead Oxide Yellow See Lead Monoxide		
	Lead Peroxide See Lead Dioxide		
029039 $Pb_3(PO_4)_2$ (7446-27-7)	**Lead** (II) **Phosphate** M. W.: 811.54	**594.00**	**250 gm**
135645 $Pb(C_{18}H_{35}O_2)_2$ (1072-35-1)	**Lead** (II) **Stearate** Pure M. W.: 774.15	**640.00**	**500 gm**
	Lead Sub-Acetate See Lead (II) Hydroxide Acetate		
029046 $PbSO_4$ (7446-14-2)	**Lead** (II) **Sulphate** M. W.: 303.25 Assay (ex Pb) 98.5%	**936.00**	**500 gm**
135715 PbS (1314-87-0)	**Lead** (II) **Sulphide** Pure M. W.: 239.27	**1188.00**	**500 gm**

Product Code	Product Name	Price	Packing
564665 $Pb(CH_3CO_2)_4$ (546-67-8)	**Lead Tetra Acetate AR** M. W.: 443.38	**1440.00** **10980.00**	**100 gm** **1 kg**
135865 $Pb(SCN)_2$ (592-87-0)	**Lead Thiocyanate** Pure M. W.: 323.36 Assay 99.0%	**1503.00** **6003.00**	**100 gm** **500 gm**
135935 O_3PbS_2 (13478-50-7)	**Lead** (II) **Thiosulphate** M. W.: 319.32	**2925.00**	**25 gm**
303375 (12627-53-1)	**Leishman's** Stain for Microscopy (Eosine Methylene Blue Compound)	**792.00** **3006.00** **13005.00** **POR**	**25 gm** **100 gm** **500 gm** **1 kg**
860370	**Leishman's** Stain Solution Stain and solvent separate	**244.00** **437.00**	**250 ml** **500 ml**
860400	**Leishman's** Stain Solution with Buffer	**234.00** **419.00**	**250 ml** **500 ml**
	Lemon Grass Oil See oil of lemon grass		
136035 $C_6H_{13}NO_2$ (443-79-8)	DL-**Iso leucine** for Biochemistry (2-amino-3-methylpentanoic acid) M. W.: 131.17	**1107.00** **5004.00**	**5 gm** **25 gm**
564875 $C_6H_{13}NO_2$ (328-38-1)	D-**Leucine AR** M. W.: 131.17	**1890.00** **5202.00**	**5 gm** **25 gm**
136085 $C_6H_{13}NO_2$ (616-06-8)	DL-**Norleucine** for Biochemistry (DL-2-Amino-Hexonoic Acid, (DL-α-Amino-n-Caproic Acid) M. W.: 131.2	**1053.00** **4806.00**	**5 gm** **25 gm**
037121 $C_6H_{13}NO_2$ (61-90-5)	L-**Leucine** for Biochemistry M. W.: 131.17 Assay (Non-aqueous) 99.0%	**333.00** **954.00** **8001.00**	**25 gm** **100 gm** **1 kg**
PCT1313 PTC $C_6H_{13}NO_2$ (61-90-5)	**L-Leucine** Plant Culture Tested M. W.: 131.17 Assay 99% Store below 30°C	**432.00** **7790.00**	**25 gm** **500 gm**
TC1078 ATC $C_6H_{13}NO_2$ (61-90-5)	**L-Leucine** (From non-animal source) Cell Culture Tested M. W.: 131.17 Assay : ≥99% Store below 30°C	**1287.00** **2030.00** **6102.00** **42760.00**	**10 gm** **25 gm** **100 gm** **1 kg**
TC1078M ATC $C_6H_{13}NO_2$ (61-90-5)	**L-Leucine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 131.17 Store below 30°C	**1818.00** **3393.00** **11277.00** **60660.00**	**10 gm** **25 gm** **100 gm** **1 kg**
	L-iso-**Leucine for Biochemistry** See L-isoleucine for Biochemistry		
136255 $C_7H_{15}NO_2.HCl$ (7517-19-3)	L-**Leucine Methyl Ester HCL** for Biochemistry M. W.: 181.66 Assay 98.0%	**4500.00** **12600.00**	**25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
136405 $(CH_3)_2CHCH_2CH(NH_2)CH_2OH$ M. W.: 117.19 (7533-40-6)	L-**Leucinol** for Biochemistry Assay 96.0%	3290.00	5 gm
136515 $C_5H_8O_3$ (123-76-2)	**Levulinic Acid** for Synthesis M. W.: 116.12 Assay 98.0%	2700.00 10000.00	250 gm 1 kg
	Levulose See D-Fructose		
303555 $C_{37}H_{34}N_2Na_2O_9S_3$ (5141-20-8)	**Light Green** for Microscopy Light Green SF Yellowish C.I. No. 42095 M. W.: 792.86 Dye content (by titanometry) 90.0%	2097.00 7290.00	25 gm 100 gm
951930 MB $C_{37}H_{34}N_2O_9S_3Na_2$ (5141-20-8)	**Light Green SF Yellowish** For Molecular Biology C. I. No. : 42095 M. W.: 792.85 Store Below 30°C	2997.00 9000.00	25 gm 100 gm
860500	**Light Green** Solution 0.1% for Microscopy Animal Tissue Staining	275.00	250 ml
860530	**Light Green** Stain Solution (0.5 % w/v)	144.00	125 ml
136545 $C_{14}H_{22}N_2O$ (137-58-6)	**Lignocaine** Base M. W.: 234.34 Assay 99.0%	900.00 3600.00	100 gm 500 gm
136575 $C_{14}H_{22}N_2O.HCl.H_2O$ (6108-05-0)	**Lignocaine Hydrochloride** Monohydrate M. W.: 288.81 Assay (non-aqueous) 99.0%	1206.00 5004.00	100 gm 500 gm
	Ligroin' Reagent See Petroleum Ether		
860640	**Lime** Water	185.00	500 ml
136615 $C_{10}H_{16}$ (5989-27-5)	D(+) **Limonene** for Synthesis M.W : 136.24	2030.00	500 ml
136845 $C_{12}H_{20}O_2$ (115-95-7)	**Linallyl Acetate** for Synthesis M. W.: 196.29	2925.00	500 gm
136855 $C_{17}H_{23}NO_2$ (7149-26-0)	**Linallyl Anthranilate** for Synthesis M. W.: 273.37	9792.00	500 gm
136865 $C_{17}H_{22}O_2$ (126-64-7)	**Linallyl Benzoate** for Synthesis M. W.: 258.36	11709.00	500 gm
136875 $C_{14}H_{24}O_2$ (78-36-4)	**Linallyl Butyrate** for Synthesis M. W.: 224.34	14049.00	500 gm
136885 $C_{19}H_{24}O_2$ (78-37-5)	**Linallyl Cinnamate** for Synthesis M. W.: 284.39	13401.00	500 gm
136895 $C_{11}H_{18}O_2$ (115-99-1)	**Linallyl Formate** for Synthesis M. W.: 182.26	13302.00	500 gm
136905 $C_{13}H_{22}O_2$ (144-39-8)	**Linallyl Propionate** for Synthesis M. W.: 210.31	14805.00	500 gm
136955 $C_{10}H_{18}O$ (78-70-6)	**Linalool** for Synthesis M. W.: 154.25 Assay 97.0%	3303.00	500 gm

Product Code	Product Name	Price	Packing
136985 $C_{18}H_{34}N_2O_6S.HCl.H_2O$ M. W.: 461.01 (7179-49-9)	**Lincomycin Hydrochloride**	1584.00	1Mill. Unit
TC1203 ATC $C_{18}H_{34}N_2O_6S.HCl$ (859-18-7)	▲**Lincomycin Hydrochloride** (Lincocin hydrochloride) Cell Culture Tested M. W.: 443.0 Assay : ≥95%	2952.00 10026.00	1x1mu 5x1mu
TC1381 ATC $C_{18}H_{32}O_2$ (60-33-3)	· **Linoleic Acid, Free Acid** Cell Culture Tested M. W.: 280.45 Assay : ≥99%	1485.00 3123.00 9019.00	100 mg 1 gm 5 gm
TC1383 ATC $C_{19}H_{34}O_2$ (112-63-0)	· **Linoleic Acid Methyl Ester** Cell Culture Tested M. W.: 294.47 Assay : ≥99%	4545.00 8663.00 13190.00	1 gm 5 gm 10 gm
137045 (9001-62-1)	· **Lipase** ex microorganism activity 16 units/mg protein	522.00 1503.00 6003.00	25 gm 100 gm 500 gm
PCT2321 PTC $C_8H_{14}O_2S_2$ (1077-28-7)	· **DL-a-Lipoic Acid** Plant Culture Tested M. W.: 206.33 Assay 98%	1090.00 4923.00	1 gm 5 gm
TC1449 ATC $C_8H_{14}O_2S_2$ (1077-28-7)	· **α-Lipoic Acid** (±)-Alipoic acid, (±)-1,2-Dithiolane-3-pentanoic acid, 6,8-Dithiooctanoic acid, DL-αLipoic acid, DL-6,8-Thioctic acid, Lip(S2) Cell Culture Tested M. W.: 206.33 Assay : ≥98%	2597.00 9100.00 27306.00	1 gm 5 gm 25 gm
137115 (9004-02-8)	**Lipoprotein Lipase (LPL)** Ex Pseudomonas SP. 20U/mg-solid	2457.00 7002.00	10 mgm 50 mgm
	Liquid Paraffin See Paraffin Liquid,		
	Liquoid See Sodium Polyanethole Sulphonate		
	Liquor Ammonia See Ammonia Solution all grade		
303745 $C_{16}H_{10}Cl_2N_4Na_2O_7S_2$ M. W.: 551.29 (6359-98-4)	**Lissamine Fast Yellow** (C.I. 18965)	392.00	25 gm
303885 $C_{27}H_{25}N_2NaO_7S_2$ (3087-16-9)	**Lissamine Green B** (C.I. 44090) M. W.: 576.62	486.00	25 gm
303975 $C_{20}H_{18}N_4O_9S_2Na_2$ (4321-69-1)	**Lissamine Red** (C.I. 18055) M. W.: 566.48	347.00	25 gm
	Litharge See Lead Monoxide		
860920	**Lithium** (Li) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
860950	**Lithium** (Li) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00 8514.00	100 ml 500 ml
860980	**Lithium** (Li) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16030.00 48204.00	100 ml 500 ml
137385 Li (7439-93-2)	**Lithium** Metal A.W. : 6.94 Assay - min. 99.5%	19980.00	100 gm
029060 $C_2H_3LiO_2.2H_2O$ (6108-17-4)	**Lithium Acetate** M. W.: 102.02 Assay (Non-aqueous) 99.0%	3807.00	250 gm
565280 $C_2H_3LiO_2.2H_2O$ (6108-17-4)	**Lithium Acetate AR** M. W.: 102.02	3951.00	250 gm
137465 $LiAlH_4$ (16853-85-3)	**Lithium Aluminium Hydride** for Synthesis M. W.: 37.95 Assay (Iodometric) 97.0%	15606.00	100 gm
861080 ✠	**Lithium Azide** 20% w/w Solution in water	9207.00	100 gm
029064 LiBr (7550-35-8)	**Lithium Bromide** Anhydrous M. W.: 86.85 Assay (Argentometric; on dried basis) 99.0%	8901.00	500 gm
029065 Li_2CO_3 (554-13-2)	**Lithium Carbonate** M. W.: 73.89 Assay 98.5%	2300.00 4600.00 8811.00 POR	100 gm 250 gm 500 gm 25 kg
565395 Li_2CO_3 (554-13-2)	**Lithium Carbonate AR/ACS** M. W.: 73.89 Assay (acidimetric) 99.0%	2502.00 6003.00	100 gm 250 gm
H42912 HISURE Li_2CO_3 (554-13-2)	**Lithium Carbonate AR** M. W.: 73.89	7331.00 27540.00	250 gm 1 kg
029067 LiCl (7447-41-8)	**Lithium Chloride** Anhydrous M. W.: 42.39 Assay(Argentometric on dried material)99%	2394.00 5904.00 10980.00	100 gm 250 gm 500 gm
565435 LiCl (7447-41-8)	**Lithium Chloride** Anhydrous **AR** M. W.: 42.39 Assay (argentometric) 99.0%	2601.00 6201.00	100 gm 250 gm
952900 MB LiCl (7447-41-8)	**Lithium Chloride** For Molecular Biology M. W.: 42.39 Assay : ≥ 99% Store Below 30°C	2700.00 12600.00	100 gm 500 gm
861020	**Lithium Chloride** 1M Solution In Acetic Acid	1305.00	250 ml
861024	**Lithium Chloride** 1M Solution In Ethanol	1503.00	250 ml
565475 $Li_3C_6H_5O_7.4H_2O$ (6080-58-6)	tri-**Lithium Citrate** Tetrahydrate **AR** M. W.: 281.99 Assay (Non-aqueous) (ex citrate) 98.5%	3303.00	250 gm
029069 LiF (7789-24-4)	**Lithium Fluoride** M. W.: 25.94 Assay (acidimetric) 97.0%	3006.00 14500.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
565585 LiF (7789-24-4)	**Lithium Fluoride AR** M. W.: 25.94	8091.00	250 gm
029073 $LiOH.H_2O$ (1310-66-3)	**Lithium Hydroxide** Monohydrate M. W.: 41.96 Assay (acidimetric) 98.0%	2700.00 12006.00 POR POR	100 gm 500 gm 5 kg 50 kg
565625 $LiOH.H_2O$ (1310-66-3)	**Lithium Hydroxide** Monohydrate **AR/ACS** M. W.: 41.96 Assay (Acidimetric) 99.0%	2907.00 14000.00	100 gm 500 gm
137725 $LiI.3H_2O$ (7790-22-9)	**Lithium Iodide** for Synthesis M. W.: 187.90	5500.00 16830.00	25 gm 100 gm
029075 $CH_3.CHOH.COOLi$ (867-55-0)	**Lithium Lactate** for Synthesis M. W.: 96.01 Assay 98.0%	2800.00 13500.00	100 gm 500 gm
TC1713 ATC $C_3H_5LiO_3$ (867-55-0)	**Lithium Lactate** Cell Culture Tested M. W.: 96.01 Assay : ≥95% Store below 30°C	3636.00	100 gm
137835 $LiBO_2$ (13453-69-5)	**Lithium Meta Borate** Anhydrous M. W.: 49.75 Assay 95.0%	8901.00	250 gm
565955 $LiBO_2$ (13453-69-5)	**Lithium Meta Borate** Anhydrous **AR** M. W.: 49.75 Assay (acidimetric) 99.5%	9900.00	250 gm
137965 Li_2MoO_4 (13568-40-6)	**Lithium Molybdate** for Synthesis M.W. : 173.82	10000.00	250 gm
029076 $LiNO_3$ (7790-69-4)	**Lithium Nitrate** Anhydrous M. W.: 68.95 Assay 98.0%	11300.00	500 gm
565995 $LiNO_3$ (7790-69-4)	**Lithium Nitrate AR** Anhydrous M. W.: 68.95	3006.00 11610.00	100 gm 500 gm
138165 $Li_2C_2O_4$ (553-91-3)	**Lithium Oxalate** Extra Pure M. W.: 101.90	990.00	100 gm
138185 ✱ $ClLiO_4.3H_2O$ (13453-78-6)	**Lithium Perchlorate** Trihydrate M. W.: 160.44 Assay (argentometric) 99.0%	10000.00 29997.00 POR POR	250 gm 1 kg 25 kg 50 kg
138215 Li_3PO_4 (10377-52-3)	**Lithium Phosphate** Extra Pure M. W.: 115.79	3708.00 10000.00	100 gm 500 gm
029080 $Li_2SO_4.H_2O$ (10102-25-7)	**Lithium Sulphate** Monohydrate M. W.: 127.95 Assay (ion exchange) 98.0%	6102.00 11610.00 POR	250 gm 500 gm 25 kg
566035 $Li_2SO_4.H_2O$ (10102-25-7)	**Lithium Sulphate** Monohydrate **AR/ACS** M. W.: 127.95 Assay (Ion exchange) 99.0%	6804.00 12420.00 POR	250 gm 500 gm 25 kg
566065 $Li_2B_4O_7$ (12007-60-2)	di - **Lithium Tetra Borate AR/ACS** M. W.: 169.12 Assay (Acidimetry) 99.0%	4500.00 16020.00	100 gm 500 gm

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
✱ Supply Against Licence
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
138365 Li_2WO_4 (13568-45-1)	**Lithium Tungstate** M. W.: 261.72 Assay 98.0%	7830.00 13500.00	50 gm 100 gm
304205 (1393-92-6)	**Litmus** Granular (pH Indicator) pH 5.0-8.0 red to blue	378.00 801.00 2700.00 9504.00	10 gm 25 gm 100 gm 500 gm
861220	**Litmus Blue** Solution	153.00 432.00	125 ml 500 ml
PA1154	**Litmus Blue** Indicator Paper 10bks : 200lvs	194.00 360.00	100 lvs 200 lvs
861250	**Litmus Red** Solution	153.00 432.00	125 ml 500 ml
PA1151	**Litmus Red** Indicator Paper 10bks : 200lvs	194.00 360.00	100 lvs 200 lvs
338165	▲**Liver** Extract Powder For Bacteriological Purpose	2430.00	500 gm
	Loffler's Methylene Blue Solution Alkaline See Methylene blue alkaline (Loffler's) Staining Solution		
TC1493 ATC (9014-00-0)	**Luciferase** Source : Vibiro fischeri Cell Culture Tested Store at -20°C	POR	25 mg
TC1597 ATC (61970-00-1)	**Luciferase from firefly** Source : Photinus pyralis (firefly) Cell Culture Tested Store at -20°C	POR	1 mg
PCT2557 PTC $C_{11}H_8N_2O_3S_2$ (2591-17-5)	**Luciferin** Plant Culture Tested M. W.: 280.3 Store below 20°C	24930.00 59895.00 113400.00 216090.00	100 mg 250 mg 500 mg 1 gm
TC1728 ATC $C_{11}H_8N_2O_3S_2$ (2951-17-5)	**D-Luciferin, Free Acid** Cell Culture Tested M. W.: 280.32 Store at -20°C	4320.00 23760.00	1 mg 10 mg
861390	**Lugol's** 1% Solution (Iodine-Potassium Iodide solution) for Microscopy	198.00 702.00	125 ml 500 ml
138485 $C_8H_7N_3O_2$ (521-31-3)	**Luminol** for Chemiluminescene M. W.: 177.16 Assay 97.0%	702.00 3303.00	5 gm 25 gm
861450	**Lutetium** (Lu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	9280.00 15669.00	100 ml 500 ml
861470	**Lutetium** (Lu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12272.00 48204.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
RE1735 Lu (7439-94-3)	**Lutetium** Metal Ingot M. W.: 174.96 Assay (Trace metal basis) 99.99%	POR POR POR	1 gm 5 gm 25 gm
RE1740 Lu (7439-94-3)	**Lutetium** Metal Lump (1cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	POR POR	5 gm 25 gm
RE1780 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9%	6291.00 24400.00	1 gm 5 gm
RE1785 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.99%	10530.00 45000.00	1 gm 5 gm
RE1790 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE1795 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE1805 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9%	5000.00 19800.00	1 gm 5 gm
RE1810 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.99%	7700.00 26200.00	1 gm 5 gm
RE1815 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE1820 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE1830 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.9%	4770.00 16830.00	1 gm 5 gm
RE1835 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.99%	5400.00 19980.00	1 gm 5 gm
RE1840 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE1845 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE1855 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9%	4041.00 14850.00 51300.00	1 gm 5 gm 25 gm
RE1860 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.99%	10400.00 34020.00	2 gm 10 gm
RE1865 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.999%	POR	5 gm
RE1870 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
RE1880 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.9%	**6130.00** **21222.00** **47520.00**	**1 gm** **5 gm** **25 gm**
RE1885 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.99%	**6660.00** **20610.00** **46530.00**	**1 gm** **5 gm** **25 gm**
RE1890 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.999%	**8991.00** **34020.00**	**1 gm** **5 gm**
RE1895 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **5 gm**
RE1905 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.9%	**7520.00** **27450.00**	**1 gm** **5 gm**
RE1910 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.99%	**POR** **POR**	**1 gm** **5 gm**
RE1915 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **5 gm**
RE1920 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **5 gm**
138675 C_7H_9N (583-61-9)	2,3-**Lutidine** for Synthesis M. W.: 107.15 Assay 99.0%	**1503.00** **5121.00**	**100 ml** **500 ml**
138745 C_7H_9N (108-47-4)	2, 4-**Lutidine** for Synthesis M. W.: 107.15 Assay 99.0%	**2592.00**	**25 ml**
138845 C_7H_9N (108-48-5)	2, 6-**Lutidine** for Synthesis M. W.: 107.15 Assay 98.0%	**3312.00**	**500 ml**
138865 C_7H_9N (583-58-4)	3, 4-**Lutidine** for Synthesis M. W.: 107.15	**1647.00** **7002.00**	**100 ml** **500 ml**
138905 C_7H_9N (591-22-0)	3, 5-**Lutidine** for Synthesis (3,5-Dimethyl Pyridine) M. W.: 107.15 Assay 98.0%	**909.00** **4005.00**	**100 ml** **500 ml**
139105 (8023-70-9)	**Lycopodium** for Synthesis	**3303.00**	**500 gm**
139285 $C_6H_{14}N_2O_2.H_2O$ (39665-12-8)	▲L-**Lysine (Base) Monohydrate** M. W.: 164.20	**720.00** **1710.00** **6107.00** **32000.00**	**10 gm** **25 gm** **100 gm** **500 gm**
TC1207 ATC $C_6H_{14}N_2O_2$ (56-87-1)	▲**L-Lysine** (From non-animal source) Cell Culture Tested M. W.: 146.19 Assay : ≥98.5%	**5590.00** **16110.00** **48600.00** **72810.00**	**25 gm** **100 gm** **500 gm** **1 kg**

Product Code	Product Name	Price	Packing
037129 $C_6H_{14}N_2O_2HCl$ (657-27-2)	L-**Lysine Monohydrochloride** For Biochemistry M. W.: 182.65 Assay (Non-aqueous) 99.0%	**360.00** **1305.00**	**100 gm** **500 gm**
139315 $C_6H_{14}N_2O_2.HCl$ (657-27-2)	L-**Lysine Monohydrochloride** For Feed experiments M. W.: 182.65 Assay (NT/HPLC, on dry basis) 99.0-101.0%	**2394.00**	**2.5 kg**
TC1079 ATC $C_6H_{14}N_2O_2HCl$ (657-27-2)	**L-Lysine Monohydrochloride** (From non-animal source) Cell Culture Tested M. W.: 182.65 Assay : ≥98.5% Store below 30°C	**1233.00** **3722.00** **15840.00**	**25 gm** **100 gm** **1 kg**
TC1079M ATC $C_6H_{14}N_2O_2.HCl$ (657-27-2)	**L-Lysine Monohydrochloride** L-Lysine hydrochloride (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 182.65 Store below 30°C	**2179.00** **4240.00** **18190.00**	**25 gm** **100 gm** **1 kg**
DI2007 (12772-68-8)	**Lysol** (Cresol and Soap Solution) Assay (cresol) 47-53.0% v/v	**604.00** **4617.00**	**500 ml** **5 lit**
	Lysol (Cresol and Soap Solution) See 033218		
139355 (12650-88-3)	**Lysozyme** for Biochemistry	**792.00** **2943.00**	**1 gm** **5 gm**
953200 MB (12650-88-3)	***Lysozyme** (Muramidase) From Chicken Egg White Lyophilized For Molecular Biology E. C. No. : 3.2.1.17 Av. MW. : 14600 Daltons Activity : ~30,000 U/mg Upon Receipt Store at - 20°C	**1090.00** **5162.00** **22707.00**	**1 gm** **5 gm** **25 gm**
TC1684 ATC (12650-88-3)	▲**Lysozyme** Source : Chicken egg white Cell Culture Tested M. W.: 14.4 kDa	**4240.00** **16920.00** **50940.00**	**1 gm** **5 gm** **25 gm**
953700 MB (37340-57-1)	***Lyticase** From Anthrobacter Luteus For Molecular Biology Activity : ~2000 U/mg of Protein Upon Receipt Store at - 20°C	**7227.00** **11120.00**	**10000 units** **20000 units**
139415 $C_5H_{10}O_5$ (1114-34-7)	D-**Lyxose** for Biochemistry M. W.: 150.13	**1890.00** **5670.00**	**1 gm** **5 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
144005	**Macerozyme R-10** for Biochemistry	4500.00 6822.00 30240.00	500 mgm 1 gm 5 gm
PCT2531 PTC (9032-75-1)	▲**Macerozyme R-10** Source from Rhizopus species Plant Culture Tested Activity : 3000 U/g solid	11601.00 47610.00	1 gm 5 gm
	Magenta Acid See Fuchsin Acid		
	Magenta Basic See Fuchsin Basic		
PCT2203 PTC $C_{20}H_{26}BrClN_2O_7$ (144110-43-0)	· **MagentaTM-Glucuro CHA salt (5-Bromo-6-chloro-3indolyl-b-D-glucuronide Cyclohexyl ammonium salt)** Plant Culture Tested M. W.: 521.79 Assay 98%	11430.00	10 mg
863100	**Magnesium** (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2264.00 3852.00	100 ml 250 ml 500 ml
863102	**Magnesium** (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2295.00 3852.00	100 ml 250 ml 500 ml
863030	**Magnesium** (Mg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00 8514.00	100 ml 500 ml
863060	**Magnesium** (Mg) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16020.00 48204.00	100 ml 500 ml
029085 Mg (7439-95-4)	**Magnesium** (Metal) Powder At. Wt.: 24.31 Assay (Complexometric) 98.0%	720.00 3303.00 POR	100 gm 500 gm 25 kg
144115 Mg (7439-95-4)	**Magnesium (**Metal) Ribbon At Wt.: 24.31 Assay (Complexometric) 99.5%	486.00	25 gm
144120 Mg (7439-95-4)	**Magnesium** (Metal) Turning acc. Grignard reaction At. Wt.: 24.31 Assay (Complexometric) 99.5%	1044.00 1900.00 POR	250 gm 500 gm 25 kg
029090 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate M. W.: 214.46 Assay (Complexometric) 98-102%	1053.00 9090.00 POR POR	500 gm 5 kg 25 kg 50 kg
568065 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate **AR/ACS** M. W.: 214.46 Assay (Complexometric) 99.5-102.0%	1503.00	500 gm
959200 MB $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate for Molecular Biology M. W.: 214.46	603.00 2800.00	100 gm 500 gm
H46005 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate M. W.: 214.46	4950.00	250 gm

Product Code	Product Name	Price	Packing
144180 $MgAl_2(SiO_4)_2$ (12511-31-8)	**Magnesium Aluminium Silicate** M. W.: 262.43	360.00	500 gm
144215 B_2MgO_4 (13703-82-7)	**Magnesium Borate** M. W.: 109.92	603.00	250 gm
144305 $MgBr_2.6H_2O$ (13446-53-2)	**Magnesium Bromide** (Hexahydrate) M. W.: 292.20 Assay 98.0%	2403.00 POR POR	500 gm 25 kg 50 kg
029093 ~$MgCO_3.Mg(OH)_2.5H_2O$ M.W.:485.0 (39409-82-0)	**Magnesium Carbonate** Basic Light Assay (As Mg; Complexometric) 24.0%	675.00 1206.00 8001.00 POR	250 gm 500 gm 5 kg 25 kg
568105 ~$MgCO_3.Mg(OH)_2.5H_2O$ M.W.:485.0 (39409-82-0)	**Magnesium Carbonate** Basic Light **AR** Assay (complexometric, as Mg) 24.0%	2250.00	500 gm
H46095 HISURE ~$MgCO_3.Mg(OH)_2.5H_2O$ M.W.:485.0 (39409-82-0)	**Magnesium Carbonate** Basic Light Assay (complexometric, as Mg) 24.0%	3600.00	500 gm
959300 MB $MgCl_2$ (7786-30-3)	**Magnesium Chloride** Anhydrous For Molecular Biology M. W.: 95.21 Assay : ≥ 98% Store Below 30°C	460.00 2043.00	100 gm 500 gm
TC1186 ATC $MgCl_2$ (7786-30-3)	**Magnesium Chloride** Anhydrous Cell Culture Tested M. W.: 95.21 Assay : ≥97% Store below 30°C	2539.00 15264.00	100 gm 1 kg
029096 $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** Hexahydrate Purified Cryst. M. W.: 203.30 Assay (Complexometric) 98.0%	297.00 2106.00 POR POR	500 gm 5 kg 25 kg 50 kg
568135 $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** Hexahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 203.30 Assay (Complexometric) 99.0%	396.00 2601.00 POR POR	500 gm 5 kg 25 kg 50 kg
959340 MB $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** for Molecular Biology M. W.: 203.30 Assay (Complexometric) 99.0%	1206.00 9801.00	500 gm 5 kg
TC1006 ATC $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** Hexahydrate Cell Culture Tested M. W.: 203.30 Assay : ≥99% Store below 30°C	1530.00 4617.00	100 gm 500 gm
863185	**Magnesium Chloride** CPECTROSOL® 0.01M (0.02N) Standardized Solution	1400.00	1 lit
863190	**Magnesium Chloride** 0.5M Volumetric Solution	252.00 432.00 657.00	500 ml 1 lit 2.5 lit
863200	**Magnesium Chloride** 1M Volumetric Solution	270.00 550.00 837.00	500 ml 1 lit 2.5 lit
144515 CrH_2O_4Mg (13423-61-5)	**Magnesium Chromate** M. W.: 140.30	4320.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
029098 $Mg_3(C_6H_5O_7)_2.9H_2O$ (153531-96-5)	**Magnesium Citrate** Nonahydrate M. W.: 613.25 Assay (Complexometric; on dired subs.) 97.0%	**950.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
	tri-**Magnesium Dicitrate** See Magnesium Citrate		
029100 MgF_2 (7783-40-6)	**Magnesium Fluoride** M. W.: 62.30 Assay (Complexometric, after loss on ignition at 700°C) 97.0%	**1107.00** **POR**	**500 gm** **2.5 kg**
H46283 HISURE MgF_2 (7783-40-6)	**Magnesium Fluoride** M. W.: 62.30	**6075.00**	**25 gm**
144725 $C_{12}H_{22}MgO_{14}.XH_2O$ (3632-91-5)	**Magnesium Gluconate** for Synthesis M. W.: 414.60 (Anhy.) Assay 98.0%	**1000.00**	**500 gm**
029102 $Mg(OH)_2$ (1309-42-8)	**Magnesium Hydroxide** M. W.: 58.33 Assay (complexometric) 95.0%	**306.00** **1107.00**	**250 gm** **1 kg**
029106 $Mg(NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate Purified M. W.: 256.41 Assay (Complexometric) 98.0%	**396.00** **POR**	**500 gm** **50 kg**
568215 $Mg(NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate **AR/ACS** M. W.: 256.41 Assay (Complexometric) 99.0%	**460.00** **3411.00** **POR**	**500 gm** **5 kg** **50 kg**
PCT1007 PTC $Mg(NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate Plant Culture Tested M. W.: 256.41 Assay 99% Store below 30°C	**910.00** **1647.00**	**500 gm** **1 kg**
144830 C_2O_4Mg (547-66-0)	**Magnesium Oxalate** M. W.: 112.32	**459.00**	**250 gm**
029108 MgO (1309-48-4)	**Magnesium Oxide** Heavy M. W.: 40.30 Assay (Complexometric; on ignited sub.) 98.0-100.5%	**1494.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
029109 MgO (1309-48-4)	**Magnesium Oxide** Light Meets BP, Ph, Eur, USP M. W.: 40.30 Assay (Complexometric; on ignited subs.) 98.0-100.5%	**1540.00** **13716.00** **POR**	**500 gm** **5 kg** **25 kg**
568255 MgO (1309-48-4)	**Magnesium Oxide** Light **AR/ACS** M. W.: 40.30 Assay 98.0%	**2547.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
H46314 HISURE MgO (1309-48-4)	**Magnesium Oxide** Light M. W.: 40.30	**22500.00** **POR**	**250 gm** **1 kg**
145005 ✳ $Mg(ClO_4)_2.XH_2O$ (64010-42-0)	**Magnesium Perchlorate** Hydrate M. W.: 223.21 (Anhy.) Assay (Complexometric) 82.0-83.0%	**9000.00** **36000.00** **POR** **POR**	**100 gm** **500 gm** **25 kg** **50 kg**
568285 ✳ $Mg(ClO_4)_2XH_2O$ (64010-42-0)	**Magnesium Perchlorate** Hydrate **AR** M. W.: 223.21 (Anhy.) Assay (complexometric) 83.0%	**9900.00** **37000.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
029101 $MgHPO_4.3H_2O$ (7782-75-4)	**Magnesium Phosphate** Dibasic Pure M. W.: 174.34 Assay (ex Mg) 98.0%	**1503.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
H46341 HISURE (53408-95-0)	**Magnesium Phosphate** Hydrate Assay (ex Mg) (on dried basis) 98.0%	**8280.00**	**1 kg**
145125 $[CH_3(CH_2)_{16}COO]_2Mg$ (557-04-0)	**Magnesium Stearate** Precipitated M. W.: 591.27 Assay (as Mg; on dried substance) 3.8-5.0%	**684.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
TC1560M ATC $C_{36}H_{70}MgO_4$ (557-04-0)	**Magnesium Stearate** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 591.27 Store below 30°C	**2241.00** **3357.00**	**500 gm** **1 kg**
145250 $MgSO_4$ (7487-88-9)	**Magnesium Sulphate** Anhydrous Meets Analytical Specification of IP, BP, Ph. Eur. (Magnesium Sulphate Dry) M. W.: 120.37 Assay 99.0%	**522.00** **2430.00** **POR**	**500 gm** **2.5 kg** **50 kg**
145270 $MgSO_4.XH_2O$ (22189-08-8)	**Magnesium Sulphate** Dried M. W.: 120.37 (anhydrous) Assay (complexometric) 62-70.0%	**486.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
PCT1125 PTC $MgSO_4$ (7487-88-9)	**Magnesium Sulphate** Anhydrous Plant Culture Tested M. W.: 120.37 Assay 99% Store below 30°C	**1134.00** **2043.00**	**500 gm** **1 kg**
TC1146 ATC $MgSO_4$ (7487-88-9)	**Magnesium Sulphate** Anhydrous Cell Culture Tested M. W.: 120.37 Assay : ≥62% Store below 30°C	**2295.00** **3465.00**	**500 gm** **1 kg**
029117 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate Pure M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.0%	**243.00** **1503.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
568325 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.5-103.0%	**333.00** **1800.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
959580 MB $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** for Molecular Biology M. W.: 246.47 Assay (Complexometric) 99.5%	**4230.00**	**500 gm**
PCT1008 PTC $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate Plant Culture Tested M. W.: 246.47 Assay 99.5% Store below 30°C	**684.00** **1233.00** **6273.00** **POR**	**500 gm** **1 kg** **5 kg** **25 kg**
TC1577M ATC $H_{14}MgO_{11}S$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 246.466 Store below 30°C	**2952.00** **4923.00**	**100 gm** **1 kg**

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
✳ Supply Against Licence
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
863240	**Magnesium Sulphate** 0.1M Volumetric Solution	207.00 396.00 576.00	500 ml 1 lit 2.5 lit
863245	**Magnesium Sulphate** 1M Volumetric Solution	234.00 441.00 693.00	500 ml 1 lit 2.5 lit
145305 MgS (12032-36-9)	**Magnesium Sulphide** M. W.: 56.37	7506.00	500 gm
029122 $2MgO.3SiO_2.XH_2O$ (39365-87-2)	**Magnesium Trisilicate** M. W.: 260.86 (Anhy.) Assay (MgO) 29.0% (on iginited subs.) Assay (SiO_2) 65.0%)(on ignited subs.)	378.00 POR	500 gm 25 kg
568505 $C_{12}H_9N_3O_4$ (74-39-5)	**Magneson I AR** Sensitivity: detects 1ppm Mg M. W.: 259.22 Dye Content (titanometry; on dried subs.) 80.0%	603.00 2142.00	25 gm 100 gm
568510 $C_{16}H_{11}N_3O_3$ (5290-62-0)	**Magneson II AR** Reagent for Mg M. W.: 293.28 Dye content (titanometry, dried) 95.0%	2700.00 10350.00 POR	5 gm 25 gm 100 gm
863340	**Magneson** Reagent	131.00 370.00	125 ml 500 ml
305115 $C_{52}H_{54}N_4O_{12}$ (2437-29-8)	**Malachite Green** for Microscopy (Malachite Green Oxalate) C.I. No. 42000 M. W.: 927.02 Dye Content (titanometry, dried subs.) About 90.0%	221.00 550.00 4001.00	25 gm 100 gm 1 kg
863430	**Malachite Green** solution 1% w/v	81.00	100 ml
K062015	**Malarial parasite staining kit**	419.00	KIT
029124 CH(COOH) : CH.COOH (110-16-7)	**Maleic Acid** for Synthesis M. W.: 116.07 Assay (acidimetric; calculated on anhydrous subs.) 98.0-101.0%	819.00 3681.00 POR POR	500 gm 2.5 kg 25 kg 50 kg
568600 CH(COOH):CH.COOH (110-16-7)	**Maleic Acid AR** M. W.: 116.07 Assay 99.5%	1071.00	500 gm
959600 MB $C_4H_4O_4$ (110-16-7)	**Maleic Acid** For Molecular Biology M. W.: 116.07 Assay : ≥ 99% Store Below 30°C	1197.00	500 gm
029125 $C_4H_2O_3$ (108-31-6)	**Maleic Anhydride** for Synthesis M. W.: 98.06 Assay (acidimetric) 97.0%	495.00 POR POR	500 gm 25 kg 50 kg
568645 $C_4H_2O_3$ (108-31-6)	**Maleic Anhydride AR** M. W.: 98.06 Assay (acidimetric) 97.0%	414.00 1602.00	100 gm 500 gm
029126 $C_4H_4N_2O_2$ (123-33-1)	**Maleic Hydrazide** M.W. : 112.09 Assay (Acidimetric) 97.0%	684.00 5805.00 POR	100 gm 1 kg 10 kg

Product Code	Product Name	Price	Packing
PCT1818 PTC $C_4H_4N_2O_2$ (123-33-1)	▲**Maleic Hydrazide** Plant Culture Tested M. W.:112.09 Assay 99%	5040.00 11070.00	100 gm 250 gm
029127 $C_4H_6O_5$ (617-48-1)	DL-**Malic Acid** Purified M. W.: 134.09 Assay (Acidimetric) 99.0%	702.00 6800.00 POR	500 gm 5 kg 50 kg
959590 MB $C_4H_6O_5$ (617-48-1)	DL-**Malic Acid** For Molecular Biology M. W.: 134.09 Assay : ≥ 99% Store Below 30°C	792.00	500 gm
H46485 HISURE $C_4H_6O_5$ (617-48-1)	DL-**Malic Acid AR** for Biochemistry M. W.: 134.08	3200.00 6210.00	250 gm 1 kg
PCT1502 PTC $C_4H_6O_5$ (97-67-6)	L-(-)-**Malic Acid** Plant Culture Tested M. W.: 134.09 Assay 96.5% Store below 30°C	8910.00	250 gm
863500	**Mallory Phosphotungstic** Haematoxylin Solution (Stain for Connective Tissue)	1000.00	100 ml
146445 $C_3H_6N_2O_2$ (108-13-4)	**Malonamide** for Synthesis M. W.: 102.09 Assay 97.0%	1053.00 4518.00	100 gm 500 gm
029129 $CH_2(COOH)_2$ (141-82-2)	**Malonic Acid** M. W.: 104.06 Assay (acidimetric) 98.0%	612.00 2205.00 18000.00 POR	100 gm 500 gm 5 kg 25 kg
568705 $CH_2(COOH)_2$ (141-82-2)	**Malonic Acid AR** M. W.: 104.06 Assay (acidimetric) 99.0%	756.00 3006.00 4806.00	100 gm 500 gm 1 kg
	Malonic Dinitrile See Malononitrile		
146485 $C_3H_2N_2$ (109-77-3)	**Malononitrile** M.W. : 66.06 Assay (By GC) 98.0%	783.00 3600.00	100 gm 500 gm
338625	**Malt Extract Powder** Bacteriology	603.00	500 gm
PCT1412 PTC	**Malt Extract Powder** Plant Culture Tested Store below 30°C	2322.00	500 gm
PCT1413 PTC	**Malt Extract Powder, Refined** Plant Culture Tested Store below 30°C	3861.00	500 gm
146635 (9050-36-6)	**Maltodextrine** Powder	208.00	500 gm
PCT1611 PTC (9050-36-6)	**Maltodextrin** Plant Culture Tested Store below 30°C	252.00 459.00	500 gm 1 kg
029131 $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	**Maltose** Cryst. M. W.: 360.32	387.00 855.00 1602.00 POR	100 gm 250 gm 500 gm 25 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
959610 MB $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	D-**(+)-Maltose** Monohydrate For Molecular Biology M. W.: 360.31 Assay : ≥ 95% Store Below 30°C	**405.00** **1800.00**	**100 gm** **500 gm**
PCT1613 PTC $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	D-**(+)-Maltose** Monohydrate Plant Culture Tested M. W.: 360.31 Assay 99% Store below 30°C	**338.00** **1512.00** **2745.00** **13073.00**	**100 gm** **500 gm** **1 kg** **5 kg**
TC1148 ATC $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	**Maltose** Monohrdrate Cell Culture Tested M. W.: 360.31 Assay : ≥95% Store below 30°C	**1450.00** **5670.00** **8550.00**	**100 gm** **500 gm** **1 kg**
	Maltose Extrapure **AR** See in Culture Media Bases		
	Maltose Monohydrate See in Culture Media Bases		
146755 $C_8H_8O_3$ (611-71-2)	D (-) **Mandelic Acid** (R (–) Mandelic Acid M. W.: 152.15 Assay 98.0%	**2205.00**	**100 gm**
146765 $C_8H_8O_3$ (90-64-2)	DL-**Mandelic Acid** for Synthesis M. W.: 152.15	**1062.00** **4905.00**	**100 gm** **500 gm**
146805 $C_8H_8O_3$ (17199-29-0)	L (+) **Mandelic Acid** S (+) Mandelic Acid M. W.: 152.15 Assay 99.0%	**2205.00**	**100 gm**
863640	**Manganese** (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**
863642	**Manganese** (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**
863670	**Manganese** (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**5301.00** **8514.00**	**100 ml** **500 ml**
863690	**Manganese** (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	**16030.00** **48204.00**	**100 ml** **500 ml**
863710	**Manganese** (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl	**5301.00** **8514.00**	**100 ml** **500 ml**
863730	**Manganese** (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl	**16030.00** **48204.00**	**100 ml** **500 ml**
568895 Mn (7439-96-5)	**Manganese** (Metal) **AR** Powder Electrolytic At. W.:54.94 Assay (Complexometric) 99.0%	**1107.00**	**250 gm**

Product Code	Product Name	Price	Packing
146855 Mn (7439-96-5)	**Manganese** (Metal) **Flakes** At. W.: 54.94	**1107.00**	**500 gm**
029134 $(CH_3COO)_2.Mn.4H_2O$ (6156-78-1)	**Manganese** (II) **Acetate** Cryst. Tetrahydrate M. W.: 245.09 Assay (complexometric) 99.0%	**981.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
568940 $(CH_3COO)_2Mn.4H_2O$ (6156-78-1)	**Manganese** (II) **Acetate AR** Tetrahydrate M. W.: 245.09 Assay (Complexometric) 99.50%	**1152.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
146975 MnB_4O_7 (12228-91-0)	**Manganese Borate** M.W. : 84.77	**1305.00**	**500 gm**
147015 $MnBr_2$ (13446-03-2)	**Manganese** (II) **Bromide** M. W.: 214.75 Assay 98.0%	**2520.00**	**500 gm**
029136 $MnCO_3.XH_2O$ (34156-69-9)	**Manganese** (II) **Carbonate** M. W.: 114.95 (anhy.) Assay (complexometric Mn) 43-46%	**590.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
029137 $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	**770.00** **7102.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
568985 $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** Tetrahydrate **AR** M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	**837.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
959640 MB $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** Tetrahydrate For Molecular Biology M. W.: 197.91 Assay : ≥ 98% Store Below 30°C	**306.00** **1125.00**	**100 gm** **500 gm**
PCT1112 PTC $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride Tetrahydrate** Plant Culture Tested M. W.: 197.91 Assay 98% Store below 30°C	**1400.00**	**500 gm**
147135	**Manganese Citrate**	**1593.00**	**500 gm**
029139 MnO_2 (1313-13-9)	**Manganese Dioxide** tech M. W.: 86.94 Assay (Iodometric) 75.0-85.0%	**279.00** **2421.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
569015 MnO_2 (1313-13-9)	**Manganese Dioxide AR** M. W.: 86.94 Assay (Iodometric) 92.0-94.0%	**792.00**	**500 gm**
147275 MnF_3 (7783-53-1)	**Manganese Fluoride** M. W.: 111.93 Asay 98.0%	**1197.00**	**500 gm**
863830	**Manganese Nitrate** 45-50% Solution in Dilute Nitric Acid	**558.00**	**500 ml**
029145 $C_2MnO_4.2H_2O$ (6556-16-7)	**Manganese Oxalate** M. W.: 178.99 Assay (Oxidimetric) 98.0%	**999.00**	**500 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
147355	**Manganese Phosphate** Heptahydrate	900.00	500 gm
029147 $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate M. W.: 169.01 Assay (Complexometric ex Mn) 98.0%	531.00 3807.00 POR	500 gm 5 kg 50 kg
569075 $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate **AR** (Manganous Sulphate) M. W.: 169.01 Assay (Complexometric) 99.0%	954.00 8820.00 POR	500 gm 5 kg 50 kg
959700 MB $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate For Molecular Biology M. W.: 169.02 Assay : ≥ 99% Store Below 30°C	1026.00 1540.00	500 gm 1 kg
PCT1113 PTC $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate monohydrate** Plant Culture Tested M. W.: 169.02 Assay 98% Store below 30°C	1125.00 2025.00	500 gm 1 kg
TC1149 ATC $MnSO_4.H_2O$ (10034-96-5)	**Manganese (II) Sulphate** Monohydrate Cell Culture Tested M. W.: 169.02 Assay : ≥99% Store below 30°C	1067.00 4212.00	100 gm 500 gm
TC1149M ATC $MnO_4S.H_2O$ (10034-96-5)	**Manganese (II) Sulphate** Monohydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 169 Store below 30°C	3033.00 9702.00	100 gm 500 gm
147495 MnS (18820-29-6)	**Manganese (II) Sulphide 98%** M. W.: 87.00 Assay 98.0%	1692.00	100 gm
H46635 HISURE MnS (18820-29-6)	**Manganese** (II) **Sulphide** M. W.: 87.00 Assay 98.0%	4302.00 14000.00	5 gm 25 gm
863940	**Mann**'s Stain (Stain for acidophilic inclusion bodies)	784.00	100 ml
147510 $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Pure M. W.: 182.17	639.00 1143.00 2187.00 POR POR POR	250 gm 500 gm 1 kg 5 kg 25 kg 50 kg
569165 $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol AR** Meets Analytical Specification of IP, BP, USP. M. W.: 182.17 Assay 99.0%	950.00 1400.00 POR POR	250 gm 500 gm 5 kg 25 kg
959800 MB $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** For Molecular Biology M. W.: 182.17 Assay : ≥ 99% Store Below 30°C	1440.00 2592.00	500 gm 1 kg
PCT1604 PTC $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Plant Culture Tested M. W.: 182.17 Assay 99.5% store below 30°C	2745.00 4950.00 15120.00	500 gm 1 kg 5 kg
TC1513 ATC $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Mannite Cell Culture Tested M. W.: 182.17 Assay : ≥99% Store below 30°C	1620.00 2655.00	25 gm 100 gm
TC1513M ATC $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 182.172 Store below 30°C	2421.00 7272.00	25 gm 100 gm
569205 $C_6H_{12}O_6$ (3458-28-4)	▲D-**Mannose AR** M. W.: 180.16	576.00 1296.00 4410.00	10 gm 25 gm 100 gm
960100 MB $C_6H_{12}O_6$ (3458-28-4)	▲D-**Mannose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99%	5130.00	100 gm
PCT1605 PTC $C_6H_{12}O_6$ (3458-28-4)	▲D-(+)-**Mannose** Plant Culture Tested MW : 180.16 Assay 98%	1512.00 5320.00 23940.00	25 gm 100 gm 500 gm
TC1150 ATC $C_6H_{12}O_6$ (3458-28-4)	▲D-(+)-**Mannose** Cell Culture Tested M. W.: 180.16 Assay : ≥99%	3020.00 9100.00 35100.00	25 gm 100 gm 500 gm
	Manoxol OT See Dioctyl Sodium Sulphosuccinate		
029150 $CaCO_3$ (471-34-1)	**Marble Chips** M. W.: 100.09	153.00	500 gm
863955	**Marquis** Reagent	1000.00	25 ml
305275 $(O_2N)_2C_{10}H_5OH$ (605-69-6)	**Martius Yellow** for Microscopy C. I. No. 10315 M. W.: 234.17 Dye content 85.0%	2300.00	25 gm
305415	**May And Grunwald's** Stain for Microscopy	712.00	25 gm
863970	**May Grunwald's** Eosin-Methylene Blue Solution	216.00	125 ml
	Mayer's Hemalum Solution For Microscopy See Hematoxyline Mayer's solution		
864070	**Mayer's Mucicarmine** Staining Solution	261.00 810.00	100 ml 500 ml
864100	**Mayer's** Solution (Reagent for Detection of Alkaloids)	280.00 900.00	125 ml 500 ml
	MBTH See 3-Methyl-2-Benzothiazolinone Hydrazone Hydrochloride,		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
339195	**Meat Extract Paste** for Becteriology	945.00	500 gm
339215	**Meat Extract Powder** for Bacteriology	2448.00	500 gm
864300	**Mecke** Reagent	1000.00	25 ml
029152 $C_3H_6N_6$ (108-78-1)	**Melamine** Pure M. W.: 126.12 Assay (ex N, Non-aqueous) 97.5%	684.00	500 gm
147765 $C_{13}H_{16}N_2O_2$ (73-31-4)	**Melatonin** M. W.: 232.28 Assay (TLC) 98.0%	567.00 1990.00 6777.00	1 gm 5 gm 25 gm
PCT1840 PTC $C_{13}H_{16}N_2O_2$ (73-31-4)	▲**Melatonin** Plant Culture Tested M. W.: 232.28 Assay 99%	3960.00 17991.00 26991.00	1 gm 5 gm 10 gm
038051 $C_{12}H_{22}O_{11}$ (585-99-9)	D+**Melibiose** for Biochemistry M. W.: 342.30	1404.00 5500.00	1 gm 5 gm
147875 $C_{11}H_8O_2$ (58-27-5)	**Menadione** for Biochemistry M. W.: 172.18	1305.00	25 gm
147895 $C_{11}H_9NaO_5S.3H_2O$ (57414-02-5)	**Menadione Sodium Bisulphite** For Lab use M. W.: 330.28 Assay (Calculated as $C_{11}H_9O_5S$. Na with reference to anhydrous subs. dried) (Oxidimetric) 94.0%	828.00	25 gm
TC1151 ATC $C_{11}H_9NaO_5S$ (130-37-0)	▲**Menadione Sodium Bisulphite** (Vitamin K3; W.S.) Cell Culture Tested M. W.: 276.24 Assay : ≥95%	1530.00 5239.00	25 gm 100 gm
029153 $C_{10}H_{20}O$ (2216-51-5)	**Menthol** Crystal Natural M. W.: 156.27 Assay (GC) 99.0%	1503.00	100 gm
	Mercapto Acetic Acid See Thioglycolic Acid		
	Mercapto Acetic Acid Sodium Salt See Sodium Thioglycolate		
	Mercapto Benzene See Thiophenol		
147965 $C_7H_6N_2S$ (583-39-1)	2-**Mercapto Benzimidazole** M. W.: 150.20	1557.00 POR	500 gm 25 kg
580105 $C_7H_6O_2S$ (147-93-3)	2-**Mercapto Benzoic Acid AR** M. W.: 154.19	2700.00 11250.00	100 gm 500 gm
148115 $C_7H_5NS_2$ (149-30-4)	2-**Mercapto Benzothiazole** for Synthesis M. W.: 167.25	585.00 1800.00	100 gm 500 gm
580165 $C_7H_5NS_2$ (149-30-4)	2-**Mercapto Benzothiazole AR** (2-Benimidazol Ethiol) M. W.: 167.25 Assay (Acidimetric) 99.0%	702.00 2201.00	100 gm 500 gm
864400	**Mercapto Benzothiazole** Solution (Reagent for Bi, Cd, Pb)	784.00	100 ml

Product Code	Product Name	Price	Packing
148195 $HS.CH_2CH_2OH$ (60-24-2)	2-**Mercapto Ethanol** for Synthesis M. W.: 78.13 Assay (GC) 99.0%	603.00 2502.00	100 ml 500 ml
580225 $HS.CH_2CH_2OH$ (60-24-2)	2-**Mercapto Ethanol AR** Suitable M. W.: 78.13	900.00 3330.00	100 ml 500 ml
TC1152 ATC C_2H_6OS (60-24-2)	2-**Mercaptoethanol** Cell Culture Tested M. W.: 78.13. Assay : ≥99% Store below 30°C	1737.00 3402.00 5202.00	100 ml 250 ml 500 ml
	3-**Mercapto**-1,2-**Propane Diol** for Preparing Ligands See 1-Thioglycerol		
148265 $C_3H_6O_2S$ (79-42-5)	2-**Mercapto Propionic Acid** for Synthesis M. W.: 106.14 Assay 95.0%	3470.00	100 gm
148275 $C_3H_6O_2S$ (107-96-0)	3-**Mercapto Propionic Acid** for Synthesis M. W.: 106.14 Assay 99.0%	1107.00 4311.00	100 ml 500 ml
148395 $C_5H_4N_4S.H_2O$ (6112-76-1)	▲6-**Mercapto Purine** for Biochemistry M. W.: 170.19	640.00 2231.00 8100.00	1 gm 5 gm 25 gm
PCT2127 PTC $C_5H_4N_4S.H_2O$ (6112-76-1)	▲6-**Mercapto Purine** Monohydrate **(6-Purinethiol)** Plant Culture Tested M. W.: 170.19 Assay 98%	1152.00 5193.00	1 gm 5 gm
029160 $(CH_3.COO)_2Hg$ (1600-27-7)	**Mercuric Acetate** Mercury (II) Acetate M. W.: 318.68 Assay (Precipitation titration) 98.0%	1647.00 6300.00 30006.00	25 gm 100 gm 500 gm
580535 $(CH_3.COO)_2Hg$ (1600-27-7)	**Mercuric Acetate AR/ACS** M. W.: 318.68 Assay (Precipitation titration) 99.0%	1746.00 6606.00 32000.00	25 gm 100 gm 500 gm
	Mercuric Ammonium Chloride see **Mercury Ammoniated**		
580545 $HgBr_2$ (7789-47-1)	**Mercuric Bromide AR/ACS** (Mercury II Bromide) M. W.: 360.40 Assay (by complexometric) 99.0%	2061.00 6201.00	25 gm 100 gm
029163 $HgCl_2$ (7487-94-7)	**Mercuric Chloride** M. W.: 271.50 Assay (Complexometric ex Hg) 99.0%	1503.00 4500.00 10503.00 20007.00 38430.00	25 gm 100 gm 250 gm 500 gm 1 kg
580575 $HgCl_2$ (7487-94-7)	**Mercuric Chloride AR/ACS** Reagent for Zinc M. W.: 271.50 Assay (Complexometric ex Hg) 99.5%	1602.00 4806.00 11520.00 21375.00 POR	25 gm 100 gm 250 gm 500 gm 1 kg

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
960150 MB $HgCl_2$ (7487-94-7)	**Mercuric Chloride** For Molecular Biology M. W.: 271.50 Assay : ≥ 99.5% Store Below 30°C	12006.00	250 gm
PCT2512 PTC $HgCl_2$ (7487-94-7)	**Mercuric Chloride** Plant Culture Tested M. W.: 271.5 Assay 99.5% Store below 30°C	5400.00 11880.00 21375.00	100 gm 250 gm 500 gm
864500	**Mercuric Chloride** Solution 5%	320.00	125 ml
864520	**Mercuric Chloride** TS acc. to USP	558.00	100 ml
029165 HgI_2 (7774-29-0)	**Mercuric Iodide** Red M. W.: 454.40 Assay (Oxidimetric) 99.0%	1737.00 5202.00 24400.00	25 gm 100 gm 500 gm
580635 HgI_2 (7774-29-0)	**Mecuric Iodide Red AR/ACS** M. W.: 454.40 Assay (Oxidimetric) 99.0%	1800.00 5400.00 25200.00	25 gm 100 gm 500 gm
029166 $Hg(NO_3)_2.H_2O$ (7783-34-8)	**Mercuric Nitrate** Monohydrate (Mercury II Nitrate) M. W.: 342.62 Assay (by precipitation titration of Hg) 98.0%	1900.00 5706.00 27000.00	25 gm 100 gm 500 gm
580815 $Hg(NO_3)_2.H_2O$ (7783-34-8)	**Mercuric Nitrate AR/ACS** M. W.: 342.62	2003.00 6003.00 29007.00	25 gm 100 gm 500 gm
864640	**Mercuric** (II) **Nitrate** 0.005M (0.01N) Volumetric Solution	1400.00	1 lit
864660	**Mercuric** (II) **Nitrate** 0.01M (0.02N) Volumetric Solution	1400.00	1 lit
864670	**Mercuric** (II) **Nitrate** 0.05M (0.1N) Volumetric Solution	1400.00	1 lit
864675	**Mercuric** (II) **Nitrate** 0.07M (0.14N) Volumetric Solution	1400.00	1 lit
029168 HgO (21908-53-2)	**Mercuric Oxide** Red M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	1900.00 5706.00 27500.00	25 gm 100 gm 500 gm
580935 HgO (21908-53-2)	**Mercuric Oxide** Red **AR/ACS** M. W.: 216.59	6003.00 28530.00	100 gm 500 gm
148705 HgO (21908-53-2)	**Mercuric Oxide** Yellow M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	5805.00 28000.00	100 gm 500 gm
581045 HgO (21908-53-2)	**Mercuric Oxide** Yellow **AR** M. W.: 216.59	6003.00 29007.00	100 gm 500 gm
029174 $HgSO_4$ (7783-35-9)	**Mercuric Sulphate** (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	1602.00 4806.00 11520.00 22500.00	25 gm 100 gm 250 gm 500 gm
581085 $HgSO_4$ (7783-35-9)	**Mercuric Sulphate AR/ACS** (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	5103.00 12200.00 23607.00	100 gm 250 gm 500 gm

Product Code	Product Name	Price	Packing
864700	**Mercuric** (II) **Sulphate** 20gm/lit in Sulphuric Acid	1503.00	1 lit
864705	**Mercuric** (II) **Sulphate** 80gm/lit in Sulphuric Acid	3240.00	1 lit
864710	**Mercuric** (II) **Sulphate** 200gm/lit in Sulphuric Acid	8640.00	1 lit
581105 $Hg(SCN)_2$ (592-85-8)	**Mercuric Thiocyanate AR** M. W.: 316.75 Assay (complexometric) 98.0%	6003.00	100 gm
029177 $C_{20}H_8Br_2HgNa_2O_6$ (129-16-8)	**Mercuro Chrome** Granular M. W.: 750.67 Assay (Spectrophotometry, dried) 97.0%	1450.00 5733.00	25 gm 100 gm
029179 Hg_2Cl_2 (10112-91-1)	**Mercurous Chloride** (Mercury (I) Chloride) M. W.: 472.09 Assay (iodometric) 99.0%	1800.00 5400.00 25497.00	25 gm 100 gm 500 gm
581315 Hg_2Cl_2 (10112-91-1)	**Mercurous Chloride AR/ACS** M. W.: 472.09 Assay (iodometric) 99.5%	5607.00 26550.00	100 gm 500 gm
029182 $Hg_2(NO_3)_2.2H_2O$ (14836-60-3)	**Mercurous Nitrate** Dihydrate (Mercury (I) Nitrate) M. W.: 561.22 Assay (Oxidimetric) 95.0%	1764.00 5301.00 25650.00	25 gm 100 gm 500 gm
581355 $Hg_2(NO_3)_2.2H_2O$ (14836-60-3)	**Mercurous Nitrate AR/ACS** (Mercury (I) Nitrate) M. W.: 561.22	1863.00 5607.00 27000.00	25 gm 100 gm 500 gm
864760	**Mercurous** (**Mercury**)(I)**Nitrate** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	4968.00	1 lit
148995 Hg_2SO_4 (7783-36-0)	**Mercurous Sulphate** (Mercury (I) Sulphate) Assay 96.0%	1400.00 3250.00	25 gm 100 gm
	Mercury (II) See Mercuric		
864860	**Mercury** (Hg) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	2700.00 3591.00 4491.00	100 ml 250 ml 500 ml
864890	**Mercury** (Hg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	4969.00 7939.00	100 ml 500 ml
864910	**Mercury** (Hg) CRISTAR® 10,000 ppm Single Element Std. Soln for ICP in HNO_3 In accordance with NIST	15053.00 45144.00	100 ml 500 ml
029185 Hg (7439-97-6)	**Mercury** (Metal) Pure M. W.: 200.59 Assay (complexometric) 99.0%	4986.00 13500.00 26010.00	100 gm 250 gm 500 gm
581645 Hg (7439-97-6)	**Mercury** (Metal) **AR/ACS** M. W.: 200.59 Assay (Complexometric) 99.5%	5796.00 14000.00 27000.00	100 gm 250 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
149095 HgH_2NCl (10124-48-8)	**Mercury Ammoniated** M. W.: 252.07 Assay 97.0%	16497.00	500 gm
149203 ✲ $C_{25}H_{25}Cl$ (55844-94-5)	**Merrifield Resin** 1% **Crossilinked,** 100-200 Mesh M.W. : 360.90	2205.00 9504.00	5 gm 25 gm
149205 ✲ $C_{25}H_{25}Cl$ (55844-94-5)	**Merrifield Resin** 2% **Crossilinked,** 200-400 Mesh M.W. : 360.90	2205.00 9504.00	5 gm 25 gm
149240 $C_6H_{13}NO_4S.H_2O$ (145224-94-8)	**MES** Buffer M.W.: 213.25 Assay (Acidimetric on dry basis) 99.0%	1125.00 3807.00	25 gm 100 gm
960250 MB $C_6H_{13}NO_4S.H_2O$ (145224-94-8)	**MES** Monohydrate (2-(N-Morpholino)Ethanesulphonic Acid Monohydrate) For Molecular Biology M. W. : 213.25 Assay : ≥ 99% Store Below 30°C	1107.00 4194.00	25 gm 100 gm
PCT1701 PTC $C_6H_{13}NO_4S$ (145224-94-8)	**MES** Buffer [2-(N-Morpholino)ethane sulphonic acid] Plant Culture Tested M. W.: 195.24 Assay 99% Store below 30°C	1215.00 4599.00	25 gm 100 gm
TC1268 ATC $C_6H_{12}NNaO_4S$ (71119-23-8)	**MES Sodium Salt** Cell Culture Tested M. W.: 217.22 Assay : ≥99% Store below 30°C	4392.00 13190.00 44510.00 60580.00	25 gm 100 gm 500 gm 1 kg
149485 $C_6H_{10}O$ (141-79-7)	**Mesityl Oxide** for Synthesis (4-Methyl-3-Penten-2-one,I sopropylidene Acetone) M. W.: 98.14	1305.00 3780.00	500 ml 2.5 lit
581875 $C_6H_{10}O$ (141-79-7)	**Mesityl Oxide AR** M. W.: 98.14	2844.00	500 ml
149395 $C_6H_3(CH_3)_3$ (108-67-8)	**Mesitylene** for Synthesis (1,3,5-Trimethylbenzene) M. W.: 120.19	1107.00 4770.00	500 ml 2.5 lit
581985 $C_6H_3(CH_3)_3$ (108-67-8)	**Mesitylene AR** M. W.: 120.19	1440.00	500 ml
149635 $H_2N.C_6H_4SO_3H$ (121-47-1)	**Metanilic Acid** M. W.: 173.19 Assay 95.0%	221.00 396.00	250 gm 500 gm
305565 $C_{18}H_{14}N_3NaO_3S$ (587-98-4)	**Metanil Yellow AR** C.I. No. 13065 M. W.: 375.38	221.00 522.00	25 gm 100 gm
	Meta Phosphoric Acid See m-Phosphoric Acid		

Product Code	Product Name	Price	Packing
149765 C_4H_7NO (79-39-0)	**Methacrylamide** for Synthesis M. W.: 85.10 Assay 98.0%	756.00 1206.00	250 gm 500 gm
149780 CH_2: $C(CH_3)COOH$ (79-41-4)	**Methacrylic Acid** M. W.: 86.09 Assay (Titration by NaOH) 98.5-101.5%	1053.00 4500.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
	Methanamide See Formamide		
149795 CH_4O_3S (75-75-2)	**Methane Sulphonic Acid** for Synthesis M. W.: 96.10 Assay (Alkalimetric) 98.0%	1459.00 6597.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
582405 CH_3SO_3Na (2386-57-4)	**Methane Sulphonic Acid Sodium Salt AR** M. W.: 118.09	2403.00 8505.00	25 gm 100 gm
752040 CH_3SO_3Na (2386-57-4)	**Methane Sulphonic Acid Sodium Salt** for HPLC M. W.: 118.09	2997.00 11340.00	25 gm 100 gm
029191 CH_3ClO_2S (124-63-0)	**Methane Sulphonyl Chloride** M. W.: 114.55 Assay (acidimetric) 98.0%	1233.00 5904.00 POR	500 ml 2.5 lit 25 lit
029192 CH_4O (67-56-1)	**Methanol** for Synthesis M. W.: 32.04 Assay (GC) 99.0%	315.00 621.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
582495 CH_4O (67-56-1)	**Methanol AR/ACS** Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, M. W.: 32.04 Assay (GC) 99.5%	351.00 950.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
582500 CH_4O (67-56-1)	**Methanol "Dry" AR** M. W.: 32.04 Assay (GC) 99.5%	594.00 1935.00	500 ml 2.5 lit
960400 MB Ch_3OH (67-56-1)	**Methanol** For Molecular Biology M. W.: 32.04 Assay : ≥ 99.9% Store Below 30°C	1000.00	500 ml
752135 CH_4O (67-56-1)	**Methanol** EL M. W.: 32.04 Assay (GC) 99.9%	1602.00	2.5 lit
752138	**Methanol** GC-HS Grade Assay 99.9%	945.00 1710.00	500 ml 1 lit
752140 CH_4O (67-56-1)	**Methanol** for HPLC & UV Spectroscopy M. W.: 32.04 Assay (GC) 99.8%	378.00 630.00 972.00	500 ml 1 lit 2.5 lit
752180 CH_4O (67-56-1)	**Methanol** for HPLC Gradient Grade M. W.: 32.04 Assay 99.8%	657.00 1400.00	1 lit 2.5 lit
752220 CH_4O (67-56-1)	**Methanol** for LC-MS M. W.: 32.04	1494.00 2620.00	1 lit 2.5 lit

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
752200 CH_4O (67-56-1)	**Methanol** for Pesticide Residue Trace Analysis (methyl alcohol) M. W.: 32.04	2223.00 3618.00	1 lit 2.5 lit
149785 CH_3OH (67-56-1)	**Methanol** Semiconductor Grade M.W : 32.04 Assay 99.9%	1305.00	2.5 lit
D73206 CD_4O (811-98-3)	**Methanol-d4 (Methyl-d3 Alcohol-d)** M.W.: 36.07 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	10494.0010 9500.00	x0.75ml 10 ml
865090	**Methanol** With 0.1% Acetic Acid for LCMS	2196.00	2.5 lit
865110	**Methanol** With 0.1% Formic Acid for LCMS	2673.00	2.5 lit
865130	**Methanol** With 0.1% Trifluoro Acetic Acid for LCMS	2196.00	2.5 lit
865305	50/50 **Methanol / Water** for HPLC Grade	1323.00	2.5 lit
865300	**Methanol** 20% V/V Solution in Water With Sodium Phosphate Monobasic for HPLC	333.00 603.00 900.00	500 ml 1 lit 2.5 lit
865310	**Methanol** 50% Solution in Water for Protein Sequence Analysis	666.00 1206.00 1800.00	500 ml 1 lit 2.5 lit
149920 $C_5H_{11}NO_2S$ (59-51-8)	DL-**Methionine** for Feed experiment M. W.: 149.21	2340.00	2.5 kg
037132 $C_5H_{11}NO_2S$ (59-51-8)	DL-**Methionine** for Biochemistry M. W.: 149.21 Assay (Perchloric acid titration dried subs.) 99.0-101.0%	473.00 1800.00 3303.00	100 gm 500 gm 1 kg
037131 $C_5H_{11}NO_2S$ (63-68-3)	L-**Methionine** for Biochemistry M. W.: 149.21 Assay (Non-aqueous; ex S) 99.0%	302.00 1053.00 4806.00	25 gm 100 gm 500 gm
PCT1315 PTC $C_5H_{11}NO_2S$ (63-68-3)	**L-Methionine** Plant Culture Tested M. W.: 149.21 Assay 99.5% Store below 30°C	540.00 2016.00 9072.00	25 gm 100 gm 500 gm
TC1080 ATC $C_5H_{11}NO_2S$ (63-68-3)	**L-Methionine** (From non-animal source) Cell Culture Tested M. W.: 149.21 Assay : ≥99% Store below 30°C	1827.00 5504.00 38493.00	25 gm 100 gm 1 kg
TC1080M ATC $C_5H_{11}NO_2S$ (63-68-3)	**L-Methionine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 149.21 Store below 30°C	3510.00 10071.00 54540.00	25 gm 100 gm 1 kg

Product Code	Product Name	Price	Packing
TC1404 ATC $C_{20}H_{20}N_8Na_2O_5$ (7413-34-5)	▲**Methotrexate Disodium Salt** Cell Culture Tested M. W.: 498.4 Assay : ≥98.5%	41004.00	250 mg
582715 $C_9H_{10}O_2$ (586-37-8)	3-**Methoxy Acetophenone AR** M. W.: 150.17 Assay 97.0%	730.00 1760.00	25 gm 100 gm
150005 $C_9H_{10}O_2$ (100-06-1)	4-**Methoxy Acetophenone** for Synthesis M. W.: 150.18 Assay 99.0%	531.00 2601.00	100 gm 500 gm
	2-**Methoxy Aniline** See o-Anisidine		
	3-**Methoxy Aniline** See m-Anisidine		
	4-**Methoxy Aniline** See p-Anisidine		
150095 $C_{13}H_{12}N_2O$ (2396-60-3)	p-**Methoxy Azobenzene** Absorption Indicator M. W.: 212.25	1450.00	1 gm
	P-**Methoxy Benzaldehyde** See Anisaldehyde		
150165 $C_8H_8O_2$ (591-31-1)	3-**Methoxy Benzaldehyde** for Synthesis (m-Anisaldehyde) M. W.: 136.15	1189.00 4104.00 15170.00	25 gm 100 gm 500 gm
	Methoxy Benzene See Anisole		
	2-**Methoxy Benzoic Acid** See o-Anisic Acid		
	3-**Methoxy Benzoic Acid** See m-Anisic Acid (m-Methoxy Benzoic Acid)		
	4-**Methoxy Benzoic Acid** See (p-Methoxy Benzoic acid) p-Anisic Acid		
150485 $C_8H_7ClO_2$ (100-07-2)	4-**Methoxy Benzoyl Chloride** for Synthesis (p-Anisoyl Chloride) M. W.: 170.59	3780.00 9540.00	100 ml 500 ml
150625 ✲ $C_8H_{11}NO$ (5071-96-5)	3-**Methoxy Benzylamine** M. W.: 137.18 Assay 98.0%	2196.00 6040.00	5 gm 25 gm
150635 $C_8H_{11}NO$ (2393-23-9)	4-**Methoxy Benzylamine** for Synthesis M. W.: 137.18	1450.00 5000.00	25 gm 100 gm
150665 ✲ C_9H_9NO (104-47-2)	4-**Methoxybenzyl Cyanide** for Synthesis (4-Methoxyphenyl) Acetonitrile M.W : 147.18	1800.00 8622.00	100 gm 500 gm
	2-**Methoxy Ethanol** See Ethylene Glycol Mono Methyl Ether (Methyl Cellosolve)		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
150705 $C_5H_{10}O_3$ (110-49-6)	2-**Methoxy Ethyl Acetate** for Synthesis (Ethyleneglycol Monomethyl Ether Acetate, Methyl Cellosolve Acetate, Methyl Glycol Acetate) M. W.: 118.13	**1080.00**	**500 ml**
150765 ✲ $C_{14}H_{12}O_3$ (131-57-7)	4-**Methoxy**-2-**Hydroxy Benzophenone** M. W.: 228.24 Assay 98.0%	**792.00** **3006.00**	**100 gm** **500 gm**
150835 C_9H_9NO (1006-94-6)	5-**Methoxy Indole** for Synthesis M. W.: 147.18	**702.00** **2403.00** **9000.00**	**1 gm** **5 gm** **25 gm**
	o-**Methoxy Phenol** See Guaiacol (Liquid)		
	4-**Methoxy Phenol** See Hydroquinone Monomethyl Ether		
151265 ✲ $C_9H_{10}O_3$ (7021-09-2)	a-**Methoxy Phenyl Acetic Acid** M. W.: 166.17	**7380.00** **21600.00**	**5 gm** **25 gm**
151285 ✲ $C_9H_{10}O_3$ (93-25-4)	2-**Methoxy Phenyl Acetic Acid** for Synthesis M. W.: 166.17	**3303.00** **4905.00**	**25 gm** **100 gm**
151295 $C_9H_{10}O_3$ (1798-09-0)	3-**Methoxy Phenyl Acetic Acid** M. W.: 166.17	**1296.00** **4302.00** **15400.00**	**5 gm** **25 gm** **100 gm**
151305 $C_9H_{10}O_3$ (104-01-8)	4-**Methoxy Phenyl Acetic Acid** for Synthesis M. W.: 166.17	**4608.00**	**500 gm**
	4-**Methoxyphenyl Acetonitrile** See 4-Methoxybenzyl Cyanide		
151705 $C_4H_{10}O_2$ (107-98-2)	1-**Methoxy**-2-**Propanol** for Synthesis (Propylene Glycol Monomethyl Ether) M. W.: 90.12	**711.00** **2727.00** **POR**	**500 ml** **2.5 lit** **25 lit**
151895 $C_6H_{12}O_3$ (108-65-6)	1-**Methoxy**-2-**Propanol Acetate** for Synthesis M. W.: 132.16	**581.00** **2601.00**	**500 ml** **2.5 lit**
151975 C_4H_8O (116-11-0)	2-**Methoxy Propene** (Isopropenyl Methyl Ether) M. W.: 72.11	**4140.00** **15570.00**	**500 ml** **2.5 lit**
152275 $C_4H_{11}NO$ (5332-73-0)	3-**Methoxy Propylamine** for Synthesis (1-Amino-3-Methoxy Propane) M. W.: 89.14	**1530.00** **22950.00**	**500 ml** **4x2.5 lit**
152355 $C_{11}H_{12}O_2$ (6836-19-7)	7-**Methoxy**-1-**Tetralone** M. W.: 176.21 Assay 99.0%	**550.00** **1530.00** **6300.00**	**1 gm** **5 gm** **25 gm**
152495 C_3H_7NO (79-16-3)	n-**Methyl Acetamide** for Synthesis M. W.: 73.09 Assay 99.0%	**4257.00**	**500 gm**
152560 $C_3H_6O_2$ (79-20-9)	**Methyl Acetate** Pract M. W.: 74.08 Assay (GC) 90.0%	**576.00** **2556.00** **POR**	**500 ml** **2.5 lit** **25 lit**

Product Code	Product Name	Price	Packing
029202 $CH_3.COO.CH_3$ (79-20-9)	**Methyl Acetate** for Synthesis M. W.: 74.08 Assay (GC) 98.0%	**702.00** **2809.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
583575 $C_3H_6O_2$ (79-20-9)	**Methyl Acetate AR** M.W : 74.08	**801.00**	**500 ml**
752650 $C_3H_6O_2$ (79-20-9)	**Methyl Acetate** for HPLC M. W.: 74.08 Assay (GC) 99.8%	**1998.00** **8811.00**	**500 ml** **2.5 lit**
	Methylal See 1,2-Dimethoxymethane		
152635 $C_5H_8O_3$ (105-45-3)	**Methyl Acetoacetate** M. W.: 116.12 Assay (GC) 98.0%	**801.00** **3600.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
152785 $C_9H_{10}O$ (122-00-9)	4-**Methyl Acetophenone** for Synthesis M. W.: 134.18	**513.00** **2232.00**	**100 gm** **500 gm**
029205 $C_4H_6O_2$ (96-33-3)	**Methyl Acrylate** M. W.: 86.09 Assay (GC) 99.0%	**730.00** **3200.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	3-**Methyl Acrylic Acid** See Crotonic Acid		
	Methyl Alcohol See Methanol		
152855 CH_3NH_2 (74-89-5)	▲**Methylamine** Soln. 40% (Monomethylamine Soln.) M. W.: 31.07 Assay Abt. 40.0% (w/v)	**261.00** **1107.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
865350	▲**Methylamine** (2m) in THF	**2340.00**	**500 ml**
	Methylamine Hydroxhloride See Methylammonium Chloride		
152925 ✲ $BrC_8H_8NO_2$ (52727-57-8)	**Methyl**-2-**Amino**-5-**Bromobenzoate** M. W.: 230.06 Assay 96.0%	**8204.00**	**25 gm**
153105 C_3H_9NO (109-83-1)	2-**(Methyl Amino) Ethanol** for Synthesis [Monomethyl ethanol amine, MMEA, N-Methylethanol amine, (2-Hydroxy Ethyl) Methylamine] M. W.: 75.11	**720.00** **2800.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
	p-**(Methyl Amino) Phenol Sulphate** See Metol		
029210 $CH_3.NH_2.HCl$ (593-51-1)	**Methyl Ammonium Chloride** (Methylamine Hydrochloride) M. W.: 67.52 Assay (Non-aqueous) 99.0%	**460.00** **1503.00** **POR**	**250 gm** **1 kg** **50 kg**
153225 C_7H_9N (100-61-8)	n-**Methyl Aniline** (Monomethyl Aniline) M. W.: 107.16	**900.00** **3906.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
583835 C_7H_9N (100-61-8)	n-**Methyl Aniline AR** M. W.: 107.16 Assay 98.0%	**2322.00**	**1 lit**
153345 ✲ $C_8H_{10}O$ (578-58-5)	2-**Methyl Anisole** M. W.: 122.16 Assay 99.0%	**3600.00** **10620.00**	**100 ml** **500 ml**

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
153355 ✠ $C_8H_{10}O$ (100-84-5)	3-**Methyl Anisole** M. W.: 122.16 Assay 99.0%	2350.00 POR	25 ml 250 ml
153385 $C_8H_{10}O$ (104-93-8)	4-**Methyl Anisole** for Synthesis (p-Cresylmethyl Ether, p-Methoxytoluene, Methyl-p-Cresol) M. W.: 122.16	1323.00	500 ml
153415 $C_8H_9NO_2$ (134-20-3)	**Methyl Anthranilate** for Synthesis M. W.: 151.16	1521.00 7002.00 POR	500 ml 2.5 lit 25 lit
153625 $CH_3C_6H_4CHO$ (529-20-4)	2-**Methyl Benzaldehyde** (o-Tolualdehyde) M. W.: 120.15 Assay 97.0%	1332.00 4100.00	25 gm 100 gm
153645 $CH_3C_6H_4CHO$ (620-23-5)	3-**Methyl Benzaldehyde** (m-Tolualdehyde) M. W.: 120.15 Assay 97.0%	1540.00 4500.00	5 gm 25 gm
584045 $CH_3C_6H_4CHO$ (104-87-0)	4-**Methyl Benzaldehyde AR** (p-Tolualdehyde) M. W.: 120.15 Assay 97.0%	1494.00 5400.00	100 gm 500 gm
029214 $C_6H_5.COOCH_3$ (93-58-3)	**Methyl Benzoate** for Synthesis M. W.: 136.15 Assay (GC) 99.0%	1022.00	500 ml
	2-**Methyl Benzoic Acid** See o-Toluic Acid		
	3-**Methyl Benzoic Acid** See m-Toluic Acid		
	4-**Methyl Benzoic Acid** See p-Toluic Acid		
153775 $CH_3C_6H_4CN$ (529-19-1)	2-**Methyl Benzonitrile** for Synthesis (o-Tolunitrile) M. W.: 117.15 Assay (GC) 97.0%	1400.00 5590.00	100 ml 500 ml
153795 $CH_3C_6H_4CN$ (620-22-4)	3-**Methyl Benzonitrile** for Synthesis (m-Tolunitrile) M. W.: 117.15 Assay 99.0%	1000.00 4806.00	100 gm 500 gm
153815 $CH_3C_6H_4CN$ (104-85-8)	4-**Methyl Benzonitrile** for Synthesis (p-Tolunitrile) M. W.: 117.15 Assay 98.0%	1854.00 7101.00	100 gm 500 gm
153905 $C_{14}H_{12}O$ (134-84-9)	4-**Methyl Benzophenone** for Synthesis (Phenyl-p-tolyl) M. W.: 196.24	2890.00 12600.00	100 gm 500 gm
584315 $C_8H_9N_3S.HCl.H_2O$ (38894-11-0)	· 3-**Methyl** 2-**Benzothiazolinone Hydrazone Hydrochloride** Monohydrate (M.B.T.H.) **AR** M. W.: 233.72 Assay (Non-aqueous, by autotitrater) 98.0%	7300.00 17010.00	10 gm 25 gm
865450	**MBTH** 0.05% w/v Aqueous Indicator Solution (for Cyanide)	617.00	100 ml

Product Code	Product Name	Price	Packing
154015 ✠ $C_8H_{10}O$ (89-95-2)	2-**Methyl Benzyl Alcohol** M. W.: 122.16 Assay 98.0%	3690.00	25 gm
154025 $C_8H_{10}O$ (587-03-1)	3-**Methyl Benzyl Alcohol** M. W.: 122.16 Assay 98.0%	6120.00	25 gm
154035 $C_8H_{10}O$ (589-18-4)	4-**Methyl Benzyl Alcohol** M. W.: 122.16 Assay 98.0%	2700.00 4590.00	25 gm 100 gm
	n-**Methyl Benzylamine** See N-Benzylmethylamine		
154045 $C_8H_{11}N$ (89-93-0)	2-**Methyl Benzyl Amine** M. W.: 121.18 Assay 96.0%	4653.00 10620.00	5 gm 25 gm
154055 $C_8H_{11}N$ (100-81-2)	3-**Methyl Benzyl Amine** M. W.: 121.18 Assay 98.0%	1000.00 3006.00	1 gm 5 gm
154065 $C_8H_{11}N$ (104-84-7)	4-**Methyl Benzyl Amine** M. W.: 121.18 Assay 97.0%	8505.00	100 ml
305655 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4)	**Methyl Blue** for Microscopy C.I. No. 42780 M. W.: 799.80 Dye content (titanometry, on dried substance) >60.0%	882.00 2800.00	25 gm 100 gm
865755	**Methyl Blue** Aqueous Solution	495.00	100 ml
154195 ✠ $C_8H_7BrO_2$ (619-42-1)	**Methyl**-4-**Bromobenzoate** M. W.: 215.04 Assay 99.0%	1000.00 3960.00	25 gm 100 gm
154235 $C_5H_7BrO_2$ (1117-71-1)	**Methyl**-4-**Bromo-Crotonate** Pract for Synthesis M. W.: 179.01	2170.00	5 gm
	2-**Methyl Butane** See Iso-Pentane		
	3-**Methyl**-1-**Butanol** See ISO-Amyl alcohol		
	2-**Methyl**-2-**Butanol** See tert-Amyl Alcohol		
	3-Methyl-2-Butenoic Acid See 3,3-Dimethyl Acrylic Acid		
	Methyl-Tert-**Butyl Ether** See tert Butyl Methyl Ether		
	Methyl-iso-**Butyl Ketone** See ISO Butylmethyl Ketone		
	Methyl Carbitol See Diethylene Glycol Mono Methyl Ether		
154415 $C_5H_{10}O_2$ (623-42-7)	**Methyl Butyrate** for Synthesis M. W.: 102.13 Assay 98.0%	3159.00	500 ml
154505 $C_7H_8O_2$ (452-86-8)	4-**Methyl Catechol** (3,4-Dihydroxytoluene) M. W.: 124.14	20304.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	Methyl Cellosolve See Ethylene Glycol Mono Methyl Ether		
154555 (9004-67-5)	**Methyl Cellulose** 350-550 cPs	2800.00	500 gm
154605 (9004-67-5)	**Methyl Cellulose** 4000 cPs	3006.00	500 gm
154655 $C_3H_5ClO_2$ (96-34-4)	**Methyl Chloroacetate** M. W.: 108.52 Assay (GC) 97.5%	684.00	500 ml
154785 $C_5H_9ClO_2$ (3153-37-5)	**Methyl** 4-**Chlorobutyrate** M.W. 136.58 Assay 98.0%	1980.00	25 gm
154805 $C_2H_3O_2Cl$ (79-22-1)	**Methyl Chloro Formate** for Synthesis (Chloroformic acid methyl ester) M. W.: 94.50	1062.00 4401.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
584665 $ClCO_2CH_3$ (79-22-1)	**Methyl Chloro Formate AR** M. W.: 94.50 Assay 99.0%	1989.00 5000.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
154850 $C_4H_7ClO_2$ (17639-93-9)	**Methyl**-2-**Chloropropionate** for Synthesis (2-chloropropionic acid methyl ester) M. W.: 122.55	1422.00 6620.00	500 ml 2.5 lit
154895 $C_{10}H_{10}O_2$ (103-26-4)	**Methyl Cinnamate** for Synthesis M. W.: 162.19 Assay (GC) 99.0%	4500.00	500 gm
154975 $C_{63}H_{91}CoN_{13}O_{14}P$ (13422-55-4)	**Methyl Cobalamin** for Biochemistry M. W.: 1344.38	666.00 1710.00	250 mgm 1 gm
	Methyl Cyanide See Acetonitrile		
155085 $C_4H_5NO_2$ (105-34-0)	**Methyl Cyanoacetate** for Synthesis (Cyanoacetic Acid Methyl Ester) M. W.: 99.08	1566.00 7434.00	500 ml 2.5 lit
TC1227 ATC (128446-36-6)	▲β-**Methyl Cyclodextrin** Cell Culture Tested	3267.00 15507.00 29556.00	1 gm 5 gm 10 gm
155195 C_7H_{14} (108-87-2)	**Methyl Cyclohexane** for Synthesis M. W.: 98.19	576.00 2385.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
584965 C_7H_{14} (108-87-2)	**Methyl Cyclohexane AR** M. W.: 98.19	999.00 3960.00	500 ml 2.5 lit
155285 $C_6H_{11}NHCH_3$ (100-60-7)	n-**Methyl Cyclohexylamine** for Synthesis M. W.: 113.20 Assay 99.0%	2106.00 15930.00 31860.00	25 ml 1 lit 2.5 lit
155375 C_6H_{12} (96-37-7)	**Methyl Cyclopentane** for Synthesis M. W.: 84.16	3600.00 13050.00	100 ml 500 ml
585075 C_6H_{12} (96-37-7)	**Methyl Cyclopentane AR** M. W.: 84.16	5400.00	100 ml

Product Code	Product Name	Price	Packing
155455 $C_3H_4Cl_2O_2$ (116-54-1)	**Methyl Dichloro Acetate** for Synthesis M. W.: 142.97 Assay 99.0%	1053.00	500 ml
155555 $C_5H_{13}NO_2$ (105-59-9)	N-**(Methyl Diethanol) Amine** for Synthesis [MDEA 2,2-Methyliminodiethanol, N,N-Bis (2-Hydroxyethyl) Methylamine] M. W.: 119.16	963.00 2997.00	500 ml 2.5 lit
	Methyl Digol (Methyl Diglycol) See Diethylene Glycol Monomethyl Ether		
	2-**Methyl** 1:3 **Dioxolan** See Propylene Carbonate		
585165 $C_7H_{10}N_2O_2$ (110-26-9)	▲N,N-**Methylene**-Bis-**Acrylamide AR** Specially Purified for Electrophoresis M. W.: 154.17 Assay (acidimetric) 99.0%	441.00 1350.00 5940.00	25 gm 100 gm 500 gm
960500 MB $C_7H_{10}N_2O_2$ (110-26-9)	▲N'N'-**Methylene**-Bis-**Acrylamide** for Molecular Biology (Bis-acrylamide) M. W.: 154.17	630.00 2003.00 9441.00	25 gm 100 gm 500 gm
305795 $C_{16}H_{18}ClN_3S.XH_2O$ [X=2-3] (61-73-4)	**Methylene Blue** for Microscopy C.I. No. 52015 M. W.: 319.86 (+)aq. Dye content (titanometry, on dried substance) >96.0%	567.00 1900.00 17010.00	25 gm 100 gm 1 kg
305875 $C_{16}H_{18}ClN_3S.XH_2O$ [X=2-3] (61-73-4)	**Methylene Blue** for Microscopy **AR** M. W.: 319.86aq. Dye content (titanometry, on dried substance) >97.0%	603.00 2106.00 19000.00	25 gm 100 gm 1 kg
961920 MB $C_{16}H_{18}ClN_3S.3H_2O$ (7220-79-3)	**Methylene Blue** Trihydrate For Molecular Biology C. I. NO. : 52015 M. W.: 373.9 Assay : ≥ 99% Store Below 30°C	630.00 2160.00	25 gm 100 gm
PCT2517 PTC $C_{16}H_{18}ClN_3S.3H_2O$ (7220-79-3)	**Methylene Blue** Trihydrate Plant Culture Tested M. W.: 373.9 Assay 99.5% Store below 30°C	855.00 2970.00	25 gm 100 gm
865630	**Methylene Blue** Alkaline (Loffler's)	180.00 522.00	125 ml 500 ml
865650	**Methylene Blue** Aqueous Staining Solution	153.00 504.00	125 ml 500 ml
865670	**Methylene Blue** Gabbots Solution	225.00	500 ml
865750	**Methylene Blue** TS acc. to USP	315.00	125 ml
865715	**Methylene Blue** Solution 0.5% for Microscopy	198.00	500 ml
865710 (61-73-4)	**Methylene Blue** Tablet for Milk Testing	1450.00	25 tab
305925 (61-73-4)	**Methylene Blue** Polychrome (M.S.)	603.00	25 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Methylene Chloride See Dichloromethane		
	Methylene Dibenzene See Diphenylmethane		
155865 $C_7H_7NO_2$ (14268-66-7)	3,4-**Methylene Dioxy Aniline** M. W.: 137.14 Assay 97.0%	**4095.00**	**25 gm**
	Methylene Iodide See Diiodomethane		
	Methylene Succinic Acid See Itaconic Acid		
	N-**Methyl Ethanolamine** See 2-(Methylamino)ethanol		
	Methyl Ethyl Ketone See Butanone		
155965 $C_{11}H_{14}O_2$ (93-15-2)	**Methyl Eugenol** M. W.: 178.23 Assay (GC) 98.0%	**1602.00** **7300.00**	**100 ml** **500 ml**
156075 C_2H_5NO (123-39-7)	**N-Methyl Formamide** for Synthesis (N-Formylmethylamine) M. W.: 59.07	**1800.00** **8100.00**	**500 ml** **2.5 lit**
156145 HCO_2CH_3 (107-31-3)	**Methyl Formate** for Synthesis M. W.: 60.05 Assay 99.0%	**730.00** **3402.00** **POR**	**500 ml** **2.5 lit** **25 lit**
156345 $C_7H_{14}O_6$ (97-30-3)	**α-Methyl**-D-(+)-**Glucoside** (Methyl-α-D-Glucopyranoside) M. W.: 194.18	**1000.00** **2142.00**	**25 gm** **100 gm**
	Methyl Glycol See Ethyleneglycol Monomethylether		
156465 $C_3H_4O_2$ (78-98-8)	**Methyl Glyoxal** 40% IN Water for Synthesis M. W.: 72.06 Assay 40% in water	**2106.00** **5265.00** **16263.00**	**25 ml** **100 ml** **500 ml**
	2-**Methyl Glyoxaline** See 2-Methylimidazole		
306065	**Methyl Green** for Microscopical Staining (C.I. 42590)	**860.00** **1602.00** **3807.00**	**5 gm** **10 gm** **25 gm**
H47718 HISURE $C_{27}H_{35}Cl_2N_3.ZnCl_2$ (7114-03-6)	**Methyl Green** Certified Grade (C.I. 42590) M. W.: 608.78	**4941.00**	**25 gm**
865775	**Methyl Green** Staining Solution (Aqueous)	**558.00**	**100 ml**
865780	**Methyl Green** Staining Solution (Alcoholic) (for plant tissues, supravital stain for small organisms)	**734.00**	**100 ml**
156580 $C_8H_8O_3$ (19438-10-9)	**Methyl-m-Hydroxy Benzoate** for Synthesis M.W.: 152.15	**2800.00** **10530.00**	**25 gm** **100 gm**
029231 $C_6H_4(OH).COO.CH_3$ (99-76-3)	**Methyl-p-Hydroxy Benzoate** for Synthesis M. W.: 152.15 Assay (Saponification) 99-101%	**1404.00** **12510.00** **POR**	**500 gm** **5 kg** **25 kg**
156600 $C_8H_7NaO_3$ (5026-62-0)	**Methyl-p-Hydroxy Benzoate** **Sodium Salt** M. W.: 174.13 Assay 99.0%	**1602.00** **14004.00** **POR**	**500 gm** **5 kg** **25 kg**
156695 $C_6H_6N_2$ (693-98-1)	▲2-**Methyl Imidazole** for Synthesis M. W.: 82.11	**567.00** **2205.00**	**100 gm** **500 gm**
156785 C_9H_9N (95-20-5)	2-**Methyl Indole** for Synthesis M. W.: 131.18 Assay 98.0%	**3501.00**	**100 gm**
156805 C_9H_9N (83-34-1)	3-**Methyl Indole** for Synthesis M. W.: 131.18	**725.00** **2003.00** **3906.00**	**5 gm** **25 gm** **100 gm**
156905 $C_{10}H_9NO_2$ (1011-65-0)	**Methyl Indole**-5-**Carboxylate** M. W.: 175.18 Assay 99.0%	**1458.00** **7200.00**	**1 gm** **5 gm**
156945 CH_3I (74-88-4)	**Methyl Iodide** for Synthesis M. W.: 141.94 Assay (GC) 99.0%	**7200.00** **33003.00**	**100 ml** **500 ml**
156985 $C_{14}H_{22}O$ (1335-46-2)	**Methyl Ionone** for Synthesis M. W.: 206.33	**6993.00**	**500 gm**
	Methyl iso **Butyl Ketone** See Iso-Butyl Methyl Ketone		
157075 $C_6H_{14}O$ (108-11-2)	**Methyl Iso Butyl Carbinol** for Synthesis (4-Methyl-2-Pentanol) M. W.: 102.18 Assay 98.0%	**1053.00** **4707.00**	**500 ml** **2.5 lit**
157195 $C_{11}H_{14}O_2$ (93-16-3)	**Methyl Iso Eugenol** for Synthesis M. W.: 178.23 Assay 98.0%	**9243.00**	**500 ml**
585585 ✠ $C_5H_{10}O$ (563-80-4)	**Methyl Iso Propyl Ketone AR** (3-Methy-2-Butanone, Mipk) M. W.: 86.13 Assay 98.5%	**4095.00** **17505.00**	**500 ml** **2.5 lit**
157425 $C_7H_{14}O_6$ (617-04-9)	**Methyl**-a-D-**Mannopyranoside** for Biochemistry M. W.: 194.18	**3510.00**	**25 gm**
029234 $CH_2{:}C(CH_3)COO.CH_3$ (80-62-6)	**Methyl Methacrylate** Monomer M. W.: 100.12 Assay (GC) 99.0%	**783.00** **3402.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
029235 $C_5H_{11}NO$ (109-02-4)	n-**Methyl Morpholine** M. W.: 101.15 Assay (GC) 98.0%	**1566.00** **8505.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
157655 $C_{10}H_7CH_3$ (91-57-6)	2-**Methyl Naphthalene** for Synthesis M. W.: 142.20 Assay 97.0%	**4950.00**	**500 gm**
157715 $C_{10}H_7OCH_3$ (93-04-9)	**Methyl**-2-**Naphthyl Ether** for Synthesis M. W.: 158.20	**540.00** **1620.00**	**250 gm** **1 kg**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
157775 $C_7H_7NO_2$ (93-60-7)	**Methyl Nicotinate** for Synthesis (Methyl 3-pyridine carboxylate nicotinic acid methyl ester) meets analytical specification of BP M. W.: 137.14	**927.00** **3321.00**	**100 gm** **500 gm**
157905 $C_4H_5N_3O_2$ (696-23-1)	2-**Methyl**-5-**Nitro Imidazole** for Synthesis M. W.: 127.10	**1845.00** **7610.00**	**50 gm** **250 gm**
306205 $C_{14}H_{14}N_3NaO_3S$ (547-58-0)	**Methyl Orange** pH Indicator C.I. No. 13025 M. W.: 327.34 Dye content (titanometry, dried) >85.0%	**216.00** **576.00** **4104.00**	**25 gm** **100 gm** **1 kg**
865850	**Methyl Orange** Indicator Solution	**131.00**	**125 ml**
865855	**Methyl Orange** Mixed Indicator Solution Methyl Orange with Bromo Cresol green	**1854.00**	**100 ml**
865857	**Methyl Orange-Xylene Cyanol** Solution in Water	**1090.00**	**100 ml**
865863	**Methyl Orange** TS acc. to USP	**176.00**	**125 ml**
	Methyl Orthoformate See Trimethylorthoformate		
	Methyl Paraben See Methyl-p-Hydroxybenzoate		
	2-**Methyl**-2, 4-**Pentanediol** See Hexylene Glycol		
	4-**Methyl Pentane**-2-**One** See ISO Butyl Methyl Ketone		
	4-**Methyl**-2-**Pentanol** See Methyl-Isobutyl Carbinol		
	4-**Methyl**-3-**Penten**-2-**one** See Mesityl Oxide		
	n-**Methyl Phenazonium Methosulphate** See Phenazine methosulphate, (PMS)		
158105 $C_9H_{10}O_2$ (101-41-7)	**Methyl Phenyl Acetate** for Synthesis M. W.: 150.17 Assay 98.0%	**1503.00**	**500 ml**
158195 $CH_3C_6H_4CH_2CO_2H$ (644-36-0)	2-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay (GC) 97.0%	**1800.00** **7803.00**	**100 gm** **500 gm**
158235 $CH_3C_6H_4CH_2CO_2H$ (621-36-3)	3-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay 99.0%	**2745.00** **8811.00**	**25 gm** **100 gm**
158255 $CH_3C_6H_4CH_2CO_2H$ (622-47-9)	4-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay 97.0%	**1953.00** **5472.00**	**25 gm** **100 gm**
	Methyl Phenyl Ketone See Acetophenone		
158395 $C_{11}H_{16}N_2$ (39593-08-3)	1-(4-**Methyl Phenyl) Piperazine** M. W.: 176.26 Assay 98.0%	**5000.00**	**5 gm**
158485 $C_{10}H_{10}N_2O$ (89-25-8)	3-**Methyl**-**1**-**Phenyl**-5-**Pyrazolone** for Synthesis M. W.: 174.20 Assay 99.0%	**910.00** **4100.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
158565 $CH_3SO_2C_6H_5$ (3112-85-4)	**Methyl Phenyl Sulphone** M. W.: 156.20 Assay (GC) 98.0%	**6480.00** **39330.00**	**25 gm** **500 gm**
158655 ✠ $CH_3SOC_6H_5$ (1193-82-4)	**Methyl Phenyl Sulphoxide** M. W.: 140.20 Assay 97.0%	**3492.00** **7893.00**	**5 gm** **25 gm**
158725 $C_5H_{12}N_2$ (109-01-3)	1-**Methyl Piperazine** for Synthesis M. W.: 100.16	**855.00** **3303.00**	**100 ml** **500 ml**
158805 ✠ $C_6H_{11}NO$ (1445-73-4)	1-**Methyl**-4-**Piperidone** M. W.: 113.16	**2205.00** **8505.00**	**100 ml** **500 ml**
	2-**Methyl Propan**-1-**ol** See ISO Butanol		
	2-**Methyl Propan**-2-**ol** See tert-Butanol		
	2-**Methyl Propionaldehyde** See Iso Butyraldehyde		
158895 $CH_3CH_2CO_2CH_3$ (554-12-1)	**Methyl Propionate** for Synthesis M. W.: 88.11 Assay 98.0%	**2480.00** **6840.00**	**100 ml** **500 ml**
	2-**Methyl Propionic Acid** See Iso Butyric Acid		
	2-**Methyl Propionyl Chloride** See Iso-Butyryl Chloride		
159005 $C_{10}H_{12}O$ (5337-93-9)	4-**Methyl Propiophenone** for Synthesis M. W.: 148.20	**3294.00** **10854.00**	**100 ml** **500 ml**
159095 $C_5H_{10}O$ (107-87-9)	**Methyl Propyl Ketone** (2-Pentanone) M. W.: 86.13 Assay 98.0%	**1305.00** **5202.00**	**500 ml** **2.5 lit**
865895	**Methyl Purple** (pH Indicator) Solution **AR**	**320.00** **603.00**	**125 ml** **250 ml**
	2-**Methyl Pyridine** See a-Picoline		
	3-**Methyl Pyridine** See β-Picoline		
	4-**Methyl Pyridine** See g-Picoline		
159545 $C_6H_7NO_2$ (6973-60-0)	1-**Methyl**-2-**Pyrrolecarboxylic Acid** M. W.: 125.13 Assay 97.0%	**5103.00** **18450.00** **52200.00**	**5 gm** **25 gm** **100 gm**
029251 C_5H_9NO (872-50-4)	n-**Methyl**-2-**Pyrrolidone** M. W.: 99.13 Assay (GC) 99.0%	**1360.00** **6102.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
585995 C_5H_9NO (872-50-4)	1-**Methyl**-2-**Pyrrolidone** (Nmp) **AR/ACS** M. W.: 99.13 Assay (GC) 99.5%	**1638.00** **7182.00** **POR**	**500 ml** **2.5 lit** **25 lit**
753040 C_5H_9NO (872-50-4)	n-**Methyl**-2-**Pyrrolidone** for GC-HS M. W.: 99.13 Assay (GC) 99.0%	**4203.00** **9540.00**	**1 lit** **2.5 lit**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
753020 C_5H_9NO (872-50-4)	**1-Methyl-2-Pyrrolidone** for HPLC & Spectroscopy M.W. : 99.13 Assay (By GC) 99.5%	4050.00	1 lit
	2-Methyl Quinoline See Quinaldine		
159685 $C_{10}H_9N$ (491-35-0)	**4-Methyl Quinoline** for Synthesis M. W.: 143.19	1530.00 4500.00	5 gm 25 gm
306275 $C_{15}H_{15}N_3O_2$ (493-52-7)	**Methyl Red AR/ACS** pH Indicator C.I. No. 13020 M. W.: 269.30	333.00 1107.00 9504.00	25 gm 100 gm 1 kg
H47943 HISURE $C_{15}H_{15}N_3O_2$ (493-52-7)	**Methyl Red** pH Indicator Certified Grade (C.I. No. 13020) M. W.: 269.30	1341.00 5031.00	25 gm 100 gm
866040	**Methyl Red** Indicator Solution	140.00 423.00	125 ml 500 ml
866043	**Methyl Red** TS acc. to USP	225.00	125 ml
866048	**Methyl Red- Methylene Blue** Solution acc to USP	221.00	125 ml
306415 $C_{15}H_{14}N_3NaO_2$ (845-10-3)	**Methyl Red Sodium Salt** (Water Soluble) M. W.: 291.28	405.00 9900.00	25 gm 1 kg
159865 $C_7H_8O_2$ (608-25-3)	· **2-Methyl Resourcinol** for Synthesis M. W.: 124.14 Assay 98.0%	1260.00 4600.00	25 gm 100 gm
029256 $C_6H_4(OH).COOCH_3$ (119-36-8)	**Methyl Salicylate** Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 152.15 Assay (GC) 99.0-100.5%	1161.00 5103.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
159985 C_9H_{10} (98-83-9)	a-**Methyl Styrene** for Synthesis M. W.: 118.18 Assay 98.0%	2403.00 12240.00	500 ml 5 lit
160015 ✠ $C_5H_7NO_2$ (1121-07-9)	n-**Methyl Succinimide** M. W.: 113.11 Assay 98.0%	6840.00 19620.00	5 gm 25 gm
160095 $(CH_3)_2SO_2$ (67-71-0)	**Methyl Sulphonyl Methane** (dimethyl sulphone, methyl sulphone) M. W.: 94.13	1540.00	500 gm
	Methyl Sulphoxide See Dimethyl sulphoxide		
160115 $C_{20}H_{30}O_2$ (58-18-4)	**Methyl Testosterone Purum** for Biochemistry 97.0% for Lab Use M.W.: 302.45	1494.00 4194.00	1 gm 5 gm
160135 $C_5H_{10}O$ (96-47-9)	2-**Methyl Tetrahydrofuran** for Synthesis M. W.: 86.13 Assay 98.0%	1800.00 8100.00	500 ml 2.5 lit
	4-**Methyl Thiazolyl Tetrazolium Bromide** See M.T.T Tetrazolium		
160185 $C_3H_6O_2S$ (2365-48-2)	**Methyl Thioglycolate** M.W : 106.14	5103.00	500 gm

Product Code	Product Name	Price	Packing
306565	**Methyl Thymol Blue** (pH Indicator) **AR** (Methyl Red Thymol Blue)	297.00 1107.00	5 gm 25 gm
306585 $C_{37}H_{40}N_2Na_4O_{13}S$ (1945-77-3)	**Methyl Thymol Blue** Complexone Indicator For Complexometric titration M. W.: 844.76	954.00 3807.00	1 gm 5 gm
	Methyl-p-Toluate See p-Toluic Acid Methyl Ester		
586215 $CH_3C_6H_4SO_3CH_3$ (80-48-8)	**Methyl-4-Toluene Sulphonate AR** M. W.: 186.23 Assay (GC) 97.0%	2250.00	500 gm
160315 CH_3SiCl_3 (75-79-6)	**Methyl Trichloro Silane** for Synthesis M. W.: 149.48 Assay (GC) 98.0%	2106.00	500 ml
160350 $C_{19}H_{18}BrP$ (1779-49-3)	**Methyl Triphenyl Phosphonium Bromide** for Synthesis M. W.: 357.22	954.00 4100.00	100 gm 500 gm
586325 $C_{10}H_8O_3$ (90-33-5)	▲b-**Methyl Umbelliferon AR** (7-Hydroxy-4-Methyl Coumarin) M. W.: 176.17	585.00 954.00 2700.00	10 gm 25 gm 100 gm
	Methyl Violet 10B See Crystal Violet		
306725	**Methyl Violet** for Microscopy Dye Content (Spectrophotometry on dried substance) 75.0%	190.00 500.00 4100.00	25 gm 100 gm 1 kg
866180	**Methyl Violet 6B** Aqueous Solution	144.00	125 ml
159205 $C_6H_{12}O_5$ (612-05-5)	**Methyl-β-D-Xylo-Pyranoside** M.W. : 164.16	4050.00 17200.00	5 gm 25 gm
029266 $C_{14}H_{18}N_2O_2.H_2SO_4$ (55-55-0)	**Metol** for Photographic purpose M. W.: 344.39 Assay (Acidimetric) 99.0%	1220.00 5202.00	100 gm 500 gm
160490 $C_6H_9N_3O_3$ (443-48-1)	**Metronidazole** for Lab Use M. W.: 171.15	1000.00	5 gm
160525	**Mica** Powder Pract Mesh Size (Passing through 200 Mesh) 95.0%	401.00	500 gm
PCT2110 PTC $C_{18}H_{14}Cl_4N_2O{\bullet}HNO_3$ (22832-87-7)	▲**Miconazole nitrate** Plant Culture Tested M. W.: 479.14 Assay 98%	873.00 3267.00 14724.00	1 gm 5 gm 25 gm
160585	**Microcrystalline Wax** (White)	1800.00	1 kg
160610	**Micsorb 99**	3996.00	5 kg
866260	**Miller's** Reagent	900.00	100 ml
866270	**Millon's** Reagent (For Protein)	1233.00 4392.00	125 ml 500 ml
160635 $C_8H_{10}N_2O_4$ (500-44-7)	**Mimosine** (Leucenol) for Biochemistry M. W.: 198.18 Assay 98.0%	4563.00 16353.00	25 mg 100 mg
	Mineral Oil Light/Heavy See Paraffine Liquid Light/Heavy		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
TC1274 ATC $C_{23}H_{27}N_3O_7$.HCl (13614-98-7)	▲**Minocycline Hydrochloride** Cell Culture Tested M. W.: 493.94 Assay : ≥98%	2394.00 6921.00 14320.00 37827.00	25 mg 100 mg 250 mg 1 gm
PCT2131 PTC $C_{15}H_{18}N_4O_5$ (50-07-7)	▲**Mitomycin C** Plant Culture Tested M. W.: 334.33	6444.00 10314.00 17100.00	2 mg 5 mg 10 mg
TC1406 ATC $C_{15}H_{18}N_4O_5$ (50-07-7)	▲✳**Mitomycin C** Cell Culture Tested M. W.: 334.33	22721.00	10 mg
160680 (308080-99-1)	**Molecular Sieves** Type 3A 1.5mm	702.00 8505.00 POR	250 gm 5 kg 25 kg
160765 (308080-99-1)	**Molecular Sieves** 3A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	765.00 2133.00 9585.00	250 gm 1 kg 5 kg
160785 (70955-01-0)	**Molecular Sieves** Type 4A 1.5mm	657.00 8001.00 POR	250 gm 5 kg 25 kg
160805 (70955-01-0)	**Molecular Sieves** 4A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	900.00 2790.00 10090.00	250 gm 1 kg 5 kg
160835 (69912-79-4)	**Molecular Sieves** Type 5A 1.5mm	657.00 8505.00 POR	250 gm 5 kg 25 kg
160865 (69912-79-4)	**Molecular Sieves** 5A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	891.00 2691.00 9522.00	250 gm 1 kg 5 kg
160900 (63231-69-6)	**Molecular Sieves** Type 13x1.5mm	954.00 9504.00 POR	250 gm 5 kg 25 kg
160935 SiO_2 (63231-69-6)	**Molecular Sieves** 13X 1/16" Pellets (UOP) (formerly Union Carbide USA) M. W.: 60.08	891.00 2691.00 9522.00	250 gm 1 kg 5 kg
866320	**Molisch's** Reagent	149.00	125 ml
866370	**Molybdenum** (Mo) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 N HNO_3 in accordance with NIST	1746.00 2466.00 3852.00	100 ml 250 ml 500 ml
866400	**Molybdenum** (Mo) CPECTROSOL® 1000 ppm Single Element Std. Soln. for ICP in1%HNO_3 & 1%.HF	8505.00	100 ml
161005 Mo (7439-98-7)	**Molybdenum** Metal Powder M. W.: 95.94	4131.00 18072.00	100 gm 500 gm
586935 Mo (7439-98-7)	**Molybdenum** Metal Powder **AR** M. W.: 95.94 Assay (Trace metals basis) 99.9%	4599.00 12600.00 36810.00	25 gm 100 gm 500 gm
161165 Mo (7439-98-7)	**Molybdenum Sheet** 0.1 mm Thick (75mm X 100mm) M.W. : 95.94 Assay (Trace metals basis) 99.9%	28260.00	1 PC

Product Code	Product Name	Price	Packing
161170 Mo (7439-98-7)	**Molybdenum Sheet 0.1 mm** Thick (150mm X 100mm) M.W. : 95.94 Assay (Trace metals basis) 99.9%	32000.00	1 PC
029268 MoS_2 (1317-33-5)	**Molybdenum Disulphide** Powder M. W.: 160.06 Assay (Complexometric) (after ignition at 500-600°C) 98.0%	1863.00 8505.00	100 gm 500 gm
161215 MoO_3 (1313-27-5)	**Molybdenum Trioxide** (Molybdic Anhydride) M. W.: 143.95 Assay (Complexometric) 99.0%	1602.00 7506.00	100 gm 500 gm
587092 MoO_3 (1313-27-5)	**Molybdenum Trioxide AR/ACS** M. W.: 143.95 Assay (Complexometric) 99.5%	1809.00 8505.00	100 gm 500 gm
H48160 HISURE MoO_3 (1313-27-5)	**Molybdenum Trioxide AR** M. W.: 143.95 Assay 99.95%	5094.00 11295.00	100 gm 500 gm
PCT1114 PTC MoO_3 (1313-27-5)	**Molybdenum Trioxide** Plant Culture Tested M. W.: 143.94 Assay 99.5% Store below 30°C	3344.00 15030.00	100 gm 500 gm
029270 $H_2MoO_4+H_2O$ (7782-91-4)	**Molybdic Acid** M.W. : 161.95 Assay (Complexometric as MoO_3) 85.0%	1701.00 7506.00	100 gm 500 gm
587100 $H_2MoO_4+H_2O$ (7782-91-4)	**Molybdic Acid AR/ACS** M.W. : 161.95 Assay (Complexometric as MoO_3) 87.0%	1800.00 8001.00	100 gm 500 gm
	Molybdic Anhydride See Molybdenum Trioxide		
	dodeca-**Molybdo Phosphoric Acid** See Phosphomolybdic Acid		
587145 $C_{36}H_{61}NaO_{11}$ (22373-78-0)	▲**Monensin Sodium AR** M. W.: 692.85 Assay (TLC) 90.0-95.0%	3303.00 8577.00 POR	1 gm 5 gm 25 gm
	Mono-Chloro Acetic Acid See Chloro Acetic Acid-mono		
	Mono-Ethanolamine See Ethanolamine Mono		
	Mono Ethylamine Solution See Ethylamine Solution		
	Mono Ethylaniline See N-Ethylaniline		
	Mono Ethylene Glycol See EthyleneGlycol		
	Monoglyme See Ethylene Glycol Dimethyl Ether		
	Mono-iso-**Propylamine** See Isopropylamine		
	Mono Methyl Ethanolamine See 2-(Methylamino) Ethanol		
	Mono-Sodium-L-Glutamate See Sodium-L-Glutamate		

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Mono Thioglycerol for Synthesis See 1-Thioglycerol		
	Mordant Black II See Eriochrome Black T		
161315 $C_7H_{15}NO_4S$ (1132-61-2)	**MOPS** Buffer M.W.: 209.26 Assay (Alkalimetry) 99.0%	**1107.00** **2547.00** **10395.00**	**25 gm** **100 gm** **500 gm**
961070 MB $C_7H_{15}NO_4S$ (1132-61-2)	**MOPS** Buffer (3-(N-Morpholino) Propanesulphonic Acid) For Molecular Biology M. W. : 209.26 Assay : ≥ 99.5% Store Below 30°C	**1170.00** **4320.00** **19530.00**	**25 gm** **100 gm** **500 gm**
TC1067 ATC $C_7H_{15}NO_4S$ (1132-61-2)	**MOPS Free Acid** [3-(N-Morpholino)-propanesulphonic acid) Cell Culture Tested M. W.: 209.26 Assay : ≥99% Store below 30°C	**2601.00** **7830.00** **22640.00** **33030.00**	**25 gm** **100 gm** **500 gm** **1 kg**
TC1269 ATC $C_7H_{14}NO_4SNa$ (71119-22-7)	**MOPS Sodium Salt** [3-(N-Morpholino)-propanesulphonic acid) Cell Culture Tested M. W.: 231.25 Assay : ≥98% Store below 30°C	**4433.00** **11120.00** **31086.00** **45270.00**	**25 gm** **100 gm** **500 gm** **1 kg**
161365 $C_7H_{15}NO_5S$ (68399-77-9)	**MOPSO** Buffer M.W.: 225.30 Assay 99.0%	**7390.00**	**100 gm**
961120 MB $C_7H_{15}NO_5S$ (68399-77-9)	**MOPSO** Buffer For Molecular Biology M. W. : 225.26 Assay : ≥ 99% Store Below 30°C	**1900.00**	**25 gm**
306875 $C_{15}H_{10}O_7.2H_2O$ (6472-38-4)	**Morin AR** Reagent for Al, Be, Sn, Ti, Oz C.I. 75660 M. W.: 338.27 Assay (HPLC) 96.0%	**1251.00** **4626.00**	**1 gm** **5 gm**
866480	**Morin Reagent** (Reagent for Al)	**734.00**	**100 ml**
	Morpholino Ethane Sulphonic Acid See MES Buffer		
	3-**Morpholio-2-Hydroxypropane Sulphonic Acid** See MOPSO Buffer,		
866490	**Morner's** Reagent	**180.00**	**125 ml**
029272 C_4H_9NO (110-91-8)	**Morpholine** for Synthesis M. W.: 87.12 Assay (GC) 99.0%	**855.00** **3807.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
587355 C_4H_9NO (110-91-8)	**Morpholine AR/ACS** M. W.: 87.12 Assay (GC) 99.5%	**1260.00** **5040.00**	**500 ml** **2.5 lit**

Product Code	Product Name	Price	Packing
161495 $C_6H_{13}NO_2$ (622-40-2)	2-**Morpholino Ethanol** for Synthesis M. W.: 131.17	**1656.00**	**500 ml**
	Morpholino Ethane Sulphonic Acid See MES Buffer		
	3-**Morpholio-2-Hydroxypropane Sulphonic Acid** See MOPSO Buffer,		
	Morpholinopropanesulphonic Acid See MOPS		
307025 $C_{18}H_{16}N_5SBr$ (298-93-1)	▲**M.T.T. Tetrazolium AR** M. W.: 414.33 Assay (Argentometric) 98.0%	**756.00** **1701.00** **6300.00**	**100 mg** **250 mg** **1 gm**
961170 MB $C_{18}H_{16}BrN_5S$ (298-93-1)	▲**M.T.T.** (See : 3-(4,5-Dimethyl-2-Thiazolyl)-2,5-Diphenyl-2H-Tetrazolium Bromide); Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98%	**756.00** **3177.00** **6300.00**	**100 mg** **500 mg** **1 gm**
TC1191 ATC $C_{18}H_{16}BrN_5S$ (298-93-1)	▲**M.T.T.** (Thiazoyl blue tetrazolium bromide) Cell Culture Tested M. W.: 414.32 Activity : ≥98%	**5427.00** **9090.00**	**500 mg** **1 gm**
	Mucicarmine (Mayer) Staining Solution See Mayer muci carmine solution		
866520	**Muller's Fixative**	**603.00**	**250 ml**
ICP Multi-Element Standard Solutions - in accordance with NIST			
866530	**Multi Element Standard Solution** for **ICP- 3 Elements; 10 mg/L** **each** P,S, Si, in H_2O In accordance with NIST	**6273.00** **9117.00**	**50 ml** **100 ml**
866535	**Multi Element Standard Solution** for **ICP -4 Elements; 1000 mg/L** **each** Ca, K, Mg, Na in 2% HNO_3 In accordance with NIST	**7947.00** **10710.00**	**50 ml** **100 ml**
866545	**Multi Element Standard Solution** for **ICP - 6 Elements; 10 mg/L** **each** Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST	**8281.00** **11593.00**	**50 ml** **100 ml**
866548	**Multi Element Standard Solution** for **ICP - 6 Elements; 100 mg/L** **each** Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST	**18216.00** **26505.00**	**50 ml** **100 ml**
866558	**Multi Element Standard Solution** for **ICP -8 Elements; 10 mg/L** **each** V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO_3 In accordance with NIST	**7452.00** **9936.00**	**50 ml** **100 ml**
866561	**Multi Element Standard Solution** for **ICP -8 Elements; 100 mg/L** **each** V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO_3 In accordance with NIST	**7947.00** **10764.00**	**50 ml** **100 ml**
866566	**Multi Element Standard Solution** **for ICP -9 Elements; 10 mg/L** each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO_3 In accordance with NIST	**7947.00** **9936.00**	**50 ml** **100 ml**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
866571	**Multi Element Standard Solution** for **ICP -9 Elements; 100 mg/L each** Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO_3 In accordance with NIST	7947.00 10764.00	50 ml 100 ml
866570	**Multi Element Standard Solution** for **ICP -10 Elements; 10 mg/L** each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO_3 In accordance with NIST	7452.00 9936.00	50 ml 100 ml
866579	**Multi Element Standard Solution** for **ICP -10 Elements; 100 mg/L each** Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO_3 In accordance with NIST	8281.00 11592.00	50 ml 100 ml
866580	**Multi Element Standard Solution** for ICP - 15 elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn in 5% HCl In accordance with NIST	14904.00 23175.00	50 ml 100 ml
866590	**Multi Element Standard Solution** for **ICP - 15 Elements; 10 mg/L** each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn, in 5% HCl In accordance with NIST	13240.00 19872.00	50 ml 100 ml
866595	**Multi Element Standard Solution** for **ICP - 18 Elements; 100 mg/L** "Certisol" each (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb) in HNO_3 In accordance with NIST	14072.00 21520.00	50 ml 100 ml
866605	**Multi Element Standard Solution** for **ICP - 20 Elements; 10 mg/L each** Ce, Dy,Er, Eu, Ga, Gd, Ho, In, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb in 2% HNO_3 In accordance with NIST	13240.00 19872.00	50 ml 100 ml
866705	**Mulit Element Standard Solution for ICP- 32 Elements; 100 mg/L each** Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Cs, Co,Cr, Fe, In, K, Li, Mg, Mn, Mo, Na, NI, Nb, Pb, Rb, Sb,Se, Sr,Ti, Tl, V, U, Zn, in 5% HNO_3 In accordance with NIST	14072.00 21520.00	50 ml 100 ml
867000	**Multi Cation IC Standard Solution** 6 components (Lithium (Li^+) 10 mg/l; Sodium (Na^+) 20 mg/l; Ammonium (Nh_4^+) 40 mg/l; Calcium (Ca^{2+}) 40 mg/l; Magnesium (Mg^{2+}) 20 mg/l; Potassium (K^+) 20 mg/l in Nitric acid 0.1%)In accordance with NIST	24003.00	100 ml
867010	**Multi Cation IC Standard Solution** 6 Components (Lithium (Li^+) 0.5 mg/l; Sodium (Na^+) 2 mg/l; Ammonium (Nh_4^+) 2.5 mg/l; Calcium (Ca^{2+}) 5 mg/l; Magnesium (Mg^{2+}) 2.5 mg/l; Potassium (K^+) 5 mg/l in Nitric acid 0.1%)In accordance with NIST	24003.00	100 ml
867020	**Multi Anion IC Standard Solution** 7 Components (1000 mg/l each of Chlorides (Cl^-); Fluorides (F^-); Bromides (Br^-); Nitrites (NO^{2-}); Nitrates (No^{3-}); Phosphates (Po_4^{3-}); Sulphates (SO_4^{2-}) in Water) In accordance with NIST	24003.00	100 ml

Product Code	Product Name	Price	Packing
867030	**Multi Anion IC Standard Solution** 7 Components (Fluorides (F^-) 5mg/l ; Chlorides (Cl^-) 10mg/l ; Nitrites (NO^{2-}) 15mg/l ; Bromides (Br^-) 25mg/l ; Nitrates (NO^{3-}) 25mg/L ; Phosphates (PO_4^{3-}) 40mg/l ; Sulphates (SO_4^{2-}) 30mg/l in Water) In accordance with NIST	24003.00	100 ml
	Murexide See Ammonium Purpurate		
TC1329 ATC	**Murine Recombinant Prolactin** Source : **E-coli** Cell Culture Tested Store at -20°C	22662.00 28134.00	10 mcg 50 mcg
TC1405 ATC $C_{20}H_{20}N_8Na_2O_5$ (24280-93-1)	▲**Mycophenolic Acid** Cell Culture Tested M. W.: 320.34 Assay : ≥99%	2736.00 5603.00 22442.00	25 mg 50 mg 250 mg
	Mycostatin See Nystatin		
TC1032 ATC (1400-61-9)	▲**Mycostatin** (Nystatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 m/L Potency : ≥4400 USP units/mg	900.00 3690.00 11952.00	1x1 mu 5x1 mu 25x1 mu
TC1032G ATC $C_{47}H_{75}NO_{17}$ (1400-61-9)	▲**Mycostatin Gamma Irradiated** (Nystatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 m/L M. W.: 926.09 Potency : ≥4400 USP units/mg	1125.00 4600.00 14940.00	1x1 mu 5x1 mu 25x1 mu
161685 $C_{23}H_{42}NCl$ (139-08-2)	**Myristalkonium Chloride** for Synthesis M. W.: 368.04	891.00	25 gm
161785 $CH_3(CH_2)_{12}.COOH$ (544-63-8)	**Myristic Acid** M. W.: 228.38 Assay (GC) 98.0%	950.00	500 gm
161790 $CH_3.(CH_2)_{12}.COOH$ (544-63-8)	**Myristic Acid** for Biochemistry M. W.: 228.38 Assay (NaOH) 99.0%	288.00 1026.00	5 gm 25 gm
161835 $CH_3(CH_2)_{13}OH$ (112-72-1)	· **Myristyl Alcohol** for Synthesis (Tetradecanoic Acid) M. W.: 214.39	900.00	500 ml

FOR MICROBIOLOGY

Products which have been specially purified and tested for their microbiological applications.

M

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	NAD See b-Nicotinamide Adenine Dinucleotide		
	NADH See b-Nicotinamide Adenine Dinucleotide Reduced		
	NADP See b-Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt		
166335 $C_{12}H_{12}N_2O_3$ (389-08-2)	**Nalidixic Acid** free Acid for Lab Use M. W.: 232.24 Assay (Acidimetric, dried bases) 99.0%	**1314.00** **3906.00** **POR**	**5 gm** **25 gm** **100 gm**
592285 ✲ $C_{14}H_{14}N_2.HCl$ (550-99-2)	**Naphazoline Hydrochloride AR** M. W.: 246.74	**4806.00**	**25 gm**
166515 $C_{10}H_7CHO$ (66-77-3)	1-**Naphthaldehyde** for Synthesis (α-Naphthaldehyde) M. W.: 156.18	**2502.00** **9504.00**	**100 gm** **500 gm**
029277 $C_{10}H_8$ (91-20-3)	**Naphthalene** for Synthesis M. W.: 128.17 Assay (GC) 99.0%	**468.00**	**500 gm**
592395 $C_{10}H_8$ (91-20-3)	**Naphthalene AR** M. W.: 128.17 Assay (GC) 99.0%	**531.00**	**500 gm**
756425 $C_{10}H_8$ (91-20-3)	**Naphthalene** Scintillation grade M. W.: 128.17 Assay (GC) 99.0%	**612.00** **1161.00**	**500 gm** **1 kg**
029298 $C_{12}H_{10}O_2$ (86-87-3)	1-**Naphthalene Acetic Acid** M. W.: 186.21 Assay (GC) 95.0%	**230.00** **680.00** **2907.00**	**25 gm** **100 gm** **500 gm**
PCT1809 PTC $C_{12}H_{10}O_2$ (86-87-3)	a-**Naphthalene Acetic Acid (NAA)** Plant Culture Tested M. W.: 186.21 Assay 95% Store below 30°C	**230.00** **730.00**	**25 gm** **100 gm**
PCT2402 PTC	▲**NAA Solution** w/ 1 mg/ml NAA in sterile distilled water Sterile filtered Plant Culture Tested	**837.00** **2511.00**	**20 ml** **5X20 ml**
	Naphthalene Black 12B See Amido Black 10B		
	1,3-**Naphthalene Diol** See Naphthoresorcinol		
592495 $C_{10}H_6(OH)_2$ (582-17-2)	· 2, 7-**Naphthalenediol AR** M. W.: 160.17 Assay 97.0%	**2790.00**	**25 gm**
756140 $C_{10}H_7NaO_3S$ (532-02-5)	**Napthalene**-2-**Sulphonic Acid Sodium Salt AR** for HPLC M. W.: 230.22 Assay (HPLC) 95.0%	**1000.00** **2250.00**	**5 gm** **25 gm**
756125 ✲ $C_{18}H_{10}O_2$ (1090-13-7)	5,12-**Naphthcenequinone** (Electronic Grade) M. W.: 258.27 Assay 97.0%	**10170.00** **POR**	**25 gm** **500 gm**

Product Code	Product Name	Price	Packing
592625 $C_{19}H_{12}O_2$ (604-59-1)	a-**Naphthoflavone AR** M. W.: 272.30 Assay (TLC) 98.0%	**730.00** **2655.00** **12042.00**	**1 gm** **5 gm** **25 gm**
029290 $C_{10}H_7.OH$ (90-15-3)	1-**Naphthol** for Synthesis (a-Naphthol) M. W.: 144.17 Assay (GC) 99.0%	**495.00** **2205.00**	**100 gm** **500 gm**
592665 $C_{10}H_7.OH$ (90-15-3)	1-**Naphthol AR** M. W.: 144.17 Assay (GC) 99.0%	**612.00** **2350.00**	**100 gm** **500 gm**
868330	a-**Naphthol** Solution	**162.00**	**125 ml**
029291 $C_{10}H_7.OH$ (135-19-3)	2-**Naphthol** for Synthesis (b-Naphthol) M. W.: 144.17 Assay (GC) 98.0%	**410.00** **756.00**	**250 gm** **500 gm**
592675 $C_{10}H_7.OH$ (135-19-3)	2-**Naphthol AR** M. W.: 144.17 Assay (GC) 99.0%	**324.00** **1368.00**	**100 gm** **500 gm**
166865 $C_{19}H_{15}NO_3$ (1163-67-3)	▲**Naphthol** as-**Acetate** for Microscopy M. W.: 305.33 Assay 99.0%	**1431.00** **5220.00**	**100 mg** **500 mg**
	1-(2-**Naphtholazo**-3,6-**Disulphonic Acid**) -2-**Naphthol**-4-**Sulphonic Acid Disodium Salt** See Hydroxynaphthol Blue		
307915 $C_{27}H_{18}O_2$ (145-50-6)	a-**Naphthol Benzein** (pH Indicator) M. W.: 374.44	**936.00** **4104.00**	**5 gm** **25 gm**
868350	a-**Naphthol Benzein** Indicator Solution (pH yellow 6.5-9.8 green)	**405.00**	**100 ml**
	p-**Naphthol Benzein** See a-Naphtholbenzein		
	Naphthol Black for Microscopy See Amido Black 10 B		
	Naphthol Blue Black See Amido Black 10B		
308055 $(C_{10}H_5.N.NaO_5S)_3Fe$ (19381-50-1)	**Naphthol Green** B for Microscopy C.I. No. 10020 M. W.: 878.47	**302.00** **801.00** **7200.00**	**25 gm** **100 gm** **1 kg**
592715 $C_{12}H_7NO_3$ (7797-81-1)	**Naphthol Hydroxamic Acid AR** for Calcium Determination M.W. : 213.19	**3200.00** **7200.00**	**5 gm** **25 gm**
308195 $C_{16}H_{11}N_2NaO_4S$ (523-44-4)	**Naphthol Orange** for Microscopy M. W.: 350.32	**2880.00**	**25 gm**
308285 $C_{28}H_{18}O_4$ (596-01-0)	a-**Naphtholphthalein** pH Indicator M. W.: 418.45	**1000.00** **3006.00**	**1 gm** **5 gm**
308465	b-**Naphthol Violet AR**	**603.00**	**25 gm**
167255 $C_{10}H_6O_2$ (130-15-4)	1,4-**Naphthoquinone** for Synthesis M. W.: 158.15 Assay 97.0%	**2205.00** **8406.00**	**100 gm** **500 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
592805 $C_{10}H_5NaO_5S$ (521-24-4)	1,2-**Naphthoquinone**-4-**Sulphonic Acid Sodium Salt AR** M. W.: 260.20 Assay (iodometric) 99.0%	**640.00** **2196.00**	**5 gm** **25 gm**
308375 $C_{10}H_6(OH)_2$ (132-86-5)	**Naphthoresorcinol AR** (1,3-Dihydroxynaphthalene) M. W.: 160.17 Assay (GC) About 98.0%	**4005.00** **18009.00**	**1 gm** **5 gm**
868380	**Naphthoresorcinol** solution (EFGRIVE)(Reagent for glycuronic acid & glycuronates)	**990.00**	**100 ml**
167475 $C_{12}H_{10}O_3$ (120-23-0)	2-**Naphthoxyacetic Acid** for Synthesis (β-Naphthoxy Acetic Acid) M. W.: 202.21 Assay 97.0%	**513.00** **1791.00** **7200.00**	**25 gm** **100 gm** **500 gm**
PCT1810 PTC $C_{12}H_{10}O_3$ (120-23-0)	2-**Naphthoxyacetic Acid (NOA)** Plant Culture Tested M. W.: 202.21 Assay 97% Store below 30°C	**1710.00** **4950.00**	**25 gm** **100 gm**
PCT2408 PTC	▲**NOA Solution** w/ 1 mg/ml NOA in sterile distilled water Sterile filtered Plant Culture Tested	**770.00** **2340.00**	**20 ml** **5X20 ml**
593125 $C_{12}H_{10}O_2$ (830-81-9)	▲1-**Naphthyl Acetate AR** Naphthol free Substrate for esterase M. W.: 186.21 Assay (GC) 99.5%	**900.00** **3200.00**	**5 gm** **25 gm**
593135 $C_{12}H_{10}O_2$ (1523-11-1)	▲2-**Naphthyl Acetate AR** (β-Naphthyl Acetate) M. W.: 186.21	**1000.00** **3168.00**	**5 gm** **25 gm**
	1-**Naphthyl Acetic Acid** See 1-Naphthalene Acetic Acid		
167565 $C_{10}H_7.NH_2$ (134-32-7)	1-**Naphthylamine** Pract M. W.: 143.19 Assay (GC) About 98.0%	**1800.00**	**500 gm**
593235 $C_{10}H_7.NH_2$ (134-32-7)	1-**Naphthylamine AR** M. W.: 143.19 Assay 99.0%	**1000.00** **3996.00**	**100 gm** **500 gm**
868420	a-**Naphthylamine** Solution	**486.00**	**100 ml**
593335 $C_{10}H_9N$ (91-59-8)	2-**Naphthylamine AR** (Beta-Naphthylamine) M. W.: 143.19 Assay (TLC) 98.0%	**11350.00**	**1 gm**
029300 $C_{10}H_7.NH_2.HCl$ (552-46-5)	1-**Naphthylamine Hydrochloride** (1-Naphthyl Ammonium Chloride) M. W.: 179.65 Assay (ex Cl) 98.0%	**1450.00**	**100 gm**
593425 $C_{12}H_{14}N_2.2HCl$ (1465-25-4)	n-**1-Naphthylethylene Diamine Dihydrochloride AR/ACS** M. W.: 259.18 Assay (argentometric) 98.0%	**873.00** **1593.00** **3501.00**	**5 gm** **10 gm** **25 gm**
	▲1-**Naphthylphosphate Sodium Salt** See Sodium-1-Naphthyl Phosphate		

Product Code	Product Name	Price	Packing
PCT1845 PTC $C_{18}H_{13}NO_3$ (132-66-1)	N-1-**Naphthylphthalamic Acid (NPA)** Plant Culture Tested M. W.: 291.3 Store below 30°C	**2250.00** **4519.00** **6462.00**	**100 mg** **250 mg** **500 mg**
TC1407 ATC $C_{33}H_{47}NO_{13}$ (7681-93-8)	▲**Natamycin** Cell Culture Tested M. W.: 665.73 Assay : ≥900 µg/mg	**12150.00** **27810.00**	**100 mg** **1 gm**
K069015	**Neisser's Metachromatic stains kit**	**469.00**	**KIT**
868520	**Neisser's Stain** A Soln. (Methylene Blue)	**145.00**	**125 ml**
868530	**Neisser's Stain** B Soln. (Crystal Violet)	**145.00**	**125 ml**
868540	**Neisser's Stain** C Soln. (Chrysodine)	**145.00**	**125 ml**
593515 $C_{14}H_{12}N_2$ (484-11-7)	**Neocuproine AR** M. W.: 208.27 Assay ($HClO_4$, titration dried) 99.0%	**1467.00** **6800.00**	**1 gm** **5 gm**
593520 $C_{14}H_{12}N_2.HCl.H_2O$ (41066-08-4)	**Neocuproine Hydrochloride AR** Monohydrate M. W.: 262.74 Assay Non-aqueous) 99.0%	**1638.00** **7605.00**	**1 gm** **5 gm**
868650	**Neodymium** (Nd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**3726.00**	**250 ml**
868660	**Neodymium** (Nd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**8073.00** **24102.00**	**100 ml** **500 ml**
RE1930 Nd (7440-00-8)	**Neodymium** Metal Ingot M. W.: 144.24 Assay (Trace metal basis) 99.99%	**8046.00** **21260.00**	**25 gm** **100 gm**
RE1935 Nd (7440-00-8)	**Neodymium** Metal Lump M. W.: 144.24 Assay (Trace metal basis) 99.99%	**8046.00**	**25 gm**
RE1940 Nd (7440-00-8)	**Neodymium** Metal Powder M. W.: 144.24 Assay (Trace metal basis) 99.99%	**18000.00** **42687.00**	**5 gm** **25 gm**
RE1985 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.9%	**2925.00** **8100.00**	**25 gm** **100 gm**
RE1990 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.99%	**10000.00** **36000.00**	**25 gm** **100 gm**
RE1995 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE2010 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.9%	**5607.00** **14220.00**	**25 gm** **100 gm**

Product Code	Product Name	Price	Packing
RE2015 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.99%	9000.00 32000.00	25 gm 100 gm
RE2020 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
RE2035 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.9%	6508.00 24534.00	50 gm 250 gm
RE2040 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.99%	20043.00 86000.00	5 gm 25 gm
RE2045 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
RE2055 NdI_3 (13813-24-6)	**Neodymium** (III) **Iodide** M. W.: 524.95 Assay (Trace metal basis) 99.95%	44370.00 POR POR	1 gm 25 gm 100 gm
RE2070 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.9%	5310.00 13500.00	50 gm 250 gm
RE2075 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.99%	2610.00 7700.00	5 gm 25 gm
RE2080 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE2090 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.0%	941.00 3105.00 14400.00	25 gm 100 gm 500 gm
RE2095 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.9%	900.00 1998.00 17100.00 30006.00	10 gm 25 gm 250 gm 500 gm
RE2100 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.99%	6318.00 14382.00 81900.00	25 gm 100 gm 1 kg
RE2105 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.999%	16812.00 47052.00	25 gm 100 gm
RE2120 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.9%	5000.00 16866.00	25 gm 100 gm
RE2125 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.99%	12060.00 40050.00	25 gm 100 gm
RE2130 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.999%	POR POR	2 gm 10 gm
167760 $C_{23}H_{46}N_6O_{13}.3H_2SO_4.XH_2O$ (1405-10-3)	▲**Neomycin Sulphate** M.W.: 908.9 (anhydrous)	140.00 540.00 7506.00	5 gm 25 gm 500 gm
PCT2111 PTC $C_{23}H_{46}N_6O_{13}.3H_2SO_4$ (1405-10-3)	▲**Neomycin Sulphate** Plant Culture Tested M. W.: 908.88 Potency 600 µg/mg	540.00 1459.00 5563.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
TC1031 ATC $C_{23}H_{46}N_6O_{13}.3H_2SO_4$ (1405-10-3)	▲**Neomycin Sulphate Salt** Cell Culture Tested Recommended for use in cell culture application at 50 mg/L M. W.: 908.88 Assay : ≥600 IU/mg	1017.00 2421.00	5 gm 25 gm
PCT2506 PTC	▲**Neomycin Sulphate** Solution w/ 10 mg/ml Neomycin sulphate in sterile distilled water Sterile filtered Plant Culture Tested	1539.00 5000.00	20 ml 5X20 ml
167780 $C_5H_{12}O_2$ (126-30-7)	**Neopentyl Glycol** M. W.: 104.15 Assay (GC) 98.0%	693.00 POR	500 gm 25 kg
593590 $C_{38}H_{28}N_8Cl_2$ (298-95-3)	**Neotetrazolium Chloride AR** M.W.: 667.60 Assay 75.0%	2003.00 9000.00	1 gm 5 gm
	Neothorine See Arsenazo I		
868740	**Nessler's** Reagent (For detection of Ammonia and Ammonium salt)	306.00	100 ml
868760	**Nessler's** Reagent King's (For Serum Urea Nitrogen)	405.00	100 ml
TC1694 ATC (9001-67-6)	▲**Neuraminidase** Cell Culture Tested	POR POR POR	1 units 5 units 10 units
	Neutral Red 4 See Carminic Acid		
308615 $C_{15}H_{17}ClN_4$ (553-24-2)	**Neutral Red AR** (pH Indicator) C.I. No. 50040 (Neutral Red Chloride) M. W.: 288.78 Dye content (spectrophotometry, on dried subs.) abt. 60.0%	567.00 1152.00 4005.00 30060.00	10 gm 25 gm 100 gm 1 kg
H50364 HISURE $C_{15}H_{17}ClN_4$ (553-24-2)	**Neutral Red** 85% M. W.: 288.78	2367.00 9027.00	25 gm 100 gm
868790	**Neutral Red** pH Indicator Solution	149.00	125 ml
	Neutral Red Chloride See Neutral Red Indicator		
868795	**Neutral Red (Jensen)** As Counterstain	180.00	125 ml
868800	**Neutral Red Metachromatic** Staining Solution	153.00	125 ml
868805	**Neutral Red** TS acc. to USP	167.00	125 ml
308755 $C_{22}H_{24}ClN_3$ (3248-91-7)	**New Fuchsin** for Microscopy C.I. No. 42520 M. W.: 365.91 Dye content (Titanometry on dried subs.) Abt. 90.0%	333.00 900.00	25 gm 100 gm
868820	**Newman's Stain** Soln.	370.00	100 ml
167905 $C_{18}H_{22}ClN_3S$ (1934-16-3)	**New Methylene Blue** M. W.: 347.91 Dye content : About 70.0%	5994.00 19000.00	5 gm 25 gm
	Niacin See Nicotinic Acid		
	Niacinamide See Nicotinamide		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
868870	**Nickel** (Ni) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**1746.00** **2808.00** **3852.00**	**100 ml** **250 ml** **500 ml**
868900	**Nickel** (Ni) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**5301.00** **8505.00**	**100 ml** **500 ml**
868920	**Nickel** (Ni) CRISTAR® 10,000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**16030.00** **48204.00**	**100 ml** **500 ml**
168010 Ni (7440-02-0)	**Nickel** (Metal) Powder At. W.: 58.69 Assay (Complexometric) 99.5%	**6804.00**	**500 gm**
168000 Ni (7440-02-0)	**Nickel Foil** M.W : 58.71 Assay 99.9%	**4806.00**	**250 gm**
029310 $(Ch_3\ COO)_2\ Ni.4H_2O$ (6018-89-9)	**Nickel Acetate** M. W.: 248.84 Assay (Complexometric) 98.0%	**900.00** **3600.00** **POR**	**100 gm** **500 gm** **25 kg**
029312 Al/Ni (12635-27-7)	**Nickel Aluminium Alloy** Powder (50% Ni & 50% Al)	**3600.00**	**500 gm**
	Nickel Ammonium Sulphate See Ammonium Nickel Sulphate		
029314	**Nickel** (II) **Borate**	**981.00**	**100 gm**
168085 Br_2Ni (13462-88-9)	**Nickel** (II) **Bromide** M. W.: 218.50 Assay 98.0%	**1863.00** **5400.00**	**100 gm** **500 gm**
168145 $NiCO_3.2Ni(OH)_2.4H_2O$ (12607-70-4)	**Nickel** (II) **Carbonate** Purified (Nickel Hydroxide Carbonate) M.W.: 376.23 Assay (Ni) : 40.0-45.0%	**2214.00** **3600.00** **POR** **POR**	**250 gm** **500 gm** **5 kg** **25 kg**
029316 $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** (Hexahydrate) M. W.: 237.69 Assay (Complexometric) (ex Ni) 97.0%	**1710.00** **2106.00** **19000.00** **POR**	**250 gm** **500 gm** **5 kg** **25 kg**
593715 $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** (Hexahydrate) **AR** M. W.: 237.69 Assay (Ni) 98.0%	**2403.00**	**500 gm**
PCT1115 PTC $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** Hexahydrate Plant Culture Tested M. W.: 237.69 Assay 98% Store below 30°C	**1521.00** **6156.00**	**100 gm** **500 gm**
TC1155 ATC $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** Hexahydrate Cell Culture Tested M. W.: 237.69. Assay : ≥98% Store below 30°C	**1746.00** **4743.00**	**100 gm** **500 gm**
168235 NiF_2 (10028-18-9)	**Nickel** (II) **Fluoride** M. W.: 96.69	**1089.00** **3060.00**	**100 gm** **500 gm**
	Nickel (II) **Hydroxide Carbonate** See Nickel (II) Carbonate		

Product Code	Product Name	Price	Packing
029322 $Ni(NO_3)_2.6H_2O$ (13478-00-7)	**Nickel** (II) **Nitrate** (Hexahydrate) M. W.: 290.79 Assay (Complexometric ex Ni) 98.0%	**1035.00** **1701.00** **POR**	**250 gm** **500 gm** **50 kg**
593745 $Ni(NO_3)_2.6H_2O$ (13478-00-7)	**Nickel** (II) **Nitrate** (Hexahydrate) **AR** M. W.: 290.79 Assay (Complexometric) 99.0%	**1206.00** **2205.00**	**250 gm** **500 gm**
168325 $NiC_2O_4.2H_2O$ (6018-94-6)	**Nickel** (II) **Oxalate** M. W.: 182.76	**4806.00**	**500 gm**
029325 NiO (1313-99-1)	**Nickel** (II) **Oxide** (Black) M. W.: 74.69 Assay (Complexometric as Ni) 78.0-79.0%	**1143.00** **5301.00**	**100 gm** **500 gm**
H50463 HISURE NiO (1313-99-1)	**Nickel** (II) **Oxide** 99.995% M. W.: 74.69 Assay (Trace metal basis) 99.995%	**19440.00**	**25 gm**
168405 NiO (1313-99-1)	**Nickel Oxide** Green M. W.: 74.69	**6705.00**	**500 gm**
168425 $Ni_3(PO_4)_2.8H_2O$	**Nickel Phosphate** M. W.: 510.18	**1400.00**	**250 gm**
869100 $Ni(NH_2.SO_3)_2.4H_2O$ (13770-89-3)	**Nickel Sulphamate** 60% w/w Solution M. W.: 322.9 Assay (Complexometric Content of Ni) 11.0%	**2300.00** **10503.00** **POR**	**500 gm** **2.5 kg** **25 kg**
029329 $NiSO_4.6H_2O$ (10101-97-0)	**Nickel Sulphate** Hexahydrate Purified M. W.: 262.85 Assay (Complexometric) 98.0%	**1710.00** **3204.00** **15030.00** **POR** **POR**	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
593765 $NiSO_4.7H_2O$ (10101-97-0)	**Nickel Sulphate** Hexahydrate **AR/ACS** M. W.: 280.85 Assay 99.0%	**2300.00**	**500 gm**
168535 Ni_3S_2 (12035-72-2)	**Nickel Sulphide** M. W.: 240.21 Assay 99.0%	**3006.00** **12609.00**	**25 gm** **100 gm**
168835 $C_6H_6N_2O$ (98-92-0)	**Nicotinamide** for Biochemistry M. W.: 122.13 Assay (Non-aqueous) 98.5%	**531.00** **4104.00**	**100 gm** **1 kg**
PCT1209 PTC $C_6H_6N_2O$ (98-92-0)	**Nicotinamide (Niacinamide)** Plant Culture Tested M. W.: 122.12 Assay 99.5% Store below 30°C	**540.00**	**100 gm**
TC1154 ATC $C_6H_6N_2O$ (98-92-0)	**Nicotinamide** Niacinamide Cell Culture Tested M. W.: 122.12 Assay : ≥98.5% Store below 30°C	**1143.00** **3434.00**	**100 gm** **500 gm**
TC1154M ATC $C_6H_6N_2O$ (98-92-0)	**Nicotinamide** Niacinamide Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 122.12 Store below 30°C	**1819.00** **4842.00**	**100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
168715	β-**Nicotinamide Adenine Dinucleotide** Extrapure for biochemistry (Oxidised) (β-NAD, DPN) (NAD Free Acid)	140.00 775.00 3600.00 17100.00	100 mg 1 gm 5 gm 25 gm
$C_{21}H_{27}N_7O_{14}P_2$ (53-84-9)	M.W. 663.44 Assay (UV) 98%		
962680 MB	**Nicotinamide Adenine Dinucleotide** (See DPN; NAD, From Yeast) For Molecular Biology Store Below 30°C	910.00 4392.00	1 gm 5 gm
TC1156 ATC	▲β-**Nicotinamide Adenine Dinucleotide, From Yeast** Cell Culture Tested	1557.00 6490.00 22500.00 27190.00	100 mg 1 gm 5 gm 10 gm
$C_{21}H_{27}N_7O_{14}P_2$ (53-84-9)	M. W.: 663.43 Assay : ≥95%		
168735	β-**Nicotinamide Adenine Dinucleotide Disodium Salt** Extrapure for Biochemistry (β-NADH, DPNH)	270.00 2260.00 10206.00	100 mg 1 gm 5 gm
$C_{21}H_{27}N_7O_{14}P_2Na_2$ (606-68-8)	M.W. 709.46 Assay(UV) 98%		
964710 MB	**ß-Nicotinamide Adenine Dinucleotide Reduced Disodium Salt** (See : DPNH Disodium Salt; NADH Disodium Salt) For Molecular Biology Store Below 30°C	374.00 3303.00 14832.00	100 mg 1 gm 5 gm
TC1699 ATC	β-**Nicotinamide Adenine Dinucleotide, Reduced Disodium Salt** Hydrate **(NADH)** Cell Culture Tested	4266.00 9252.00 12700.00 49284.00	100 mg 500 mg 1 gm 5 gm
$C_{21}H_{27}N_7Na_2O_{14}P_2.xH_2O$ (606-68-8)	M. W.: 709.40 (anhydrous basis)		
963840 MB	**Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt** (See : NADP (TPN) Disodium Salt) For Molecular Biology	1233.00 8505.00	100 mg 1 gm
$C_{21}H_{26}N_7Na_2O_{17}P_3$ (24292-60-2)	M. W.: 787.37 Assay : ≥ 90% Store Below 30°C		
TC1700 ATC	▲**Nicotinamide Adenine Dinucleotide, Phosphate Disodium salt (NADP)** Cell Culture Tested	4302.00 14220.00 47610.00	50 mgm 250 mgm 1 gm
$C_{21}H_{26}N_7Na_2O_{17}P_3$ (24292-60-2)	M. W.: 787.37		
168755	β-**Nicotinamide Adenine Dinucleotide Phosphate Monosodium Sal**t Extrapure for Biochemistry (β-NADP, TPN)	820.00 3105.00 5940.00 20660.00	100 mgm 500 mgm 1 gm 5 gm
$C_{21}H_{27}N_7O_{17}P_3Na$ (1184-16-3)	M.W. 765.4 Assay 98%		
168775	β-**Nicotinamide Adenine Dinucleotide Phosphate Reduced Tetrasodium Salt** Extrapure for Biochemistry (β-NADPH, TPNH)	936.00 2691.00 22770.00	25 mg 100 mg 1 gm
$C_{21}H_{26}N_7Na_4O_{17}P_3.XH_2O$ (2646-71-1)	M.W. 833.35 (Anhy. basis) Assay(UV) 95.0%		

Product Code	Product Name	Price	Packing
TC1701 ATC	▲**Nicotinamide Adenine Dinucleotide 2 -Phosphate Reduced Tetrasodium Salt** Hydrate **(NADPH)** Cell Culture Tested	12520.00 46900.00 84510.00	100 mg 500 mg 1 gm
$C_{21}H_{26}N_7Na_4O_{17}P_3.XH_2O$ (2646-71-1)	M. W.: 833.35 Store at -20°C		
	iso-**Nicotinic Acid** See Iso Nicotinic Acid		
	iso-**Nicotinic Acid Hydrazide** See Iso Nicotinic Acid Hydrazide		
168895	**Nicotinic Acid**	221.00	25 gm
$C_6H_5NO_2$ (59-67-6)	M. W.: 123.11 Assay (acidimetric,on dried substances) 99.5%	491.00 1800.00 POR	100 gm 500 gm 1 kg
PCT1210 PTC	**Nicotinic acid** (Niacin) Plant Culture Tested	221.00 540.00	25 gm 100 gm
$C_6H_5NO_2$ (59-67-6)	M. W.: 123.11 Assay 99.5% Store below 30°C		
TC1157 ATC	**Nicotinic Acid** (Vitamin B3, Niacin) Cell Culture Tested	1305.00 3933.00	100 gm 500 gm
$C_6H_5NO_2$ (59-67-6)	M. W.: 123.11 Assay : ≥99% Store below 30°C		
308845	**Night Blue** for Microscopy	1008.00	25 gm
$C_{38}H_{42}N_3Cl$ (4692-38-0)	M. W.: 576.23 C.I. 44085		
308985	**Nigrosin** (Alcohol soluble) C.I. No. 50415	153.00 464.00 POR	25 gm 100 gm 1 kg
(11099-03-9)			
309005	**Nigrosin** for Microscopy (Water Soluble) C.I. No. 50420	149.00 459.00	25 gm 100 gm
(8005-03-6)			
869200	**Nigrosine** 10% Solution For Negative Staining	149.00	125 ml
	Nile Blue A See Nile Blue Sulphate		
309145	**Nile Blue Chloride** C.I. : 51180	1206.00	25 gm
$C_{20}H_{20}ClN_3O$ (2381-85-3)	M. W.: 353.85 Dye content >90.0%		
309165	**Nile Blue Sulphate** for Microscopy (Nile Blue Hydrogen Sulphate)	360.00 1400.00	5 gm 25 gm
$C_{40}H_{38}N_6O_2.H_2SO_4$ (3625-57-8)	M. W.: 732.84 Dye content (spectrophotometric) > 90.0%		
869235	**Nile Blue** Sulphate Solution	594.00	100 ml
965170 MB	**Nile Red** For Molecular Biology	3893.00 32810.00	100 mg 1 gm
$C_{20}H_{18}N_2O_2$ (7385-67-3)	M. W.: 318.37 Store Below 30°C		
594475	**Ninhydrin AR**	801.00	10 gm
$C_9H_4O_3.H_2O$ (485-47-2)	M. W.: 178.14 Assay (Non-aqueous) 99.0%	1602.00 4707.00 POR	25 gm 100 gm 1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
967260 MB $C_9H_6O_4$ (485-47-2)	**Ninhydrin** (2,2-Dihydroxy-1,3-Indanedione) For Molecular Biology M. W.: 178.14 Assay : ≥ 99% Store Below 30°C	**1026.00** **2260.00**	**10 gm** **25 gm**
869280	**Ninhydrin** Solution	**144.00**	**125 ml**
869290	**Niobium** (Nb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**2552.00** **8577.00**	**100 ml** **500 ml**
869300	**Niobium** (Nb) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in 5% HNO_3 1% in HF in accordance with NIST	**4014.00** **5751.00**	**50 ml** **100 ml**
168965 Nb (7440-03-1)	**Niobium** Metal Powder M. W.: 92.91 Assay 99.98%	**6003.00** **18900.00**	**25 gm** **100 gm**
594540 Nb_2O_5 (1313-96-8)	**Niobium Pentoxide AR** (Niobium (v) oxide) M. W.: 265.81 Assay (Gravimetric) 99.5%	**315.00** **1206.00** **20007.00**	**5 gm** **25 gm** **500 gm**
169145 ✠ $C_6H_8(=NOH)_2$ (492-99-9)	**Nioxime** M. W.: 142.16 Assay 97.0%	**6993.00**	**5 gm**
309395 $C_{16}H_8N_4Na_2O_{11}S_2$ (5423-07-4)	**Nitrazine** Yellow Indicator (C. I. No. 14890) M. W.: 542.36	**2106.00** **9900.00**	**5 gm** **25 gm**
169215 HNO_3 (7697-37-2)	**Nitric Acid** (1.41-1.42) M. W.: 63.01 Assay 69-72% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes)	**477.00** **1710.00**	**500 ml** **2.5 lit**
594655 HNO_3 (7697-37-2)	**Nitric Acid** (1.42) **AR/ACS** M. W.: 63.01 Assay 69-72% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole box)	**513.00** **1755.00**	**500 ml** **2.5 lit**
756360 HNO_3 (7697-37-2)	**Nitric Acid** Acipur for Trace Metal Analysis M.W : 63.01 Assay 69.5%	**1800.00** **6201.00**	**500 ml** **2.5 lit**
756355 HNO_3 (7697-37-2)	**Nitric Acid** EL M. W.: 63.01 Assay 69-71%	**16830.00**	**2.5 lit**
756370 (7697-37-2)	**Nitric Acid** ABT 70%"TAR" Trace Analysis Reagent	**8154.00**	**1 lit**
869400	**Nitric Acid** CPECTROSOL® 0.01M (0.01N) Standard Solution in H_2O in accordance with NIST	**1400.00**	**1 lit**
869420	**Nitric Acid** CPECTROSOL® 0.1M (0.1N) Standard Solution in H_2O in accordance with NIST	**1400.00**	**1 lit**

Product Code	Product Name	Price	Packing
869425	**Nitric Acid** 0.1 Mol/l (0.1N) For 1000 ml Solution	**180.00**	**1 AMP**
869530	**Nitric Acid** 10 mol/L Solution.	**576.00** **1035.00** **1566.00**	**500 ml** **1 lit** **2.5 lit**
869460	**Nitric Acid** CPECTROSOL® 1M (1N) for Standard Solution in H_2O in accordance with NIST	**1400.00**	**1 lit**
869480	**Nitric Acid** CPECTROSOL® 2M (2N) for Standard Solution in H_2O in accordance with NIST	**1400.00**	**1 lit**
869500	**Nitric Acid** CPECTROSOL® 4M (4N) for Standard Solution in H_2O in accordance with NIST	**1400.00**	**1 lit**
869520	**Nitric Acid** CPECTROSOL® 8M (8N) for Standard Solution in H_2O in accordance with NIST	**1400.00**	**1 lit**
029338 $C_6H_9NO_6$ (139-13-9)	**Nitrilotriacetic Acid** (NTA) Complexometric Indicator and Reagent M. W.: 191.14 Assay (acidimetric) 99.0%	**261.00** **990.00**	**100 gm** **500 gm**
594725 $N(CH_2COOH)_3$ (139-13-9)	**Nitrilotriacetic Acid** (NTA) **AR** M. W.: 191.14	**333.00** **1206.00**	**100 gm** **500 gm**
169335 $C_8H_8N_2O_3$ (104-04-1)	p-**Nitro Acetanilide** for Synthesis M. W.: 180.16	**2250.00** **7506.00**	**100 gm** **500 gm**
169445 $C_8H_7NO_3$ (121-89-1)	3-**Nitro Acetophenone** for Synthesis M. W.: 165.15	**630.00** **2754.00**	**100 gm** **500 gm**
169505 $C_8H_7NO_3$ (100-19-6)	p-**Nitro Acetophenone** for Synthesis M. W.: 165.15	**2601.00** **8100.00**	**250 gm** **1 kg**
169555 $C_6H_6N_2O_2$ (99-09-2)	m-**Nitro Aniline** (3-Nitro Aniline) Pract M. W.: 138.13 Assay (GC) 96.0%	**1863.00**	**250 gm**
029341 $C_6H_6N_2O_2$ (88-74-4)	o-**Nitro Aniline** (2-Nitro Aniline) M. W.: 138.13 Assay (GC) 98.0%	**873.00**	**250 gm**
029343 $C_6H_6N_2O_2$ (100-01-6)	p-**Nitro Aniline** (4-Nitro Aniline) M. W.: 138.12 Assay(GC) 98.0%	**864.00** **1557.00**	**250 gm** **500 gm**
594865 $C_6H_6N_2O_2$ (100-01-6)	4-**Nitro Aniline AR** for Determination Of Phenol M. W.: 138.12	**302.00** **882.00** **3006.00**	**25 gm** **100 gm** **500 gm**
169615 $C_7H_7NO_3$ (91-23-6-)	2-**Nitro Anisole** for Synthesis (o-Nitroanisole) M. W.: 153.14	**864.00** **4005.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
309545 $C_{40}H_{30}N_{10}O_6Cl_2$ (298-83-9)	▲**Nitro B.T. AR** Used for estimating dehydrogenase enzymes Totally soluble formazan free M. W.: 817.65 Assay (ex Cl,anhydrous) 95.0%	**801.00** **1301.00** **4590.00**	**100 mg** **250 mg** **1 gm**

N

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
970100 MB $C_{40}H_{30}Cl_2N_{10}O_6$ (298-83-9)	▲**Nitro B.T.** for Microscopy and for Molecular Biology M. W.: 817.67 Assay (Argentometric, ex Cl), anhydrous) 95.0%	882.00 3870.00 6930.00	100 mg 500 mg 1 gm
TC1475 ATC $C_{40}H_{30}N_{10}O_6.2Cl$ (298-83-9)	▲**Nitro B.T. (Nitroblue Tetrazolium Chloride)** Cell Culture Tested M. W.: 817.64 Activity : ≥98% Store at 2-8°C	1670.00 3681.00 10026.00 30060.00	100 mg 250 mg 1 gm 5 gm
169675 $NO_2C_6H_4CHO$ (552-89-6)	o-**Nitro Benzaldehyde** M. W.: 151.12 Assay (GC) 98.0%	2691.00 18145.00	100 gm 1 kg
595065 $NO_2C_6H_4CHO$ (552-89-6)	· o-**Nitro Benzaldehyde AR** M. W.: 151.12 Assay (GC) 99.0%	432.00 810.00 27000.00	10 gm 25 gm 1 kg
169735 $O_2NC_6H_4CHO$ (99-61-6)	3-**Nitro Benzaldehyde** for Synthesis (m-Nitrobenzaldehyde) M. W.: 151.12	828.00 3402.00	100 gm 500 gm
595075 $O_2NC_6H_4CHO$ (555-16-8)	4-**Nitro Benzaldehyde AR** M. W.: 151.12	702.00 2007.00	25 gm 100 gm
169885 $C_7H_6N_2O_3$ (619-80-7)	4-**Nitro Benzamide** for Synthesis M. W.: 166.13	900.00 3114.00	25 gm 100 gm
029353 $C_6H_5.NO_2$ (98-95-3)	**Nitro Benzene** M. W.: 123.11 Assay (GC) 99.0%	702.00 3006.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
595135 $C_6H_5.NO_2$ (98-95-3)	**Nitro Benzene AR/ACS** M. W.: 123.11 Assay (By GC) 99.0%	801.00 3303.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
595485 $C_6H_4N_3O_2.BF_4$ (456-27-9)	4-**Nitro Benzene Diazonium Tetrafluoroborate AR** M. W.: 236.92 Assay 97.0%	4500.00 11800.00	5 gm 25 gm
	3-**Nitro Benzene**-1,2-Dicarboxylic Acid See 3-Nitrophthalic Acid		
	4-**Nitro Benzene**-1,2-Dicarboxylic Acid See 4-Nitrophthalic Acid		
170025 $C_6H_4ClNO_4S$ (98-74-8)	4-**Nitro Benzene Sulfonyl Chloride** for Synthesis M. W.: 221.62 Assay 97.0%	3807.00 POR	100 gm 5 kg
029355 $C_6H_4NNaO_5S$ (127-68-4)	m-**Nitro Benzene Sulphonic Acid Sodium Salt** M. W.: 225.16 Assay(dried) 98.0%	963.00 4230.00	1 kg 5 kg
595695 $C_7H_5N_3O_2$ (94-52-0)	5-**Nitro Benzimidazole AR** M. W.: 163.13	1350.00 3807.00	25 gm 100 gm
170085 $C_7H_5N_3O_2.HNO_3$ (27896-84-0)	5-**Nitro Benzimidazole Nitrate** 5, 6 Photo pure M. W.: 226.15 Assay (acidimetric) 98.0%	2106.00 POR	25 gm 1 kg

Product Code	Product Name	Price	Packing
170170 $C_7H_5NO_4$ (121-92-6)	m-**Nitro Benzoic Acid** M.W.: 167.12 Assay (HPLC) 98.0%	504.00 2231.00	100 gm 500 gm
170145 $C_7H_5NO_4$ (552-16-9)	o-**Nitro Benzoic Acid** M. W.: 167.12 Assay 95.0%	5400.00 16200.00	100 gm 500 gm
029361 $NO_2.C_6H_4COOH$ (62-23-7)	p-**Nitro Benzoic Acid** for Synthesis M. W.: 167.12 Assay (HPLC) 99.0%	1602.00 POR	500 gm 25 kg
170225 $C_7H_4N_2O_2S$ (2942-06-5)	6-**Nitro Benzothiazole** M. W.: 180.18 Assay 99.0%	13230.00	50 gm
170295 $C_7H_4ClNO_3$ (122-04-3)	4-**Nitro Benzoyl Chloride** for Synthesis M. W.: 185.56 Assay 98.0%	792.00 2646.00	100 gm 500 gm
170375 $C_7H_7NO_3$ (619-73-8)	4-**Nitro Benzyl Alcohol** for Synthesis (p-Nitrobenzyl Alcohol) M. W.: 153.14	306.00 855.00	25 gm 100 gm
170485 $BrC_7H_6NO_2$ (100-11-8)	4-**Nitro Benzyl Bromide** for Synthesis M. W.: 216.03 Assay 99.0%	513.00 910.00 4302.00	25 gm 100 gm 500 gm
595745 $NO_2.C_6H_4.CH_2.C_5H_4N$ (1083-48-3)	4-(4-**Nitro Benzyl) Pyridine** extra Pure **AR** M. W.: 214.23 Assay (Non-aqueous) 99.0%	2601.00 11520.00	5 gm 25 gm
	Nitro Blue Tetrazolium Chloride See Nitro B.T.		
	Nitro Carbol See Nitromethane		
595905 $C_6H_5NO_4$ (3316-09-4)	4-**Nitro Catechol AR** M. W.: 155.11 Assay 97.0%	3393.00	5 gm
170545 (9004-70-0)	**Nitro Cellulose**	3069.00	500 gm
	O-**Nitro Chlorobenzene (ONCB)** See 1-Chloro-2-Nitrobenzene		
	M-**Nitro Chlorobenzene (MNCB)** See 1-Chloro-3-Nitrobenzene		
	P-**Nitro Chlorobenzene (PNCB)** See 1-Chloro-4-Nitrobenzene		
170575 $C_2H_5NO_2$ (79-24-3)	**Nitro Ethane** M. W.: 75.07 Assay 99.0%	3285.00 11300.00	500 ml 2.5 lit
596225 $C_2H_5NO_2$ (79-24-3)	**Nitro Ethane AR** M. W.: 75.07 Assay 99.0%	3006.00 5823.00	250 ml 500 ml
170665 $C_8H_6N_2O_2$ (6146-52-7)	5-**Nitro Indole** for Synthesis M. W.: 162.15	2007.00 9504.00	5 gm 25 gm
170775 $C_8H_5NO_6$ (618-88-2)	5-**Nitro Isophthalic Acid** for Synthesis M. W.: 211.13	2502.00	500 gm
029371 CH_3NO_2 (75-52-5)	**Nitro Methane** M. W.: 61.04 Assay (GC) 98.0%	1220.00 5500.00	500 ml 2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
596335 CH_3NO_2 (75-52-5)	**Nitro Methane AR/ACS** M. W.: 61.04	**2709.00** **8100.00**	**500 ml** **2.5 lit**
170885 ✻ $C_8H_7NO_5$ (5081-36-7)	4-**Nitro**-3-**Methoxybenzoic Acid** M. W.: 197.14 Assay 98.0%	**3366.00**	**5 gm**
596400 $C_{20}H_{16}N_4$ (2218-94-2)	**Nitron AR** M. W.: 312.38 Assay 97.0%	**1800.00** **3960.00**	**1 gm** **5 gm**
170995 $C_{10}H_7NO_2$ (86-57-7)	1-**Nitro Naphthalene** for Synthesis (A-Nitro Naphthalene) M. W.: 173.17 Assay 99.0%	**2034.00** **8505.00**	**100 gm** **500 gm**
309745 $O_2NC_6H_4OH$ (554-84-7)	m-**Nitro Phenol Indicator AR** (3-Nitrophenol) M. W.: 139.11	**531.00** **1854.00** **5643.00**	**5 gm** **25 gm** **100 gm**
029377 $NO_2.C_6H_4.OH$ (88-75-5)	o-**Nitro Phenol** (2-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	**1710.00**	**500 gm**
309705 $O_2NC_6H_4OH$ (88-75-5)	o-**Nitro Phenol Indicator AR** M. W.: 139.11	**203.00** **702.00**	**25 gm** **100 gm**
029379 $C_6H_5NO_3$ (100-02-7)	p-**Nitro Phenol** (4-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	**351.00** **1485.00**	**100 gm** **500 gm**
TC1702 ATC $C_6H_5NO_3$ (100-02-7)	p-**Nitro Phenol** Cell Culture Tested M. W.: 139.11 Store below 30°C	**3033.00** **10917.00**	**5 gm** **25 gm**
309785 $C_6H_5NO_3$ (100-02-7)	p-**Nitro Phenol** Indicator **AR** M. W.: 139.11 Assay (GC) 99.0%	**342.00** **954.00** **3501.00**	**25 gm** **100 gm** **500 gm**
	4-(4-**Nitro Phenyl Azo**)-1-**Naphthol** See Magneson II		
	4-(4-**Nitro Phenyl Azo**)-**Resorcinol** See Magneson I		
171185 $CH_3CO_2C_6H_4NO_2$ (830-03-5)	p-**Nitro Phenyl Acetate** (4-Nitrophenyl Acetate) M. W.: 181.15	**1031.00** **3492.00** **9576.00**	**5 gm** **25 gm** **100 gm**
171225 $C_8H_7NO_4$ (104-03-0)	p-**Nitro Phenyl Acetic Acid** M. W.: 181.15 Assay 98.0%	**320.00** **1323.00** **4185.00**	**5 gm** **25 gm** **100 gm**
171285 ✻ $C_8H_6N_2O_2$ (555-21-5)	p-**Nitro Phenyl Acetonitrile** for Synthesi M. W.: 162.15 Assay 98.0%	**2997.00** **9500.00**	**100 gm** **500 gm**
171415 $C_9H_{10}N_2O_4.H_2O$ (207591-86-4)	▲4-**Nitro**-L-**Phenylalanine** Monohydrate for Biochemistry M. W.: 228.20 Assay 98.0%	**4185.00** **10450.00**	**5 gm** **25 gm**

Product Code	Product Name	Price	Packing
171525 $C_{12}H_{15}NO_8$ (369-07-3)	· o-**Nitro Phenyl** B-D-**Galactopyranoside** Extra Pure for Biochemistry M. W.: 301.25 Assay 98.0%	**730.00** **6300.00** **10440.00**	**500 mg** **5 gm** **10 gm**
PCT2558 PTC $C_{12}H_{15}NO_8$ (369-07-3)	· o-**Nitrophenyl**-B-**Galactopyranoside** Plant Culture Tested M. W.: 301.3	**6310.00** **10449.00**	**5 gm** **25 gm**
596785 $C_6H_7N_3O_2$ (100-16-3)	4-**Nitro Phenyl Hydrazine AR** (p-Nitrophenylhydrazine) M. W.: 153.14	**1566.00** **7722.00**	**25 gm** **100 gm**
596805 $C_6H_4NNa_2O_6P.6H_2O$ (4264-83-9)	4-**Nitro Phenyl Phosphate Disodium** **Salt** Hexahydrate **AR** M. W.: 371.15 Assay (Absorptiometric) 98.0%	**522.00** **2403.00**	**5 gm** **25 gm**
970150 MB $C_6H_4NNa_2O_6P.6H_2O$ (333338-18-4)	▲p-**Nitrophenyl Phosphate Disodium** **Salt Hexahydrate** For Molecular Biology M. W.: 371.14 Assay : ≥ 98%	**860.00** **3700.00**	**5 gm** **25 gm**
171615 (68189-42-4)	4-**Nitrophenyl Phosphate Di**(TRIS) **Salt** (pNPP DTRIS SALT) for Biochemistry	**640.00** **1900.00** **6800.00**	**1 gm** **5 gm** **25 gm**
171695 $O_2NC_6H_3$-1,2-$(CO_2H)_2$ (603-11-2)	3-**Nitro Phthalic Acid** for Synthesis (3-Nitrobenzene-1,2-Dicarboxylic Acid) M. W.: 211.13	**612.00** **2403.00**	**100 gm** **500 gm**
171715 $C_8H_5NO_6$ (610-27-5)	4-**Nitro Phthalic Acid** for Synthesis (4-Nitrobenzene-1, 2-Dicarboxylic Acid) M. W.: 211.13	**730.00** **3303.00**	**100 gm** **500 gm**
171745 $C_8H_3N_3O_2$ (31643-49-9)	4-**Nitrophthalonitrile** M. W.: 173.13 Assay 99.0%	**1400.00** **4248.00** **13500.00** **POR**	**5 gm** **25 gm** **100 gm** **25 kg**
171785 $C_3H_7O_2N$ (79-46-9)	2-**Nitro Propane** for Synthesis M. W.: 89.09 Assay 96.0%	**5229.00** **19602.00**	**100 gm** **500 gm**
309925 $C_{10}H_6(OH).NO$ (131-91-9)	1-**Nitroso**-2-**Naphthol** M. W.: 173.16 Assay (Titanometry) 95.0%	**1764.00** **6840.00**	**100 gm** **500 gm**
309935 $C_{10}H_6(OH).NO$ (131-91-9)	1-**Nitroso**-2-**Naphthol AR** M. W.: 173.17 Assay(dried) 98.0%	**900.00** **3200.00**	**25 gm** **100 gm**
869650	1-**Nitroso**-2-**Naphthol** Solution (Reagent for Co, Fe, Ni & Pd)	**189.00**	**100 ml**
309995 $C_{10}H_6(OH)NO$ (132-53-6)	2-**Nitroso**-1-**Naphthol AR** Reagent for Cobalt and Zirconium M. W.: 173.17 Assay(Titanometric) 95.0%	**603.00** **2800.00**	**5 gm** **25 gm**
310025 $C_{10}H_5NNa_2S_2O_8$ (525-05-3)	**Nitroso**-R-**Salt AR** Sensitivity to Cobalt 1:1000000 M. W.: 377.26	**460.00** **1323.00**	**25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
869670	**Nitroso-R Salt** Solution (Reagent for cobalt & Iron)	216.00	100 ml
	Nitrotetrazolium Blue Chloride See Nitro B.T.		
171935	m-**Nitro Toluene** for Synthesis (3-Nitro Toluene)	675.00	500 ml
		2907.00	2.5 lit
$NO_2.C_6H_4.CH_3$	M. W.: 137.14	POR	25 lit
(99-08-1)	Assay (GC) 99.0%	POR	200 lit
029393	o-**Nitro Toluene** for Synthesis (2 Nitro Toluene)	666.00	500 ml
		2907.00	2.5 lit
$NO_2.C_6H_4.CH_3$	M. W.: 137.14	POR	25 lit
(88-72-2)	Assay (GC) 99.0%	POR	200 lit
029395	p-**Nitro Toluene** for Synthesis (4-Nitro Toluene)	621.00	500 gm
		POR	25 kg
$NO_2.C_6H_4CH_3$	M. W.: 137.14		
(99-99-0)	Assay (GC) 99.0%		
171995	▲5-**Nitro Uracil** for Biochemistry	1467.00	5 gm
$C_4H_3N_3O_4$	M. W.: 157.08	6003.00	25 gm
(611-08-5)	Assay 98.0%		
172075 ✲	5-**Nitro**-m-**Xylene**	2592.00	5 gm
$C_8H_9NO_2$	M. W.: 151.16		
(99-12-7)	Assay 99.0%		
172265	n-**Nonadecane** for Synthesis	6894.00	100 ml
$C_{19}H_{40}$	M. W.: 268.53		
(629-92-5)	Assay 98.0%		
597095	n-**Nonadecane AR**	10000.00	100 ml
$C_{19}H_{40}$	M. W. : 268.53		
(629-92-5)			
172415	n-**Nonane** for Synthesis	3366.00	100 ml
$CH_3(CH_2)_7CH_3$	M. W.: 128.26	9000.00	500 ml
(111-84-2)			
757180	1-**Nonanesulphonic Acid Sodium Salt AR** For HPLC	3221.00	5 gm
		14787.00	25 gm
$CH_3(CH_2)_8SO_3Na$	M. W.: 230.30		
(35192-74-6)			
172465	**Nonanoic Acid**	1098.00	100 gm
$C_9H_{18}O_2$	M. W.: 158.24	4401.00	500 gm
(112-05-0)	Assay 97.0%		
172355	n-**Nonanol** for Synthesis (Nonan-1-ol)	3200.00	100 ml
		5814.00	500 ml
$C_9H_{20}O$	M. W.: 144.25		
(143-08-8)			

Product Code	Product Name	Price	Packing
	Nonidet P 40, (NP-40,4-nonylphenyl) **see** Octylphenyl Polyethylene Glycol		
	Nonyl Alcohol See N-Nonanol		
172705	**Nonyl Phenol** (Ethoxylated)	621.00	500 ml
$C_{15}H_{24}O$	M. W.: 220.35	2800.00	2.5 lit
(104-40-5)			
597415 ✲	DL-**Nor-Adrenaline** HCl **AR**	19710.00	1 gm
$C_8H_{11}NO_3.HCl$	M. W.: 205.64		
(55-27-6)	Assay (TLC) 97.0%		
172795	▲**Norfloxacin** for Lab Use	2034.00	1 gm
$C_{16}H_{18}FN_3O_3$	M. W.: 319.33	4743.00	5 gm
(70458-96-7)	Assay 98.0%		
172885	**Norit-A** 100 mesh	10800.00	2 kg
C	At. W. 12.01	21600.00	5 kg
(7440-44-0)		POR	25 kg
310095	**Nuclear Fast Red** for Microscopy	1602.00	1 gm
$C_{14}H_8NNaO_7S$	M. W.: 357.27	7506.00	5 gm
(6409-77-4)			
869900	**Nylander**'s Reagent (Test Reagent for Glucose in urine)	369.00	50 ml
172975	▲**Nystatin** 4400 USP Unit per mg	500.00	1mil.Unit
$C_{47}H_{75}NO_{17}$	M. W.: 926.10		
(1400-61-9)			
PCT2112 PTC	▲**Nystatin**	662.00	1 vl
	Plant Culture Tested	5292.00	10x1 vl
	1,000,000 units per vial	13230.00	25x1 vl
(1400-61-9)	Potency 4400 USP U/mg		
TC1032 ATC	▲**Nystatin**	900.00	1x1 mu
	(Mycostatin)	3690.00	5x1 mu
	Cell Culture Tested	11952.00	25x1 mu
	1,000,000 units per vial		
	Recommended for use in cell culture application at 50 m/L		
(1400-61-9)	Potency : ≥4400 USP units/mg		
TC1032G ATC	▲**Nystatin Gamma Irradiated**	1125.00	1x1 mu
	(Mycostatin Gamma irradiated)	4600.00	5x1 mu
	Cell Culture Tested	14940.00	25x1 mu
	1,000,000 units per vial		
	Recommended for use in cell culture application at 50 mg/L		
$C_{47}H_{75}NO_{17}$	M. W.: 926.09		
(1400-61-9)	Potency : ≥4400 USP units/mg		

NMR Solvents

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
871180	**Obermayer**'s Reagent (Test reagent for "Indican" in urine)	**342.00**	**100 ml**
176175 $C_{18}H_{38}$ (593-45-3)	n-**Octadecane** 90% for Synthesis M. W.: 254.2	**1953.00** **9360.00**	**25 gm** **250 gm**
029404 $C_{18}H_{38}O$ (112-92-5)	1-**Octadecanol** (Octadecyl Alcohol) M. W.: 270.50 Assay (GC) 96.0%	**684.00**	**500 gm**
176045 ✠ $C_{18}H_{36}$ (112-88-9)	1-**Octadecene 90%** for Synthesis M. W.: 252.48 Assay 90.0%	**3960.00**	**500 ml**
	1-**Octadecyl Alcohol** See 1-Octadecanol, Stearyl Alcohol		
176295 $C_{18}H_{39}N$ (124-30-1)	**Octadecylamine** for Synthesis M. W.: 269.51 Assay 97.0%	**882.00** **2997.00**	**250 gm** **1 kg**
029409 $CH_3(CH_2)_6CH_3$ (111-65-9)	n-**Octane** for Synthesis M. W.: 114.23	**1251.00** **5706.00** **17100.00**	**100 ml** **500 ml** **2.5 lit**
597455 $CH_3(CH_2)_6CH_3$ (111-65-9)	n-**Octane AR** M.W.: 114.23 Assay (GC) 99.7%	**1503.00** **6003.00**	**100 ml** **500 ml**
	iso-**Octane** See ISO Octane		
759105 $C_8H_{17}O_3SNa$ (5324-84-5)	1-**Octane Sulphonic Acid Sodium Salt** (Anhydrous) HPLC for Ion-Pair Chromatography M. W: 216.28	**1103.00** **4005.00**	**25 gm** **100 gm**
759110 $C_8H_{17}NaO_3S.H_2O$ (207596-29-0)	1-**Octane Sulphonic Acid Sodium** Salt Monohydrate M. W.: 234.29 Assay (acidimetric on dried basis) 98.0%	**1107.00** **4005.00**	**25 gm** **100 gm**
	Octanoic Acid See Caprylic Acid		
	n-**Octanoic Acid Sodium Salt** See n-Caprylic Acid Sodium Salt		
029408 $CH_3.(CH_2)_6.CH_2OH$ (111-87-5)	1-**Octanol** (Octyl Alcohol) for Synthesis (Octan-1-OL, n-Octanol) M. W.: 130.23 Assay (GC) 99.0%	**1053.00** **4500.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
597485 $C_8H_{18}O$ (111-87-5)	1-**Octanol AR** M. W.: 130.23 Assay (GC) 99.5%	**1314.00** **6318.00**	**500 ml** **2.5 lit**
759200 $C_8H_{18}O$ (111-87-5)	1-**Octanol** HPLC & Spectroscopy M. W.: 130.23	**2106.00** **3807.00**	**500 ml** **1 lit**
	iso-**Octanol** See 2-Ethyl -1-Hexanol		
176445 $C_8H_{18}O$ (589-98-0)	3-**Octanol** M. W.: 130.23 Assay (GC) 97.0%	**1026.00** **4680.00**	**500 ml** **2.5 lit**
176485 C_8H_{16} (111-66-0)	1-**Octene** M. W.: 112.22 Assay 98.0%	**1800.00** **5270.00** **POR**	**500 ml** **2.5 lit** **25 lit**

Product Code	Product Name	Price	Packing
	Octoic Acid See 2-Ethyl Hexanoic Acid		
176655 $C_{10}H_{20}O_2$ (112-14-1)	**Octyl Acetate** for Synthesis M. W.: 172.26 Assay 99.0%	**1670.00** **16700.00**	**500 ml** **10 lit**
176745 $C_8H_{19}N$ (111-86-4)	n-**Octylamine** for Synthesis M. W.: 129.24 Assay 99.0%	**1413.00** **4343.00** **POR**	**250 ml** **1 lit** **10 lit**
	Octyl Sulphate Sodium Salt See Sodium Octyl Sulphate		
176835 $C_{14}H_{28}O_6$ (29836-26-8)	n-**Octyl-Beta**-D-**Glucopyranoside** for Biochemistry M. W.: 292.37 Assay (GC) 98.0%	**4122.00** **16713.00**	**1 gm** **5 gm**
176875 $C_{14}H_{22}O$ (140-66-9)	4-tert-**Octylphenol** for Synthesis M. W.: 206.33 Assay 97.0%	**1404.00**	**500 gm**
176925 (9016-45-9)	**Octylphenyl Polyethylene Glycol** {Nonidet P 40, (NP-40,4-nonylphenyl]}	**576.00** **2205.00**	**100 ml** **500 ml**
970195 (9016-45-9)	**Octylphenyl Polyethylene Glycol** {Nonidet P 40, (NP-40,4-nonylphenyl]}	**882.00** **4005.00**	**100 ml** **500 ml**
TC1708 (9016-45-9)	**Octylphenyl Polyethylene Glycol** {Nonidet P 40, (NP-40,4-nonylphenyl]}	**1022.00** **4527.00**	**100 ml** **500 ml**
	iso-**Octyl Phenoxy Polyethoxy Ethanol** See Criton 100		
	di **Octyl Sodium Sulphosccinate** See Dioctyl Sodium Sulphosuccinate		
177015 $C_{14}H_{28}O_5S$ (85618-21-9)	**Octyl β-D-Thioglucopyranoside** for Biochemistry (Octyl Thioglucoside) M. W.: 308.44	**3870.00** **6903.00**	**500 mgm** **1 gm**
	ODCB See o-Dichlorobenzene		
177105 $C_{18}H_{20}FN_3O_4$ (82419-36-1)	**Ofloxacin for Lab Use** M.W.: 361.37	**3160.00** **11520.00** **POR**	**1 gm** **10 gm** **500 gm**
	Oil Aemons See Oil Almond		
347235 (8007-69-0)	**Oil Almond**	**6350.00**	**500 ml**
347695 (8007-75-8)	**Oil Bergamot**	**4806.00**	**500 gm**
	Oil Citronella See **Citronella**		
349095 (8001-30-7)	**Oil Corn**	**1593.00**	**500 ml**
	Oil of Castor See Castor Oil		
	Oil of Cedarwood See Cedar Wood Oil		
	Oil of Clove See Clove Oil		
	Oil of Eucalyptus See Eucalyptus Oil		
	Oil of Turpentine See Turpentine Oil		

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
350245 (8000-46-2)	**Oil Geranium**	8604.00	500 gm
	Oil of Immersion See Immersion Oil		
352585 (8007-02-1)	**Oil of Lemon** Grass Oil	2772.00	500 ml
353045 (8008-79-5)	**Oil Mentha**	4500.00	500 gm
	Oil of Olive See Olive Oil		
354655 (8006-90-4)	**Oil of Peppermint** (peppermint oil)	882.00 3700.00	100 ml 500 ml
	Oil Pine See Pine Oil		
354195 (8008-57-9)	**Oil Orange**	4500.00 POR	500 gm 2.5 kg
310145 $C_{26}H_{24}N_4O$ (14288-70-1)	**Oil Red** O for Electrophoresis C.I. No. 26125 M. W.: 408.51 Dye content (Titanometry on dried Substance) Min 80.0%	122.00 450.00 POR	5 gm 25 gm 1 kg
871300	**Oil Red O** Solution 0.5% In Isopropanol	324.00	100 ml
355575 (8007-01-0)	**Oil Rose**	2021.00 4041.00	10 ml 25 ml
177555 $C_{17}H_{33}.COOH$ (112-80-1)	**Oleic Acid** M. W.: 282.47 Assay(GC) 65.0%	657.00 2610.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
TC1382 ATC $C_{18}H_{34}O_2$ (112-80-1)	▲**Oleic Acid** Cell Culture Tested M. W.: 282.46 Assay : ≥97%	2453.00 7830.00 23652.00	1 ml 5 ml 25 ml
	Oleic Acid Sodium Salt See Sodium Oleate		
177615 H_2O_4S (8014-95-7)	**Oleum** 20% Pract M. W.: 98.08	612.00	500 ml
177725 $C_{18}H_{36}O$ (143-28-2)	**Oleyl Alcohol** Pract M. W.: 268.49	1540.00 6633.00	500 ml 2.5 lit
177815 $C_{18}H_{27}N$ (112-90-3)	**Oleylamine** for Synthesis M. W.: 267.50	711.00 2367.00 5094.00	250 ml 1 lit 2.5 lit
353965 (8001-25-0)	**Olive Oil** (Oil of Olive)	657.00 1152.00 3951.00 POR	100 ml 250 ml 1 lit 5 lit
871200	**O'meara Reagent**	464.00	100 ml
	ONCB See 1-Chloro-2-Nitrobenzene		
311295 (12769-16-3)	**Oracet Blue B** Indicator	15003.00 POR	5 gm 25 gm

Product Code	Product Name	Price	Packing
311475 $C_{16}H_{10}N_2Na_2O_7S_2$ (1936-15-8)	**Orange G** Indicator for Microscopy C.I. No. 16230 M. W.: 452.37 Dye content (Titanometry, on dried Subs.) About 90.0%	297.00 900.00 POR POR	25 gm 100 gm 1 kg 5 kg
H54045 (1936-15-8)	**Orange G** For CERTIFIED **HIPURE** (C.I. No. 16230)	5580.00 15750.00	25 gm 100 gm
	Orange IV (ph) Indicator See Tropaeolin OO		
	Orange III See Methyl Orange		
311485 (1400-62-0)	**Orcein** for Microscopy	2493.00 4770.00 POR	5 gm 10 gm 1 kg
H54063 (1400-62-0)	**Orcein** for Microscopy CERTIFIED **HIPURE**	15300.00 58500.00	5 gm 25 gm
871325	**Orcein** Solution (For Inulin)	666.00	100 ml
	Orcein Aceto Solution (Lacour) See Aceto Orcein Solution		
029418 $CH_3.C_6H_3(OH)_2.H_2O$ (6153-39-5)	**Orcinol** Monohydrate M. W.: 142.15 Assay(GC) 98.0%	1062.00 2300.00 7700.00	10 gm 25 gm 100 gm
970210 MB $C_7H_8O_2.H_2O$ (6153-39-5)	**Orcinol** Monohydrate For Molecular Biology M. W.: 142.15 Assay : ≥ 98% Store Below 30°C	1202.00 2084.00 8200.00	10 gm 25 gm 100 gm
597525 $C_5H_{12}N_2O_2.HCl$ (3184-13-2)	L-**Ornithine Monohydrochloride** AR For Biochemistry M. W.: 168.62 Assay (Non-aqueous) 98.0%	230.00 702.00 POR	5 gm 25 gm 500 gm
PCT1323 PTC $C_5H_{12}N_2O_2.HCl$ (3184-13-2)	**L-Ornithine Monohydrochloride** Plant Culture Tested M. W.: 168.62 Assay 99% Store below 30°C	855.00 2970.00 13410.00	25 gm 100 gm 500 gm
TC1093 ATC $C_5H_{12}N_2O_2.HCl$ (3184-13-2)	**L-Ornithine Monohydrochloride** (From non-animal source) Cell Culture Tested M. W.: 168.62 Assay : ≥99% Store below 30°C	2745.00 6390.00 20016.00 30015.00	25 gm 100 gm 500 gm 1 kg
	Orthoacetic Acid Trimethyl Ester See Trimethylorthoformate		
	Ortho Boric Acid See Boric Acid		
	Ortho Nitro Chlorobenzene See 1-Chloro-2-Nitro Benzene		
	Ortho Phosphoric Acid See ortho-Phosphoric Acid		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
PCT2559 PTC $C_{12}H_{18}N_4O_6S$ (19044-88-3)	**Oryzalin** Plant Culture Tested M. W.: 346.36 Store below 30°C	3852.00 16515.00 30852.00	100 mg 500 mg 1 gm
597600 OsO_4 (20816-12-0)	**Osmic Acid AR** M. W.: 254.20 Assay 99.9%	8200.00	1 gm
871350	**Osmic Acid** 2% Solution w/v for Microscopy	3204.00	5 ml
	Osmium Tetraoxide See Osmic Acid		
029423 $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid** Purified (Ethanedioic acid) M. W.: 126.07 Assay (Oxidimetric) 99.5%	460.00 3996.00 POR	500 gm 5 kg 50 kg
597665 $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid AR/ACS** M. W.: 126.07 Assay (Oxidimetric) 99.8%	531.00	500 gm
970260 MB $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid** Dihydrate For Molecular Biology M. W.: 126.07 Assay : ≥ 99% Store Below 30°C	1090.00	1 kg
871440	**Oxalic Acid** 0.01 mol/L (0.02N) Solution	144.00 266.00 486.00	500 ml 1 lit 2.5 lit
871490	**Oxalic Acid** CPECTROSOL® 0.025M (0.05N) Standard Solution in accordance with NIST	1400.00	1 lit
871525	**Oxalic Acid** CPECTROSOL® 0.05M (0.1N) Standardized Solution in accordance with NIST	1400.00	1 lit
871450	**Oxalic Acid** N/10 (0.1N) 0.05 mol	144.00 266.00 459.00	500 ml 1 lit 2.5 lit
871520	**Oxalic Acid** Solution 0.05 M Citrisol 3.1515 g $C_2H_2O_4.2H_2O$ for 500 ml Solution 0.1 N solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
871550	**Oxalic Acid** 0.5M (1N) Volumetric Solution	135.00 243.00 396.00	500 ml 1 lit 2.5 lit
871555	**Oxalic Acid** CPECTROSOL® 0.5M (1N) Standardized Solution in accordance with NIST	1400.00	1 lit
871580	**Oxalic Acid** TS acc to USP	198.00	500 ml

Product Code	Product Name	Price	Packing
	Oxalic Acid Bis Cyclohexylidine Hydrazide See Bis -Cyclohexanone Oxalyl Dihydrazone		
597725 $(CO.NH.NH_2)_2$ (996-98-5)	**Oxalic Acid Dihydrazide AR** (Oxalyl Dihydrazide) M. W.: 118.10 Assay (HPLC) 98.0%	1206.00	25 gm
178135 $C_4H_4O_5$ (328-42-7)	**Oxaloacetic Acid** for Biochemistry M. W.: 132.07	1116.00 4680.00 POR POR	1 gm 5 gm 100 gm 1 kg
TC1158 ATC $C_4O_5H_4$ (328-42-7)	**Oxaloacetic Acid** Cell Culture Tested M. W.: 132.07 Assay : ≥95%	1485.00 5940.00 23850.00 84600.00	1 gm 5 gm 25 gm 100 gm
029426 $C_2Cl_2O_2$ (79-37-8)	**Oxalyl Chloride** for Synthesis M.W.: 126.93 Assay (Acidimetric) 98.0%	2250.00 6804.00	100 ml 500 ml
	Oxalyl Dihydrazide See Oxalic Acid Dihydrazide		
340135	**Ox-gall Powder** **Bacteriological Grade**	2106.00 8001.00	100 gm 500 gm
	Oxine See 8-Hydroxy Ouinoline		
	2-**Oxoglutaric Acid** See a-Keto Glutaric Acid		
178250 $HKO_5S.\ 0.5HKO_4S\ .\ 0.5K_2O_4S$ M.W : 307.38 (70693-62-8)	**Oxone** (Potassium Peroxy Monosulphate)	801.00 2300.00	250 gm 1 kg
178340 $C_{19}H_{20}N_2O_3$ (129-20-4)	· **Oxyphenbutazone** for Lab Use M. W.: 324.38 Assay 98.0%	999.00	5 gm
178520 $C_{22}H_{24}N_2O_9.HCl$ (2058-46-0)	**Oxytetracycline Hydrochloride** for Lab Use M. W.: 496.90 Assay 97.0%	828.00 3807.00	1 gm 5 gm
PCT2149 PTC $C_{22}H_{24}N_2O_9.HCl$ (2058-46-0)	**Oxytetracycline HCl** Plant Culture Tested M. W.: 496.9 Store at 30°C	1242.00 6003.00	5 gm 25 gm
TC1200 ATC $C_{22}H_{24}N_2O_9.2H_2O$ (6153-64-6)	▲**Oxytetracycline** Dihydrate Cell Culture Tested M. W.: 496.46 Potency : ≥832 µg/mg	1112.00 7520.00	1 gm 10 gm

HPLC SOLVENTS

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1413 ATC $C_{47}H_{51}NO_{14}$ (33069-62-4)	▲**Paclitaxel** Taxol Cell Culture Tested M. W.: 853.9 Assay : ≥95%	7650.00	10 mg
PCT1828 PTC $C_{15}H_{20}ClN_3O$ (76738-62-0)	▲**Paclobutrazol** Plant Culture Tested M. W.: 293.79 Assay 95%	3434.00 7560.00	10 gm 25 gm
874055	**Palladium** (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	3510.00 7030.00 11970.00	100 ml 250 ml 500 ml
874100	**Palladium** (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	3510.00 7030.00 11970.00	100 ml 250 ml 500 ml
874150	**Palladium** (Pd) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in Hcl	9495.00 23702.00	100 ml 500 ml
874170	**Palladium** (Pd) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in Hcl	18810.00 75240.00	100 ml 500 ml
603725 Pd (7440-05-3)	**Palladium** (Metal) Powder **AR** M. W.: 106.42 Assay 99.9%	21600.00	1 gm
183085	**Palladium on Activated Charcoal** (5% Pd) Palladium content Pd 4.9-5.1%	14580.00	10 gm
183095	**Palladium on Activated Charcoal** (10% Pd) Assay Palladium of Pd 9.9-10.1%	28000.00	10 gm
183105	**Palladium** 5% on **Alumina**	9000.00	10 gm
183125	**Palladium** 10% on **Alumina**	16560.00	10 gm
183145	**Palladium on Asbestos** (5% Pd) Assay (On asbestos) (Pd) 4.9-5.1%	14004.00	10 gm
183165	**Palladium on Asbestos** 10.0% Assay (On asbestos) (9.9-10.1% Pd)	24030.00	10 gm
183185	**Palladium on Barium Sulphate** (5% Pd)	14004.00	10 gm
183190	**Palladium on Barium Sulphate** (10% Pd)	24030.00	10 gm
183220 (7440-05-3)	**Palladium on Calcium Carbonate** (5% Pd)	14670.00	10 gm
183250 (7440-05-3)	**Palladium on Calcium Carbonate** (10% Pd)	29070.00	10 gm
183275 $C_4H_6O_4Pd$ (3375-31-3)	**Palladium** (II) **Acetate** for Synthesis M. W.: 244.51	14000.00 49050.00	1 gm 5 gm
183315 Br_2Pd (13444-94-5)	**Palladium Bromide** Extra Pure M. W.: 266.23 Assay 99.0%	12420.00	1 gm

Product Code	Product Name	Price	Packing
029431 $PdCl_2$ (7647-10-1)	**Palladium Chloride** (Pd 59-60%) M. W.: 177.33 Assay 99.0%	19000.00 93006.00	1 gm 5 gm
183425 $Pd(NO_3)_2.2H_2O$ (10102-05-3)	**Palladium Nitrate** Dihydrate M. W.: 266.46 Assay (Pd) 40.0%	11340.00	1 gm
183465 PdO (1314-08-5)	**Palladium** (II) **Oxide** M. W.: 122.44 Assay (Pd) ~85.0%	27500.00	1 gm
183505 $PdSO_4$ (13566-03-5)	**Palladium Sulphate** M. W.: 202.48 Assay 98.0%	16470.00	1 gm
029433 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid** for Synthesis M. W.: 256.43 Assay (Acidimetric) 99.0-101.0%	590.00	500 gm
183545 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid** for Biochemistry M. W.: 256.43 Assay (GC) 99.0%	630.00 2637.00	5 gm 25 gm
603835 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid AR** M. W.: 256.43 Assay (acidimetric) 99.0%	500.00 1800.00	25 gm 100 gm
TC1386 ATC $C_{16}H_{32}O_2$ (57-10-3)	**Palmitic Acid** Cell Culture Tested M. W.: 256.42 Assay : ≥98% Store below 30°C	3654.00 6651.00 12987.00	10 gm 25 gm 100 gm
TC1387 ATC $C_{17}H_{34}O_2$ (112-39-0)	**Palmitic Acid Methyl Ester** Cell Culture Tested M. W.: 270.45 Assay : ≥95% Store below 30°C	1530.00 4212.00 13527.00	1 gm 5 gm 25 gm
TC1388 ATC $C_{16}H_{30}O_2$ (373-49-9)	▲**Palmitoleic Acid** Cell Culture Tested M. W.: 254.41 Assay : ≥99%	4482.00 27270.00	100 mg 1 gm
183685 $CH_3(CH_2)_{14}COCl$ (112-67-4)	**Palmitoyl Chloride** for Synthesis (Hexadecanoy Chloride) M. W.: 274.87	1620.00 12200.00	500 ml 5 lit
183795 $C_{23}H_{16}O_6$ (130-85-8)	**Pamoic Acid** for Synthesis M. W.: 388.37 Assay (T) 97.0%	3006.00 9000.00	100 gm 500 gm
312585 $N(CH)_4C.N:N.C_{10}H_6.OH$ (85-85-8)	**PAN** Indicator **AR** Reagent for Complexometric Titration M. W.: 249.27 Assay (Non-aqueous) 98.0%	1350.00 6003.00	1 gm 5 gm
874270	**PAN** 0.1% w/v indicator Solution in Methanol	153.00	100 ml
874273	**PAN** 0.1% w/v indicator Solution in Ethanol	225.00	100 ml
874276	**PAN** 1% w/v indicator Solution in Methanol	325.00	100 ml
874280	**PAN** 1% w/v indicator Solution in Ethanol	441.00	100 ml
183815 (8049-47-6)	· **Pancreatin** (From Pig Pancreas)	576.00 2304.00	100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
874370	**Pandy's** Reagent (For determination of Globulin in CSF)	135.00	125 ml
183835 $C_9H_{19}NO_4$ (81-13-0)	· d-**Pantothenol** (d-Pantothenyl alcohol) M. W.: 205.26 Assay (NT) 99.0%	2403.00 POR	100 gm 1 kg
	d-**Pantothenic Acid Calcium Salt** See Calcium-D-Pantothenate		
183865 (9001-73-4)	· **Papain** From Papaya Latex	522.00 2007.00	100 gm 500 gm
183925 (9001-73-4)	· **Papain** Type III 2xCrystallized	2376.00 4509.00 6525.00	25 mg 100 mg 500 mg
183955 (9001-73-4)	· **Papain** Type IV 2xCrystallized	2376.00 4509.00 6525.00	25 mg 100 mg 500 mg
TC1685 ATC (9001-73-4)	· **Papain** Source : Carica papaya Cell Culture Tested Activity : NLT 30000 USP units/mg	5922.00 20700.00	25 gm 100 gm
874420	**Papanicolaous** Solution 1a Harris Haematoxylin Solution For cytological cancer and cycle Diagnosis	549.00 2205.00	125 ml 500 ml
874430	**Papanicolaous** Solution 2b Orange (II) Solution For cytological cancer and cycle Diagnosis	320.00	125 ml
874440	**Papanicolaous** Solution 3b Polychromatic Solution EA 50 For cytological cancer and cycle Diagnosis	567.00	125 ml
874445	**Papanicolaous** Solution Ea65	360.00	125 ml
874448	**Papanicolaous** Solution Modified EA	360.00	125 ml
874452	**Papanicolaous** Solution Ea36	765.00	125 ml
183985 $C_{20}H_{21}NO_4.HCl$ (61-25-6)	**Papaverine Hydrochloride** M.W. 375.85 Assay 99%	4001.00 15003.00	25 gm 100 gm
	Para Amino Benzoic Acid See P-Amino Benzoic Acid		
	Para Cresol See p-Cresol		
312625 $C_{11}H_8N_3NaO_2H_2O$ (16593-81-0)	**PAR** Indicator **AR** M. W.: 255.21 Assay (Non-aqueous titration on anhydrous substance) 99.0%	810.00 3501.00	1 gm 5 gm
874560	**PAR** Reagent Solution (Reagent for Co, Ca, Bi, Cd, Hg, Ni, V and Zn)	702.00	100 ml
	PARA-Anisaldehyde See Anisaldehyde		
	Paracetamol For Lab Use See 4-acetamidophenol, (acetaminophen, N-acetyl-4-amino phenol, 4-hydroxyacetanilide)		

Product Code	Product Name	Price	Packing
	PARA-Chlorobenzene See p-Dichlorobenzene		
	PARA-Chlorometacresol See 4-Chloro-m-Cresol		
	PARA-Cresol See p-Cresol		
184075 $C_9H_{10}O_2$ (140-39-6)	**PARA Cresyl Acetate** for Synthesis M. W.: 150.17	4500.00	500 gm
184085 $C_8H_{10}O$ (104-93-8)	**PARA Cresyl Methyl Ether** for Synthesis M. W.: 122.16 Assay 99.0%	2692.00	500 gm
184095 $C_{15}H_{14}O_2$ (101-94-0)	**PARA Cresyl Phenyl Acetate** for Synthesis M. W.: 226.27	3250.00	500 gm
	PARA-Dichlorobenzene (PDCB) See p-Dichlorobenzene		
	PARA-Dimethylaminopyridine See p-Dimethylaminopyridine		
029436 (8012-95-1)	**Paraffin** Liquid Light	405.00 1404.00 POR	500 ml 2.5 lit 25 lit
029437 (8012-95-1)	**Paraffin** Liquid Heavy (also suitable for Oil Bath)	522.00 1908.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
762500 (8012-95-1)	**Paraffin Liquid** for IR Spectroscopy	1638.00	500 ml
961020 MB (8042-47-5)	**Paraffin Liquid** For Molecular Biology (Mineral Oil) Store Below 30°C	432.00 1909.00	100 ml 500 ml
TC1600 ATC C_2H_6OS (8042-47-5)	**Paraffin Liquid** White Mineral oil M. W.: 78.13 Store below 30°C	1161.00 3627.00	100 ml 500 ml
	Paraffin Oil See Paraffin Liquid		
	Paraffin Soft White See Petroleum Jelly White		
184277 (8002-74-2)	**Paraffin Wax 56-58°C** in **BLOCK FORM** for Histology (Packed in plastic container)	770.00 1422.00	500 gm 1 kg
184282 (8002-74-2)	**Paraffin Wax 56-58°C** in **PELLETS** **BLOCK FORM** for Histology (Packed in plastic container)	666.00 1251.00	500 gm 1 kg
184326 (8002-74-2)	**Paraffin Wax Solid** (Single block) Congealing Point about 58 - 60°C (Packed in Stainless Steel Box)	710.00 1260.00 2093.00	500 gm 1 kg 2 kg
184286 (8002-74-2)	**Paraffin Wax in Block Form** Congealing Point about 58-60°C	820.00 1728.00 2700.00	500 gm 1 kg 2 kg

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
970290 MB	**Paraffin Wax Pellets** Congelling Point : 58 - 60°C For Molecular Biology Store Below 30°C	1193.00 4167.00	500 gm 2 kg
184426 (8002-74-2)	**Paraffin Wax with Ceresin Solid** (Single block) Congealing Point about 60°C (Packed in Stainless Steel Box)	936.00 2664.00	500 gm 2 kg
184406 (8002-74-2)	**Paraffin Wax with Ceresin Block form** Congealing Point about 60°C (Packed in plastic container)	936.00 3591.00	500 gm 2 kg
184386 (8002-74-2)	**Paraffin Wax Solid** (Single block) Congealling Point about 60-62°C (Packed in Stainless Steel Box)	761.00 1359.00 2043.00	500 gm 1 kg 2 kg
184346 (8002-74-2)	**Paraffin Wax in Block Form** Congealling Point about 60-62°C	1017.00 1494.00 3150.00	500 gm 1 kg 2 kg
970300 MB	**Paraffin Wax Pellets** Congelling Point : 60-62°C For Molecular Biology Store Below 30°C	1971.00 6903.00	500 gm 2 kg
184366 (8002-74-2)	**Paraffin Wax Pellets** Congealling Point about 60-62°C	603.00 1107.00	500 gm 2 kg
029447 $(HCHO)_n$ (30525-89-4)	**Paraformaldehyde** Powder Assay (as HCHO Acidimetric) 96.0%	378.00	500 gm
TC1703 ATC $HO(CH_2O)_nH$ (30525-89-4)	**Paraformaldehyde** Cell Culture Tested M. W.: 30.03 (as monomer) Store below 30°C	1944.00 3340.00	500 gm 1 kg
184455 $C_6H_{12}O_3$ (123-63-7)	**Paraldehyde** for Synthesis M. W.: 132.16 Assay > 97.0%	1800.00 8200.00	500 ml 2.5 lit
312815 $C_{19}H_{19}N_3O$ (467-62-9)	**Pararosaniline** (Base) for Microscopy C.I.: 42500B M. W.: 305.38 Dye content Abt. 95.0%	1305.00	25 gm
312865 $C_{19}H_{18}ClN_3$ (569-61-9)	**Pararosaniline Hydrochloride** C.I. 42500 M. W.: 323.83 Dye content (Titanometry, on dried substance) Min 88.0%	1107.00 4005.00	25 gm 100 gm
	Para Toluenesulphonic Acid See p-Toluene Sulphonic Acid		
PCT2124 PTC $C_{23}H_{45}N_5O_{14}.H_2SO_4$ (1263-89-4)	▲**Paromomycin sulphate** Plant Culture Tested M. W.: 713.71 Assay 98%	4050.00 18190.00	1 gm 5 gm
TC1353 ATC $C_{23}H_{45}N_2O_{14}.H_2SO_4$ (1263-89-4)	▲**Paromomycin Sulphate** Cell Culture Tested M. W.: 713.71 Assay : ≥98%	3276.00 15210.00	1 gm 5 gm

Product Code	Product Name	Price	Packing
313055 $C_{27}H_{31}N_2NaO_6S_2$ (129-17-9)	**Patent Blue** V F C.I. 42045 M. W.: 566.68 Dye content Abt. 50.0%	320.00 702.00	10 gm 25 gm
313255 $C_{21}H_{14}N_2O_7S$ (3737-95-9)	**Patton & Reeder's Reagent AR** M. W.: 438.41 Dye content (Titanometry, on dried substance) >60.0%	293.00 972.00 POR	5 gm 25 gm 250 gm
	PDCB See p-Dichlorobenzene		
PCT2312 PTC	**Pea Green Colour** Plant Culture Tested Store below 30°C	5630.00	250 gm
038052 (9000-69-5)	**Pectin** Pure	963.00 4005.00 7506.00	100 gm 500 gm 1 kg
184675 (9032-75-1)	**Pectinase** for Biochemistry From Aspergillus Niger	1602.00 3402.00 11080.00 45099.00	10 gm 25 gm 100 gm 500 gm
PCT2519 PTC $C_{16}H_{18}ClN_3S.3H_2O$ (9032-75-1)	▲**Pectinase** Source from Aspergillus niger Plant Culture Tested M. W.: 373.9 Activity : 8000 -12000 U/g	230.00 464.00 919.00 1845.00 5553.00	5 ku 25 ku 50 ku 100 ku 300 ku
PCT2520 PTC $C_{16}H_{18}ClN_3S.3H_2O$ (9033-35-6)	▲**Pectolyase** Plant Culture Tested M. W.: 373.9 Activity 0.3 unit/mg solid	7605.00 24354.00 POR	25 mg 100 mg 1 gm
184720 $C_{17}H_{20}FN_3O_3$ (70458-92-3)	**Pefloxacin** for Lab Use M. W.: 333.36	900.00	1 gm
	Pelargonic Acid See Nonanoic Acid		
PCT2542 PTC $C_{13}H_{19}N_3O_4$ (40487-42-1)	**Pendimethalin** Plant Culture Tested M. W.: 281.31 Store below 30°C	3564.00	100 mg
TC1187 ATC $C_{16}H_{17}KN_2O_4S$ (113-98-4)	▲**Penicillin G Potassium Salt** Cell Culture Tested 1 million units per vial M. W.: 372.48 Assay : ≥99% Potency : 1400-1680 U/mg	1530.00 3402.00 23760.00	1 mu 10 mu 100 mu
PCT2132 PTC $C_{16}H_{17}N_2NaO_4S$ (69-57-8)	▲**Penicillin G Sodium Salt** **1 million units/vl** Plant Culture Tested M. W.: 356.37 Potency : 1500-1750 IU/mg	4752.00 19035.00 60930.00	5 gm 25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1020 ATC $C_{16}H_{17}N_2NaO_4S$ (69-57-8)	▲**Penicillin G Sodium Salt** Cell Culture Tested 1 million units/vl Recommended for use in cell culture applications at 100000 U/L M. W. : 356.37 Potency : 1500-1750 IU/mg	**1125.00** **1737.00** **2809.00** **9550.00**	**1x1 mu** **10x1 mu** **25x1 mu** **100x1 mu**
184795 $C_{15}H_{32}$ (629-62-9)	n-**Pentadecane** for Synthesis M.W.: 212.41	**4527.00**	**250 ml**
604735 $C_{15}H_{32}$ (629-62-9)	n-**Pentadecane AR** M.W.: 212.41	**6435.00**	**250 ml**
029450 $C_5H_{12}O_4$ (115-77-5)	**Pentaerythritol** for Synthesis M.W.: 136.15 Assay (HPLC) 97.0%	**684.00**	**500 gm**
184865 (4067-16-7)	**Pentaethylenehexamine** for Synthesis (PEHA) Assay 70.0%	**3960.00**	**250 ml**
	Pentahydroxyflavone See Morin,		
	Pentamethylene Dibromide See 1,5-Dibromopentane		
	2,**4-Pentanedione** See Acetyl Acetone		
029451 C_5H_{12} (109-66-0)	n-**Pentane** M. W.: 72.15 Assay (GC) 99.0%	**680.00** **3002.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
604975 C_5H_{12} (109-66-0)	n-**Pentane AR** M. W.: 72.15 Assay (GC) 99.0%	**770.00** **3303.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
604985 C_5H_{12} (109-66-0)	n-**Pentane "Dry" AR** M.W.: 72.15 Assay 99.0%	**1062.00**	**500 ml**
762700 C_5H_{12} (109-66-0)	n-**Pentane** for HPLC & Spectroscopy M. W.: 72.15 Assay (GC) 99.0%	**2205.00** **4824.00**	**1 lit** **2.5 lit**
762720 C_5H_{12} (109-66-0)	n-**Pentane** for Pesticide Residue Trace Analysis M.W.: 72.15	**3690.00** **7893.00**	**1 lit** **2.5 lit**
762735 $C_5H_{11}O_3SNa$ (22767-49-3)	1-**Pentane Sulphonic Acid Sodium Salt** Anhydrous For HPLC M.W.: 174.19	**1107.00** **4001.00**	**25 gm** **100 gm**
762740 $CH_3(CH_2)_4SO_3NaH_2O$ (207605-40-1)	1-**Pentane Sulphonic Acid Sodium Salt** Monohydrate M. W.: 192.21 Assay (Acidimetric) 99.0%	**1107.00** **4001.00**	**25 gm** **100 gm**
	Pentanoic Acid See n-Valeric Acid		
	1-**Pentanol** See n-Amyl Alcohol		

Product Code	Product Name	Price	Packing
	Pentenic Acid See Diethylenetriaminepentaacetic Acid		
	Pentyl Alcohol See n-Amyl Alcohol		
	tert -**Pentyl Alcohol** See tert-Amyl Alcohol		
	Peppermint Oil See Oil of Peppermint		
185000 (9001-75-6)	**Pepsin** 1:3000 (From porcine stomach mucosa)	**2201.00** **10000.00**	**100 gm** **500 gm**
185075 (9001-75-6)	**Pepsin** 1:10000 (From porcine stomach mucosa)	**1800.00** **7002.00** **35010.00**	**25 gm** **100 gm** **500 gm**
185080 (9001-75-6)	· **Pepsin** 1:10000 for Vaccine Production ex. Porcine stomach mucosa	**2106.00** **37000.00**	**25 gm** **500 gm**
TC1686 ATC (9001-75-6)	▲**Pepsin (Bovine)** Cell Culture Tested Activity : ≥140U/mg	**5094.00**	**5 gm**
340595	**Peptone** Granular Bacto	**1206.00** **11007.00** **POR**	**500 gm** **5 kg** **25 kg**
340615	**Peptone** Powder Bacto	**1008.00** **9500.00** **POR**	**500 gm** **5 kg** **25 kg**
PCT1406 PTC (91079-38-8)	**Peptone Veg No.1** Plant Culture Tested Store below 30°C	**3880.00**	**500 gm**
PCT1407 PTC (91079-38-8)	**Peptone From Meat** Plant Culture Tested Store below 30°C	**2719.00**	**500 gm**
874680	**Perchloric Acid** 20% About 20.0%	**720.00** **1305.00** **3006.00**	**500 ml** **1 lit** **2.5 lit**
605075 $HClO_4$ (7601-90-3)	**Perchloric Acid** 60% **AR/ACS** M. W.: 100.46 Assay (Acidimetric) 60.0%	**1917.00** **7983.00**	**500 ml** **2.5 lit**
970400 MB $HClO_4$ (7601-90-3)	**Perchloric Acid** 60% For Molecular Biology M. W.: 100.46 Assay : 60-62% Store Below 30°C	**4356.00**	**500 ml**
605080 $HClO_4$ (7601-90-3)	**Perchloric Acid** 70% **AR/ACS** M. W.: 100.46 Assay (By Acidimetric) 70.0%	**2376.00** **10000.00**	**500 ml** **2.5 lit**
605085 $HClO_4$ (7601-90-3)	**Perchloric Acid** 70% **AR** for Diamond Industry M. W.: 100.46 Assay (By Acidimetric) 70.0%	**2430.00** **10791.00**	**500 ml** **2.5 lit**
762785	**Perchloric Acid** 70% Acipur for Trace Metal Analysis Assay 70.0%	**3303.00** **6003.00** **11070.00**	**500 ml** **1 lit** **2.5 lit**
874630	**Perchloric Acid** 0.01N Solution (0.01N)	**1062.00**	**500 ml**
874643	**Perchloric Acid** Solution 0.1N acc. to USP	**1062.00**	**500 ml**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
874640	**Perchloric Acid** 0.1 N Solution (N/10) (in glacial Acetic Acid for non-aqueous titration)	1215.00 2205.00 4410.00	500 ml 1 lit 2.5 lit
874653	**Perchloric Acid** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
874660	**Perchloric Acid** CPECTROSOL® 1M (1N) Standardized Solution	1400.00	1 lit
	Perchloroethylene See Tetrachloroethylene		
185150 H_5IO_6 (10450-60-9)	**Periodic Acid** Cryst. M. W.: 227.94 Assay (Iodometric) 98.0%	1107.00 3807.00	25 gm 100 gm
605275 H_5IO_6 (10450-60-9)	**Periodic Acid AR** For Histochemical Polysaccharine analysis M. W.: 227.94 Assay (iodometric) 99.0%	1305.00 4401.00	25 gm 100 gm
874700	**Periodic Acid** 1% Solution Forstaining of Cell for Staining of Cell Polysaccharides Schiff's (Pas) Method	1143.00	250 ml
	Permutit See Dermutit		
185195 (9003-99-0)	▲**Peroxidase From Horse Radish ~ 250 units/mg**	5760.00 23625.00	5000 units 25000 units
970500 MB (9003-99-0)	▲**Peroxidase, Horse Radish** For Molecular Biology (Rz ≥ 3.0, Salt Free) Activity : ≥ 250 Units/mg	29250.00	25000 units
TC1487 ATC (9003-99-0)	▲**Peroxidase Horseradish** Cell Culture Tested Activity : NLT 250 U/mg	9045.00 15822.00	25 mg 50 mg
	Petroleum Benzine See Petroleum Ether		
185275 (8032-32-4)	**Petroleum Ether** for Synthesis Boiling range 40-60°C	603.00 2601.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
605365 (8032-32-4)	**Petroleum Ether AR** Boiling range 40-60°C	720.00 2907.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
762825 (8032-32-4)	**Petroleum Ether** 40-60°C for HPLC & Spectroscopy	1305.00 2907.00	1 lit 2.5 lit
874730 (8032-32-4)	**Petroleum Ether** 40-60°C for Pesticide Ether Trace Analysis Petroleum Benzine 40-60°C for Pesticide Residue Trace Analysis	2016.00	1 lit
185385 (8032-32-4)	**Petroleum Ether** 50-70°C for Synthesis	450.00 1521.00	500 ml 2.5 lit
185415 (8032-32-4)	**Petroleum Ether** for Synthesis Boiling range 60-80°C	441.00 1602.00 POR POR	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Price	Packing
605375 (8032-32-4)	**Petroleum Ether AR** Boiling range 60-80°C	504.00 1800.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
762835 (8032-32-4)	**Petroleum Ether** 60-80°C for HPLC & Spectroscopy	846.00 3528.00	500 ml 2.5 lit
185445 (8032-32-4)	**Petroleum Ether** 80-100°C for Synthesis	441.00 1800.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
185475 (8032-32-4)	**Petroleum Ether** 100-120°C for Synthesis	522.00 2003.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
185505 (8009-03-8)	**Petroleum Jelly** White	522.00	500 gm
185535 (8009-03-8)	**Petroleum Jelly** Yellow	468.00	500 gm
	Petroleum Spirit See Petroleum Ether		
TC1209 ATC (9008-97-3)	**PHA-M** (Phytohemagglutinin-M) Cell Culture Tested Assay : ≥60% Store at -20°C	3510.00 6201.00 18630.00	10 mg 25 mg 4x25 mg
TC1226 ATC (9008-97-3)	**PHA-P** (Phytohemagglutinin-M) Cell Culture Tested Potency : ≥62.5 mcg/ml Store at -20°C	3771.00 11322.00	5 mg 5x5 mg
185565 $C_6H_5COCH_2Br$ (70-11-1)	**Phenacyl Bromide** M. W.: 199.04 Assay 98.0%	3006.00 12600.00	100 gm 500 gm
185625 $C_6H_5COCH_2Cl$ (532-27-4)	**Phenacyl Chloride** M. W.: 154.59 Assay 98.0%	1647.00 4194.00 POR	25 gm 100 gm 500 gm
185765 $C_{14}H_{10}$ (85-01-8)	**Phenanthrene** Pract M. W.: 178.23 Assay 98.0%	3303.00 11007.00	25 gm 100 gm
605995 $C_{14}H_8O_2$ (84-11-7)	9,10-**Phenanthrenequinone AR** M. W.: 208.21 Assay 99.0%	5000.00 14000.00	25 gm 100 gm
313545 $C_{12}H_8N_2H_2O$ (5144-89-8)	1,10-**Phenanthroline** (Monohydrate) **AR** Redox Indicator M. W.: 198.23 Assay (Non-aqueous) 99.5%	657.00 2601.00 8505.00	5 gm 25 gm 100 gm
313585 $C_{12}H_8N_2.HCl.H_2O$ (18851-33-7)	1,10-**Phenanthroline Hydrochloride AR** M. W.: 234.69 Assay (acidimetric, dried) 99.5%	822.00 3807.00	5 gm 25 gm
185975 $C_{14}H_{14}N_2O_4S$ (299-11-6)	· **Phenazine Methosulphate** (PMS) for Biochemistry M. W.: 306.34 Assay (Non-aqueous) 96.0%	720.00 2601.00	1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
970650 MB $C_{14}H_{14}N_2SO_4$ (299-11-6)	· **Phenazine Methosulphate** For Molecular Biology M. W.: 306.34 Assay : ≥ 90%	9050.00	10 gm
TC1484 ATC $C_{13}H_{11}N_2 . CH_3SO_4$ (299-11-6)	· **Phenazine Methosulfate** Cell Culture Tested M. W.: 306.34 Activity : ≥90%	1044.00 1431.00 6003.00 10900.00 22923.00	500 mg 1 gm 5 gm 10 gm 25 gm
606175 $C_{11}H_{12}N_2O$ (60-80-0)	**Phenazone AR** M. W.: 188.23 Assay 99.0%	1206.00 4950.00	100 gm 500 gm
185945 ✠ $C_8H_{11}NO$ (156-43-4)	p-**Phenetidine** for Synthesis M. W.: 137.18 Assay 98.0%	2691.00 4500.00	25 gm 500 gm
186055 $C_6H_5OC_2H_5$ (103-73-1)	**Phenetole** M. W.: 122.16 Assay 99.0%	981.00 3303.00	100 ml 500 ml
186215 $C_9H_{10}N_2O$ (92-43-3)	**Phenidone** for Photographic Purpose M. W.: 162.19 Assay (N) 98.0%	1602.00 4806.00	100 gm 500 gm
186315 $C_6H_5.OH$ (108-95-2)	· **Phenol** Pure (Carbolic Acid) M. W.: 94.11 Assay(GC) 99.0%	594.00 1098.00 2592.00 POR	500 gm 1 kg 5 kg 25 kg
606355 $C_6H_5.OH$ (108-95-2)	· **Phenol AR** (Carbolic Acid) M. W.: 94.11 Assay 99.5%	729.00 1296.00 2898.00 POR	500 gm 1 kg 5 kg 25kg
970698 MB $C_6H_5.OH$ (108-95-2)	· **Phenol** for Molecular Biology M. W.: 94.11 Assay (GC) 99.5%	441.00 1602.00	100 gm 500 gm
875020	**Phenol** Solution 80%w/w in Water	495.00	500 ml
875030 MB $C_6H_5.OH$ (108-95-2)	· **Phenol** Saturated for Molecular Biology M. W.: 94.11 Assay (GC) 90.0%	720.00 2583.00	100 ml 500 ml
875050 MB	· **Phenol** Solution for Molecular Biology Equilibrated with 10 M tris HCl, pH 8.0, 1M EDTA.	2241.00 9216.00	100 ml 500 ml
875040 MB	· **Phenol** Solution for Molecular Biology Saturated with 0.1M Citrate Buffer, pH 4.1-4.5 Suitable for RNA Purification	1620.00 7272.00	100 ml 500 ml
875060 MB	· **Phenol Chloroform 5:1** (Phenol : Chloroform : ISO Amyl Alcohol) 125 : 24 :1 for Molecular Biology	3717.00	500 ml
875070##### MB ######	**Phenol:Chloroform:ISO Amyl Alcohol** 25 : 24 : 1 Saturated with 10 M tris pH 8.0,1m EDTA Suitable for extraction of Protein from Crude Nucleic acid Preparation	1332.00 4140.00	100 ml 500 ml
875085 $C_6H_6O_7S_2$ (96-77-5)	**Phenol Disulphonic Acid** 25% w/v M. W.: 254.24 Assay 25% w/v	1224.00	500 ml
	Phenolic Auramine See Auramine Phenolic		

Product Code	Product Name	Price	Packing
	Phenolindo-2, 6-**Dichlorophenol Sodium Salt** See 2,6 Dichlorophenol Indophenol Sodium Salt		
313775 $C_{20}H_{14}O_4$ (77-09-8)	**Phenolphthalein** pH Indicator M. W.: 318.33	603.00 900.00 3600.00 POR POR	50 gm 100 gm 500 gm 25 kg 50 kg
PA1505	**Phenolphthalein** (Indicator Paper)	333.00	200 lvs
875158	**Phenolphthalein** Indicator 0.375% Solution	131.00 325.00	125 ml 500 ml
875160	**Phenolphthalein** 0.5% w/v alcoholic for Milk Testing	235.00 POR	100 ml 2.5 lit
875180	**Phenolphthalein** (Indicator Solution) 1%w/v	149.00 243.00 450.00	125 ml 250 ml 500 ml
875185	**Phenolphthalein** 2% Solution in Alcohol	261.00	100 ml
875190	**Phenolphthalein** TS acc. to USP	261.00	125 ml
	Phenol Reagent See Folin & Ciocalteus Phenol Reagent		
313945 $C_{19}H_{14}O_5S$ (143-74-8)	**Phenol Red** Indicator **AR** M. W.: 354.38 Dye content (Iodometric) 98.0%	207.00 675.00 2403.00 POR	5 gm 25 gm 100 gm 1 kg
875200	**Phenol Red** Indicator Solution 0.02%	135.00	125 ml
875155	**Phenol Red** 0.1% Indicator Solution	140.00	125 ml
875520	**Phenol Red** TS acc. to USP	199.00	125 ml
314005 $C_{19}H_{13}NaO_5S$ (34487-61-1)	**Phenol Red Sodium Salt AR** Water Soluble M. W.: 376.36	261.00 855.00 POR	5 gm 25 gm 1 kg
	Phenol Tetrabromophthalein 3'- 3" **Di-Sulphonic Acid Disodium Salt** See Bromosulphalein		
314145 $C_{32}H_{22}N_6O_8S_2.2Na$	**Phenol Violet** (pH Indicator) M. W.: 728.67	261.00 855.00	5 gm 25 gm
	2-**Phenoxy Ethanol** See Ethylene Glycol Mono Phenyl Ether		
314285 $C_{18}H_{15}ClN_4$ (81-93-6)	**Phenosafranine** C.I. No. 50200 M. W.: 322.79 Dye content 80.0%	1530.00	1 gm
186565 $C_{12}H_9NS$ (92-84-2)	**Phenothiazine** Extra Pure M. W.: 199.27 Assay (GC) 98.0%	1710.00 4950.00	250 gm 1 kg
186705 $C_{12}H_8OS$ (262-20-4)	**Phenoxanthine** M. W.: 200.26 Assay (GC) 97.0%	6570.00	5 gm
186955 $C_8H_8O_3$ (122-59-8)	**Phenoxy Acetic Acid** for Synthesis M. W.: 152.15	504.00 2205.00	100 gm 500 gm

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
187055 $C_6H_5OC_6H_4CH_2OH$ (13826-35-2)	3-**Phenoxy Benzyl Alcohol** (m-Phenoxybenzyl Alcohol) M. W.: 200.23	550.00 1450.00	5 gm 25 gm
187205 $C_6H_5OCH_2CH_2CO_2H$ (7170-38-9)	3-**Phenoxy Propionic Acid** M. W.: 166.17 Assay 99.0%	5000.00 15003.00	5 gm 25 gm
187345 $CH_3COOC_6H_5$ (122-79-2)	**Phenyl Acetate** for Synthesis M. W.: 136.15 Assay (GC) 98.0%	2619.00	500 ml
029487 $C_6H_5.CH_2.COOH$ (103-82-2)	**Phenyl Acetic Acid** M. W.: 136.15 Assay (acidimetric) 99.0%	981.00	500 gm
	Phenyl Acetonitrile See Benzyl Cyanide		
187605 $C_6H_5CH_2COCl$ (103-80-0)	**Phenyl Acetyl Chloride** for Synthesis (phenylacetic acid chloride) M. W.: 154.59	1850.00 POR	500 ml 10 lit
187705 $C_9H_{11}NO_2$ (673-06-3)	D-**Phenyl Alanine** for Biochemistry M. W.: 165.19 Assay (TLC) 98.0%	405.00 1647.00 6003.00	5 gm 25 gm 100 gm
037139 $C_6H_5CH_2CH.(NH_2)COOH$ (150-30-1)	DL-**Phenylalanine** for Biochemistry M. W.: 165.19 Assay (Non-aqueous) 98.5%	801.00 POR	25 gm 1 kg
037138 $C_6H_5.CH_2.CH(NH_2).COOH$ (63-91-2)	L-**Phenylalanine** for Biochemistry M. W.: 165.19 Assay (ex N Non-aqueous) 99.0%	280.00 3200.00	25 gm 500 gm
PCT1316 PTC $C_9H_{11}NO_2$ (63-91-2)	L-**Phenylalanine** Plant Culture Tested M. W.: 165.19 Assay 99% Store below 30°C	387.00 1369.00 6183.00	25 gm 100 gm 500 gm
TC1098 ATC $C_9H_{11}NO_2$ (63-91-2)	L-**Phenylalanine** (From non-animal source) Cell Culture Tested M. W.: 165.19 Assay : ≥98.5% Store below 30°C	1143.00 2034.00 6102.00 42750.00	10 gm 25 gm 100 gm 1 kg
TC1098M ATC $C_9H_{11}NO_2$ (63-91-2)	L-**Phenylalanine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 165.19 Store below 30°C	1819.00 3636.00 10310.00 66700.00	10 gm 25 gm 100 gm 1 kg
314435 $C_{13}H_{11}NO_2$ (91-40-7)	n-**Phenyl Anthranilic Acid AR** redox indicator colourless to Pinkish Violet M. W.: 213.24 Assay (Acidimetric) 98.0%	1044.00 4293.00	25 gm 100 gm
	N-**Phenyl Benzeneamine** See Diphenylamine		
187865 $C_6H_5CO_2C_6H_5$ (93-99-2)	**Phenyl Benzoate** for Synthesis M. W.: 198.22 Assay 99.0%	3330.00 12924.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
187955 $C_6H_5CH_2NHC_6H_5$ (103-32-2)	n-**Phenyl Benzylamine** for Synthesis M. W.: 183.25 Assay 99.0%	2880.00	25 gm
187990 $C_6H_5B(OH)_2$ (98-80-6)	**Phenyl Boronic Acid** (Benzeneboronic acid, Phenylboron dihydroxide) M.W. : 121.93 Assay (Acidimetric) 98.0%	981.00 3771.00 14500.00	25 gm 100 gm 500 gm
	Phenyl Bromide See Bromobenzene		
188025 $C_{19}H_{20}N_2O_2$ (50-33-9)	**Phenyl Butazone** M. W.: 308.38 Assay (Acidimetric) 99.0%	1800.00	25 gm
607625 ✣ $CH_3CH_2CH(C_6H_5)COOH$ (90-27-7)	2-**Phenyl Butyric Acid AR** M. W.: 164.20 Assay 98.0%	1900.00 8001.00	100 gm 500 gm
188095 $C_6H_5(CH_2)_3COOH$ (1821-12-1)	4-**Phenyl Butyric Acid** for Synthesis M. W.: 164.20 Assay 99.0%	3105.00 14500.00	100 gm 500 gm
	Phenyl Cellosolve See Ethylene Glycol Mono Phenyl Ether		
188205 $ClCOOC_6H_5$ (1885-14-9)	**Phenyl Chloroformate** for Synthesis (Chloroformic Acid Phenyl Ester) M. W.: 156.57	2502.00 9504.00	500 ml 2.5 lit
	Phenyl Cyanide See Benzonitrile		
188215 $C_{18}H_{30}$ (123-01-3)	1-**Phenyl Dodecan** (Dodecyl Benzene) M.W. : 246.43 Assay 97.0%	4671.00 41004.00	25 ml 500 ml
188225 $C_6H_4(CH_2CO_2H)_2$ (7500-53-0)	1,2-**Phenylene Diacetic Acid** M. W.: 194.18 Assay 99.0%	3195.00	5 gm
188305 $C_6H_8N_2$ (108-45-2)	m-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (Non-aqueous) 98.0%	693.00	250 gm
188385 $C_6H_{10}Cl_2N_2$ (541-69-5)	m-**Phenylenediamine Dihydro Chloride** M. W.: 181.07 Assay 99.0%	3470.00 14940.00	25 gm 500 gm
029497 $C_6H_4(NH_2)_2$ (95-54-5)	▲o-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (GC) 99.0%	464.00 855.00	100 gm 250 gm
029500 $C_6H_4(NH_2)_2$ (106-50-3)	p-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (GC) 98.0%	963.00 POR	250 gm 25 kg
188425 $C_6H_{10}Cl_2N_2$ (624-18-0)	P-**Phenylenediamine Dihydrochloride** M. W.: 181.07 Assay (Acidimetric) 99.0%	1584.00 POR	25 gm 500 gm
	Phenylethane See Ethylbenzene		
029505 $C_6H_5.CH_2.CH_2OH$ (60-12-8)	2-**Phenyl Ethanol** (2-Phenyl Ethyl Alcohol) M. W.: 122.17 Assay (GC) 99.0%	1251.00 3645.00	500 ml 2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
607945 $C_6H_5CH_2CH_2OH$ (60-12-8)	2-**Phenyl Ethanol AR** M. W.: 122.17 Assay (GC) 99.0%	**2350.00** **7056.00**	**500 ml** **2.5 lit**
188505 $CH_3COOCH_2CH_2C_6H_5$ (103-45-7)	**Phenyl Ethyl Acetate** M. W.: 164.20 Assay 99.0%	**2403.00**	**500 gm**
	ß-Phenyl Ethylamine See 2-Phenethylamine		
188445 $C_6H_5CH_2CH_2NH_2$ (64-04-0)	2-**Phenyl Ethylamine** for Synthesis M. W.: 121.18	**2007.00** **9000.00**	**500 ml** **2.5 lit**
608065 $C_8H_{11}N$ (3886-69-9)	R-**Phenyl Ethylamine AR** M. W.: 121.18 Assay 98.0%	**900.00** **3006.00** **9000.00** **POR**	**25 gm** **100 gm** **500 gm** **1 kg**
608085 $C_6H_5CH(CH_3)NH_2$ (2627-86-3)	S-**Phenyl Ethylamine AR** M. W.: 121.18 Assay 98.0%	**900.00** **3002.00** **9000.00** **POR**	**25 gm** **100 gm** **500 gm** **1 kg**
188605 $C_{15}H_{14}O_2$ (94-47-3)	**Phenyl Ethyl Benzoate** for Synthesis M. W.: 226.27 Assay 99.0%	**2403.00**	**500 gm**
188625 $C_{12}H_{16}O_2$ (103-52-6)	**Phenyl Ethyl Butyrate** for Synthesis M. W.: 192.25 Assay 98.0%	**2403.00**	**500 gm**
188645 $C_{17}H_{16}O_2$ (103-53-7)	**Phenyl Ethyl Cinnamate** for Synthesis M. W.: 252.31 Assay 96.0%	**6093.00**	**500 gm**
188665 $HCO_2CH_2CH_2C_6H_5$ (104-62-1)	**Phenyl Ethyl Formate** for Synthesis M. W.: 150.17 Assay 96.0%	**2304.00**	**500 gm**
188685 $C_{12}H_{16}O_2$ (103-48-0)	**Phenyl Ethyl Isobutyrate** for Synthesis M. W.: 192.25 Assay 98.0%	**1791.00**	**500 gm**
188705 $C_9H_{12}O$ (3558-60-9)	**Phenyl Ethyl Methyl Ether** for Synthesis M. W.: 136.19 Assay 98.0%	**2349.00**	**500 gm**
188725 $C_{16}H_{16}O_2$ (102-20-5)	**Phenyl Ethyl Phenyl Acetate** for Synthesis M. W.: 240.30 Assay 98.0%	**1791.00**	**500 gm**
188745 $C_{11}H_{14}O_2$ (122-70-3)	**Phenyl Ethyl Propionate** for Synthesis M. W.: 178.23 Assay 98.0%	**2779.00**	**500 gm**
188765 $C_{15}H_{14}O_3$ (87-22-9)	**Phenyl Ethyl Salicylate** for Synthesis M. W.: 242.27 Assay 97.0%	**2799.00**	**500 gm**
608625 $C_{19}H_{12}O_5$ (975-17-7)	**Phenyl Fluorone AR** (9-Phenyl-2,3,7-Trihydroxy-6-Fluorone) M. W.: 320.29	**1242.00** **4158.00**	**1 gm** **5 gm**
188915 $C_{12}H_{16}O_6$ (1464-44-4)	**Phenyl-β-D-Glucopyranoside** (Phenyl-β-D-glucoside) M. W.: 256.25	**1062.00**	**1 gm**

Product Code	Product Name	Price	Packing
608765 $C_6H_5CH(NH_2)COOH$ (2835-06-5)	DL-**Phenyl Glycine AR** M. W.: 151.16 Assay 95.0%	**801.00** **2250.00**	**25 gm** **100 gm**
029508 $C_6H_8N_2$ (100-63-0)	**Phenyl Hydrazine** for Synthesis M. W.: 108.14 Assay (Non-aqueous) 97.5%	**711.00** **2700.00** **13005.00**	**100 ml** **500 ml** **2.5 lit**
608855 $C_6H_8N_2$ (100-63-0)	**Phenyl Hydrazine AR** M. W.: 108.14 Assay 98.0%	**1206.00** **5508.00**	**100 ml** **500 ml**
875300	**Phenyl Hydrazine** Solution (Reagent for Molybdate)	**306.00**	**100 ml**
029509 $C_6H_5NH.NH_2HCl$ (59-88-1)	**Phenylhydrazine Hydrochloride** M. W.: 144.60 Assay 97.0%	**1143.00** **2286.00**	**100 gm** **250 gm**
608865 $C_6H_5NH.NH_2.HCl$ (59-88-1)	**Phenylhydrazine Hydrochloride AR** For the detection of Aldehydes and Ketones M. W.: 144.60 Assay 99.0%	**1287.00** **2709.00**	**100 gm** **250 gm**
	Phenylhydrazinium Chloride See Phenylhydrazine Hydrochloride		
189105 $C_9H_8N_2$ (670-96-2)	2-**Phenyl Imidazole** M. W.: 144.17 Assay 98.0%	**1098.00** **5301.00** **POR**	**100 gm** **500 gm** **5 kg**
189225 C_6H_5NCS (103-72-0)	**Phenyl Isothiocyanate** for Synthesis M. W.: 135.19 Assay 98.0%	**423.00** **3501.00** **17010.00**	**5 ml** **100 ml** **500 ml**
189355 $C_{10}H_6O_3$ (36122-35-7)	**Phenyl Maleic** Anhydride M. W.: 174.15 Assay (GC) 99.0%	**15260.00**	**5 gm**
	Phenyl Mercaptan See Thiophenol		
029510 $C_8H_8HgO_2$ (62-38-4)	**Phenyl Mercuric Acetate** M. W.: 336.74 Assay(ex Hg argentometric) 98.0%	**4100.00** **15003.00**	**25 gm** **100 gm**
029512 $C_{12}H_{11}Hg_2NO_4$ (8003-05-2)	**Phenyl Mercuric Nitrate** Basic M. W.: 634.40 Assay (Argentometric) 98.0-102.0%	**11007.00** **38007.00**	**25 gm** **100 gm**
189775 $C_6H_5CH_2SO_2Cl$ (1939-99-7)	**Phenyl Methanesulphonyl Chloride** (α-Toluenesulphonyl Chloride; Phenylmethylsulphonyl Chloride) M. W.: 190.65	**1008.00** **3115.00**	**25 gm** **100 gm**
189835 $C_7H_7FO_2S$ (329-98-6)	· **Phenyl Methanesulphonyl Fluoride** (PMSF) (α-Toluenesulphonyl Fluoride) Phenylmethylsulphonyl Fluoride) M. W.: 174.19	**603.00** **2300.00** **10080.00** **39996.00**	**1 gm** **5 gm** **25 gm** **100 gm**
970900 MB $C_7H_7FO_2S$ (329-98-6)	· **Phenyl Methanesulphonyl Fluoride** (PMSF) For Molecular Biology M. W.: 174.19 Assay : ≥ 99% Store Below 30°C	**801.00** **3618.00** **6903.00**	**1 gm** **5 gm** **10 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1706 ATC $C_7H_7FO_2S$ (329-98-6)	· **Phenylmethanesulfonyl Fluoride** (PMSF) Cell Culture Tested M. W.: 174.19 Assay : ≥99% Store below 30°C	1692.00 5454.00 24570.00	1 gm 5 gm 25 gm
189975 $C_{10}H_7NHC_6H_5$ (90-30-2)	N-**Phenyl-1-Naphthylamine** for Synthesis (N-1-naphthylaniline, N-phenyl-α-Naphthylamine) M. W.: 219.28	500.00 1998.00	100 gm 500 gm
	p-**Phenyl Phenol** See p-Hydroxy Diphenyl		
190085 ✲ $C_{12}H_{12}N_2$ (534-85-0)	n-**Phenyl**-1,2-**Phenylenediamine** M. W.: 184.24	3060.00 8730.00	5 gm 25 gm
609455 $C_6H_5Na_2O_4P.2H_2O$ (3279-54-7)	▲**Phenylphosphate Disodium Salt AR** M. W.: 254.09 Assay(Acidimetric) 98.0%	2160.00 7200.00	25 gm 100 gm
190205 ✲ $C_{10}H_{14}N_2$ (92-54-6)	1-**Phenyl Piperazine** M. W.: 162.24 Assay (acidimetric) 98.0%	3501.00 14000.00	100 gm 500 gm
	Trans-3-**Phenyl**-2-**Propenal** See Cinnamaldehyde		
029521 $C_6H_5.NH.CS.NH_2$ (103-85-5)	n-**Phenyl Thiourea** for Synethesis M. W.: 152.22	3591.00 29700.00	25 gm 500 gm
190345 $C_9H_{14}N.Cl$ (138-24-9)	**Phenyl Trimethyl Ammonium Chloride** M. W.: 171.67	693.00 3294.00	100 gm 500 gm
875630	**Phenyl Trimethyl Ammonium Hydroxide**,0.1 M in Methanol	5994.00	100 ml
	pH Indicator Paper See Indicator Paper pH		
	pH Indicator Solution (pH 4.0-11.0) See Universal Indicator Solution		
314585 $C_6H_6O_3$ (108-73-6)	**Phloroglucinol AR** for Microscopy M. W.: 126.11 Assay (By GC) 99.0%	1404.00 5058.00	25 gm 100 gm
PCT1836 PTC $C_6H_6O_3$ (108-73-6)	**Phloroglucinol** Plant Culture Tested M. W.: 126.11 Assay 99% Store below 30°C	2034.00 7128.00	25 gm 100 gm
875350	**Phloroglucinol** Reagent Solution (Reagent for Pentosans)	441.00	100 ml
314775 $C_{20}H_2Br_4Cl_4Na_2O_5$ (18472-87-2)	▲**Phloxin** B for Microscopy C.I. No. 45410 M. W.: 829.64 Dye content (gravimetric, on dried substance) 80.0%	441.00 1503.00	25 gm 100 gm
190505 (9001-78-9)	**Phosphatase Alkaline** (Alkaline Phosphatase) (from CALF Intestinal Mucosa) Activity 1.5-2U/mg	6490.00 20480.00	100 mg 500 mg

Product Code	Product Name	Price	Packing
875500	**Phosphate** 1000 ppm Single Element Std. Soln. as Po_4	2700.00	250 ml
875650	**Phosphate** Buffer Saline Tablets pH 7.4 (apha)	576.00 1098.00	50 tab 100 tab
	Phosphate Molybdate Solution See Folin & WU's Phosphate Molybdate Solution		
	Phosphinic Acid See Hypophosphorous Acid		
PCT2537 PTC $C_5H_{15}N_2O_4P$ (77182-82-2)	▲DL-**Phosphinothricin** Plant Culture Tested M. W.: 198.2	8253.00 26397.00	250 mg 1 gm
	Phospholeum See Polyphosphoric acid		
609575 $H_3PO_4.12MoO_3.xH_2O$ (51429-74-4)	**Phosphomolybdic Acid AR/ACS** M. W.: 1825.25 (anhy.)	1170.00 3780.00 13005.00	25 gm 100 gm 500 gm
875670	**Phosphomolybdic Acid** 20 wt% in ethanol	1170.00	100 ml
	Phosphoric Acid See Orthophosphoric Acid		
029190 HPO_3 (37267-86-0)	m-**Phosphoric Acid** (Glacial Stick) M. W.: 79.97 Assay (acidimetric) (HPO_3) Min 38-40%	3510.00	500 gm
875690	meta-**Phosphoric Acid** 0.6M Solution (Protein Precipitant)	2070.00	100 ml
190630 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** (Phosphoric Acid) M. W.: 98.00 Assay (acidimetric) Abt. 85.0%	900.00 4005.00 7704.00 POR	500 ml 2.5 lit 5 lit 25 lit
609725 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid AR** Manganese free M. W.: 98.00 Assay 88.0%	1206.00 4608.00 8802.00 POR	500 ml 2.5 lit 5 lit 25 lit
029420 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** (Also for Steel Industry) M. W.: 98.0 Assay 85.0%	1008.00 4302.00 9468.00 POR	500 ml 2.5 lit 5 lit 25 lit
970230 MB H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** For Molecular Biology M. W.: 98.00 Assay : ≥ 85% Store Below 30°C	4410.00	250 ml
763215 H_3PO_4 (7664-38-2)	**Ortho Phosphoric Acid** for HPLC M.W : 98.00 Assay 85.0%	3402.00 6003.00	500 ml 1 lit
TC1533 ATC H_3PO_4 (7664-38-2)	**Orthophosphoric Acid** Phosphoric acid Cell Culture Tested M. W.: 98 Assay : ≥95% Store below 30°C	3024.00 4330.00	100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1533M ATC H_3PO_4 (7664-38-2)	**Orthophosphoric Acid** Phosphoric acid Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 98 Store below 30°C	**4842.00** **14553.00**	**100 gm** **500 gm**
190725 H_3PO_3 (13598-36-2)	**Phosphorus Acid** (Crystals) M. W.: 82.00 Assay 98.0%	**936.00**	**500 gm**
	Phosphorus (III) **Chloride** See Phosphorus Trichloride		
	Phosphorus (V) **Chloride** See Phosphorus Pentachloride		
875750	**Phosphorous** (P) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H_2O In accordance with NIST	**1746.00** **2475.00** **3852.00**	**100 ml** **250 ml** **500 ml**
875710	**Phosphorous** (P) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O	**5580.00** **14058.00**	**100 ml** **500 ml**
875730	**Phosphorous** (P) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O	**14841.00** **40212.00**	**100 ml** **500 ml**
	Phosphorus Oxide Chloride See Phosphorus Oxychloride,		
190765 $POBR_3$ (7789-59-5)	**Phosphorous Oxybromide** for Synthesis M.W : 286.69 Assay 98.0%	**9801.00** **POR**	**100 gm** **1 kg**
190775 $POCl_3$ (10025-87-3)	**Phosphorous Oxychloride** for Synthesis (Min. order should be placed for 4x500 ml or 4x2.5 lit) M. W.: 153.33 Assay (acidimetric) (ex Cl) 98.0-101.0%	**1540.00** **7200.00**	**500 ml** **2.5 lit**
190785 PCl_5 (10026-13-8)	**Phosphorous Pentachloride** for Synthesis M. W.: 208.24 Assay (Acidimetric) 98.0%	**900.00** **1602.00**	**250 gm** **500 gm**
190800 P_2S_5 (1314-80-3)	**Phosphorous Pentasulphide** for Synthesis M. W.: 222.25 Assay (ex P) (Acidimetric) 98.0%	**1908.00**	**500 gm**
	di-**Phosphorous Pentoxide** See Phosphorous pentoxide		
029527 P_2O_5 (1314-56-3)	di-**Phosphorous Pentoxide** M. W.: 141.94 Assay (acidimetric) 95.0%	**819.00** **1494.00** **2673.00**	**250 gm** **500 gm** **1 kg**
609755 P_2O_5 (1314-56-3)	di-**Phosphorous Pentoxide AR/ACS** M. W.: 141.94 Assay (Acidimetric) 98.0%	**1701.00**	**500 gm**
029528 P (7723-14-0)	**Phosphorous Red** At. W.: 30.97 Assay(ex P) 98.0%	**603.00** **2403.00** **4500.00**	**100 gm** **500 gm** **1 kg**

Product Code	Product Name	Price	Packing
	Phosphorous Red Oxide Chloride See Phosphorous Oxychloride		
190810 PBr_3 (7789-60-8)	**Phosphorous Tribromide** M. W.: 270.70 Assay 98.0%	**2304.00** **9360.00**	**100 ml** **500 ml**
029536 PCl_3 (7719-12-2)	**Phosphorous Trichloride** for Synthesis M. W.: 137.33 Assay 99.0%	**1206.00** **5500.00** **POR**	**500 ml** **2.5 lit** **25 lit**
	Phosphoryl Chloride See Phosphorus Oxychloride		
030544 $H_3PO_4.12WO_3XH_2O$ (12501-23-4)	**Phosphotungstic Acid** M. W.: 2880.05 (Anhy.)	**2300.00** **10503.00**	**100 gm** **500 gm**
609795 $H_3PO_4.12WO_3.XH_2O$ (12501-23-4)	**Phosphotungstic Acid AR** Reagent for Microscopy M. W.: 2880.05 (Anhy.)	**900.00** **3303.00**	**25 gm** **100 gm**
875810	**Phosphotungstic Acid** TS acc. to USP	**846.00**	**100 ml**
190825 (51312-42-6)	**Phosphotungstic Acid Disodium Salt** (Dodeca- Tungstophosphoric Acid Disodium Salt)	**4950.00**	**25 gm**
609835 $C_6H_4(CHO)_2$ (643-79-8)	▲o-**Phthalaldehyde AR** for Fluorometry M. W.: 134.13 Assay (GLC) 98.0%	**603.00** **2403.00**	**5 gm** **25 gm**
	Phthalein Purple See O-Cresolphthalein Complexone		
	Tere Phthalic Acid See Terephthalic Acid		
029539 $C_6H_4(COOH)_2$ (88-99-3)	**Phthalic Acid** for Synthesis M. W.: 166.13 Assay(acidimetric) 99.0%	**675.00**	**500 gm**
609865 $C_6H_4(COOH)_2$ (88-99-3)	**Phthalic Acid AR** M. W.: 166.13 Assay (acidimetric) 99.5%	**756.00**	**500 gm**
029541 $C_6H_4(CO)_2O$ (85-44-9)	**Phthalic Anhydride** for Synthesis M. W.: 148.12 Assay (acidimetric) 98.0%	**522.00** **4401.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
190965 $C_8H_6O_2$ (87-41-2)	**Phthalide** for Synthesis (1-Isobenzofuranone) M. W.: 134.13	**630.00** **2808.00**	**100 gm** **500 gm**
029543 $CO.C_6H_4.CO.NH$ (85-41-6)	**Phthalimide** for Synthesis M. W.: 147.13 Assay (Acidimetric) 98.0%	**500.00** **4631.00** **POR**	**500 gm** **5 kg** **50 kg**
	Phthalimide Potassium Salt See Potassium Phthalimide		
PCT1829 PTC $C_6H_3Cl_3N_2O_2$ (1918-02-1)	**Picloram** Plant Culture Tested M. W.: 241.46 Assay 97% Store below 30°C	**18810.00** **33930.00** **135720.00**	**5 gm** **10 gm** **50 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
191305 C_6H_7N (109-06-8)	a-**Picoline** for Synthesis (2-Picoline, 2-Methyl Pyridine) M. W.: 93.13 Assay 98.0%	1360.00 6201.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
191335 C_6H_7N (108-99-6)	b-**Picoline** for Synthesis (3-Methylpyridine, β-Picoline) M. W.: 93.13	1521.00 7110.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
191365 C_6H_7NO (108-89-4)	g-**Picoline** (4-Picoline,4-Methyle Pyridine) M. W.: 93.13	2007.00 9504.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
191415 C_6H_7NO (931-19-1)	a-**Picoline Oxide** M. W.: 109.13	5940.00 POR	100 gm 500 gm
191435 C_6H_7NO (1003-73-2)	b-**Picoline Oxide** M. W.: 109.13 Assay 98.0%	11700.00 52002.00	100 gm 500 gm
191455 C_6H_7NO (1003-67-4)	g-**Picoline Oxide** M. W.: 109.13 Assay 98.0%	2691.00	25 gm
191625 $C_6H_5NO_2$ (98-98-6)	2-**Picolinic Acid** for Synthesis (α-Picolinic Acid, Pyridine-2-Carboxylic Acid) Carboxylic Acid) M. W.: 123.11	1251.00 4806.00	100 gm 500 gm
029554 $(NO_2)_3C_6H_2.OH$ (88-89-1)	**Picric Acid** (Moistened with water) M. W.: 229.11 Assay (acidimetric) 99.0-100.5%	1503.00	500 gm
610435 $(NO_2)_3\ C_6H_2OH$ (88-89-1)	**Picric Acid AR** (Moistened with water) M. W.: 229.11 Assay (acidimetric) 99.5-100.5%	450.00 1701.00	100 gm 500 gm
875920	**Picric Acid** Saturated Aqueous Soln.	225.00 702.00	100 ml 500 ml
875900	**Picric Acid** Solution 1.2% **AR** for determination of blood glucose and Creatinine	225.00 657.00	100 ml 500 ml
191765 $C_{10}H_8N_4O_5$ (550-74-3)	**Picrolonic Acid** for Synthesis M. W.: 264.19	5994.00 19962.00	1 gm 5 gm
PCT1408 PTC	**Pineapple Powder** Plant Culture Tested Store below 30°C	7740.00	250 gm
	Pine Oil See Turpentine Oil		
191825 $C_{10}H_{16}$ (80-56-8)	a-**Pinene** M. W.: 136.23 Assay 98.0%	999.00 7722.00	500 ml 5 lit
610685 $C_{10}H_{16}$ (80-56-8)	a-**Pinene AR** M. W.: 136.23 Assay 98.0%	2403.00	500 ml
191855 $C_4H_{10}N_2$ (110-85-0)	**Piperazine** Anhydrous M. W.: 86.14 Assay (Non-aqueous) 98.0%	1557.00 5508.00 POR POR	250 gm 1 kg 5 kg 50 kg

Product Code	Product Name	Price	Packing
029564 $C_4H_{10}N_2.6H_2O$ (142-63-2)	**Piperazine** (Hexahydrate) M. W.: 194.23 Assay ($HClO_4$-titration) 98.0%	437.00 1305.00	100 gm 500 gm
191985 $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4-**Bis (2-Ethane Sulphonic Acid)** (Pipes Buffer) M. W.: 302.37	486.00 1755.00 5103.00	5 gm 25 gm 100 gm
971200 MB $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4'-**Bis**-(2-**Ethane Sulphonic Acid**) (PIPES) For Molecular Biology M. W.: 302.37 Assay : ≥ 99.5% Store Below 30°C	5994.00 POR	100 gm 500 gm
PCT2530 PTC $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4-**Bis (2-Ethane Sulphonic Acid)**(PIPES) Plant Culture Tested M. W.: 302.4 Assay 99% Store below 30°C	2133.00 7263.00	25 gm 100 gm
TC1270 ATC $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4-**Bis (2-Ethane Sulphonic Acid)**(PIPES Buffer) Cell Culture Tested M. W.: 302.37 Assay : ≥99% Store below 30°C	11772.00 17033.00	50 gm 100 gm
191995 $C_8H_{16}N_2Na_2O_6S_2$ (76836-02-7)	**Piperazine**-1,4-**Bis-(2-Ethanesulphonic Acid) Disodium Salt** for Biochemistry (Pipes Disodium Salt) M. W.: 346.33	1728.00 6336.00	25 gm 100 gm
191975 $C_8H_{17}N_2O_6S_2Na$ (10010-67-0)	**Piperazine**-1,4-**Bis (2-Ethane Sulphonic Acid) Sodium Salt** for Biochemistry (Pipes Sodium Salt) M. W.: 324.35	2124.00 7470.00	25 gm 100 gm
	Piperazine-1,4-**bis(2-Hydroxypropane Sulphonic Acid) Sesqui Sodium Salt** See POPSO Buffer		
192075	**Piperazine Citrate**	1440.00	500 gm
	2-(1-**Piperazinyl**) **Pyridine** See 1-(2-Pyridyl) Piprazine		
192185 ⚛ $C_5H_{11}N$ (110-89-4)	**Piperidine** for Synthesis M. W.: 85.15	1800.00 3200.00 6201.00 POR	500 ml 1 lit 2.5 lit 25 lit
611005 ⚛ $C_5H_{11}N$ (110-89-4)	**Piperidine AR** M. W.: 85.15	2205.00 8100.00 POR	500 ml 2.5 lit 25 lit
192305 ⚛ $C_5H_{11}N.HCl$ (6091-44-7)	**Piperidine Hydrochloride** M. W.: 121.61	855.00 3123.00	100 gm 500 gm
	Piperidinic Acid See 4-Aminobutyric acid		
	1-**Piperidino Ethanol** for Synthesis See 1-(2-Hydroxy Ethyl) Piperidine		
	2-**Piperidino Ethanol** See 1-(2-Hydroxyethyl) Piperidine		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
611185 $C_{19}H_{30}O_5$ (51-03-6)	**Piperonyl Butoxide AR** M. W.: 338.44	711.00 2142.00 9720.00	25 gm 100 gm 500 gm
192455 $C_5H_{10}O_2$ (75-98-9)	**Pivalic Acid** for Synthesis M. W.: 102.13 Assay 99.0%	1080.00 3303.00 POR	100 gm 500 gm 5 kg
192515 ✠ C_5H_9N (630-18-2)	**Pivalonitrile** M. W.: 83.13 Assay 98.0%	4140.00 8091.00	25 ml 100 ml
192605 $(CH_3)_3CCOCl$ (3282-30-2)	**Pivaloyl Chloride** for Synthesis (Trimethylacetyl Chloride) M. W.: 120.58	1593.00 5310.00	500 ml 2.5 lit
192635 $CaSO_4.½H_2O$ (10034-76-1)	**Plaster of Paris** Pract M. W.: 145.15 Assay (Complexometric as $CaSO_4.½H_2O$) Abt. 90.0-95.0%	243.00	500 gm
192665 $CaSO_4.½H_2O$ (10034-76-1)	**Plaster of Paris** M. W.: 145.15 Assay (Complexometric) 90.0%	261.00 1998.00	500 gm 5 kg
876300	**Platelets Counting Fluid**	162.00	125 ml
876190	**Platinum** (Pt) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	3452.00	100 ml
876220	**Platinum** (Pt) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	8919.00	100 ml
029569 Pt (7440-06-4)	**Platinum** Wire 0.3 mm	10260.00	1 gm
192765 Pt (7440-06-4)	**Platinum** (Metal) Powder At. W.: 195.09	10260.00	1 gm
192805 Pt (7440-06-4)	**Platinum** 5% on Charcoal At. W.: 195.09	5400.00	10 gm
192825 Pt (7440-06-4)	**Platinum** 10% on Charcoal At. W.: 195.09	10080.00	10 gm
192695 $PtCl_2$ (10025-65-7)	**Platinous Chloride** (Platinum (II) Chloride) M. W.: 266.08 Assay (ex Pt gravimetric) 98%	8100.00	1 gm
192855 $PtCl_4$ (13454-96-1)	**Platinum** (IV) **Chloride** (Chloro Platinic Acid) M. W.: 336.89	12870.00	1 gm
192885 (52785-06-5)	**Platinum Dioxide** Hydrate (about 80% Pt) M. W.: 227.09 (anhydrous) Assay Pt.(Gravimetric) 80.0%	15003.00	1 gm
PCT2538 PTC $C_3H_6OC_2H_4O)X$ (9003-11-6)	**Pluronic F-68** Plant Culture Tested M. W.: 8400 Avg. Store below 30°C	945.00 2997.00	25 gm 100 gm
	PNCB See 1-Chloro-4-Nitrobenzene		

Product Code	Product Name	Price	Packing
TC1222M ATC $(C_3H_6O.C_2H_4O)_x$ (9003-11-6)	▲**Poloxamer F-68** Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 60.09	2061.00 18180.00	100 gm 1 kg
TC1223M ATC $C_3H_6O.C_2H_4O)$ (9003-11-6)	▲**Poloxamer P-188** Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 60.09	2061.00 18180.00	100 gm 1 kg
193015 (C_3H_5NO) (9003-05-8)	**Polyacrylamide** (Mw App. 5,000,000) M. W.: 71.07	2808.00 8694.00	250 gm 1 kg
193095 $(C_3H_4O_2)$ (9003-01-4)	**Polyacrylic Acid** 35 wt. % in H_2O for Synthesis	4302.00 12690.00	100 ml 500 ml
193098 $(C_3H_4O_2)$ (9003-01-4)	**Polyacrylic Acid** Powder for Synthesis	5000.00 14400.00	100 gm 500 gm
193108	**Polyamide** For Column Chromatography, 6	35001.00	250 gm
193118	**Polyamide Resin** (Pellets) Melt temp. 95°C	10206.00 36000.00	100 gm 500 gm
193121	**Polyamide Resin** (Pellets) Melt temp. 130°C	10206.00 36000.00	100 gm 500 gm
193124	**Polyamide Resin** (Pellets) Melt temp. 140°C	10206.00 36000.00	100 gm 500 gm
193127	**Polyamide Resin** (Pellets) Melt temp. 160°C	10206.00 36000.00	100 gm 500 gm
193130	**Polyamide Resin** (Pellets) Melt temp. 200°C	10206.00 36000.00	100 gm 500 gm
193140	**Polyamide Resin** (Pellets) Melt temp. 260°C	10206.00 36000.00	100 gm 500 gm
193215 (24936-68-3)	**Polycarbonate Resin** (BEADS) M.W.: 20,000-25000	3006.00 9027.00	25 gm 100 gm
193218 (24936-68-3)	**Polycarbonate Resin** (Pellets) M.W.: 20,000-25000	6939.00 19980.00	100 gm 500 gm
193238	**Polyelectrolyte - ANIONIC**	801.00	500 gm
193241	**Polyelectrolyte -CATIONIC**	801.00	500 gm
193295 $(C_2H_4)n$ (9002-88-4)	**Polyethylene** for Synthesis Average M. W.: 1700-4000	3600.00 8307.00	250 gm 1 kg
193305	**Polyethylene HDPE**	7002.00	1 kg
193310	**Polyethylene LDPE**	6345.00	1 kg
193300	**Polyethylene AVERAGE MW~35000**	5679.00	1 kg
029570 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 200 for Synthesis Average M. W.: 190-210	630.00 2601.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
193364 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 300 for Synthesis Average M. W.: 285-315	684.00 2808.00 POR POR	500 ml 2.5 lit 25 lit 200 lit

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
029571 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 400 for Synthesis Average M. W.: 380-420	621.00 2304.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
029573 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 600 for Synthesis Average M. W.: 570-630	684.00 2610.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
193505 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 1500 for Synthesis Average M. W.: 1400-1600	550.00	500 gm
029576 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 4000 Flakes/Powder Average M. W.: 3500-4500	585.00 4806.00 POR	500 gm 5 kg 25 kg
971730 MB $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 4000 For Molecular Biology Av. M. W. : 3600-4400 Store Below 30°C	630.00	500 gm
PCT2305 PTC $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Poly(Ethylene Glycol)** 4000 Plant Culture Tested Av. M. W : 3600 - 4400 Store below 30°C	711.00	500 gm
029577 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 6000 Flakes/Powder Average M. W.: 5000-7000	702.00 5004.00 POR	500 gm 5 kg 25 kg
971920 MB $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 6000 For Molecular Biology Av. M. W.: 5000-7000 Store Below 30°C	770.00	500 gm
PCT2306 PTC $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 6000 Plant Culture Tested Av. M. W.: 5000 - 7000 Store below 30°C	756.00	500 gm
193655 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 8000 Average M.W.: 8000	730.00	500 gm
972110 MB $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 8000 For Molecular Biology Av M. W. : 7000-9000 Store Below 30°C	914.00	500 gm
193705 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 20000 Carbowax 20000 Av. M. W.: 20000	2520.00 4500.00 13500.00	500 gm 1 kg 5 kg
971540 MB $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol** 20000 For Molecular Biology Av. M. W. : 16000-25000 Store Below 30°C	8811.00	500 gm
193765 $CH_3(OCH_2CH_2)_nOH$ (9004-74-4)	**Polyethylene Glycol Monomethyl Ether 350** for Synthesis (Methoxy Polyethylene Glycol 350, MPEG-350, Mono-Methyl polyethylene Glycol) M. W.: 76.09	702.00	500 ml

Product Code	Product Name	Price	Packing
193855 (32289-58-0)	**Polyhexamethylene Biguanide Hydrochloride** 20% Aqueous Solution M. W.: 219.7182	2106.00 20007.00	500 gm 5 kg
	Polyethylene (20) **Sorbitan Monolaurate** See Cween 20		
	Polyethylene (20) **Sorbitan Mono-oleate** See Cween 80		
	Polyoxyethylene Lauryl Ether See Brij 35		
194025 ✣ (63148-57-2)	**Polymethyl Hydrosiloxane** (Pmhs) Average M.W. : 1700-3200	3700.00 10630.00	100 ml 500 ml
194120 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~15000	8060.00 20260.00	25 gm 100 gm
194123 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~97000	17820.00	25 gm
194128 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~120000	6309.00 15903.00 24903.00	25 gm 500 gm 1 kg
194134 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~350000	6750.00 25020.00 35730.00	25 gm 500 gm 1 kg
194140 (9011-14-7)	**Polymethyl Methacrylate** Average M.W.~996000	6309.00 26910.00 44091.00	25 gm 500 gm 1 kg
194165 $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ (1405-20-5)	▲**Polymyxin** B **Sulphate** App. 6,000 USP M. W.: 1385.63 Potency 6000usp units/mg	999.00	1mil.unit
PCT2125 PTC $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ (1405-20-5)	▲**Polymyxin** B **Sulphate** Plant Culture Tested M. W.: 1385.61 Potency : =6000IU/mg	2682.00 5373.00 15512.00	1X1 mu 5X1 mu 25X1 mu
TC1033 ATC $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ (1405-20-5)	▲**Polymyxin** B **Sulphate** Cell Culture Tested (1 million units/vl) Recommended for use in cell culture applications at 50mg/L M. W.: 1385.61 Potency : ≥6500 IU/mg	2673.00 5913.00 17055.00	1x1 mu 5x1 mu 25x1 mu
029578 (8017-16-1)	**Polyphosphoric Acid** for Synthesis Assay (as P_2O_5 Titrimetry) Abt. 85.0%	1305.00 6003.00	500 gm 2.5 kg
612135 (8017-16-1)	**Polyphosphoric Acid AR** Assay (as P_2O_5 Titrimetry) Abt. 85.0%	1683.00	500 ml
194255 $(C_3H_6)_n$ (9003-07-0)	**Polypropylene** for Synthesis	2601.00 20601.00	500 gm 5 kg
194260 (9003-07-0)	**Polypropylene** Isotactic Average M.W.~12000	5859.00 9099.00	250 gm 1 kg
194280 (9003-07-0)	**Polypropylene** Isotactic Average M.W.~250000	2601.00 5301.00	250.gm 1 kg
194300 (9003-07-0)	**Polypropylene** Isotactic Average M.W.~340000	2520.00 4509.00	250 gm 1 kg
194345 $(C_8H_8)_n$ (9003-53-6)	**Polystyrene** for Synthesis	2304.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
194455 $(C_2F_4)_n$ (9002-84-0)	**Polytetra Fluoro Ethylene** for Synthesis	1602.00 7056.00	100 gm 500 gm
194545 $(C_4H_6O_2)_n$ (9003-20-7)	**Polyvinyl Acetate** (Very Fine Crystalline Beads) Average M.W. : 100000	3798.00 7659.00	250 gm 500 gm
194564 (9003-20-7)	**Polyvinyl Acetate** Granulated	1791.00 12069.00	500 gm 5 kg
194560 (9003-20-7)	**Polyvinyl Acetate** Regular Crystalline Beads	2349.00 22005.00	500 gm 5 kg
194574 (9003-20-7)	**Polyvinyl Acetate** Average M.W.~-100000	6705.00 10908.00	25 gm 500 gm
194580 (9003-20-7)	**Polyvinyl Acetate** Average M.W.~140000	6993.00 16902.00	100 gm 500 gm
194600 (9003-20-7)	**Polyvinyl Acetate** Average M.W.~500000	5904.00 12006.00	100 gm 500 gm
194664 $(CH_2CHOH)_n$ (9002-89-5)	**Polyvinyl Alcohol** (Cold) Average M.W. 85,000-1,24,000	945.00 8420.00 POR	500 gm 5 kg 25 kg
194765 $(CH_2CHOH)_n$ (9002-89-5)	**Polyvinyl Alcohol** (Hot) Average M.W. 13,000-23000 Hot water soluble	954.00 8550.00 POR	500 gm 5 kg 25 kg
PCT2316 PTC $[-CH_2CHOH-]_n$ (9002-89-5)	**Poly(Vinyl Alcohol)** (hot water soluble) Plant Culture Tested M. W.: 13,000-23000 Store below 30°C	288.00 1152.00	100 gm 500 gm
194865 (63148-65-2)	**Polyvinyl Butyral**	1305.00 5049.00	100 gm 500 gm
194915 $(C_2H_3Cl)_n$ (9002-86-2)	**Polyvinyl Chloride** for Synthesis	1206.00	500 gm
PCT2004 PTC (9003-39-8)	**Polyvinyl Pyrrolidone (PVP 10)** Plant Culture Tested Av. M.W. : 10,000 Store below 30°C	7497.00 35991.00	100 gm 500 gm
194935 $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-25 M.W. 10000 (Povidone, PVP)	842.00 2907.00 26550.00	100 gm 500 gm 5 kg
029579 $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-30 (Povidone, PVP) Avg. M.W.: 40,000	657.00 2610.00 24750.00	100 gm 500 gm 5 kg
972440 MB $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-30 (Povidone) For Molecular Biology Water Soluble Polymer Made From N-Vinylpyrrolidone Av. M.W. : 40000 Store Below 30°C	585.00 2772.00	100 gm 500 gm
PCT2002 PTC $(C_6H_9NO)n$ (9003-39-8)	**Polyvinylpyrrolidone (PVP)** K-30 (Povidone) Plant Culture Tested Av. M.W. : 40,000 Store below 30°C	680.00 3070.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
194955 $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-90 M.W. 360000 (Povidone, PVP)	3897.00 29376.00	500 gm 5 kg
961710 MB $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrolidone** K-90 for Molecular Biology M. W.: 360000	2800.00	100 gm
PCT2003 PTC $(C_8H_9NO)_n$ (9003-39-8)	**Polyvinylpolypyrrolidone (PVPP)** (Crospovidone) Plant Culture Tested Store below 30°C	5490.00	100 gm
	Ponceau B See Biebrich Scarlet		
314915 $C_{22}H_{12}N_4Na_4O_{13}S_4$ (6226-79-5)	**Ponceau S** for Electrophoresis C. I. No. 27195 M. W.: 760.57	775.00 2907.00	25 gm 100 gm
972800 MB $C_{22}H_{12}N_4O_{13}S_4Na_4$ (6226-79-5)	**Ponceau S Sodium Salt** Electrophoretic Stain For Molecular Biology C. I. No. : 27195 M. W. : 760.57 Store Below 30°C	1800.00	25 gm
195125 $C_{24}H_{16}N_2O_2$ (1806-34-4)	**POPOP** Scintillation grade M. W.: 364.41	4977.00 19881.00 78863.00	5 gm 25 gm 100 gm
	POPOP Dimethyl See Dimethyl POPOP		
195145 $C_{10}H_{22}N_2O_8S_2.2H_2O$ (68189-43-5)	**POPSO** Buffer M. W.: 398.5 Assay 97.0%	3483.00 11007.00	25 gm 100 gm
876500	**Potassium** (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
876502	**Potassium** (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
876550	**Potassium** (K) CRISTAR® 200 ppm Single Element Std. Soln. for ICP in HNO_3	5373.00 13420.00	100 ml 500 ml
876570	**Potassium** (K) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3	5373.00 13420.00	100 ml 500 ml
876610	**Potassium** (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	14841.00 40212.00	100 ml 500 ml
876612	**Potassium** (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	14841.00 40212.00	100 ml 500 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
029580 (7440-09-7)	**Potassium** Metal (In liquid paraffin) At. W.: 39.10 Assay (Acidimetric) 98.0%	1201.00 4001.00	25 gm 100 gm
029581 $CH_3.COOK$ (127-08-2)	**Potassium Acetate** M. W.: 98.14 Assay 99.0%	684.00 6003.00 POR POR	500 gm 5 kg 25 kg 50 kg
612225 $CH_3.COOK$ (127-08-2)	**Potassium Acetate AR/ACS** M. W.: 98.14 Assay (Non-aqueous) 99.0%	1206.00 10000.00	500 gm 5 kg
971720 MB $CH_3.COOK$ (127-08-2)	**Potassium Acetate** for Molecular Biology M. W.: 98.14 Assay (Non-aqueous) 99.0%	2421.00	500 gm
TC1786 $CH_3.COOK$ (127-08-2)	**Potassium Acetate** Cell Culture Tested	3276.00 5571.00	500 gm 1 kg
TC1786M $CH_3.COOK$ (127-08-2)	**Potassium Acetate** Cell Culture Tested	5751.00 10341.00	500 gm 1 kg
876670	**Potassium Acetate** TS acc. to USP	225.00	500 ml
	Potassium Alum See Aluminium Potassium Sulphate		
	Potassium Aluminium Sulphate (Potas alum) See Aluminium Potassium Sulphate		
	Potassium Antimonate See Potassium Pyroantimonate		
	Potassium Antimony (III) **Oxide Tartrate** See Antimony Potassium Tartrate		
195215 C_6H_5COOK (582-25-2)	**Potassium Benzoate** for Synthesis M. W.: 160.21	2205.00 3519.00	250 gm 500 gm
029616 $KHCO_3$ (298-14-6)	**Potassium Bicarbonate** M. W.: 100.12 Assay(acidimetric on dried basis) 99.5-100.0%	522.00 882.00 POR	500 gm 1 kg 50 kg
H59054 $KHCO_3$ (298-14-6)	**Potassium Bicarbonate** M. W.: 100.12	720.00	500 gm
195305 KHF_2 (7789-29-9)	**Potassium Bifluoride** Extra Pure M. W.: 78.1	900.00 POR	500 gm 25 kg
	Potassium Biphosphate See Potassium Dihydrogen otho Phosphate		
	Potassium Bisulphate See Potassium Hydrogen Sulphate		
	Potassium Bisulphite See Potassium Metabisulphite		
	Potassium Bitartrate See Potassium Hydrogen (+) Tartrate		
195435 KBH_4 (13762-51-1)	**Potassium Borohydride** for Synthesis M. W.: 53.94	1584.00 5940.00 20790.00	25 gm 100 gm 500 gm

Product Code	Product Name	Price	Packing
029588 $KBrO_3$ (7758-01-2)	**Potassium Bromate** M. W.: 167.00 Assay (Iodometric; on dried Subs.) 99.0-101.0%	648.00 1206.00 POR	250 gm 500 gm 50 kg
612285 $KBrO_3$ (7758-01-2)	**Potassium Bromate AR/ACS** M. W.: 167.00 Assay (Iodometric) 99.8%	1458.00 POR	500 gm 50 kg
876680	**Potassium Bromate** 0.01667 M (0.1N) Standardized Solution	1400.00	1 lit
876683	**Potassium Bromate** CPECTROSOL® 1/60 mol/L(0.1N) For 1000 ml Solution In accordance with NIST	162.00	1 Amp
876686	**Potassium Bromate** 1/60 mol/L (0.1N) Solution	140.00 360.00 550.00	500 ml 1 lit 2.5 lit
029589 KBr (7758-02-3)	**Potassium Bromide** Purified M. W.: 119.00 Assay (ex Br Argentometric) 99.0%	1130.00 9500.00 POR POR	500 gm 5 kg 25 kg 50 kg
612305 KBr (7758-02-3)	**Potassium Bromide AR/ACS** M. W.: 119.00 Assay (Argentometric) 99.5%	1620.00 POR	500 gm 25 kg
763740 KBr (7758-02-3)	**Potasium Bromide** for Spectroscopy M. W.: 119.00 Assay (Argentometric) 99.5%	4401.00	100 gm
876700	**Potassium Bromide** 0.1M (0.1N) Volumetric Solution	293.00 532.00 801.00	500 ml 1 lit 2.5 lit
876705	**Potassium Bromide** 0.1 mol/L (0.1N) for 500 ml solution	167.00 315.00 603.00	1 Amp 3 Amp 6 Amp
876720	**Potassium Bromide** 0.2 M (0.2N) Volumetric Solution	828.00	1 lit
876750	**Potassium Bromide** 0.5 M (0.5N) Volumetric Solution	315.00 585.00 873.00	500 ml 1 lit 2.5 lit
876708	**Potassium Bromide** 1 mol/L (1N) Volumetric Solution	333.00 603.00 918.00	500 ml 1 lit 2.5 lit
876712	**Potassium Bromide** CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	1400.00	1 lit
195465 $(CH_3)_3COK$ (865-47-4)	**Potassium** tert-**Butoxide** (Potassium Tert-Butoxide) M. W.: 112.21	1125.00 4905.00 9000.00	100 gm 500 gm 1 kg
195475 K_2CO_3 (584-08-7)	**Potassium Carbonate** (Anhy.) M. W.: 138.21 Assay (Acidimertic after drying) 99.0%	460.00 3510.00 POR POR	500 gm 5 kg 25 kg 50 kg
612335 K_2CO_3 (584-08-7)	**Potassium Carbonate** (Anhy.) **AR/ACS** M. W.: 138.21 Assay (Acidimertic after drying at 300° C) 99.9%	730.00 POR POR	500 gm 25 kg 50 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
876840	**Potassium Carbonate** TS acc. to USP	185.00	500 ml
029594 KCl (7447-40-7)	**Potassium Chloride** Purified M. W.: 74.55 Assay (Argentometric) 99.0%	306.00 2350.00 POR POR	500 gm 5 kg 25 kg 50 kg
612375 KCl (7447-40-7)	**Potassium Chloride AR** Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 74.55 Assay 99.5%	540.00 4905.00 POR POR	500 gm 5 kg 25 kg 50 kg
971800 MB KCl (7447-40-7)	**Potassium Chloride** for Molecular Biology M. W.: 74.55 Assay (Argentometric) 99.5%	1260.00 10171.00	500 gm 5 kg
PCT1012 PTC KCl (7447-40-7)	**Potassium Chloride** Plant Culture Tested M. W.: 74.55 Assay 99% Store below 30°C	500.00 891.00	500 gm 1 kg
TC1010 ATC KCl (7447-40-7)	**Potassium Chloride** Cell Culture Tested M. W.: 74.55 Assay : ≥98.5% Store below 30°C	2790.00 4343.00 8055.00	250 gm 500 gm 1 kg
TC1010M ATC KCl (7447-40-7)	**Potassium Chloride** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 74.55 Store below 30°C	4181.00 6516.00 12060.00	250 gm 500 gm 1 kg
876845	**Potassium Chloride** 0.2M Solution	252.00 486.00 846.00	500 ml 1 lit 2.5 lit
876850	**Potassium Chloride** 0.5M (0.5N) Volumetric Solution	230.00 423.00 702.00	500 ml 1 lit 2.5 lit
876870	**Potassium Chloride** 1M (1N) Volumetric Solution	243.00 459.00 725.00	500 ml 1 lit 2.5 lit
876900	**Potassium Chloride Solution** 3M (for Potentiometer Electrodes)	936.00	60 ml
612465 K_2PtCl_6 (16921-30-5)	**Potassium Chloro Platinate AR** M. W.: 486.00 Platinum (Pt) 40.0%	7700.00	1 gm
029598 K_2CrO_4 (7789-00-6)	**Potassium Chromate** Purified M. W.: 194.19 Assay (oxidimetric) 99.0%	1224.00 POR POR	500 gm 25 kg 50 kg
612515 K_2CrO_4 (7789-00-6)	**Potassium Chromate AR** M. W.: 194.19 Assay (Iodometric) 99.5-100.5%	1404.00 POR	500 gm 25 kg
877100	**Potassium Chromate** Solution 5% (Chloride Free)	99.00	125 ml
877047	**Potassium Chromate** 0.0333m (0.1N) Volumetric Solution	531.00 863.00 2178.00	500 ml 1 lit 2.5 lit
877050	**Potassium Chromate** CPECTROSOL® 0.0333m (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit

Product Code	Product Name	Price	Packing
029599 $K_3C_6H_5O_7.H_2O$ (6100-05-6)	tri-**Potassium Citrate** Purified M. W.: 324.41 Assay (Non-aqueous, Calc. on anhydrous subs) 99.0-101.0%	720.00 POR POR	500 gm 25 kg 50 kg
612545 $K_3C_6H_5O_7.H_2O$ (6100-05-6)	tri-**Potassium Citrate AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 324.41 Assay (Non-aqueous, Calc. on anhydrous subs) 99.0%	801.00 POR POR	500 gm 25 kg 50 kg
TC1106 ATC $C_6H_5K_3O_7.H_2O$) (6100-05-6)	Tri-**Potassium Citrate** monohydrate Cell Culture Tested M. W.: 324.41 Assay : ≥99% Store below 30°C	1656.00	500 gm
195425 KOCN (590-28-3)	**Potassium Cyanate** for Synthesis M. W.: 81.12 Assay (Argentometric) 97.0%	1998.00	500 gm
195495 ⚛ KCN (151-50-8)	**Potassium Cyanide** Against Poison Licence M.W. : 65.12 Assay 96.0%	4842.00	1 kg
612585 ⚛ KCN (151-50-8)	**Potassium Cyanide AR** Against Poison Licence M.W. : 65.12 Assay 97.0%	2907.00	500 gm
029605 $K_2Cr_2O_7$ (7778-50-9)	**Potassium Dichromate** Pure M. W.: 294.18 Assay (iodometric) 99.5%	1287.00 2403.00 5500.00 POR POR	500 gm 1 kg 2.5 kg 25 kg 50 kg
612615 $K_2Cr_2O_7$ (7778-50-9)	**Potassium Dichromate AR** M. W.: 294.18 Assay (Iodometric; after drying) 99.9%	1503.00 6201.00 POR POR	500 gm 2.5 kg 25 kg 50 kg
877253	**Potassium Dichromate** CPECTROSOL® 0.0167M(0.1N) Standardized Solution in accordance with NIST	1400.00	1 lit
877245	**Potassium Dichromate** 1/60 Mol/L (0.1N) Volumetric Solution	270.00 495.00 743.00	500 ml 1 lit 2.5 lit
877360	**Potassium Dichromate** Solution 1/60 mol/lit Citrisol 2.4515g $K_2Cr_2O_7$ For 500 ml solution 0.1 N solution	550.00 900.00	3 Amp 6 Amp
877190	**Potassium Dichromate** 0.02M (0.12N) Volumetric Solution for Determination of Cod	459.00 846.00 1143.00	500 ml 1 lit 2.5 lit
877220	**Potassium Dichromate** CPECTROSOL® 0.0417M(0.25N) Solution in accordance with NIST	1400.00	1 lit
877250	**Potassium Dichromate** CPECTROSOL® 0.167M (1N) Solution in accordance with NIST	1400.00	1 lit
877370	**Potassium Dichromate** 0.25N Solution	144.00 230.00 342.00	500 ml 1 lit 2.5 lit

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
877365	**Potassium Dichromate** 1/6 Mol/L (1N) Volumetric Solution	243.00 432.00 657.00	500 ml 1 lit 2.5 lit
029608 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** Anhydrous Purified M. W.: 136.09 Assay (acidimetric) 99.0-101.0%	855.00 7803.00 POR POR	500 gm 5 kg 25 kg 50 kg
612705 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** Anhydrous **AR/ACS** M. W.: 136.09 Assay (Acidimetric after drying) 99.5-100.5%	954.00 8820.00 POR POR	500 gm 5 kg 25 kg 50 kg
972100 MB KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** for Molecular Biology M. W.: 136.09 Assay (Acidimetric) 99.5%	2403.00	500 gm
764000 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Orthophosphate** for HPLC (Potassium Phosphate Monobasic) M.W.: 136.09	1503.00	500 gm
PCT1009 PTC KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Phosphate** Plant Culture Tested M. W.: 136.09 Assay 99% Store below 30°C	1260.00 2304.00 11133.00 POR	500 gm 1 kg 5 kg 25 kg
TC1011 ATC KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Phosphate** Anhydrous (Potassium phosphate monobasic; Monopotassium phosphate) Cell Culture Tested M. W.: 136.09 Assay : ≥99% Store below 30°C	1251.00 3231.00 5616.00 11232.00	100 gm 500 gm 1 kg 5 kg
TC1011M ATC KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Phosphate** Anhydrous Monobasic Potassium phosphate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 136.09 Store below 30°C	2430.00 4176.00 7110.00 21344.00	100 gm 500 gm 1 kg 5 kg
877380	**Potassium Dihydrogen Phosphate** 1/15 mol/L (Buffer Stock Solution)	1980.00 3780.00 5774.00	500 ml 1 lit 2.5 lit
	Potassium Diphosphate Tetrabasic See tetra-Potassium pyrophosphate		
195585 C_2H_5OCSSK (140-89-6)	**Potassium Ethyl Xanthate** for Synthesis M.W.: 160.30	1305.00 6003.00	100 gm 500 gm
029610 $K_3Fe(CN)_6$ (13746-66-2)	**Potassium Ferricyanide** Printing grade M. W.: 329.25 Assay (Iodometric) 97.0%	567.00 2106.00 POR POR	100 gm 500 gm 25 kg 50 kg
612755 $K_3Fe(CN)_6$ (13746-66-2)	**Potassium Ferricyanide AR/ACS** M. W.: 329.25 Assay (iodometric) 99.0%	2300.00	500 gm
877430	**Potassium Ferricyanide** 0.1M (0.1N) Volumetric Solution	1575.00	1 lit

Product Code	Product Name	Price	Packing
029611 $K_4Fe(CN)_6.3H_2O$ (14459-95-1)	**Potassium Ferrocyanide** Purified M. W.: 422.39 Assay (Oxidimetric) 99.0%	1107.00 POR POR	500 gm 25 kg 50 kg
612805 $K_4Fe(CN)_6.3H_2O$ (14459-95-1)	**Potassium Ferrocyanide AR/ACS** M. W.: 422.39 Assay (Oxidimetric) 99.0%	1260.00 POR	500 gm 25 kg
195665 K_BF_4 (14075-53-7)	**Potassium Fluoborate** M. W.; 125.90	495.00 1350.00	250 gm 1 kg
029613 KF (7789-23-3)	**Potassium Fluoride** (Anhydrous) M. W.: 58.10 Assay (ion-exchange) 97%	594.00 1152.00 POR POR	250 gm 500 gm 25 kg 50 kg
613625 KF (7789-23-3)	**Potassium Fluoride** (Anhydrous) **AR** M. W.: 58.10 Assay (Ion-exchange) 99.0%	1800.00 POR	500 gm 50 kg
195705 $CHKO_2$ (590-29-4)	**Potassium Formate** M. W.: 84.12 Assay (Non-aqueous) 98.0%	325.00 1206.00	100 gm 500 gm
613715 $CHKO_2$ (590-29-4)	**Potassium Formate AR** M. W.: 84.12 Assay 99.0%	1305.00	500 gm
195725 ⚛ $KAu(CN)_2$ (13967-50-5)	**Potassium Gold Cyanide** M. W.: 288.10 Approx Au 68.0%	15120.00 75060.00	1 gm 5 gm
	Potassium Hexa Cyano Ferrate (III) See Potassium Ferricyanide		
	Potassium Hexa Cyano Ferrate (II) See Potassium Ferrocyanide		
	Potassium Hexachloroplatinate (IV) **See** Potassium Chloroplatinate		
	Potassium Hexahydroantimonate (V) See Potassium Pyroantimonate		
195795 KPF_6 (17084-13-8)	**Potassium Hexafluorophosphate** for Synthesis M.W.: 184.07	1323.00 4473.00	100 gm 500 gm
195885 (68514-28-3)	**Potassium Humate**	855.00 6903.00	500 gm 5 kg
	Potassium Hydrogen Carbonate See Potassium Bicarbonate		
613805 $KH(IO_3)_2$ (13455-24-8)	**Potassium Hydrogen Di Iodate AR** M. W.: 389.92 Assay(acidimetry) 99.8%	6003.00	25 gm
	Potassium Hydrogen Difluoride See Potassium Bifluoride		
029619 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** (Dibasic) Anhydrous M. W.: 174.18 Assay (Acidimetric) 98.0%	954.00 POR POR	500 gm 25 kg 50 kg
613905 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** (Dibasic) Anhydrous **AR** M. W.: 174.18 Assay (Acidimetric) 99.0%	1107.00 9900.00 22500.00 43200.00	500 gm 5 kg 25 kg 50 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
972300 MB K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** for Molecular Biology M. W.: 174.18 Assay (Acidimetric) 99.5%	**1450.00** **5481.00**	**100 gm** **500 gm**
764500 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** for HPLC & Spectroscopy M. W.: 174.18 Assay (Acidimetric) 99.0%	**1503.00**	**500 gm**
TC1596 ATC K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Phosphate** Anhydrous (di-Potassium phosphate Potassium Hydrogen Phosphate Cell Culture Tested M. W. : 174.174 Assay : ≥97% Store below 30°C	**1220.00** **4905.00**	**100 gm** **500 gm**
TC1596M ATC HK_2O_4P (7758-11-4)	di-**Potassium Hydrogen Phosphate** Anhydrous Meets USP 41-NF 36, EP 9.0 and BP 2016 testing Specifications M. W. : 174.2 Store below 30°C	**3636.00** **7272.00** **POR**	**500 gm** **1 kg** **5 kg**
PCT1018 PTC K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Phosphate** Anhydrous (Potassium Phosphate Dibasic) Plant Culture Tested M. W.: 174.18 Assay 99% Store below 30°C	**2142.00** **3852.00** **17330.00**	**500 gm** **1 kg** **5 kg**
H59954 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** (Dibasic) Anhydrous HIPURE Type I M. W.: 174.18	**1800.00** **15930.00**	**500 gm** **5 kg**
H59963 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** (Dibasic) Anhydrous HIPURE Type II M. W.: 174.18	**2700.00** **22500.00**	**500 gm** **5 kg**
	tri-**Potassium Hydrogen Orthophosphate** See tri-Potassium Phosphate		
029621 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate** Purified M. W.: 204.22 Assay (after drying) 99.5%	**756.00** **POR**	**500 gm** **50 kg**
613965 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate AR** M. W.: 204.22 Assay (Non-aqueous, after drying) 99.9-100.1%	**873.00** **POR**	**500 gm** **50 kg**
764700 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate** for HPLC M.W.: 204.22 Assay 99.5%	**1107.00**	**500 gm**
877500	**Potassium Hydrogen Phthalate** CPECTROSOL® 0.1m (0.1N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**

Product Code	Product Name	Price	Packing
877505	**Potassium Hydrogen Phthalate** 0.17gm/L (for COD Determination)	**423.00**	**1 lit**
029624 $KHSO_4$ (7646-93-7)	**Potassium Hydrogen Sulphate** Cryst. M. W.: 136.16 Assay (ex; acidity) 99.0%	**621.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
614055 $KHSO_4$ (7646-93-7)	**Potassium Hydrogen Sulphate AR** M. W.: 136.16 Assay 99.0%	**761.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
029626 $C_4H_5KO_6$ (868-14-4)	**Potassium Hydrogen** (+) **Tartrate** M. W.: 188.18	**1755.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
877755	**Potassium Hydroxide** CPECTROSOL® 0.05M (0.05N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
877760	**Potassium Hydroxide** 0.1 M (0.1N) Citrisol Volumetric Solution	**630.00** **1224.00**	**3 Amp** **6 Amp**
877700	**Potassium Hydroxide** 0.1 M (0.1N) CTITRINORM Volumetric Solution	**360.00** **666.00** **1026.00**	**500 ml** **1 lit** **2.5 lit**
877703	**Potassium Hydroxide** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
877708	**Potassium Hydroxide** CPECTROSOL® In Ethanol 0.1M (0.1N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
877846	**Potassium Hydroxide** CPECTROSOL® In Ethanol 0.5M (0.5N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
877850	**Potassium Hydroxide in Methanol** 0.5 M (0.5N) Alcoholic CTITRINORM Volumetric Solution	**1782.00** **3366.00** **4410.00**	**500 ml** **1 lit** **2.5 lit**
877705	**Potassium Hydroxide** 0.5 mol/L (0.5N) For 500 ml Solution	**549.00** **963.00**	**3 Amp** **6 Amp**
877845	**Potassium Hydroxide** CPECTROSOL® 0.5M (0.5N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
877855	**Potassium Hydroxide** 0.5N Solution In Ethanol	**2097.00** **3960.00** **5508.00**	**500 ml** **1 lit** **2.5 lit**
877920	**Potassium Hydroxide** Alcoholic 1M (1N) Volumetric Solution	**2097.00** **3960.00** **5391.00**	**500 ml** **1 lit** **2.5 lit**
877925	**Potassium Hydroxide** 1 mol/L (1N) For 500 ml Solution	**333.00** **612.00** **1206.00**	**1 Amp** **3 Amp** **6 Amp**
877858	**Potassium Hydroxide** CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
877923	**Potassium Hydroxide** CPECTROSOL® In Methanol 1M (1N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
877950	**Potassium Hydroxide** Solution 40% w/v for Gas Analysis to BS	**410.00** **756.00** **1503.00**	**500 ml** **1 lit** **2.5 lit**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
877970	**Potassium Hydroxide** 45% Aqueous Solution **AR**	770.00 1431.00 3087.00	500 ml 1 lit 2.5 lit
195945 KOH (1310-58-3)	**Potassium Hydroxide** Flakes (Caustic Potash) M. W.: 56.11 Assay (Acidimetric) 85.0%	486.00 882.00 3807.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
614335 KOH (1310-58-3)	**Potassium Hydroxide** Flakes **AR** M. W.: 56.11	504.00 4536.00	500 gm 5 kg
029628 KOH (1310-58-3)	**Potassium Hydroxide** Pellets Purified M. W.: 56.11 Assay (Acidimetric) 85.0%	585.00 4905.00 POR POR	500 gm 5 kg 25 kg 50 kg
614365 KOH (1310-58-3)	**Potassium Hydroxide** Pellets **AR** M. W.: 56.11 Assay (Acidimetric) 85.0%	684.00 5500.00 POR POR	500 gm 5 kg 25 kg 50 kg
195985 KOH (1310-58-3)	**Potassium Hydroxide Pellets** Bio Grade for Biochemistry M. W.: 56.11 Assay 86%	783.00	500 gm
972220 MB KOH (1310-58-3)	**Potassium Hydroxide Pellets** For Molecular Biology M. W.: 56.11 Assay : ≥ 85% Store Below 30°C	657.00	500 gm
PCT2560 PTC KOH (1310-58-3)	**Potassium Hydroxide Pellets** Plant Culture Tested M. W.: 56.1 Store below 30°C	711.00 1360.00 6400.00	500 gm 1 kg 5 kg
TC1505 ATC KOH (1310-58-3)	**Potassium Hydroxide Pellets** Potash caustic Cell Culture Tested M. W.: 56.11 Assay : ≥85% Store below 30°C	720.00 5580.00	500 gm 5 kg
195983 KOH (1310-58-3)	**Potassium Hydroxide** Powder M.W : 56.11 Assay 85%	522.00 4005.00 POR	500 gm 5 kg 25 kg
029630 KIO_3 (7758-05-6)	**Potassium Iodate** Pure M. W.: 214.00 Assay (iodometric) 99.5%	3906.00 9000.00 92007.00	100 gm 250 gm 5 kg
614405 KIO_3 (7758-05-6)	**Potassium Iodate AR** Oxidizing Agent in Volumetric Chemical Analysis M. W.: 214.00 Assay (Iodometric; after drying) 99.9%	4100.00 9801.00 95000.00	100 gm 250 gm 5 kg
878100	**Potassium Iodate** CPECTROSOL® 0.0147M (0.08833N) Standardized Solution in accordance with NIST	1400.00	1 lit
878130	**Potassium Iodate** CPECTROSOL® 0.01667M (0.1N) Volumetric Solution in accordance with NIST	1400.00	1 lit
878160	**Potassium Iodate** CPECTROSOL® 0.05 M (0.3 N) CTITRINORM Standard Soln. in accordance with NIST	1400.00	1 lit

Product Code	Product Name	Price	Packing
878155	**Potassium Iodate** 0.05 mol/L (0.3N) Volumetric Solution	891.00 1670.00 2421.00	500 ml 1 lit 2.5 lit
878132	**Potassium Iodate** 1/60 mol/L (0.1N) Volumetric Solution	824.00 1503.00 2205.00	500 ml 1 lit 2.5 lit
877165	**Potassium Iodate** Solution C(KIO_3) 1/60 mol/L (0.1N) For 1000 ml Solution	1180.00	1 Amp
029631 KI (7681-11-0)	**Potassium Iodide** Pure M. W.: 166.00 Assay (Oxidimetric; after drying) 99.0%	873.00 2502.00 5805.00 10000.00 97740.00 POR POR	25 gm 100 gm 250 gm 500 gm 5 kg 25 kg 50 kg
614465 KI (7681-11-0)	**Potassium Iodide AR/ACS** M. W.: 166.00 Assay (Oxidimetric; after drying) 99.8%	909.00 2700.00 10980.00 21510.00 99990.00 POR POR	25 gm 100 gm 500 gm 1 kg 5 kg 25 kg 50 kg
972260 MB KI (7681-11-0)	**Potassium Iodide** For Molecular Biology M. W.: 166.0 Assay : ≥ 99.8% Store Below 30°C	3155.00 6930.00	100 gm 250 gm
PCT1116 PTC KI (7681-11-0)	**Potassium Iodide** Plant Culture Tested M. W.: 166 Assay 99.8% Store below 30°C	3366.00 7740.00 26222.00	100 gm 250 gm 1 kg
H60454 HISURE KI (7681-11-0)	**Potassium Iodide** M. W.: 166.00	3645.00 14850.00	100 gm 500 gm
878320	**Potassium Iodide** 0.1M (0.1N) Volumetric Solution	900.00 1701.00 3600.00	500 ml 1 lit 2.5 lit
878323	**Potassium Iodide** CPECTROSOL® 0.1M Standardized Solution In accordance with NIST	1602.00	1 lit
878360	**Potassium Iodide** 1M (1N) Volumetric Solution	1503.00 2700.00 5103.00	500 ml 1 lit 2.5 lit
878365	**Potassium Iodide** CPECTROSOL® 1M Standardized Solution In accordance with NIST	1548.00	1 lit
878500	**Potassium Iodide** 3M (3N) Volumetric Solution	3834.00 7128.00 15940.00	500 ml 1 lit 2.5 lit
878805	**Potassium Iodide** CPECTROSOL® 3M Standardized Solution In accordance with NIST	8505.00	1 lit
878525	**Potassium Iodide** TS acc. to USP	1503.00	500 ml
878290	**Potassium Iodide Iodate** N/50	252.00	500 ml
196025 BiI_7K_4 (12589-75-2)	**Potassium Iodo Bismuthate** M. W. : 1253.50	3879.00	25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
614565 $I_6Pt.K_2$ (16905-14-9)	**Potassium Iodoplatinate AR** M.W. : 1034.68	**5760.00**	**1 gm**
029633 $C_3H_5KO_3$ (996-31-6)	**Potassium Lactate** Soln. Abt 50% M. W.: 128 Assay Abt. 50.0%	**954.00**	**500 ml**
196065 K_2HgI_4 (7783-33-7)	**Potassium Mercuric Iodide** Pure M. W.: 786.38	**2619.00** **4905.00**	**25 gm** **100 gm**
029634 $K_2S_2O_5$ (16731-55-8)	**Potassium Metabisulphite** M. W.: 222.31 Assay (Iodometric) 95.0%	**684.00** **6390.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
614625 $K_2S_2O_5$ (16731-55-8)	**Potassium Metabisulphite AR** M. W.: 222.31 Assay (Iodometric) 97.0%	**855.00**	**500 gm**
	Potassium Metal See Potassium metal		
196155 KIO_4 (7790-21-8)	**Potassium Meta Periodate** Extra Pure M.W.: 230.00 Assay 99.0%	**2655.00** **12200.00**	**100 gm** **500 gm**
614725 KIO_4 (7790-21-8)	**Potassium Meta Periodate AR/ACS** Reagent for Li and Mn M. W.: 230.00 Assay (iodometric after drying) 99.8%	**2800.00** **13005.00**	**100 gm** **500 gm**
H61144 KIO_4 (7790-21-8)	**Potassium Meta Periodate AR/ACS** Reagent for Li and Mn M. W.: 230.00 Assay (iodometric after drying) 99.8%	**6498.00** **24300.00**	**100 gm** **500 gm**
	Potassium Meta Vanadate See Potassium (Meta) Vanadate		
029638 KNO_3 (7757-79-1)	**Potassium Nitrate** Purified M. W.: 101.10 Assay (Ion-exchange) 99.0%	**522.00** **4005.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
614765 KNO_3 (7757-79-1)	**Potassium Nitrate AR** M. W.: 101.10 Assay (Ion-exchange) 99.5%	**657.00** **POR**	**500 gm** **50 kg**
972350 MB KNO_3 (7757-79-1)	**Potassium Nitrate** For Molecular Biology M. W.: 101.1 Assay : ≥ 99% Store Below 30°C	**739.00**	**500 gm**
PCT1010 PTC KNO_3 (7757-79-1)	**Potassium Nitrate** Plant Culture Tested M. W.: 101.10 Assay 99% Store below 30°C	**657.00** **1301.00** **6490.00** **POR**	**500 gm** **1 kg** **5 kg** **25 kg**
TC1161 ATC KNO_3 (7757-79-1)	**Potassium Nitrate** Cell Culture Tested M. W.: 101.10 Assay : ≥99% Store below 30°C	**3240.00** **4883.00**	**500 gm** **1 kg**
029639 KNO_2 (7758-09-0)	**Potassium Nitrite** Crystal M. W.: 85.11 Assay 97.0%	**756.00** **2250.00**	**100 gm** **500 gm**
614805 KNO_2 (7758-09-0)	**Potassium Nitrite AR/ACS** M. W.: 85.11 Assay (Redox-titration) 97.0%	**1602.00** **4806.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
196105 $C_{15}H_{36}O_2.k$ (143-18-0)	**Potassium Oleate** for Synthesis M. W.: 320.55 Assay 87.0%	**3006.00**	**500 gm**
029641 $(COOK)_2.H_2O$ (6487-48-5)	**Potassium Oxalate** Purified M. W.: 184.23 Assay (oxidimetric) 99.0%	**810.00** **6840.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
614895 $(COOK)_2.H_2O$ (6487-48-5)	**Potassium Oxalate AR/ACS** M. W.: 184.23 Assay (Oxidimetric) 99.5%	**900.00** **8100.00** **POR**	**500 gm** **5 kg** **50 kg**
H60954 $(COOK)_2.H_2O$ (6487-48-5)	**Potassium Oxalate** M. W.: 184.23 Assay (Oxidimetric) 99.5%	**1800.00**	**500 gm**
878640	**Potassium Oxalate** 5% Solution Assay 4.9-5.1%	**117.00**	**125 ml**
878660	**Potassium Oxalate** 10% Solution Assay 9.9-10.1%	**135.00**	**125 ml**
196130 ✳ $KClO_4$ (7778-74-7)	**Potassium Perchlorate** M. W.: 138.55	**POR** **POR** **POR**	**1 kg** **5 kg** **25 kg**
614935 ✳ $KClO_4$ (7778-74-7)	**Potassium Perchlorate AR/ACS** M. W.: 138.55 Assay (argentometric) 99.0-100.5%	**14140.00** **35100.00**	**500 gm** **2.5 kg**
878720	**Potassium Perchlorate** 1M Solution	**495.00** **747.00** **1107.00** **1656.00**	**100 ml** **250 ml** **500 ml** **1 lit**
	Potassium Periodate See Potassium Meta Periodate		
029644 $KMnO_4$ (7722-64-7)	**Potassium Permanganate** Purified M. W.: 158.03 Assay (Iodometric) 99.0%	**702.00** **6507.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
615025 $KMnO_4$ (7722-64-7)	**Potassium Permanganate AR/ACS** Meets Analytical Specification of USP M. W.: 158.03 Assay (Iodometric) 99.5-100.5%	**837.00** **POR**	**500 gm** **50 kg**
PCT2534 PTC $KMnO_4$ (7722-64-7)	**Potassium Permanganate** Plant Culture Tested M. W.: 158.03 Store below 30°C	**1755.00** **3150.00**	**500 gm** **1 kg**
878740	**Potassium Permanganate** CPECTROSOL® **1400.00** 0.01M (0.05N) Standard Solution In accordance with NIST		**1 lit**
878780	**Potassium Permanganate** Solution 0.02 Mol/lit Citrisol 1.5805g $KMnO_4$ For 500 ml Solution 0.1N Solution	**486.00** **729.00** **1089.00**	**1 Amp** **3 Amp** **6 Amp**
878745	**Potassium Permanganate** CPECTROSOL® **1400.00** 0.02M (0.1N) Standard Solution In accordance with NIST		**1 lit**
878790	**Potassium Permanganate** CPECTROSOL® **1400.00** 0.05M (0.25N) Standard Solution In accordance with NIST		**1 lit**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
✳ Supply Against Licence
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
878783	**Potassium Permanganate** 0.1 N (0.02 mol/L) Solution In Water	513.00 909.00 2205.00	500 ml 1 lit 2.5 lit
878820	**Potassium Permanganate** CPECTROSOL® 0.2M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
878850	**Potassium Permanganate** 0.25 N Solution in water	261.00 477.00 756.00	500 ml 1 lit 2.5 lit
878795	**Potassium Permanganate** 0.5 N (0.1 mol/L) Solution In Water	243.00 387.00 693.00	500 ml 1 lit 2.5 lit
878880	**Potassium Permanganate** 1.0 N	270.00 486.00 819.00	500 ml 1 lit 2.5 lit
878793	**Potassium Permangnate** 0.1N acc. to USP	603.00	500 ml
	Potassium Peroxymonosulphate See Oxzone		
	Potassium Peroxydisulphate See Potassium Persulphate		
196175 $K_2S_2O_8$ (7727-21-1)	▲**Potassium Persulphate** M. W.: 270.31 Assay (Redox-titration) 98.0%	666.00 5607.00 POR POR	500 gm 5 kg 25 kg 50 kg
615065 $K_2S_2O_8$ (7727-21-1)	▲**Potassium Persulphate AR** M. W.: 270.31 Assay (Redox-titration) 99.0%	738.00 POR	500 gm 50 kg
196195 K_3PO_4 (7778-53-2)	tri-**Potassium Phosphate** M. W .: 212.27 Assay 97.0%	840.00	500 gm
615085 K_3PO_4 (7778-53-2)	tri-**Potassium Phosphate AR** M. W .: 212.27 Assay 98.0%	1503.00	250 gm
196215 $C_8H_4KNO_2$ (1074-82-4)	**Potassium Phthalimide** M. W.: 185.22 Assay (dried, Non-aqueous) 99.0%	1125.00 POR	500 gm 25 kg
	Potassium Phosphate Dibasic See di-Potassium Hydrogen Ortho Phosphate		
	Potassium Phosphate Mono Basic See Potassium Dihydrogen Ortho Phosphate		
029582 $K[Sb(OH)_6]$ (12208-13-8)	**Potassium Pyroantimonate** (Potassium Antimonate) M. W.: 262.89 Assay (on dried basis) 98.5%	1202.00 5810.00	100 gm 500 gm
615175 $K[Sb(OH)_6]$ (12208-13-8)	**Potassium Pyroantimonate AR** M. W.: 262.89 Assay 99.0%	1602.00 7506.00	100 gm 500 gm
196295 $K_4O_7P_2$ (7320-34-5)	tetra-**Potassium Pyrophosphate** M. W.: 330.34 Assay (acidimetric) 98.0%	1323.00 POR POR	500 gm 25 kg 50 kg
196375 $K_2S_2O_7$ (7790-62-7)	**Potassium Pyrosulphate** M. W.: 254.33	3006.00 8010.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
615215 $K_2S_2O_7$ (7790-62-7)	**Potassium Pyrosulphate AR** (Potassium Disulphate) M. W.: 254.33 Assay (acidimetric) 97.5%	10800.00	500 gm
196400	**Potassium Silicate** Solution	1782.00 POR	5 lit 25 lit
196425 K_2SiF_6 (16871-90-2)	**Potassium Silicofluoride** M. W.: 220.27	657.00	1 kg
029656 $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium** (+) **Tartrate** M. W.: 282.22 Assay (Non-aqueous) 99.0-102.0%	1107.00 9504.00 POR POR	500 gm 5 kg 25 kg 50 kg
615305 $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium** (+) **Tartrate AR/ACS** M. W.: 282.22 Assay (Non-aqueous) 99.0%	1251.00 POR POR	500 gm 25 kg 50 kg
972430 MB $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium (+) Tartrate Tetrahydrate** For Molecular Biology M. W.: 282.22 Assay : ≥ 99% Store Below 30°C	1810.00	500 gm
H61544 HISURE $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium** (+) **Tartrate** M. W.: 282.22	2106.00	500 gm
196465 $C_6H_7KO_2$ (24634-61-5)	**Potassium Sorbate** M. W.: 150.22 Assay (Acidimetric; on cal. dried basis) 99.0-101.0%	2655.00 POR POR	1 kg 25 kg 50 kg
H62044 $C_6H_7KO_2$ (24634-61-5)	**Potassium Sorbate** M. W.: 150.22	3996.00	1 kg
196515 $K_2SnO_3.3H_2O$ (12125-03-0)	**Potassium Stannate** Trihydrate for Synthesis M. W.: 298.95 Assay (Trance metal basis) 99.9%	3996.00	500 gm
196595 $C_{18}H_{35}O_2.K$ (593-29-3)	**Potassium Stearate** for Synthesis M. W.: 322.57	495.00	500 gm
029658 K_2SO_4 (7778-80-5)	**Potassium Sulphate** Low in Nitrogen Content Suitable for Protein Test M. W.: 174.25 Assay (Alkalimetric) 99.0%	450.00 3600.00 POR POR	500 gm 5 kg 25 kg 50 kg
615395 K_2SO_4 (7778-80-5)	**Potassium Sulphate AR/ACS** M. W.: 174.25 Assay (Alkalimetric) 99.5%	603.00 POR POR	500 gm 25 kg 50 kg
PCT1011 PTC K_2SO_4 (7778-80-5)	**Potassium Sulphate** Plant Culture Tested M. W.: 174.26 Assay 99% Store below 30°C	936.00 1720.00	500 gm 1 kg
879090	**Potassium Sulphate** TS acc. to USP	203.00	500 ml
196725 K_2S (1312-73-8)	**Potassium Sulphide** M. W.: 110.26	1008.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
196775 K_2SO_3 (10117-38-1)	**Potassium Sulphite** M. W.: 158.26 Assay 90.0%	**801.00**	**500 gm**
	Potassium Sulphocyanide See Potassium Thiocyanate		
196815 $C_4H_6O_6.K_2$ (921-53-9)	**DL - Potassium Tartrate** Extra Pure M. W.: 226.26	**1350.00**	**500 gm**
615985 $C_4H_6O_6.K_2$ (921-53-9)	**DL-Potassium Tartrate AR** M. W.: 226.26	**2691.00**	**250 gm**
	Potassium Tert-Butoxide See Potassium tert-Butoxide		
196780 $K_2TeO_3.3H_2O$ (7790-58-1)	**Potassium Tellurite** Trihydrate for Microbiology M.W. : 307.84 Assay (Argentometric on dried substance) 98.0%	**2601.00** **9306.00**	**25 gm** **100 gm**
029664 $K_2B_4O_7.4H_2O$ (12045-78-2)	**Potassium Tetraborate** M. W.: 305.50 Assay 99.0-101.0%	**1000.00**	**500 gm**
196820 K_2PtCl_4 (10025-99-7)	**Potassium Tetra Chloro Platinate** (II) M. W.: 415.09 Assay (ex Pt Gravimetric) 46.3-47.0%	**13590.00** **POR**	**1 gm** **5 gm**
029665 $C_4H_3KO_8.2H_2O$ (6100-20-5)	**Potassium Tetraoxalate** M. W.: 254.19 Assay 99.0%	**693.00**	**500 gm**
616385 $C_4H_3KO_8.2H_2O$ (6100-20-5)	**Potassium Tetraoxalate** (Dihydrate) **AR** M. W.: 254.19	**2079.00**	**100 gm**
	Potassium Tetroxoiodate See Potassium Meta Perodate		
029666 KSCN (333-20-0)	**Potassium Thiocyanate** M. W.: 97.18 Assay (Argentometric) 98.0%	**1233.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
616475 KSCN (333-20-0)	**Potassium Thiocyanate AR/ACS** M. W.: 97.18 Assay (Argentometric) 99.0%	**1503.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
879160	**Potassium Thiocyanate** 0.05 M (0.05N) CTITRINORM Standard Solution	**837.00**	**1 lit**
879185	**Potassium Thiocyanate** 0.1 N Solution	**266.00** **486.00** **1152.00**	**500 ml** **1 lit** **2.5 lit**
879120	**Potassium Thiocyanate** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
196925 $K_2S_2O_3$ (10294-66-3)	**Potassium Thiosulphate** Practical Grade M. W.: 190.32 Assay 95.0%	**6030.00** **18090.00**	**100 gm** **500 gm**
196975 K_2TiO_3 (12030-97-6)	**Potassium Titanate** M. W.: 174.06	**1494.00** **5409.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
196995 K_2TiF_6 (16919-27-0)	**Potassium Titanium Fluoride** M. W.: 240.09 Assay 98.0%	**1152.00**	**500 gm**
616795 K_2TiF_6 (16919-27-0)	**Potassium Titanium Fluoride AR** M. W.: 240.09	**1593.00**	**500 gm**
616885 $K_2TiC_4O_9.2H_2O$ (14402-67-6)	**Potassium Titanium Oxalate AR** M. W.: 354.13 Assay 98.5%	**1296.00** **2646.00**	**100 gm** **250 gm**
197035 KVO_3 (13769-43-2)	**Potassium** meta **Vanadate** M.W.: 138.04 Assay (exV) 98.0%	**1000.00** **4600.00**	**100 gm** **500 gm**
PCT1409 PTC	**Potato Powder** Plant Culture Tested Store below 30°C	**1260.00**	**100 gm**
	Potato Starch See Starch Potato		
TC1601M ATC $(C_6H_9NO)_n$ (9003-39-8)	**Povidone, K-value ≤15** Plasdone C; PVP, 1-Vinyl-2-pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	**3600.00** **5000.00** **6246.00** **21060.00**	**10 gm** **50 gm** **100 gm** **500 gm**
TC1562M ATC $(C_6H_9NO)_n$ (9003-39-8)	**Povidone, K-value > 15** Plasdone C; PVP, 1-Vinyl-2-pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	**3510.00** **4905.00** **6120.00** **20070.00**	**10 gm** **50 gm** **100 gm** **500 gm**
197105 $C_{15}H_{11}NO$ (92-71-7)	**PPO** (2,5-Diphenyloxazole) Scintillation grade M. W.: 221.26 Assay (Spectrophotometric) 99.0%	**1900.00** **6507.00** **27000.00**	**25 gm** **100 gm** **500 gm**
RE2140 (7440-10-0)	**Praseodymium** Metal **Ingot** Assay (Trace metal basis) 99.99%	**6606.00** **23580.00**	**10 gm** **50 gm**
RE2145 (7440-10-0)	**Praseodymium** Metal **Lump** Assay (Trace metal basis) 99.99%	**6606.00** **23580.00**	**5 gm** **25 gm**
RE2150 (7440-10-0)	**Praseodymium** Metal **Powder** 325 Mesh Assay (Trace metal basis) 99.99%	**POR** **POR**	**5 gm** **25 gm**
RE2195 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.9%	**4905.00** **16151.00**	**25 gm** **100 gm**
RE2200 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.99%	**7803.00** **28800.00**	**25 gm** **100 gm**
RE2205 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE2220 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.9%	**5355.00** **19926.00**	**25 gm** **100 gm**
RE2225 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.99%	**11651.00** **35820.00**	**25 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
RE2230 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE2245 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.9%	**4761.00** **10719.00**	**25 gm** **100 gm**
RE2250 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.99%	**7142.00** **25102.00**	**25 gm** **100 gm**
RE2255 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE2270 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.9%	**5913.00** **29520.00**	**10 gm** **50 gm**
RE2275 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.99%	**11660.00** **42300.00**	**10 gm** **50 gm**
RE2280 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.999%	**POR** **POR**	**10 gm** **100 gm**
RE2300 $Pr(OH)_3.xH_2O$	**Praseodymium Hydroxide** M. W.: 191.90 Assay (Trace metal basis) 99.99%	**POR** **POR**	**25 gm** **100 gm**
RE2305 $Pr(OH)_3.xH_2O$	**Praseodymium Hydroxide** M. W.: 191.90 Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE2320 $Pr(NO_3)_3.xH_2O$ (15878-77-0)	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.9%	**7344.00** **28000.00**	**25 gm** **100 gm**
RE2325 $Pr(NO_3)_3.xH_2O$ (15878-77-0)	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.99%	**11430.00** **40050.00**	**25 gm** **100 gm**
RE2330 $Pr(NO_3)_3.xH_2O$ (15878-77-0)	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE2345 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.9%	**POR**	**25 gm**
RE2350 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.99%	**POR** **POR**	**5 gm** **25 gm**
RE2355 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**5 gm** **25 gm**
RE2368 Pr_6O_{11} (12037-29-5)	**Prasedymium Oxide** Ceramic Grade M.W. 1021.44 Assay 97.0%	**9500.00**	**1 kg**
RE2370 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.9%	**550.00** **1233.00** **4100.00**	**10 gm** **25 gm** **100 gm**
RE2375 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.99%	**12380.00** **43983.00**	**25 gm** **100 gm**

Product Code	Product Name	Price	Packing
RE2380 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE2395 $Pr_2(SO_4)_3.8H_2O$ (13510-41-3)	**Praseodymium Sulphate** M. W.: 714.12 Assay (Trace metal basis) 99.9%	**5202.00** **11610.00** **POR**	**25 gm** **100 gm** **500 gm**
RE2400 $Pr_2(SO_4)_3.8H_2O$ (13510-41-3)	**Praseodymium Sulphate** M. W.: 714.12 Assay (Trace metal basis) 99.99%	**5607.00** **18252.00**	**25 gm** **100 gm**
029672 $C_{13}H_{11}N_3.0.5H_2SO_4$ (1811-28-5)	**Proflavine Hemisulphate** M.W. : 516.58	**1350.00** **4320.00**	**5 gm** **25 gm**
197145 $C_{21}H_{30}O_2$ (57-83-0)	**Progesterone** for lab use M. W.: 314.47 Assay(HPLC) 97.0%	**1242.00** **5085.00** **POR**	**5 gm** **25 gm** **500 gm**
TC1379 ATC $C_{21}H_{30}O_2$ (57-83-0)	**Progesterone** Cell Culture Tested M. W.: 314.46 Assay : ≥97% Store below 30°C	**1944.00** **3960.00** **13770.00**	**1 gm** **5 gm** **25 gm**
PCT1854 PTC $C_{10}H_{10}CaO_5$ (127277-53-6)	· **Prohexadione Calcium** Plant Culture Tested M. W.: 250.26	**4185.00** **31410.00**	**100 mg** **1 gm**
617495 $C_5H_9NO_2$ (344-25-2)	D-**Proline AR** M. W.: 115.13 Assay 99.0%	**410.00** **1071.00**	**1 gm** **5 gm**
037143 $C_5H_9NO_2$ (147-85-3)	L-**Proline** for Biochemistry M. W.: 115.13 Assay (Non-aq.on dried Subs.) 99.0%	**81.00** **302.00** **4500.00**	**5 gm** **25 gm** **500 gm**
PCT1317 PTC $C_5H_9NO_2$ (147-85-3)	L-**Proline** Plant Culture Tested M. W.: 115.13 Assay 99% Store below 30°C	**144.00** **505.00** **6570.00** **12600.00**	**5 gm** **25 gm** **500 gm** **1 kg**
TC1109 ATC $C_5H_9NO_2$ (147-85-3)	**L-Proline** (From non-animal source) Cell Culture Tested M. W.: 115.13 Assay : ≥99% Store below 30°C	**1431.00** **4293.00** **17110.00** **25776.00**	**25 gm** **100 gm** **500 gm** **1 kg**
TC1109M ATC $C_5H_9NO_2$ (147-85-3)	**L-Proline** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 115.13 Store below 30°C	**1540.00** **4653.00** **18153.00** **28881.00**	**25 gm** **100 gm** **500 gm** **1 kg**
	Propanal See Propionaldehyde		
	Propan-1-ol See 1-Propanol		
	Propan-2-ol See 2-Propanol		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
029673 $C_3H_8O_2$ (57-55-6)	1,2-**Propanediol** for Synthesis (Propylene Glycol) M. W.: 76.10 Assay (GC) 99.0%	**873.00** **3709.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
617585 $C_3H_8O_2$ (57-55-6)	1,2-**Propanediol AR** M. W.: 76.10 Assay (GC) 99.5%	**936.00** **4005.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
197345 $C_3H_8O_2$ (504-63-2)	1,3-**Propanediol** for Synthesis (Trimethylene Glycol, 1,3-Propylene Glycol) M.W : 76.09	**2106.00** **9504.00**	**500 ml** **2.5 lit**
	1,2-**Propanediol Cyclic Carbonate** See Propylene Carbonate		
765700 $C_3H_7NaO_3S$ (14533-63-2)	1-**Propane Sulphonic Acid Sodium Salt** HPLC M.W. : 146.14 Assay 99.0%	**306.00** **1400.00**	**5 gm** **25 gm**
765705	2-**Propane-Sulphonic Acid Sodium Salt** for HPLC Assay 99.0%	**351.00** **1503.00**	**5 gm** **25 gm**
	2-**Propen-1-ol** See Allyl Alcohol		
029679 C_3H_8O (71-23-8)	1-**Propanol** for Synthesis (n-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.0%	**486.00** **1908.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
617645 C_3H_8O (71-23-8)	1-**Propanol AR** (n-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.5%	**558.00** **2106.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 li**
765793 $CH_3.CH_2.CH_2OH$ (71-23-8)	1-**Propanol** GC-HS Grade (n-Propyl Alcohol) M.W. 60.10	**1728.00**	**1 lit**
765800 C_3H_8O (71-23-8)	1-**Propanol** for HPLC & Spectroscopy M. W.: 60.10 Assay (GC) 99.8%	**2808.00**	**1 lit**
765760 C_3H_8O (71-23-8)	1-**Propanol** for Pesticide residue analysis (n-Propyl Alcohol, Propan-1-Ol) M. W.: 60.10	**2800.00**	**1 lit**
TC1571M ATC C_3H_8O (71-23-8)	1-**Propanol** n-Propanol Meets EP 9.0 and BP 2016 testing specifications M. W.: 60.09 Store below 30°C	**5400.00** **8235.00**	**500 ml** **1 lit**
197405 C_3H_8O (67-63-0)	2-**Propanol** for Synthesis (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.0%	**423.00** **1503.00** **2520.00** **POR** **POR**	**500 ml** **2.5 lit** **5 lit** **25 lit** **200 lit**
617665 C_3H_8O (67-63-0)	2-**Propanol AR** (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.5%	**477.00** **855.00** **1701.00** **POR**	**500 ml** **1 lit** **2.5 lit** **25 lit**

Product Code	Product Name	Price	Packing
617675 C_3H_8O (67-63-0)	2-**Propanol** Specially dried **AR** M. W.: 60.10 Assay (GC) 99.5%	**423.00** **1944.00**	**500 ml** **2.5 lit**
765853 $CH_3CH(OH)CH_3$ (67-63-0)	2-**Propanol** GC-HS Grade M.W : 60.10 Assay 99.8%	**1665.00**	**1 lit**
765857 C_3H_8O (67-63-0)	2-**Propanol** EL grade (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.8%	**2403.00**	**2.5 lit**
765860 C_3H_8O (67-63-0)	2-**Propanol** for HPLC & Spectroscopy M. W.: 60.10 Assay (GC) 99.8%	**513.00** **927.00** **2007.00**	**500 ml** **1 lit** **2.5 lit**
972570 MB C_3H_8O (67-63-0)	2-**Propanol** for Molecular Biology M. W.: 60.10 Assay (GC) 99.5%	**1737.00**	**500 ml**
765900 C_3H_8O (67-63-0)	**Propanol-2-OL** for Pesticide Residue Trace Analysis (Iso Propyl Alcohol, 2-Propanol) M. W.: 60.10	**1760.00**	**1 lit**
197425 $C_{16}H_{21}NO_2.HCl$ (318-98-9)	· **Propanolol Hydrochloride** for Lab Use M. W.: 295.81 Assay 99.0%	**2430.00**	**5 gm**
	2-**Propanone** See Acetone		
197445 C_3H_4O (107-19-7)	**Propargyl Alcohol** (2-Propyn-1-ol,Propinol, Ethynyl Carbinol) M. W.: 56.06	**2205.00** **10080.00** **POR**	**500 ml** **2.5 lit** **25 lit**
	2-**Propinol** See Propargyl Alcohol		
TC1223 ATC $C_3H_4O_2$ (57-57-8)	β-**Propiolactone** M. W.: 72.06 Assay ≥97% Store at -20°C	**72630.00**	**100 ml**
029685 C_3H_6O (123-38-6)	**Propionaldehyde** for Synthesis M. W.: 58.08 Assay (GC) 98.0%	**576.00** **2106.00**	**500 ml** **2.5 lit**
029688 $C_3H_6O_2$ (79-09-4)	**Propionic Acid** for Synthesis M. W.: 74.08 Assay (GC) 99.0%	**603.00** **2700.00** **POR**	**500 ml** **2.5 lit** **25 lit**
029689 $C_6H_{10}O_3$ (123-62-6)	**Propionic Anhydride** for Synthesis M. W.: 130.14 Assay 97.0%	**1656.00** **7200.00** **POR**	**500 ml** **2.5 lit** **25 lit**
197535 CH_3CH_2CN (107-12-0)	**Propionitrile** for Synthesis (Ethyl Cyanide) M. W.: 55.08	**1431.00** **5751.00** **POR**	**500 ml** **2.5 lit** **10 lit**
618305 CH_3CH_2CN (107-12-0)	**Propionitrile AR** M. W.: 55.08	**1620.00**	**250 ml**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
197625 CH_3CH_2COCl (79-03-8)	**Propionyl Chloride** for Synthesis (Propionic Acid Chloride) M. W.: 92.52	1503.00 4600.00	500 ml 2.5 lit
972510 MB $C_{27}H_{34}I_2N_4$ (25535-16-4)	▲**Propodium Iodide** For Molecular Biology M. W.: 668.39 Assay : ≥ 94%	2214.00 4032.00	10 mg 25 mg
197885 $C_5H_{10}O_2$ (109-60-4)	n-**Propyl Acetate** for Synthesis M. W.: 102.13	567.00 2403.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
	n-**Propyl Alcohol** See 1-Propanol		
	iso-**Propyl Alcohol** See 2-Propanol		
	Propyl Chloride See Allyl Chloride		
	iso-Propyl Ether See Di-iso-Propyl Ether		
029695 C_3H_9N (107-10-8)	n-**Propylamine** for Synthesis M. W.: 59.11 Assay(GC) 98.0%	680.00 3204.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
619005 C_3H_9N (107-10-8)	n-**Propylamine AR** M. W.: 59.11	990.00 3600.00	500 ml 2.5 lit
198065 C_9H_{12} (103-65-1)	N-**Propyl Benzene** M. W.: 120.19 Assay 97.5%	2475.00 9900.00	100 ml 500 ml
027484 $CH_3.CH_2.CH_2Br$ (106-94-5)	n-**Propyl Bromide** for Synthesis M. W.: 122.99 Assay (GC) 99.0%	2106.00 8811.00	500 ml 2.5 lit
198305 $C_4H_6O_3$ (108-32-7)	**Propylene Carbonate** (1,2-Propanediol Cyclic Carbonate) (4-Methyl-1,3-Dioxolan-2-one) M. W.: 102.09	855.00 3807.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
619325 $C_4H_6O_3$ (108-32-7)	**Propylene Carbonate AR** M. W.: 102.09	1260.00	500 ml
	Propylene Glycol See 1,2-Propanediol		
	Propylene Glycol Monomethyl Ether See1-Methoxy-2-Propanol		
619505 C_3H_6O (75-56-9)	**Propylene Oxide AR** M. W.: 58.08 Assay 99.5%	3699.00	100 ml
029704 $C_{10}H_{12}O_5$ (121-79-9)	n-**Propyl Gallate** (Antioxident) M. W.: 212.20 Assay (Complexometric) 98.0%	1305.00 5202.00 48060.00 POR	100 gm 500 gm 5 kg 25 kg
198425 $C_{10}H_{12}O_3$ (94-13-3)	**Propyl-p-Hydroxy Benzoate** (Propyl Paraben) M. W.: 180.20 Assay Acidimetric, potentiometric cal. on dried subs. 99.0-102.0%	1800.00 15003.00 POR POR	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
198435 $C_{10}H_{11}NaO_3$ (35285-69-9)	**Propyl-p-Hydroxy Benzoate Sodium Salt** M. W.: 202.19 Assay 99.0-104.0%	2106.00 19000.00 POR POR	500 gm 5 kg 25 kg 50 kg
198505 C_3H_7I (107-08-4)	n-**Propyl Iodide** for Synthesis (1-Iodopropane) M.W. : 169.99 Assay 99.0%	5400.00 26010.00	100 ml 500 ml
	Propyl Paraben See propy-p-Hydroxybenzoate		
	2-**Propyn**-1-**ol** See Propargyl Alcohol,		
	N-**Propyl**-3,4,5-**Trihydroxybenzoate** See N-Propyl Gallate		
619845 (53597-25-4)	**Protamine Sulphate AR**	10494.00 POR	5 gm 25 gm
TC1563M ATC (9009-65-8)	**Protamine Sulphate** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 372.42 Store below 30°C	21060.00 84240.00 POR	10 gm 50 gm 500 gm
198535 ✠	**Protein A** Soluble Purified from S aureus Cell Wall, Lyophilised essentially salt free binding capacity 7-14 mgm of human 1g per mgm solid	13401.00	2 mg
972590 MB	▲**Protein A Sepharose** For Molecular Biology	97002.00 174600.00	500 mg 1 gm
972670 MB (39450-01-6)	▲**Proteinase K, From Pichia Pastoris** Recombinant PCR Grade For Molecular Biology M. W.: 28.93 kDa	720.00 6642.00 51750.00	10 mg 100 mg 1 gm
TC1687 ATC (39450-01-6)	▲**Proteinase K** Cell Culture Tested M. W.: 28.9 kDa	1944.00 8730.00	10 mg 100 mg
341095	**Proteose Peptone** (Culture Media Ingradient)	1503.00	500 gm
198615 $(OH)_2C_6H_3CO_2H$ (99-50-3)	**Protocatechuic Acid** for Synthesis M. W.: 154.12 Assay 97.0%	2205.00 7200.00	25 gm 100 gm
315055 $Fe_4[Fe(CN)_6]_3$ (14038-43-8)	**Prussian Blue** for Microscopy M.W. : 859.23	500.00 1800.00 2800.00 5000.00	5 gm 25 gm 100 gm 1 kg
198665 (1332-09-8)	**Pumic Stone** (Granular for elemental analysis)	3600.00	500 gm
198715 (1332-09-8)	**Pumic Stone** Powder	225.00 2007.00	500 gm 5 kg
PCT2150 PTC $C_{22}H_{29}N_7O_5.2HCl$ (58-58-2)	▲**Puromycin Dihydrochloride** Plant Culture Tested M. W.: 544.043	10211.00	10 mg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
TC1198 ATC $C_{22}H_{29}N_7O_5.2HCl$ (58-58-2)	▲**Puromycin Dihydrochloride** Cell Culture Tested M. W.: 544.43 Assay : ≥98%	**4320.00** **9081.00**	**10 mg** **25 mg**
PCT1811 PTC $C_4H_{12}N_2.2HCl$ (333-93-7)	▲**Putrescine Dihydrochloride** (1,4-Butanediamine dihydrochloride) Plant Culture Tested M. W.: 161.07 Assay 99%	**675.00** **1962.00** **8811.00**	**1 gm** **5 gm** **25 gm**
TC1163 ATC $C_4H_{12}N_2.2HCl$ (333-93-7)	▲**Putrescine Dihydrochloride** Cell Culture Tested M. W.: 161.07 Assay : ≥98%	**2480.00** **10854.00**	**5 gm** **25 gm**
029707 C_5H_5N (110-86-1)	**Pyridine** M. W.: 79.10 Assay (GC) 99.0%	**460.00** **855.00** **3700.00**	**250 ml** **500 ml** **2.5 lit**
619935 C_5H_5N (110-86-1)	**Pyridine AR** M. W.: 79.10 Assay 99.5%	**531.00** **936.00** **4203.00** **POR** **POR**	**250 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
620355 C_5H_5N (110-86-1)	**Pyridine "Dry" AR** M. W.: 79.10	**1377.00**	**500 ml**
199000 C_5H_5N (110-86-1)	**Pyridine** for Karl Fischer Reagent M. W.: 79.10	**1193.00**	**500 ml**
766500 C_5H_5N (110-86-1)	**Pyridine** for HPLC & Spectroscopy M. W.: 79.10	**2700.00**	**1 lit**
D93078 C_5D_5N (7291-22-7)	**Pyridine**-d_5 (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99.5 atom%D	**16920.00**	**10x0.75 ml**
D93087 C_5D_5N (7291-22-7)	**Pyridine**-d_5 (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99.5 atom%D	**23994.00**	**10 ml**
	Pyridine 2:6-**Dicarboxylic Acid** for synthesis SEE 2,6-Dipicolinic Acid		
199045 $C_5H_5N.HBr$ (18820-82-1)	**Pyridine Hydrobromide** for Synthesis (Pyridinium Bromide) M. W.: 160.01	**441.00** **1152.00** **1980.00**	**100 gm** **500 gm** **1 kg**
199095 C_5H_5NO (694-59-7)	**Pyridine**-N-**Oxide** for Synthesis M. W.: 95.10 Assay 94.0-106.0%	**2160.00** **4500.00** **17100.00**	**25 gm** **100 gm** **500 gm**
	3-**Pyridine Carbonitrile** See 3-Cyano Pyridine		
	4-**Pyridine Carbonitrile** See 4-Cyano Pyridine		
199315 $C_5H_6NClCrO_3$ (26299-14-9)	**Pyridinium Chlorochromate** for Synthesis M. W.: 215.56 Assay 98.0%	**1305.00** **5607.00**	**100 gm** **500 gm**
620785 $C_{10}H_{10}N_2.H_2Cr_2O_7$ (20039-37-6)	**Pyridinium Dichromate AR** M. W.: 376.20	**585.00** **1800.00** **7803.00**	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Price	Packing
199405 $C_{12}H_{13}NO_3S$ (24057-28-1)	**Pyridinium**-p-**Toluene Sulphonate** for Synthesis (4-Toluenesulphonic Acid Pyridine Salt) M. W.: 251.30	**684.00** **2502.00** **7992.00**	**25 gm** **100 gm** **500 gm**
199415 $C_8H_9NO_3.HCl$ (65-22-5)	**Pyridoxal Hydrochloride** M. W. : 203.62	**2907.00** **12456.00**	**5 gm** **25 gm**
TC1164 ATC $C_8H_9NO_3.HCl$ (65-22-5)	▲**Pyridoxal Hydrochloride** Cell Culture Tested M. W. : 203.62 Assay : ≥99%	**3380.00** **13550.00**	**5 gm** **25 gm**
199425 $C_8H_{10}NO_6PH_2O$ (41468-25-1)	· **Pyridoxal**-5-**Phosphate** for Biochemistry M. W.: 265.16 Assay 99.0%	**1017.00** **4626.00** **16300.00**	**1 gm** **5 gm** **25 gm**
199435 $C_8H_{12}N_2O_2.2HCl$ (524-36-7)	▲**Pyridoxamine Dihydrochloride** Cell Culture Tested M. W.: 241.11 Assay : ≥98%	**2295.00** **4590.00** **12600.00**	**1 gm** **5 gm** **25 gm**
TC1165 $C_8H_{12}N_2O_2.2HCl$ (524-36-7)	▲**Pyridoxamine Dihydrochloride** Cell Culture Tested M. W.: 241.11 Assay : ≥98%	**5153.00** **14004.00** **53411.00**	**1 gm** **5 gm** **25 gm**
199455 $C_8H_{11}NO_3.HCl$ (58-56-0)	**Pyridoxine Hydrochloride** For Biochemistry M. W.: 205.64 Assay (dried, non aqueous) 98-101.0%	**117.00** **504.00** **1800.00**	**5 gm** **25 gm** **100 gm**
PCT1212 PTC $C_8H_{11}NO_3.HCl$ (58-56-0)	▲**Pyridoxine Hydrochloride** (Vitamin B6 hydrochloride) Plant Culture Tested M. W.: 205.64 Assay 99%	**315.00** **707.00**	**10 gm** **25 gm**
TC1039 ATC $C_8H_{11}NO_3.2HCl$ (58-56-0)	▲**Pyridoxine Hydrochloride** (Vitamin B6 hydrochloride) Cell Culture Tested M. W.: 205.64 Assay : ≥99%	**1630.00** **3240.00** **9766.00**	**10 gm** **25 gm** **100 gm**
TC1039M ATC $C_8H_{11}NO_3.HCl$ (58-56-0)	▲**Pyridoxine Hydrochloride** Vitamin B6; Pyridoxol hydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 205.64	**3636.00** **7272.00** **14544.00**	**10 gm** **25 gm** **100 gm**
199465 $C_{12}H_9NO$ (127406-56-8)	4-(2-**Pyridyl) Benzaldehyde** M.W.: 183.21	**2300.00** **6480.00** **POR**	**1 gm** **5 gm** **500 gm**
620875 $C_{20}H_{14}N_4$ (1046-56-6)	3-(2-**Pyridyl)**-5,6-**Diphenyl**-1,2,4- **Triazine AR (PDT)** M. W.: 310.36 Assay ($HClO_4$-titration) 99.0%	**2601.00** **12501.00**	**1 gm** **5 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
620885 $C_{20}H_{12}N_4Na_2O_6S_2$ (28048-33-1)	3-(2-**Pyridyl)**-5,6-**Diphenyl** -1,2,4-**Triazine** 4'-4"-**Disulphonic Acid Disodium Salt AR** M. W.: 514.44 Assay ($HClO_4$-titration, on anhydrous substances) 99.0%	4203.00	1 gm
	1-(2-**Pyridyl Azo)**-2-**naphthol** Metal (Pm) Indicator See PAN Indicator		
	4-(2-**Pyridyl Azo) Resorcinol Mono Sodium Salt** Metal (Pm) Indicator See PAR Indicator		
199485 $C_9H_{13}N_3$ (34803-66-2)	1- (2-**Pyridyl) Piprazine** M.W.: 163.22	1800.00 6003.00 POR	5 gm 25 gm 500 gm
027653 $C_6H_4(OH)_2$ (120-80-9)	**Pyrocatechol** M. W.: 110.11 Assay (GC) 98.0%	405.00 1206.00 POR POR	100 gm 500 gm 25 kg 50 kg
620925 $C_6H_4(OH)_2$ (120-80-9)	**Pyrocatechol AR** M. W.: 110.11 Assay (GC) 99.0%	851.00 4001.00	100 gm 500 gm
	3,5-**Pyrocatechol Disulphonic Acid Disodium Salt** See Tiron		
315205 $C_{19}H_{14}O_7S$ (115-41-3)	**Pyrocatechol Violet AR** (Catechol violet) M.W.: 386.38	1008.00 4005.00	1 gm 5 gm
879360	**Pyrocatechol Violet** Solution Adsorption Indicator (Reagent for Al, Bi, Sn, V &Ti)	441.00	100 ml
	Pyrogallic Acid See Pyrogallol		
029716 $C_6H_3(OH)_3$ (87-66-1)	**Pyrogallol** for Synthesis 1, 2, 3-Trihydroxy benzene (Pyrogallic acid) M. W.: 126.11 Assay (By GC) 98.0%	1836.00 8802.00 POR	100 gm 500 gm 25 kg
621385 $C_6H_3(OH)_3$ (87-66-1)	**Pyrogallol AR** M. W.: 126.11 Assay (By GC) 99.0%	2007.00 9504.00	100 gm 500 gm
315365 $C_{19}H_{14}O_9S$ (32638-88-3)	**Pyrogallol Red AR** M. W.: 418.38	1251.00	1 gm
199545 $C_5H_7NO_3$ (98-79-3)	▲**L-Pyroglutamic Acid** for Biochemistry M. W.: 129.11 Assay 99.0%	504.00 1503.00	25 gm 100 gm
199585 (89-32-7)	**Pyromellitic Dianhydride** (PMDA) Assay 98%	1503.00 2430.00 7740.00	25 gm 100 gm 500 gm
315455 $C_{42}H_{54}Cl_8Fe_2N_4O_2$ (2150-48-3)	**Pyronin B** C. I. NO. 45010 M.W.: 1042.22 Dye content 30.0%	1656.00	5 gm

Product Code	Product Name	Price	Packing
315475 $C_{17}H_{19}ClN_2O$ (92-32-0)	▲**Pyronin G** for Microscopy Suitable as Tracker Dye in Acid Buffer System (Pyronin y) C. I. No. 45005 M.W.: 302.80	2205.00	5 gm
972750 MB $C_{17}H_{19}ClN_2O$ (92-32-0)	**Pyronin Y** For Molecular Biology C. I. No.: 45005 M. W.: 302.80	2556.00	5 gm
	Pyrrolidine-1-**Dithiocarboxylic Acid Ammonium Salt** See Ammonium Pyrrolidine Dithiocarbamate		
	S-(-)-2-**Pyrrolidone**-5-Carboxylic Acid See L-Pyroglutamic		
199755 C_4H_5N (109-97-7)	**Pyrrole** for Synthesis M.W.: 67.09 Assay 97.5%	6822.00 19800.00	100 ml 500 ml
199835 $C_5H_5NO_2$ (634-97-9)	**Pyrrole**-2-**Carboxylic Acid** M.W.: 111.10 Assay 99.0%	12321.00 47880.00	25 gm 100 gm
199945 C_4H_9N (123-75-1)	**Pyrrolidine** for Synthesis (Tetramethyleneimine Tetrahydropyrole) M.W.: 71.12	3870.00 16110.00	500 ml 2.5 lit
621465 C_4H_9N (123-75-1)	**Pyrrolidine AR** M. W.: 71.12 Assay 99.5%	1900.00 5850.00	100 ml 500 ml
200105 $C_6H_{13}NO$ (2955-88-6)	2-**Pyrrolidino Ethanol** for Synthesis M.W.: 115.17 Assay 97.0%	2205.00 7650.00	100 ml 500 ml
200225 C_7H_7NO (616-45-5)	2-**Pyrrolidone** (2-Pyrrolidone, Butyrolactum) M.W.: 85.10	1800.00 8811.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
TC1692 ATC (9001-59-6)	▲**Pyruvate Kinase** Cell Culture Tested M. W.: 237 kDa Assay : ≥95%	POR	1000 units
	Pyruvic Acid Sodium Salt See Sodium Pyruvate		

PESTICIDE RESIDUE ANALYSIS SOLVENTS

These solvents are developed especially for the applications in residual pesticides analysis and analysis of other low-volatile, environmentally relevant substances by using GC/ECD or GC/PND or GC/MSD instrumentation. These solvents are also suitable for analysis of polychlorinated biphenyles (PCBs) class of substance.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
623895 SiO_2 (14808-60-7)	**Quartz** Granular **AR** Washed and Calcined M. W.: 60.09	**594.00** **2196.00**	**250 gm** **1 kg**
623910 SiO_2 (14808-60-7)	**Quartz** Fine Powder > 230 Mesh **AR** M. W.: 60.08	**2160.00** **6390.00**	**250 gm** **1 kg**
205215 SiO_2 (14808-60-7)	**Quartz** Powder ≥ 230 Mesh Pure M. W.: 60.08	**693.00** **2106.00**	**100 gm** **500 gm**
205200 SiO_2 (14808-60-7)	**Quartz** Powder ≤ 230 Mesh Pure M. W.: 60.08	**981.00**	**100 gm**
623905 SiO_2 (14808-60-7)	**Quartz** Powder ≤ 230 mesh **AR** M. W.: 60.08	**1395.00**	**100 gm**
205235 SiO_2 (14808-60-7)	**Quartz** Powder Pure M. W.: 60.08	**792.00** **2403.00**	**250 gm** **1 kg**
205295 SiO_2 (14808-60-7)	**Quartz** White Powder Pure For Cleaning of Platinum,Crucibles, Calcined, Crdeu M. W.: 60.08	**2800.00**	**2.5 kg**
205255 SiO_2 (14808-60-7)	**Quartz** Sand Acid Purified Pure M. W.: 60.08	**1080.00** **1962.00**	**500 gm** **1 kg**
623915 SiO_2 (14808-60-7)	**Quartz** Washed & Calcined **AR** M. W.: 60.08	**3780.00** **13500.00**	**250 gm** **1 kg**
205315 $C_{15}H_{10}O_7.2H_2O$ (6151-25-3)	▲**Quercetin Dihydrate** (3,3,4,5,7-pentahydroxyflavone) M. W.: 338.27	**1900.00** **7002.00**	**25 gm** **100 gm**
PCT2547 PTC $C_{15}H_{10}O_7.2H_2O$ (6151-25-3)	▲**Quercetin Dihydrate** Plant Culture Tested M. W.: 338.27 Store below 30°C	**3204.00** **11205.00**	**25 gm** **100 gm**
626895 $C_{10}H_7NO_2$ (93-10-7)	**Quinaldic Acid AR** M. W.: 173.17 Assay 98.0%	**3070.00** **6606.00**	**10 gm** **25 gm**
205505 $C_{10}H_9N$ (91-63-4)	**Quinaldine** for Synthesis (2-Methylqunoline) M. W.: 143.19 Assay 95.0%	**1305.00** **6003.00**	**100 gm** **500 gm**
316375 $C_{21}H_{23}IN_2$ (117-92-0)	▲**Quinaldine Red** Indicator M. W.: 430.33 Dye content 95.0%	**1422.00** **6507.00**	**1 gm** **5 gm**
879860	**Quinaldine** Red Indicator Solution	**585.00**	**100 ml**
627075 $C_{12}H_{10}O_4$ (106-34-3)	**Quinhydrone AR** M. W.: 218.21	**1980.00** **9000.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
205835 $C_7H_{12}O_6$ (77-95-2)	▲**Quinic Acid** for Synthesis M. W.: 192.17 Assay 98.0%	**1242.00** **3915.00**	**5 gm** **25 gm**
PCT2548 PTC $C_{20}H_{24}N_2O_2$ (130-95-0)	**Quinine** Plant Culture Tested M. W.: 324.42 Store below 30°C	**1323.00** **2655.00**	**10 gm** **25 gm**
627135 (146-39-4)	**Quinine Glycero Phosphate AR**	**36000.00**	**5 gm**
205910 $(C_{20}H_{24}N_2O_2)_2.H_2SO_4.2H_2O$ M. W.: 782.95 (6119-70-6)	**Quinine Sulphate** Assay (Non-aqueous) 99.5%	**1450.00**	**25 gm**
627175 $(C_{20}H_{24}N_2O_2)_2.H_2SO_4.2H_2O$ M. W.: 782.95 (6119-70-6)	**Quinine Sulphate AR** Assay (Non-aqueous) 99.5%	**1683.00**	**25 gm**
316515 $C_{14}H_8O_4$ (81-64-1)	**Quinizarine** for Synthesis M. W.: 240.21 Assay 95.0%	**2007.00**	**100 gm**
	Quinol See Hydroquinone		
030012 C_9H_7N (91-22-5)	**Quinoline** for Synthesis M. W.: 129.16 Assay (GC) 97.0%	**2457.00** **11520.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
627495 C_9H_7N (91-22-5)	**Quinoline AR** M. W.: 129.16	**8334.00**	**1 lit**
206035 $C_{10}H_7NO_2$ (486-74-8)	**Quinoline-4-Carboxylic Acid** for Synthesis M. W.: 173.17 Assay 97.0%	**4680.00** **12582.00**	**1 gm** **5 gm**
316605 (8003-22-3)/(91-22-5)	**Quinoline Yellow** (Spirit Soluble) C.I. 47000	**801.00**	**25 gm**
316695 $C_{18}H_9NO_8S_2 2Na$ (8004-92-0)	**Quinoline Yellow** (Water Soluble) C.I. 47005 M. W.: 477.38	**1044.00** **2800.00**	**25 gm** **100 gm**
206235 ✠ $C_7H_5NO_4$ (89-00-9)	**Quinolinic Acid** for Synthesis M.W.: 167.12 Assay 99.0%	**1017.00** **1980.00** **7920.00**	**25 gm** **100 gm** **500 gm**

NANOPOWDER / NANOPARTICLES

Product Code : N11930

CAS No. (7782-40-3)

Diamond Nanoparticles / Nanopowder (C,3-10nm)

Assay 98%

Available Packs 1 gm, 5 gm, 25 gm

Q

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
840000	**R.B.C. Diluting Fluid** (Gower's)	432.00	500 ml
883010	**R.B.C. Diluting Fluid** (Hayem's)	145.00 244.00	125 ml 500 ml
632495 $C_{18}H_{32}O_{16}.5H_2O$ (17629-30-0)	D-**Raffinose AR** (Pentahydrate) M. W.: 594.52	693.00 1593.00 5810.00	10 gm 25 gm 100 gm
TC1162 ATC $C_{18}H_{32}O_{16}.5H_2O$ (17629-30-0)	D-**(+)-Raffinose** Pentahydrate (Melitose; Melitriose) Cell Culture Tested M. W.: 594.51 Assay : ≥98% Store below 30°C	4240.00 15660.00 60462.00	25 gm 100 gm 500 gm
	Raney Nickel Catalyst Alloy See Nickel Aluminium Alloy		
TC1416 ATC $C_{51}H_{79}NO_{13}$ (53123-88-9)	· **Rapamycin** 23,27-Epoxy-3H-pyrido[2,1-c][1,4] oxaazacyclohentriacontine, AY 22989, Sirolimus Cell Culture Tested M. W.: 914.17 Assay : ≥90%	33850.00 90936.00	10 mg 50 mg
	Rare Earth Multi Element See Multi Element		

Reagents & Solutions According To United States Pharmacopoeia

Product Code	Product Name	Price	Packing
800105	**Acetate Buffer** TS acc. to USP	423.00	500 ml
800263	**Acetic Acid Solution** 2N acc. to USP	423.00	500 ml
800336	**Acetic Acid - Ammonium** Acetate Buffer TS acc. to USP	900.00	500 ml
804800	**Ammonia** TS acc. to USP	369.00	500 ml
804805	**Ammonia-Ammonium** Chloride Buffer TS acc. to USP	225.00	500 ml
805070	**Ammonium Carbonate** TS acc. to USP	302.00	500 ml
805140	**Ammonium Chloride**-Ammonium Hydroxide TS acc. to USP	320.00	500 ml
805138	**Ammonium Chloride** TS acc. to USP	239.00	500 ml
806200	**Ammonium Thiocyanate** TS acc. to USP	261.00	500 ml
808082	**Barium Chloride** TS acc. to USP	275.00	500 ml
808200	**Barium Nitrate** TS acc. to USP	261.00	500 ml
811282	**Bromate-Bromide** Solution 0.1N acc. to USP	351.00	500 ml
811744	**Bromocresol Green** TS acc. to USP	167.00	125 ml
812005	**Bromophenol Blue** TS acc. to USP	252.00	125 ml
812175	**Bromothymol Blue** TS acc. to USP	288.00	125 ml
814470	**Calcium Sulphate** TS acc. to USP	234.00	500 ml
819045	**Congo Red** TS acc. to USP	261.00	125 ml
819280	**Copper Acetate** TS acc. to USP	306.00	500 ml
819390	**Copper Sulphate** TS acc. to USP	351.00	500 ml
829050	**Edetate Disodium** TS acc. to USP	495.00	500 ml
834270	**Ferric Ammonium** Sulphate TS acc. to USP	176.00	500 ml
834325	**Ferric Chloride** TS acc. to USP	167.00	500 ml
839650	**Glycerin Base** TS acc. to USP	333.00	500 ml
844865	**Hydrochloric Acid** 1N acc. to USP	333.00	500 ml
849845	**Iodine Solution** 0.1N acc. to USP	1400.00	500 ml
859825	**Lead Acetate** TS acc. to USP	261.00	500 ml
864520	**Mercuric Chloride** TS acc. to USP	558.00	100 ml
865750	**Methylene Blue** TS acc. to USP	315.00	125 ml
865863	**Methyl Orange** TS acc. to USP	176.00	125 ml
866043	**Methyl Red** TS acc. to USP	225.00	125 ml
866048	**Methyl** Red-Methylene Blue solution acc. to USP	221.00	125 ml
868805	**Neutral Red** TS acc. to USP	167.00	125 ml
871580	**Oxalic Acid** TS acc. to USP	198.00	500 ml
874643	**Perchloric Acid** Solution 0.1N acc. to USP	1062.00	500 ml
875190	**Phenolphthalein** TS acc. to USP	261.00	125 ml
875520	**Phenol Red** TS acc. to USP	199.00	125 ml
875810	**Phosphotungstic Acid** TS acc. to USP	846.00	100 ml
876670	**Potassium Acetate** TS acc. to USP	225.00	500 ml
876840	**Potassium Carbonate** TS acc. to USP	185.00	500 ml
878525	**Potassium Iodide** TS acc. to USP	1503.00	500 ml
878793	**Potassium Permangnate** Solution 0.1N acc. to USP	630.00	500 ml
879090	**Potassium Sulphate** TS acc. to USP	203.00	500 ml
883215	**Resorcinol** TS acc. to USP	603.00	500 ml
889415	**Silver Nitrate** Solution 0.1N acc. to USP	3303.00	500 ml
890325	**Sodium Acetate** TS acc. to USP	221.00	500 ml
891250	**Sodium Chloride** TS, Alkaline acc. to USP	604.00	500 ml
892163	**Sodium Hydroxide** TS (1 N) acc. to USP	194.00	500 ml
893245	**Sodium Thiosulphate** Solution 0.1N (N/10) acc. to USP	302.00	500 ml
894495	**Sulphanilic Acid** TS acc. to USP	369.00	500 ml
894594	**Sulphomolybdic** Acid TS acc. to USP	1031.00	500 ml
895152	**Sulphuric** Acid Solution 1N acc. to USP	360.00	500 ml
897443	**Thymol Blue** TS acc. to USP	234.00	125 ml
908530	**Zinc Sulphate** Solution 0.05M	765.00	500 ml
	Red Phosphorus See Phosphorus Red		
	Reinecke Salt See Ammonium Reineckate		
TC1689 ATC (9001-98-3)	▲**Renin** Cell Culture Tested Rennet strength : NLT 800 MCU/g	3033.00 12132.00	1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	Resacetophenone See 2,4-Dihydroxy Aceto Phenone		
317605 $C_{12}H_6N.NaO_4$ (62758-13-8)	**Resazurin Sodium Salt AR** M. W.: 251.17 Dye content Min. 75.0%	**1350.00** **6003.00**	**1 gm** **5 gm**
632585 $C_{33}H_{40}N_2O_9$ (50-55-5)	**Reserpine AR** M.W.: 608.69 Assay (Non-aqueous) ≥ 99.0%	**3303.00** **16002.00**	**1 gm** **5 gm**
	Resazurin AR See Resazurin Sodium Salt		
	Resorcin Blue See Lacmoid,		
030019 $C_6H_4(OH)_2$ (108-46-3)	**Resorcinol** for Synthesis M. W.: 110.11 Assay (GC) 99.0%	**2403.00** **4608.00** **POR**	**250 gm** **500 gm** **25 kg**
632695 $C_6H_4(OH)_2$ (108-46-3)	**Resorcinol AR** M. W.: 110.11 Assay(GC) 99.5%	**1107.00** **5202.00**	**100 gm** **500 gm**
972830 MB $C_6H_6O_2$ (108-46-3)	**Resorcinol** (1,3-Dihydroxybenzene) For Molecular Biology M. W.: 110.11 Assay : ≥ 99% Store Below 30°C	**2664.00** **5211.00** **19530.00**	**25 gm** **100 gm** **500 gm**
883215	**Resorcinol** TS acc.to USP	**603.00**	**500 ml**
213755 ✲ $C_8H_{10}O_2$ (151-10-0)	**Resorcinol Dimethyl Ether** for Synthesis M.W.: 138.16 Assay 98.0%	**1872.00** **7700.00**	**100 gm** **500 gm**
213865 ✲ $C_7H_6O_3$ (95-01-2)	**b-Resourcylaldehyde** for Synthesis M.W.: 138.12 Assay 97.5%	**4590.00** **11700.00** **28710.00**	**25 gm** **100 gm** **500 gm**
213975 $C_{14}H_{12}O_3$ (501-36-0)	**Resveratrol** for Biochemistry M. W.: 228.24 Assay 99.0%	**2700.00** **8100.00** **24300.00**	**1 gm** **5 gm** **25 gm**
883225	**Reticulocyte Counting** Fluid	**401.00**	**125 ml**
TC1153 ATC $C_{22}H_{32}O_2$ (127-47-9)	▲**Retinol Acetate** (Vitamin A acetate power: Retinyl acetate) Cell Culture Tested M. W.: 328.49 Assay : ≥475000 IU/g	**1593.00** **5590.00** **11205.00**	**1 gm** **5 gm** **25 gm**
632785 $C_6H_{12}O_5H_2O$ (10030-85-0)	**L-Rhamnose AR** M. W.: 182.17	**657.00** **2601.00**	**5 gm** **25 gm**
883250	**Rhenium** (Re) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**2772.00** **10710.00**	**100 ml** **500 ml**
883260	**Rhenium** (Re) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	**8046.00**	**100 ml**
214075 Re (7440-15-5)	**Rhenium** Metal Powder M. W.: 186.21 Assay 99.9%	**5000.00** **POR**	**1 gm** **5 gm**

Product Code	Product Name	Price	Packing
317755 $C_{28}H_{31}N_2O_3Cl$ (81-88-9)	**Rhodamine B AR** for Microscopy C.I. No. 45170 M. W.: 479.02 Dye content Abt. 80.0%	**306.00** **900.00**	**25 gm** **100 gm**
214165 $C_{29}H_{30}ClN_3O_3S$ (36877-69-7)	**Rhodamine B-Iso-Thiocyanate** for Biochemistry & Microscopy M.W.: 536.08	**22433.00** **167000.00**	**100 mg** **1 gm**
317895 $C_{28}H_{31}ClN_2O_3$ (989-38-8)	**Rhodamine** 6G C.I. No. 45160 M. W.: 479.02 Dye content (Spectrophotometric, on dried subs.) Abt. 95.0%	**459.00** **1152.00** **3002.00** **POR**	**5 gm** **25 gm** **100 gm** **1 kg**
214275 $C_3H_3NOS_2$ (141-84-4)	**Rhodanine** (2-Thioxo-4-Thiazolidinone) M.W.: 133.19 Assay 98.0%	**3303.00**	**25 gm**
214395 $C_{10}H_{20}O$ (141-25-3)	**Rhodinol** for Synthesis M. W.: 156.27	**3690.00**	**250 gm**
214505 $C_{12}H_{22}O_2$ (141-11-7)	**Rhodinyl Acetate** for Synthesis M. W.: 198.30	**5000.00**	**500 gm**
214525 $C_{14}H_{26}O_2$ (732282-93-8)	**Rhodinyl Butyrate** for Synthesis M. W.: 226.36	**5000.00**	**500 gm**
214545 (845870-35-1)	**Rhodinyl Formate** for Synthesis	**5000.00**	**500 gm**
214565 $C_{18}H_{26}O_2$ (10486-14-3)	**Rhodinyl Phenyl Acetate** for Synthesis M. W.: 274.40	**4500.00**	**500 gm**
883320	**Rhodium** (Rh) CPECTROSOL® Atomic Absorption Std.Soln. Contain1000 mg/lit AAS in HNO_3 In accordance with NIST	**20304.00** **50760.00**	**100 ml** **500 ml**
883330	**Rhodium** (Rh) CRISTAR® Element Std. Soln. for ICP in HNO_3	**23994.00**	**100 ml**
214675 Rh (7440-16-6)	**Rhodium** (Metal) Powder A.W.: 102.91 Assay 99%	**16700.00**	**100 mg**
214685 $RhCl_3xH_2O$ (20765-98-4)	**Rhodium Trichloride** Rh contain abt 40% M. W.: 209.26 (Anhydrous) Assay (Rh) 40.0%	**6444.00** **36000.00**	**100 mg** **1 gm**
	Rhodizonic Acid Sodium Salt See Sodium Rhodizonate		
214705 $C_8H_{12}N_4O_5$ (36791-04-5)	**Ribavirin** M. W.: 244.2	**1000.00** **1503.00** **2997.00** **8982.00**	**5 gm** **10 gm** **25 gm** **100 gm**
PCT2133 PTC $C_8H_{12}N_4O_5$ (36791-04-5)	▲**Ribavirin** Plant Culture Tested M. W.: 244.2 Assay : =98.9%	**1791.00** **8042.00**	**10 mg** **50 mg**
214725 $C_{17}H_{20}N_4O_6$ (83-88-5)	**Riboflavin** For Biochemistry Vitamin B_2 (For Lab use) M. W.: 376.37 Assay (Spectrophotometric, on dried substance) 98.0-102.0%	**306.00** **558.00** **1152.00** **3160.00** **9000.00**	**5 gm** **10 gm** **25 gm** **100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT1214 PTC $C_{17}H_{20}N_4O_6$ (83-88-5)	**(-)-Riboflavin** (Vitamin B2) Plant Culture Tested M. W.: 376.36 Assay 99% Store below 30°C	441.00 963.00	10 gm 25 gm
TC1167 ATC $C_{17}H_{20}N_4O_6$ (83-88-5)	**(-)-Riboflavin** (Vitamin G; Vitamin B2) Cell Culture Tested M. W.: 376.36 Assay : ≥98% Store below 30°C	1504.00 4545.00	25 gm 100 gm
TC1167M ATC $C_{17}H_{20}N_4O_6$ (83-88-5)	**(-)-Riboflavin** Vitamin G; Vitamin B2; Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 376.36 Store below 30°C	3155.00 9100.00	25 gm 100 gm
214735 $C_{17}H_{20}N_4NaO_9P$ (130-40-5)	▲**Riboflavin-5-Mono Phosphate Sodium** Salt (FMN) for Biochemistry M. W.:478.33 (For Lab use) Assay (UV) 93.0%	221.00 729.00	5 gm 25 gm
214745 (9001-99-4)	· **Ribonuclease** 3x cryst Lyophilised (R Nase) ex. Bovine pancreas	4914.00 21033.00	100 mg 500 mg
972910 MB (9001-99-4)	**Ribonuclease-A** (See: RNase A) From Bovine Pancreas (DNase Free) For Molecular Biology M. W.: ~13700 Assay : ≥ 50 Units/mg E. C. No. : 3.1.27.5 Protein (Kunitz) Store at 20°C	2682.00 12150.00 22460.00	100 mg 500 mg 1 gm
TC1688 ATC (9001-99-4)	**RNase A (DNase free)** Source : Bovine Pancreas Cell Culture Tested M. W.: ~13.7 kDa Store at -20°C	9531.00 22563.00 38421.00	100 mg 500 mg 1 gm
972990 MB (63231-63-0)	**Ribonucleic Acid** (See: RNA, From Torula Yeast) For Molecular Biology Assay : ≥ 86% Upon Receipt Store at - 20°C	1008.00 1926.00 7407.00	10 gm 25 gm 100 gm
973070 MB (73049-77-1)	▲**Ribonucleic Acid Sodium Salt** For Molecular Biology	1990.00 4383.00 16623.00	10 gm 25 gm 100 gm
038058 $C_5H_{10}O_5$ (50-69-1)	· D-**Ribose** for Biochemistry M. W.: 150.13 Assay ≥ 99.0%	270.00 702.00 2502.00 POR	5 gm 25 gm 100 gm 1 kg
973180 MB $C_5H_{10}O_5$ (50-69-1)	▲D-**Ribose** For Molecular Biology M. W.: 150.13 Assay : ≥ 99%	221.00 927.00 3033.00 7146.00	1 gm 5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
PCT1614 PTC $C_5H_{10}O_5$ (50-69-1)	▲D-(-)-**Ribose** Plant Culture Tested M. W.: 150.13 Assay 99%	387.00 820.00	5 gm 25 gm
TC1168 ATC $C_5H_{10}O_5$ (50-69-1)	▲D-(-)-**Ribose** Cell Culture Tested M. W.: 150.13 Assay : ≥99%	3267.00 8204.00	25 gm 100 gm
214805 ✠ $C_5H_{10}O_5$ (24259-59-4)	L-**Ribose** for Biochemistry M.W.: 150.13	1172.00 8460.00	1 gm 5 gm
	Rice Starch See Starch Rice		
214845 $C_{43}H_{58}N_4O_{12}$ (13292-46-1)	· **Rifampicin** for Lab use M. W.: 822.96 Assay(dried subsatnce) 97-102%	720.00 3267.00	1 gm 5 gm
PCT2119 PTC $C_{43}H_{58}N_4O_{12}$ (13292-46-1)	▲**Rifampicin** Plant Culture Tested M. W.: 822.94 Assay 97%	963.00 2890.00 11543.00 34642.00	1 gm 5 gm 25 gm 100 gm
TC1354 ATC $C_{43}H_{58}N_4O_{12}$ (13292-46-1)	▲**Rifampicin (Rifampin)** Cell Culture Tested M. W.: 822.94 Potency : ≥97%	11070.00 22140.00	1 gm 5 gm
883380	**Ringer**'S Solution	180.00 522.00	125 ml 500 ml
883410	**Robert's** Test Reagent	113.00	125 ml
	Rochelle Salt See Potassium Sodium (+) Tartrate		
318095 $C_{20}H_{19}N_3.HCl$ (632-99-5)	**Rosaniline Hydrochloride AR** M.W. : 337.86 Dye content (Titanometric; on dried subs.) 88.0%	1188.00 4311.00	25 gm 100 gm
	p-**Rosaniline Hydrochloride** See Pararosaniline Chloride,		
	P-**Rosaniline** See Pararosaniline		
215025 $C_{10}H_9Cl_3O_2$ (90-17-5)	**Rose** Crystals Pure M. W..: 267.53	2403.00	500 gm
318245 $C_{20}H_2O_5I_4Cl_4Na_2$ (632-69-9)	**Rose Bengal AR** C.I. No. 45440 M. W.: 1017.6 Dye content (Gravimetry, on dried substance) Abt.75.0%	703.00 2097.00 7497.00	5 gm 25 gm 100 gm
318335 $C_{19}H_{14}O_3$ (603-45-2)	**Rosolic Acid** C.I. 43800 (Para Rosolic Acid, Aurine) M. W.: 290.32 Dye Content 85%	891.00 3303.00	25 gm 100 gm
883460	**Rothera's** Mixture Powder (For detection of Ketone bodies (Acetone) in Urine)	135.00	100 gm
215075 $C_{41}H_{76}N_2O_{15}$ (80214-83-1)	**Roxithromycin** for Lab use M.W. : 837.05 Assay 90.0%	1620.00 4851.00	1 gm 5 gm
	Rubenic Acid See Dithiooxamide		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
883510	**Rubidium** (Rb) CPECTROSOL® Atomic Absorption Std. Soln. Contain1000 mg/lit AAS in HNO_3 In accordance with NIST	2552.00 6696.00	100 ml 500 ml
883520	**Rubidium** (Rb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5661.00	100 ml
632885 RbBr (7789-39-1)	**Rubidium Bromide AR** M.W.: 165.37 Assay 99.0%	4005.00 13811.00	5 gm 25 gm
215145 Rb_2CO_3 (584-09-8)	**Rubidium Carbonate** M.W.: 230.94 Assay 98.5-101.5%	6201.00 30960.00	10 gm 50 gm
632975 RbCl (7791-11-9)	**Rubidium Chloride AR** M. W.: 120.92	3303.00 15480.00	5 gm 25 gm
973230 MB (7791-11-9)	**Rubidium Chloride** (RbCl) For Molecular Biology M. W. : 120.92 Assay : ≥ 99.5% Store Below 30°C	4014.00 19557.00	5 gm 25 gm
632945 RbI (7790-29-6)	**Rubidium Iodide AR** M.W.: 212.37	7560.00 34920.00	10 gm 50 gm

Product Code	Product Name	Price	Packing
215185 Rb_2SO_4 (7488-54-2)	**Rubidium Sulphate** M.W.: 267.00 Assay 99.8%	2502.00 10090.00	5 gm 25 gm
215255 Ru (7440-18-8)	**Ruthenium** Metal 99.9% A.W.: 101.07 Assay (trace metal basis) 99.9%	4860.00	1 gm
215445 RuO_2 (12036-10-1)	**Ruthenium Dioxide** Anhydrous M.W.: 133.07 Assay 99.9%	7506.00 31500.00	1 gm 5 gm
318475 $Ru_3O_2(NH_3)_{14}Cl_6.4H_2O$ (11103-72-3)	**Ruthenium Red** Content about 34% Approx M. W.: 858.42 Assay (As Ru) 34.0%	5760.00 27630.00	1 gm 5 gm
030032 $RuCl_3.xH_2O$ (14898-67-0)	**Ruthenium Trichloride** Ru Content about 40% M. W.: 207.43 (anhydrous) Assay (Ru) 38-43%	3402.00 32000.00	1 gm 10 gm
215505 $C_{27}H_{30}O_{16}.3H_2O$ (250249-75-3)/ (153-18-4)	**Rutin** (Vitamin P) M. W.: 664.55 Assay (HPLC) Abt. 90.0%	954.00 3470.00	25 gm 100 gm

Plant Tissue Culture
Tested Chemicals

CDH introducing the comprehensive range of plant tissue culture tested chemicals on customer demand. Plant tissue culture tested chemicals are assessed and analysed for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

PTC products are analysed with stringent quality control required to maintain consistency and quality. We have developed complete in-house testing facilities for all our products and deliver the best to our customers. Our range include wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
215605 $C_7H_5NO_3S$ (81-07-2)	**Saccharin** insoluble M. W.: 183.18 Assay (Acidimetric) 98.0%	2700.00	500 gm
030034 $C_7H_4NNaO_3.S.2H_2O$ (6155-57-3)	**Saccharin Sodium** M. W.: 241.19 Assay (Non-aq., on anhydrous subs.) 98.0%	2601.00 POR POR	500 gm 25 kg 50 kg
	Saccharose See Sucrose		
319375 $C_{20}H_{19}ClN_4$ (477-73-6)	**Safranine O** for Microscopy C.I. No. 50240 M. W.: 350.85 Dye content (spectrophotometry, dried) Abt. 90.0%	675.00 2403.00 22500.00	25 gm 100 gm 1 kg
887100	**Safranine** 1% w/v Aq.Staining Solution	176.00 297.00	125 ml 250 ml
	Salmine Sulphate See Protamine Sulphate		
038060 $C_{13}H_{18}O_7$ (138-52-3)	**Salicin** for Microbiology M. W.: 286.28	1503.00 5310.00	5 gm 25 gm
030035 $C_6H_4(OH).CHO$ (90-02-8)	**Salicylaldehyde** for Synthesis M. W.: 122.12 Assay (GC) 99.0%	774.00 1791.00	100 ml 250 ml
634305 $C_6H_4(OH).CHO$ (90-02-8)	**Salicylaldehyde AR** M. W.: 122.12 Assay (GC) 99.5%	1071.00 3600.00	100 ml 500 ml
215705 $C_{14}H_{12}N_2O_2$ (959-36-4)	**Salicylaldehyde Azine** M .W.: 240.26	801.00 2007.00 6003.00	1 gm 5 gm 25 gm
638305 2-(OH)C_6H_4CH=NOH (94-67-7)	**Salicylaldehyde Oxime AR** (salicylaldoxime) M .W.: 137.14	405.00 1800.00	5 gm 25 gm
215745 $C_7H_7NO_2$ (65-45-2)	**Salicylamide** M. W.: 137.14 Assay (T) 98.0%	1720.00 16020.00	500 gm 5 kg
638395 $C_7H_8N_2O_2$ (936-02-7)	**Salicylhydrazide AR** M. W.: 152.15	3051.00 9909.00	25 gm 100 gm
030038 $C_6H_4(OH).COOH$ (69-72-7)	**Salicylic Acid** for Synthesis M. W.: 138.12 Assay 99.0%	981.00 9090.00 POR POR	500 gm 5 kg 25 kg 50 kg
638435 $C_6H_4(OH)COOH$ (69-72-7)	**Salicylic Acid AR** M. W.: 138.12 Assay (Cal. on dried subs. alkalimetric) 99.0-100.5%	1035.00 POR POR	500 gm 25 kg 50 kg
PCT1826 PTC $C_7H_6O_3$ (69-72-7)	**Salicyclic Acid** Plant Culture Tested M. W.: 138.12 Assay 99% Store below 30°C	1350.00	500 gm
215805	**Salt Mixture** Bernhart Tommarelli (a modified NRC salt mixture)	401.00 756.00 3375.00	500 gm 1 kg 5 kg
215835	**Salt Mixture** H.M.W. (acc. to Hubble Mendal and Wakeman, Journal of Nutrition 14,273 (1937)	446.00 855.00 3708.00	500 gm 1 kg 5 kg

Product Code	Product Name	Price	Packing
215865	**Salt Mixture** XIV (as per USP XIV (1950)	477.00 909.00 4230.00	500 gm 1 kg 5 kg
887180	**Salzmann's Reagent Solution (Reagent for Nitrite)**	1000.00	100 ml
RE2410 (7440-19-9)	**Samarium** Metal Ingot Assay (Trace metal basis) 99.99%	8200.00 32000.00	25 gm 100 gm
RE2415 (7440-19-9)	**Samarium** Metal Lump (1 cm) Assay (Trace metal basis) 99.99%	8200.00 32000.00	25 gm 100 gm
RE2420 (7440-19-9)	**Samarium** Metal Powder 325 mesh Assay (Trace metal basis) 99.99%	POR POR	5 gm 25 gm
RE2465 $SmC_6H_9O_6.XH_2O$ (100587-91-5)	**Samarium** (III) **Acetate** M .W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.9%	7290.00 19080.00	25 gm 100 gm
RE2470 $SmC_6H_9O_6.XH_2O$ (100587-91-5)	**Samarium** (III) **Acetate** M .W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.99%	9000.00 23400.00	25 gm 100 gm
RE2480 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.99%	4671.00 13680.00	25 gm 100 gm
RE2485 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
RE2490 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
RE2500 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.99%	11790.00 32310.00	25 gm 100 gm
RE2505 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
RE2510 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
RE2520 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.99%	13500.00 30510.00	25 gm 100 gm
RE2525 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.999%	17010.00 POR	25 gm 100 gm
RE2530 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
RE2545 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.9%	2430.00 4860.00 9684.00 38790.00	10 gm 25 gm 100 gm 500 gm
RE2550 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.99%	6192.00 17100.00 61200.00	25 gm 100 gm 500 gm
RE2555 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.999%	3663.00 13077.00 34200.00	5 gm 25 gm 100 gm
RE2565 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay Assay (Trace metal basis) 99.99%	11880.00 32000.00	25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
RE2570 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay (Trace metal basis) 99.999%	**POR** **POR**	**25 gm** **100 gm**
RE2575 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay (Trace metal basis) 99.9999%	**POR** **POR**	**5 gm** **25 gm**
215895 SiO_2 (14808-60-7)	**Sand** Acid Purified 40-200 mesh M. W.: 60.08	**693.00** **1080.00** **4150.00**	**500 gm** **1 kg** **5 kg**
215925 SiO_2 (14808-60-7)	**Sand** Calcined Crude Pract M. W.: 60.08	**1044.00**	**2.5 kg**
	Sanger's Reagent See 1-Fluoro-2,4-Dinitrobenzene		
215955 (8047-15-2)	**Saponin** Pure	**1800.00** **7200.00**	**100 gm** **500 gm**
973310 MB (8047-15-2)	**Saponin** (From Plant) For Molecular Biology Store Below 30°C	**5211.00** **25461.00**	**100 gm** **500 gm**
216005 $C_3H_7NO_2$ (107-97-1)	**Sarcosine** For Biochemistry M. W.: 89.09 Assay 98.0%	**1000.00** **4500.00**	**100 gm** **500 gm**
973390 MB $C_{15}H_{28}NO_3Na$ (137-16-6)	▲**Sarcosyl** For Molecular Biology M. W. : 293.38 Assay : ≥ 94%	**640.00** **2881.00**	**5 gm** **25 gm**
887290	**Scandium** (Sc) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**3430.00** **8595.00**	**100 ml** **500 ml**
887300	**Scandium** (Sc) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	**5490.00** **9109.00**	**50 ml** **100 ml**
RE2585 (7440-20-2)	**Scandium** Metal Ingot Assay (Trace metal basis) 99.99%	**14940.00** **55530.00**	**1 gm** **5 gm**
RE2590 (7440-20-2)	**Scandium** Metal Lump (1cm) Assay (Trace metal basis) 99.99%	**14940.00** **55530.00**	**1 gm** **5 gm**
RE2595 (7440-20-2)	**Scandium** Metal Powder Assay (Trace metal basis) 99.99%	**14400.00** **POR**	**1 gm** **5 gm**
RE2635 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9%	**7281.00** **28530.00**	**1 gm** **5 gm**
RE2640 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.99%	**9000.00** **32000.00**	**1 gm** **5 gm**
RE2645 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **5 gm**
RE2650 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **5 gm**

Product Code	Product Name	Price	Packing
RE2665 $Sc_2(CO_3)_3.XH_2O$	**Scandium Carbonate** M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.99%	**10494.00** **43983.00**	**1 gm** **5 gm**
RE2670 $Sc_2(CO_3)_3.XH_2O$	**Scandium Carbonate** M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **5 gm**
RE2680 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.9%	**6120.00** **20970.00**	**1 gm** **5 gm**
RE2685 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.99%	**8055.00** **25353.00**	**1 gm** **5 gm**
RE2690 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **5 gm**
RE2695 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **5 gm**
RE2705 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.9%	**8100.00** **38300.00**	**1 gm** **10 gm**
RE2710 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.99%	**10000.00** **43020.00**	**1 gm** **10 gm**
RE2715 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.999%	**POR**	**5 gm**
RE2725 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.9%	**POR**	**5 gm**
RE2730 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.99%	**POR**	**5 gm**
RE2735 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.999%	**POR**	**5 gm**
RE2745 ScI_3 (14474-33-0)	**Scandium Iodide** M. W.: 425.67 Assay (Trace metal basis) 99.95%	**POR** **POR**	**1 gm** **5 gm**
RE2755 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9%	**8631.00** **23850.00**	**1 gm** **5 gm**
RE2760 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.99%	**12960.00** **48060.00**	**1 gm** **5 gm**
RE2765 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **5 gm**
RE2770 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **5 gm**
RE2785 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.99%	**7200.00** **POR**	**1 gm** **5 gm**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
RE2790 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE2795 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE2805 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.9%	2970.00 9000.00	1 gm 5 gm
RE2810 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.99%	3294.00 10540.00	1 gm 5 gm
RE2815 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.999%	6993.00 29530.00	1 gm 5 gm
RE2820 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE2830 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.9%	7992.00 POR	1 gm 10 gm
RE2835 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.99%	16506.00 70407.00	1 gm 5 gm
RE2840 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
	Scarlet Red See Sudan IV		
887330	**Schaeffer & Fulton's Spore Stain A**	243.00	100 ml
887360	**Schaeffer & Fulton's Spore Stain B**	203.00	100 ml
K094005	**Schaeffer & Fulton's Spore stains kit**	374.00	KIT
888040	**Schiff's** Reagent for detection of aldehydes	171.00 500.00	125 ml 500 ml
	SDS Biological Detergent See Sodium Lauryl Sulphate		
TC1698 ATC $C_{12}H_{25}NaO_4S$	**SDS** (Dodecyl sulphate sodium salt) Cell Culture Tested M. W.: 288.38 Store below 30°C	1760.00 5270.00 10557.00 13222.00 26010.00	25 gm 100 gm 250 gm 500 gm 1 kg
216150 SiO_2 (7631-86-9)	**Sea Sand** Purified M.W.: 60.08	1503.00 2205.00	500 gm 1 kg
638525 SiO_2 (7631-86-9)	**Sea Sand AR** M. W.: 60.08	3006.00	1 kg
030042 $C_{10}H_{18}O_4$ (111-20-6)	**Sebacic Acid** for Synthesis M. W.: 202.25 Assay (acidimetric) 98.0%	1494.00 POR POR	500 gm 25 kg 50 kg
216215 H_2SeO_4 (7783-08-6)	**Selenic Acid** for Synthesis M. W.: 144.97	8307.00 17100.00	25 ml 100 ml

Product Code	Product Name	Price	Packing
	Selenious Acid See Selenous Acid		
888160	**Selenium** (Se) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	2372.00	250 ml
888190	**Selenium** (Se) CPECTROSOL® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	4716.00	100 ml
888130	**Selenium** (Se) CPECTROSOL® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	15620.00	100 ml
216190 Se (7782-49-2)	**Selenium** (Metal) Powder A. W.: 78.96 Assay (iodometric) 99.0%	3006.00 13005.00	100 gm 500 gm
638615 Se (7782-49-2)	**Selenium** (Metal) Powder Black **AR** A. W.: 78.96 Assay (Iodometric) 99.5%	846.00 3195.00 14940.00	25 gm 100 gm 500 gm
216285 Se (7782-49-2)	**Selenium** (Metal) Pellets A. W.: 78.96 Assay (Iodometric) 99.999%	7200.00	100 gm
030050 SeO_2 (7446-08-4)	**Selenium Dioxide** (Sublimed) M. W.: 110.96 Assay (ex Se Iodometric) 98.0%	3002.00 13500.00	100 gm 500 gm
216315 SeS_2 (7488-56-4)	**Selenium Disulphide** M. W.: 143.09 Assay (ex Se) 52.0-55.5%	3042.00 7300.00	100 gm 250 gm
030054 H_2SeO_3 (7783-00-8)	**Selenous Acid** M. W.: 128.97 Assay (ex Se iodometric) 98.0%	3006.00 28008.00	100 gm 1 kg
888280	**Seliwan Off's** Reagent	208.00	125 ml
888310	**Semen Diluting** Fluid	149.00	125 ml
030056 CH_5N_3OHCl (563-41-7)	**Semicarbazide Hydrochloride** M. W.: 111.53 Assay (Oxidimetric) 98.0%	603.00 2808.00 POR	100 gm 500 gm 25 kg
638675 CH_5N_3OHCl (563-41-7)	**Semicarbazide Hydrochloride AR** M. W.: 111.53 Assay (Oxidimetric) 99.5%	684.00 3006.00 POR	100 gm 500 gm 25 kg
216345	**Seralite 225** (Na) 14-25 mesh standard grade	5000.00	500 gm
037147 $C_3H_7NO_3$ (302-84-1)	DL-**Serine** M. W.: 105.10 Assay (non aqueous) 98.5%	990.00 3240.00	25 gm 100 gm
TC1377 ATC $C_3H_7NO_3$ (302-84-1)	DL-**Serine** (±) 2-Amino-3-hydroxypropionic acid Cell Culture Tested M. W.: 105.09 Assay : ≥98% Store below 30°C	2412.00 5590.00	25 gm 100 gm
037146 $C_3H_7NO_3$ (56-45-1)	L-**Serine** M. W.: 105.10 Assay (Non-aqueous Calc. with ref. to the dried substance) 98.5-101.0%	153.00 621.00 2174.00 10000.00	5 gm 25 gm 100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
PCT1318 PTC $C_3H_7NO_3$ (56-45-1)	L-**Serine** Plant Culture Tested M. W.: 105.09 Assay 99% Store below 30°C	234.00 1053.00 3690.00 16632.00	5 gm 25 gm 100 gm 500 gm
TC1113 ATC $C_3H_7NO_3$ (56-45-1)	L-**Serine** (From non-animal source) Cell Culture Tested M. W.: 105.09 Assay : ≥98.5% Store below 30°C	3353.00 7110.00 23031.00 43956.00	25 gm 100 gm 500 gm 1 kg
TC1113M ATC $C_3H_7NO_3$ (56-45-1)	L-**Serine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 105.09 Store below 30°C	4014.00 7776.00 25300.00 48920.00	25 gm 100 gm 500 gm 1 kg
216405 ✠ $C_4H_9NO_3.HCl$ (5680-80-8)	▲L-**Serine Methyl Ester HCl** for Biochemistry M. W.: 155.58 Assay 98.0%	837.00 3636.00 9846.00	5 gm 25 gm 100 gm
216515 $C_{14}H_{19}N_5O_2.H_2O_4SH_2O$ (61-47-2)	**Serotinine Creatinine Sulfate** for Biochemistry M. W.: 405.43	5760.00	1 gm
216605 ✠ $C_7H_6O_3$ (533-31-3)	**Sesamol** For Synthesis [3,4-(Methylenedioxy) Phenol] M. W.: 138.12 Assay 98.0%	2250.00 9500.00	50 gm 250 gm
216665 (9000-59-3)	**Shellac** Flakes (Arsenic free)	3393.00	500 gm
888400	**Shorr** Staining Soln.	212.00	125 ml
	Silica Fumed Fine Powder See Aerosil		
216790 SiO_2 (112926-00-8)	**Silica Gel Blue** Self indicating (Coarse) 5-8 mesh M. W.: 60.08	495.00 909.00 4536.00 POR	500 gm 1 kg 5 kg 25 kg
216795 SiO_2 (112926-00-8)	**Silica Gel Blue** Self indicating (about 6-20 mesh) M. W.: 60.08	477.00 855.00 4240.00 POR	500 gm 1 kg 5 kg 25 kg
216875 (112926-00-8)	**Silica** Gel Self Indicating Orange	603.00 1107.00	500 gm 1 kg
030062 SiO_2 (112926-00-8)	**Silica Gel White** Ability to absorb moisture (coarse) M. W.: 60.08	360.00 680.00 3330.00	500 gm 1 kg 5 kg
216725 SiO_2 (112926-00-8)	**Silica Gel 60-120** mesh Column Chromatography M. W.: 60.08	581.00 POR POR	500 gm 25 kg 50 kg
216735 SiO_2 (112926-00-8)	**Silica Gel 60-200** mesh for Resolution of Acidic Mixtures pH of 10% Slurry 4.0-5.5 M. W.: 60.08	730.00 POR	500 gm 25 kg

Product Code	Product Name	Price	Packing
216745 SiO_2 (112926-00-8)	**Silica Gel 100-200** mesh Fia grade M. W.: 60.08	3006.00	500 gm
216755 SiO_2 (112926-00-8)	**Silica Gel 100-200** mesh for Lipid Chromatography M. W.: 60.08	630.00 POR	500 gm 25 kg
216765 SiO_2 (112926-00-8)	**Silica Gel 200-400** Mesh M. W.: 60.08	770.00 POR	500 gm 25 kg
216775 SiO_2 (112926-00-8)	**Silica Gel 230-400** mesh for TLC M. W.: 60.08	756.00 POR	500 gm 25 kg
216785 SiO_2 (112926-00-8)	**Silica Gel 400-700** Mesh M. W.: 60.08	801.00	500 gm
216820 SiO_2 (112926-00-8)	**Silica Gel** for TLC with **Binder** M. W.: 60.08	657.00	500 gm
216845 SiO_2 (112926-00-8)	**Silica Gel** without Binder for TLC M. W.: 60.08	603.00	500 gm
216805 SiO_2 (112926-00-8)	**Silica Gel Davison** 923 Suitable for use in the testing of Petroleum Product by I.P. and ASTM Methods M. W.: 60.08	5040.00	500 gm
216815 SiO_2 (112926-00-8)	**Silica Gel G** for TLC M. W.: 60.08	370.00 657.00 1206.00	250 gm 500 gm 1 kg
216825 SiO_2 (112926-00-8)	**Silica Gel GF 254** for TLC Contains $CaSO_4$ M. W.: 60.08	4104.00 POR	500 gm 25 kg
216835 SiO_2 (112926-00-8)	**Silica Gel H** for TLC M. W.: 60.08	603.00	500 gm
638765 SiO_2 (112926-00-8)	**Silica Gel H** for TLC **AR** M. W.: 60.08	4600.00	500 gm
216850 SiO_2 (112926-00-8)	**Silica Gel HF 254** for TLC without $CaSO_4$ M. W.: 60.08	4203.00	500 gm
638825 SiO_2 (112926-00-8)	**Silica Gel HF 254** for TLC **AR** M. W.: 60.08	4806.00	500 gm
216985 SiO_2 (112945-52-5)	**Silica** Powder Precipitated M. W.: 60.08	1800.00	500 gm
217175 $SiO_2.XH_2O$ (1343-98-2)	**Silicic Acid for Lipid Chromatography** Narrow Range below 325 Mesh M. W. 60.08 (anhy.)	1301.00 2502.00	250 gm 500 gm

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
030064 $SiO_2.XH_2O$ (1343-98-2)	**Silicic Acid** Precipitated Dried M. W. 60.08 (anhy.) Assay (gravimetry SiO_2 on calcined substance) 99-100.5%	500.00	500 gm
888680	**Silicon** (Si) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H_2O In accordance with NIST	1746.00 2286.00 3853.00	100 ml 250 ml 500 ml
888740	**Silicon** (Si) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	9963.00	100 ml
888710	**Silicon** (Si) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	36567.00	100 ml
030066 Si (7440-21-3)	**Silicon** (Metal) Powder M. W.: 28.09 Assay (Alkalimetric) 99.0%	1404.00	500 gm
217325	**Silicon Antifoaming Agent** Nonionic	504.00 1908.00 7110.00	100 ml 500 ml 2.5 lit
973470 MB	**Silicon** (Anti Foaming Agent) For Molecular Biology Store Below 30°C	1540.00 3870.00	100 gm 500 gm
217375 SiC (409-21-2)	**Silicon Carbide** 220 mesh M. W.: 40.10 Mesh size (pass through 220 mesh) Min 95.0%	486.00	500 gm
217385 SiC (409-21-2)	**Silicon Carbide** 400 Mesh M. W.: 40.10 Mesh size (pass through 400 mesh) Min 95.0%	720.00	500 gm
217455 SiO_2 (60676-86-0)	**Silicon Dioxide** Confirming to BP Specification M.W. 60.08	1503.00	1 kg
217435 $SiO_2.XH_2O$ (63231-67-4)	**Silicon Dioxide Colloidal** Hydrate Confirming to IP M.W : 60.1	1701.00	1 kg
	Silicon High Vacuum Grease See High Vacuum Silicon Grease		
356235 (63148-62-9)	**Silicon Oil** For Oil Baths upto 250°C	1440.00 7542.00 POR	500 ml 2.5 lit 25 lit
640205 $H_4[Si(W_3O_{10})_4].xH_2O$ (12027-43-9)	**Silicotungstic Acid AR** M. W.: 2878.17	1107.00 4005.00	25 gm 100 gm
888840	**Silver** (Ag) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1908.00 4212.00 6696.00	100 ml 250 ml 500 ml
888900	**Silver** (Ag) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	7371.00 18441.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
888960	**Silver** (Ag) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	12330.00 29511.00	100 ml 500 ml
030072 Ag (7440-22-4)	**Silver** Metal Powder At. W.: 107.87 Assay (Argentometric) 99.9%	10400.00 36000.00	25 gm 100 gm
030073 Ag (7440-22-4)	**Silver** Metal Wire Abt. 1mm M. W.: 107.87	6003.00	25 gm
030074 $C_2H_3AgO_2$ (563-63-3)	**Silver Acetate** for Synthesis M. W.: 166.91 Assay (ex Ag) 98.0%	7605.00 26001.00	25 gm 100 gm
217645 AgBr (7785-23-1)	**Silver Bromide** for Synthesis M. W.: 187.77 Assay (ex Ag) 97.0%	8001.00	25 gm
030078 Ag_2CO_3 (534-16-7)	**Silver Carbonate** Purified M. W.: 275.75 Assay (ex Ag) 98.0%	7407.00	25 gm
030079 AgCl (7783-90-6)	**Silver Chloride** M. W.: 143.32 Assay (ex Ag gravimetric) 99.0%	7506.00 27009.00	25 gm 100 gm
640295 AgCl (7783-90-6)	**Silver Chloride AR** M. W.: 143.32	7992.00 29997.00 POR	25 gm 100 gm 500 gm
217675 Ag_2CrO_4 (7784-01-2)	**Silver Chromate** M. W.: 331.73	8811.00	25 gm
640325 $C_5H_{10}AgNS_2$ (1470-61-7)	▲**Silver Diethyl Dithiocarbamate AR** M. W.: 256.13	1503.00 6507.00	5 gm 25 gm
217700 $AgIO_3$ (7783-97-3)	**Silver Iodate** M. W.: 282.77 Assay (Iodometric) 98.0%	5607.00 21870.00 POR	25 gm 100 gm 500 gm
217705 AgI (7783-96-2)	**Silver Iodide** M. W.: 234.77 Assay (ex Ag Argentometric) 98.0%	7506.00	25 gm
N72300 Ag (7440-72-4)	**Silver Nanopowder (Type-I)**	10800.00 18990.00	5 gm 10 gm
217715 $AgNO_3$ (7761-88-8)	**Silver Nitrate** Technical M.W : 169.87	5400.00 21025.00 POR	25 gm 100 gm 500 gm
030087 $AgNO_3$ (7761-88-8)	**Silver Nitrate** M. W.: 169.87 Assay (Argentometric ex Ag) 99.8%	2530.00 5472.00 21276.00 103500.00	10 gm 25 gm 100 gm 500 gm
640575 $AgNO_3$ (7761-88-8)	**Silver Nitrate AR/ACS** M. W.: 169.87 Assay (Argentometric ex Ag) (Trace metals basis) 99.9%	2763.00 5706.00 22437.00 108100.00	10 gm 25 gm 100 gm 500 gm
973550 MB $AgNO_3$ (7761-88-8)	**Silver Nitrate** For Molecular Biology M. W.: 169.87 Assay : ≥ 99% Store Below 30°C	4032.00 8865.00 31032.00	10 gm 25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
PCT2307 PTC $AgNO_3$ (7761-88-8)	**Silver Nitrate** Plant Culture Tested M. W.: 169.87 Assay 99.9% Store below 30°C	4491.00 9882.00 34601.00	10 gm 25 gm 100 gm
889280	**Silver Nitrate** Solution N/10 (0.1N)	779.00 2359.00 4185.00 9360.00	125 ml 500 ml 1 lit 2.5 lit
889290	**Silver Nitrate** N/50 solution (0.02 M)	936.00 1656.00 3520.00	500 ml 1 lit 2.5 lit
889300	**Silver Nitrate** Solution 0.2906%	198.00	125 ml
889330	**Silver Nitrate** Solution 0.5814%	279.00	125 ml
889340	**Silver Nitrate** Solution 0.1 M Citrisol 8.4935 g $AgNO_3$ for 500 ml Solution 0.1 N Solution	4185.00 6606.00 12150.00	1 Amp 3 Amp 6 Amp
889370	**Silver Nitrate** CPECTROSOL® 0.01M (0.01N) Volumetric Solution In accordance with NIST	1998.00	1 lit
889400	**Silver Nitrate** CPECTROSOL® 0.05M (0.05N) Volumetric Solution In accordance with NIST	4401.00	1 lit
889410	**Silver Nitrate** CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	5067.00	1 lit
889415	**Silver Nitrate** Solution 0.1N acc. to USP	3303.00	500 ml
889450	**Silver Nitrate** CPECTROSOL® 0.5M (0.5N) Volumetric Solution In accordance with NIST	14850.00	1 lit
889455	**Silver Nitrate** 0.05N Volumetric Solution	1440.00 2502.00 5500.00	500 ml 1 lit 2.5 lit
889520	**Silver Nitrate** CPECTROSOL® 1M (1N) Volumetric Solution In accordance with NIST	26420.00	1 lit
889525	**Silver Nitrate** 1N Volumetric Solution	4680.00 22950.00 45000.00	100 ml 500 ml 1 lit
030090 Ag_2O (20667-12-3)	**Silver Oxide** Purified M. W.: 231.74 Assay (ex Ag Argentometric) 98.0%	8100.00 31050.00 POR	25 gm 100 gm 500 gm
640885 Ag_2O (20667-12-3)	**Silver Oxide AR** M. W.: 231.74	9900.00	25 gm
217745 $AgClO_4$ (7783-93-9)	**Silver Perchlorate** Pure M. W.: 207.32 Assay 97.0%	6453.00 19368.00	25 gm 100 gm
217725 Ag_3PO_4 (7784-09-0)	**Silver** ortho **Phosphate** M. W.: 418.57 Assay (ex Ag Argentometric) 99.0%	8127.00	25 gm
640995 Ag_3PO_4 (7784-09-0)	**Silver** ortho **Phosphate AR** M. W.: 418.57	8370.00	25 gm

Product Code	Product Name	Price	Packing
217755 (9008-42-8)	▲**Silver Proteinate** for Histology	3016.00 8343.00	5 gm 25 gm
030095 Ag_2SO_4 (10294-26-5)	**Silver Sulphate** Purified M. W.: 311.79 Assay (Argentometric ex Ag) 98.5%	2763.00 5931.00 23040.00	10 gm 25 gm 100 gm
641035 Ag_2SO_4 (10294-26-5)	**Silver Sulphate AR/ACS** M. W.: 311.79 Assay (Argentometric) 99.0%	2881.00 6102.00 24156.00	10 gm 25 gm 100 gm
889860	**Silver Sulphate** 10,000 mg/lit in Sulphuric Acid	3520.00	1 lit
889870	**Silver Sulphate** 60,000 mg/lit in Sulphuric Acid	16390.00	1 lit
217805 Ag_2S (21548-73-2)	**Silver Sulphide** M. W.: 247.80 Assay (ex Ag Argentometric) 98.0%	9954.00	25 gm
PCT2308 PTC (23149-52-2)	▲**Silver Thiosulphate** Plant Culture Tested	783.00 2980.00	100 ml 5X100 ml
217845 $AgVO_3$ (13497-94-4)	**Silver Vanadate** M. W.: 206.81 Assay 98.0%	3600.00 13356.00	5 gm 25 gm
889900	**Simon's** Reagent '**A**'	1000.00	25 ml
889902	**Simon's** Reagent '**B**'	1000.00	25 ml
PCT2524 $C_{29}H_{50}O$ (83-46-5)	b **Sitosterol** Plant Culture Tested M. W.: 414.71 Assay 99% Store at -20°C	2106.00 3663.00 14670.00	10 gm 100 gm 500 gm
217875	**Skim Milk Powder** for Microbiology	1107.00	500 gm
	SLES See Sodium Lauryl Ether Sulfate		
889930	**Smith's** Reagent For Bile Pigment	162.00	125 ml
217935	**Soap Powder** (White)	531.00 4977.00	1 kg 10 kg
889940	**Soap Solution** (For Water Hardness Determination)	432.00	1 lit
889945	**Soap** Solution According to Clarke's	792.00	500 ml
217965 (8006-28-8)	**Sodalime** Granules	450.00 3996.00	500 gm 5 kg
641125 (8006-28-8)	**Sodalime AR** With indicator For Absorbing Carbon dioxide	603.00 2790.00	1 kg 5 kg
218085 NH_2Na (7782-92-5)	**Sodamide** M.W. : 39.01 Assay 98.0%	680.00 2800.00	100 gm 500 gm
890000	**Sodium** (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
890060	**Sodium** (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
890180	**Sodium** (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	4257.00 8523.00	100 ml 500 ml
890150	**Sodium** CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in H_2O In accordance with NIST	16029.00 48240.00	100 ml 500 ml
890120	**Sodium** CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	4257.00 8523.00	100 ml 500 ml
890210	**Sodium** (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16029.00 48204.00	100 ml 500 ml
030101 Na (7440-23-5)	**Sodium** Metal Pieces in Kerosene/Liq. Paraffin At. W.:22.99 Assay 98.0%	468.00 945.00 1602.00	100 gm 250 gm 500 gm
641185 Na (7440-23-5)	**Sodium** Metal **AR** Pieces in Kerosene/Liq. Paraffin At. W. : 22.99 Assay (Acidimetric) 99.0%	1044.00 1800.00	250 gm 500 gm
030104 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous M. W.: 82.03 Assay (Non-aqueous) 98.0%	469.00 3609.00 POR POR	500 gm 5 kg 25 kg 50 kg
641225 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous **AR/ACS** M. W.: 82.03 Assay(non-aqueous) 99.0%	405.00 657.00 4609.00 POR POR	250 gm 500 gm 5 kg 25 kg 50 kg
769600 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous for HPLC & Spectroscopy M. W.: 82.03 Assay (Non-aqueous) 99.5%	1359.00	500 gm
984300 MB CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous for Molecular Biology M. W.: 82.03 Assay (Non-aqueous) 99.0%	900.00	250 gm
TC1023 ATC $C_2H_3O_2Na$ (127-09-3)	**Sodium Acetate** Anhydrous [Acetic acid sodium salt) Cell Culture Tested M. W.: 82.03 Assay : ≥99% Store below 30°C	595.00 1773.00	100 gm 500 gm
TC1023U ATC CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous Acetic acid sodium salt, Sodium acetate Meets USP 41-NF 36 testing specifications M. W.: 82.03 Store below 30°C	1431.00 6399.00	100 gm 500 gm
030103 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate Cryst. M. W.: 136.08 Assay (non-aqueous) 99.0-102.0%	306.00 2003.00 POR POR	500 gm 5 kg 25 kg 50 kg
641230 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate Cryst. **AR** Meets Analytical Specification of IP M. W.: 136.08 Assay (Non-aqueous) 99.5%	360.00 2570.00 POR POR	500 gm 5 kg 25 kg 50 kg
769700 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate for HPLC M. W.: 136.08	1800.00	500 gm
984350 MB $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate for Molecular Biology M. W.: 136.08	603.00 1161.00	250 gm 500 gm
TC1456 ATC $CH_3COONa . 3H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate Acetic acid sodium salt trihydrate Cell Culture Tested M. W.: 136.08 Assay : ≥98% Store below 30°C	2507.00 4392.00 7034.00 21096.00	250 gm 500 gm 1 kg 5 kg
TC1456M ATC $C_2H_9NaO_5$ (6131-90-4)	**Sodium Acetate** Trihydrate Acetic acid sodium salt trihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 136.079 Store below 30°C	4986.00 7470.00 13104.00 23590.00 54540.00	250 gm 500 gm 1 kg 2 kg 5 kg
890300	**Sodium Acetate** Buffer Solution for Chlorine determination in water monitors	230.00 919.00	500 ml 2.5 lit
890325	**Sodium Acetate** TS acc. to USP	221.00	500 ml
	Sodium Acid Phosphate See Sodium Dihydrogen Orthophosphate		
030105 (9005-38-3)	**Sodium Alginate**	2430.00 22500.00 POR POR	500 gm 5 kg 25 kg 50 kg
030110	**Sodium Alginate** (Low Viscosity)	1962.00 18450.00	500 gm 5 kg
984400 MB (9005-38-3)	**Sodium Alginate** For Molecular Biology Store Below 30°C	1729.00 7750.00	100 gm 500 gm
PCT2317 PTC (9005-38-3)	**Sodium Alginate** Plant Culture Tested Store below 30°C	397.00 1611.00	100 gm 500 gm
	Sodium Alizarine Sulfonate See Alizarine Red S		
218275 $NaAlO_2$ (11138-49-1)	**Sodium Aluminate** for Synthesis M. W.: 81.97	909.00 8019.00	500 gm 5 kg
	Sodium Aluminium Fluoride See Cryolite		
	Sodium Amide See Sodamide		
218295 $H_3NH_3O_4PNa$ (13011-54-6)	**Sodium Ammonium Phosphate** M. W.: 137.07	675.00	500 gm
218315 $Na_2HAsO_4.7H_2O$ (10048-95-0)	**Sodium Arsenate** M. W.: 312.02	792.00 2502.00 4802.00	25 gm 250 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
641265 $Na_2HAsO_4.7H_2O$ (10048-95-0)	**Sodium Arsenate AR/ACS** M. W.: 312.02 Assay (iodometric) 99.0-102.0%	**1134.00** **4343.00** **8721.00**	**25 gm** **250 gm** **500 gm**
218335 $NaAsO_2$ (7784-46-5)	**Sodium Arsenite** M. W.: 129.91	**900.00** **4302.00** **7502.00**	**25 gm** **250 gm** **500 gm**
641275 $NaAsO_2$ (7784-46-5)	**Sodium Arsenite AR** M. W.: 129.91 Assay (iodometric) 98.5%	**1000.00** **4343.00** **8595.00**	**25 gm** **250 gm** **500 gm**
890390	**Sodium Arsenite** 0.05 M (0.1N) Volumetric Soln.	**716.00** **2313.00**	**500 ml** **2.5 lit**
890395	**Sodium Arsenite** CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
890420	**Sodium Arsenite** CPECTROSOL® 0.005M (0.01N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
890450	**Sodium Arsenite** CPECTROSOL® 0.15M (0.3N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
218355 $C_6H_7NaO_6$ (134-03-2)	**Sodium** L(+) **Ascorbate** M.W.:198.11 Assay(dried basis) 99-101%	**603.00** **2601.00**	**100 gm** **500 gm**
TC1095 ATC $C_6H_7NaO_6$ (134-03-2)	**Sodium** L(+) **Ascorbate** (Vitamin C sodium salt) Cell Culture Tested M. W.: 198.11 Assay : ≥99% Store below 30°C	**2124.00** **8514.00**	**100 gm** **500 gm**
030111 NaN_3 (26628-22-8)	**Sodium Azide** M. W.: 65.01 Assay (oxidimetric) 99.0%	**837.00** **3600.00** **POR**	**100 gm** **500 gm** **25 kg**
641335 NaN_3 (26628-22-8)	**Sodium Azide AR** M. W.: 65.01 Assay (oxidimetric) 99.5%	**891.00** **3807.00**	**100 gm** **500 gm**
984500 MB NaN_3 (26628-22-8)	**Sodium Azide** For Molecular Biology M. W.: 65.01 Assay : ≥ 98% Store Below 30°C	**1071.00** **4500.00**	**100 gm** **500 gm**
TC1704 ATC NaN_3 (26628-22-8)	**Sodium Azide** Cell Culture Tested M. W. : 65.01 Store below 30°C	**1215.00** **3636.00** **14553.00**	**25 gm** **100 gm** **500 gm**
030112 C_6H_5COONa (532-32-1)	**Sodium Benzoate** Meets Analytical Specification of IP, BP, Ph. Eur., FCC. M. W.: 144.11 Assay (on dry material Non-aqueous) 99.0-100.5%	**477.00** **4005.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
641425 C_6H_5COONa (532-32-1)	**Sodium Benzoate AR** M. W.: 144.11 Assay (on dried) 99.5%	**702.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
	Sodium Bicarbonate See Sodium Hydrogen Carbonate		

Product Code	Product Name	Price	Packing
	Sodium Biphosphate See Sodium Dihydrogen Orthophosphate		
030161 $NaHSeO_3$ (7782-82-3)	**Sodium Biselenite** M.W.: 150.96 Assay (ex Se Iodometric) 98.0%	**3807.00** **34920.00**	**100 gm** **1 kg**
030113 $NaBiO_3$ (12232-99-4)	**Sodium Bismuthate** [Sodium bismuthate (V)] M. W.: 279.97 Assay (Oxidimetric) 80.0%	**603.00** **1953.00**	**25 gm** **100 gm**
641485 $NaBiO_3$ (12232-99-4)	**Sodium Bismuthate AR** M. W.: 279.97 Assay (oxidimetric) 85.0%	**2106.00**	**100 gm**
	Sodium Bisulphate See Sodium Hydrogen Sulphate		
218455 $NaHSO_3$ (7631-90-5)	**Sodium Bisulphite** M.W.: 104.06 Assay (Iodometry) 58.5-67.4%	**342.00** **2502.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
641525 $NaHSO_3$ (7631-90-5)	**Sodium Bisulphite AR** M. W.: 104.06 Assay (as SO_2 content) 58.5%	**550.00** **4905.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
218555 $C_4H_6O_6.Na$ (526-94-3)	**Sodium Bitartrate** Extra Pure M. W.: 172.07	**1503.00**	**500 gm**
218580 $NaBO_2.4H_2O$ (10555-76-7)	**Sodium-m-Borate** M. W.: 137.86 Assay (acidimetric) 98.0%	**401.00**	**500 gm**
030114 $NaBH_4$ (16940-66-2)	**Sodium Borohydride** for Synthesis M. W.: 37.83 Assay (Iodometric) 98.0%	**549.00** **1810.00** **8505.00** **POR**	**25 gm** **100 gm** **500 gm** **5 kg**
030115 $NaBrO_3$ (7789-38-0)	**Sodium Bromate** M. W.: 150.89 Assay (iodometric) 99.0%	**1521.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
030116 NaBr (7647-15-6)	**Sodium Bromide** Pure M. W.: 102.89 Assay (after drying Argentometric) 99.0%	**1054.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
641585 NaBr (7647-15-6)	**Sodium Bromide AR** M. W.: 102.89 Assay (ex Br) after drying 99.5%	**1206.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
218680 C_4H_9NaO (865-48-5)	**Sodium-tert-Butoxide** M. W.: 96.11 Assay (potentiometric) 97.0%	**730.00** **3006.00**	**100 gm** **500 gm**
218705 $C_4H_7NaO_2$ (156-54-7)	**Sodium Butyrate** M. W.: 110.09 Assay (GC) 98.5%	**900.00** **4005.00**	**100 gm** **500 gm**
TC1471 ATC $CH_3CH_2CH_2COONa$ (156-54-7)	**Sodium Butyrate** Butyric acid sodium salt trihydrate Cell Culture Tested M. W.: 110.09 Assay : ≥99% Store below 30°C	**882.00** **1566.00** **6103.00**	**5 gm** **100 gm** **500 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
030118 $C_2H_6AsNaO_23H_2O$ (124-65-2)	**Sodium Cacodylate** M. W.: 214.03 Assay (ex Na Non-aqueous) 97.0%	15300.00 41004.00	25 gm 100 gm
984800 MB $C_2H_6AsO_2Na.3H_2O$ (6131-99-3)	**Sodium Cacodylate** Trihydrate For Molecular Biology M. W.: 214.03 Assay : ≥ 98% Store Below 30°C	22500.00	50 gm
	Sodium Caprylate See Caprylic Acid Sodium Salt		
030121 Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) Pure M. W.: 105.99 Assay (acidimetric after drying) 99.5%	378.00 2691.00 POR POR	500 gm 5 kg 25 kg 50 kg
642205 Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) **AR** M. W.: 105.99 Assay (acidimetric cal. on dried Subs.) 99.5-100.5%	513.00 2997.00 POR POR	500 gm 5 kg 25 kg 50 kg
984840 MB Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) (Soda Ash) For Molecular Biology M. W.: 105.99 Assay : ≥ 99.9% Store Below 30°C	2484.00 4725.00 9091.00	100 gm 500 gm 1 kg
218780 $Na_2CO_3.H_2O$ (5968-11-6)	**Sodium Carbonate** Monohydrate M. W.: 124.00 Assay (Acidimetric) 99.0%	405.00 2853.00 POR POR	500 gm 5 kg 25 kg 50 kg
642195 $Na_2CO_3.H_2O$ (5968-11-6)	**Sodium Carbonate** Monohydrate **AR** M. W.: 124.00	477.00 POR POR	500 gm 25 kg 50 kg
891000	**Sodium Carbonate** N/10	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
891030	**Sodium Carbonate** 0.05 M (0.1N) Volumetric Soln.	162.00	500 ml
891060	**Sodium Carbonate** CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
218805 (9005-46-3)	**Sodium Caseinate** for Biochemistry	1467.00 5500.00	100 gm 500 gm
030123 NaCl (7647-14-5)	**Sodium Chloride** Cryst. Pure M. W.: 58.44 Assay (Argentometric after ignition) 99.5%	230.00 406.00 981.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
642243 NaCl (7647-14-5)	**Sodium Chloride AR/ACS** M. W.: 58.44 Assay (Argentometric, after ignition) 99.9%	270.00 1107.00 POR POR	500 gm 5 kg 25 kg 50 kg
770200 NaCl (7647-14-5)	**Sodium Chloride** for HPLC M. W.: 58.44 Assay (Argentometric) 99.5%	765.00	500 gm
984900 NaCl (7647-14-5)	**Sodium Chloride** for Molecular Biology M. W.: 58.44 Assay (Argentometric after ignition) 99.9%	873.00 7470.00	500 gm 5 kg

Product Code	Product Name	Price	Packing
TC1046 ATC NaCl (7647-14-5)	**Sodium Chloride** Cell Culture Tested M. W.: 58.44 Assay : ≥99% Store below 30°C	1540.00 2350.00 5814.00 7480.00	500 gm 1 kg 5 kg 10 kg
TC1046M ATC NaCl (7647-14-5)	**Sodium Chloride** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 58.44 Store below 30°C	3033.00 5454.00 16371.00 24260.00	500 gm 1 kg 5 kg 10 kg
891180	**Sodium Chloride** 0.1 M (0.1N) Volumetric Solution	207.00 550.00 990.00	1 Amp 3 Amp 6 Amp
891185	**Sodium Chloride** 0.1 N Solution	113.00 207.00 369.00	500 ml 1 lit 2.5 lit
891190	**Sodium Chloride** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	1400.00	1 lit
891210	**Sodium Chloride** CPECTROSOL® 0.05M (0.05N) Standard Solution In accordance with NIST	1400.00	1 lit
891220	**Sodium Chloride** 0.5M (0.5N) Volumetric Solution	117.00 216.00 387.00	500 ml 1 lit 2.5 lit
891205	**Sodium Chloride** 1 N Solution	122.00 230.00 401.00	500 ml 1 lit 2.5 lit
891200	**Sodium Chloride** CPECTROSOL® 1M (1N)Standard Solution In accordance with NIST	1400.00	1 lit
891150	**Sodium Chloride** (Concentrated saline solution) for prepairing isotonic (0.9% w/v) Soln.	118.00 792.00	500 ml 5 lit
891250	**Sodium Chloride** TS, Alkaline acc. to USP	604.00	500 ml
218850 $NaClO_2$ (7758-19-2)	**Sodium Chlorite** M. W.: 90.44 Assay (Iodometric titration) 80.0%	1031.00 1800.00 POR	500 gm 1 kg 25 kg
218955 CH_2CO_2NaCl (3926-62-3)	**Sodium Chloroacetate** Mono for Synthesis (Chloroacetic Acid Sodium Salt) M. W.: 116.48	387.00	500 gm
219005 $Na_3IrCl_6.xH_2O$ (123334-23-6)	**Sodium (Hexa) Chloro Iridate** M. W.: 473.90 Anhy Assay (Ir) 35-40%	POR POR	1 gm 5 gm
219115 $C_{24}H_{40}O_5Na$ (361-09-1)	**Sodium Cholate** for Biochemistry M. W.: 430.55	2390.00 9011.00	25 gm 100 gm
219145 $Na_2CrO_4.4H_2O$ (10034-82-9)	**Sodium Chromate** Tetrahydrate M. W.: 234.03 Assay (iodometric) 99.0-102.0%	208.00 747.00 POR POR	100 gm 500 gm 25 kg 50 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
642325 $Na_2CrO_4.4H_2O$ (10034-82-9)	**Sodium Chromate AR** M. W.: 234.03 Assay(iodometric) 99.5%	820.00 POR POR	500 gm 25 kg 50 kg
TC1249M ATC $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri-**Sodium Citrate** Dihydrate Sodium citrate dihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W. : 294.1 Store below 30°C	5463.00 9864.00 36702.00	500 gm 1 kg 5 kg
TC1526M ATC $Na_3C_6H_5O_7$ (68-04-2)	**Sodium Citrate** Anhydrous Meets USP 41-NF 36 testing specifications M. W.: 258.07 Store below 30°C	8843.00 22140.00	100 gm 500 gm
030128 $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate** Dihydrate (tri-Sodium Citrate-2 hydrate) Meets Analytical Specification of FCC. M. W.: 294.10 Assay (Cal. anhydrous basis Non-aqueous) 99.0-100.5%	306.00 603.00 1107.00 4401.00 POR POR	100 gm 500 gm 1 kg 5 kg 25 kg 50 kg
642385 $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 294.10 Assay (calculated w.r.t. anhydrous subs. Non-aqueous) 99.0-100.5%	999.00 4806.00 POR POR	500 gm 5 kg 25 kg 50 kg
985400 MB $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate** for Molecular Biology M. W.: 294.10 Assay (Non-aqueous) 99.5%	1305.00	500 gm
TC1249 ATC $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri-**Sodium Citrate** Dihydrate Cell Culture Tested M. W.: 294.10 Assay : ≥99% Store below 30°C	1584.00 2570.00 9054.00	500 gm 1 kg 5 kg
891410	**Sodium Citrate** Solution 3.8% w/v (as $C_6H_5Na_3O_7.2H_2O$) 3.8-4.2% w/v	190.00	500 ml
219190 $Na_3Co(NO_2)_6$ (13600-98-1)	**Sodium Cobaltinitrite** M. W.: 403.94 Assay 90.0%	2304.00	100 gm
642445 $Na_3Co(NO_2)_6$ (13600-98-1)	**Sodium Cobaltinitrite AR** M. W.: 403.94 Assay 95.0%	945.00 2502.00	25 gm 100 gm
219255 NaOCN (917-61-3)	**Sodium Cyanate** for Synthesis M. W.: 65.01	450.00	500 gm
219345 ✳ NaCN (143-33-9)	**Sodium Cyanide** Extra Pure (Against Poison Licence) M. W.: 49.01	1323.00 2205.00 POR POR	500 gm 1 kg 25 kg 50 kg
642845 NaCN (143-33-9)	**Sodium Cyanide AR/ACS** (Against Poison Licence) M. W.: 49.01	1503.00 POR POR	500 gm 25 kg 50 kg
219395 $NaBH_3CN$ (25895-60-7)	**Sodium Cyanoborohydride** M.W.: 62.84 Assay (Iodometric) 95.0%	2403.00 8910.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
219455 ✳ $C_{10}H_{21}O_4SNa$ (142-87-0)	**Sodium Decyl Sulphate** for ion pair Chromatography (Decyl Sulphate Sodium Salt) M. W.: 260.32 Assay 99.0%	4770.00	5 gm
219465 $C_{24}H_{39}O_4Na$ (302-95-4)	▲**Sodium Deoxycholate** (Sodium desoxycholate) M.W. : 414.55 Assay 90.0%	3006.00 11007.00 53555.00	25 gm 100 gm 500 gm
030130 $Na_2Cr_2O_7.2H_2O$ (7789-12-0)	**Sodium Dichromate** Dihydrate M. W.: 298.00 Assay (iodometric) 99.0%	873.00 POR POR	500 gm 25 kg 50 kg
642905 $Na_2Cr_2O_7.2H_2O$ (7789-12-0)	**Sodium Dichromate AR/ACS** M. W.: 298.00 Assay (iodometric) 99.5%	1107.00 POR POR	500 gm 25 kg 50 kg
642945 $C_5H_{10}NNaS_2.3H_2O$ (20624-25-3)	**Sodium Diethyl Dithiocarbamate AR/ACS** Sensitivity to Cu... 1:50,000,000 M. W.: 225.30 Assay (iodometric) 98.5%	711.00 2800.00	100 gm 500 gm
891480	**Sodium Diethyl Dithiocarbamate** Solution (Reagent for Cd, Cr, CU, Pb, Co, Mn, Ni, U & Zn)	369.00	100 ml
219505	**Sodiumdihydrido-bis-** (2-**methoxyethoxy**) **Aluminate** -70% in Toluene	2520.00 8640.00	100 ml 500 ml
219515 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate** Dihydrate Cryst. M. W.: 156.01 Assay (acidimetric) 98.0%	720.00 6102.00 POR POR	500 gm 5 kg 25 kg 50 kg
642985 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate** Dihydrate **AR** M. W.: 156.01 Assay (Acidimetric; dried subs.) 98.0-100.5%	810.00 6606.00 POR	500 gm 5 kg 50 kg
771000 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate Dihydrate** for HPLC M. W.: 156.01 Assay 99.0% (acidimetric)	1206.00	500 gm
643010 NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Orthophosphate** Anhydrous **AR** M.W.119.98	1053.00 8010.00	500 gm 5 kg
986000 MB NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Ortho Phosphate** Anhydrous Molecular Biology M.W. : 119.98 Assay 98.0%	2097.00	500 gm
643005 $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Ortho Phosphate** Monohydrate **AR** M. W.: 137.99 Assay 99.0%	1053.00 POR POR	500 gm 25 kg 50 kg
986010 MB $NaH_2PO_4.H_2P$ (10049-21-5)	**Sodium Dihydrogen Ortho Phosphate** Monohydrate For Molecular Biology M. W.: 137.99 Assay : ≥ 99.5% Store Below 30°C	3380.00	250 gm
TC1459 ATC NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Phosphate** (Sodium phosphate monobasic) Cell Culture Tested M. W.: 119.98 Assay : ≥98% Store below 30°C	1540.00 3852.00 4802.00 12821.00	100 gm 500 gm 1 kg 5 kg

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
✳ Supply Against Licence
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1459M ATC NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Phosphate** (Sodium phosphate monobasic) Monosodium dihydrogen orhtophosphate, Monosodium phosphate, anhydrous Meets USP 41-NF 36 and BP 2016 testing specifications M. W.: 119.98 Store below 30°C	5243.00 17240.00 30465.00	100 gm 500 gm 1 kg
PCT1013 PTC $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Phosphate** Monohydrate Plant Culture Tested M. W.: 137.99 Assay 98% Store below 30°C	1062.00 2070.00 8010.00 POR	500 gm 1 kg 5 kg 25 kg
TC1068 ATC $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Phosphate** Monohydrate (Sodium phosphate monobasic; Monosodium phosphate) Cell Culture Tested M. W.: 137.99 Assay : ≥98% Store below 30°C	1494.00 3807.00 4761.00 12790.00	100 gm 500 gm 1 kg 5 kg
891500 $P_{12}H_{10}Na$ (5137-46-2)	· **Sodium Diphenyl** Solution **AR** M.W. : 177.20	1107.00 10161.00	15 ml 10x15 ml
319575 $C_{12}H_{10}NNaO_3S$ (6152-67-6)	**Sodium Diphenylamine Sulphonate AR/ACS** M. W.: 271.27	342.00 1206.00	5 gm 25 gm
891510	**Sodium Diphenylamine Sulphonate** Indicator Solution (Redox indicator)	262.00	100 ml
	tetra - **Sodium Diphosphate** See tetra-Sodium Pyrophosphate		
	Sodium Dodecyl Benzene Sulphonate See Dodecyl Benzene Sulphonic Acid Sodium Salt		
	Sodium Disulphite See Sodium Meta Bisulphite		
219595 $Na_2S_2O_4+H_2O$ (7775-14-6)	**Sodium Dithionite** Purified M. W.: 174.13+H_2O Assay (Iodometric) 87.0%	316.00 801.00 POR POR	100 gm 500 gm 25 kg 50 kg
986110 MB $Na_2O_4S_2$ (7775-14-6)	▲**Sodium Dithionite** For Molecular Biology M. W.: 174.11 Assay : ≥ 85%	3114.00	500 gm
	Sodium Dodecyl Sulphate See Sodium Lauryl Sulphate		
219645 C_2H_5NaO (141-52-6)	**Sodium Ethoxide** for Synthesis (Sodium Ethylate) M.W : 68.05 Assay 94.0%	1602.00 3600.00 POR	250 gm 1 kg 10 kg
219700 $C_6FeN_6Na_4.10H_2O$ (14434-22-1)	**Sodium Ferrocyanide Decahydrate** M. W : 484.06	594.00 4001.00	500 gm 5 kg

Product Code	Product Name	Price	Packing
030139 NaF (7681-49-4)	**Sodium Fluoride** M. W.: 41.99 Assay (Non-aqueous) 97.0%	819.00 5607.00 POR POR	500 gm 5 kg 25 kg 50 kg
643105 NaF (7681-49-4)	**Sodium Fluoride AR** M. W.: 41.99 Assay (ion exchange) 99.0%	1305.00 POR POR	500 gm 25 kg 50 kg
891530	**Sodium Fluoride** 1 gm/lit Volumetric Solution	3393.00	1 lit
891535	**Sodium Fluoride** 40 gm/lit Volumetric Solution	9090.00	1 lit
219735 $NaBF_4$ (13755-29-8)	**Sodium Fluoroborate** M. W.: 109.79	882.00	500 gm
	Sodium Flurosilicate See Sodium Silicofluoride		
219745 CH_3NaO_4S (870-72-4)	**Sodium Formaldehyde Bisulphite** M. W.: 134.08 Assay (Iodometric) 96.0%	351.00	500 gm
030141 $CH_3NaO_3S.2H_2O$ (6035-47-8)	**Sodium Formaldehyde Sulphoxylate** M. W.: 154.11 Assay (Iodometric) 95.0%	675.00 2808.00 POR POR	500 gm 2.5 kg 25 kg 50 kg
030142 HCOONa (141-53-7)	**Sodium Formate** M. W.: 68.01 Assay (Iodometric) 98.0%	311.00 2800.00 POR POR	500 gm 5 kg 25 kg 50 kg
643145 HCOONa (141-53-7)	**Sodium Formate AR/ACS** M. W.: 68.01 Assay (Iodometric) 99.0%	401.00 POR POR	500 gm 25 kg 50 kg
891565	**Sodium Formate** 0.01 N Solution	198.00 370.00 540.00	500 ml 1 lit 2.5 lit
891568	**Sodium Formate** 0.1 N Solution	190.00 342.00 513.00	500 ml 1 lit 2.5 lit
891571	**Sodium Formate** 0.5 N Solution	216.00 387.00 576.00	500 ml 1 lit 2.5 lit
030143 $C_4H_2O_4Na_2$ (17013-01-3)	**Sodium Fumarate** M. W.: 160.04 Assay (Non-aqueous) 99.0%	1233.00	500 gm
643195 $C_4H_2O_4Na_2$ (17013-01-3)	**Sodium Fumarate AR** M. W.: 160.04 Assay (ex Na) 99.5%	315.00 2682.00	100 gm 1 kg
030144 $C_6H_{11}NaO_7$ (527-07-1)	▲**Sodium Gluconate** for Synthesis M. W.: 218.14 Assay (non-aqueous) 98.0-102.0%	297.00 POR	500 gm 50 kg
037106 $C_5H_8O_4NNa.H_2O$ (6106-04-3)	**Sodium-L-Glutamate** M. W.: 187.13 Assay (non-aqueous) 99.0%	216.00 657.00 4653.00 POR POR	100 gm 500 gm 5 kg 25 kg 50 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1064 ATC $C_5H_8NNaO_4H_2O$ (6106-04-3)	**Sodium-L-Glutamate** (L-Glutamic Acid Mono Sodium Monohydrate) (From non-animal source) Cell Culture Tested M. W.: 187.13 Assay : ≥99% Store below 30°C	1260.00 3780.00 5670.00	100 gm 500 gm 1 kg
TC1561U ATC $C_5H_8NNaO_4H_2O$ (6106-04-3)	**Sodium-L-Glutamate** Meets USP 41-NF 36 testing specification M. W.: 169.11 Store below 30°C	2421.00 9702.00	100 gm 500 gm
643255 $C_3H_7Na_2O_6P.5H_2O$ (13408-09-8)	**Sodium-b-Glycero Phosphate AR** Substrate for the assay of Phosphatase M. W.: 306.11 Assay (potentiometric) 98.0%	540.00 1701.00 15930.00	25 gm 100 gm 1 kg
	Sodium Hexafluoroaluminate See Cryolite		
	Sodium Hexafluorosilicate See Sodium Silicofluoride		
219815 $(NaPO_3)_6$ (10124-56-8)	**Sodium Hexametaphosphate** M. W.: 612.00 Assay (as P_2O_5) 62.0%	657.00 5202.00 POR POR	500 gm 5 kg 25 kg 50 kg
	Sodium Hexanitro Cobaltate (III) See Sodium Cobaltinitrite		
	Sodium Hippurate See Hippuric Acid Sodium Salt		
030150 HNa (7646-69-7)	**Sodium Hydride** for Synthesis (Moistened with Paraffin Oil) M. W.: 24.00 Assay(titrimetry) 55-65%	270.00 581.00 2403.00 14220.00	25 gm 100 gm 500 gm 5 kg
030151 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** Purified M. W.: 84.01 Assay (acidimetric) 99.0-101.0%	279.00 450.00 1800.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
643545 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate AR** Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 84.01 Assay (Acidimetric) 99.7-100.3%	333.00 2106.00 POR POR	500 gm 5 kg 25 kg 50 kg
771200 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** for HPLC & Spectroscopy M.W. : 84.01 Assay (Acidimetric) 99.7-100.3%	594.00	500 gm
986200 MB $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** for Molecular Biology M. W.: 84.01 Assay (Acidimetric) 99.7%	1341.00	500 gm
PCT2535 PTC $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** (Sodium Bicarbonate) Plant Culture Tested M. W.: 84.01 Store below 30°C	122.00 540.00 981.00 3960.00	100 gm 500 gm 1 kg 5 kg

Product Code	Product Name	Price	Packing
TC1230 ATC $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** (Sodium Bicarbonate) Cell Culture Tested M. W.: 84.01 Assay : ≥99.5% Store below 30°C	833.00 2502.00 3762.00 11286.00	100 gm 500 gm 1 kg 5 kg
TC1230M ATC $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** (Sodium Bicarbonate) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 84.01 Store below 30°C	1818.00 5454.00 8487.00 24264.00	100 gm 500 gm 1 kg 5 kg
030152 $C_6H_6Na_2O_7.1½ H_2O$ (144-33-2)	di-**Sodium Hydrogen Citrate** M. W.: 263.11 Assay (Non-aqueous) 99.0-104.0%	846.00	500 gm
030158 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous M. W.: 141.96 Assay (acidimetric dried subs.) 98.0%	720.00 6130.00 POR POR	500 gm 5 kg 25 kg 50 kg
643385 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous **AR** M. W.: 141.96 Assay (Acidimetric; dried subs.) 99.0%	882.00 POR POR	500 gm 25 kg 50 kg
771500 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous for HPLC & Spectroscopy M. W.: 141.96 Assay (Acidimetric; dried subs.) 99.0%	1755.00	500 gm
986350 MB Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous for Molecular Biology M. W.: 141.96 Assay (Acidimetric ;after drying) 99.5%	2070.00	500 gm
TC1051 ATC Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Phosphate** Anhydrous (Sodium phosphate dibasic; Disodium phosphate Cell Culture Tested M. W.: 141.96 Assay : ≥99% Store below 30°C	1746.00 3803.00 5283.00 13095.00	100 gm 500 gm 1 kg 5 kg
TC1051M ATC Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Phosphate** Anhydrous Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 141.96 Store below 30°C	2628.00 7579.00 11862.00 22752.00	100 gm 500 gm 1 kg 5 kg
030157 $Na_2HPO_4.2H_2O$ (10028-24-7)	di-**Sodium Hydrogen Ortho Phosphate** Dihydrate Purified M. W.: 177.99 Assay (acidimetric dried subs.) 99.0%	675.00 6507.00 POR POR	500 gm 5 kg 25 kg 50 kg
643405 $Na_2HPO_4.2H_2O$ (10028-24-7)	di-**Sodium Hydrogen Ortho Phosphate** Dihydrate **AR** M. W.: 177.99 Assay (Acidimetric; dried substance) 99.5%	792.00 7605.00 POR POR	500 gm 5 kg 25 kg 50 kg

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
986400 MB $Na_2HPO_4.2H_2O$ (10028-24-7)	di- **Sodium Hydrogen Ortho Phosphate** Dihydrate For Molecular Biology M. W.: 177.99 Assay (Acidimetric) 99.0%	1305.00 12330.00	500 gm 5 kg
TC1507 ATC $Na_2HPO_42H_2O$ (10028-24-7)	di-**Sodium Hydrogen Phosphate** Dihydrate (Sodium phosphate dibasic dihydrate Cell Culture Tested M. W.: 177.99 Assay : ≥99% Store below 30°C	1800.00 3160.00 11052.00	500 gm 1 kg 5 kg
TC1507M ATC $Na_2HPO_42H_2O$ (10028-24-7)	di-**Sodium Hydrogen Phosphate** Dihydrate Disodium phosphate dihydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 177.99 Store below 30°C	2170.00 3790.00 13262.00	500 gm 1 kg 5 kg
219885 $Na_2HPO_4.12H_2O$ (10039-32-4)	di-**Sodium Hydrogen Ortho Phosphate** Dodecahydrate M. W.: 358.14 Assay (acidimetric) 98.0-101.0%	640.00 POR POR	500 gm 25 kg 50 kg
TC1508 ATC $Na_2HPO_412H_2O$ (10039-32-4)	di-**Sodium Hydrogen Phosphate** Dodecahydrate (Sodium phosphate dibasic Dodecahydrate) Cell Culture Tested M. W.: 358.14 Assay : ≥99% Store below 30°C	1944.00 11620.00	500 gm 5 kg
891550	di-**Soidum Hydrogen Phosphate** 1/15 mol/L (Buffer Stock Solution)	1323.00 2403.00 3600.00	500 ml 1 lit 2.5 lit
	Sodium Hydrogen Selenite See Sodium Biselenite		
030162 $NaHSO_4.H_2O$ (10034-88-5)	**Sodium Hydrogen Sulphate** Monohydrate M. W.: 138.07 Assay (acidimetric) 98-104.0%	405.00 POR POR	500 gm 25 kg 50 kg
643465 $NaHSO_4.H_2O$ (10034-88-5)	**Sodium Hydrogen Sulphate** Monohydrate **AR** M. W.: 138.07 Assay (acidimetric) 99.0%	527.00 POR POR	500 gm 25 kg 50 kg
	Sodium Hydrogen Sulphite See Sodium Bisulfite		
219905	**Sodium Hydrosulphide** 30% (Sodium Hydrogen Sulphide)	3006.00	5 lit
	Sodium Hydrosulphite See Sodium Dithionite		
030166 NaOH (1310-73-2)	**Sodium Hydroxide** Flakes M. W.: 40.00 Assay (acidimetric) 96.0%	279.00 504.00 1953.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
219950 NaOH (1310-73-2)	**Sodium Hydroxide** Powder M.W : 40.00 Assay 98.0%	405.00 2709.00 POR	500 gm 5 kg 25 kg
030167 NaOH (1310-73-2)	**Sodium Hydroxide** Pellets Purified M. W.: 40.00 Assay (Acidimetric) 97.0%	342.00 2403.00 POR POR	500 gm 5 kg 25 kg 50 kg
643525 NaOH (1310-73-2)	**Sodium Hydroxide** Pellets **AR** Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 40.00 Assay (Acidimetric) 98.0%	405.00 2952.00 POR POR	500 gm 5 kg 25 kg 50 kg
986460 MB NaOH (1310-73-2)	**Sodium Hydroxide** Pellets For Molecular Biology M. W.: 40.00 Assay : ≥ 98% Store Below 30°C	239.00 603.00 5400.00	100 gm 500 gm 5 kg
TC1460 ATC NaOH (1310-73-2)	**Sodium Hydroxide** Pellets Caustic Soda Cell Culture Tested M. W.: 40 Assay : ≥99% Store below 30°C	405.00 739.00 2961.00	500 gm 1 kg 5 kg
TC1460M ATC NaOH (1310-73-2)	**Sodium Hydroxide** Pellets Caustic Soda Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 40 Store below 30°C	1215.00 2179.00 6543.00	500 gm 1 kg 5 kg
891580 NaOH (1310-73-2)	**Sodium Hydroxide** 10% Solution **AR** M.W. 40.0 Assay About 10.0%	140.00 230.00	500 ml 1 lit
891583 NaOH (1310-73-2)	**Sodium Hydroxide** 21% Solution **AR** M.W. 40.0 Assay About 21.0%	207.00 383.00	500 ml 1 lit
891586 NaOH (1310-73-2)	**Sodium Hydroxide** 32% Solution **AR** (For Determination Of Nitrogen) M.W. 40.0 Assay About 32.0%	221.00 387.00	500 ml 1 lit
891589 NaOH (1310-73-2)	**Sodium Hydroxide** 45% Solution **AR** M.W. 40.0 Assay About 45.0%	252.00 441.00	500 ml 1 lit
891592 NaOH (1310-73-2)	**Sodium Hydroxide** 50% Solution in Water **AR** M.W. 40.0 Assay About 50.0%	261.00 504.00	500 ml 1 lit
891600	**Sodium Hydroxide** N/1 Solution 1 mol/L Citrisol 20.00 g NaOH for 500 ml Solution 1N solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
891630	**Sodium Hydroxide** N/10 Solution 0.1 mol/L Citrisol 2.000 g NaOH for 500 ml solution 0.1N Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
891660	**Sodium Hydroxide** Solution (N/10)	163.00 257.00 396.00	500 ml 1 lit 2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
891690	**Sodium Hydroxide** CPECTROSOL® 0.01M (0.01N) Standard Solution In accordance with NIST	1400.00	1 lit
891695	**Sodium Hydroxide** 0.01 mol/L (0.01N) For 500 ml Solution	243.00 451.00 882.00	1 Amp 3 Amp 6 Amp
891700	**Sodium Hydroxide** CPECTROSOL® 0.02M (0.02N) Standard Solution In accordance with NIST	1400.00	1 lit
891970	**Sodium Hydroxide** CPECTROSOL® 0.2M (0.2N) Standard Solution In accordance with NIST	1400.00	1 lit
891720	**Sodium Hydroxide** 0.05 M (0.05N) Volumetric Solution	275.00	500 ml
891750	**Sodium Hydroxide** CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	1400.00	1 lit
891870	**Sodium Hydroxide** CPECTROSOL® 0.111M (0.111N) Standard Solution In accordance with NIST	1400.00	1 lit
891960	**Sodium Hydroxide** 0.2 M (0.2N) Volumetric Solution	154.00 230.00 486.00	500 ml 1 lit 2.5 lit
891705	**Sodium Hydroxide** 0.02 mol/L (0.02N) Solution	243.00 414.00 702.00	500 ml 1 lit 2.5 lit
891990	**Sodium Hydroxide** 0.25 M (0.25N) Volumetric Solution	171.00 293.00 576.00	500 ml 1 lit 2.5 lit
891997	**Sodium Hydroxide** CPECTROSOL® 0.25M (0.25N) Standard Solution In accordance with NIST	1400.00	1 lit
891999	**Sodium Hydroxide** 0.25 mol/L (0.25N) For 500 ml Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
892000	**Sodium Hydroxide** 0.33 mol/L (0.33N) Solution	243.00 414.00 702.00	500 ml 1 lit 2.5 lit
891995	**Sodium Hydroxide** 0.357M (1/2.8N) Solution	284.00 513.00 864.00	500 ml 1 lit 2.5 lit
892050	**Sodium Hydroxide** 0.5 M (0.5N) Volumetric Solution	171.00 243.00 532.00	500 ml 1 lit 2.5 lit
892055	**Sodium Hydroxide** CPECTROSOL® 0.5M (0.5N) Standard Solution In accordance with NIST	1400.00	1 lit
892058	**Sodium Hydroxide** 0.5 mol/L (0.5N) For 500 ml Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
892060	**Sodium Hydroxide** 1M (1N) Volumetric Solution	154.00 293.00 541.00	500 ml 1 lit 2.5 lit

Product Code	Product Name	Price	Packing
892063	**Sodium Hydroxide** CPECTROSOL® 1M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
892065	**Sodium Hydroxide** 2 M (2N) Volumetric Solution	203.00 387.00 604.00	500 ml 1 lit 5 lit
892068	**Sodium Hydroxide** CPECTROSOL® 2M (2N) Standard Solution In accordance with NIST	1400.00	1 lit
892070	**Sodium Hydroxide** 4 M (4N) Low in Carbonate Volumetric Solution	243.00 459.00 720.00	500 ml 1 lit 2.5 lit
892075	**Sodium Hydroxide** CPECTROSOL® 4M (4N) Standard Solution In accordance with NIST	1400.00	1 lit
892080	**Sodium Hydroxide** 5M (5N) Volumetric Solution	261.00 486.00 783.00	500 ml 1 lit 2.5 lit
892095	**Sodium Hydroxide** 6M (6N) Solution	275.00 505.00 846.00	500 ml 1 lit 2.5 lit
892110	**Sodium Hydroxide** 8M (8N) Volumetric Solution	306.00 576.00 882.00	500 ml 1 lit 2.5 lit
892170	**Sodium Hydroxide** 10M (10N) Volumetric Solution	338.00 621.00 963.00	500 ml 1 lit 2.5 lit
892163	**Sodium Hydroxide** TS (1 N) acc. to USP	194.00	500 ml
892215	**Sodium Hypobromite** For Synthesis	279.00	500 ml
DI2160	**Sodium Hypochlorite** Solution (Approximately 4% w/v available Chlorine)	162.00 280.00 999.00 POR	500 ml 1 lit 5 lit 25 lit
PCT2311 PTC NaOCl (7681-52-9)	**Sodium Hypochlorite (4% w/v solution)** Plant Culture Tested M. W.: 74.44 Store below 30°C	2061.00 3259.00	5X50 ml 5X100 ml
030170 $NaH_2PO_2H_2O$ (10039-56-2)	**Sodium Hypophosphite** (Monohydrate) M. W.: 105.99 Assay (oxidimetric) 98.0-101.0%	1548.00 POR POR	500 gm 25 kg 50 kg
644245 $NaH_2PO_2H_2O$ (10039-56-2)	**Sodium Hypophosphite** (Monohydrate) **AR** M. W.: 105.99	1701.00 POR POR	500 gm 25 kg 50 kg
030171 $NaIO_3$ (7681-55-2)	**Sodium Iodate** M. W.: 197.90 Assay (Iodometric) 98.0%	2556.00	100 gm
644305 $NaIO_3$ (7681-55-2)	**Sodium Iodate AR** M. W.: 197.90 Assay (Iodometric) 99.5%	2700.00	100 gm

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
030172 NaI (7681-82-5)	**Sodium Iodide** Pure M. W.: 149.89 Assay (ex I)(after drying)99.0%	945.00 2700.00 6201.00 POR	25 gm 100 gm 250 gm 25 kg
644345 NaI (7681-82-5)	**Sodium Iodide AR/ACS** M. W.: 149.89 Assay (after drying) 99.5%	3006.00 6606.00	100 gm 250 gm
030173 $C_3H_5NaO_3$ (72-17-3)	**Sodium Lactate** 60% Soln. M. W.: 112.06 Assay (Non-aqueous) 58.8-61.2%	630.00 2502.00 POR POR	500 ml 2.5 lit 25 lit 50 lit
220305 $(C_2H_4O)_nC_{12}H_{26}O_4SNa$ (9004-82-4)	**Sodium Lauryl Ether Sulphate** (SLES) M.W. : 332.43	1953.00 POR POR	5 lit 25 lit 50 lit
220030 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** (Needle Shape) M. W.: 288.38 Assay (As sodium Lauryl Sulphate) 90.0%	756.00 6507.00 POR POR	500 gm 5 kg 25 kg 50 kg
220040 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** Powder Meets Analytical Specification of IP, BP, USP, NF, Ph. Eur. M. W.: 288.38 Assay (Sodium Lauryl Sulphate) 90.0%	927.00 8200.00 POR POR	500 gm 5 kg 25 kg 50 kg
220050 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** M. W.: 288.38 Assay (Sodium Lauryl Sulphate) 99.5%	2106.00 10000.00 19000.00 90000.00	100 gm 500 gm 1 kg 5 kg
644595 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate AR/ACS** For SDS Electrophoresis M. W.: 288.38 Assay (After drying two phase titration) 99.0%	1341.00 5337.00 10310.00 POR	100 gm 500 gm 1 kg 25 kg
772000 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** HPLC (Sodium Dodecyl Sulphate) M. W.: 288.38	1719.00 4410.00 17290.00 22440.00	25 gm 100 gm 500 gm 1 kg
986680 MB $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** For Molecular Biology M. W.: 288.38 Assay (After drying two phase titration) 99.0%	594.00 1913.00 6408.00 11412.00	25 gm 100 gm 500 gm 1 kg
892270	**Sodium Lauryl Sulphate** 10% Solution	1476.00	100 ml
892272	**Sodium Lauryl Sulphate** 20% Solution	2043.00	250 ml
	Sodium-M-Arsenite See Sodium Arsenite		
030179 $C_3H_2Na_2O_4$ (141-95-7)	**Sodium Malonate** M. W.: 148.03 Assay(Non-aqueous) 98.5%	1404.00 6030.00	100 gm 500 gm
030180 $Na_2S_2O_5$ (7681-57-4)	**Sodium Metabisulphite** Purified (Sodium Disulphite, Sodium Pyrosulphite) M. W.: 190.11 Assay (iodometric) 95.0%	289.00 504.00 1809.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
644455 $Na_2S_2O_5$ (7681-57-4)	**Sodium Metabisulphite AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 190.11 Assay (Iodometric) 98.0%	333.00 603.00 2205.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
	Sodium Meta Periodate See Sodium-meta-Periodate		
221755 $Na_2SiO_3.9H_2O$ (13517-24-3)	**Sodium Meta Silicate** Nonahydrate M. W.: 284.2 Assay Abt. 95.0%	293.00 460.00 POR POR	500 gm 1 kg 25 kg 50 kg
221760 $Na_2SiO_3.5H_2O$ (10213-79-3)	**Sodium Meta Silicate** Pentahydrate M.W.: 212.14 Assay (Acidimetric) 97.0%	441.00 3195.00 POR	500 gm 5 kg 50 kg
PCT2327 PTC Na_2SiO_3 (6834-92-0)	**Sodium Meta Silicate** Plant Culture Tested M. W.: 122.06 Assay 95% Store below 30°C	2017.00 40460.00	1 gm 25 gm
	Sodium Metavanadate See Sodium (meta) Vanadate		
220170 $NaOCH_3$ (124-41-4)	**Sodium Methoxide** M. W.: 54.02 Assay (Calculated; as $NaOCH_3$) 97.5%	198.00 702.00 6003.00 POR POR	100 gm 500 gm 5 kg 25 kg 50 kg
892450	**Sodium Methoxide** Solution 25% Assay 24.9-25.1%	450.00 1602.00	500 ml 2.5 lit
892470	**Sodium Methoxide** 0.5M solution in Methanol ACS	315.00 576.00	500 ml 1 lit
030185 $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate** Pure M. W.: 241.95 Assay (ex Mo) 98-102.0%	1161.00 2610.00 4806.00 9207.00 POR	100 gm 250 gm 500 gm 1 kg 25 kg
644495 $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate AR** Reagent for Alkaloids M. W.: 241.95 Assay (ex Mo) 99.0-102.0%	1351.00 2809.00 5202.00 9801.00 POR	100 gm 250 gm 500 gm 1 kg 25 kg
PCT1117 PTC $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate** Dihydrate Plant Culture Tested M. W.: 241.95 Assay 99.5% Store below 30°C	1872.00 9010.00	100 gm 500 gm
TC1581M ATC $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate** Dihydrate Meets EP 9.0 and and BP 2016 testing specifications M. W.: 241.95 Store below 30°C	1819.00 5823.00 24462.00 49510.00	25 gm 100 gm 500 gm 1 kg
	Sodium Monochloroacetate See Sodium Chloro Acetate Mono		
220875 ✣ $C_{10}H_8NO_3SNa$ (130-13-2)	**Sodium Naphthionate** M. W.: 245.23	1908.00	1 kg
	Sodium-a-Naphthylamine Sulfonate See Sodium Naphthionate		
644585 $C_{10}H_8NaPO_4.H_2O$ (81012-89-7)	▲**Sodium-1-Naphthyl Phosphate Monohydrate AR** (1-Naphthyl Phosphate Mono Sodium Salt) M. W.: 264.15 Assay (NaOH titration) 99.0%	2430.00	5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
030187 $NaNO_3$ (7631-99-4)	**Sodium Nitrate** Purified M. W.: 84.99 Assay (ex NO_3) 98.0%	**423.00** **2880.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
645075 $NaNO_3$ (7631-99-4)	**Sodium Nitrate AR/ACS** M. W.: 84.99 Assay (ex NO_3) 99.5%	**460.00** **3393.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
PCT1014 PTC $NaNO_3$ (7631-99-4)	**Sodium Nitrate** Plant Culture Tested M. W.: 84.99 Assay 99% Store below 30°C	**864.00** **1549.00**	**500 gm** **1 kg**
030188 $NaNO_2$ (7632-00-0)	**Sodium Nitrite** Purified M. W.: 69.00 Assay (ex NO_2 Oxidimetric) 98.0%	**189.00** **428.00** **3681.00** **POR** **POR**	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
645080 $NaNO_2$ (7632-00-0)	**Sodium Nitrite AR** M. W.: 69.00 Assay (ex NO_2 Oxidimetric) 98.0%	**504.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
892630	**Sodium Nitrite** 0.1M (0.2N) Volumetric Solution	**207.00** **379.00** **567.00**	**500 ml** **1 lit** **2.5 lit**
892635	**Sodium Nitrite** CPECTROSOL® 0.1M (0.2N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
892660	**Sodium Nitrite** 0.2M (0.4N) Volumetric Solution	**243.00** **441.00** **666.00**	**500 ml** **1 lit** **2.5 lit**
892665	**Sodium Nitrite** CPECTROSOL® 0.2M (0.4N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
892690	**Sodium Nitrite** 0.5M (1N) Volumetric Solution	**239.00** **441.00** **666.00**	**500 ml** **1 lit** **2.5 lit**
892695	**Sodium Nitrite** CPECTROSOL® 0.5M (0.1N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
892720	**Sodium Nitrite** 1M (2N) Volumetric Solution	**266.00** **486.00** **720.00**	**500 ml** **1 lit** **2.5 lit**
892725	**Sodium Nitrite** CPECTROSOL® 1M (2N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
892750	**Sodium Nitrite** 4M (8N) Volumetric Solution	**302.00** **550.00** **829.00**	**500 ml** **1 lit** **2.5 lit**
892755	**Sodium Nitrite** CPECTROSOL® 4M (8N) Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
	Sodium Nitroso Pentacyano Ferrate (III) See Sodium Nitroprusside		

Product Code	Product Name	Price	Packing
030190 $Na_2[Fe(CN)_5NO]2H_2O$ (13755-38-9)	**Sodium Nitroprusside** Purified M. W.: 297.95 Assay (Argentometric) 98.0%	**333.00** **981.00** **4590.00**	**25 gm** **100 gm** **500 gm**
645170 $Na_2[Fe(CN)_5NO].2H_2O$ (13755-38-9)	**Sodium Nitroprusside AR/ACS** M. W.: 297.95 Assay (Argentometric) 99.0%	**1089.00** **4860.00**	**100 gm** **500 gm**
645435 $C_8H_{18}O_4SNa$ (142-31-4)	**Sodium Octyl Sulphate AR** M. W.: 232.27	**2304.00** **9000.00**	**5 gm** **25 gm**
221135 $C_{18}H_{33}NaO_2$ (143-19-1)	**Sodium Oleate** Pure M. W.: 304.44 Assay 98.0%	**1602.00**	**1 kg**
645500	tri-**Sodium Ortho Phosphate** Anhydrous **AR** Assay 98.5%	**576.00** **4600.00**	**500 gm** **5 kg**
030193 $Na_3PO_4.12H_2O$ (10101-89-0)	tri-**Sodium Ortho Phosphate** -12-hydrate M. W.: 380.13 Assay (acidimetric) 98.0%	**576.00** **1090.00** **4600.00** **POR** **POR**	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
645495 $Na_3PO_4.12H_2O$ (10101-89-0)	tri-**Sodium Ortho Phosphate** -12-hydrate **AR** M. W.: 380.13 Assay (acidimetric) 98.0-102.0%	**657.00** **5220.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
030195 $C_2Na_2O_4$ (62-76-0)	**Sodium Oxalate** Purified (di-Sodium Oxalate) M. W.: 134.00 Assay (oxidimetric) 99.5%	**621.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
645535 $C_2Na_2O_4$ (62-76-0)	**Sodium Oxalate AR** M. W.: 134.00 Assay(oxidimetric) 99.9%	**684.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
892840	**Sodium Oxalate** 0.05M (0.1N) Volumetric Solution	**401.00** **720.00** **1089.00**	**500 ml** **1 lit** **2.5 lit**
892845	**Sodium Oxalate** CPECTROSOL® 0.05 M (0.1 N) Standard Solution In accordance with NIST	**1400.00**	**1 lit**
221295 Na_2O (1313-59-3)	**Sodium Oxide** M. W.: 61.98 Assay 80.0%	**4100.00**	**25 gm**
221375 $C_9H_{16}NNaO_5$ (867-81-2)	**Sodium Pantothenate** M. W.: 241.22	**6400.00**	**25 gm**
221415 $C_6Cl_5.NaO$ (131-52-2)	**Sodium Pentachlorophenate** M. W.: 288.32 Assay (acidimetric,on anhydrous substance) 98.0%	**500.00**	**500 gm**
221455 $NaBO_3.4H_2O$ (10486-00-7)	**Sodium Perborate** Tetrahydrate M. W.: 153.86 Assay (Iodometric) 96.0%	**622.00** **POR** **POR**	**1 kg** **25 kg** **50 kg**
221500 $Na_2CO_3.1.5H_2O_2$ (15630-89-4)	**Sodium Percarbonate** M.W. 157.01	**333.00** **1485.00**	**500 gm** **2.5 kg**
221520 $NaClO_4.H_2O$ (7791-07-3)	✳ **Sodium Perchlorate Monohydrate** M. W.: 140.46	**POR** **POR** **POR**	**5 kg** **25 kg** **50 kg**

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
645605 ✳ $NaClO_4.H_2O$ (7791-07-3)	**Sodium Perchlorate AR Monohydrate** M. W.: 140.46 Assay (argentometric) 99.0%	5000.00 14940.00	100 gm 500 gm
892885	**Sodium Perchlorate** 1M Solution	693.00 1107.00 1485.00 1981.00	100 ml 250 ml 500 ml 1 lit
030200 $NaIO_4$ (7790-28-5)	**Sodium** meta **Periodate** M. W.: 213.89 Assay (Iodometric) 98.0%	2403.00 11007.00	100 gm 500 gm
645645 $NaIO_4$ (7790-28-5)	**Sodium** Meta **Periodate AR/ACS** For the colorimetric determination of triglycerides M. W.: 213.89 Assay (Iodometric, on dry subs.) 99.0%	2655.00 12006.00	100 gm 500 gm
H62544 $NaIO_4$ (7790-28-5)	**Sodium** meta **Periodate**	4032.00 13500.00	100 gm 500 gm
645665 Na_2O_2 (1313-60-6)	**Sodium Peroxide** granular **AR/ACS** M. W.: 77.98 Assay (By titration of reducing powder against permaganate) 95.0%	4203.00 20070.00	100 gm 500 gm
	Sodium Peroxydisulphate See Sodium Persulphate		
030203 $Na_2S_2O_8$ (7775-27-1)	**Sodium Persulphate** M. W.: 238.09 Assay (iodometric) 95.0%	190.00 657.00 POR POR	100 gm 500 gm 25 kg 50 kg
645705 $Na_2S_2O_8$ (7775-27-1)	**Sodium Persulphate AR** M. W.: 238.09 Assay(iodometric) 98.0%	730.00 POR	500 gm 25 kg
	Sodium Phosphate Dibasic See di-Sodium Hydrogen Ortho Phosphate		
	Sodium Phosphate Monobasic See Sodium dihydrogen Orthophosphate		
	Sodium Phosphate Tribasic See tri-Sodium Orthophosphate		
319665 (55963-78-5)	**Sodium Polyanethole Sulphonate AR**	657.00 2520.00	1 gm 5 gm
	Sodium Polyphosphate See Sodium Hexametaphosphate		
	Sodium Potassium Tartrate See Potassium Sodium tartrate		
030206 $C_3H_5NaO_2$ (137-40-6)	**Sodium Propionate** M. W.: 96.06 Assay (after drying, Non-aqueous) 99.0-101.0%	864.00 POR POR	500 gm 25 kg 50 kg
030208 $Na_4P_2O_7$ (7722-88-5)	tetra-**Sodium Pyro Phosphate** (Anhydrous) M. W.: 265.90 Assay (acidimetric) 97.5%	792.00 POR POR	500 gm 25 kg 50 kg
030207 $Na_4P_2O_7.10H_2O$ (13472-36-1)	tetra-**Sodium Pyro Phosphate** (Decahydrate) M. W.: 446.05 Assay (acidimetric) 98.5%	900.00 POR	500 gm 50 kg
645835 $Na_4P_2O_7.10H_2O$ (13472-36-1)	tetra-**Sodium Pyro Phosphate** (Decahydrate) **AR** M. W.: 446.06 Assay (acidimetric) 99-103%	1350.00 POR POR	500 gm 25 kg 50 kg
646085 $NaHSO_4$ (7681-38-1)	**Sodium Pyrosulphate AR** M.W. : 120.06	6390.00 12600.00	250 gm 500 gm
646175 $C_3H_3O_3Na$ (113-24-6)	**Sodium Pyruvate** for Biochemistry **AR** M. W.: 110.04 Assay (NAT) (Non-aqueous) 99.0%	540.00 1602.00 4608.00	25 gm 100 gm 500 gm
PCT1503 PTC $C_3H_3O_3Na$ (113-24-6)	**Sodium Pyruvate** (Pyruvic acid sodium salt) Plant Culture Tested M. W.: 110.04 Assay 99% Store below 30°C	684.00 2403.00	25 gm 100 gm
TC1166 ATC $C_3H_3O_3Na$ (113-24-6)	**Sodium Pyruvate** (Pyruvic acid sodium salt) Cell Culture Tested M. W.: 110.04 Assay : ≥99% Store below 30°C	3960.00 14004.00 31680.00 88371.00	25 gm 100 gm 250 gm 1 kg
319815 $C_6Na_2O_6$ (523-21-7)	▲**Sodium Rhodizonate AR** M. W.: 214.04 Assay (non-aqueous) 98.5%	540.00 2403.00	1 gm 5 gm
892900	**Sodium Rhodizonate** Reagent Solution (Reagent for Ba, Pb, Sr)	514.00	100 ml
030210 $C_7H_5NaO_3$ (54-21-7)	**Sodium Salicylate** M. W.: 160.10 Assay (after drying non-aqueous) 99.0%	1305.00 POR POR	500 gm 25 kg 50 kg
646305 $C_7H_5NaO_3$ (54-21-7)	**Sodium Salicylate AR** M. W.: 160.10 Assay (dried substance) 99.5-100.5%	2502.00 4500.00	250 gm 500 gm
646405 Na_2SeO_4 (13410-01-0)	**Sodium Selenate AR** M. W.:188.94 Assay 99.0%	3006.00 27900.00	100 gm 1 kg
221715 Na_2SeO_3 (10102-18-8)	**Sodium Selenite** Anhydrous M. W.:172.94	2403.00 22005.00	100 gm 1 kg
646495 Na_2SeO_3 (10102-18-8)	**Sodium Selenite AR** Additive for nutrient media alkaloidal reagent M. W.: 172.94 Assay (ex Se Oxidimetric) 99.0%	756.00 2800.00 23500.00	25 gm 100 gm 1 kg
TC1169 ATC Na_2SeO_3 (10102-18-8)	**Sodium Selenite** Cell Culture Tested M. W.: 172.94 Assay : ≥99% Store below 30°C	1485.00 2394.00 5013.00	10 gm 25 gm 100 gm
TC1169E ATC Na_2SeO_3 (10102-18-8)	**Sodium Selenite** Anhydrous Meets EP 9.0 testing specifications M. W.: 172.94 Store below 30°C	1810.00 3115.00 6606.00	10 gm 25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
✳ Supply Against Licence
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
221730 $Na_2SeO_3.5H_2O$ (26970-82-1)	**Sodium Selenite** Pentahydrate M.W : 263.0 Assay 98.5%	**2601.00** **23040.00**	**100 gm** **1 kg**
221745	**Sodium Sesquicarbonate**	**378.00**	**500 gm**
	Sodium-m-Silicate See Sodium Meta Silicate		
892935 $Na_2Si_3O_7$ (1344-09-8)	**Sodium Silicate** Solution water glass M. W.: 242.2 Assay as (Na_2O Titrimetric) 10% (Gravimetric as) 25.5-28.5%	**1206.00** **POR**	**5 lit** **25 lit**
221775 Na_2SiF_6 (16893-85-9)	**Sodium Silicofluoride** M W.: 188.05 Assay (NaF) 43.0-45.0%	**333.00** **603.00** **POR** **POR**	**500 gm** **1 kg** **25 kg** **50 kg**
221795 $Na_2SnO_3.3H_2O$ (12209-98-2)	**Sodium Stannate** M.W.:266.71 Assay [soluble Tin (as Sn)] Abt. 40.0%	**4401.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
030217 (9063-38-1)	**Sodium Starchglycolate**	**603.00** **5706.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
221895 $CH_3(CH_2)_{16}COONa$ (822-16-2)	**Sodium Stearate** for Synthesis M.W. : 306.46 Assay 98.0%	**500.00**	**500 gm**
030219 $(CH_2COONa)_2.6H_2O$ (6106-21-4)	**Sodium Succinate** Hexahydrate M. W.: 270.14 Assay (dried, non-aq.) 99.0%	**360.00** **981.00** **POR** **POR**	**100 gm** **500 gm** **25 kg** **50 kg**
646555 $(CH_2COONa)_2.6H_2O$ (6106-21-4)	**Sodium Succinate AR** (Hexahydrate) M. W.: 270.14 Assay (NT) 99.0%	**469.00** **2187.00**	**100 gm** **500 gm**
TC1219 ATC $C_4H_4O_4Na_2.6H_2O$ (6106-21-4)	**Sodium Succinate** Hexahydrate Cell Culture Tested M. W.: 270.14 Assay : ≥99% Store below 30°C	**653.00** **1990.00** **8415.00**	**25 gm** **100 gm** **500 gm**
030223 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Purified (Sodium Sulphate Dried) M. W.: 142.04 Assay (after drying) 99.0%	**234.00** **387.00** **1602.00** **POR** **POR**	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
646605 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** (Anhydrous) **AR/ACS** M. W.: 142.04 Assay (Acidimetric after drying) 99.5%	**316.00** **550.00** **POR** **POR**	**500 gm** **1 kg** **25 kg** **50 kg**
772700 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** HPLC M. W.: 142.04	**2300.00**	**250 gm**
986780 MB Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous For Molecular Biology M. W.: 142.04 Assay : ≥ 99% Store Below 30°C	**666.00**	**1 kg**
PCT1015 PTC Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Plant Culture Tested M. W.: 142.04 Assay 99% Store below 30°C	**604.00** **1090.00**	**500 gm** **1 kg**

Product Code	Product Name	Price	Packing
TC1572M ATC Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Meets USP 41-NF 36, EP 9.0 BP 2016 testing specifications M. W.: 142.04 Store below 30°C	**1260.00** **1900.00** **8523.00**	**500 gm** **1 kg** **5 kg**
221995 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Granular **AR/ACS** for Pesticide Residue Analysis M.W.: 142.04 Assay 99.0%	**550.00** **2610.00** **POR**	**500 gm** **2.5 kg** **25 kg**
030224 $Na_2S.XH_2O$ (27610-45-3)	**Sodium Sulphide** Fused Flakes Iron Free M. W.: 78.04 + H_2O Assay (Na_2S) 55.0-58.0%	**370.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
646665 $Na_2S.XH_2O$ (27610-45-3)	**Sodium Sulphide AR** M. W.: 78.04 Assay (Na_2S) About 60.0%	**666.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
030226 Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous Purified M. W.: 126.04 Assay (iodometric) 96.0%	**320.00** **558.00** **2304.00** **POR** **POR**	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
646705 Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous **AR/ACS** M. W.: 126.04 Assay(iodometric) 97.0%	**405.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
986800 MB Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous For Molecular Biology M. W.: 126.04 Assay : ≥ 98% Store Below 30°C	**541.00**	**500 gm**
030227 $[CHOHCOONa]_2.2H_2O$ (6106-24-7)	di-**Sodium Tartrate** Purified M. W.: 230.08 Assay (Non-aqueous) 99-101%	**1305.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
646735 $C_4H_4Na_2O_62H_2O$ (6106-24-7)	di-**Sodium Tartrate AR** M. W.: 230.08 Assay 99.0%	**855.00** **1503.00**	**250 gm** **500 gm**
219615 $C_4H_4Na_2O_6$ (868-18-8)	**Sodium-DL-Tartrate** Anhydrous (Not Suitable for Karl Fischer) M. W.: 194.05 Assay (Non-aqueous) 99-101.00%	**1107.00**	**500 gm**
	Sodium Tauroglycocholate for Bacteriological See Bile Salt		
TC1347 ATC $C_{26}H_{44}NO_6SNa.XH_2O$ (207737-97-1)	▲**Sodium Taurodeoxycholate** Hydrate Cell Culture Tested M. W.: 521.69 (anhydrous basis) Assay : ≥99% Store below 30°C	**864.00** **1584.00** **7520.00**	**500 mg** **1 gm** **5 gm**
222125 Na_2TeO_3 (10102-20-2)	**Sodium Tellurite** Extra Pure M. W.: 221.58 Assay (Te) 56.7-58.5%	**6300.00**	**100 gm**
	Di-**Sodium Tetraborate** See Borax		
222235 Na_2PdCl_4 (13820-53-6)	**Sodium Tetrachloropalladate** M. W.: 294.21	**12600.00** **59940.00**	**1 gm** **5 gm**
646805 $C_{24}H_{20}BNa$ (143-66-8)	**Sodium Tetra Phenyl Borate AR/ACS** M. W.: 342.23 Assay (argentometric) 99.5%	**1107.00** **9504.00**	**10 gm** **100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
222205 NaSCN (540-72-7)	**Sodium Thiocyanate** M. W.: 81.07 Assay (Calculated on dried basis; Argentometric) 98.0%	756.00 POR	500 gm 25 kg
646845 NaSCN (540-72-7)	**Sodium Thiocyanate AR/ACS** M. W.: 81.07 Assay (Calculated on dried basis; argentometric) 99.0%	954.00 POR	500 gm 50 kg
893120	**Sodium Thiocyanate** CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	1400.00	1 lit
030234 $C_2H_3NaO_2S$ (367-51-1)	**Sodium Thioglycolate** for Bacteriology M.W. : 114.09 Assay (Iodometric) 98.0%	972.00 4500.00	100 gm 500 gm
222335 $Na_2S_2O_3$ (7772-98-7)	**Sodium Thiosulphate** Anhydrous M.W : 158.10 Assay 97.0%	504.00	1 kg
646935 $Na_2S_2O_3$ (7772-98-7)	**Sodium Thiosulphate** (Anhydrous) **AR** M. W.: 158.11 Assay (iodometric on dried subs.) 98.0%	370.00 603.00 POR	500 gm 1 kg 50 kg
986870 MB $Na_2S_2O_3$ (7772-98-7)	**Sodium Thiosulphate** Anhydrous For Molecular Biology M. W.: 158.11 Assay : ≥ 98% Store Below 30°C	405.00	500 gm
030235 $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate Purified (Sodium Thiosulphate-5-hydrate Hypo) M. W.: 248.17 Assay (iodometric) 99.0%	203.00 351.00 1548.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
646905 $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 248.17 Assay (Iodometric) 99.5%	306.00 2160.00 POR POR	500 gm 5 kg 25 kg 50 kg
986930 MB $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate For Molecular Biology M. W.: 248.18 Assay : ≥ 99% Store Below 30°C	423.00 765.00	500 gm 1 kg
PCT1122 PTC $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate Pentahydrate** Plant Culture Tested M. W.: 248.18 Assay 99.5% Store below 30°C	640.00	500 gm
893240	**Sodium Thiosulphate** 0.1 M (0.1N) Volumetic Solution (N/10)	153.00 262.00 486.00	500 ml 1 lit 2.5 lit
893270	**Sodium Thiosulphate** 0.01M (0.01N) Volumetric Solution	194.00 333.00 604.00	500 ml 1 lit 2.5 lit
892275	**Sodium Thiosulphate** CPECTROSOL® 0.01M (0.01N) Standardized Solution In accordance with NIST	1400.00	1 lit

Product Code	Product Name	Price	Packing
893275	**Sodium Thiosulphate** 0.01 mol/L (N/10) (0.01N) For 500 ml Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
893330	**Sodium Thiosulphate** 0.05M (0.05N) Volumetric Solution	190.00 333.00 603.00	500 ml 1 lit 2.5 lit
893345	**Sodium Thiosulphate** CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
893335	**Sodium Thiosulphate** CPECTROSOL® 0.05M (0.05N) Standardized Solution In accordance with NIST	1400.00	1 lit
893340	**Sodium Thiosulphate** Solution 0.1 mol/L Citrisol 12.409g $Na_2S_2O_3$ $5H_2O$ for 500 ml solution 0.1 N solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
893350	**Sodium Thiosulphate** 0.2M (0.2N) Volumetric Solution	180.00 315.00 576.00	500 ml 1 lit 2.5 lit
893360	**Sodium Thiosulphate** 0.394M (0.394N) Volumetric Solution	239.00 423.00 630.00	500 ml 1 lit 2.5 lit
893390	**Sodium Thiosulphate** 1M (1N) Volumetric Solution	207.00 383.00 576.00	500 ml 1 lit 2.5 lit
893395	**Sodium Thiosulphate** CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	1400.00	1 lit
893245	**Sodium Thiosulphate** Solution 0.1N (N/10) acc. to USP	302.00	500 ml
222395 $C_6H_{10}BNaO_6$ (56553-60-7)	**Sodium Triacetoxyborohydride** M. W.: 211.94 Assay 95.0%	1000.00 3492.00 13770.00	25 gm 100 gm 500 gm
222485 CCl_3CO_2Na (650-51-1)	**Sodium Trichloroacetate** (Trichloroacetic acid sodium salt) M. W.: 185.37	1107.00	500 gm
222535 $Na_5O_{10}P_3$ (7758-29-4)	**Sodium Tripolyphosphate** Anhydrous (STPP) M. W.: 367.86 Assay (Cal. Based on P_2O_5) 57-59%	603.00 2597.00	1 kg 5 kg
030237 $Na_2WO_4.2H_2O$ (10213-10-2)	**Sodium Tungstate** Purified M. W.: 329.86 Assay (Gravimetric) 98.0%	1305.00 2809.00 23130.00	100 gm 250 gm 2.5 kg
646995 $Na_2WO_4.2H_2O$ (10213-10-2)	**Sodium Tungstate AR/ACS** Reagent for determination of Uric acid M. W.: 329.86 Assay 99.0-101.0%	1530.00 3042.00 5607.00	100 gm 250 gm 500 gm
893480	**Sodium Tungstate** 10% w/v Volumetric Solution Assay 10-11.0% w/v	122.00 648.00	100 ml 500 ml
218605 $NaVO_3$ (13718-26-8)	**Sodium** Meta **Vanadate** (Sodium Monovanadate) M. W.: 121.93 Assay (ex V) 98.0%	2106.00 9500.00	100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
K095525	**Soil testing kit** (For the estimation of organic carbon)	1089.00	25 te
K095515	**Soil testing kit** (For the estimatio of available calcium and magnesium (exchangable) in soil)	1530.00	1x20 te
K095555	**Soil testing kit** (For the estimatio of available sulphur in soil)	1395.00	1x20 te
K095535	**Soil testing kit** (For the estimation of N,P,K & pH)	2214.00	4x10 te
K095545	**Soil testing kit** refill pack (Reagents only) (For the estimation of N,P,K & pH)	1206.00	4x10 te
	Solochrome Black T See Erichrome black T		
	Solochrome Cyanine R See Eriochrome Cyanine R.		
319955 $C_{20}H_{13}N_2NaO_5S$ (2538-85-4)	**Solochrome Dark Blue** C.I. No. 15705 (Calcon, Eriochrome Blue Black R) M. W.: 416.39	311.00 990.00	5 gm 25 gm
	Soluble Blue See Aniline Blue		
	Solvent Ether See Diethyl Ether		
320175 $C_{28}H_{22}N_2O_2$ (128-80-3)	**Solvent Green 3** [Quinzarine Green (Spirit Soluble)] (C.I. 61565) M.W. : 418.49 Dye content 95.0%	711.00	25 gm
	Solvent Red See Sudan IV		
030241 $C_6H_8O_2$ (110-44-1)	**Sorbic Acid** Mould yeast inhibitor M. W.: 112.13 Assay (acidimetric) 98.5%	1503.00 12510.00 POR POR	500 gm 5 kg 25 kg 50 kg
	Sorbic Acid Potassium Salt See Potassium Sorbate		
	Sorbitan Monolaurate See Span 20		
	Sorbitan Monopalmitate See Span 40		
	Sorbitan Monostearate See Span 60		
	Sorbitan Monooleate See Span 80		
	Sorbite Powder See D-Sorbitol		
030242 $C_6H_{14}O_6$ (50-70-4)	D-**Sorbitol** for Microbiology M. W.: 182.17 Assay (Iodometric, Calc. On anhy. Subs.) 98.0-100.5%	504.00 1602.00	250 gm 1 kg
987180 MB $C_6H_{14}O_6$ (50-70-4)	D-**Sorbitol** Molecular Biology Grade M. W.: 182.17	1584.00 2700.00 9000.00	500 gm 1 kg 5 kg

Product Code	Product Name	Price	Packing
PCT1606 PTC $C_6H_{14}O_6$ (50-70-4)	D-(-)-**Sorbitol** Plant Culture Tested M. W.: 182.17 Assay 99% Store below 30°C	1170.00 2093.00	500 gm 1 kg
TC1170 ATC $C_6H_{14}O_6$ (50-70-4)	D-(-)-**Sorbitol** Cell Culture Tested M. W.: 182.17 Assay : ≥98% Store below 30°C	1540.00 2313.00 9540.00	500 gm 1 kg 5 kg
TC1170M ATC $C_6H_{14}H_6$ (50-70-4)	D-(-)-**Sorbitol** Polyhydric alcohol; D- Glucitol; Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications M. W.: 182.17 Store below 30°C	1863.00 2781.00 11430.00	500 gm 1 kg 5 kg
222815	**Sorbitol** Liquid 70%	342.00 1404.00	500 ml 2.5 lit
222905 $C_6H_{12}O_6$ (87-79-6)	L (-) **Sorbose** for Biochemistry M. W.: 180.16	4302.00 16506.00 POR	25 gm 100 gm 500 gm
	Sorensen's Salt See di-Sodium Hydrogen Ortho Phosphate		
222945 (68513-95-1)	**Soyabean Meal** Defatted	297.00	500 gm
222925 (8002-43-5)	**Soya Lecithin**	1710.00 3870.00	100 gm 500 gm
320365 $C_{16}H_9N_2Na_3O_{11}S_3$ (23647-14-5)	**Spadns AR** M. W.: 570.40	1602.00 4401.00	5 gm 25 gm
H72081 HISURE $C_{16}H_9N_2Na_3O_{11}S_3$ (23647-14-5)	**Spadns** Certified M. W.: 570.40	2862.00 10000.00	5 gm 25 gm
222985 $C_{18}H_{34}O_6$ (1338-39-2)	**Span** 20 M. W.: 346.46	810.00 3240.00	500 ml 2.5 lit
223005 $C_{22}H_{42}O_6$ (26266-57-9)	**Span** 40 M. W.: 402.57	882.00	500 gm
223025 $C_{24}H_{46}O_6$ (1338-41-6)	**Span** 60 M.W. : 430.62	882.00	500 gm
223045 $C_{60}H_{114}O_8$ (26658-19-5)	**Span** 65 M. W.: 963.55	900.00	500 gm
223065 $C_{24}H_{44}O_6$ (1338-43-8)	**Span** 80 M. W.: 428.60	855.00 6750.00	500 ml 5 lit
TC1599 $C_{24}H_{44}O_6$ (1338-43-8)	**Span**® 80, Vaccine Grade M. W.: 428.6 Store below 30°C	4734.00 7920.00	100 ml 500 ml
223085 $C_{60}H_{108}O_8$ (26266-58-0)	**Span** 85 (sorbitain Trioleate) M. W.: 957.50	927.00	500 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code		Product Name	Price	Packing
TC1408	ATC	▲**Sparfloxacin** 5-Amino-1-cyclohexyl-7-(cis-3,5-Dimethylpiperazino-6,8-difluoro-1,4-dihydro-4-oxo-3-quinolinecaroxylic acid Cell Culture Tested $C_{19}H_{22}F_2N_4O_3$ M. W.: 392.4 (110871-86-8) Assay : ≥98.5%	3380.00 27100.00	1 gm 10 gm
PCT2134	PTC	▲**Spectinomycin Dihydrochloride Pentahydrate** Plant Culture Tested $C_{14}H_{24}N_2O_7.2HCl.5H_2O$ M. W.: 495.35 (22189-32-8) Assay 98%	1881.00 8483.00 38187.00	1 gm 5 gm 25 gm
TC1034	ATC	▲**Spectinomycin Dihydrochloride Pentahydrate** Cell Culture Tested Recommended for use in cell culture application at 7.5-20 mg/L $C_{14}H_{24}N_2O_7.2HCl.5H_2O$ M. W.: 495.35 (22189-32-8) Potency : ≥603 µg/mg	2052.00 6710.00 29430.00	1 gm 5 gm 25 gm
PCT1812	PTC	· **Spermidine** Plant Culture Tested $C_7H_{19}N_3$ M. W.: 145.25 (124-20-9) Assay 98%	7740.00 34830.00	1 gm 5 gm
TC1276	ATC	· **Spermidine** Cell Culture Tested $C_7H_{19}N_3$ M. W.: 145.25 (124-20-9) Assay : ≥98%	5175.00 21744.00	1 gm 5 gm
PCT1821	PTC	· **Spermine** Plant Culture Tested $C_{10}H_{26}N_4$ M. W.: 202.34 (71-44-3) Assay 97%	13923.00	1 gm
TC1275	ATC	· **Spermine (Free base)** Cell Culture Tested $C_{10}H_{26}N_4$ M. W.: 202.34 (71-44-3) Assay : ≥96%	5184.00 23265.00	1 gm 5 gm
TC1279	ATC	· **Sphingomyelin** Cell Culture Tested Source : Bovine brain (85187-10-6) Assay : ≥98%	21663.00 62321.00	100 mg 500 mg
223275 $C_{30}H_{62}$ (111-01-3)	✣	**Squalane** for Synthesis M. W.: 422.81	2800.00 6800.00	100 ml 500 ml
223305 $C_{30}H_{50}$ (111-02-4)		**Squalene** for Synthesis M. W.: 410.72 Assay 98.0%	3006.00 9603.00	100 ml 500 ml

AAS Standards Solution

***Standard Solutions in accordance with NIST**
*AAS Standard Solutions
*ICP Single Element Standard Solutions
*Multi Element ICP Standard Solutions
*Conductivity Standard Solutions

Product Code	Product Name	Price	Packing
803140	**Aluminium** (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2295.00 3852.00	100 ml 250 ml 500 ml
803142	**Aluminium** (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2295.00 3852.00	100 ml 250 ml 500 ml
806500	**Antimony** (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2295.00 3852.00	100 ml 250 ml 500 ml
803502	**Antimony** (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2295.00 3852.00	100 ml 250 ml 500 ml
807000	**Arsenic** (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
807002	**Arsenic** (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
807450	**Barium** (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
807452	**Barium** (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
809350	**Beryllium** (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 HF in 2% HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
809352	**Beryllium** (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
809900	**Bismuth** (Bi) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
810840	**Boron** (B) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H_2O In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
813350	**Cadmium** (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
813352	**Cadmium** (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
814010	**Calcium** (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
814012	**Calcium** (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
815350	**Cerium** (Ce) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
815590	**Cesium** CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	2160.00 2700.00 3600.00	100 ml 250 ml 500 ml
817540	**Chromium** (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
817542	**Chromium** (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
817710	**Cobalt** (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	2403.00 2800.00 4023.00	100 ml 250 ml 500 ml
817712	**Cobalt** (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	2403.00 2800.00 4023.00	100 ml 250 ml 500 ml
819100	**Copper** (Cu) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
819102	**Copper** (Cu) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
829695	**Erbium** (Er) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	3978.00 13392.00	100 ml 500 ml
830070	**Europium** (Eu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	4014.00 10845.00	100 ml 500 ml
839060	**Gadolinium** (Gd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3 in accordance with NIST	3735.00 9405.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
839100	**Gallium** (Ga) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 in accordance with NIST	2655.00 6696.00	100 ml 500 ml
839265	**Germanium** (Ge) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 in accordance with NIST	3132.00 6021.00	100 ml 500 ml
839910	**Gold** (Au) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl in accordance with NIST	5400.00	250 ml
844000	**Hafnium** (Hf) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	3204.00 9405.00	100 ml 500 ml
844395	**Holmium** (Ho) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	3735.00 9405.00	100 ml 500 ml
849300	**Indium** (In) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	4788.00	250 ml
850040	**Iron** (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
850042	**Iron** (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
859400	**Lanthanum** (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
859402	**Lanthanum** (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 4802.00	100 ml 250 ml 500 ml
859630	**Lead** (Pb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2115.00 3852.00	100 ml 250 ml 500 ml
860920	**Lithium** (Li) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
861450	**Lutetium** (Lu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	9280.00 15669.00	100 ml 500 ml
863100	**Magnesium** (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2264.00 3852.00	100 ml 250 ml 500 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
863102	**Magnesium** (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00 2295.00 3852.00	100 ml 250 ml 500 ml
863640	**Manganese** (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
863642	**Manganese** (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
864860	**Mercury** (Hg) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	2700.00 3591.00 4491.00	100 ml 250 ml 500 ml
866370	**Molybdenum** (Mo) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 N HNO_3 in accordance with NIST	1746.00 2466.00 3852.00	100 ml 250 ml 500 ml
868650	**Neodymium** (Nd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	3726.00	250 ml
868870	**Nickel** (Ni) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 in accordance with NIST	1746.00 2808.00 3852.00	100 ml 250 ml 500 ml
869290	**Niobium** (Nb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 in accordance with NIST	2552.00 8577.00	100 ml 500 ml
874100	**Palladium** (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	3510.00 7030.00 11970.00	100 ml 250 ml 500 ml
871402	**Palladium** (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	3510.00 7030.00 11970.00	100 ml 250 ml 500 ml
875750	**Phosphorous** (P) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H_2O In accordance with NIST	1746.00 2475.00 3852.00	100 ml 250 ml 500 ml
876190	**Platinum** (Pt) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl In accordance with NIST	3452.00	100 ml
876500	**Potassium** (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

Product Code	Product Name	Price	Packing
876502	**Potassium** (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
883250	**Rhenium** (Re) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	2772.00 10710.00	100 ml 500 ml
883320	**Rhodium** (Rh) CPECTROSOL® Atomic Absorption Std. Soln. Contain1000 mg/lit AAS in HNO_3 In accordance with NIST	20304.00 50760.00	100 ml 500 ml
883510	**Rubidium** (Rb) CPECTROSOL® Atomic Absorption Std. Soln. Contain1000 mg/lit AAS in HNO_3 In accordance with NIST	2552.00 6696.00	100 ml 500 ml
887290	**Scandium** (Sc) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	3430.00 8595.00	100 ml 500 ml
888160	**Selenium** (Se) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	2372.00	250 ml
888680	**Silicon** (Si) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H_2O In accordance with NIST	1746.00 2286.00 3853.00	100 ml 250 ml 500 ml
888840	**Silver** (Ag) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1908.00 4212.00 6696.00	100 ml 250 ml 500 ml
890000	**Sodium** (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
890060	**Sodium** (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
893990	**Strontium** (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
893992	**Strontium** (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
896100	**Tellurium** (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	2412.00 4014.00	100 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
896130	**Tellurium** (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl In accordance with NIST	2412.00 4014.00	100 ml 500 ml
896200	**Terbium** (Tb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	2907.00 9882.00	100 ml 500 ml
897510	**Tin** (Sn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	1800.00 2286.00 3852.00	100 ml 250 ml 500 ml
900080	**Tungsten** (W) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	2871.00 4563.00	100 ml 500 ml
902590	**Vanadium** (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
902592	**Vanadium** (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
907500	**Zinc** (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2466.00 3852.00	100 ml 250 ml 500 ml
907502	**Zinc** (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2466.00 3852.00	100 ml 250 ml 500 ml

ICP Single Element Standard Solution

Product Code	Product Name	Price	Packing
803190	**Aluminium** (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
803192	**Aluminium** (Al) CRISTAR® 1000 ppm Single Element Std Soln. for ICP in Hcl In accordance with NIST	5301.00 8505.00	100 ml 500 ml
803194	**Aluminium** (Al) CRISTAR® 10000 ppm Single Element Std Soln. for ICP in Hcl In accordance with NIST	16020.00 48240.00	100 ml 500 ml
806550	**Antimony** (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5500.00 8505.00	100 ml 500 ml
806600	**Antimony** (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	5500.00 8505.00	100 ml 500 ml
806650	**Antimony** (Sb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	16020.00 48240.00	100 ml 500 ml
807050	**Arsenic** (As) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
807100	**Arsenic** (As) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16660.00 48204.00	100 ml 500 ml
807500	**Barium** (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
807550	**Barium** (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	16020.00 48240.00	100 ml 500 ml
807502	**Barium** (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in Hcl In accordance with NIST	5301.00 8505.00	100 ml 500 ml
807552	**Barium** (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in Hcl In accordance with NIST	16020.00 48240.00	100 ml 500 ml
809400	**Beryllium** (Be) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	4815.00 7713.00	50 ml 100 ml
809950	**Bismuth** (Bi) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8514.00	100 ml 500ml
809952	**Bismuth** (Bi) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16020.00 48222.00	100 ml 500 ml
810860	**Boron** (B) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	5220.00 8505.00	100 ml 500 ml
810862	**Boron** (B) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	16020.00 48200.00	100 ml 500 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
813400	**Cadmium** (Cd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
813420	**Cadmium** (Cd) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16020.00 48204.00	100 ml 500 ml
814050	**Calcium** (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
814090	**Calcium** (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16020.00 48204.00	100 ml 500 ml
814030	**Calcium** (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00 8505.00	100 ml 500 ml
814070	**Calcium** (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	16020.00 48204.00	100 ml 500 ml
815400	**Cerium** (Ce) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3	5301.00 8505.00	100 ml 500 ml
815420	**Cerium** (Ce) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO_3	16020.00 48222.00	100 ml 500 ml
815610	**Cesium** (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	4968.00 7938.00	100 ml 500 ml
815650	**Cesium** (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	15021.00 45144.00	100 ml 500 ml
815612	**Cesium** (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	4968.00 7938.00	100 ml 500 ml
815652	**Cesium** (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	15021.00 45144.00	100 ml 500 ml
817580	**Chromium** (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00 8505.00	100 ml 500 ml
817600	**Chromium** (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	16020.00 48222.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
817620	**Chromium** (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
817640	**Chromium** (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16020.00 48222.00	100 ml 500 ml
817740	**Cobalt** (Co) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5544.00 8856.00	100 ml 500 ml
817770	**Cobalt** (Co) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	16740.00 50320.00	100 ml 500 ml
819150	**Copper** (Cu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
819180	**Copper** (Cu) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	16020.00 48200.00	100 ml 500 ml
829700	**Erbium** CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12051.00 40176.00	100 ml 500 ml
830080	**Europium** (Eu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12051.00 40176.00	100 ml 500 ml
839070	**Gadolinium** (Gd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12240.00 48213.00	100 ml 500 ml
839110	**Gallium** (Ga) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	3375.00 4977.00	50 ml 100 ml
839270	**Germanium** (Ge) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 5% HNO_3 1% HF	8487.00	100 ml
839960	**Gold** (Au) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Diluted Hcl in accordance with NIST	12330.00 26910.00	100 ml 500 ml
839980	**Gold** (Au) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	50670.00 151300.00	100 ml 500 ml
844020	**Hafnium** (Hf) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	11970.00	100 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
844400	**Holmium** (Ho) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12160.00 36504.00	100 ml 500 ml
849350	**Indium** (In) CRISTAR® 1000 ppm Single Element Std. Soln. "Certisol" for ICP in HNO_3	5490.00	100 ml
850130	**Iron** (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8514.00	100 ml 500 ml
850160	**Iron** CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16020.00 48204.00	100 ml 500 ml
850070	**Iron** (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00 8514.00	100 ml 500 ml
850100	**Iron** (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	16020.00 48204.00	100 ml 500 ml
859430	**Lanthanum** (La) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5742.00 18081.00	100 ml 500 ml
859660	**Lead** (Pb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8514.00	100 ml 500 ml
859690	**Lead** (Pb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16020.00 48213.00	100 ml 500 ml
860950	**Lithium** (Li) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00 8514.00	100 ml 500 ml
860980	**Lithium** (Li) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16030.00 48204.00	100 ml 500 ml
861470	**Lutetium** (Lu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12272.00 48204.00	100 ml 500 ml
863030	**Magnesium** (Mg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00 8514.00	100 ml 500 ml
863060	**Magnesium** (Mg) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16020.00 48204.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
863670	**Manganese** (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00 8514.00	100 ml 500 ml
863690	**Manganese** (Mn)CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16030.00 48204.00	100 ml 500 ml
863710	**Manganese** (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	5301.00 8514.00	100 ml 500 ml
863730	**Manganese** (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	16030.00 48204.00	100 ml 500 ml
864890	**Mercury** (Hg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	4969.00 7939.00	100 ml 500 ml
864910	**Mercury** (Hg) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in HNO_3 In accordance with NIST	15053.00 45144.00	100 ml 500 ml
866400	**Molybdenum** (Mo) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in1% HNO_3 & 1%.HF	8505.00	100 ml
868660	**Neodymium** (Nd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	8073.00 24102.00	100 ml 500 ml
868900	**Nickel** (Ni) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
868920	**Nickel** (Ni) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16030.00 48204.00	100 ml 500 ml
869300	**Niobium** (Nb) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in 5% HNO_3 1% in HF In accordance with NIST	4014.00 5751.00	50 ml 100 ml
874150	**Palladium** (Pd) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in Hcl.	9495.00 23702.00	100 ml 500 ml
874170	**Palladium** (Pd) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in Hcl.	18810.00 75240.00	100 ml 500 ml
875710	**Phosphorous** (P) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O	5580.00 14058.00	100 ml 500 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
875730	**Phosphorous** (P) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O	14841.00 40212.00	100 ml 500 ml
876220	**Platinum** (Pt) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	8919.00	100 ml
876550	**Potassium** (K) CRISTAR® 200 ppm Single Element Std. Soln. for ICP in HNO_3	5373.00 13420.00	100 ml 500 ml
876570	**Potassium** (K) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3	5373.00 13420.00	100 ml 500 ml
876610	**Potassium** (K)CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	14841.00 40212.00	100 ml 500 ml
876612	**Potassium** (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	14841.00 40212.00	100 ml 500 ml
883260	**Rhenium** (Re) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	8046.00	100 ml
883330	**Rhodium** (Rh) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	23994.00	100 ml
883520	**Rubidium** (Rb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5661.00	100 ml
887300	**Scandium** (Sc) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	5490.00 9109.00	50 ml 100 ml
888190	**Selenium** (Se) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	4716.00	100 ml
888130	**Selenium** (Se) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	15620.00	100 ml
888740	**Silicon** (Si) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	9963.00	100 ml
888710	**Silicon** (Si) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	36567.00	100 ml
888900	**Silver** (Ag) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	7371.00 18441.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
888960	**Silver** (Ag) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	12330.00 29511.00	100 ml 500 ml
890180	**Sodium** (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	4257.00 8523.00	100 ml 500 ml
890150	**Sodium** (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in H_2O In accordance with NIST	16029.00 48240.00	100 ml 500 ml
890120	**Sodium** (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO_3 In accordance with NIST	4257.00 8523.00	100 ml 500 ml
890210	**Sodium** (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16029.00 48204.00	100 ml 500 ml
894080	**Strontium** (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8505.00	100 ml 500 ml
894110	**Strontium** (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16020.00 48204.00	100 ml 500 ml
894020	**Strontium** (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00 8505.00	100 ml 500 ml
894050	**Strontium** (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	16020.00 48204.00	100 ml 500 ml
894730	**Sulphur** (S) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	5301.00 8505.00	100 ml 500 ml
894760	**Sulphur** (S) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O In accordance with NIST	16020.00 48204.00	100 ml 500 ml
896010	**Tantalum** (Ta) CRISTAR® 1000 ppm Single Element Std. Soln. in 5% HNO_3, 1% HF In accordance with NIST	5531.00 8110.00	50 ml 100 ml
896150	**Tellurium** (Te) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5544.00 8856.00	100 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
896155	**Tellurium** (Te) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	16750.00 50382.00	100 ml 500 ml
896210	**Terbium** (Tb) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3	18962.00	100 ml
896190	**Thallium** (Tl) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3 In accordance with NIST	5544.00 8865.00	50 ml 100 ml
897520	**Tin** (Sn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	3960.00 8505.00	100 ml 500 ml
897560	**Tin** (Sn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	16326.00 48204.00	100 ml 500 ml
900180	**Tungsten** (W) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 1% HNO_3, 2% HF In accordance with NIST	4969.00 7947.00	50 ml 100 ml
901875	**Vanadium** (V) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3 In accordance with NIST	5301.00 8514.00	100 ml 500 ml
901895	**Vanadium** (V) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO_3 In accordance with NIST	16331.00 48240.00	100 ml 500 ml
905750	**Yttrium** (V) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3 In accordance with NIST	5544.00 8856.00	50 ml 100 ml
907540	**Zinc** (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8514.00	100 ml 500 ml
907560	**Zinc** CRISTAR® 10000 ppm Single Element Std. Soln.for ICP-MS in In accordance with NIST	16020.00 48254.00	100 ml 500 ml
907520	**Zinc** (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00 8514.00	100 ml 500 ml

ICP Multi-Element Standard Solution

Product Code	Product Name	Price	Packing
866605	**Multi Element Standard Solution** CRISTAR® for **ICP - 20** **Elements; 10 mg/L each** Ce, Dy,Er, Eu, Ga, Gd, Ho, In, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb in 2% HNO_3 In accordance with NIST	13240.00 19872.00	50 ml 100 ml
866705	**Mulit Element Standard Solution** CRISTAR® **for ICP- 32** **Elements; 100 mg/L each** Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Cs, Co,Cr, Fe, In, K, Li, Mg, Mn, Mo, Na, NI, Nb, Pb, Rb, Sb,Se, Sr,Ti, Tl, V, U, Zn, in 5% HNO_3 In accordance with NIST	14072.00 21520.00	50 ml 100 ml
866530	**Multi Element Standard Solution** CRISTAR® for **ICP- 3** **Elements; 10 mg/L each** P,S, Si, in H_2O In accordance with NIST	6273.00 9117.00	50 ml 100 ml
866570	**Multi Element Standard Solution** CRISTAR® for **ICP -10** **Elements; 10 mg/L** each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO_3 In accordance with NIST	7452.00 9936.00	50 ml 100 ml
866566	**Multi Element Standard Solution** CRISTAR® **for ICP -9** **Elements; 10 mg/L** each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO_3 In accordance with NIST	7947.00 9936.00	50 ml 100 ml
866558	**Multi Element Standard Solution** CRISTAR® for **ICP -8** **Elements; 10 mg/L each** V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO_3 In accordance with NIST	7452.00 9936.00	50 ml 100 ml
866545	**Multi Element Standard Solution** CRISTAR® for **ICP - 6** **Elements; 10 mg/L each** Au, Rh, Pd, Ru, Ir, Pt in 5% Hcl In accordance with NIST	8281.00 11593.00	50 ml 100 ml
866579	**Multi Element Standard Solution** CRISTAR® for **ICP -10** **Elements; 100 mg/L each** Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO_3 In accordance with NIST	8281.00 11592.00	50 ml 100 ml
866571	**Multi Element Standard Solution** CRISTAR® for **ICP -9** **Elements; 100 mg/L each** Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO_3 In accordance with NIST	7947.00 10764.00	50 ml 100 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
866561	**Multi Element Standard Solution**	7947.00	50 ml
	CRISTAR® for **ICP -8**	10764.00	100 ml
	Elements; 100 mg/L **each** V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO_3 In accordance with NIST		
866548	**Multi Element Standard Solution**	18216.00	50 ml
	CRISTAR® for **ICP - 6**	26505.00	100 ml
	Elements; 100 mg/L **each** Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST		
866535	**Multi Element Standard Solution**	7947.00	50 ml
	CRISTAR® for **ICP -4**	10710.00	100 ml
	Elements; 1000 mg/L **each** Ca, K, Mg, Na in 2% HNO_3 In accordance with NIST		
866580	**Multi Element Standard Solution**	14904.00	50 ml
	CRISTAR® for **ICP - 15**	23175.00	100 ml
	Elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn in 5% Hcl In accordance with NIST		
866590	**Multi Element Standard Solution**	13240.00	50 ml
	CRISTAR® for **ICP - 18**	19872.00	100 ml
	Elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, W, Ge, Te, Os, Re, Sn, in 5% HCl In accordance with NIST		
866595	**Multi Element Standard Solution**	14072.00	50 ml
	CRISTAR® for **ICP - 18**	21520.00	100 ml
	Elements; 100 mg/L "Certisol" each (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb) in HNO_3 In accordance with NIST		
867000	**Multi Cation IC Standard Solution**	24003.00	100 ml
	CRISTAR® 6 components (Lithium (Li^+) 10 mg/l; Sodium (Na^+) 20 mg/l; Ammonium (Nh_4^+) 40 mg/l; Calcium (Ca^{2+}) 40 mg/l; Magnesium (Mg^{2+}) 20 mg/l; Potassium (K^+) 20 mg/l in Nitric acid 0.1%)In accordance with NIST		
867010	**Multi Cation IC Standard Solution**	24003.00	100 ml
	CRISTAR® 6 Components (Lithium (Li^+) 0.5 mg/l; Sodium (Na^+) 2 mg/l; Ammonium (Nh_4^+) 2.5 mg/l; Calcium (Ca^{2+}) 5 mg/l; Magnesium (Mg^{2+}) 2.5 mg/l; Potassium (K^+) 5 mg/l in Nitric acid 0.1%)In accordance with NIST		
867020	**Multi Anion IC Standard Solution**	24003.00	100 ml
	CRISTAR® 7 Components (1000 mg/l each of Chlorides (Cl^-); Fluorides (F^-); Bromides (Br^-); Nitrites (NO^{2-}); Nitrates (No^{3-}); Phosphates (Po_4^{3-}); Sulphates (SO_4^{2-}) in Water) In accordance with NIST		
867030	**Multi Anion IC Standard Solution**	24003.00	100 ml
	CRISTAR® 7 Components (Fluorides (F^-) 5mg/l ; Chlorides (Cl^-) 10mg/l ; Nitrites (NO^{2-}) 15mg/l ; Bromides (Br^-) 25mg/l ; Nitrates (NO^{3-}) 25mg/L ; Phosphates (PO_4^{3-}) 40mg/l ; Sulphates (SO_4^{2-}) 30mg/l in Water) In accordance with NIST		

Conductivity Standard Solution

Product Code	Product Name	Price	Packing
818830	**Conductivity Standard 5** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818833	**Conductivity Standard 10** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818836	**Conductivity Standard 15** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818839	**Conductivity Standard 20** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818842	**Conductivity Standard 25** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818845	**Conductivity Standard 29.4** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818848	**Conductivity Standard 50** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818851	**Conductivity Standard 70** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818855	**Conductivity Standard 75** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818858	**Conductivity Standard 84** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818861	**Conductivity Standard 100** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818864	**Conductivity Standard 147** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818867	**Conductivity Standard 185** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818870	**Conductivity Standard 200** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818873	**Conductivity Standard 250** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818876	**Conductivity Standard 300** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818879	**Conductivity Standard 390** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818882	**Conductivity Standard 400** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818885	**Conductivity Standard 500** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818888	**Conductivity Standard 600** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818891	**Conductivity Standard 718** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
818894	**Conductivity Standard 1000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818987	**Conductivity Standard 1412** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818900	**Conductivity Standard 1413** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818903	**Conductivity Standard 2000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818906	**Conductivity Standard 2060** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818909	**Conductivity Standard 2500** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818912	**Conductivity Standard 3000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818915	**Conductivity Standard 5000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818918	**Conductivity Standard 7000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818921	**Conductivity Standard 10000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818924	**Conductivity Standard 12880** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818927	**Conductivity Standard 13250** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818930	**Conductivity Standard 13400** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818933	**Conductivity Standard 15000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818936	**Conductivity Standard 20000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818939	**Conductivity Standard 30000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818942	**Conductivity Standard 35000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818945	**Conductivity Standard 40000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818948	**Conductivity Standard 50000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818951	**Conductivity Standard 58700** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818954	**Conductivity Standard 60000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml

Product Code	Product Name	Price	Packing
818957	**Conductivity Standard 80000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818960	**Conductivity Standard 84000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818963	**Conductivity Standard 100000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818966	**Conductivity Standard 111800** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818969	**Conductivity Standard 150000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818976	**Conductivity Standard 200000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818979	**Conductivity Standard 300000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
818982	**Conductivity Standard 500000** CRISTAR® **Microsiemense** in accordance with NIST	4320.00	500 ml
223415 $SnCl_4$ (7646-78-8)	**Stannic Chloride** Anhydrous (Tin (IV) Chloride) Fuming Liquid M.W. : 260.52 Assay 98.5-101.5%	9720.00 47070.00	500 ml 2.5 lit
030247 $SnCl_4.5H_2O$ (10026-06-9)	**Stannic Chloride** Pentahydrate M. W.: 350.58 Assay (ex Sn) 97.5%	4230.00	500 gm
030251 SnO_2 (18282-10-5)	**Stannic Oxide** M. W.: 150.69 Assay (by gravimetric) 99.0%	9100.00	500 gm
647395 SnO_2 (18282-10-5)	**Stannic Oxide AR** M. W.: 150.69 Assay 99.5%	5103.00	250 gm
030254 $SnCl_2.2H_2O$ (10025-69-1)	**Stannous Chloride** (Tin II Chloride) M. W.: 225.63 Assay (oxidimetric 97.0%	1062.00 2570.00 4473.00 POR POR	100 gm 250 gm 500 gm 5 kg 25 kg
647435 $SnCl_2.2H_2O$ (10025-69-1)	**Stannous Chloride AR/ACS** Reagent for Amino Acid & Peptide Analysis M. W.: 225.63 Assay 98.0-103.0%	1503.00 2997.00 5184.00 POR POR	100 gm 250 gm 500 gm 5 kg 25 kg
892455	**Stannic Chloride** 1M Solution in Dichloromethane	1242.00 4500.00	100 ml 500 ml
223745 SnC_2O_4 (814-94-8)	**Stannous Oxalate** Extra Pure M. W.: 206.73 Assay (Tin) 56-58%	1602.00 6372.00	100 gm 500 gm
030258 SnO (21651-19-4)	**Stannous Oxide** M. W.: 134.69 Assay (ex stannous, Tin) 90.0%	9900.00	500 gm
223795 $SnSO_4$ (7488-55-3)	**Stannous Sulphate** (Tin (II) Sulphate) M. W.: 214.75 Assay (oxidimetric, Sn) 50.0%	1323.00 5310.00	100 gm 500 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
646435 $SnSO_4$ (7488-55-3)	**Stannous Sulphate AR** M. W.: 214.75 Assay (iodometric) 96.0%	3200.00	250 gm
893910	**Starch** 0.05% w/v aq.Indicator Solution	234.00	100 ml
893890	**Starch** 0.5% w/v aq.Indicator Solution in Saturated Salt Solution APHA Stabilized	289.00	100 ml
893893	**Starch** 1 wt. % Aqueous Solution Stabilized	109.00	125 ml
030261 $(C_6H_{10}O_5)_n$ (9005-25-8)	**Starch Corn** (Maize) (Insoluble)	261.00 2106.00	500 gm 5 kg
223845 (9005-84-9)	**Starch Hydrolysed** for Biochemistry	1036.00 4860.00	100 gm 500 gm
987990 MB $(C_6H_{10}O_5)_n$ (9005-25-8)	**Starch Hydrolysed** For Molecular Biology	2412.00 10854.00	100 gm 500 gm
PA1850	**Starch Iodide** Paper (10 Books of 20 Leaves in Box)	401.00	200 lvs
030262 (9005-25-8)	**Starch Potato** (Insoluble)	387.00 3303.00 POR	500 gm 5 kg 25 kg
223945 (9005-25-8)	**Starch Rice** (Insoluble)	1017.00	500 gm
030264 (9005-84-9)	**Starch** Soluble (Ex Potato)	1107.00 POR	500 gm 25 kg
647625 (9005-84-9)	**Starch** Soluble (Ex Potato) **AR**	1251.00 POR	500 gm 25 kg
224055 (9005-25-8)	**Starch Wheat** (Insoluble)	1188.00	500 gm
030267 $C_{18}H_{36}O_2$ (57-11-4)	**Stearic Acid** for Synthesis M. W.: 284.49 Total assay (Palmitic acids stearic acid) ($C_{18}H_{36}O_2$ & $C_{16}H_{32}O_2$) (GC) 90.0%	640.00 6300.00 POR	500 gm 5 kg 25 kg
224090 $C_{18}H_{36}O_2$ (57-11-4)	**Stearic Acid** for Biochemistry M. W.: 284.49 Assay 99.0%	306.00 1152.00	5 gm 25 gm
TC1384 ATC $C_{18}H_{36}O_2$ (57-11-4)	**Stearic Acid** Cell Culture Tested M. W.: 284.48 Assay : ≥99% Store below 30°C	1270.00 3803.00 5615.00 10692.00	1 gm 5 gm 10 gm 25 gm
030268 $(C_{17}H_{35}.CO)_2O$ (638-08-4)	**Stearic Anhydride** M. W.: 550.95 Assay (ex anhydride) 97.0%	2502.00 7300.00	5 gm 25 gm
	Stearyl Alcohol See 1-Octadecanol		
224245 $C_{27}H_{50}NCl.H_2O$ (122-19-0)	**Stearylkonium Chloride** (Dimethylstearylbenzylammonium Chloride) M. W.: 442.00 Assay (ex ci) 98.0%	936.00 3321.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
893940	**Steril** Solution	761.00 3470.00	1 lit 5 lit
224415 $C_{29}H_{48}O$ (83-48-7)	▲**Stigmasterol** for Biochemistry (3-β-Hydroxy-24-Ethyl-5,22-Cholestadiene) M. W.: 412.70	990.00 4536.00	1 gm 5 gm
PCT2525 PTC $C_{29}H_{48}O$ (83-48-7)	▲**Stigmasterol** Plant Culture Tested M. W.: 412.69 Assay 95%	2745.00 12312.00 55440.00	1 gm 5 gm 25 gm
893975	**Stoke**'s Reagent (As reducing agent-blood examination)	441.00	100 ml
224495	**Stopcock Grease** (Lab)	891.00 3294.00	250 gm 1 kg
987050 MB (9013-20-1)	▲**Streptavidin** For Molecular Biology Activity (Fibrinogen) :~14 Units/mg Protein	11286.00	5 mg
224575 $C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$ (3810-74-0)	▲**Streptomycin Sulphate** for Lab Use M. W.: 728.69 Assay (dried) 95.0%	396.00 1287.00	5 gm 25 gm
PCT2120 PTC $C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$ (3810-74-0)	▲**Streptomycin Sulphate** Plant Culture Tested M. W.: 728.69 Potency 650-850 µg/mg	945.00 4257.00 14900.00	5 gm 25 gm 100 gm
TC1035 ATC $C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$ (3810-74-0)	▲**Streptomycin Sulphate** Cell Culture Tested Recommended for use in cell culture application at 100 mg/L M. W.: 728.69 Potency : ≥730 Units/mg	1112.00 2772.00	5 gm 25 gm
224625 $C_8H_{15}N_3O_7$ (18883-66-4)	▲**Streptozotocin** for Biochemistry M. W.: 265.22 Assay (HPLC) 98.0%	2025.00 9495.00 17200.00 75600.00	100 mg 500 mg 1 gm 5 gm
TC1418 ATC $C_8H_{15}N_3O_7$ (18883-66-4)	**Streptozotocin** N-(methyl nitroso carbamoyl)-α-D-Glucosamine Cell Culture Tested M. W.: 265.22 Assay: ≥98% Store at -20°C	4690.00 26073.00	100 mg 1 gm
893990	**Strontium** (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
893992	**Strontium** (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
894080	**Strontium** (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 in accordance with NIST	5301.00 8505.00	100 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
894110	**Strontium** (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**16020.00** **48204.00**	**100 ml** **500 ml**
894020	**Strontium** (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	**5301.00** **8505.00**	**100 ml** **500 ml**
894050	**Strontium** (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	**16020.00** **48204.00**	**100 ml** **500 ml**
224815 Sr (7440-24-6)	**Strontium** (Metal) INGOT M. W.: 87.62 Assay (trace metal basis) 99.9%	**3501.00** **12069.00**	**5 gm** **25 gm**
224835 $(CH_3CO_2)_2Sr$ (543-94-2)	**Strontium Acetate** M. W.: 205.71	**2403.00**	**500 gm**
224855 (71786-49-7)	**Strontium Borate**	**2462.00**	**500 gm**
224875 $SrBr_2$ (10476-81-0)	**Strontium Bromide** M. W.: 247.43	**3006.00**	**500 gm**
648115 $SrBr_2$ (10476-81-0)	**Strontium Bromide AR** M. W.: 247.43	**5500.00**	**500 gm**
030275 $SrCO_3$ (1633-05-2)	**Strontium Carbonate** M. W.: 147.63 Assay (acidimetric) 99.0%	**594.00** **1080.00** **POR**	**250 gm** **500 gm** **25 kg**
030276 $SrCl_2.6H_2O$ (10025-70-4)	**Strontium Chloride** Purified M. W.: 266.62 Assay (Complexometric) 98.0-101.0%	**684.00** **6400.00** **POR**	**500 gm** **5 kg** **50 kg**
648155 $SrCl_2.6H_2O$ (10025-70-4)	**Strontium Chloride AR/ACS** M. W.: 266.62	**783.00**	**500 gm**
225025 $SrCrO_4$ (7789-06-2)	**Strontium Chromate** M.W. : 203.61	**1503.00**	**500 gm**
225045 SrF_2 (7783-48-4)	**Strontium Fluoride** for Synthesis M. W.: 125.62	**2979.00**	**500 gm**
225065 $Sr(OH)_2.8H_2O$ (1311-10-0)	**Strontium Hydroxide** Octahydrate Extra Pure M. W.: 265.76	**864.00**	**500 gm**
030282 $Sr(NO_3)_2$ (10042-76-9)	**Strontium Nitrate** Anhydrous Purified M. W.: 211.63 Assay (complexometric) 99.0%	**720.00** **POR**	**500 gm** **50 kg**
648245 $Sr(NO_3)_2$ (10042-76-9)	**Strontium Nitrate AR/ACS** M. W.: 211.63 Assay (Complexometric) 99.0%	**1089.00**	**500 gm**
225085 SrC_2O_4 (814-95-9)	**Strontium Oxalate** Extra Pure M. W.: 175.64	**1125.00**	**500 gm**

Product Code	Product Name	Price	Packing
225125 ✠ $Sr_3(PO_4)_2$ (7446-28-8)	**Strontium Phosphate** M. W.: 452.80	**2106.00**	**500 gm**
225130 $SrSO_4$ (7759-02-6)	**Strontium Sulphate** Pure M. W.: 183.68 Assay 98.0%	**621.00**	**500 gm**
225135 SrS (1314-96-1)	**Strontium Sulphide** M. W.: 119.69	**4302.00**	**500 gm**
225335 $C_{10}H_{12}O_2$ (93-92-5)	**Styrallyl Acetate** for Synthesis M. W.: 164.20	**3699.00**	**500 gm**
225435 (8046-19-3)	**Styrax** for Synthesis (Gum Storax)	**2799.00**	**500 gm**
225585 C_8H_8 (100-42-5)	**Styrene** for Synthesis (Monomer-Stabilised) M. W.: 104.15 Assay 98.0%	**396.00** **3510.00**	**500 ml** **10x500 ml**
648955 $C_8H_{14}O_4$ (505-48-6)	**Suberic Acid AR** M. W.: 174.19 Assay 98.0%	**3600.00** **15030.00**	**100 gm** **500 gm**
030295 $C_4H_6O_4$ (110-15-6)	**Succinic Acid** Cryst. Pure M. W.: 118.09 Assay (acidimetric) 99.0%	**900.00** **5940.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
649045 $C_4H_6O_4$ (110-15-6)	**Succinic Acid AR** M. W.: 118.09 Assay(acidimetric) 99.5%	**603.00** **2403.00** **POR** **POR**	**100 gm** **500 gm** **25 kg** **50 kg**
PCT1504 PTC $C_4H_6O_4$ (110-15-6)	**Succinic Acid** Plant Culture Tested M. W.: 118.09 Assay 99% Store below 30°C	**842.00** **3790.00**	**100 gm** **500 gm**
TC1047 ATC $C_4H_6O_4$ (110-15-6)	**Succinic Acid, Free Acid** Cell Culture Tested M. W.: 118.09 Assay : ≥99% Store below 30°C	**1463.00** **4370.00**	**100 gm** **500 gm**
	Succinic Acid 2,2-**Dimethyl Hydrazide** See Alar (B-9)		
030296 $C_4H_4O_3$ (108-30-5)	**Succinic Anhydride** for Synthesis M. W.: 100.07 Assay (acidimetric) 99.0%	**450.00** **1602.00** **POR** **POR**	**100 gm** **500 gm** **25 kg** **50 kg**
030297 $C_4H_5NO_2$ (123-56-8)	**Succinimide** (Butanimide) M. W.: 99.09 Assay (acidimetric) 98.5%	**594.00** **2403.00** **POR**	**100 gm** **500 gm** **25 kg**
030299 $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** (Saccharose) M. W.: 342.30	**261.00** **450.00** **1899.00** **POR** **POR**	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
645105 $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose AR/ACS** M. W.: 342.30 Assay 99.5%	401.00 752.00 3690.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
987380 MB $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** For Molecular Biology M. W.: 342.30 Assay 99.5%	585.00 1045.00 4249.00 POR	500 gm 1 kg 5 kg 25 kg
PCT1607 PTC $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** Plant Culture Tested M. W.: 342.3 Assay 99% Store below 30°C	477.00 864.00 4068.00 POR	500 gm 1 kg 5 kg 25 kg
TC1048 ATC $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** Source : Sugarcane Cell Culture Tested M. W.: 342.30 Store below 30°C	2210.00 3591.00 10630.00	500 gm 1 kg 5 kg
TC1048M ATC $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** D-(+)-Saccharose, Sugar Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications M. W.: 342.30 Store below 30°C	4240.00 9702.00 38800.00	500 gm 1 kg 5 kg
TC1648 ATC $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** Source : Beetroot Cell Culture Tested M. W.: 342.30 Store below 30°C	6732.00 11790.00 48303.00	500 gm 1 kg 5 kg
320605 $C_{16}H_{12}N_2O$ (842-07-9)	**Sudan** I C.I. 12055 M. W.: 248.29 Dye content (titanometry) Abt. 97.0%	203.00 594.00	25 gm 100 gm
320655 $C_{22}H_{16}N_4O$ (85-86-9)	**Sudan** III for Microscopy C.I. No. 26100 M. W.: 352.4 Dye content (titanometry) Not less than 75.0%	162.00 252.00 666.00	10 gm 25 gm 100 gm
894290	**Sudan** III Solution	234.00	125 ml
320715 $C_{24}H_{20}N_4O$ (85-83-6)	**Sudan** IV for Microscopy C.I. No. 26105 M. W.: 380.45 Dye content (titanometry) About 80.0%	135.00 280.00 829.00	10 gm 25 gm 100 gm
894350	**Sudan** IV Solution	216.00 765.00	125 ml 500 ml
894355	**Sudan** IV Staining Solution (Fat Stain)	306.00	100 ml
320555 $C_{29}H_{24}N_6$ (4197-25-5)	**Sudan Black** B for Microscopy C.I. No. 26150 M. W.: 456.55 Dye content (Acidimetry) 60.0%	801.00 1602.00 6003.00	10 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
987420 MB $C_{29}H_{24}N_6$ (4197-25-5)	**Sudan Black B** For Molecular Biology C. I. No. : 26150 M. W. : 456.54 Store Below 30°C	3160.00	25 gm
894375	**Sudan Black** (Alcoholic) Solution	577.00	100 ml
894377	**Sudan Black** (P.G.) Solution	680.00	100 ml
320865 (4197-25-5)	**Sudan Yellow** C. I. No. : 12055	981.00	25 gm
225645 $C_8H_9N_2NaO_3S.H_2O$ (6209-17-2)	**Sulphacetamide Sodium** for Lab Use M. W.: 254.24 Assay (Calculated on anhy. basis) 99.0%	1000.00 2493.00 4671.00	5 gm 25 gm 100 gm
225665 $C_{10}H_{10}N_4O_2S$ (68-35-9)	**Sulphadiazine** for Lab Use M. W.: 250.28	1260.00	25 gm
225685 $C_{12}H_{14}N_4O_2S$ (57-68-1)	**Sulphamethazine** Plain for Lab Use M. W.: 278.33 Assay (HPLC) 99.0%	1593.00 5310.00	25 gm 100 gm
225705 $C_{10}H_{11}N_3O_3S$ (723-46-6)	▲**Sulphamethoxazole** for Lab Use M. W.: 253.28	1800.00 10800.00	10 gm 100 gm
PCT2135 PTC $C_{10}H_{11}N_3O_3S$ (723-46-6)	▲**Sulphamethoxazole** Plant Culture Tested M. W.: 253.28 Assay 98%	900.00 2700.00 5400.00	5 gm 25 gm 50 gm
030307 NH_2SO_3H (5329-14-6)	**Sulphamic Acid** (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dired subs.) 99.0%	460.00 3510.00 POR	500 gm 5 kg 50 kg
649665 NH_2SO_3H (5329-14-6)	**Sulphamic Acid AR** (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dried subs.) 99.3-100.3%	351.00 1548.00 POR	100 gm 500 gm 25 kg
225760 $C_6H_8N_2O_2S$ (63-74-1)	**Sulphanilamide** M. W.: 172.20 Assay (HPLC) 98.0%	3204.00 POR	500 gm 25 kg
649225 $C_6H_8N_2O_2S$ (63-74-1)	**Sulphanilamide AR** M. W.: 172.20 Assay (HPLC) 99.0%	945.00 3861.00 POR	100 gm 500 gm 25 kg
030309 $C_6H_7NO_3S$ (121-57-3)	**Sulphanilic Acid** for Synthesis M. W.: 173.19 Assay (acidimetric) 98.5%	212.00 702.00	100 gm 500 gm
649265 $C_6H_7NO_3S$ (121-57-3)	**Sulphanilic Acid AR/ACS** Sensitivity to Nitrate 1:100,000,000 Parts M. W.: 173.19 Assay (Acidimetric) 99.0%	333.00 1310.00	100 gm 500 gm
894490	**Sulphanilic** Acid Solution 0.8%	117.00	100 ml
894495	**Sulphanilic Acid** TS acc. to USP	369.00	500 ml
894520	**Sulphate** Standard Solution 1000 mg/l	3960.00	100 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
225850 $C_4H_8O_2S$ (126-33-0)	**Sulpholane** for Synthesis (Tetramethylene Sulfone) M. W.: 120.17 Assay 98.0%	774.00 3520.00	500 ml 2.5 lit
649675 $C_4H_8O_2S$ (126-33-0)	**Sulpholane AR** M. W.: 120.17 Assay 99.0%	1323.00 5760.00	500 ml 2.5 lit
894594	**Sulphomolybdic** Acid TS acc. to USP	1031.00	500 ml
894590	**Sulphomolybdic** Acid Solution (Reagent for Glucosides)	514.00	100 ml
030314 $C_7H_6O_6S.2H_2O$ (5965-83-3)	5-**Sulphosalicylic Acid** M. W.: 254.21 Assay (acid-base titrimetric) 99.0-101.0%	320.00 1152.00 POR	100 gm 500 gm 25 kg
649765 $C_7H_6O_6S.2H_2O$ (5965-83-3)	5-**Sulphosalicylic Acid AR** Suitable for detection of Protein in Urine M. W.: 254.21 Assay(acidimetric) 99.5%	1000.00 1800.00	250 gm 500 gm
894610	5-**Sulpho Salicylic Acid** 3% Solution	145.00	125 ml
894640	5-**Sulpho Salicylic Acid** 10% Solution	158.00	125 ml
894670	5-**Sulphosalicylic Acid** 20% Solution	171.00 198.00	125 ml 250 ml
894700	5-**Sulphosalicyclic Acid** 30% Soln. for Biochemistry	473.00	250 ml
894715	**Sulphosalicylic** Acid Solution (Reagent for Fe-green blue to pale yellow)	189.00	100 ml
894730	**Sulphur** (S) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	5301.00 8505.00	100 ml 500 ml
894760	**Sulphur** (S) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H_2O in accordance with NIST	16020.00 48204.00	100 ml 500 ml
226005 S (7704-34-9)	**Sulphur** Powder Extra Pure M. W.: 32.06 Assay 98.0%	252.00 POR POR	500 gm 25 kg 50 kg
649965 S (7704-34-9)	**Sulphur** Powder **AR** M. W.: 32.06 Assay 99.0%	423.00	500 gm
	Sulphur Dioxide Aqueous Solution See Sulphurous Acid 5-6%		
226125 S_2Cl_2 (10025-67-9)	**Sulphur Monochloride** for Synthesis M. W.: 135.04 Assay 98.0%	900.00 POR	500 ml 25 lit
894893	**Sulphuric Acid** 6.5%	109.00	500 ml
894895	**Sulphuric Acid** 10%	144.00	500 ml
894900	**Sulphuric Acid** 20% v/v Assay About 19.9-20.1% v/v	149.00	500 ml
894910	**Sulphuric Acid** 25% v/v Assay about 24.9-25.1% v/v	153.00	500 ml

Product Code	Product Name	Price	Packing
894913 H_2SO_4 (7664-93-9)	**Sulphuric Acid** 25% **AR** for Analysis M.W. 98.08 Assay about 25%	1107.00 3393.00	500 ml 2.5 lit
894920	**Sulphuric Acid** 40% for Determination of Gas Metabolism According to Knipping	1107.00 2106.00 3200.00	500 ml 1 lit 2.5 lit
894930	**Sulphuric Acid** 90-91% for Gerber Fat Determination and Determination of Nitrates in Milk	351.00 1260.00	500 ml 2.5 lit
894950	**Sulphuric Acid** 0.005 M (0.01N) for 1000 ml Solution	207.00 837.00	1 Amp 6 Amp
894955	**Sulphuric Acid** CPECTROSOL® 0.005M (0.01N) for 1000 ml In accordance with NIST	1400.00	1 lit
894960	**Sulphuric Acid** 0.05M (0.1N) N/10 Standardized Solution	235.00 405.00 608.00	500 ml 1 lit 2.5 lit
894880	**Sulphuric Acid** N/50 (0.02N)	149.00 414.00	500 ml 2.5 lit
894965	**Sulphuric Acid** CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
895090	**Sulphuric Acid** 0.1N Solution 0.05 mol/lit Citrisol	149.00 270.00 540.00	1 Amp 3 Amp 6 Amp
894970	**Sulphuric Acid** 0.1M (0.2N) Standardized Solution	270.00 495.00 743.00	500 ml 1 lit 2.5 lit
895000	**Sulphuric Acid** CPECTROSOL® 0.1M (0.2N) Standardized Solution In accordance with NIST	1400.00	1 lit
895120	**Sulphuric Acid** CPECTROSOL® 0.25M (0.5N) Standardized Solution In accordance with NIST	1400.00	1 lit
895130	**Sulphuric Acid** 0.25M (0.5N) Solution	270.00 495.00 747.00	500 ml 1 lit 2.5 lit
895140	**Sulphuric Acid** 0.5M (1N) Standardized Solution	293.00 522.00 792.00	500 ml 1 lit 2.5 lit
895150	**Sulphuric Acid** CPECTROSOL® 0.5M (1N) Standardized Solution In accordance with NIST	1400.00	1 lit
895153	**Sulphuric** Acid 0.5 mol/L (N/1) (1N) For 500 ml Solution	154.00 324.00 621.00	1 Amp 3 Amp 6 Amp
895152	**Sulphuric** Acid Solution 1N acc. to USP	360.00	500 ml
895155	**Sulphuric Acid** 1M (2N) Standardized Solution	279.00 495.00 747.00	500 ml 1 lit 2.5 lit

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
895160	**Sulphuric Acid** CPECTROSOL® 1M (2N) Standardized Solution In accordance with NIST	1400.00	1 lit
894890	**Sulphuric Acid** 2N/3	243.00 450.00 666.00	500 ml 1 lit 2.5 lit
895170	**Sulphuric Acid** 2.5M (5N) Solution	302.00 550.00 837.00	500 ml 1 lit 2.5 lit
895260	**Sulphuric Acid** CPECTROSOL® 2.5M (5N) Standardized Solution In accordance with NIST	1400.00	1 lit
895265	**Sulphuric Acid** 5M (10N) Standardized Solution	396.00 720.00 1107.00	500 ml 1 lit 2.5 lit
895275	**Sulphuric Acid** CPECTROSOL® 5M (10N) Standardized Solution In accordance with NIST	1400.00	1 lit
894850	**Sulphuric Acid** N/1	162.00	500 ml
226325 H_2SO_4 (7664-93-9)	**Sulphuric Acid** (SP.GR 1.835) M. W.: 98.08 Assay ABT 98% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in boxes)	369.00 1377.00 1998.00	500 ml 2.5 lit 5 lit
650055 H_2SO_4 (7664-93-9)	**Sulphuric Acid AR** (SP.GR 1.84) M. W.: 98.08 Assay ABT 98% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in boxes)	495.00 1494.00 1827.00	500 ml 2.5 lit 5 lit
773530 H_2SO_4 (7664-93-9)	**Sulphuric Acid** Acipur for Trace Metal Analysis M.W : 98.08 Assay 96.0%	1553.00 2934.00 4460.00	500 ml 1 lit 2.5 lit
773520 H_2SO_4 (7664-93-9)	**Sulphuric Acid** EL (SP.GR. 1.84) For Use in VLSI/ULSI M. W.: 98.08 Assay ABT 98%	8420.00	2.5 lit
895440 H_2SO_3 (7782-99-2)	**Sulphurous Acid** Solution 5-6% **AR** (Sulphur dioxide) M. W.: 64.06 Assay (SO_2) 5.0-6.0% w/v	396.00 1593.00	500 ml 2.5 lit
226445 SO_2Cl_2 (7791-25-5)	**Sulphuryl Chloride** for Synthesis M. W.: 134.97	711.00	500 ml
	Sunset Yellow See Yellowish orange S		

Product Code	Product Name	Price	Packing
TC1693 ATC (9054-89-1)	**Superoxide Dismutase (SOD)** Cell Culture Tested M. W.: 32.5 kDa Activity : NLT 1000U/mg Store at -20°C	10009.00	15 ku
895470	**Susa Fixative**	2403.00	50 ml
226715 $[HOC_6H_2(OCH_3)_2CH=N-]_2$ M. W.: 360.36 (14414-32-5)	**Syringaldazine** (4-Hydroxy-3,5-Dimethoxy-Benzaldehyde Azine)	4500.00 19998.00	1 gm 5 gm
226855 $HOC_6H_2(OCH_3)_2CHO$ M. W.: 182.17 (134-96-3)	**Syringaldehyde** for Synthesis (4-Hydroxy-3,5-Dimethoxy-Benzaldehyde)	576.00 1755.00 6255.00	5 gm 25 gm 100 gm
226885 $HOC_6H_2(OCH_3)_2CO_2H$ M. W.: 198.17 (530-57-4)	**Syringic Acid** for Synthesis (4-Hydroxy-3,5-Dimethoxy-Benzoic Acid)	1503.00	25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
236935 (14807-96-6)	**Talcum** Powder Pract	**171.00** **1350.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
236885 $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic Acid** Powder Pure M. W.: 1701.23	**981.00** **2106.00** **4005.00**	**100 gm** **250 gm** **500 gm**
655565 $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic Acid AR** M. W.: 1701.23	**1107.00** **2300.00** **4203.00**	**100 gm** **250 gm** **500 gm**
PCT2549 PTC $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic acid** Plant Culture Tested M. W.: 1701.2 Store below 30°C	**2039.00** **4482.00** **8055.00**	**100 gm** **250 gm** **500 gm**
896000	**Tannic Acid** Solution (Reagent for Albumin & Gelatin)	**675.00**	**100 ml**
896010	**Tantalum** (Ta) CPRCTROSOL® 1000 ppm Single Element Std. Soln. in 5% HNO_3,1% HF In accordance with NIST	**5531.00** **8110.00**	**50 ml** **100 ml**
237055 Ta (7440-25-7)	**Tantalum** Sheet 0.1mm Thick (40mm X 100mm) M. W.: 180.95 Assay 99.9%	**16110.00**	**1 pc**
237075 Ta (7440-25-7)	**Tantalum** Sheet 0.1mm Thick (40mm X 50mm) M. W.: 180.95 Assay 99.9%	**10800.00**	**1 pc**
N73107 Ta (7440-25-7)	**Tantalum Nanoparticles/** **Nanopowder** (60-80nm) M. W.: 180.95 Assay 99.7%	**10000.00** **21420.00** **64260.00**	**1 gm** **5 gm** **25 gm**
655655 Ta_2O_5 (1314-61-0)	**Tantalum** (V) **Oxide AR** (Tantalum penta oxide) M. W.: 441.89 Assay (Base on trance metal) 99.5%	**2907.00** **4500.00** **20007.00**	**5 gm** **10 gm** **50 gm**
237195 $C_7H_{17}NO_6S$ (29915-38-6)	**TAPS** Buffer M. W.: 243.28 Assay (Acidimetric) 99.0%	**1107.00** **4005.00**	**25 gm** **100 gm**
TC1271 ATC $C_7H_{17}NO_6S$ (29915-38-6)	**TAPS** Buffer Cell Culture Tested M. W.: 243.28 Assay : ≥99.5% Store below 30°C	**2142.00** **6201.00** **19450.00** **POR**	**25 gm** **100 gm** **500 gm** **1 kg**
237255 $C_7H_{17}NO_7S$ (68399-81-5)	**TAPSO** Buffer M.W.: 259.28 Assay 99.0%	**8073.00**	**100 gm**
TC1272 ATC $C_7H_{17}NO_7S$ (68399-81-5)	**TAPSO** Buffer Cell Culture Tested M. W.: 259.28 Assay : ≥99% Store below 30°C	**2552.00** **8091.00** **25083.00**	**25 gm** **100 gm** **500 gm**
237315 $C_4H_6O_6$ (147-71-7)	D (-) **Tartaric Acid** M. W.: 150.09 Assay (acidimetric) 99.0%	**549.00** **1310.00**	**100 gm** **250 gm**

Product Code	Product Name	Price	Packing
237435 $C_4H_6O_6$ (133-37-9)	DL-**Tartaric Acid** (This is not D-Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	**711.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
237440 $C_4H_6O_6$ (87-69-4)	L (+) **Tartaric Acid** Cryst.Pure (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	**950.00** **8001.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
655745 $C_4H_6O_6$ (87-69-4)	L (+) **Tartaric Acid AR** (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (on dried subs. acidimetric) 99.5-100.5%	**1107.00** **9000.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
321765 $C_{16}H_9N_4Na_3O_9S_2$ (1934-21-0)	**Tartrazine** for Microscopy C.I. No. 19140 M. W.: 534.37 Dye content (dried, titanometric) 85.0%	**230.00** **603.00** **4203.00**	**25 gm** **100 gm** **1 kg**
037149 $C_2H_7NO_3S$ (107-35-7)	**Taurine** for Synthesis M. W.: 125.15 Assay (T; acidimetry) 98.0%	**495.00** **1440.00**	**25 gm** **100 gm**
TC1028 ATC $C_2H_7NO_3S$ (107-35-7)	**Taurine** (From non-animal source) Cell Culture Tested M. W.: 125.15 Assay : ≥99% Store below 30°C	**1170.00** **3510.00** **14067.00** **24620.00**	**25 gm** **100 gm** **500 gm** **1 kg**
	Tauroglycocholic Acid Sodium Salt See Bile Salt For Bacteriology		
655945 $C_{11}H_{16}N_5O.BF_4$ (125700-67-6)	▲**TBTU (O-(1H-Benzotriazol-1-Yl)-N,N,N',N'-Teramethyluroniumtetra Fluoroborate) AR** M. W.: 321.08	**369.00** **1341.00** **5490.00**	**5 gm** **25 gm** **100 gm**
655985 H_6TeO_6 (7803-68-1)	**Telluric Acid AR** M. W.: 229.64 Assay 99.0%	**5400.00**	**25 gm**
896100	**Tellurium** (Te) CPECTROSOL® Contains 1000 mg/lit Atomic . Absorption Std. Soln AAS in HNO_3 In accordance with NIST	**2412.00** **4014.00**	**100 ml** **500 ml**
896130	**Tellurium** (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	**2412.00** **4014.00**	**100 ml** **500 ml**
896150	**Tellurium** (Te) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**5544.00** **8856.00**	**100 ml** **500 ml**
896155	**Tellurium** (Te) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	**16750.00** **50382.00**	**100 ml** **500 ml**
030347 Te (13494-80-9)	**Tellurium** (Metal) powder At. W.: 127.60 Assay (Iodometry) 99.0%	**8001.00**	**100 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	TEMED See N,N,N,N Tetramethyl Ethylenediamine		
656125 $C_9H_{18}NO$ (2564-83-2)	▲**Tempo** (Free Radical) **AR** M. W.: 156.25 Assay 98.0%	**144.00** **504.00** **2205.00**	**1 gm** **5 gm** **25 gm**
896200	**Terbium** (Tb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	**2907.00** **9882.00**	**100 ml** **500 ml**
896210	**Terbium** (Tb) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3	**18962.00**	**100 ml**
RE2850 Tb (7440-27-9)	**Terbium** Metal **Ingot** M. W. : 158.93 Assay (Trace metal basis) 99.99%	**8163.00** **31600.00**	**2 gm** **10 gm**
RE2855 Tb (7440-27-9)	**Terbium** Metal **Lump** M. W. : 158.93 Assay (Trace metal basis) 99.99%	**8163.00** **31600.00**	**1 gm** **5 gm**
RE2860 Tb (7440-27-9)	**Terbium** Metal **Powder** 325 mesh M. W. : 158.93 Assay (Trace metal basis) 99.9%	**5400.00** **21700.00**	**1 gm** **5 gm**
RE2900 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.9%	**8830.00** **23121.00**	**10 gm** **50 gm**
RE2905 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.99%	**9100.00** **29484.00**	**5 gm** **25 gm**
RE2910 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**5 gm** **25 gm**
RE2925 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.9%	**8406.00** **36540.00**	**10 gm** **50 gm**
RE2930 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.99%	**5500.00** **26100.00**	**5 gm** **25 gm**
RE2935 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**5 gm** **25 gm**
RE2950 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.9%	**9981.00** **39960.00**	**10 gm** **50 gm**
RE2955 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.99%	**10926.00** **36630.00**	**10 gm** **50 gm**
RE2960 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.999%	**7560.00** **29952.00**	**5 gm** **25 gm**
RE2975 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.9%	**5202.00** **21600.00** **POR**	**5 gm** **25 gm** **100 gm**
RE2980 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.99%	**15530.00** **53420.00**	**10 gm** **50 gm**

Product Code	Product Name	Price	Packing
RE2985 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.999%	**POR** **POR**	**5 gm** **25 gm**
RE3000 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.9%	**3996.00** **14000.00** **22500.00** **59850.00** **POR** **POR**	**1 gm** **5 gm** **10 gm** **50 gm** **250 gm** **1 kg**
RE3005 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.99%	**17730.00** **86000.00** **POR**	**5 gm** **25 gm** **250 gm**
RE3010 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.999%	**5000.00** **19900.00** **POR** **POR**	**1 gm** **5 gm** **25 gm** **250 gm**
RE3025 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.9%	**6624.00** **55000.00**	**5 gm** **50 gm**
RE3030 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.99%	**10670.00** **42921.00**	**5 gm** **25 gm**
RE3035 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.999%	**POR** **POR**	**10 gm** **50 gm**
237525 $C_8H_6O_2$ (623-27-8)	**Terephthalaldehyde** for Synthesis M. W.: 134.13 Assay 97.5%	**4059.00** **14000.00**	**100 gm** **500 gm**
237635 $C_{18}H_{14}$ (92-94-4)	p-**Terphenyl** for Synthesis M. W.: 230.30	**2502.00** **7560.00**	**25 gm** **100 gm**
030351 $C_8H_6O_4$ (100-21-0)	**Terephthalic Acid** for Synthesis M. W.: 166.14 Assay (acidimetric) 98.0%	**464.00**	**500 gm**
237805 $C_8H_4Cl_2O_2$ (100-20-9)	**Terphthaloyl Chloride** for Synthesis M. W.: 203.02 Assay 99.0%	**1170.00** **5337.00**	**100 gm** **500 gm**
237855 $C_{10}H_{18}O$ (8006-39-1)	**Terpineol** (Mixture of isomers) M. W.: 154.25 Assay (mix isomers) 98.0%	**1279.00** **5751.00**	**500 ml** **2.5 lit**
237975 $C_{12}H_{20}O_2$ (80-26-2)	**Terpinyl Acetate** for Synthesis M. W.: 196.29 Assay 95.0%	**1827.00**	**500 gm**
	Tert-Butanol See tert-Butanol		
238275 $C_6H_{15}NO_6S$ (7365-44-8)	**TES** Buffer M. W.: 229.25 Assay (Acidimetric) 99.0%	**666.00** **1908.00** **7353.00**	**5 gm** **25 gm** **100 gm**
987560 MB $C_6H_{15}NO_6S$ (7365-44-8)	**TES** Buffer (See : N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) For Molecular Biology M. W. : 229.25 Assay : ≥ 99% Store Below 30°C	**7650.00**	**100 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
TC1273 ATC $C_6H_{15}NO_6S$ (7365-44-8)	**TES** Buffer Cell Culture Tested M. W.: 229.25 Assay : ≥99% Store below 30°C	**4370.00** **13100.00**	**25 gm** **100 gm**
238325 $C_{19}H_{28}O_2$ (58-22-0)	**Testosterone** for Lab use M. W.: 288.42	**2300.00** **9500.00**	**5 gm** **25 gm**
238375 (57-85-2)	**Testosterone Propionate**	**2570.00** **10890.00**	**5 gm** **25 gm**
238425 ✠ $C_2H_2Br_4$ (79-27-6)	1,1,2,2-**Tetra Bromo Ethane** for Microscopy M. W.: 345.67 Assay (GC) 98.5%	**6804.00** **13005.00**	**250 gm** **500 gm**
238450 $C_{16}H_{40}BN$ (33725-74-5)	**Tetrabutylammonium Borohydride** for Synthesis M.W. 257.31 Assay 98.0%	**1170.00** **5490.00**	**5 gm** **25 gm**
238475 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetra Butyl Ammonium Bromide** M. W.: 322.37 Assay (argentometric) 99.0%	**1296.00** **2300.00** **POR**	**500 gm** **1 kg** **25 kg**
656955 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetrabutyl Ammonium Bromide AR** M. W.: 322.37	**657.00** **3110.00**	**100 gm** **500 gm**
773700 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetrabutyl Ammonium Bromide** HPLC Phase Transfer Catalyst Suitable for HPLC M. W.: 322.37	**770.00**	**100 gm**
238525 $[CH_3(CH_2)_3]_4NCl$ (1112-67-0)	**Tetrabutyl Ammonium Chloride** for Synthesis M. W.: 277.92 Assay 99.0%	**3006.00** **13510.00**	**100 gm** **500 gm**
773750 $C_{16}H_{36}NH_2O_4P$ (5574-97-0)	▲**Tetrabutyl Ammonium Dihydrogen Phosphate AR/ HPLC** M. W.: 339.45 Assay 99.0%	**3006.00** **11007.00**	**5 gm** **25 gm**
238675 $C_{16}H_{37}NO_4S$ (32503-27-8)	**Tetra Butyl Ammonium Hydrogen Sulphate** for Synthesis M. W.: 339.54 Assay (acidimetric) 98.0%	**550.00** **2300.00** **POR**	**100 gm** **500 gm** **25 kg**
656985 $C_{16}H_{37}NO_4S$ (32503-27-8)	**Tetra Butyl Ammonium Hydrogen Sulphate AR** M. W.: 339.54	**1602.00**	**100 gm**
773800 $C_{16}H_{37}NO_4S$ (32503-27-8)	**Tetrabutyl Ammonium Hydrogen Sulphate** HPLC M. W.: 339.53	**1755.00**	**100 gm**
896300	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N aq. Solution **AR**	**1760.00**	**500 ml**
896310	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N In Isopropanol **AR**	**2007.00**	**500 ml**
896330	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N in methanol **AR** (For Non-Aqueous Titration)	**1917.00**	**500 ml**
896335	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N in toluene **AR**	**1431.00**	**500 ml**
896340 (2052-49-5)	**Tetrabutyl Ammonium Hydroxide** 1M solution in Methanol	**1998.00** **7920.00**	**100 ml** **500 ml**
896350	**Tetra**-N-**Butyl Ammonium Hydroxide** 1m in Water	**1755.00** **7700.00**	**100 ml** **500 ml**
896370	**Tetra**-N-**Butyl Ammonium Hydroxide** 10% aqueous Solution Assay (acidimetric) 9.9-10.1%	**1098.00**	**100 ml**
896390	**Tetra**-N-**Butyl Ammonium Hydroxide** 10% in Methanol Assay About 10.0%	**1296.00**	**100 ml**
896395	**Tetra**-N-**Butyl Ammonium Hydroxide** 10% in Toluene	**1818.00**	**100 ml**
896400 (2052-49-5)	**Tetrabutyl Ammonium Hydroxide** 12.5% In Methanol	**1296.00** **5000.00**	**100 ml** **500 ml**
896450	**Tetra**-N-**Butyl Ammonium Hydroxide** 20% aq. Solution Assay About 20.0%	**1692.00** **6507.00**	**100 ml** **500 ml**
896470	**Tetra**-N-**Butyl Ammonium Hydroxide** 20% Solution in Methanol Assay About 20%	**1701.00** **8001.00**	**100 ml** **500 ml**
896485	**Tetra**-N-**Butyl Ammonium Hydroxide** 20% Solution in Toluene	**2403.00**	**100 ml**
896500	**Tetra**-N-**Butyl Ammonium Hydroxide** 25% aq. Solution	**2151.00** **10251.00**	**100 ml** **500 ml**
896510	**Tetra**-N-**Butyl Ammonium Hydroxide** 25% In Methanol Extra Pure Assay About 25%	**1593.00** **7200.00**	**100 ml** **500 ml**
896530	**Tetra**-N-**Butyl Ammonium Hydroxide** 40% in Methanol **AR** Assay About 40%	**3006.00** **12960.00**	**100 ml** **500 ml**
896570	**Tetra**-N-**Butyl Ammonium Hydroxide** 40 % in Water Assay 39-41%	**3204.00** **15300.00**	**100 ml** **500 ml**
896790 (2052-49-5)	**Tetra**-N-**Butyl Ammonium Hydroxide** 54-56 % **aqueous solution** Assay 54-56%	**8703.00** **36810.00**	**100 ml** **500 ml**
657055 $[CH_3(CH_2)_3]_4NI$ (311-28-4)	**Tetra Butyl Ammonium Iodide AR** M. W.: 369.38 Assay (argentometric) 99.0%	**576.00** **2007.00** **18270.00**	**25 gm** **100 gm** **1 kg**
896290 ✠	**Tetrabutylammonium Phosphate** Monobasic 1M Solution In Ethanol	**1656.00**	**100 ml**
	Tetrachloro-p-Benzoquinone See p-Chloranil		
238825 $CHCl_2.CHCl_2$ (79-34-5)	1,1,2,2-**Tetra Chloroethane** for Synthesis M. W.: 167.85 Assay (GC) 97.0%	**1998.00** **8505.00**	**500 ml** **2.5 lit**
657165 $CHCl_2.CHCl_2$ (79-34-5)	1,1,2,2-**Tetra Chloroethane AR** M. W.: 167.85 Assay (GC) 98.0%	**2610.00** **12510.00**	**500 ml** **2.5 lit**

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
238875 CCl_2:CCl_2 (127-18-4)	**Tetrachloroethylene** for Synthesis (Perchloro Ethylene) M. W.: 165.83 Assay (GC) 99.0%	945.00 4005.00 POR	500 ml 2.5 lit 25 lit
657195 CCl_2:CCl_2 (127-18-4)	**Tetrachloroethylene AR** (perchloroethylene) M. W.: 165.83	1107.00 4500.00 POR	500 ml 2.5 lit 25 lit
774000 Cl_2C:CCl_2 (127-18-4)	**Tetrachloroethylene** for HPLC & Spectroscopy M. W.: 165.83 Assay (GC) 99.8%	1206.00 2106.00	500 ml 1 lit
773990 Cl_2C:CCl_2 (127-18-4)	**Tetrachloroethylene GC-HS** M. W.: 165.83	2620.00	1 lit
239025 $C_8Cl_4O_3$ (117-08-8)	**Tetrachloro Phthalic Anhydride** M. W.: 285.95 Assay 96.0%	3807.00	1 kg
657275 ✲ C_6N_4 (670-54-2)	**Tetracyanoethylene AR** M. W.: 128.09 Assay 98.0%	2700.00 9000.00	1 gm 5 gm
239175 ✲ $C_{12}H_4N_4$ (1518-16-7)	7,7,8,8-**Tetracyanoquino Dimethane** Extra Pure M. W.: 204.19 Assay 98.0%	6300.00	5 gm
239225 $C_{22}H_{24}N_2O_8HCl$ (64-75-5)	▲**Tetracycline Hydrochloride** for Lab Use M. W.: 480.90 Assay 95.0%	441.00 2160.00 7920.00	5 gm 25 gm 100 gm
987810 MB $C_{22}H_{24}N_2O_8.HCl$ (64-75-5)	▲**Tetracycline Hydrochloride** For Molecular Biology M. W. : 480.9 Potency : ≥ 900 µg/mg	855.00 3861.00	5 gm 25 gm
PCT2126 PTC $C_{22}H_{24}N_2O_8.HCl$ (64-75-5)	▲**Tetracycline Hydrochloride** Plant Culture Tested M. W.: 480.9 Assay 98%	1170.00 4491.00 14621.00	5 gm 25 gm 100 gm
TC1036 ATC $C_{22}H_{24}N_2O_8.HCl$ (64-75-5)	▲**Tetracycline Hydrochloride** Cell Culture Tested Recommended for use in cell culture M. W.: 480.9 Potency : ≥720 IU/mg	1656.00 6300.00	5 gm 25 gm
	Tetradecanoic Acid See Myristic Acid		
	1-**Tetradecanol** See Myristyl Alcohol		
	Tetradecyltrimethyl Ammonium Bromide See Cetrimide		
239275 $C_{14}H_{30}$ (629-59-4)	N-**Tetradecane** M. W.: 198.39	2394.00 5000.00	100 ml 500 ml
657465 $C_{14}H_{30}$ (629-59-4)	N-**Tetradecane AR** M. W.: 198.39	3366.00 16497.00	100 ml 500 ml
774090 $C_{40}H_{84}NBr$ (14937-42-9)	**Tetradecyl Ammonium Bromide AR** for HPLC M. W.: 659.01 Assay 99.0%	3591.00 15363.00	5 gm 25 gm

Product Code	Product Name	Price	Packing
	Tetraethoxy Silane See Tetraethyl Ortho Silicate		
030366 $(C_2H_5)_4NBr$ (71-91-0)	**Tetraethyl Ammonium Bromide** for Synthesis M. W.: 210.16 Assay (Argentometric) 98.0%	351.00 2120.00	100 gm 500 gm
239515 $C_8H_{20}ClN$ (56-34-8)	**Tetraethyl Ammonium Chloride** (Contains 10-15% Water) Pure M. W.: 165.70	1701.00 3700.00	25 gm 100 gm
774140 $C_8H_{20}NHO_4S$ (16873-13-5)	**Tetraethyl Ammonium Hydrogen Sulphate** (HPLC) M. W.: 227.32 Assay 99.0%	873.00 3290.00	25 gm 100 gm
896730 (77-98-5)	**Tetraethyl Ammonium Hydroxide** 10% In Water	1800.00 8505.00	100 ml 500 ml
896740 (77-98-5)	**Tetraethyl Ammonium Hydroxide** 20% In Water for Synthesis Assay 18.5-21.5%	2205.00 9540.00	100 ml 500 ml
896770 (77-98-5)	**Tetraethyl Ammonium Hydroxide** 25% Aqueous Solution Assay 23.5-26.5%	1908.00 8811.00	100 ml 500 ml
239635 $C_8H_{20}NI$ (68-05-3)	**Tetraethyl Ammonium Iodide** M. W.: 257.153	3240.00 31032.00	100 gm 1 kg
239695 $C_8H_{20}O_4Si$ (78-10-4)	**Tetraethyl** Ortho **Silicate** for Synthesis M. W.: 208.33 Assay 99.0%	1701.00	500 ml
657745 $C_{28}H_{60}NBr$ (4368-51-8)	**Tetraheptylammonium Bromide AR** M. W.: 490.70	8820.00 31995.00	25 gm 100 gm
030371 C_4H_8O (109-99-9)	**Tetrahydrofuran** (Stabilized) for Synthesis M. W.: 72.11 Assay (GC) 99.5%	770.00 3790.00 POR	500 ml 2.5 lit 25 lit
657835 C_4H_8O (109-99-9)	**Tetrahydrofuran AR** Stabilized M. W.: 72.11 Assay (GC) 99.5%	855.00 4104.00 POR	500 ml 2.5 lit 25 lit
657905 C_4H_8O (109-99-9)	**Tetrahydrofuran** (Stabilized) Specially Dried M. W.: 72.11 Assay (GC) 99.5%	1180.00 5121.00 POR	500 ml 2.5 lit 25 lit
774380 C_4H_8O (109-99-9)	**Tetrahydrofuran** For HPLC & Spectroscopy M. W.: 72.11 Assay (GC) 99.7%	2106.00 4806.00	1 lit 2.5 lit
774410 C_4H_8O (109-99-9)	**Tetrahydrofuran** for Pesticide Residue Trace Analysis M. W.: 72.11	2403.00	1 lit
	1,2,3,4-**Tetrahydro Naphthalene** See Tetralin		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
321975 $C_6H_4O_6.2H_2O$ (5676-48-2)	**Tetrahydroxy-p-Benzoquinone AR** Indicator for Sulphate Titration M. W.: 208.12 Assay (HPLC) 97.0%	801.00 3501.00	1 gm 5 gm
239900 (3283-07-6)	N,N,N','-**Tetrakis** (4-aminophenyl)-1,4-phenylenediamine	3564.00 10683.00 POR	1 gm 5 gm 25 gm
658055 $C_{72}H_{60}P_4Pd$ (14221-01-3)	▲**Tetrakis** (Triphenylphosphine) Palladium(O) (Reduction Catalyst) **AR** M. W.: 1155.56 Assay 99.0%	3600.00 17010.00 83070.00	1 gm 5 gm 25 gm
030373 $C_{10}H_{12}$ (119-64-2)	**Tetralin** M. W.: 132.21 Assay (GC) 98.0%	1521.00 6705.00	500 ml 2.5 lit
240125 $C_{10}H_{10}O$ (529-34-0)	a-**Tetralone** for Synthesis M. W.: 146.19 Assay 97.0%	1845.00 8307.00	100 gm 500 gm
240085 $C_{10}H_{10}O$ (530-93-8)	b-**Tetralone** M. W.: 146.19 Assay 98.0%	7470.00 19710.00	5 gm 25 gm
240335 $C_4H_{12}BrN$ (64-20-0)	**Tetramethyl Ammonium Bromide** for Synthesis M. W.: 154.05 Assay 98.0%	1503.00 5950.00	100 gm 500 gm
030379 $C_4H_{12}ClN$ (75-57-0)	**Tetramethyl Ammonium Chloride** pure M. W.: 109.60 Assay (argentometry) 98.0%	405.00 1800.00	100 gm 500 gm
240735 (103812-00-6)	**Tetramethyl Ammonium Hydrogen Sulphate** Monohydrate	2394.00	100 gm
896860	**Tetramethyl Ammonium Hydrogen Sulphate** 0.1 N **AR**	2979.00	500 ml
774500 $C_4H_{12}NHO_4S$ (80526-82-5)	**Tetramethyl Ammonium Hydrogen Sulphate** (HPLC) for Ion Pair Chromatography M. W.: 171.21	702.00 3006.00	5 gm 25 gm
240555 $(Ch_3)_4N(OH).5H_2O$ (10424-65-4)	· **Tetramethyl Ammonium Hydroxide Pentahydrate** Extra Pure M.W. 181.23 Assay 98.0%	1332.00 4500.00	25 gm 100 gm
897000 (75-59-2)	**Tetramethyl Ammonium Hydroxide** 0.1 N in methanol	1450.00 2790.00	250 ml 500 ml
897005 (75-59-2)	**Tetramethyl Ammonium Hydroxide** 0.1 N in IPA	1450.00 2790.00	250 ml 500 ml
897010	**Tetramethyl Ammonium Hydroxide** 1M Solution In Methanol	1206.00 5500.00	100 ml 500 ml
897013	**Tetramethyl Ammonium Hydroxide** 1M Solution in water	1000.00 4500.00	100 ml 500 ml
897020 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 10% Solution in water for Polarography M.W.: 91.15 Assay (acidimetric) 9.5-10.5%	801.00 2907.00	50 ml 250 ml

Product Code	Product Name	Price	Packing
897050 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 25% aqueous Solution pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	2601.00 9550.00	100 ml 500 ml
897070 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 25% in Methanol pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	2800.00 9990.00	100 ml 500 ml
240605 $C_4H_{12}IN$ (75-58-1)	**Tetramethyl Ammonium Iodide** M. W.: 201.05 Assay (argentometric) 99.0%	2907.00 10503.00	100 gm 500 gm
658465 $C_{16}H_{20}N_2$ (366-29-0)	N,N,N'N'-**Tetramethyl Benzidine AR** M. W.: 240.34 Assay 95.0%	4370.00	1 gm
658545 $C_{16}H_{20}N_2$ (54827-17-7)	▲3,3,5,5-**Tetramethyl Benzidine AR** (TMB) (Reagent for Detection of Blood) M. W.: 240.34	1206.00 5000.00 24003.00	1 gm 5 gm 25 gm
TC1705 ATC $C_{16}H_{20}N_2$ (54827-17-7)	**3,3',5,5' Tetramethyl benzidine** (TMB) Cell Culture Tested M. W.: 240.34 Assay : ≥99%	1386.00 5391.00 18072.00	100 mg 1 gm 5 gm
988900 MB $C_{16}H_{20}N_2$ (54827-17-7)	▲3,3',5,5'-**Tetramethylbenzidine** (TMB) For Molecular Biology M. W. : 240.34 Assay : ≥ 99%	2772.00 8235.00	1 gm 5 gm
	n,n,n,n'-**Tetramethyl Diamino Diphenyl Methane** See 4,4-Bis--(Dimethylamino Phenyl) Methane		
	Tetramethylene Dibromide See 1,4-Dibromobutane		
	Tetramethylene Dichloride See 1,4-Dichlorobutane		
	Tetramethylene Glycol See 1,4-Butanediol		
	Tetramethyleneimine See Pyrrolidine		
240875 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n'-**Tetramethyl Ethylenediamine** (Temed) for Synthesis M. W.: 116.21 Assay (GLC) 99.0%	684.00 3096.00 14706.00	100 ml 500 ml 2.5 lit
658605 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n-**Tetramethyl Ethylene Diamine AR** M. W.: 116.21 Assay (GC) 99.0%	846.00 3600.00	100 ml 500 ml
988500 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n'-**Tetramethyl Ethylene Diamine** for Electrophoresis/Molecular Biology M. W.: 116.21	1602.00	100 ml
658725 $C_5H_{13}N_3$ (80-70-6)	1,1,3,3-**Tetramethyl Guanidine AR** M. W.: 115.18 Assay 98.5%	2061.00 7344.00	100 gm 500 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
030386 $C_{10}H_{16}N_2.2HCl$ (637-01-4)	▲n,n,n,n-**Tetramethyl**-p-**Phenylene Diamine Dihydrochloride** M. W.: 237.17 Assay (argentometric) 98.0%	1602.00 7002.00	5 gm 25 gm
	2,2,6,6-**Tetramethylpiperidine-1-Oxyl** See TEMPO		
D99036 $C_4H_{12}Si$ (75-76-3)	**Tetramethylsilane** (TMS) M.W.: 88.23 (for NMR Spectroscopy) Assay (GC) Min. 99.9%	14013.00	100 ml
	Tetramethyluronium Hexafluorophosphate See HATU		
241025 $C_6H_{12}N_2S_4$ (137-26-8)	**Tetramethyl Thiuram Disulphide** M. W.: 240.44 Assay 98.0%	1359.00 4149.00	100 gm 500 gm
	Tetranitro Blue Tetrazolium Chloride See Tetranitro B.T.		
322125 $C_{40}H_{28}Cl_2N_{12}O_{10}$ (1184-43-6)	**Tetranitro B.T. AR** (Tetranitro Blue Tetrazolium Chloride) M. W.: 907.63	2151.00 4352.00	100 mgm 250 mgm
	Tetraphenyl Boron Sodium Salt See Sodium Tetra Phenyl Borate		
241225 $C_{24}H_{20}P.Br$ (2751-90-8)	**Tetraphenyl Phosphonium Bromide** for Synthesis M. W.: 419.3	1422.00 4230.00	25 gm 100 gm
241265 $C_{24}H_{20}P.Cl$ (2001-45-8)	**Tetraphenyl Phosphonium Chloride** for Synthesis M. W.: 374.85 Assay 98.0%	3006.00 7506.00	5 gm 25 gm
241305 ✠ $C_{24}H_{20}P.I$ (2065-67-0)	**Tetraphenyl Phosphonium Iodide** for Synthesis M. W.: 466.30	3330.00 10800.00	5 gm 25 gm
	Tetraphosphoric Acid See Polyphosphoric acid		
	Tetrapotassium Diphosphate See tetra-Potassium Pyrophosphate		
241425 $C_{12}H_{28}NBr$ (1941-30-6)	**Tetrapropyl Ammonium Bromide** Extra Pure M. W.: 266.26	720.00 3006.00	100 gm 500 gm
897260 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 10% Aqueous Solution Assay 9.5-10.5%	1206.00 4203.00	100 ml 500 ml
897280 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 20% Solution in Water Assay 18.5-21.5%	1782.00 7704.00	100 ml 500 ml
897300 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 40% Solution in Water Assay 38.5-41.5%	3204.00 13005.00	100 ml 500 ml
774680 CH_2N_4 (288-94-8)	▲1H-**Tetrazole** for DNA Synthesis (Amidite Activator) M. W.: 70.05 Store at -2°C	410.00 1800.00 6930.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
988990 MB CH_2N_4 (288-94-8)	▲1H-**Tetrazole** For Molecular Biology M. W. : 240.34 Assay : ≥ 99%	784.00 3470.00	1 gm 5 gm
897350 CH_2N_4 (288-94-8)	▲**Tetrazole**, 3 To 4 Wt. % Solution in Acetonitrile M.W. 70.05	6003.00 25002.00	100 ml 500 ml
	Tetrazolium Blue See Blue Tetrazolium		
	Tetrazolium Red See 2,3,5 Tri Phenyl Tetrazolium Chloride		
	Tetrazolium Salt See 2,3,5-Triphenyl Tetrazolium Chloride		
322225 $C_{23}H_{17}ClN_4$ (1719-71-7)	▲**Tetrazolium Violet AR** M. W.: 384.86	2106.00	1 gm
896190	**Thallium** (Tl) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 2% HNO_3 In accordance with NIST	5544.00 8865.00	50 ml 100 ml
659415 $C_8H_5F_3O_2S$ (326-91-0)	2-**Thenoyl Trifluoro Acetone AR** M. W.: 222.19 Assay (acidimetric) 99.0%	1360.00 10900.00	10 gm 100 gm
241905 $C_7H_8N_4O_2$ (83-67-0)	**Theobromine** for Synthesis M. W.: 180.16 Assay 99.0%	2250.00 5670.00 16200.00	25 gm 100 gm 500 gm
241925 $C_7H_8N_4O_2$ (58-55-9)	**Theophylline** Anhydrous M. W.: 180.16 Assay 99.0%	370.00 981.00 POR	25 gm 100 gm 5 kg
659505 $C_7H_8N_4O_2$ (58-55-9)	**Theophylline** Anhydrous **AR** M. W.: 180.16 Assay 99.0%	801.00 2700.00	25 gm 100 gm
PCT1819 PTC $C_{10}H_7N_3S$ (148-79-8)	▲**Thiabendazole** Plant Culture Tested M. W.: 201.25 Assay 98%	29844.00 54270.00	50 gm 100 gm
241965 $C_{12}H_{17}N_4OSClHCl$ (67-03-8)	**Thiamine Hydrochloride** for Biochemistry (Vitamin B1) M. W.: 337.27 Assay (On dried substance) 98.5-101.5%	405.00 819.00 2727.00 13600.00	10 gm 25 gm 100 gm 500 gm
PCT1215 PTC $C_{12}H_{17}ClN_4OS.HCl$ (67-03-8)	▲**Thiamine Hydrochloride** (Vitamin B1 hydrochloride) Plant Culture Tested M. W.: 337.27 Assay 99%	963.00 3330.00 13356.00	25 gm 100 gm 500 gm
TC1173 ATC $C_{12}H_{17}ClN_4OS.HCl$ (67-03-8)	▲**Thiamine Hydrochloride** (Vitamin B1 hydrochloride) Cell Culture Tested M. W.: 337.27 Assay : ≥99%	1602.00 4073.00 10009.00	25 gm 100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
TC1173M ATC $C_{12}H_{17}ClN_4OS.HCl$ (67-03-8)	▲**Thiamine Hydrochloride** Vitamin B1; Thiamine monohydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 337.27	1944.00 4923.00 14553.00	25 gm 100 gm 500 gm
	Thiazolyl Blue See M.T.T. Tetrazolium		
PCT1820 PTC $C_9H_8N_4OS$ (51707-55-2)	▲**Thidiazuron (TDZ)** Plant Culture Tested M. W.: 220.25 Assay 92%	6102.00 21362.00	250 mg 1 gm
PCT2409 PTC	▲**Thidiazuron (TDZ) Solution** w/ 1 mg/ml TDZ in sterile distilled water Sterile filtered Plant Culture Tested	873.00 4212.00	20 ml 5X20 ml
030416 $C_9H_9HgNaO_2S$ (54-64-8)	**Thimersoal** Used as a Preservative for Sucrose Buffer Solution M. W.: 404.81 Assay (Argentometric) 97.0%	6705.00 16020.00 61020.00 POR	10 gm 25 gm 100 gm 1 kg
PCT2136 PTC $C_9H_9HgNaO_2S$ (54-64-8)	**Thimersoal** (Sodium ethylmercurithio salicylate) Plant Culture Tested M. W.: 404.81 Store below 30°C	6800.00 16200.00 62001.00	10 gm 25 gm 100 gm
TC1470 ATC $C_9H_9HgNaO_2S$ (54-64-8)	**Thimersoal** Cell Culture Tested Thiomersal; Thiomersalate; Mercurothiolate; Sodium Ethylmercrithiosalicylate M. W.: 404.81 Potency : ≥97% Store below 30°C	10270.00 21132.00 67631.00 227120.00	10 gm 25 gm 100 gm 500 gm
	Thimersoal See Thimerosal		
242025 CH_3CSNH_2 (62-55-5)	**Thioacetamide** Pract M. W.: 75.13 Assay (Argentometry) 98.0%	1602.00 7506.00	100 gm 500 gm
659545 CH_3CSNH_2 (62-55-5)	**Thioacetamide AR** for Precipitation of Heavy Metals M. W.: 75.13 Assay (Argentometric)99.0%	581.00 2007.00 8802.00 POR	25 gm 100 gm 500 gm 5 kg
897370	**Thioacetamide** Solution (Reagent for As, Bi, Cd, Sb, Co, Pb, Ni & Zn)	585.00	100 ml
242125 CH_3COSH (507-09-5)	**Thioacetic Acid** for Synthesis M. W.: 76.12	1098.00 4194.00	100 ml 500 ml
242175 ✻ C_7H_8S (100-68-5)	**Thioanisole** M.W. 124.21 Assay 99.0%	4330.00 17200.00	100 ml 500 ml
659605 $C_4H_4N_2O_2S$ (504-17-6)	2-**Thiobarbituric Acid AR** M. W.: 144.15 Assay (acidimetric on dried substance) 99.0%	1206.00 4500.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
242305 C_7H_7NS (2227-79-4)	**Thiobenzamide** M. W.: 137.20 Assay 98.0%	2106.00 7803.00	25 gm 100 gm
	Thiocarbamide See Thiourea		
242575 $C_4H_{10}O_2S$ (111-48-8)	2,2-**Thio Diethanol** for Synthesis M. W.: 122.19 Assay 99.0%	3330.00 6093.00	250 ml 500 ml
322365 $C_{17}H_{19}ClN_2S$ (2390-54-7)	**Thioflavine T** C.I. 49005 M. W.: 318.86 Dye content 65-75%	1152.00 2835.00	5 gm 25 gm
030415 $CH_2(SH)COOH$ (68-11-1)	**Thioglycolic Acid** 80% M. W.: 92.11 Assay Abt. 80.0%	2052.00 9500.00	500 ml 2.5 lit
242745 $C_3H_8O_2S$ (96-27-5)	1-**Thioglycerol** (3-Mercapto-1, 2-Propanediol) M. W.: 108.16 Assay (oxidimetric) 90.0%	3510.00 16920.00	100 ml 500 ml
242825 $C_4H_6O_4S$ (70-49-5)	**Thiomalic Acid** for Synthesis Used In Cosmetic, Mettallurgy, Printing Ink and for Electroplating M. W.: 150.15 Assay 97.0%	1800.00 8001.00	100 gm 500 gm
	Thioglycollic Acid Sodium Salt See Sodium Thioglycollate		
322455 $C_{12}H_9N_3S.C_2H_4O_2$ (78338-22-4)	**Thionin Acetate** for Microscopy C. I. No. 52000 M. W.: 287.34	2250.00 9450.00	5 gm 25 gm
222945 $SOCl_2$ (7719-09-7)	**Thionyl Chloride** for Synthesis (Min. order should be for 4x500 ml) M. W.: 118.97 Assay (iodometric ex; Cl) 99.0-101.0%	468.00 2007.00	500 ml 2.5 lit
660235 $SOCl_2$ (7719-09-7)	**Thionyl Chloride AR** (Min. order should be for 4x500 ml) M. W.: 118.97 Assay (iodometric ex; Cl) 99.0-101.0%	783.00 3303.00	500 ml 2.5 lit
243085 C_4H_4S (110-02-1)	**Thiophene** for Synthesis M. W.: 84.14	720.00 3204.00	100 ml 500 ml
243255 C_5H_4OS (98-03-3)	**Thiophene-2-Carboxyaldehyde** for Synthesis M. W.: 112.15 Assay 98.0%	3060.00 14940.00	100 gm 500 gm
243295 (5402-55-1)	2-**Thiophene Ethanol** for Synthesis	4005.00 15003.00	100 ml 500 ml
243395 C_6H_6S (108-98-5)	**Thiophenol** for Synthesis M. W.: 110.2 Assay (GC) 98.0%	3105.00 13806.00	500 ml 2.5 lit
	Thiosalicylic Acid See 2-Mercaptobenzoic Acid		
243575 CH_5N_3S (79-19-6)	**Thiosemicarbazide** for Synthesis M. W.: 91.13	540.00 1602.00 14000.00	25 gm 100 gm 1 kg

Storage : ● 0-4°C ▲ 2-8°C
✻ Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
660295 CH_5N_3S (79-19-6)	**Thiosemicarbazide AR** M. W.: 91.13 Assay (Iodometric) 99.0%	**657.00** **1800.00**	**25 gm** **100 gm**
243725 ✠ $C_4H_4N_2OS$ (141-90-2)	2-**Thiouracil** for Synthesis (Used in Bioside & Electroplating) M. W.: 128.15 Assay 99.0%	**1107.00** **3803.00**	**25 gm** **100 gm**
243755 CH_4N_2S (62-56-6)	**Thiourea** Pract M. W.: 76.12 Assay (iodometric) About 97.0%	**666.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
030423 CH_4N_2S (62-56-6)	**Thiourea** Purified M. W.: 76.12 Assay (Iodometric) 98.0%	**864.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
660355 CH_4N_2S (62-56-6)	**Thiourea AR** M. W.: 76.12 Assay (Iodometric) 99.0%	**666.00** **1107.00** **POR**	**250 gm** **500 gm** **50 kg**
897395	**Thiourea** Solution	**482.00**	**100 ml**
322605 $C_{16}H_{11}AsN_2Na_2O_{10}S_2$ (3688-92-4)	**Thorin Indicator AR** Reagent for Throium, Beryllium & Other Metals M. W.: 576.30	**7700.00**	**5 gm**
660415 $Th(NO_3)_4 5H_2O$ (14767-04-5)	**Thorium Nitrate AR** as a reagent for determination of Fluorine M. W.: 570.13 Assay (complexometric) 99.0%	**18000.00** **POR**	**5 gm** **100 gm**
660435 ThO_2 (1314-20-1)	**Thorium Oxide AR** M. W.: 264.04 Assay 99.0%	**20709.00**	**5 gm**
	Thoron Indicator See Thorin Indicator		
243935 $C_4H_9NO_3$ (80-68-2)	DL-**Threonine** for Biochemistry M. W.: 119.12	**3717.00** **14040.00**	**25 gm** **100 gm**
TC1378 ATC $C_4H_9NO_3$ (80-68-2)	DL-**Threonine** (±)-2-Amino-3-hydroxybutyric acid Cell Culture Tested M. W.: 119.12 Assay : ≥99% Store below 30°C	**3960.00** **14940.00**	**25 gm** **100 gm**
660505 $C_4H_9NO_3$ (72-19-5)	L-**Threonine AR** M. W.: 119.12 Assay (ex. N non-aq.) 99.0%	**100.00** **302.00** **5000.00**	**5 gm** **25 gm** **500 gm**
PCT1319 PTC $C_4H_9NO_3$ (72-19-5)	L-**Threonine** Plant Culture Tested M. W.: 119.12 Assay 99% Store below 30°C	**234.00** **1017.00** **7335.00**	**5 gm** **25 gm** **500 gm**
TC1120 ATC $C_4H_9NO_3$ (72-19-5)	L-**Threonine** (From non-animal source) Cell Culture Tested M. W.: 119.12 Assay : ≥99% Store below 30°C	**3182.00** **9550.00** **28620.00** **42980.00**	**25 gm** **100 gm** **500 gm** **1 kg**
TC1120M ATC $C_4H_9NO_3$ (72-19-5)	L-**Threonine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 119.12 Store below 30°C	**4842.00** **14553.00** **31545.00** **60666.00**	**25 gm** **100 gm** **500 gm** **1 kg**
RE3045 Tm (7440-30-4)	**Thulium** Metal Ingot M. W.: 168.93 Assay (Trace metal basis) 99.99%	**POR** **POR**	**1 gm** **5 gm**
RE3050 Tm (7440-30-4)	**Thulium** Metal Lump M. W.: 168.93 Assay (Trace metal basis) 99.99%	**POR** **POR**	**1 gm** **5 gm**
RE3055 Tm (7440-30-4)	**Thulium** Metal Powder 325 mesh M. W.: 168.93 Assay (Trace metal basis) 99.99%	**POR** **POR**	**1 gm** **5 gm**
RE3095 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9%	**3006.00** **8496.00** **POR**	**1 gm** **5 gm** **100 gm**
RE3100 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay(Trace metal basis) 99.99%	**15930.00** **POR**	**5 gm** **25 gm**
RE3105 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay(Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **25 gm**
RE3110 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **25 gm**
RE3114 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.99%	**5220.00** **18000.00**	**1 gm** **5 gm**
RE3116 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **25 gm**
RE3118 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **25 gm**
RE3120 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.9%	**8604.00** **31482.00**	**2 gm** **10 gm**
RE3125 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.99%	**5994.00** **34362.00**	**1 gm** **10 gm**
RE3130 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.999%	**POR** **POR**	**2 gm** **10 gm**
RE3135 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **25 gm**
RE3137 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.9%	**14940.00** **72810.00**	**2 gm** **10 gm**
RE3139 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.99%	**POR** **POR**	**5 gm** **25 gm**

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
RE3141 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **25 gm**
RE3143 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **25 gm**
RE3145 TmI_3 (13813-43-9)	**Thulium** (III) **Iodide** M. W.: 549.65 Assay (Trace metal basis) 99.95%	**6750.00** **26200.00**	**1 gm** **5 gm**
RE3155 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9%	**25300.00** **94320.00**	**10 gm** **50 gm**
RE3160 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.99%	**12600.00** **44730.00**	**2 gm** **10 gm**
RE3165 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **25 gm**
RE3170 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **25 gm**
RE3172 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9%	**4190.00** **15003.00**	**2 gm** **10 gm**
RE3174 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.99%	**5000.00** **POR**	**1 gm** **25 gm**
RE3176 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **25 gm**
RE3178 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **25 gm**
RE3180 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.9%	**8200.00** **32500.00** **POR**	**2 gm** **10 gm** **50 gm**
RE3185 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.99%	**8802.00** **35100.00**	**2 gm** **10 gm**
RE3190 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.999%	**5500.00** **26100.00**	**1 gm** **5 gm**
RE3195 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.9999%	**POR** **POR**	**1 gm** **10 gm**
RE3205 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.9%	**2970.00** **10800.00**	**1 gm** **5 gm**
RE3210 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.99%	**3573.00** **11907.00**	**1 gm** **5 gm**
RE3215 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.999%	**POR** **POR**	**1 gm** **25 gm**

Product Code	Product Name	Price	Packing
042048 $C_{10}H_{14}N_2O_5$ (50-89-5)	▲**Thymidine** for biochemistry M. W.: 242.23 Assay (HPLC) 99.0%	**370.00** **1450.00** **5900.00**	**1 gm** **5 gm** **25 gm**
TC1174 ATC $C_{10}H_{14}N_2O_5$ (50-89-5)	▲**Thymidine** Cell Culture Tested M. W.: 242.23 Assay : ≥99% Store below 30°C	**1729.00** **5832.00** **9045.00** **20070.00**	**1 gm** **5 gm** **10 gm** **25 gm**
244125 $C_5H_6N_2O_2$ (65-71-4)	▲**Thymine** for Biochemistry M. W.: 126.11 Assay 99%	**423.00** **1602.00**	**5 gm** **25 gm**
TC1175 ATC $C_5H_6N_2O_2$ (65-71-4)	▲**Thymine** Cell Culture Tested M. W.: 126.11 Assay : ≥98%	**1279.00** **3803.00**	**5 gm** **25 gm**
030433 $C_{10}H_{14}O$ (89-83-8)	**Thymol** (Crystal) M. W.: 150.22 Assay(GC) 99.0%	**855.00** **3807.00**	**100 gm** **500 gm**
660595 $C_{10}H_{14}O$ (89-83-8)	**Thymol** (Crystal) **AR** M. W.: 150.22 Assay (GC) 99.5%	**999.00** **4104.00**	**100 gm** **500 gm**
322755 $C_{27}H_{30}O_5S$ (76-61-9)	**Thymol Blue** pH Indicator **AR** pH Transition range 1.2-2.8 Red to Yellow M. W.: 466.60	**387.00** **1305.00**	**5 gm** **25 gm**
897440	**Thymol Blue** Indicator Solution	**131.00**	**125 ml**
322895 $C_{27}H_{29}NaO_5S$ (62625-21-2)	**Thymol Blue Sodium Salt** pH Indicator M. W.: 488.58	**351.00**	**5 gm**
897443	**Thymol Blue** TS acc. to USP	**234.00**	**125 ml**
323035 $C_{28}H_{30}O_4$ (125-20-2)	**Thymolphthaleine** pH Indicator M. W.: 430.55	**261.00** **918.00** **POR**	**5 gm** **25 gm** **1 kg**
323045 $C_{28}H_{30}O_4$ (125-20-2)	**Thymolphthaleine AR** pH Indicator M. W.: 430.55	**351.00** **1206.00** **POR**	**5 gm** **25 gm** **1 kg**
897490	**Thymolphthaleine** Indicator Solution	**149.00**	**125 ml**
323095 $C_{38}H_{44}N_2O_{12}$ (1913-93-5)	**Thymolphthaleine** Complexone M. W.: 720.78	**2007.00** **7506.00**	**1 gm** **5 gm**
	Thymolphthalexon See Thymolpthalein Complexone		
323185	**Thymol Violet** pH Indicator	**221.00** **900.00**	**5 gm** **25 gm**
	Tiles Wash See Tw009		
PCT2113 PTC $C_{15}H_{14}N_2Na_2O_6S_2/C_8H_8KNO_5$ M. W.: 428.4/237.3 (4697-14-7 /61177-45-5)	▲**Timentin** [Ticarcillin disodium salt / Potassium clavulanate mixture (15:1)] Plant Culture Tested	**6462.00** **11633.00**	**1 gm** **2 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT2508 PTC	**Timentin Solution** [Ticarcillin disodium salt / Potassium clavulanate mixture (15:1)] w/ 100 mg/ml Timentin in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	4986.00 13640.00	20 ml 100 ml
897510	**Tin** (Sn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	1800.00 2286.00 3852.00	100 ml 250 ml 500 ml
897520	**Tin** (Sn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	3960.00 8505.00	100 ml 500 ml
897560	**Tin** (Sn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	16326.00 48204.00	100 ml 500 ml
660735 Sn (7440-31-5)	**Tin** (Metal) Powder **AR** At. Wt. : 118.69 Assay 99.5%	2300.00 10980.00	100 gm 500 gm
660745 Sn (7440-31-5)	**Tin** (Metal) Powder **AR** At. W.: 118.69 Assay 99.9%	594.00 2187.00	5 gm 25 gm
244255 Sn (7440-31-5)	**Tin Wire** (2.0 MM) M. W.: 118.69	7002.00 30609.00	5 gm 25 gm
660755 Sn (7440-31-5)	**Tin (**Metal) Foil **AR** At. W.:118.69 Assay 99.8%	2952.00	250 gm
244235 Sn (7440-31-5)	**Tin** (Metal) Foil At. W.: 118.69 Assay (Complexometic) 99.5%	990.00	50 gm
030438 Sn (7440-31-5)	**Tin** (Metal) Granulated At. W.: 118.69 Assay (Complexometic) 99.5%	2241.00 10251.00	100 gm 500 gm
660765 Sn (7440-31-5)	**Tin** (Metal) Granulated **AR** At. W.: 118.69 Assay (Complexometic) 99.7%	2700.00 12510.00	100 gm 500 gm
	Tin (II) **Chloride** See Stannous Chloride		
	Tin (IV) **Chloride** See Stannic Chloride		
244265 $Sn(BF_4)_2$ (13814-97-6)	**Tin** (II) **Fluoborate** 50% for Electroplating M.W. : 292.32 Assay 50.0%	3591.00 POR	500 gm 25 kg
	Tin (IV) **Oxide** See Stannic Oxide		
N74282 (18282-10-5)	**Tin Oxide Nanoparticles/ Nanopowder** (50nm) Assay SnO_2 99.9%	4203.00 12070.00	5 gm 25 gm
	Tin (II) **Sulphate** See Stannous Sulphate		
323335 (149-45-1)	**Tiron AR** Metal (pH) Indicator	351.00 1206.00	5 gm 25 gm

Product Code	Product Name	Price	Packing
897600	**Titan Yellow** Solution	266.00 1099.00	100 ml 500 ml
323435 $C_{28}H_{19}N_5Na_2O_6S_4$ (1829-00-1)	**Titan Yellow AR** C.I. No. 19540 M. W.: 695.73	423.00 1593.00	10 gm 50 gm
244465 Ti (7440-32-6)	**Titanium** Metal Granular M. W.: 47.87	2619.00 5706.00	25 gm 100 gm
244485 Ti (7440-32-6)	**Titanium** Metal Powder M. W.: 47.87	7470.00	100 gm
N74287 Ti (7440-32-6)	**Titanium Nanoparticles/ Nanopowder** (40-60nm) M. W.: 47.87 Assay 99.9%	10962.00 54000.00	5 gm 25 gm
	Titanium Tetrachloride See Titanium (IV) Chloride		
030446 TiO_2 (13463-67-7)	**Titanium Dioxide** (Titanium IV Oxide) M. W.: 79.89 Assay (ex Ti) 98.0%	855.00 1602.00 7506.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
661315 TiO_2 (13463-67-7)	**Titanium Dioxide AR** M. W.: 79.89 Assay (ex Ti dried subs.) 99.0-100.5%	1800.00 14994.00 POR POR	500 gm 5 kg 25 kg 50 kg
661325 TiO_2 (13463-67-7)	**Titanium Dioxide AR** M. W.: 79.89 Assay (ex Ti) 99.9%	5000.00	10 gm
244785 TiO_2 (1317-80-2)	**Titanium Dioxide, Rutile** (Titanium (IV) Oxide, Rutile) M.W. 79.87	900.00 1602.00	500 gm 1 kg
N74385 TiN (25583-20-4)	**Titanium Nitride Nanoparticles/ Nanopowder** (20nm) M.W. 61.87 Assay 99.9%	12780.00 27000.00 50000.00	5 gm 25 gm 100 gm
N74412 TiO_2 (13463-67-7)	**Titanium Oxide Nanoparticles/ Nanopowder** (mixture of anatase and rutile, 20-30nm) M.W. 79.87 Assay 99%	10000.00 36720.00	25 gm 100 gm
N74430 TiO_2 (13463-67-7)	**Titanium Oxide Nanopowder/ Nanoparticles** (Rutile, 10-30nm) M.W. 79.87 Assay 99.5%	5391.00 15111.00 50000.00	25 gm 100 gm 500 gm
N74440 TiO_2 (13463-67-7)	**Titanium Oxide Nanoparticles/ Nanopowder** (Anatase 20-30nm) M.W. 79.87 Assay 99.8%	5391.00 15111.00 50000.00	25 gm 100 gm 500 gm
	Titanium (IV) **Oxide** See Titanium Dioxide		
897700	**Titanium** (III) **Sulphate** (0.1 M) Volumetric Solution	2529.00	100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
244865 $TiCl_4$ (7550-45-0)	▲**Titanium** (IV) **Chloride** for Synthesis (titanium tetrachloride) M. W.: 189.68	**1251.00** **5202.00**	**500 ml** **2.5 lit**
897730	**Titanium Tetrachloride** 0.1 M 20% Hydrochloric Acid	**2620.00** **6300.00**	**100 ml** **500 ml**
897733	**Titanium Tetrachloride** 1 M Solution In Dichloromethane	**2160.00** **4500.00**	**100 ml** **500 ml**
897736	**Titanium Tetrachloride** 1 M Solution In Toluene	**1670.00** **3960.00**	**100 ml** **500 ml**
244885 $C_{12}H_{28}O_4Ti$ (546-68-9)	**Titanium Tetraisopropoxide** for Synthesis M. W.: 284.22 Assay 97.0%	**1503.00** **6300.00**	**500 ml** **2.5 lit**
897815 (546-68-9)	**Titanium Tetraisopropoxide** 27.8-28.6% TiO_2	**1080.00** **5040.00**	**500 ml** **2.5 lit**
030448 $TiCl_3$ (7705-07-9)	**Titanium Trichloride** Solution for Synthesis M.W. : 154.23 Assay ~15.0%	**1998.00** **3465.00**	**250 ml** **500 ml**
	Titanous Chloride Solution See Titanium Trichloride Solution		
245080 $C_{31}H_{52}O_3$ (7695-91-2)	▲DL-a-**Tocopherol Acetate** Powder **(Vitamin E Acetate** Powder**)** M. W.: 472.74 Assay 50%	**1000.00** **3006.00** **7200.00**	**50 gm** **250 gm** **1 kg**
245085 $C_{31}H_{52}O_3$ (7695-91-2)	▲DL-a-**Tocopherol Acetate** (Vitamin E Acetate) M. W.: 472.75 Assay (Oxidimetric) 96-102%	**801.00** **9000.00**	**50 gm** **1 kg**
TC1376 ATC $C_{31}H_{52}O_3$ (7695-91-2)	▲DL-α-**Tocopherol Acetate** (Vitamin E acetate) Cell Culture Tested M. W.: 472.74 Assay : ≥96%	**1459.00** **3636.00** **12132.00**	**5 gm** **25 gm** **100 gm**
	Toilet Cleaner See Tc009		
245105 $C_{14}H_{16}N_2$ (119-93-7)	o-**Tolidine** M.W. 212.30 Assay 97.5%	**1845.00** **3753.00**	**100 gm** **500 gm**
661395 $C_{14}H_{16}N_2$ (119-93-7)	o-**Tolidine AR** Reagent for the Halogens and Gold M. W.: 212.30 Assay 99.0%	**603.00** **2205.00**	**25 gm** **100 gm**
897900 $C_{14}N_{16}N_2$ (119-93-7)	o-**Tolidine** Reagent (For Chlorine Estimation) M. W.: 212.30	**221.00**	**500 ml**
897905 (119-93-7)	o-**Tolidine** Reagent (For Occult Blood Test)	**266.00**	**100 ml**
897910	o-**Tolidine** Reagent for Gold	**198.00**	**100 ml**
661415 $C_{14}H_{18}Cl_2N_2$ (612-82-8)	o-**Tolidine Hydrochloride AR** M. W.: 285.22 Assay (Argentometric by autotitrator) 99.0%	**891.00** **2772.00**	**25 gm** **100 gm**
898000	**Tollen's** Reagent	**2403.00** **10071.00**	**100 ml** **500 ml**

Product Code	Product Name	Price	Packing
030452 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Rectified M. W.: 92.14 Assay(GC) 99.0%	**352.00** **603.00** **1350.00** **POR**	**500 ml** **1 lit** **2.5 lit** **25 lit**
661475 $C_6H_5CH_3$ (108-88-3)	**Toluene AR** M. W.: 92.14 Assay (GC) 99.5%	**500.00** **900.00** **1670.00** **POR**	**500 ml** **1 lit** **2.5 lit** **25 lit**
030454 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Sulphur Free M. W.: 92.14 Assay (GC) 99.0%	**477.00** **1647.00** **POR**	**500 ml** **2.5 lit** **25 lit**
661480 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Specially Dried **AR** M. W.: 92.14 Assay (GC) 99.5%	**603.00** **2070.00**	**500 ml** **2.5 lit**
775783 $C_6H_5.CH_3$ (108-88-3)	**Toluene** GC-HS Grade M. W.: 92.14 Assay(GC) 99.0%	**1665.00**	**1 lit**
775500 $C_6H_5CH_3$ (108-88-3)	**Toluene** For HPLC & Spectroscopy M. W.: 92.14 Assay (GC) 99.7%	**981.00** **1940.00**	**1 lit** **2.5 lit**
775785 $C_6H_5CH_3$ (108-88-3)	**Toluene** Scintillation Grade M. W.: 92.14 Assay (GC) 99.5%	**486.00** **2070.00**	**500 ml** **2.5 lit**
775550 $C_6H_5CH_3$ (108-88-3)	**Toluene** for Pesticide Residue Trace Analysis (Methy Benzene) M. W.: 92.14	**3060.00**	**1 lit**
D99450 C_7D_8 (2037-26-5)	**Toluene**-d_8 (for NMR Spectroscopy) M.W.: 100.21 Assay (GC) Min. 99.5 atom%D	**13630.00**	**10 ml**
245435 $C_9H_6N_2O_2$ (584-84-9)	**Toluene** -2-4-**Diisocyanate** (Tolylene-2,4-Diisocyanate, 2,4-Diisocyanato toluene) M. W.: 174.16	**1062.00** **4941.00**	**500 ml** **2.5 lit**
661505 $CH_3.C_6H_3(SH)_2$ (496-74-2)	**Toluene**-3,4-**Dithiol AR** M. W.: 156.27 Assay (GC) 97.0%	**13150.00**	**5 ml**
661515 $C_7H_6S_2Zn$ (29726-21-4)	**Toluene**-3,4-**Dithiol Zinc** Derivative **AR** M.W.: 219.62	**4293.00**	**1 gm**
245530 $C_7H_9NO_2S$ (70-55-3)	p-**Toluene Sulphonamide** M. W.: 171.22 Assay 99.0%	**1800.00**	**500 gm**
245550 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid** Pract M. W.: 190.22 Assay 97.5%	**351.00** **3150.00**	**500 gm** **5 kg**
030459 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid** for Synthesis (Toluene-4-Sulphonic Acid) M. W.: 190.22 Assay (acidimetric) 98.0%	**477.00** **3807.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
661605 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid AR** Monohydrate M. W.: 190.22 Assay (acidimetric) 99.0%	**1251.00** **POR**	**500 gm** **25 kg**
245575 $CH_3C_6H_4SO_3Na$ (657-84-1)	p-**Toluene Sulfonic Acid Sodium Salt** for Synthesis M. W.: 194.18 Assay 95.0%	**1107.00**	**500 gm**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
030461 $CH_3C_6H_4.SO_2Cl$ (98-59-9)	p-**Toluene Sulphonyl Chloride** M. W.: 190.65 Assay (Acidimetric) 98.0%	1053.00	500 gm
245560 (36635-61-7)	p-**Toluene Sulphonyl Methyl Iso Cyanide**	1098.00 4491.00	5 gm 25 gm
245595 (106-45-6)	p-**Toluene Thiol**	6003.00 11232.00	100 gm 500 gm
245620 $C_8H_8O_2$ (99-04-7)	m-**Toluic Acid** M. W.: 136.15 Assay (GLC) 99.0%	1400.00	500 gm
245605 $C_8H_8O_2$ (118-90-1)	o-**Toluic Acid** M. W.: 136.15 Assay (GC) 98.0%	1152.00	500 gm
245635 $C_8H_8O_2$ (99-94-5)	p-**Toluic Acid** M. W.: 136.15 Assay (GLC) 98.0%	1152.00	500 gm
245675 $C_9H_{10}O_2$ (99-75-2)	p-**Toluic Acid Methyl Ester** (Methyl p-toluate) M.W. 150.17 Assay 99.0%	801.00 3393.00	100 gm 500 gm
245710 C_7H_9N (108-44-1)	m-**Toluidine** for Synthesis (m-Aminotoluene) M. W.: 107.16	801.00 3600.00	500 ml 2.5 lit
030467 $CH_3.C_6H_4.NH_2$ (95-53-4)	o-**Toluidine** for Synthesis For colorimetric determination of glucose M. W.: 107.16 Assay (GC) 99.0%	783.00	500 ml
661665 C_7H_9N (95-53-4)	o-**Toluidine AR** for determination of blood sugar M. W.: 107.16 Assay(GC) 99.5%	882.00	500 ml
030469 C_7H_9N (106-49-0)	p-**Toluidine** M. W.: 107.16 Assay (GC) 98.0%	927.00	500 gm
661695 C_7H_9N (106-49-0)	p-**Toluidine AR** M. W.: 107.16	918.00	100 gm
323575 $C_{15}H_{16}ClN_3S$ (92-31-9)	▲**Toluidine Blue** for Microscopy C.I. No. 52040 M. W.: 305.83 Dye content (Titanometric on dried Subs.) Abt. 85.0%	855.00 3195.00 26910.00	25 gm 100 gm 1 kg
897930	**Toluidine Blue** 0.1%	279.00 801.00	100 ml 500 ml
245730 (636-21-5)	o-**Touidine Hydrochloride for Synthesis** Assay (argentometric) 98.0%	3510.00	5 gm
245740 C_7H_9NHCl (540-23-8)	p-**Touidine Hydrochloride** for Synthesis M. W.: 143.62 Assay (argentometric) 99.0%	801.00 3510.00	100 gm 500 gm
	Tolylene Red See Neutral Red		

Product Code	Product Name	Price	Packing
PCT1410 PTC	**Tomato Powder** Plant Culture Tested Store below 30°C	423.00	250 gm
898140	**Topfer's** Reagent Determination of HCl in Gastric Juice	158.00	125 ml
PCT1827 PTC $C_{12}H_{10}N_5OH$ (75737-38-1)	▲meta-**Topolin** Plant Culture Tested M. W.: 241.25 Store at 2-8°C	5243.00 17820.00	25 mg 100 mg
PCT2410 PTC	▲meta-**Topolin Solution** w/ 1 mg/ml meta-Topolin in sterile distilled water Sterile filtered Plant Culture Tested	3250.00 15957.00	20 ml 5X20 ml
	Tosyl Chloride See p-Toluenesulfonyl Chloride		
898190	**Total Hardness Indicator Powder**	91.00	25 gm
245780	**Towex** 50x8 20-50 mesh standard grade	5004.00	500 gm
	Tragacanth Powder See Gum Tragacanth		
038063 $C_{12}H_{22}O_{11}.2H_2O$ (6138-23-4)	D (+) **Trehalose** M. W.: 378.33	370.00 702.00 1278.00 4257.00	5 gm 10 gm 25 gm 100 gm
PCT1610 PTC $C_{12}H_{22}O_{11}.2H_2O$ (6138-23-4)	D(+)-**Trehalose** Dihydrate Plant Culture Tested M. W.: 378.33 Assay 99% Store below 30°C	756.00 1360.00 2980.00 52110.00	5 gm 10 gm 25 gm 1 kg
TC1177 ATC $C_{12}H_{22}O_{11}.2H_2O$ (6138-23-4)	D(+)-**Trehalose** Dihydrate Cell Culture Tested M. W.: 378.33 Assay : ≥98% Store below 30°C	2520.00 4950.00 13600.00	10 gm 25 gm 100 gm
TC1177M ATC $C_{12}H_{22}O_{11}\cdot 2H_2O$ (6138-23-4)	D-(+)-**Trehalose** Dihydrate Mycose, Tremalose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 378.33 Store below 30°C	3114.00 6183.00 17595.00	10 gm 25 gm 100 gm
	Triacetin See Glycerol Triacetate		
245810 $C_{30}H_{62}O$ (593-50-0)	▲n-**Triacontanol** (15% Active Matter) (Plant Growth Promoter) M.W. 438.81	1503.00 11520.00	100 gm 1 kg
245825 $C_2H_3N_3$ (288-88-0)	1,2,4-**Triazole** for Synthesis M. W.: 69.07 Assay (GC) 98.0%	603.00 2800.00	100 gm 500 gm
245835 $C_2H_2N_3Na$ (41253-21-8)	1,2,4-**Triazole Sodium Salt** Technical Grade M. W.: 91.05 Assay 90.0%	405.00 1800.00	25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
245935 $C_6H_3Br_3$ (626-39-1)	1,3,5-**Tribromobenzene** M. W.: 314.80	**1197.00** **3501.00**	**25 gm** **100 gm**
	Tribromomethane See Bromoform		
246045 $Br_3C_6H_2OH$ (118-79-6)	2,4,6-**Tribromophenol** for Synthesis M. W.: 330.80 Assay 99.0%	**2250.00** **9000.00**	**100 gm** **500 gm**
246115 $C_{12}H_{27}N$ (102-82-9)	**Tri-n-Butylamine** M. W.: 185.35 Assay (acidimetric) 99.0%	**702.00** **3501.00**	**500 ml** **2.5 lit**
662615 $[CH_3(CH_2)_3]N$ (102-82-9)	**Tri-n-Butylamine AR** M. W.: 185.35	**1202.00** **5500.00**	**500 ml** **2.5 lit**
246215 $C_{12}H_{27}BO_3$ (688-74-4)	**Tributyl Borate** M.W. 230.15 Assay 98%	**1782.00** **5580.00**	**100 ml** **500 ml**
246235 $C_{18}H_{32}O_7$ (77-94-1)	**Tributyl Citrate** for Synthesis M. W.: 360.44 Assay 97.0%	**900.00** **2610.00**	**100 ml** **500 ml**
030488 $C_{12}H_{27}PO_4$ (126-73-8)	**Tri-n-Butyl Phosphate** for Synthesis M. W.: 266.32 Assay (GC) 97.0%	**1809.00** **8010.00**	**500 ml** **2.5 lit**
662905 $C_{12}H_{27}O_4P$ (126-73-8)	**Tri-n-butyl Phosphate AR** for Extraction Analysis M.W.: 266.31	**2007.00**	**500 ml**
246155 $C_{12}H_{27}ClSn$ (1461-22-9)	**Tributyltin Chloride** for Synthesis M. W.: 325.50 Assay 96.0%	**5994.00**	**500 ml**
	Tributyrin See Glycerol Tributyrate		
	Tri-Calcium Citrate See Calcium Citrate Tetrahydrate		
	Tri-Calcium Phosphate See tri-Calcium Phosphate		
	Tricaprylylmethylammonium Chloride See Aliquat 336		
030489 $CCl_3.COOH$ (76-03-9)	**Trichloroacetic Acid** for Synthesis M. W.: 163.39 Assay (Acidimetric) 99.0%	**289.00** **855.00** **POR**	**100 gm** **500 gm** **25 kg**
662965 $CCl_3.COOH$ (76-03-9)	**Trichloro Acetic Acid AR/ACS** for determination of Serum-Iron Protein M. W.: 163.39 Assay (Acidimetric) 99.5%	**360.00** **1107.00**	**100 gm** **500 gm**
898330	**Trichloro Acetic Acid** 20% W/V **AR**	**522.00**	**500 ml**
246475 $C_8H_5Cl_3O$ (4252-78-2)	2',2',4'-**Trichloro Acetophenone** M. W.: 223.48 Assay 97.0%	**1998.00** **7506.00**	**25 gm** **100 gm**
246590 $C_6H_3Cl_3$ (87-61-6)	1,2,3-**Trichloro Benzene** M. W.: 181.45 Assay 99.0%	**1350.00**	**500 gm**

Product Code	Product Name	Price	Packing
246695 $C_6H_3Cl_3$ (120-82-1)	1,2,4-**Trichlorobenzene** for Synthesis M. W.: 181.45	**675.00** **3006.00**	**500 ml** **2.5 lit**
246865 Cl_3CCH_3 (71-55-6)	1,1,1-**Trichloro Ethane** for Synthesis M. W.: 133.40 Assay 97.0%	**12609.00**	**5 ml**
896620 (71-55-6)	1,1,1-**Trichloro Ethane 5000 ug/mL** in methanol	**4905.00**	**1 ml**
246885 $C_3H_2Cl_4O_2$ (17341-93-4)	2,2,2-**Trichloroethyl Chloroformate** M.W. 211.86 Assay 97.0%	**2997.00** **8991.00**	**25 gm** **100 gm**
030497 $CHCl:CCl_2$ (79-01-6)	**Trichloroethylene** M. W.:131.39 Assay (GC) 99.0%	**900.00** **4365.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
663415 $CHCl.CCl_2$ (79-01-6)	**Trichloroethylene AR/ACS** M. W.:131.39	**963.00** **4509.00**	**500 ml** **2.5 lit**
775788 $CHCl:CCl_2$ (79-01-6)	**Trichloro Ethylene** EL grade M. W.: 131.39 Assay (GC) 99.7%	**5895.00**	**2.5 lit**
775790 $CHCl:CCl_2$ (79-01-6)	**Trichloro Ethylene** For HPLC & Spectroscopy M. W.: 131.39 Assay (GC) 99.5%	**1206.00** **2295.00**	**500 ml** **1 lit**
	Trichloromethyl Benzene See Benzotrichloride		
	Trichoromethane See Chloroform		
246915 $C_6H_3Cl_3O$ (88-06-2)	2,4,6-**Trichloro Phenol** for Synthesis M. W.: 197.45 Assay (GC) 97.0%	**1503.00** **2502.00**	**100 gm** **500 gm**
PCT1839 PTC $C_8H_5Cl_3O_3$ (93-76-5)	▲2,4,5-**Trichloro Phenoxyacetic Acid** Plant Culture Tested M. W.: 255.48 Assay 98%	**7497.00** **24363.00**	**25 gm** **100 gm**
246945 $(CH_2OH)_3C.NH.CH_2COOH$ (5704-04-1)	**Tricine** Biological Buffer M. W.: 179.17 Assay (Potentiometric) 99.0%	**1540.00** **5400.00**	**25 gm** **100 gm**
989300 MB $C_6H_{13}NO_5$ (5704-04-1)	**Tricine** For Molecular Biology M. W. : 179.17 Assay : ≥ 99% Store Below 30°C	**4770.00**	**100 gm**
TC1069 ATC $C_6H_{13}NO_5$ (5704-04-1)	**Tricine** [N-Tris[Hydroxymethyl]-methyl-Glycine); (N-[2-Hydroxy-1,1-bis-(Hydroxymethyl)ethylglycine) Cell Culture Tested M. W.: 179.17 Assay : ≥99% Store below 30°C	**1818.00** **5445.00** **21025.00** **30627.00**	**25 gm** **100 gm** **500 gm** **1 kg**
246960 $C_{12}H_7Cl_3O_2$ (3380-34-5)	**Triclosan** M. W.: 289.54 Assay (GLC) 98.0%	**1098.00** **POR**	**100 gm** **1 kg**

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
246975 $(CH_3.C_6H_4)_3PO_4$ (1330-78-5)	**Tricresyl Phosphate** (Tritolyl Phosphate) M. W.: 368.37	1710.00 8460.00	500 ml 2.5 lit
247015 $C_{13}H_{28}$ (629-50-5)	n-**Tridecane** M. W.: 184.36	2350.00 3105.00 4600.00	25 ml 100 ml 500 ml
247075 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine** Pract M. W.: 149.19 Assay (ex Total bases) 95.0%	342.00 1683.00	500 ml 2.5 lit
247145 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine** for Synthesis M. W.: 149.19 Assay (Acidimetric) 98.0%	500.00 1971.00 POR POR	500 ml 2.5 lit 25 lit 50 lit
663435 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine AR** Suitable for Metal Titration M. W.: 149.19 Assay (GC) 99.0%	774.00 3006.00 POR POR	500 ml 2.5 lit 25 lit 50 lit
663445 $C_6H_{15}NO_3.HCl$ (637-39-8)	**Triethanolamine Hydrochloride AR** Buffer Component M. W.: 185.65 Assay(dried) 99.5%	405.00 1503.00	100 gm 500 gm
247165 $C_{12}H_{26}O_4SC_6H_{15}NO_3$ (139-96-8)	**Triethanolamine Lauryl Sulphate** M. W.: 415.58	756.00 1728.00	1 lit 5 lit
030502 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine** for Synthesis M. W.: 101.19 Assay (GC) 99.0%	396.00 1917.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
663505 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine AR** M. W.: 101.19 Assay (GC) 99.5%	500.00 2070.00 POR	500 ml 2.5 lit 25 lit
776040 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine** for HPLC & Spectroscopy M. W.: 101.19 Assay (GC) 99.5%	1953.00 3402.00	500 ml 1 lit
775950 $(C_2H_5)_3N$ (121-44-8)	▲**Triethylamine** for DNA & Peptide Synthesis M. W.: 101.19	2205.00	500 ml
247345 $C_6H_{15}N.HBr$ (636-70-4)	**Triethylamine Hydrobromide** M.W. 182.1 Assay 99.0%	500.00 2007.00	100 gm 500 gm
247355 $(C_2H_5)_3N.HCl$ (554-68-7)	**Triethylamine Hydrochloride** for Synthesis M. W.: 137.65 Assay 99.0%	558.00 1809.00	100 gm 500 gm
247465 $C_{12}H_{20}O_7$ (77-93-0)	**Triethyl Citrate** for Synthesis (Ethyl Citrate, Citric Acid Triethyl Ester) M. W.: 276.28 Assay 98.0%	882.00 1720.00 6426.00	250 ml 500 ml 2.5 lit
030511 $C_6H_{14}O_4$ (112-27-6)	**Triethylene Glycol** (Trigol) M. W.: 150.17 Assay (GC) 95.0%	567.00 2120.00	500 ml 2.5 lit

Product Code	Product Name	Price	Packing
247525 $C_6H_{18}N_4$ (112-24-3)	**Triethylene Tetramine** M. W.: 146.24 Assay(GC) 97.0%	1305.00 6201.00	500 ml 2.5 lit
247595 $C_7H_{18}N.Br$ (2700-16-5)	**Triethyl Methyl Ammonium Bromide** M.W. 196.13 Assay 99.0%	2800.00 15930.00	100 gm 1 kg
247665 $CH(OC_2H_5)_3$ (122-51-0)	**Triethyl Orthoformate** (Ethyl Orthoformate, Orthoformic Acid, tri-Ethyl Ester, Triethoxy Methane) M. W.: 148.20	2205.00 10503.00	500 ml 2.5 lit
247775 $C_6H_{15}O_4P$ (78-40-0)	**Triethyl Phosphate** for Synthesis M. W.: 182.15 Assay 99.5%	1494.00 7340.00	500 ml 2.5 lit
247805 $C_6H_{15}O_3P$ (122-52-1)	**Triethyl Phosphite** for Synthesis M. W.: 166.162 Assay 98.0%	3636.00 14220.00	500 ml 2.5 lit
247925 $C_6H_{16}Si$ (617-86-7)	**Triethylsilane** for Synthesis M. W.: 116.28	2619.00 8982.00	100 ml 500 ml
248045 $C_2H_2F_3NO$ (354-38-1)	2,2,4-**Trifluoroacetamide** M. W.: 113.04 Assay 97.0%	1593.00 5607.00 22600.00	25 gm 100 gm 500 gm
030508 $C_2F_3HO_2$ (76-05-1)	**Trifluoro Acetic Acid** for Synthesis M. W.: 114.02 Assay (Acidimetric) 98.0%	1593.00 5000.00 23450.00	100 ml 500 ml 2.5 lit
664225 $C_2F_3HO_2$ (76-05-1)	**Trifluro acetic Acid AR** M. W.: 114.02	2800.00	100 ml
776140 $C_2F_3HO_2$ (76-05-1)	**Trifluoro Acetic Acid** for HPLC Spectroscopy M. W.: 114.02	6174.00	500 ml
898360	**Trifluoroacetic Acid** 25% Solution in Water For Protein Sequence Analysis	3303.00	500 ml
248195 $C_4F_6O_3$ (407-25-0)	**Trifluoro Acetic Anhydride** for Sequential Analysis M. W.: 210.03 Assay 99.0%	2502.00 11007.00	100 ml 500 ml
248245 ✣ $C_6H_4F_3N$ (3862-73-5)	2,3,4-**Trifluoro Aniline** M. W.: 147.10 Assay 98.0%	1990.00 3960.00	5 gm 25 gm
248325 $C_6H_3F_3$ (372-38-3)	1,3,5-**Trifluoro Benzene** M. W.: 132.08 Assay 99.0%	5940.00	5 gm
248415 $C_2H_3F_3O$ (75-89-8)	2,2,2-**Trifluoroethanol** for Synthesis (ß,ß,ß-Trifluoroethyl Alcohol) M. W.: 100.04	1251.00 5004.00	100 ml 500 ml
248545 CHF_3O_3S (1493-13-6)	**Trifluoro Methane Sulphonic Acid** for Synthesis M. W.: 150.08 Assay 97.5-102.5%	3420.00 13005.00	100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
248605	**Trifluoro Methane Sulphonic Anhydride** for Synthesis	2025.00 10890.00	25 gm 100 gm
PCT2536 PTC $C_{13}H_{16}F_3N_3O_4$ (1582-09-8)	**Trifluralin** Plant Culture Tested M. W.: 335.28 Assay 97% Store below 30°C	16061.00	100 mg
248665 ✠ $C_7H_6BF_3O_3$ (139301-27-2)	4-**(Trifluromethoxy) Phenyl Boronic Acid** M. W.: 205.93 Assay 95.0%	6750.00	5 gm
	Triglycol See Triethylene Glycol		
	Trigol See Triethylene Glycol		
	1,3,5-**Trihydroxybenzene** See Phloroglucinol		
	1,2,3-**Trihydroxy Benzene** See Pyrogallol		
	3,4,5-**Trihydroxybenzoic Acid** See Gallic Acid		
	2,4,6-**Trihydroxypyrimidine** See Barbituric Acid		
664295 $C_7H_3I_3O_2$ (88-82-4)	▲2,3,5-**Tri Iodo Benzoic Acid AR** (TIBA) Plant Growth Regulator M. W.: 499.81 Assay(HPLC) 99.0%	900.00 1701.00	5 gm 10 gm
PCT1823 PTC $C_7H_3I_3O_2$ (88-82-4)	▲2,3,5-**Triiodobenzoic Acid** (TIBA) Plant Culture Tested M. W.: 499.81 Assay 98%	4707.00	5 gm
248785 $C_{14}H_{18}N_4O_3$ (738-70-5)	▲**Trimethoprim** for Lab Use M. W.: 290.32	756.00 2979.00	5 gm 25 gm
PCT2137 PTC $C_{14}H_{18}N_4O_3$ (738-70-5)	▲**Trimethoprim** Plant Culture Tested M. W.: 290.32 Assay 98%	950.00 4284.00	5 gm 25 gm
248955 $C_{10}H_{12}O_4$ (86-81-7)	3,4,5-**Trimethoxy Benzaldehyde** for Synthesis M. W.: 196.20	1584.00 3681.00	25 gm 100 gm
249045 C_3H_9N (75-50-3)	**Trimethylamine** Solution for Synthesis M. W.: 59.11 Assay (acidimetric) Abt. 30.0%	306.00 1296.00	500 ml 2.5 lit
249125 $C_3H_9N.HCl$ (593 81-7)	**Trimethylamine Hydrochloride** for Synthesis M. W.: 95.57	954.00	500 gm
	1,3,5-**Trimethylbenzene** See Mesitylene		
	Trimethyl Chloro Silane SEE Chloro trimethyl Silane		

Product Code	Product Name	Price	Packing
	3,5,5-**Trimethyl**-2-**Cyclohexen**-1-**One** See Isophorone		
	Trimethylene dibromide See 1,3-Dibromopropane		
249335 $C_4H_{10}O_3$ (149-73-5)	**Trimethyl Orthoformate** for Synthesis M. W.: 106.12	1035.00 4662.00	500 ml 2.5 lit
249405 $C_8H_{18}O_3$ (13820-09-2)	**Trimethyl Orthovalerate** for Synthesis M. W.: 162.23 Assay 97.0%	1710.00 5000.00	25 gm 100 gm
	2,2,4-**Trimethyl Pentane** See Iso Octane		
249465 $C_3H_9O_4P$ (512-56-1)	**Trimethyl Phosphate** M.W. 140.08	3200.00 9900.00	500 ml 2.5 lit
249575 $C_3H_9O_3P$ (121-45-9)	**Trimethyl Phosphite** M. W.: 124.08 Assay 99.0%	1350.00 5994.00	500 ml 2.5 lit
664775 ✠ $C_5H_{11}O_5P$ (5927-18-4)	**Trimethyl Phosphono Acetate AR** M. W.: 182.11 Assay 98.0%	1400.00 3830.00	25 gm 100 gm
249775 (4648-54-8)	**Trimethylsilyl Azide**	4905.00 15003.00	25 gm 100 gm
249825 $(CH_3)_3SiCN$ (7677-24-9)	**Trimethylsilyl Cyanide** For Synthesis (Trimethylsilanecarbonitrile, Cyanotrimethylsilane, TMSCN) M.W. 99.21 Assay 98.0%	2970.00 9990.00	25 ml 100 ml
249875 (16029-98-4)	**Trimethylsilyl Iodide**	2350.00 7200.00 25020.00	25 gm 100 gm 500 gm
664875 $C_4H_9F_3O_3SSi$ (27607-77-8)	**Trimethyl Silyl Triflate** (TMSOF, Trimethylsilyl Trifluoro-Methane sulphonate) **AR** M. W.: 222.26 Assay 98.5-101.5%	1053.00 3600.00 13500.00	25 gm 100 gm 500 gm
249975 $C_3H_9IO_3$ (1774-47-6)	▲**Trimethyl Sulphoxonium Iodide** for Synthesis M. W.: 220.07	1602.00 6804.00	100 gm 500 gm
249175 $C_6H_{14}O_3$ (77-99-6)	**Trimethylol Propane** (2-Ethyl-2-Hydroxymethyl-1, 3 Propanediol) M. W.: 134.18 Assay 98.0%	900.00	500 gm
249225 $C_{15}H_{20}O_6$ (15625-89-5)	**Trimethylolpropane Triacrylate** Technical Grade M. W.: 296.32 Assay 70.0%	1260.00 3780.00	100 gm 500 gm
	2,4,6-**Trinitrophenol** See Picric Acid		
250025 $C_{24}H_{51}N$ (1116-76-3)	**Trioctylamine** for Synthesis M. W.: 353.67 Assay 98.0%	1368.00 4780.00	100 ml 500 ml
	Trioctylmethylammonium Chloride See Aliquat 336		

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
664935 $C_{24}H_{51}OP$ (78-50-2)	**Tri-n-Octyl Phosphinoxide AR** for Extraction analysis M. W.: 386.64 Assay (GLC) 99.0%	1098.00 7002.00	10 gm 100 gm
250165 $C_{57}H_{104}O_6$ (122-32-7)	· **Triolein** for Biochemistry M. W.: 885.44	7200.00	1 gm
250225 $C_3H_6O_3$ (110-88-3)	1,3,5-**Trioxane** for Synthesis (Sym-Trioxane) M. W.: 90.08 Assay 99.0%	702.00 3204.00	100 gm 500 gm
250315 $C_{51}H_{98}O_6$ (555-44-2)	**Tripalmitin** for Synthesis M. W.: 807.33 Assay 85.0%	6705.00	25 gm
250415 $C_{18}H_{15}N$ (603-34-9)	**Triphenyl Amine** for Synthesis M. W.: 245.32 Assay 98.0%	1998.00 7300.00	5 gm 25 gm
250500 ✠ $C_{19}H_{16}O$ (76-84-6)	**Triphenyl Carbinol** M. W.: 260.33 Assay 97.0%	2106.00 8280.00	25 gm 500 gm
	Triphenyl Chloro Methane See Trityl Chloride		
250615 $C_{20}H_{20}BrP$ (1530-32-1)	**Triphenylethyl phosphonium Bromide** for Synthesis M. W.: 371.25	423.00 1305.00	25 gm 100 gm
250645 $(C_6H_5)_3CH$ (519-73-3)	**Triphenyl Methane** M. W.: 244.33 Assay 99.0%	1215.00 4960.00	100 gm 500 gm
030536 $(C_6H_5)_3PO_4$ (115-86-6)	**Triphenyl Phosphate** M. W.: 326.29 Assay (GLC) 99.0%	1305.00 POR	500 gm 25 kg
030537 $C_{18}H_{15}P$ (603-35-0)	**Triphenyl Phosphine** M. W.: 262.29 Assay (GC) 98.0%	864.00 3510.00 6507.00	100 gm 500 gm 1 kg
250735 $(C_6H_5O)_3P$ (101-02-0)	**Triphenyl Phosphite** for Synthesis M. W.: 310.28 Assay 97.0%	1656.00 7506.00	500 ml 2.5 lit
250845 (789-25-3)	**Triphenylsilane for synthesis**	1971.00 8600.00	5 gm 25 gm
665275 $C_{19}H_{15}BrN_4$ (1096-80-6)	2,3,5-**Triphenyl Tetrazolium Bromide AR** M. W.: 379.26 Assay (ex Br) 98.0%	1800.00	1 gm
323725 $C_{19}H_{15}ClN_4$ (298-96-4)	· 2,3,5-**Triphenyl Tetrazolium Chloride AR** (TTC) M. W.: 334.81 Assay(ex N) min. 99.0%	2007.00 4707.00	10 gm 25 gm
989490 MB $C_{19}H_{15}N_4Cl$ (298-96-4)	· 2,3,5-**Triphenyl Tetrazolium Chloride** For Molecular Biology M. W. : 334.8 Assay : ≥ 99%	1980.00 4815.00	10 gm 25 gm
PCT2309 PTC $C_{19}H_{15}N_4Cl$ (298-96-4)	· 2,3,5-**Triphenyl Tetrazolium Chloride** Tetrazolium Salt (TTC) Plant Culture Tested M. W.: 334.8 Assay 99%	2682.00 5900.00	10 gm 25 gm

Product Code	Product Name	Price	Packing
250975 $C_3Cl_6O_3$ (32315-10-9)	**Triphosgene** for Synthesis M. W.: 296.75	801.00 2106.00 POR	100 gm 500 gm 25 kg
	Triphospho Pyridine Nucleotide (TPN) See b-Nicotinamide Adenine Dinucleotide Phosphate Mono Sodium Salt		
251115 $C_9H_{21}N$ (102-69-2)	**Tripropylamine** for Synthesis M. W.: 143.27 Asasy 98.0%	657.00 1710.00	100 ml 500 ml
665025 $C_{18}H_{12}N_6$ (3682-35-7)	▲2,4,6-**Tri-(2-Pyridyl)** 1,3,5-**Triazine AR** M. W.: 312.33	2106.00 9504.00	1 gm 5 gm
251215 $C_{51}H_{42}O_3Pd_2$ (51364-51-3)	**Tris (Dibenzylideneacetone)** **Di Palladium** (O) for Synthesis M.W : 915.72	8406.00 34020.00 160200.00	1 gm 5 gm 25 gm
251235 $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxy Methyl) Amino Methane** M. W.: 121.14 Assay (Acidimetric; on dried material) 99.0%	855.00 3600.00 6804.00 32310.00 POR	100 gm 500 gm 1 kg 5 kg 25 kg
665425 $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxy Methyl) Amino Methane AR** (Tris Hydroxy Methyl Amino Methane) biological Buffer PKA=8.07 at 25°C M. W.: 121.14 Assay (Acidimetric after drying) 99.8%	990.00 3888.00 37000.00 POR	100 gm 500 gm 5 kg 25 kg
998660 MB $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane** for Molecular Biology A 40% at 290 nm.....max 0.03 (Tris Buffer, Tris Base) DNase, RNase, protease not detected M. W.: 121.14 Assay (Acidimetric; on dried meterial) 99.8%	1107.00 4905.00 44640.00	100 gm 500 gm 5 kg
776280 $C_4H_{11}NO_3$ (77-86-1)	**Tris(Hydroxymethyl) Aminomethane** for HPLC M. W.: 121.14	6530.00	500 gm
TC1072 ATC $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane** Cell Culture Tested [Tris Base] M. W.: 121.14 Assay : ≥99% Store below 30°C	1260.00 5130.00 7830.00	100 gm 500 gm 1 kg
TC1072M ATC $NH_2C(CH_2OH)_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane** Trometamol ; Tromethamine Tris Base (Trizma®) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 121.14 Store below 30°C	2925.00 7641.00 11430.00	100 gm 500 gm 1 kg
899720	**Tris Buffer 1.5M Solution**	792.00	100 ml
251245 $C_4H_{11}NO_3C_2H_4O_2$ (6850-28-8)	**Tris (Hydroxymethyl) Aminomethane Acetate** (Tris Acetate Buffer) M. W.: 181.2 Assay (Non-aqueous) 99.0%	1800.00 8505.00	100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
665440 $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris(Hydroxymethyl) Aminomethane Hydrochloride AR** (Tris HCl) M. W.: 157.60 Assay (ex Cl) 99.5%	1350.00 6003.00 POR	100 gm 500 gm 25 kg
998780 MB $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris (Hydroxymethyl) Aminomethane Hydrochloride** for Molecular Biology (Tris HCl) DNase, RNase, protease not detected M. W.: 157.60	1602.00 7002.00	100 gm 500 gm
TC1073 ATC $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris Hydrochloride** [Tris(hydroxymethyl) aminomethane] Hydrochloride] Cell Culture Tested M. W.: 157.60 Assay : ≥98% Store below 30°C	1791.00 7470.00	100 gm 500 gm
251265 (72200-76-1)	**Tris(Hydroxymethyl) Aminomethane Maleate** (Tris-Maleate, Mono [Tris (Hydroxymethyl)-Aminomethane]Maleate)	1557.00	100 gm
251275 $C_4H_{11}NO_3.HNO_3.$ (41521-38-4)	**Tris(Hydroxymethyl) Aminomethane Nitrate** (tris-nitrate) M. W.: 184.15	2070.00	100 gm
251295 (108321-13-7)	**Tris(Hydroxymethyl) Aminomethane Oxalate** (Tris-Oxalate, Di[tris(Hydroxy Methyl)-Aminomethane]Oxalate) Assay (Non aqueous) 97.0%	1450.00	100 gm
251315 $(C_4H_{11}NO_3)_2.H_3PO_4$ (108321-11-5)	**Tris(Hydroxymethyl) Aminomethane Phosphate Dibasic** (Tris-phosphate Dibasic, Di[tris-(Hydroxymethyl) Aminomethane]Phosphate) M. W.: 340.27	1638.00	100 gm
251335 $NH_2C(CH_2OH)_3.H_3PO_4$ (6992-39-8)	**Tris(Hydroxymethyl) Aminomethane Phosphate Monobasic** (Tris-Phosphate Monobasic, Mono[tris-(Hydroxymethyl) Aminomethane]Phosphate) M. W.: 219.13	1638.00	100 gm
251495 (85169-32-0)	**Tris(Hydroxymethyl) Aminomethane Succinate** (Tris-Succinate, Di[tris(Hydroxy Methyl)-Aminomethane]Succinate)	1638.00	100 gm
251525 $NH_2C(CH_2OH)_3.OSH_2SO_4$ (6992-38-7)	**Tris(Hydroxymethyl) Aminomethane Sulphate** (Tris-Sulphate, Di[tris(Hydroxy Methyl)-Aminomethane]Sulphate) M. W.: 170.17	1090.00	100 gm
	Tri-Sodium Orthophosphate See tri-Sodium Orthophosphate		
251615 $C_{57}H_{110}O_6$ (555-43-1)	▲**Tristearin** for Synthesis M. W.: 891.49 Assay 99.0%	2376.00	25 gm
	Triton B See Benzyl Trimethyl Ammonium Hydroxide		

Product Code	Product Name	Price	Packing
	Tritolyl Phosphate See Tricresyl Phosphate		
	Triton B 40% See Benzyltrimethyl Ammonium Hydroxide 40% in Methanol		
	Triton x 100 See Criton X100		
	Tromethamine See Tris Buffer		
	Tromethamine Hydrochloride See Tris Hydrochloride		
251725 $C_{19}H_{15}Cl$ (76-83-5)	**Trityl Chloride** (Chloro triphenyl methane) M.W.: 278.78 Assay 96.5-103.5%	603.00 2502.00	100 gm 500 gm
323905 $C_{12}H_9N_2O_5S.Na$ (547-57-9)	**Tropaeolin O** (pH Indicator) (Resorcin Yellow) C.I. 14270 M. W.: 316.26	720.00 2300.00	25 gm 100 gm
323915 $C_{18}H_{14}N_3NaO_3S$ (554-73-4)	**Tropeolin OO** Indicator C.I. 13080 M. W.: 375.38	855.00 3105.00	25 gm 100 gm
323965 $C_{16}H_{11}N_2NaO_4S$ (633-96-5)	**Tropaeolin OOO** (pH Indicator) (Orange II) C.I. 15510 M. W.: 350.32	230.00 630.00	25 gm 100 gm
665595 $C_6H_5CH(CH_2OH)CO_2H$ (529-64-6)	DL-**Tropic Acid AR** for Biochemistry M.W. : 166.17 Assay 98.0%	3366.00	25 gm
899795	**Trypan Blue** 0.4% Solution	441.00	125 ml
324105 $C_{34}H_{24}N_6Na_4O_{14}S_4$ (72-57-1)	**Trypan Blue** for Microscopy C.I. No. 23850 M. W.: 960.82 Dye content (Titanometric) Abt. 60.0%	910.00 3402.00	25 gm 100 gm
251865 (9002-07-7)	▲**Trypsin** 1:250 for Biochemistry **Porcine Gastric Mucosa**	1656.00 4600.00 22005.00	25 gm 100 gm 500 gm
TC1245 ATC (9002-07-7)	▲**Trypsin** 1:250 Powder Porcine Source : Porcine Pancreas Cell Culture Tested Activity : 1000-1500 BAEE units/mg	4914.00 13343.00 24957.00	25 gm 250 gm 500 gm
TC1245G ATC (9002-07-7)	▲**Trypsin** 1:250 Powder Porcine Gamma irradiated Source : Porcine Pancreas Cell Culture Tested Activity : 1000-1500 BAEE units/mg	15030.00	100 gm
251935 (9002-07-7)	▲**Trypsin** 2000 u/g 0.2 Anson Unit/g **Porcine Gastric Mucosa**	1000.00 4500.00 POR	100 gm 500 gm 1 kg
252005 (9002-07-7)	▲**Trypsin** exbovine Pancrease 3 x Cryst Activity 2500 NFU/mg (7500 BAEE Units mg)	1125.00 2268.00 10098.00	250 mgm 1 gm 5 gm

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1598 ATC (9002-07-7)	▲**Trypsin** Source : **Bovine Pancreas** Cell Culture Tested	2421.00 19414.00 27270.00	25 gm 250 gm 500 gm
TC1485 ATC (9002-07-7)	▲**Trypsin Recombinant, Porcine** Source : E,coli Cell Culture Tested	3240.00 7650.00 52497.00	25 mg 100 mg 1 gm
TC1251 ATC (9035-81-8)	▲**Trypsin Inhibitor, Powder** Source : Soyabean Cell Culture Tested Activity : ≥7000 BAEE units of Inhibition/mg	3132.00 9396.00 37593.00 60156.00	25 mg 100 mg 500 mg 1 gm
TC1318 ATC (9035-81-8)	▲**Trypsin inhibitor from Lima bean** Cell Culture Tested Source Lima Bean	10692.00 18720.00	50 mg 100 mg
252185 $C_{10}H_{12}N_2$.HCl (343-94-2)	**Tryptamine Hydrochloride Extra** Pure for Biochemistry M. W.: 196.68 Assay 98.5-101.5%	604.00 2817.00	1 gm 5 gm
342935	**Trypticase**	3996.00	500 gm
343395 (91079-40-2)	**Tryptone** for Bacteriology	1701.00	500 gm
037154 $C_{11}H_{12}N_2O_2$ (54-12-6)	DL-**Tryptophan** for Biochemistry M. W.: 204.23 Assay (Non-aqueous) 99.0%	450.00 1953.00	5 gm 25 gm
037153 $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** M. W.: 204.23 Assay 99.0%	221.00 702.00 9000.00	5 gm 25 gm 500 gm
PCT1320 PTC $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** Plant Culture Tested M. W.: 204.23 Assay 98% Store below 30°C	320.00 1440.00 26010.00	5 gm 25 gm 500 gm
TC1121 ATC $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** (From non-animal source) Cell Culture Tested M. W.: 204.23 Assay : ≥99% Store below 30°C	3182.00 9554.00 28620.00 42980.00	25 gm 100 gm 500 gm 1 kg
TC1121M ATC $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 204.23 Store below 30°C	5220.00 15156.00 45450.00 60660.00	25 gm 100 gm 500 gm 1 kg
	TS Solution According to USP See Complete List Reagents & Solution According to USP		

Product Code	Product Name	Price	Packing
TC1697 ATC (9027-67-2)	**TUNEL Enzyme (Terminal eoxynucleotidyl transferase)** Cell Culture Tested M. W.: 60 kDa Activity : NLT 5000Units/mg Store at -20°C	POR	1000 units
900080	**Tungsten** (W) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	2871.00 4563.00	100 ml 500 ml
900180	**Tungsten** (W) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 1% HNO_3, 2% HF in accordance with NIST	4969.00 7947.00	50 ml 100 ml
030541 W (7440-33-7)	**Tungsten** (Metal) Powder 325 mesh At.:183.85 Assay (Complexometric) 99.0%	2502.00 11502.00	100 gm 500 gm
900450	**Tungsten-molybdate reagent** for blood analysis	783.00	100 ml
N75497 W (7440-33-7)	**Tungsten Nanoparticles/ Nanopowder** (40-60nm) At.:183.85 Assay 99.7%	9252.00 40860.00	5 gm 25 gm
N75519 WC (12070-12-1)	**Tungsten Carbide Nanopowder** (APS 50 nm) M. W.: 195.85 Assay 99.0%	22257.00 85500.00	25 gm 100 gm
665965 H_2WO_4 (7783-03-1)	**Tungstic Acid AR** M. W.: 249.85	1206.00 5580.00	100 gm 500 gm
252425 WO_3 (1314-35-8)	**Tungstic Oxide** (Tungsten (VI) oxide) M. W.: 231.84 Assay (Purity based on trace metal analysis) 99.0%	1755.00 7920.00	100 gm 500 gm
	Tungsto Phosphoric Acid See Phosphotungstic Acid		
	Tungsto Silicic Acid See Silicotungstic Acid		
	Turk's See W.B.C Diluting Fluid		
PA1980	**Turmeric** Paper	450.00	200 lvs
356465 (8006-64-2)	**Turpentine Oil** Pure (Pine oil)	540.00 2300.00	500 ml 2.5 lit
	Tween 20, 40, 60, 80 See Cween 20, 40, 60, 80		
TC1205 ATC	▲**Tylosin Tartrate** Cell Culture Tested Potency : ≥900 U/mg	3213.00 12843.00 20520.00	1 gm 5 gm 10 gm
252515 $C_8H_{11}NO$.HCl (60-19-5)	**Tyramine Hydrochloride** for Biochemistry M. W.: 173.64 Assay 98.0%	423.00 1062.00 4510.00	1 gm 5 gm 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
666245 $C_9H_{11}NO_3$ (556-02-5)	D-**Tyrosine AR** M. W.: 181.19 Assay 98.5%	**603.00** **2151.00**	**1 gm** **5 gm**
252575 $C_9H_{11}NO_3$ (556-03-6)	DL-**Tyrosine** for Biochemistry M. W.: 181.19 Assay 98.5-101.5%	**729.00** **3240.00**	**5 gm** **25 gm**
037156 $C_9H_{11}NO_3$ (60-18-4)	L-**Tyrosine** for Biochemistry M. W.: 181.19 Assay (Non-aqueous) 98.5%	**261.00** **882.00** **3600.00**	**25 gm** **100 gm** **500 gm**
PCT1321 PTC $C_9H_{11}NO_3$ (60-18-4)	L-**Tyrosine** Plant Culture Tested M. W.: 181.19 Assay 99% Store below 30°C	**423.00** **1440.00** **6462.00**	**25 gm** **100 gm** **500 gm**
TC1122 ATC $C_9H_{11}NO_3$ (60-18-4)	L-**Tyrosine** (From non-animal source) Cell Culture Tested M. W.: 181.19 Assay : ≥95% Store below 30°C	**1737.00** **6066.00** **24354.00** **36522.00**	**25 gm** **100 gm** **500 gm** **1 kg**

Product Code	Product Name	Price	Packing
TC1122M ATC 4-(HO)$C_6H_4CH_2CH(NH_2)CO_2H$ (60-18-4)	L-**Tyrosine** (From animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 181.19 Store below 30°C	**3150.00** **10170.00** **27270.00** **47313.00**	**25 gm** **100 gm** **500 gm** **1 kg**
TC1477 ATC $C_9H_9NO_3$•2Na•2H_2O (122666-87-9)	L-**Tyrosine Disodium Salt** Dihydrate L-3-(4-Hydroxyphenyl) alanine disodium salt (From non-animal source) Cell Culture Tested M. W.: 261.19 Assay : ≥95% Store below 30°C	**POR** **POR** **POR**	**25 gm** **100 gm** **500 gm**
TC1461 ATC $C_9H_9NO_3$•2Na•XH_2O (69847-45-6)	L-**Tyrosine Disodium Salt** Hydrate L-3-(4-Hydroxyphenyl) alanine disodium salt (From non-animal source) Cell Culture Tested M. W.: 225.15 Assay : ≥98%	**4113.00** **13176.00** **50067.00**	**25 gm** **100 gm** **500 gm**

Animal Tissue Culture
Tested Chemicals

CDH introducing the comprehensive range of animal tissue culture tested chemicals. We are one of the pioneer supplier of chemicals and specialty chemicals, including amino acids, antibiotics, growth factors, biochemicals, used in cell culture. ATC chemicals are analysed with cell culture test to verify their suitability in cell culture application apart from analytical testing .

These products are specially designed for the customers looking for products in compliance to USP, EP and BP testing specifications. Every batch is released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specification.

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
256840 $C_{11}H_{24}$ (1120-21-4)	N-**Undecane** for Synthesis M. W.: 156.31	2440.00	500 ml
671225 $C_{11}H_{24}$ (1120-21-4)	N-**Undecane AR** M. W.: 156.31	1602.00	250 ml
256865 $C_{11}H_{24}O$ (112-42-5)	1-**Undecanol** for Synthesis M. W.: 172.31	1800.00 5472.00	100 ml 500 ml
257015 $C_{11}H_{20}O_2$ (112-38-9)	▲**Undecylenic Acid** for Synthesis M. W.: 184.28	1701.00	500 gm
	Universal Indicator paper pH 1-10 See Indicator pH Papers Universal		
901000	**Universal Indicator** Solution pH 4-11	131.00 333.00	125 ml 500 ml
257065 $C_4H_4N_2O_2$ (66-22-8)	▲**Uracil** for Biochemistry M. W.: 112.09 Assay (Potentiometric) 98.0%	405.00 1467.00 11610.00	25 gm 100 gm 1 kg
TC1178 ATC $C_4H_4N_2O_2$ (66-22-8)	▲**Uracil** Cell Culture Tested M. W.: 112.09 Assay : ≥99% Store below 30°C	1503.00 3609.00 14310.00	25 gm 100 gm 500 gm
	Uranin See Fluorescein Sodium		
671605 $UO_2(CH_3COO)_2.2H_2O$ (6159-44-0)	**Uranyl Acetate AR** (Only Enduser) M. W.: 424.19 Assay (ex U) 98.0%	13410.00 26550.00 66006.00 264024.00	5 gm 10 gm 25 gm 100 gm
030558 CH_4N_2O (57-13-6)	**Urea** Cryst. Pure for Biochemistry M. W.: 60.06 Assay (Kjeldahl) 99.0%	351.00 2403.00 POR POR	500 gm 5 kg 25 kg 50 kg
671815 CH_4N_2O (57-13-6)	**Urea AR** Special Quality for Biochemical Purpose Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 60.06 Assay (Calulated with respect to dried substance kjeldahl's method) 99.0-101.0%	486.00 POR POR	500 gm 25 kg 50 kg
257215 CH_4N_2O (57-13-6)	**Urea** Specially Purified for enzyme work M. W.: 60.06 Assay (ex N) 99.5%	774.00 6444.00	500 gm 5 kg
990000 MB CH_4N_2O (57-13-6)	**Urea** for Molecular Biology M. W.: 60.06 Assay 99.5%	820.00 1476.00 6660.00	500 gm 1 kg 5 kg

Product Code	Product Name	Price	Packing
TC1180 ATC CH_4N_2O (57-13-6)	**Urea** (Carbamide) M. W.: 60.06 Assay : ≥99.5% Store below 30°C	1386.00 2070.00 6732.00	500 gm 1 kg 5 kg
TC1180M ATC NH_2CONH_2 (57-13-6)	**Urea** (Carbamide) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 60.06 Store below 30°C	2718.00 4032.00 13060.00	500 gm 1 kg 5 kg
901160	**Urea** Stock Standard 0.25% w/v Assay 0.249-0.251% w/v	144.00	125 ml
257365 $CH_4N_2O.H_3PO_4$ (4861-19-2)	**Urea Phosphate** M. W.: 158.05 Assay (Acidimetric) 98.0%	1098.00 POR	500 gm 25 kg
TC1691 ATC (9002-13-5)	**Urease** Cell Culture Tested Av M. W.: 90.77 kDa Store at -20°C	18810.00	25 gm
257465	· **Urease Active Meal**	3250.00	10 gm
671855 $C_5H_4N_4O_3$ (69-93-2)	▲**Uric Acid AR** Used as substrate in determination of Uricase M. W.: 168.11 Assay(ex N) 99.0%	2853.00 11007.00	25 gm 100 gm
901210	**Uric Acid** Reagent	199.00	125 ml
901215	**Uric Acid** Reagent Folin/Newton	203.00	100 ml
901230	**Uric Acid** Stock Standard 0.1% w/v Assay 0.099-0.101% w/v	136.00	125 ml
042053 $C_9H_{12}N_2O_6$ (58-96-8)	▲**Uridine** for Biochemistry M.W.: 244.20 Assay (ex N HPLC) 98.0%	252.00 756.00 1800.00	1 gm 5 gm 25 gm
TC1181 ATC $C_9H_{12}N_2O_6$ (58-96-8)	▲**Uridine** Cell Culture Tested M. W.: 244.2 Assay : ≥99%	2250.00 6210.00 9153.00	5 gm 25 gm 50 gm
257615 $C_9H_{11}N_2Na_2O_9P$ (3387-36-8)	· **Uridine-5-Monophosphate Disodium** **Salt** Dihydrate for Biochemistry M.W.: 368.15 Assay (ex N, on dried subs.) 96.0%	657.00 2466.00	1 gm 5 gm
257715 $C_{18}H_{16}O_7$ (7562-61-0)	▲**Usnic Acid** for Synthesis M. W.: 344.32 Assay 98.0%	15210.00	5 gm

HISURE®

These are high purity chemicals specially manufactured and tested for research and synthesis. As required heavy metal content is carefully monitored and reduced to minimum possible levels.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
	Vacuum Grease Silicon High See High Vacuum Silicon grease		
259745 $C_5H_{10}O_2$ (109-52-4)	n-**Valeric Acid** (Pentanoic Acid, 1-Butane-Carboxylic Acid) for Synthesis M. W.: 102.13	**1062.00** **4977.00**	**500 ml** **2.5 lit**
259835 $C_5H_8O_2$ (542-28-9)	D-**Valerolactone** M. W.: 100.12	**7470.00** **15930.00**	**100 gm** **500 gm**
259935 C_5H_9N (110-59-8)	**Valeronitrile** (Butyl Cyanide) M. W.: 83.13	**621.00** **1836.00**	**100 ml** **500 ml**
260045 $C_{11}H_{14}O$ (1009-14-9)	**Valerophenone** for Synthesis M. W.: 162.23	**2673.00** **11070.00**	**100 ml** **500 ml**
260135 C_5H_9ClO (638-29-9)	**Valeroyl Chloride** for Synthesis M. W.: 120.58	**820.00** **3645.00**	**100 ml** **500 ml**
260315 $C_5H_{11}NO_2$ (640-68-6)	D-**Valine for Biochemistry** M. W.: 117.15	**747.00** **2358.00**	**5 gm** **25 gm**
037161 $C_5H_{11}NO_2$ (516-06-3)	DL-**Valine** for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 98.5%	**801.00** **3006.00** **10000.00**	**25 gm** **100 gm** **1 kg**
037160 $C_5H_{11}NO_2$ (72-18-4)	L-**Valine** for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 99.0%	**270.00** **3501.00**	**25 gm** **500 gm**
PCT1322 PTC $C_5H_{11}NO_2$ (72-18-4)	L-**Valine** (L-2-Amino-3-methylbutanoic acid) Plant Culture Tested M. W.: 117.15 Assay 99% Store below 30°C	**360.00** **1279.00** **11543.00**	**25 gm** **100 gm** **1 kg**
TC1132 ATC $C_5H_{11}NO_2$ (72-18-4)	**L-Valine** (From non-animal source) L-2-Amino-3-methylbutanoic acid Cell Culture Tested M. W.: 117.15 Assay : ≥99% Store below 30°C	**1287.00** **3870.00** **11655.00** **17492.00**	**25 gm** **100 gm** **500 gm** **1 kg**
TC1132M ATC $C_5H_{11}NO_2$ (72-18-4)	**L-Valine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 117.15 Store below 30°C	**1575.00** **4730.00** **21816.00** **41220.00**	**25 gm** **100 gm** **500 gm** **1 kg**
260335 $C_6H_{13}NO_2.HCl$ (6306-52-1)	L-**Valine Methyl Ester Hydrochloride** M.W. 167.64 Assay 99.0%	**450.00** **1800.00** **5508.00**	**5 gm** **25 gm** **100 gm**
030568 $VOSO_4.xH_2O$ (123334-20-3 / 12439-96-2)	▲**Vanadyl Sulphate** M. W.: 163.00 (Anhy.) Assay (anhydrous; oxidimetric) 96.0%	**2502.00** **10503.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
PCT2114 PTC $C_{66}H_{75}Cl_2N_9O_{24}.HCl$ (1404-93-9)	▲**Vancomycin Hydrochloride** Plant Culture Tested M. W.: 1485.71 Potency 950 µg/mg	**4361.00** **6543.00** **25533.00** **98100.00**	**500 mg** **1 gm** **5 gm** **25 gm**
TC1202 ATC $C_{66}H_{75}Cl_2N_9O_{24}.HCl$ (1404-93-9)	▲**Vancomycin Hydrochloride** Cell Culture Tested M. W.: 1485.71 Assay : ≥80% Potency : ≥900 µg/mg	**5310.00** **9774.00** **36720.00**	**500 mg** **1 gm** **5 gm**
901735	**Van Gieson** II Solution for Microscopy Differential Stain for Collagen	**189.00**	**100 ml**
901835	**Vanadium** (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**
901855	**Vanadium** (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	**1746.00** **2286.00** **3852.00**	**100 ml** **250 ml** **500 ml**
901875	**Vanadium** (V) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO_3 In accordance with NIST	**5301.00** **8514.00**	**100 ml** **500 ml**
901895	**Vanadium** (V) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO_3 in accordance with NIST	**16331.00** **48240.00**	**100 ml** **500 ml**
260455 V (7440-62-2)	**Vanadium** (Metal) 100 Mesh M. W.: 50.94 Assay (trace metal basis) 99.9%	**2403.00** **11210.00**	**5 gm** **25 gm**
030565 V_2O_5 (1314-62-1)	**Vanadium Pentoxide** M. W.: 181.88 Assay 98.5%	**1305.00** **6003.00** **POR** **POR**	**100 gm** **500 gm** **5 kg** **25 kg**
671915 V_2O_5 (1314-62-1)	**Vanadium Pentoxide AR** M. W.: 181.88 Assay (manganometric) 99.5%	**1503.00** **7002.00**	**100 gm** **500 gm**
676725 $C_{10}H_{14}O_5V$ (3153-26-2)	▲**Vanadyl Acetyl Acetonate AR** M. W.: 265.16 Assay 97.0%	**1089.00** **3402.00** **14000.00**	**25 gm** **100 gm** **500 gm**
030570 $C_8H_8O_4$ (121-34-6)	**Vanillic Acid** M. W.: 168.15 Assay (HPLC) 97.0%	**900.00** **3402.00**	**25 gm** **100 gm**
030569 $C_8H_8O_3$ (121-33-5)	**Vanillin** for synthesis M. W.: 152.15 Assay(By GC) 98.0%	**810.00** **3681.00**	**100 gm** **500 gm**
676815 $C_8H_8O_3$ (121-33-5)	**Vanillin AR** M. W.: 152.15	**351.00** **1107.00** **4500.00**	**25 gm** **100 gm** **500 gm**
260915 $C_9H_{10}O_5$ (2349-20-9)	**Vanillyl Mandelic Acid (VMA)** for Biochemistry (DI-4-Hydroxy-3-Methoxy Mandelicacid) Assay 98.0%	**1476.00** **4095.00** **12483.00**	**250 mg** **1 gm** **5 gm**
	Veegum See Magnesium Aluminium Silicate		

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
261010 $C_9H_{10}O_4$ (93-07-2)	**Veratric Acid (3,4-Dimethoxybenzoic Acid)** for Synthesis M. W.: 182.17	1026.00 5292.00	100 gm 500 gm
261105 $C_8H_{10}O_2$ (91-16-7)	**Veratrole** for Synthesis M. W.: 138.16 Assay 99.0%	550.00 2300.00	100 ml 500 ml
	Veseline See Petroleum Jelly White		
	Vesuvin See Bismark Brown		
325905 $C_{33}H_{32}ClN_3$ (2580-56-5)	**Victoria Blue** B for Microscopy C.I. 44045 M. W.: 506.1 Dye content Abt. 85.0%	284.00 954.00	25 gm 100 gm
261385 $C_4H_6O_2$ (108-05-4)	**Vinyl Acetate** Monomer M. W.: 86.09 Assay (GC) 99.0%	423.00 1683.00	500 ml 2.5 lit
261545 ✲ $C_6H_9CHCH_2$ (100-40-3)	4-**Vinyl**-1-**Cyclohexene** for Synthesis M. W.: 108.18 Assay 99.5%	1890.00 8460.00	100 ml 500 ml
261725 ✲ $C_{10}H_7CHCH_2$ (827-54-3)	2-**Vinyl Naphthalene OPTICAL GRADE** M. W.: 154.21	5130.00	5 gm
261905 C_7H_7N (100-69-6)	2-**Vinyl Pyridine for Synthesis** M. W.: 105.14	2070.00 12600.00	25 ml 500 ml
261995 $C_{22}H_{32}O_2$ (127-47-9)	•**Vitamin A Acetate** for Biochemistry (Retinol acetate) M. W.: 328. 50 Assay (Potency) 500,000 IU/gm	2106.00 8010.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
	Vitamin B1 See Thiamine Hydrochloride		
	Vitamin B2 See Riboflavin		
	Vitamin B3 See Nicotinic Acid		
	Vitamin B6 Hcl See Pyridoxine Hydrochloride		
	Vitamin B9 See Folic Acid		
	Vitamin H See D-Biotin		
	Vitamin P See Rutin Trihydrate		
	Vitamin B_6 Hydrochloride See Pyridoxine Hydrochloride		
	Vitamin B_{12} See Cyanocobalamin		
	Vitamin C See L-Ascorbic Acid		
262085 $C_{27}H_{44}O$ (67-97-0)	**Vitamin D_3** M. W.: 384.64 Assay 97.0%	1710.00	1 gm
	Vitamin-E-Acetate See DL-a-Tocopherol Acetate		
	Vitamin K_3 Sodium Bisulphite See Menadion Sodium Bisulphite		

Molecular Biology Grade
Reagents

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✲ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

Product Code	Product Name	Price	Packing
902550	**W.B.C. Diluting Fluid** (Truck's)	131.00 230.00	125 ml 500 ml
902600	**Wagner's** Reagent for the detection of alkaloids	162.00 522.00	125 ml 500 ml
902690	**Wanklyn's** Solution	302.00 1206.00	500 ml 2.5 lit
	Water Blue See Aniline Blue (Water Soluble)		
	Water DM See DM Water		
679825 H_2O (7732-18-5)	**Water AR** M. W.: 18.015	423.00	1 lit
902760 H_2O (7732-18-5)	**Water** Deionized M.W. : 18.015	1998.00	5 lit
902740 H_2O (7732-18-5)	**Water** Distilled M. W.: 18.015	549.00	5 lit
779595 H_2O (7732-18-5)	**Water** EL M.W. : 18.015	540.00	1 lit
779645 H_2O (7732-18-5)	**Water** GC-HS For GC-Headspace Analysis M.W. : 18.015	1503.00 3105.00	1 lit 2.5 lit
779600 H_2O (7732-18-5)	**Water** for HPLC & Spectroscopy M. W.: 18.015	522.00 1044.00 2088.00	1 lit 2.5 lit 5 lit
779650 H_2O (7732-18-5)	**Water** Gradient Grade for Chromatography, HPLC M. W.: 18.015	900.00	1 lit
779675	**Water** LC-MS	4806.00	1 lit
994000 MB H_2O (7732-18-5)	**Water** for Molecular Biology Grade M. W.: 18.015	3105.00	5 lit
779630 H_2O (7732-18-5)	**Water** for Pesticide Residue Trace Analysis M. W.: 18.015	1233.00	1 lit
779700	**Water** Nuclease free	4410.00	100 ml
902910	**Water**/2-Propanol 50/50 (V/V)	801.00	1 lit
902790	**Water** With 0.1% Acetic Acid for LCMS	3600.00	2.5 lit
902820	**Water** With 0.1% Formic Acid for LCMS	3591.00	2.5 lit
902940	**Water** With 0.1% Trifluoro Acetic Acid for LCMS	3600.00	2.5 lit
K114005	**Water testing kit** (for the estimation of arsenic)	3096.00	25 te
K114015	**Water testing kit** refill pack (Reagents only)(for the estimation of arsenic)	1720.00	25 te

Product Code	Product Name	Price	Packing
K114025	**Water testing kit** (For the estimation of total alkalinity and pH)	1287.00	2x200 te
K114035	**Water testing kit** (For the estimation of Calcium hardness)	2250.00	100 te
K114045	**Water testing kit** (Residual chlorine)	567.00	200 te
K114055	**Water testing kit** (for the estimation of Fluoride, Chloride and Residual chlorine)	1287.00	3X200 te
K114065	**Water testing kit** (for the estimation of Nitrate Nitrite and Ammonium in water)	1692.00	3x200 te
K114075	**Water testing kit** (For the estimation of dissolved oxygen)	1125.00	25 te
K114085	**Water testing kit** refill pack (For the estimation of dissolved oxygen)	1674.00	25 te
K114095	**Water testing kit** (for the estimation of phosphate & iron)	2556.00	2x200 te
K114105	**Water testing kit** (For the estimation of Sulphite/ Residual sulphite in water)	4662.00	1x100 te
K114115	**Water testing kit** (For the estimation of Total hardness)	1013.00	200 te
K115125	**Water testing kit** (Microbiological testing)	936.00	10 te
902990	**Wij's & Iodine** Solution	621.00	500 ml
679915 (76093-98-6)	**Wood's** (Metal) **AR**	1836.00 3060.00	100 gm 250 gm
	Wright Eosin Methylene Blue See Wright's Stain		
326805 (68988-92-1)	▲**Wright's** Stain for Microscopy (Wright's eosin Methylene Blue)	837.00 2907.00	25 gm 100 gm
903010	**Wright's** Staining Solution for Microscopy	140.00 261.00	125 ml 250 ml

CPECTROSOL® & CRISTAR®

CDH offer a wide range of single element standard solutions (1000mg/L) suitable for AAS (CPECTROSOL®) & ICP (CRISTAR®). We also offer multi elements concentrated solutions at 10,000 mg/L in accordance with NIST.

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
998905 MB $C_{14}H_{15}BrClNO_6$ (7240-90-6)	· **X-Gal** (5-Bromo-4-Chloro-3-Indolyl-ß-D-Galactopyranoside) For Molecular Biology M. W. : 408.63 Assay : ≥ 98%	1656.00 7461.00 14913.00	100 mg 500 mg 1 gm
	▲X-**Gal** See 5-Bromo-4-Chloro-3-Indolyl-B-D-Galactopyranoside		
PCT2204 PTC $C_{14}H_{15}BrClNO_6$ (15548-60-4)	· **X-Glucoside** **(5-Bromo-4-chloro-3-indolyl-b-D-glucopyranoside)** Plant Culture Tested M. W.: 408.63 Assay 97%	2070.00 6192.00	25 mg 100 mg
PCT2205 PTC $C_{20}H_{26}BrClN_2O_7$ (114162-64-0)	· **X-Glucuronide CHA salt** **(5-Bromo-4-chloro-3indolyl-b-D-glucuronideCyclohexyl ammonium salt)** Plant Culture Tested M. W.: 521.79 Assay 98%	11250.00 20930.00 30960.00	100 mg 500 mg 1 gm
PCT2206 PTC $C_{14}H_{12}BrClNNaO_7$ (129541-41-9)	· **X-Glucuronide sodium salt** **(5-Bromo-4-chloro-3-indolyl-b-D-glucuronide sodium salt)** Plant Culture Tested M. W.: 444.59 Assay 98%	51300.00 93420.00	500 mg 1 gm
PCT2208 PTC $C_{14}H_{15}BrClNO_6$ (107021-38-5)	· **X-a-Gal** **(5-Bromo-4-chloro-3-indolyla-D-galactopyranoside)** Plant Culture Tested M. W.: 408.63 Assay 98%	23771.00	100 mg
PCT2202 PTC $C_{14}H_{15}BrClNO_6$ (7240-90-6)	· **X-Gal** **(5-Bromo-4-chloro-3-indolyl-b-D-galactopyranoside)** Plant Culture Tested M. W.: 408.63 Assay 98%	1845.00 8204.00	100 mg 500 mg
998907 MB $C_{14}H_{12}BrClNNaO_7$ (129541-41-9)	**X-Glucurono Sodium Salt** 5-Bromo-4-Chloro-3-Indolyl-ß-D-Glucuronide Sodium Salt For Molecular Biology M. W. : 444.59 Assay : ≥ 98% Store at 20°C	9010.00 21600.00 39510.00	100 mg 500 mg 1 gm
998908 MB $C_{14}H_{12}BrClNO_6$ (15548-60-4)	· **X-Glucoside** 5-Bromo-4-Chloro-3-Indolyl-ß-D-Glucpyranoside For Molecular Biology M. W. : 408.63 Assay : ≥ 97%	1944.00 9090.00 16970.00	1 mg 5 mg 10 mg
TC1476 ATC $C_8H_4BrClNO_4P$. 2Na (102185-33-1)	· **X-phosphate disodium salt ,BCIP®** 5-Bromo-4-Chloro 3-Indolyl Phosphate, Disodium Salt, Cell Culture Tested M. W.: 370.43	1530.00 4095.00 28710.00	25 mg 100 mg 1 gm

Product Code	Product Name	Price	Packing
268835 (11138-66-2)	**Xanthan Gum** Pure (Food Grade)	2520.00	1 kg
042057 $C_5H_4N_4O_2$ (69-89-6)	**Xanthine** for Biochemistry M. W.: 152.11 Assay (Spectophotometric 275 nm pH 10) 98.0%	801.00 3303.00	5 gm 25 gm
TC1690 ATC (9002-17-9)	· **Xanthine Oxidase** Cell Culture Tested Activity : ~15U/mg	39600.00	250 units
TC1239 ATC $C_{22}H_{16}N_7NaO_{13}S_2$ (111072-31-2)	· **XTT Sodium Salt** Cell Culture Tested M. W.: 673.52 Store at -20°	23000.00 110250.00	100 mg 500 mg
998918 MB (9014-63-5)	**Xylan** From Beechwood For Molecular Biology Store Below 30°C	9450.00	10 gm
030575 C_8H_{10} (1330-20-7)	**Xylene** Sulphur Free M. W.: 106.17	450.00 1602.00 POR	500 ml 2.5 lit 25 lit
269785 C_8H_{10} (1330-20-7)	**Xylene** Rectified M. W.: 106.17	360.00 693.00 1503.00 POR POR	500 ml 1 lit 2.5 lit 25 lit 200 lit
686715 C_8H_{10} (1330-20-7)	**Xylene AR** M. W.: 106.17	504.00 1701.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
780300 C_8H_{10} (1330-20-7)	**Xylene** Scintillation Grade M. W.: 106.17 Assay (GC) 99.0%	450.00 1602.00	500 ml 2.5 lit
269825 C_8H_{10} (1330-20-7)	**Xylene** Special (Mixtures of Isomers) M. W.: 106.17	594.00 2196.00	500 ml 2.5 lit
686725 C_8H_{10} (1330-20-7)	**Xylene** Special **AR** (Mixtures of Isomers) (Ethyl Benzene <0.1%) M. W.: 106.17	671.00 2250.00	500 ml 2.5 lit
030577 C_8H_{10} (108-38-3 / 108-33-3)	m-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.0%	756.00 3105.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
686915 (108-38-3 / 108-33-3)	m-**Xylene AR**	1323.00	500 ml
030576 C_8H_{10} (95-47-6)	o-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.0%	423.00 1575.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
686935 C_8H_{10} (95-47-6)	o-**Xylene AR** M. W.: 106.17	540.00	500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
270045 C_8H_{10} (106-42-3)	p-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.5%	**603.00** **2601.00** **POR** **POR**	**500 ml** **2.5 lit** **25 lit** **200 lit**
686945 C_8H_{10} (106-42-3)	p-**Xylene AR** M. W.: 106.17 Assay (GC) 99.0%	**783.00**	**500 ml**
779200 C_8H_{10} (106-42-3)	p-**Xylene** for HPLC M. W.: 106.17 Assay (GC) 99.0%	**2394.00**	**1 lit**
998923 MB C_8H_{10} (1330-20-7)	**Xylene Mixture of Isomers** For Molecular Biology M. W. : 106.17 Store Below 30°C	**900.00** **2300.00**	**500 ml** **2.5 lit**
327705 $C_{25}H_{27}N_2NaO_6S_2$ (2650-17-1)	**Xylene Cyanol** FF C.I. 43535 M. W.: 538.61	**1206.00** **5000.00**	**5 gm** **25 gm**
903510	**Xylene Cyanol** Indicator Solution (Color Change -Green to Orange)	**486.00**	**100 ml**
327855 $C_{23}H_{22}O_5S$ (125-31-5)	p-**Xylenol Blue** Indicator **AR** M. W.: 410.49	**603.00** **2502.00**	**1 gm** **5 gm**
903520	**Xylenol Orange** Indicator Solution for EDTA Titration (Reagent for Cd, Pb, Mg, Zn, Bi)	**293.00**	**100 ml**
328005 $C_{31}H_{28}N_2O_{13}SNa_4$ (3618-43-7)	•**Xylenol Orange AR** Suitable for use in EDTA Zinc Titration M. W.: 760.6	**603.00** **1107.00**	**5 gm** **10 gm**

Product Code	Product Name	Price	Packing
270405 $C_8H_{11}N$ (95-68-1)	2,4-**Xylidine** Pure M. W.: 121.18	**550.00** **3690.00** **POR**	**250 ml** **2.5 lit** **10 lit**
270425 $C_8H_{11}N$ (87-62-7)	2,6-**Xylidine** Pure M. W.: 121.18 Assay 98.5%	**851.00** **8001.00**	**250 ml** **2.5 lit**
270445 ✠ $(CH_3)_2C_6H_3NH_2$ (108-69-0)	3,5-**Xylidine** M. W.: 121.18	**3906.00** **10710.00** **POR**	**100 ml** **500 ml** **10 lit**
328145 $C_{20}H_{11}N_2Na_3O_{10}S_3$ (3761-53-3)	**Xylidine Ponceau** for Microscopy M. W.: 604.48 Dye content (on dried subs., titanometry) Abt. 75.0%	**153.00**	**25 gm**
328295 $C_{25}H_{20}N_3NaO_6S$ (14936-97-1)	**Xylidyl Blue I AR** M. W.: 513.50	**4500.00**	**1 gm**
038101 $C_5H_{12}O_5$ (87-99-0)	**Xylitol** for Biochemistry M.W. : 152.15	**207.00** **702.00** **3200.00**	**25 gm** **100 gm** **500 gm**
030590 $C_5H_{10}O_5$ (58-86-6)	D (+)-**Xylose** M. W.: 150.13	**252.00** **423.00** **1791.00**	**25 gm** **100 gm** **500 gm**
PCT1615 PTC $C_5H_{10}O_5$ (58-86-6)	D-**Xylose** Plant Culture Tested M. W.: 150.1 Store below 30°C	**279.00** **1000.00** **4527.00**	**25 gm** **100 gm** **500 gm**
270855 $C_5H_{10}O_5$ (609-06-3)	L **(-)Xylose** for Biochemistry M. W.: 150.13	**1890.00** **9000.00**	**5 gm** **25 gm**

Culture Media Bases

Ingredients

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.

Storage : ● 0-4°C ▲ 2-8°C
✠ Delivery Period 4-6 Weeks
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
345235 (8013-01-2)	**Yeast Autolysate** Bacteriological Grade	2520.00	500 gm
345325 (8013-01-2)	**Yeast Extract Paste** For Bacteriology	761.00	500 gm
345355	**Yeast Extract** Powder	1107.00 10000.00	500 gm 5 kg
345385	**Yeast Extract Special** for Bacteriology	1206.00	500 gm
	Yellow Ammonium Sulphide Solution See Ammonium Sulphide Solution yellow		
PCT2315 PTC	**Yellow Colour** Plant Culture Tested Store below 30°C	5625.00	250 gm
329385 $C_{10}H_{10}N_2Na_2O_7S_2$ (2783-94-0)	**Yellowish Orange S** (C.I. 15985) M. W.: 452.37	261.00	25 gm
358765 (8006-81-3)	**Ylang Ylang Oil** for Synthesis	5000.00	500 gm
272205 $C_{21}H_{26}N_2O_3.HCl$ (65-19-0)	**Yohimbine Hydrochloride** M. W.: 390.90	3006.00 9000.00	1 gm 5 gm
RE3225 Yb (7440-64-4)	**Ytterbium** Metal Ingot M. W.: 173.04 Assay (Trace metal basis) 99.99%	6408.00 22167.00	5 gm 25 gm
RE3230 Yb (7440-64-4)	**Ytterbium** Metal Lump M. W.: 173.04 Assay (Trace metal basis) 99.99%	6408.00 22167.00	5 gm 25 gm
RE3235 Yb (7440-64-4)	**Ytterbium** Metal Powder 325 mesh M. W.: 173.04 Assay (Trace metal basis) 99.9%	8613.00 50670.00	2 gm 25 gm
RE3270 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.9%	3618.00 16155.00	10 gm 50 gm
RE3275 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.99%	2610.00 10000.00	5 gm 25 gm
RE3280 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.999%	POR POR	2 gm 100 gm
RE3285 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.9999%	POR POR	2 gm 100 gm
RE3295 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9%	6462.00 25821.00	10 gm 50 gm
RE3300 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.99%	6400.00 29970.00	10 gm 50 gm
RE3305 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE3310 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm

Product Code	Product Name	Price	Packing
RE3320 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.9%	7920.00 31050.00	25 gm 100 gm
RE3325 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.99%	6570.00 24300.00	10 gm 50 gm
RE3330 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.999%	11997.00 41000.00	5 gm 25 gm
RE3335 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
RE3345 YbF_3 (13760-80-0)	**Ytterbium (III) Fluoride** Anhydrous M. W.: 230.04	12600.00	10 gm
RE3355 YbI_3	**Ytterbium Iodide** M. W.: 533.74 Assay (Trace metal basis) 99.95%	33993.00 POR	1 gm 5 gm
RE3365 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9%	3276.00 11908.00 22005.00	10 gm 50 gm 100 gm
RE3370 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.99%	7660.00 23391.00	10 gm 50 gm
RE3375 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.999%	9000.00 POR	5 gm 25 gm
RE3380 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	2 gm 25 gm
RE3390 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.9%	4707.00 12492.00 POR	25 gm 100 gm 1 kg
RE3395 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.99%	7061.00 18514.00	10 gm 50 gm
RE3400 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.999%	5000.00 18980.00	5 gm 25 gm
RE3405 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.9999%	POR POR	2 gm 25 gm
905750	**Yttrium** (V) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 2% HNO_3, In accordance with NIST	5544.00 8856.00	50 ml 100 ml
RE3435 Y (7440-65-5)	**Yttrium** Metal Ingot M. W.: 88.90 Assay (Trace metal basis) 99.99%	15300.00 61200.00	10 gm 50 gm
RE3440 Y (7440-65-5)	**Yttrium** Metal Lump M. W.: 88.90 Assay (Trace metal basis) 99.99%	7650.00 30600.00	5 gm 25 gm
RE3445 Y (7440-65-5)	**Yttrium** Metal Powder 325 mesh M. W.: 88.90 Assay (Trace metal basis) 99.99%	9270.00 33300.00	5 gm 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
RE3485 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	**Yttrium Acetate** M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.9%	**4311.00** **12606.00**	**50 gm** **250 gm**
RE3490 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	**Yttrium Acetate** M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.99%	**8240.00** **24642.00**	**25 gm** **100 gm**
RE3495 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	**Yttrium Acetate** M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**10 gm** **100 gm**
RE3510 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	**Yttrium Carbonate** M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.9%	**6507.00** **25470.00**	**50 gm** **250 gm**
RE3515 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	**Yttrium Carbonate** M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.99%	**5886.00** **18000.00**	**25 gm** **100 gm**
RE3520 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	**Yttrium Carbonate** M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**5 gm** **100 gm**
RE3535 $YCl_3.6H_2O$ (10025-94-2)	**Yttrium Chloride** M. W.: 303.36 Assay (Trace metal basis) 99.9%	**3600.00** **13500.00** **POR**	**10 gm** **50 gm** **250 gm**
RE3540 $YCl_3.6H_2O$ (10025-94-2)	**Yttrium Chloride** M. W.: 303.36 Assay (Trace metal basis) 99.99%	**2601.00** **7700.00** **26100.00**	**5 gm** **25 gm** **100 gm**
RE3545 $YCl_3.6H_2O$ (10025-94-2)	**Yttrium Chloride** M. W.: 303.36 Assay (Trace metal basis) 99.999%	**POR** **POR**	**10 gm** **50 gm**
RE3550 $YCl_3.6H_2O$ (10025-94-2)	**Yttrium Chloride** M. W.: 303.36 Assay (Trace metal basis) 99.9999%	**POR** **POR**	**2 gm** **25 gm**
RE3560 YF_3 (13709-49-4)	**Yttrium Fluoride** M. W.: 145.9 Assay (Trace metal basis) 99%	**5751.00** **13500.00**	**25 gm** **100 gm**
RE3565 YF_3 (13709-49-4)	**Yttrium Fluoride** M. W.: 145.9 Assay (Trace metal basis) 99.9%	**4617.00** **11530.00** **50355.00**	**25 gm** **100 gm** **500 gm**
RE3570 YF_3 (13709-49-4)	**Yttrium Fluoride** M. W.: 145.9 Assay (Trace metal basis) 99.99%	**7570.00** **22640.00** **69093.00**	**25 gm** **100 gm** **500 gm**
RE3575 Yf_3 (13709-49-4)	**Yttrium Fluoride** M. W.: 145.9 Assay (Trace metal basis) 99.999%	**POR** **POR**	**5 gm** **25 gm**
RE3590 $Y(OH)_3.xH_2O$	**Yttrium Hydroxide** M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.9%	**POR** **POR**	**50 gm** **250 gm**
RE3595 $Y(OH)_3.xH_2O$	**Yttrium Hydroxide** M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.99%	**POR** **POR**	**5 gm** **25 gm**

Product Code	Product Name	Price	Packing
RE3600 $Y(OH)_3.xH_2O$	**Yttrium Hydroxide** M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.999%	**POR** **POR**	**5 gm** **25 gm**
RE3615 $Y(NO_3)_3.xH_2O$	**Yttrium Nitrate** M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.9%	**3420.00** **8307.00**	**25 gm** **100 gm**
RE3620 $Y(NO_3)_3.xH_2O$	**Yttrium Nitrate** M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.99%	**2205.00** **8892.00** **25790.00**	**5 gm** **25 gm** **100 gm**
RE3625 $Y(NO_3)_3.xH_2O$	**Yttrium Nitrate** M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.999%	**36900.00** **135000.00**	**25 gm** **100 gm**
RE3640 $Y(C_8H_{15}O_2)_2$	**Yttrium Octoate** M. W.: 374.91 Assay (Trace metal basis) 99.9%	**POR** **POR**	**50 gm** **250 gm**
RE3660 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	**Yttrium Oxalate** M. W.: 622.02 Assay (Trace metal basis) 99.9%	**9918.00** **43515.00**	**50 gm** **250 gm**
RE3665 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	**Yttrium Oxalate** M. W.: 622.02 Assay (Trace metal basis) 99.99%	**7200.00**	**25 gm**
RE3670 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	**Yttrium Oxalate** M. W.: 622.02 Assay (Trace metal basis) 99.999%	**2430.00** **POR**	**5 gm** **25 gm**
RE3685 Y_2O_3 (1314-36-9)	**Yttrium Oxide** M. W.: 225.81 Assay (Trace metal basis) 99.9%	**702.00** **1503.00** **14000.00** **POR**	**10 gm** **25 gm** **250 gm** **1 kg**
RE3690 Y_2O_3 (1314-36-9)	**Yttrium Oxide** M. W.: 225.81 Assay (Trace metal basis) 99.99%	**4941.00** **18000.00** **POR**	**25 gm** **250 gm** **1 kg**
RE3695 Y_2O_3 (1314-36-9)	**Yttrium Oxide** M. W.: 225.81 Assay (Trace metal basis) 99.999%	**7785.00** **16151.00** **POR**	**25 gm** **100 gm** **1 kg**
RE3700 Y_2O_3 (1314-36-9)	**Yttrium Oxide** M. W.: 225.81 Assay (Trace metal basis) 99.9999%	**3600.00** **10000.00** **POR**	**10 gm** **50 gm** **250 gm**
RE3715 $Y_2(SO_4)_3.6H_2O$	**Yttrium Sulphate** M. W.: 574.27 Assay (Trace metal basis) 99.9%	**5000.00** **24800.00**	**50 gm** **250 gm**
RE3720 $Y_2(SO_4)_3.6H_2O$	**Yttrium Sulphate** M. W.: 574.27 Assay (Trace metal basis) 99.99%	**6300.00** **POR**	**25 gm** **250 gm**
RE3725 $Y_2(SO_4)_3.6H_2O$	**Yttrium Sulphate** M. W.: 574.27 Assay (Trace metal basis) 99.999%	**POR** **POR**	**5 gm** **25 gm**

GCHS SOLVENTS

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
Z00120 $C_{11}H_{13}NO_3$ (2304-94-1)	•Z-B-Alanine M. W.: 223.21 Assay 99.0%	576.00 1476.00 5850.00	1 gm 5 gm 25 gm
Z00140 $C_{11}H_{13}NO_4$ (26607-51-2)	•Z-D-Alanine M.W. : 223.21 Assay 99.0%	603.00 2430.00 11070.00	1 gm 5 gm 25 gm
Z00180 $C_{11}H_{13}NO_4$ (4132-86-9)	•Z-DL-Alanine M.W. : 223.21 Assay 99.0%	505.00 2403.00 11466.00	1 gm 5 gm 25 gm
Z00220 $C_{11}H_{13}NO_4$ (1142-20-7)	•Z-L-Alanine M. W.: 223.21 Assay 99.0%	540.00 2214.00 7970.00	5 gm 25 gm 100 gm
Z00260 $C_{12}H_{20}NO_4$ (42918-86-5)	•Z-2-Aminobutyric Acid M.W. : 237.30 Assay 99.0%	945.00 4194.00 20322.00	1 gm 5 gm 25 gm
Z00300 $C_{14}H_{20}N_4O_4$ (6382-93-0)	•Z-D-Arginine M.W. : 308.30 Assay 99.0%	6075.00 20232.00 73530.00	1 gm 5 gm 25 gm
Z00340 $C_{14}H_{20}N_4O_4.HCl$ (56672-63-0)	•Z-L-Arginine HCl M. W.: 344.79 Assay 99.0%	5230.00 19530.00	25 gm 100 gm
Z00380 $C_{12}H_{14}N_2O_5$ (4474-86-6)	•Z-D-Asparagine M.W. : 266.25 Assay 99.0%	1090.00 4487.00 18702.00	1 gm 5 gm 25 gm
Z00420 $C_{12}H_{14}N_2O_5$ (29880-22-6)	•Z-DL-Asparagine M.W. : 266.25 Assay 99.0%	1517.00 4977.00 16110.00	1 gm 5 gm 25 gm
Z00460 $C_{12}H_{14}N_2O_5$ (2304-96-3)	•Z-L-Asparagine M. W.: 266.25 Assay 99.0%	307.00 990.00 2583.00	1 gm 5 gm 25 gm
Z00500 $C_{12}H_{13}NO_6$ (78663-07-7)	•Z-D-Aspartic Acid M. W.: 267.23 Assay 99.0%	640.00 2655.00 11080.00	1 gm 5 gm 25 gm
Z00540 $C_{12}H_{13}NO_6$ (4515-21-3)	•Z-DL-Aspartic Acid M.W. : 267.23 Assay 99.0%	702.00 3321.00 15813.00	1 gm 5 gm 25 gm
Z00580 $C_{12}H_{13}NO_6$ (1152-61-0)	•Z-L-Aspartic Acid M. W.: 267.23 Assay 99.0%	460.00 855.00 2057.00	5 gm 10 gm 25 gm
Z00620 $C_{13}H_{15}NO_6$ (63648-73-7)	•Z-D-Glutamic Acid M. W.: 281.27 Assay 99.0%	761.00 2660.00 10233.00	1 gm 5 gm 25 gm
Z00660 $C_{13}H_{15}NO_6$	•Z-DL-Glutamic Acid M. W.: 281.27 Assay 99.0%	POR POR	1 gm 5 gm
Z00700 $C_{13}H_{15}NO_6$ (1155-62-0)	•Z-L-Glutamic Acid M. W.: 281.27 Assay 99.0%	360.00 1459.00 5220.00	5 gm 25 gm 100 gm
Z00740 $C_{20}H_{21}NO_6$ (5680-86-4)	Z-L-Glutamic Acid-4- Benzyl Ester for Biochemistry M. W.: 371.39 Assay 98.0%	14121.00 24710.00	10 gm 25 gm
Z00780 $C_{13}H_{16}N_2O_5$ (13139-52-1)	•Z-D-Glutamine M. W.: 280.28 Assay 99.0%	1224.00 5103.00 21267.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
Z00820 $C_{13}H_{16}N_2O_5$ (2650-64-8)	•Z-L-Glutamine M. W.: 280.28 Assay 99.0%	747.00 2583.00 8622.00	5 gm 25 gm 100 gm
Z00860 $C_{10}H_{11}NO_4$ (1138-80-3)	•Z-Glycine M. W.: 209.20 Assay 99.0%	702.00 1422.00 4320.00	5 gm 25 gm 100 gm
Z00940 $C_{14}H_{15}N_3O_4$ (19728-57-5)	•Z-DL-Histidine M. W.: 289.30 Assay 99.0%	3474.00 16560.00	1 gm 5 gm
Z00980 $C_{14}H_{15}N_3O_4$ (14997-58-1)	•Z-L-Histidine M. W.: 289.30 Assay 99.0%	1197.00 5427.00 21285.00	1 gm 5 gm 25 gm
Z01020 $C_{13}H_{15}NO_5$ (13504-85-3)	•Z-L-Hydroxyproline M. W.: 265.30 Assay 99.0%	1400.00 6327.00 24710.00	1 gm 5 gm 25 gm
Z01100 $C_{14}H_{19}NO_4$ (3160-59-6)	•Z-L-Isoleucine M. W.: 265.30 Assay 99.0%	2007.00 6273.00 20772.00	5 gm 25 gm 100 gm
Z00100 $C_{14}H_{17}NO_4$ (10314-98-4)	Z-Isonipecotic Acid for Biochemistry M.W. : 263.00 Assay 98.0%	6130.00 10710.00	10 gm 25 gm
Z01140 $C_{14}H_{19}NO_4$ (28862-79-5)	•Z-D-Leucine M. W.: 265.30 Assay 99.0%	1090.00 4510.00 18810.00	1 gm 5 gm 25 gm
Z01180 $C_{14}H_{19}NO_4$ (3588-60-1)	•Z-DL-Leucine M. W.: 265.30 Assay 99.0%	1827.00 8703.00	5 gm 25 gm
Z01240 $C_{14}H_{19}NO_4$ (2018-66-8)	•Z-L-Leucine M. W.: 265.30 Assay 99.0%	1521.00 4330.00 16070.00	5 gm 25 gm 100 gm
Z01280 $C_{14}H_{20}N_2O_4$ (70671-54-4)	•Z-D-Lysine M. W.: 280.32 Assay 99.0%	9486.00 37935.00	1 gm 5 gm
Z01320 $C_{14}H_{20}N_2O_4$ (2212-75-1)	•Z-L-Lysine M. W.: 280.32 Assay 99.0%	1278.00 5900.00 24260.00	1 gm 5 gm 25 gm
Z01360 $C_{13}H_{17}NO_4S$ (28862-80-8)	•Z-D-Methionine M. W.: 280.40 Assay 99.0%	2376.00 6490.00 18891.00	1 gm 5 gm 25 gm
Z01400 $C_{13}H_{17}NO_4S$ (4434-61-1)	•Z-DL-Methionine M. W.: 283.40 Assay 99.0%	738.00 3474.00 16840.00	1 gm 5 gm 25 gm
Z01440 $C_{13}H_{17}NO_4S$ (1152-62-1)	•Z-L-Methionine M. W.: 283.40 Assay 99.0%	684.00 2844.00 9342.00	1 gm 5 gm 25 gm
Z01480 $C_{14}H_{19}NO_4$ (15027-14-2)	•Z-D-Norleucine M. W.: 265.30 Assay 99.0%	4608.00 41400.00	500 mg 5 gm
Z01520 $C_{14}H_{19}NO_4$ (15027-13-1)	•Z-DL-Norleucine M. W.: 265.30 Assay 99.0%	3150.00 15930.00	1 gm 5 gm
Z01560 $C_{14}H_{19}NO_4$ (39608-30-5)	•Z-L-Norleucine M. W.: 265.30 Assay 99.0%	4131.00 18783.00	1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
Z01600 $C_{13}H_{17}NO_4$	•**Z-D-Norvaline** M. W.: 251.30 Assay 99.0%	2790.00 12650.00	1 gm 5 gm
Z01640 $C_{13}H_{17}NO_4$ (21691-43-0)	•**Z-DL-Norvaline** M. W.: 251.30 Assay 99.0%	2304.00 10476.00	1 gm 5 gm
Z01680 $C_{13}H_{17}NO_4$ (21691-44-1)	•**Z-L-Norvaline** M. W.: 251.30 Assay 99.0%	2790.00 12650.00	1 gm 5 gm
Z01720 $C_{13}H_{18}N_2O_4$ (3304-51-6)	•**Z-L-Ornithine** M. W.: 266.30 Assay 99.0%	5004.00 22752.00	1 gm 5 gm
Z01760 $C_{17}H_{17}NO_4$ (2448-45-5)	•**Z-D-Phenylalanine** M. W.: 299.32 Assay 99.0%	640.00 2655.00 11034.00	1 gm 5 gm 25 gm
Z01800 $C_{16}H_{15}NO_4$ (17609-52-8)	**Z-D-Phenylglycine** for Biochemistry M. W.: 285.29 Assay 98.0%	7390.00 12933.00	10 gm 25 gm
Z01840 $C_{17}H_{17}NO_4$ (3588-57-6)	•**Z-DL-Phenylalanine** M. W.: 299.32 Assay 99.0%	2304.00 10476.00	5 gm 25 gm
Z01880 $C_{17}H_{17}NO_4$ (1161-13-3)	•**Z-L-Phenylalanine** M. W.: 299.32 Assay 99.0%	2232.00 7902.00	25 gm 100 gm
Z01920 $C_{18}H_{19}NO_4$ (35909-92-3)	**Z-L-Phenyalanine Methyl Ester** for Biochemistry M. W.: 313.35 Assay 98.0%	12240.00 21402.00	10 gm 25 gm
Z01960 $C_{23}H_{20}N_2O_6$ (2578-84-9)	**Z-L-Phenylalanine 4-Nitrophenyl Ester** for Biochemistry M. W.: 420.41 Assay 98.0%	11016.00 19260.00	10 gm 25 gm
Z02000 $C_{16}H_{15}NO_4$ (53990-33-3)	**Z-L-Phenylglycine** for Biochemistry M. W.: 285.29 Assay 99.0%	6490.00 11350.00	10 gm 25 gm
Z02040 $C_{13}H_{15}NO_4$ (6404-31-5)	•**Z-D-Proline** M. W.: 249.26 Assay 99.0%	927.00 1566.00 6039.00 30150.00	500 mg 1 gm 5 gm 25 gm
Z02080 $C_{13}H_{15}NO_4$ (1148-11-4)	•**Z-L-Proline** M. W.: 249.26	1260.00 3780.00	5 gm 25 gm
Z02120 $C_{11}H_{13}NO_5$ (6081-61-4)	•**Z-D-Serine** M. W.: 239.20 Assay 99.0%	2178.00 3357.00 14022.00 58410.00	500 mg 1 gm 5 gm 25 gm
Z02160 $C_{11}H_{13}NO_5$ (1145-80-8)	•**Z-L-Serine** M. W.: 239.22 Assay 99.0%	423.00 1450.00 7002.00	1 gm 5 gm 25 gm
Z02200 $C_{12}H_{15}NO_5$ (80384-27-6)	•**Z-D-Threonine** M. W.: 253.30 Assay 99.0%	1305.00 5202.00 20070.00	1 gm 5 gm 25 gm
Z02240 $C_{12}H_{15}NO_5$ (19728-63-3)	•**Z-L-Threonine** M. W.: 253.25 Assay 99.0%	1296.00 4725.00 15786.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
Z02300 $C_{19}H_{18}N_2O_4$ (2279-15-4)	•**Z-D-Tryptophan** M. W.: 338.40 Assay 99.0%	2205.00 5500.00 22896.00	1 gm 5 gm 25 gm
Z02340 $C_{19}H_{18}N_2O_4$ (7432-21-5)	•**Z-L-Tryptophan** M. W.: 338.40 Assay 99.0%	1053.00 2106.00	5 gm 25 gm
Z02380 $C_{17}H_{17}NO_5$ (64205-12-5)	•**Z-D-Tyrosine** M. W.: 315.32 Assay 99.0%	2570.00 8470.00 37800.00	1 gm 5 gm 25 gm
Z02420 $C_{17}H_{17}NO_5$ (1164-16-5)	•**Z-L-Tyrosine** M. W.: 315.32 Assay 99.0%	981.00 1953.00 4986.00	1 gm 5 gm 25 gm
Z02460 $C_{13}H_{17}NO_4$ (1685-33-2)	•**Z-D-Valine** M. W.: 251.30 Assay 99.0%	1323.00 5481.00 21051.00	1 gm 5 gm 25 gm
Z02500 $C_{13}H_{17}NO_4$ (3588-63-4)	•**Z-DL-Valine** M. W.: 251.30 Assay 99.0%	2790.00 13240.00	5 gm 25 gm
Z02540 $C_{13}H_{17}NO_4$ (1149-26-4)	•**Z-L-Valine** M. W.: 251.28 Assay 99.0%	2466.00 4680.00	25 gm 100 gm
Z02600 $C_{19}H_{28}N_2O_6.C_{12}H_{23}N$ (2212-76-2)	· **Z-N-e-Lysine Dicyclohexyl Ammonium Salt** for Biochemistry M. W.: 561.75 Assay 98.0%	5940.00 24552.00	5 gm 25 gm
Z02640 (78190-11-1)	· **Z-Nipecotic Acid** for Biochemistry Assay 99.0%	3231.00 13185.00	5 gm 25 gm
Z02680 $C_{24}H_{23}NO_5$ (16677-29-5)	· **Z-O-Benzyl-L-Tyrosine** for Biochemistry M. W.: 405.44 Assay 98.0%	3790.00 16830.00	5 gm 25 gm
PCT1813 PTC $C_{10}H_{13}N_5O$ (1637-39-4)	▲**Zeatin** Plant Culture Tested M. W.: 219.24 Assay 99%	5373.00 10260.00 22590.00 41553.00 80640.00	50 mg 100 mg 250 mg 500 mg 1 gm
PCT1814 PTC $C_{15}H_{21}N_5O_5$ (6025-53-2)	▲trans-**Zeatin riboside** Plant Culture Tested M. W.: 351.36 Assay 98%	28116.00 63243.00	10 mg 25 mg
PCT2411 PTC	▲**Zeatin Solution** w/ 1 mg/ml Zeatin in sterile distilled water Sterile filtered Plant Culture Tested	4680.00 22950.00	20 ml 5X20 ml
907480	**Zenker's Fixing** for Microscopy Fixing System For Animal Tissue	604.00	100 ml
	Zeocarbe (Pemutit) See Dermutit		
	Zerolite See Seralites		
K129005	**Ziehl Neelsen Acid** Fast Stains Kit	513.00	1 kit
907485	**Zimmermann-Reinhard's Reagent**	603.00	500 ml
907500	**Zinc** (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2466.00 3852.00	100 ml 250 ml 500 ml

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
907502	**Zinc** (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2466.00 3852.00	100 ml 250 ml 500 ml
907540	**Zinc** (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3 In accordance with NIST	5301.00 8514.00	100 ml 500 ml
907560	**Zinc** CRISTAR® 10000 ppm Single Element Std. Soln.for ICP-MS in HNO_3 In accordance with NIST	16020.00 48254.00	100 ml 500 ml
907520	**Zinc** (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00 8514.00	100 ml 500 ml
030596 Zn (7440-66-6)	**Zinc** Metal Dust At. W.: 65.37 Assay (Zn Complexometric) 98.0%	1107.00 9000.00 POR POR	500 gm 5 kg 25 kg 50 kg
695305 Zn (7440-66-6)	**Zinc** Metal Dust **AR** At. W.: 65.37 Assay (Complexometric) 99.5%	1251.00 11880.00 POR POR	500 gm 5 kg 25 kg 50 kg
030598 Zn (7440-66-6)	**Zinc** (Metal) Granular At. W.: 65.37 Assay (Complexometric) 99.0%	1494.00 POR POR	500 gm 25 kg 50 kg
695315 Zn (7440-66-6)	**Zinc** (Metal) Granular **AR** At. W.: 65.37 Assay (Complexometric) 99.7%	1647.00 POR POR	500 gm 25 kg 50 kg
274685 Zn (7440-66-6)	**Zinc** Foil At.W. 65.38	1206.00 4802.00	100 gm 500 gm
N96516 Zn (7440-66-6)	**Zinc Nanopowder** (100nm) At. W.: 65.37 Assay Zn 99.9+%	16200.00 48600.00	5 gm 25 gm
	Zinc Metal Powder See Zinc (Metal) Dust		
274725 Zn (7440-66-6)	**Zinc Wire,** Dia (2mm) M. W.: 65.39	540.00	100 gm
695325 Zn (7440-66-6)	**Zinc Wire,** Dia (2mm) **AR** M. W.: 65.39	608.00	100 gm
030601 $C_4H_6O_4Zn.2H_2O$ (5970-45-6)	**Zinc Acetate** Pure M. W.: 219.50 Assay (ex Zn Complexometric) 98-102%	801.00 POR POR	500 gm 25 kg 50 kg
695415 $C_4H_6O_4Zn.2H_2O$ (5970-45-6)	**Zinc Acetate AR** M. W.: 219.50 Assay (ex Zn Complexometric) 99.5%	1107.00	500 gm
274805 (10361-94-1)	**Zinc Borate**	1440.00 2205.00	500 gm 1 kg

Product Code	Product Name	Price	Packing
030603 $ZnBr_2$ (7699-45-8)	**Zinc Bromide** M. W.: 225.20 Assay 98.0%	2700.00	500 gm
030604 $[ZnCO_3]_2$ $[Zn(OH)_2]_3$ (5263-02-5/12539-71-8)	**Zinc Carbonate** Basic M.W.: 549.02 Assay (Acidimetric Zn) 58.0%	1008.00 POR POR	500 gm 25 kg 50 kg
907580	**Zinc Chloride** CPECTROSOL® 0.1M Volumetric Solution In accordance with NIST	1400.00	1 lit
907590	**Zinc Chloride** 0.5M Solution In Tetrahydrofuran	6003.00 14094.00	100 ml 500 ml
907592	**Zinc Chloride** CPECTROSOL® 0.5M Standardized Solution In accordance with NIST	1400.00	1 lit
030605 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** (Dry) Purified M. W.: 136.29 Assay (ex Zn Complexometric) 97.0%	630.00 1152.00 POR POR	500 gm 1 kg 25 kg 50 kg
695505 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** (Dry) **AR/ACS** M. W.: 136.29 Assay (by complexometry) 98.0%	950.00 POR POR	500 gm 25 kg 50 kg
999000 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** for Molecular Biology M. W.: 136.29	2502.00	500 gm
TC1184 ATC $ZnCl_2$ (7646-85-7)	**Zinc Chloride** Anhydrous Cell Culture Tested M. W.: 136.3 Assay : ≥97% Store below 30°C	1017.00 3011.00 4527.00	100 gm 500 gm 1 kg
TC1184M ATC $ZnCl_2$ (7646-85-7)	**Zinc Chloride** Anhydrous Zinc(II) chloride, Zinc dichloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 136.29 Store below 30°C	1279.00 3627.00 5445.00	100 gm 500 gm 1 kg
274885 CrH_2O_4Zn (13530-65-9)	**Zinc Chromate** M. W.: 181.38	1305.00	500 gm
274915 $Zn(CN)_2$ (557-21-1)	**Zinc Cyanide** M. W.: 117.42	1953.00	500 gm
	Zinc Dithiol See Toluene 3,4 Dithiol Zinc Derivative		
275005 ZnF_2 (7783-49-5)	**Zinc Fluoride** Purified M. W.: 103.39 Assay 99.0%	1800.00	500 gm
	Zinc Foil See Zinc Foil		
907630	**Zinc Iodide** Starch Solution	198.00	100 ml
275095 ZnI_2 (10139-47-6)	**Zinc Iodide** for Synthesis M. W.: 319.20 Assay 98.0%	2079.00 3906.00	50 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Product Code	Product Name	Price	Packing
030614 $Zn(NO_3)_2.6H_2O$ (10196-18-6)	**Zinc Nitrate** Hexahydrate M. W.: 297.49 Assay (ex Zn) 96.0-103.0%	**662.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
695595 $Zn(NO_3)_2.6H_2O$ (10196-18-6)	**Zinc Nitrate** Hexahydrate **AR** M. W.: 297.49 Assay (Complexometric) 99.0%	**900.00**	**500 gm**
	Zinc Ortho Phosphate See Zinc Phosphate		
275145 $ZnC_2O_4.2H_2O$	**Zinc Oxalate** M. W.: 189.41 Assay 98.0%	**684.00**	**250 gm**
030617 ZnO (1314-13-2)	**Zinc Oxide** Pure M. W.: 81.39 Assay (Complexometric; calc. on ignited basis) 99.0%	**855.00** **1602.00** **7506.00** **POR** **POR**	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
695605 ZnO (1314-13-2)	**Zinc Oxide AR** M. W.: 81.39 Assay (Complexometric; calc. on the ignited basis) 99.0-100.5%	**1009.00**	**500 gm**
N96850 ZnO (1314-13-2)	**Zinc Oxide Nanoparticles/** **Nanopowder** (Spherical) (20-30nm) M. W.: 81.39 Assay 99.8%	**4370.00** **6570.00** **27270.00**	**25 gm** **100 gm** **500 gm**
N96872 ZnO (1314-13-2)	**Zinc Oxide Nanopowder** (100-200nm) M. W.: 81.39 Assay ZnO 99.9+%	**2178.00** **4370.00** **6570.00** **27270.00**	**5 gm** **25 gm** **100 gm** **500 gm**
275225 $C_{10}H_8N_2O_2S_2ZN$ (13463-41-7)	**Zinc Pyrithione** M. W.: 317.7 Assay 97.0%	**1000.00** **1800.00** **3600.00**	**25 gm** **100 gm** **500 gm**
275265 ✳ $Zn(ClO_4)_2 6H_2O$ (10025-64-6)	**Zinc Perchlorate** M. W.: 372.36 Assay 99.0-101.0%	**POR** **POR** **POR**	**500 gm** **5 kg** **25 kg**
695695 ✳ $Zn(ClO_4)_2 6H_2O$ (10025-64-6)	**Zinc Perchlorate AR** M. W.: 372.36 Assay 99.0-101.0%	**3105.00** **10944.00**	**100 gm** **500 gm**
030615 $Zn_3 (PO_4)_2$ (7779-90-0)	**Zinc Phosphate** Puram M. W.: 386.11 Assay 98.0%	**846.00**	**500 gm**
275325 ZnSe (1315-09-9)	**Zinc Selenide Electronic Grade** M. W.: 144.35 Assay (trace metal basis) 99.9%	**8730.00**	**25 gm**
695735 $ZnSeO_3$ (13597-46-1)	**Zinc Selenite AR** M. W.: 192.35	**1980.00** **POR**	**100 gm** **1 kg**
275445	**Zinc Silicofluoride** for Synthesis	**594.00**	**500 gm**
275510 $(C_{17}H_{35}COO)_2Zn$ (557-05-1)	**Zinc Stearate** M. W.: 632.34 Assay (as Zn) 10.0-12.0%	**720.00**	**500 gm**
030621 $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Purified (Zinc sulphate-7-hydrate) M. W.: 287. 54 Assay (Complexometric) 99.0%	**441.00** **702.00** **2907.00** **POR**	**500 gm** **1 kg** **5 kg** **25 kg**

Product Code	Product Name	Price	Packing
695835 $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate AR/ACS** (Zinc sulphate-7-hydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 287. 54 Assay (Complexometric) 99.5%	**531.00** **3870.00** **POR** **POR**	**500 gm** **5 kg** **25 kg** **50 kg**
030622 $ZnSO_4.H_2O$ (7446-19-7)	**Zinc Sulphate** (Dried) Monohydrate M. W.: 179.45 Assay (complexometric) 99-100.5%	**612.00** **POR** **POR**	**500 gm** **25 kg** **50 kg**
999050 MB $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate For Molecular Biology M. W. : 287.56 Assay : ≥ 99.5% Store Below 30°C	**621.00**	**500 gm**
PCT1118 PTC $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Plant Culture Tested M. W.: 287.56 Assay 99% Store below 30°C	**972.00** **1755.00**	**500 gm** **1 kg**
TC1131 ATC $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Cell Culture Tested M. W.: 287.56 Assay : ≥99.5% Store below 30°C	**1504.00** **3173.00**	**100 gm** **500 gm**
TC1131M ATC $ZnSO_47H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 287.56 Store below 30°C	**2070.00** **4266.00**	**100 gm** **500 gm**
908500	**Zinc Sulphate** CPECTROSOL® 0.05M Standard Solution HNO_3 In accordance with NIST	**1400.00**	**1 lit**
908510	**Zinc Sulphate** CPECTROSOL® 0.1M Standard Solution HNO_3 In accordance with NIST	**1400.00**	**1 lit**
908505	**Zinc Sulphate** 0.05 mol/L Volumetric Solution	**720.00** **1323.00** **1981.00**	**500 ml** **1 lit** **2.5 li**
908508	**Zinc Sulphate** CPECTROSOL® 0.05M Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
908515	**Zinc Sulphate** 0.1 mol/L Volumetric Solution	**540.00** **990.00** **1485.00**	**500 ml** **1 lit** **2.5 lit**
908518	**Zinc Sulphate** CPECTROSOL® 0.1M Standardized Solution In accordance with NIST	**1400.00**	**1 lit**
908520	**Zinc Sulphate** 0.1 mol/L (0.1M) For 500 ml Solution (Ampoule Packing)	**396.00** **617.00** **1215.00**	**1 Amp** **3 Amp** **6 Amp**
908530	**Zinc Sulphate** Solution 0.05M acc. to USP	**765.00**	**500 ml**
030623 ZnS (1314-98-3)	**Zinc Sulphide** M. W.: 97.46 Assay (ex Zn) 98.0%	**2700.00**	**500 gm**

Storage : ● 0-4°C ▲ 2-8°C
✣ Delivery Period 4-6 Weeks
✳ Supply Against Licence
⚛ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
369935 ZnS (1314-98-3)	**Zinc Sulphide** Special Grade M. W.: 97.46 Assay (Trace metal basis) 99.99%	**12060.00**	**500 gm**
275725 H_2O_3SZn (13597-44-9)	**Zinc Sulphite** M. W.: 145.45	**1602.00**	**500 gm**
275785 $C_4H_6O_6Zn$ (551-64-4)	**Zinc Tartrate** M. W.: 213.45	**2691.00**	**500 gm**
330295 $C_{20}H_{15}N_4O_6SNa$ (62625-22-3)	**Zincon AR** M. W.: 462.41	**950.00** **4500.00**	**1 gm** **5 gm**
275015 Zr (7440-67-7)	**Zirconium** Metal 100 mesh M. W.: 91.22	**9189.00** **12060.00** **36000.00**	**25 gm** **100 gm** **500 gm**
276015 $CH_2O_7Zr_2$ (57219-64-4)	**Zirconium (IV) Carbonate Basic** M. W.: 308.46	**603.00** **2502.00**	**100 gm** **500 gm**
030627 ZrO_2 (1314-23-4)	**Zirconium Dioxide** Calcined M. W.: 123.22 Assay (Gravimetric) (ZrO_2 + HFO_2) 98.5%	**2853.00**	**500 gm**
696305 ZrO_2 (1314-23-4)	**Zirconium Dioxide AR** M. W.: 123.22 Assay (Gravimetric) (ZrO_2 + HFO_2) 98.5%	**3002.00**	**500 gm**

Product Code	Product Name	Price	Packing
N97083 ZrO_2 (1314-23-4)	**Zirconium Oxide Nanopowder (10-20nm)** M. W.: 123.22 Assay ZrO_2 99.9%	**3627.00** **9342.00** **42570.00**	**25 gm** **100 gm** **500 gm**
	Zirconium (IV) Oxynitrate See Zirconyl Nitrate		
030630 $ZrOCl_2.8H_2O$ (13520-92-8)	**Zirconium Oxychloride** (Zirconyl Chloride) M. W.: 322.25 Assay (ex Cl, Argentometric) 96.0%	**450.00** **1404.00**	**100 gm** **500 gm**
696365 $ZrOCl_2.8H_2O$ (13520-92-8)	**Zirconium Oxychloride AR** **Octahydrate** for Fluorine Determination M. W.: 322.25 Assay 99.5%	**1998.00**	**100 gm**
276195 $ZrSiO_4$ (10101-52-7)	**Zirconium Silicate** Extra Pure M. W.: 183.30	**1008.00** **3501.00**	**250 gm** **1 kg**
	Zirconyl Chloride See Zirconium Oxychioride		
276145 $ZrO(NO_3)_2.XH_2O$ (14985-18-3)	**Zirconyl Nitrate** tech. M. W.: 231.23+xH_2O Assay (Comlexometric) about 27.0-32.0%	**1503.00** **6993.00**	**100 gm** **500 gm**
K132005	**ZN Acid** Fast Stains Kit	**725.00**	**Kit**

Bioshell
DISINFACTANTS

Hand Wash
HWS09

BIOSHELL HAND WASH is formulated with antimicrobial agents ensuring highest level of cleansing, using it everyday protects hands from germs and helps keep them hygienically clean and refreshed. Wash hand properly with Bioshell and help keep your family healthy.

SILROX - 10™
ED009

Advanced Hydrogen Peroxide
Silver Stablized Solution

Salient Features

- Eco-friendly as the breakdown products are water and oxygen
- Remains active and stable for longer periods
- Causes no irritation to skin or eyes
- Non pollutant and biodegradable

Ethyl Alcohol
Hand Sanitizer
Kills 99.99% of Germs

microshell
HAND SANITIZER
HWG09

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
Delivery Period 4-6 Weeks
Supply Only to End User

Driving your **Innovation**
with our Chemistry

CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code
001120	001175	015141	005170	024267	247075	024395	216820
001600	001705	015173	216805	024268	245550	024396	216745
001620	001735	015191	082315	024273	237315	024397	216755
001820	001885	016149	085375	024274	237855	024398	216725
004000	004065	016905	160935	024277	252425	024399	215745
004100	280725	019059	131105	024282	238675	024404	216665
004300	281305	019094	875085	024283	238475	024445	205910
004530	281455	020009	063785	024284	323185	024446	205255
004550	004575	020021	287575	024286	245530	024447	205295
005100	005145	020026	290295	024287	245825	024448	205215
005200	005325	020027	290305	024288	242945	024449	205235
005400	005425	020031	290625	024290	343395	024492	215505
007300	281995	020049	296395	024293	342935	024497	215075
007350	007550	020060	304205	024294	242025	024498	318335
007550	007350	020065	306205	024295	056290	024500	205200
008175	008235	020071	306585	024296	244265	024565	025145
008250	008405	020072	306725	024297	243755	024615	025165
009685	009645	020075	307915	024298	244235	024627	198435
009925	010025	020076	308285	024304	320605	024629	196215
009950	010075	020088	313775	024309	225685	024630	197035
009965	010115	020102	317895	024310	225645	024634	195705
009975	010165	020114	322895	024313	225665	024638	195425
010714	289715	020127	076955	024314	222815	024641	051725
010910	297085	020215	020315	024318	225705	024642	192855
010975	282485	021217	021625	024319	224090	024643	194955
011275	011285	021930	146485	024320	222395	024644	194935
011285	011275	021955	284845	024321	222925	024645	192635
011612	138185	022105	022005	024323	219615	024646	192075
011695	282685	022205	022225	024325	221760	024647	198535
011725	282835	022225	022245	024326	221455	024648	185505
011915	011865	022475	022535	024327	221745	024649	185535
011990	012065	022565	022625	024332	219745	024650	191855
012009	183145	022675	022805	024336	218705	024651	196465
012010	183165	022775	045885	024342	225130	024654	196820
012095	012115	023039	Di2160	024343	218355	024658	196995
012325	241025	023505	023555	024344	223065	024659	198715
012685	012585	023794	274885	024345	223045	024660	196295
012885	012725	023795	274805	024346	223025	024661	Pa1505
013005	280865	023796	275145	024347	223005	024662	195725
013006	281015	023797	274685	024349	220030	024663	188425
013046	075905	023799	345355	024350	217725	024665	188385
013053	078375	023935	284985	024354	217385	024666	188305
013063	292695	023985	333565	024356	217375	024667	187990
013079	117655	024001	001855	024357	217700	024668	199425
013090	309925	024014	185975	024359	217645	024669	190810
013120	319955	024148	261995	024360	224575	024670	190205
013405	283315	024159	262085	024361	216735	024671	188505
013795	283455	024160	261385	024362	217805	024672	190785
013895	283595	024195	257365	024363	217875	024673	199485
013900	283645	024230	243395	024366	216775	024674	190800
013905	283695	024234	240605	024369	215925	024675	190775
014028	121580	024237	239635	024379	217845	024678	184720
014611	701005	024249	250645	024380	215865	024682	312865
014615	197105	024250	249045	024381	215835	024683	197425
014623	729720	024254	246915	024382	215805	024685	188025
014627	775785	024255	246115	024383	215895	024691	183545
014628	780300	024256	245635	024384	215605	024791	177105
014630	716990	024257	245620	024385	216845	024792	178520
015003	005195	024258	245605	024386	218805	024796	176445
015020	093850	024259	248785	024387	216315	024798	353965
015025	046035	024260	251865	024388	216825	024799	178340
015042	281895	024261	323095	024390	216835	024836	069415
015067	356235	024263	242745	024391	216815	024873	169555
015139	005185	024265	246960	024392	218455	024875	309145
015140	005180	024266	245740	024394	216850	024876	869100

CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code
024877	171745	025345	105395
024879	172885	025346	103935
024883	172795	025347	107555
024885	169145	025349	107435
024886	169675	025353	104665
024887	170170	025356	104305
024889	166335	025362	106905
024893	168425	025368	107590
024894	171935	025432	296715
024896	170085	025433	096755
024897	308845	025437	096865
024898	167780	025442	095810
024925	025445	025443	093525
024953	144215	025444	093645
024957	152560	025445	097425
024960	160525	025446	093635
024963	145270	025449	093615
024964	144180	025450	093495
024970	152855	025515	085595
024971	144830	025520	085255
024972	149795	025521	085155
024974	149780	025522	084685
024976	161785	025525	085610
024977	154655	025526	085525
024978	145125	025527	083435
024979	147895	025528	082295
024982	149920	025529	293875
024986	154555	025532	083635
024987	152635	025533	085915
024988	147355	025534	087855
024989	160635	025535	085725
024990	339195	025536	087765
024991	147135	025537	087585
024992	160490	025538	084525
024997	155965	025539	349325
024998	149635	025540	082730
025040	137835	025541	082720
025043	134525	025542	082780
025044	134745	025543	085945
025049	136985	025544	082180
025051	136575	025545	084975
025053	139315	025570	063805
025055	136545	025597	064265
025056	137725	025600	820050
025065	025465	025601	063995
025070	303235	025604	065855
025100	130915	025605	064995
025222	125095	025607	071975
025223	125725	025614	074395
025233	127020	025615	078865
025234	126785	025617	077985
025264	177555	025618	071425
025322	113880	025620	078715
025325	107335	025626	066435
025329	117335	025627	074615
025330	118265	025631	080400
025331	117350	025634	071685
025332	117330	025635	067355
025333	117325	025636	069275
025334	113555	025638	069230
025336	106455	025640	292405
025337	117620	025642	064245
025340	111445	025644	072975
025342	110085	025645	072965
025344	110035	025648	064705

Old Product Code	New Product Code	Old Product Code	New Product Code
025651	071485	025790	045545
025652	070895	025791	045425
025686	050745	025792	043215
025688	043965	025793	049585
025690	815000	025795	051445
025691	198425	025796	041355
025693	194165	025798	042630
025694	042570	025835	104615
025695	055875	025839	025005
025696	041615	025841	285375
025697	041425	025847	035105
025698	041275	025851	028045
025700	052955	025853	286255
025701	052965	025854	285965
025702	052975	025855	027995
025703	053025	025860	021695
025704	053035	025865	022755
025705	053225	025867	033515
025706	054185	025869	020395
025707	054325	025870	020685
025709	055305	025873	022335
025712	055785	025874	020810
025714	DI095	025876	020720
025715	DI100	025877	025185
025716	DI105	025882	019895
025717	043755	025883	023505
025719	348635	025885	027455
025720	042600	025890	032655
025725	056165	025892	033605
025727	056005	025893	032715
025732	052285	025898	020255
025733	049345	025899	020275
025739	044215	025910	012495
025744	042015	025911	008315
025745	041885	025912	008285
025746	055125	025913	006470
025748	054485	025917	006825
025749	054455	025919	010005
025750	054425	025923	012665
025751	045225	025926	011805
025753	053825	025929	009695
025759	054375	025940	011915
025760	054355	025941	005975
025762	058985	025945	001115
025763	041905	025946	001055
025764	055955	025951	333065
025766	054055	025952	333085
025767	042075	025954	282335
025768	042815	025955	280425
025769	041995	025957	009915
025770	053655	025959	009945
025771	053815	025961	004680
025772	053675	025963	007595
025773	814350	025967	154605
025774	052245	025968	012545
025775	053975	025969	004005
025776	333665	025974	002635
025777	051855	025975	002865
025781	045445	025979	009985
025782	053205	025981	004375
025783	044935	025984	004605
025784	052755	025985	027415
025785	047535	025986	K001015
025787	045825	025988	009405
025789	045535	025989	009845

Driving your **Innovation**
with our Chemistry

CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code
025991	009955	027505	124715	029811	137385	034016	288885
025992	124615	027520	033130	029825	185275	034017	289025
025994	009635	027528	125335	029826	185445	034020	289615
025998	001295	027598	042550	029827	185475	034021	289865
025999	333005	027614	042505	029828	286855	034022	290065
026017	011585	027625	285875	029842	185150	034024	290555
026019	011930	027645	044295	029848	034295	034025	293605
026022	021375	027673	183835	029855	168010	034026	293665
026034	042035	027675	286065	029861	196175	034027	293725
026035	042115	027706	082405	029864	193705	034029	294325
026039	025925	027728	051045	030045	216190	034030	296205
026041	043005	027755	053045	030060	216790	034031	297225
026048	045855	027832	027945	030119	218780	034032	297325
026065	063155	027874	052985	030132	219515	034033	298245
026079	071445	027875	057235	030156	219885	034034	298405
026091	071405	027882	009685	030181	218580	034041	302335
026094	093235	027898	004035	030183	218605	034042	303375
026096	093695	027921	045975	030355	238425	034043	303555
026099	093960	027925	170545	030573	194765	034045	296175
026105	105915	027929	044425	030574	270045	034046	305415
026106	106585	027932	085555	030632	DI065	034047	305655
026152	221415	027935	028095	030636	222205	034048	305795
026157	195475	027946	035635	030668	214075	034055	308055
026165	195945	027984	053755	030671	214685	034058	309005
026176	218850	028016	085135	030693	238875	034059	309165
026186	221755	028021	085295	030713	237440	034061	310145
026190	221795	028023	085315	030719	222535	034062	311475
026198	238825	028024	085275	030726	223795	034063	311485
026212	247525	028026	085405	030733	219145	034064	314775
026214	246975	028035	028145	030734	219815	034066	318475
026222	276145	028189	292055	030775	032965	034067	319375
026230	168145	028245	028245	032405	032250	034069	320655
026265	281745	028268	078925	032425	032295	034070	320715
026465	025010	028296	085545	032705	032865	034071	320555
026485	025055	028406	296875	032805	032895	034074	320865
026545	025125	028409	296985	033001	001025	034077	323575
026595	025205	028425	075595	033003	333105	034078	324105
026615	025225	028523	115825	033004	333025	034079	325905
026645	025265	028524	115915	033017	021285	034080	326805
026750	025365	028585	156945	033018	021295	034081	328145
026790	025385	028612	070545	033028	045645	034088	312815
026810	025405	028641	066635	033032	046155	034095	283175
026970	025705	028643	025605	033033	062525	034106	289915
027011	074165	028664	045315	033034	046175	034115	294905
027041	280135	028672	085645	033053	096515	034121	296685
027043	280275	028683	117340	033059	131015	034131	308985
027060	025725	028691	092940	033062	131395	034134	313055
027078	137465	029024	134825	033069	134155	034150	321765
027119	251235	029086	144115	033081	192665	034184	308755
027126	282135	029089	144120	033083	198665	034687	063745
027199	218295	029128	338625	033106	217965	035145	035065
027200	285735	029169	148705	033122	236935	035200	035085
027211	124575	029254	160135	033134	045195	036004	019985
027212	124595	029438	199465	033135	112840	036029	080415
027392	027255	029452	126575	033151	217325	036061	351205
027395	027285	029469	248665	033180	333045	036063	348865
027400	027300	029477	186315	033215	107775	036080	DI815
027405	027305	029693	126825	033216	117905	037001	044625
027411	027505	029694	197405	033218	DI2007	037115	106855
027415	027365	029724	126865	033220	348385	037137	190630
027423	027890	029739	185415	034003	282535	037190	012295
027425	027895	029744	183085	034006	283745	037218	058585
027459	030350	029752	192885	034007	283795	037221	113170
027460	030355	029764	756425	034010	285435	039013	064725
027491	031595	029791	194664	034015	286155	039016	104835

CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code
039029	183815	044184	109885	056240	056270	116255	116195
039030	183865	044205	167760	058585	059285	116505	116685
039031	183955	044207	172975	060112	218680	120940	351185
039032	185000	044211	079335	062905	063035	121205	848910
039039	214745	044290	044375	065905	291475	124215	124315
039041	251935	044306	327705	066036	022585	125530	127175
039042	252005	044308	240875	066041	023755	126325	136035
039045	257465	044310	290165	066042	023805	126435	126475
039095	137045	044324	107360	066071	045405	131005	302145
040007	022425	044328	290195	066082	049995	131405	131575
041007	105975	044464	883460	066277	183220	134955	134865
042058	122395	044493	046090	066278	183250	137285	303745
042059	107520	044494	046095	066280	183465	137315	303885
042060	118515	044505	161365	066298	192695	137345	303975
042066	002955	044510	195145	066300	193364	138415	338165
042072	059085	044514	223845	066311	127125	138805	138865
042090	054585	044515	105325	066320	219395	145500	305115
042097	002925	044516	340595	066323	220170	146745	146805
043011	052475	044517	043775	066325	219465	146905	146975
043033	197145	044575	237255	068875	069865	146985	147015
043405	043585	044665	289195	071545	071575	147525	305275
043565	043595	044695	815160	071585	071605	147655	339215
043825	043765	045011	027205	072095	071995	147705	864300
044004	918730	045100	348615	073025	316515	148505	149095
044005	241965	045155	289285	073405	078885	148595	148995
044006	012625	045204	257215	073505	078965	149385	149485
044011	024060	045206	009940	077125	077055	149515	149395
044016	044925	045275	045395	079525	079555	153295	153385
044017	044915	045370	045435	080195	080225	154755	154805
044018	044945	045635	045695	083825	083855	154805	154850
044020	044885	045750	045795	085415	085175	155795	305925
044023	056525	046032	251245	085425	085235	156555	306065
044037	086100	046060	041955	085535	085560	157515	156580
044043	095885	049190	049205	085585	085660	157525	156600
044045	103795	049285	052435	085635	085675	159315	191335
044047	104565	051000	051095	085775	085930	159435	191365
044068	168835	051845	051755	085920	085960	159785	306415
044069	168895	052725	289525	085955	085995	159955	159985
044073	131305	053145	053055	087605	294625	160155	160115
044074	042520	054001	160680	088215	294765	160205	160350
044075	340615	054004	160785	092265	295815	160461	160610
044086	199455	054010	160835	092295	295875	160485	160585
044088	214725	054015	160900	092325	295935	167085	308195
044089	214735	054035	054135	092365	296085	169075	309395
044092	215955	054185	054215	092465	296255	171495	355575
044095	222945	054400	818205	092795	009705	172925	136085
044099	245085	054410	818215	093000	010065	173035	310095
044103	257065	054420	818225	094385	094295	174900	311295
044108	043795	054525	107725	098011	045555	176915	176875
044109	023955	054865	055225	099800	214845	177190	347005
044110	246945	054985	055285	099900	239225	177210	347235
044117	001085	055009	045585	104945	104995	177215	347695
044120	191985	055011	045595	104965	105095	177245	349095
044127	025755	055014	045605	104995	104945	177285	350245
044130	238275	055036	245780	105685	105755	177305	352585
044133	023905	055046	216345	105995	106035	177325	353045
044141	149240	055128	045615	106295	106285	177395	354655
044143	148195	055150	055355	106955	298875	177425	354195
044145	220040	055335	055535	110215	299775	178200	340135
044147	110685	055865	055925	112405	112595	183840	183925
044149	079435	056002	222985	112460	112485	183890	183985
044155	027580	056003	027755	113460	113655	183985	001205
044158	237195	056007	077505	113505	113715	184265	184426
044159	083205	056011	DI055	113535	113735	184268	184406
044164	161315	056023	056300	114635	114705	184282	184326

Driving your **Innovation**
with our Chemistry

CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code
184290	184386	245265	245730
184294	184346	245625	245810
186435	314285	245725	245835
186455	314145	249725	249975
186665	186705	249865	249175
189325	189355	249875	249825
191855	356465	249915	249225
193215	193218	251245	251265
193218	193215	251945	323905
193238	193241	251965	323915
193241	193238	251985	323965
193301	193305	269050	269785
193304	193310	269135	269825
193310	193300	269265	270445
194560	194564	269285	270405
194564	194560	269305	270425
195005	314915	269475	270855
196095	196025	271875	345235
196225	196195	271895	345385
196245	196065	271900	345325
196355	196155	272115	358765
196505	196105	275265	275325
196995	177015	276105	276195
197385	197445	335105	024665
198565	341095	343795	054935
198695	315055	355001	074915
199625	315455	452905	280585
199645	315475	452910	280875
205615	316375	453645	281165
206140	316605	455735	282145
206145	316695	457535	282345
215685	215705	459085	282695
216715	216985	459095	282845
216740	216795	459635	282995
216750	216875	459725	283035
216905	216765	461865	284705
216995	216785	464265	285135
217272	217455	464355	285235
217275	217435	465805	285595
217563	217715	467695	286395
217675	217475	467715	286425
217745	217675	467885	286615
219500	219505	467995	286765
219875	219905	468705	287015
220045	892215	468805	287225
221425	221375	469215	287375
221605	221730	469395	287525
221615	221715	478455	288495
221765	221775	489595	288645
222765	320175	489685	288745
225795	225850	490115	289055
226605	329385	494515	289435
238045	238325	496360	289725
238135	238375	498470	290355
238270	238450	498495	290415
238285	238525	499345	290575
239395	239695	508665	291625
242725	322365	508805	291775
242945	322455	511785	291915
244305	244255	513305	292065
244465	244485	513350	292165
244485	244465	513375	292265
244735	244865	517225	292705
244865	897815	522415	293885
245245	245710	522505	294035

Old Product Code	New Product Code	Old Product Code	New Product Code
522550	294185	834730	K027015
529870	296935	834731	K027025
535205	298265	834732	K027030
545445	299935	835210	K027725
546025	301045	839600	DI811
546125	300845	839610	DI813
550105	301245	840050	K032015
582025	305565	840051	K032020
585205	305875	849990	DI1800
586085	306275	849995	DI1900
586125	306565	863460	K062015
587185	306875	863461	K062025
587445	307025	866222	K063035
592735	308465	866224	K063015
592855	308375	866320	K063025
593630	308615	868500	K069015
594955	309545	868501	K069025
596545	309705	868503	K064025
596575	309745	871402	874055
596585	309785	875510	875650
596895	309935	887390	K094005
596905	309995	887391	K094015
596915	310025	890290	896300
604495	312585	893520	K095515
604525	312625	893560	K095525
604585	313255	893565	K095535
606025	313545	893570	K095545
606035	313585	893675	K095555
606415	313945	897590	892455
606420	314005	902500	901735
607005	314435	902592	901855
609515	314585	902610	901875
621295	315205	902630	901895
621425	315365	902950	K114115
632635	317605	902952	K114035
632795	317755	902954	K114055
632840	318095	902958	K114045
632855	318245	902960	K114025
643065	319575	902962	K114005
645745	319665	902964	K114015
646235	319815	902966	K114095
658915	322125	902968	K114065
659325	322225	902970	K115125
660375	322605	902972	K114075
660655	322755	902974	K114085
660695	323045	902976	K114105
661135	323335	907490	K129005
661225	323435	909810	K132005
665335	323725	909811	K132015
677925	321975	924300	926010
687035	327855	941550	942020
687125	328005	950500	951290
687175	328295	970700	875030
695925	330295	970750	875050
752270	865090	970770	875040
752320	865110	970800	875060
752370	865130	970820	875070
802390	K000495	002500	280285
802391	K000505	H09855	009855
812500	K005005	012465	H04065
814810	K010005	020720	020715
814811	K010015	027455	030085
818700	K012305	027580	042055
834265	805150	042035	107385
834270	805155	542810	542815
042055	257615	113445	845056
188425	188445	113450	845058
030085	217705	025228	126715

microgen

CE Certified
ISO 13485:2016

microgen culture media products are made of high quality ingredients so as to produce maximum good results as expected by our customers. It is of great significance to know the functions and reactions of a particular ingredient and its interaction with other ingredients in a media. Here arises the necessity of strict evaluation of the ingredients.

In microgen each and every ingredient undergoes thorough testing prior to manufacturing by our well-equiped and highly efficient quality control department. Maximum quality control measures are taken throughout the manufacturing process to give the desired results. It will be our greatest effort to provide products of maximum attainable quality to our customers.

We serve a wide range of culture media products to meet the various requirements of Dairy, Pharmaceuticals, Veterinary, Cosmetics, Water Treatment, Public Health and Medical Microbiology departments.

dehydrated culture media
media bases & supplements

MICROBIOLOGY

Microbiology Products Comprehensive range of dehydrated culture media and ready prepared media in standard pack size & customized for bulk supply.

Product	Prefix	Page
Ready Prepared Media	PM	276-286
Dehydrated Culture Media	DM	287-323
Media Supplements	MS	324-337
Culture Media Bases	BC/BA	338-342
Antimicrobial Susceptibility Systems	EM/MD/SD HX/OD/DE/IC	343-386
Cell Biology	AL/AT/IML/IM/ID/TS/AL***G RSL/TCL/AO/TS/TL/AC/ACL/TC VA/SFM/RSL/CCK/MS	387-441
Plant Tissue Culture	PT/FD/TS/PL/VP/TP/PCT	442-478
Molecular Biology Chemicals		479-492
Stains/Readymade Staining solution	K	493-498
Laboratory Disinfectant & Detergent For Medical Industrial, Domestic	DI/FW	499-501

READY PREPARED MEDIA

MICROBIOLOGY PRODUCTS

Ready Prepared Media can meet your quality control and research needs, to enable right detection of microorganisms.

Product	Prefix	Page
• **Prepared Media Plates**	PM	276-280
• **Ready Prepared Media in 55 mm Scored Polystyrene Plates** 55mm Equivalent to RODAC Plate	PS	281
• **Ready Prepared Media in Scored Polystyrene Petri Plate** (For Environmental Sampling)	PM/PS	282
• **Ready Prepared Media in Polystyrene Agar Plates with β-Lactamase**	PM/PS	282
>> 90 mm Ready Prepared Plates with β-Lactamase	PM	282
>> 55 mm Ready Prepared Scored Plates with β-Lactamase	PS	283
• **Ready Prepared Solid Media in Glass Bottels**	SM	284
• **Ready Prepared Liquid Media in Glass Bottels**	LQ	285
• **Ready to Use Wash Solution**	LQ	286
• **Ready to Use Media for Microbial Limit Test**	LQ	286

READY PREPARED MEDIA

MICROBIOLOGY PRODUCTS

- Highest level of quality performance
- Consistent qualtiy
- Time and Cost saving
- Economical

PREPARED PLATES
• Assured sterility by γ-irradiation sterilization process • Sterile gamma irradiated, triple wrapped, water impermeable packaging • Primary packing impermeable to H_2O_2
FACILITIES
• State-of-the-Art manufacturing facility

label specimen

PRODUCT DOCUMENTATION

Certificate of Analysis :

For any given product and its batch number, a COA can be requested for.

Material Safety Data Sheet :

To ensure proper handling and storage of the product, MSDS is also available for each Microgen media product.

Specification Sheet :

Product specifications may vary from those printed on the specification manual. To obtain the latest updated information for any product that you wish to purchase, kindly request a specification sheet or simply log on to our website and download copy.

Product Code	Product Name	Price	Packing
PM 1491	**Anaerobic Agar (Brewer) Plate** for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology.	3123.00	50 plts
PM 1975A	**∗#Anaerobic Blood Agar Plate** for cultivation of anaerobic microorganisms including very fastidious organisms from clinical Specimens.	1827.00 3870.00	20 plts 50 plts
PM 2345	**∗#Anaerobic Blood Agar Plate w / Neomycin** For isolation and cultivation of group A and group B Streptococci from throat cultures and other clinical.	914.00 3870.00	10 plts 50 plts
PM 1043	**∗Baird Parker Agar Plate** for the isolation and enumeration of coagulase positive Staphylococci from food and clinical Sample.	1575.00 3555.00	20 plts 50 plts
PM 1813I	**∗BCYE Agar Plate** For selective isolation and cultivation of Legionella species from cooling towers, clinical and other materials. The composition and performace criteria of this medium are as per the specifications laid down in ISO 11731:2017	3510.00	50 plts
PM 6383	**∗BCYE Selective Agar Plate** for selevtive isolation and cultivation of Legionella.	810.00 3510.00	10 plts 50 plts
PM 1972	**Bile Esculin Agar Plate** for differential isolation and presumptive identification of group D Streptococci in food and pharmaceutical products.	810.00 3816.00	10 plts 50 plts
PM 1493	**Bile Esculin Azide Agar Plate** selective medium used for isolation and presumptive identification of faecal Streptococci.	3555.00	50 plts
PM 1217	**Bi.G.G.Y. Agar Plate (Nickerson Agar Plate)** For detection, selective isolation, differentiation and presumptive identification of Candida albicans and Candida tropicalis.	1638.00 3452.00	20 plts 50 plts
PM 6304	**∗#Blood Agar Plate w/ Gentamicin (5mcg/plate)** for selective isolation of Streptococcus Pneumoniae	1620.00 3411.00	20 plts 50 plts
PM 1211	**BHI Agar Plate** for cultivation of fastidious pathogenic bacteria, yeasts and moulds	1252.00 2547.00	20 plts 50 plts
PM 6380	**∗#BHI Agar Plate w/Blood** for cultivation of fastidious pathogenic bacteria requiring to blood for growth.	910.00 4113.00	10 plts 50 plts
PM 6381	**∗BHI Agar Plate w/Vancomycin** for selective isolation of vancomycin resistant enterococci.	747.00 2710.00	10 plts 50 plts
PM 6382	**∗#BHI Blood Agar Plate w/Vancomycin** for selective isolation of fastidious Vancomycin resistant Enterococcus (VRE) species.	990.00 4158.00	10 plts 50 plts
PM 1175SB	**∗# Bordet Gengou Agar Plate w/ 25% Sheep Blood** for detection and isolation of Bordetella pertussis and Bordetella parapertussis.	1332.00 6120.00	10 plts 50 plts
PM 1016	**∗Brilliant Green Agar Modified Plate** for selective isolation of Salmonellae other than Salmonella Typhi from faeces, food dairy products.	783.00 3385.00	10 plts 50 plts

Product Code	Product Name	Price	Packing
PM 1074	**∗Brucella Agar Plate** for selective isolation and cultivation of Brucella or Campylobacter species from clinical and non clinical specimens.	910.00 3834.00	10 plts 50 plts
PM 2039	**∗#Brucella Agar Plate with Hemin & Vitamin K1** used for the isolation and cultivation of Brucella Species.	2016.00 4527.00	20 plts 50 plts
PM 2640	**∗Burkholderia Cepacia Agar Plate** for selective isolation of Burkholderia cepacia from clinical sample	2170.00 4734.00	20 plts 50 plts
PM 1792	**C.L.E.D. Agar w/ Bromothymol Blue Plate** for isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	1440.00 3250.00	20 plts 50 plts
PM 6208	**∗# CNA Agar Plate with 5% Sheep Blood** for selective isolation of pathogenic gram positive cocci from clinical and non clinical Specimens	3114.00	50 plts
PM 1994	**∗#Campylobacter Agar Plate** for selective isolation of Campylobacter species from faecal specimens, food and environmental Specimens.	2016.00 4527.00	20 plts 50 plts
PM 1024	**Cetrimide Agar Plate** for selective isolation of Pseudomonas aeruginosa from clinical specimens.	1503.00 3385.00	20 plts 50 plts
PM 1024H	**Cetrimide Agar Plate** for the selection and subculture of Pseudomonas aeruginosa in accordance with the harmonized method of USP/EP/BP/JP/IP.	1575.00 3555.00	20 plts 50 plts
PM 1024HT	**Cetrimide Agar Plate (Triple Pack)** for usage refer PM1024H	1314.00	10 plts
PM 1024GT	**Cetrimide Agar Plate (γ irradiated) (Triple pack)** for usage refer PM1024H	1656.00 3902.00	20 plts 50 plts
PM 1103	**∗Chocolate Agar Plate** for isolation of Neisseria gonorrhoeae from chronic and acute cases of gonococcal infections.	1530.00 3452.00	20 plts 50 plts
PM 6333	**∗Chocolate Agar Plate w/ Bacitracin** for selective isolation of Neisseria gonorrhoeae from chronic and acute cases of gonococcal Infections	4420.00	50 plts
PM 1144H	**Columbia Agar Plate** for the selection and subculture of Clostridium sporogenes in accordance with the harmonized method of USP/EP/BP/JP/IP.	1575.00 3555.00	20 plts 50 plts
PM 1144	**∗#Columbia 5% Sheep Blood Agar Plate** for isolation and cultivation of fastidious Organisms.	1827.00 4122.00	20 plts 50 plts
PM 1160	**D.C.L.S. Agar** a selective medium used to detect and isolate Salmonella and Shigella species. Also useful for isolation of Vibrio cholerae.	855.00 3385.00	10 plts 50 plts
PM 2419	**∗DNase Test Agar Plate w/Methyl Green** for detecion of deoxyribonuclease activity of bacteria and fungi and especially for identification of pathogenic Staphylococci.	2457.00	10 plts

On receipt all the above products to be stored between 20-30°C.
∗ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

microgen

Product Code	Product Name	Price	Packing
PM 2041	∗**DNase Test Agar Plate w/Toluidine Blue** for detecion of deoxyribonuclease activity of Microorganisms.	2457.00	10 plts
PM 1188	∗**D.T.M Agar Plate** for selective isolation of dermatophytes.	855.00 3385.00	10 plts 50 plts
PM 1065	**Deoxycholate Citrate Agar Plate** selective medium for the isolation of enteric pathogens particularly Salmonella and Shigella Species.	810.00 3322.00	10 plts 50 plts
PM 1186	**Dey Engley Neutralizing Agar Plate** in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	3385.00	50 plts
PM 1186GT	**Dey Engley Neutralizing Agar Plate (γ-irradiated) (Triple Pack)** for usage refer PM 1186	3897.00	50 plts
PM 1317	**EMB Agar Plate** for differential isolation of Gram-negative enteric bacilli from clinical and non clinical specimens.	1872.00 4230.00	20 plts 50 plts
PM 1022	**EMB Agar, Levine Plate** for isolation, enumeration and differentiation of members of Enterobacteriaceae.	1872.00 4230.00	20 plts 50 plts
PM 1029	***Endo Agar Plate** for the confirmation of the presumptive test for members of the coliform group	1575.00	20 plts
PM 6384	∗**#GBS Agar Plate** for rapid detection of group B Streptococci from clinical specimens.	824.00 3470.00	10 plts 50 plts
PM 2057	∗**G. Vaginalis Selective Agar Plate** for the qualitative isolation and differentiation of Gardnerella vaginalis from clinical specimens.	1053.00 4284.00	10 plts 50 plts
PM 2259	∗**#Haemophilus Test Agar Plate** for the susceptibility testing of Haemophilus Influenzae.	945.00	10 plts
PM 1467	**Hektoen Enteric Agar Plate** for differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens.	855.00 3385.00	10 plts 50 plts
PM 6390	∗**#Helicobacter pylori Selective Agar Plate** for setection of Helicobacter pylori in clinical Specimens.	1188.00 4860.00	10 plts 50 plts
PM 2651	∗**Microme Bacillus Agar Plate** for isolation and differentiation between various species of Bacillus from a mixed culture	2277.00 5373.00	20 plts 50 plts
PM 2297A	∗**Microme Candida Differential Agar Plate** for rapid isolation and identification of Candida species from mixed cultures	2170.00 4734.00	20 plts 50 plts
PM 2991I	∗**Microme Chromogenic Coliform Agar Plate (CCA Plate)** for detection of Escherichia coli and coliforms in water samples. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:2014.	2070.00 4653.00	20 plts 50 plts
PM 2832	∗**Microme Coliform Agar Plate, Modified** it is a selective agar recommended for the simultaneous detection of Escherichia coli and total coliforms in water and food samples	1854.00 4122.00	20 plts 50 plts

Product Code	Product Name	Price	Packing
PM 2295	∗**Microme E.coli Agar Plate** for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filtration or by indole reagent	1953.00 4104.00	20 plts 50 plts
PM 2575A	∗**Microme EC0157 : H7 Selective Agar Plate** for selective isolation and easy detection of Eschrichia coli 0157 : H7 from food samples	1117.00 4734.00	10 plts 50 plts
PM 2829	∗**Microme ESBL Agar Plate** for detection of Extended Spectrum β-Lactamase-producing organisms from clinical & environmental samples.	1242.00 5220.00	10 plts 50 plts
PM 2831	∗**Microme KPC Agar Plate** for detection of Gram-negative bacteria with a reduced susceptibilityto carbapenem agents. from clinical samples	2170.00 5220.00	20 plts 50 plts
PM 2417F	∗**Microme Listeria Agar Plate** for rapid and direct identification of Listeria species in accordance with FDA BAM, 1998.	4653.00	50 plts
PM 2938	∗**Microme MDR Acinetobacter Agar Plate** for selective isolation of Acinetobacter species from enviromental and clinical samples	7070.00	50 plts
PM 2674	∗**Microme MeReSa Agar Plate** for isolation and selective identification of Methicillin Resistant Staphylococcus aureus (MRSA) from clinical specimens	2170.00 4734.00	20 plts 50 plts
PM 2974	∗**Microme Rapid MRSA Agar Plate** for rapid isolation and identification of Methicillin Resistant Staphylococcus aureus (MRSA) from clinical specimens.	2277.00 5121.00	20 plts 50 plts
PM 2296	∗**Microme Salmonella Agar Plate** for the isolation and differentiation of Salmonella species from coliforms by chromogenic method.	1683.00 7070.00	10 plts 50 plts
PM 2837	∗**Microme Staph Agar Plate, Modified** selective medium for the isolation and enumeration of Staphylococcus aureus	2192.00 4877.00	20 plts 50 plts
PM 2966	∗**Microme Strep B Selective Agar Plate** for selective isolation of Group B streptococci from clinical sample.	1202.00 5067.00	10 plts 50 plts
PM 2353	∗**Microme UTI Agar Plate** for presumptive identification of microorganisms mainly causing urinary tract infections	1972.00 4302.00	20 plts 50 plts
PM 2600	∗**Microme Universal Agar Plate** for presumptive identification of microorganisms from clinical & non clinical specimens.	2170.00	20 plts
PM 2925	∗**Microme VRE Agar Plate** for selective isolation and differentiation of Vancomycin Resistant Enterococcus faecalis and Enterococcus faecium from clinical samples.	1031.00 4302.00	10 plts 50 plts
PM 1015	∗**Hoyles Media Plate with supplements** for selective isolation and differentiation of Corynebacterium diphtheria types	3385.00	50 plts
PM 1180	**Lead Acetate Agar Plate** for detection of hydrogen sulphide producing enteric bacteria.	1593.00	20 plts
PM 2151	**Luria Bertani Agar Plate** for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular studies; may be used for routine isolation, cultivation of not particularly fastidious Microorganisms	1503.00 3385.00	20 plts 50 plts

On receipt all the above products to be stored between 20-30°C.
∗ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Price	Packing
PM 2151A	✳**Luria Bertani Agar Plate w/100µg/ml Ampicillin** or the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1575.00 3790.00	20 plts 50 plts
PM 2151CH	**Luria Bertani Agar Plate w/50µg/ml Chloramphenicol** for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1566.00 3753.00	20 plts 50 plts
PM 2151I	**Luria Bertani Agar Plate w/ IPTG** for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1665.00 4005.00	20 plts 50 plts
PM 2151K	✳**Luria Bertani Agar Plate w/100µg/ml** for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1566.00 3753.00	20 plts 50 plts
PM 2151KI	✳**Luria Bertani Agar Plate w/100µg/ml Kanamycin Kanamycin & IPTG** for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1746.00 4221.00	20 plts 50 plts
PM 2106	✳**M-Endo Agar Plate** for enumeration of coliforms in water using a two step membrane filtration technique.	1962.00	20 plts
PM 1081H	**MacConkey Agar Plate** for selective isolation and differentiation of E.coli and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP.	1314.00 2660.00	20 plts 50 plts
PM 1081HT	**MacConkey Agar Plate (Triple Pack)** for usage refer PM 1081H	1107.00	10 plts
PM 1081	**MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl Plate** for selective isolation and differentiation of coliform organisms and other enteric pathogens.	1252.00 2547.00	20 plts 50 plts
PM 1082	**MacConkey Agar w/o CV, NaCl w/ 0.5% Sodium Taurocholate Plate** for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic Gram-positive Organisms.	1252.00 2547.00	20 plts 50 plts
PM 2702	**MacConkey Agar RS Plate** for isolation and differentiating Gram negative enteric bacilli from specimens containing swarming strains of proteus species.	738.00 3060.00	10 plts 50 plts
PM 1298	**MacConkey Sorbitol Agar Plate** for isolation and identification of enteropathogenic Escherichia coli strains associated with infant diarrhoea.	1252.00 2547.00	20 plts 50 plts
PM 1118H	**Mannitol Salt Agar Plate** for selection and subculture of Staphylococcus aureus in accordance with the harmonized method of USP/EP/BP/JP/IP.	1314.00 2660.00	20 plts 50 plts
PM 1118HT	**Mannitol Salt Agar Plate (Triple Pack)** for usage refer PM 1118H	1107.00	10 plts

Product Code	Product Name	Price	Packing
PM 1118	**Mannitol Salt Agar Plate** for selective isolation of pathogenic Staphylococci.	1252.00 2547.00	20 plts 50 plts
PM 3085	✳**Martin Lewis Agar Plate** for the isolation and cultivation of Neisseria species from clinical specimens.	873.00 3708.00	10 plts 50 plts
PM 1137	**Malt Extract Agar Plate** for detection, isolation and enumeration of yeasts and moulds.	1341.00 2925.00	20 plts 50 plts
PM 2594	✳**MeReSa Agar Plate** for the selection, isolation and identification of Methicillin Resistant Staphylococcus aureus from clinical specimens.	981.00	10 plts
PM 1887I	✳**Modified Charcoal Cefoperazone Deoxycholate Agar Plate** recommended for selective detection and enumeration of Campylobacter species from food chain. The composition and performance criteria of this medium are as per the specification laid down in ISO 10272-2:2017	783.00 3276.00	10 plts 50 plts
PM 1163	**Modified Plate Count Agar Plate** for enumeration of bacteria in milk and milk products, rinse water, icecreams etc.	824.00 3456.00	10 plts 50 plts
PM 1173	**Mueller Hinton Agar Plate** for determination of susceptibility of microorganisms to antimicrobial agents.	1382.00 2871.00	20 plts 50 plts
PM 1173C	**Mueller Hinton Agar Plate (100 mm Plate)** for usage refer PM 1173	3312.00	50 plts
PM 1173M	**Mueller Hinton Agar Plate (120mm plate)** for usage refer PM 1173	2102.00	20 plts
PM 1173XL	**Mueller Hinton Agar Plate (200mm plate)** for usage refer PM 1173	4420.00	20 plts
PM 2084	**Mueller Hinton Agar No. 2 Plate** for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by the Bauer-Kirby Method.	1360.00 2817.00	20 plts 50 plts
PM 6389	**Mueller Hinton Agar Plate w/ 2% NaCl** for testing susceptibility to methicillin & oxacillin of Streptococci.	747.00 3123.00	10 plts 50 plts
PM 2806	✳**#Mueller Hinton Agar Plate w/ 5% Sheep Blood** for determination of susceptibility of Streptococcus species to antimicrobial agents.	1593.00 3312.00	20 plts 50 plts
PM 1001	**Nutrient Agar Plate** a general purpose medium used for cultivation of wide variety of microorganisms.	1278.00 2583.00	20 plts 50 plts
PM 1001GT	**Nutrient Agar (gamma irradiated) (Triple pack)** for usage refer PM 1001	1494.00 3123.00	20 plts 50 plts
PM 1001CL	**Nutrient Agar Plate (150mm plate)** for usage refer PM 1001	2282.00	20 plts
PM 1639	✳**Oxytetracycline Glucose Yeast Agar Plate** for selective isolation and enumeration of yeast and moulds in food.	3564.00	50 plts
PM 1579	✳**Perfringens Agar Plate** for selective isolation and enumeration of Clostridium perfringens in food.	3344.00	50 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

microgen

Product Code	Product Name	Price	Packing
PM 1540	✳#Phenyl Blood Agar Plate used for cultivation of fastidious anaerobic Bacteria.	1900.00 3902.00	20 plts 50 plts
PM 1091	Plate Count Agar Plate for determination of plate counts of microorganisms in foods, water and waste water.	1252.00 2547.00	20 plts 50 plts
PM 1091GT	Plate Count Agar Plate (γ irradiated) (Triple pack) or usage refer PM 1091	1332.00 2890.00	20 plts 50 plts
PM 1096H	Potato Dextrose Agar Plate for the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP.	1314.00 2660.00	20 plts 50 plts
PM 1096	Potato Dextrose Agar Plate for isolation and enumeration of yeasts and moulds from dairy and other food products.	1252.00 2547.00	20 plts 50 plts
PM 1120	Pseudomonas Fluorescein Agar Plate for detection of fluorescein production by Pseudomonas species.	1252.00 2547.00	20 plts 50 plts
PM 1406	Pseudomonas Isolation Agar Plate for seletive isolation and identification of Pseudomonas aeruginosa from clinical and non clinical specimens.	604.00 2547.00	10 plts 50 plts
PM 1119	Pseudomonas Pyocyanin Agar Plate for detection of pyocyanin production by Pseudomonas species.	2547.00	50 plts
PM 1962	R-2A Agar Plate for heterotrophic plate count of treated potable water, using longer incubation period.	1503.00 3385.00	20 plts 50 plts
PM 1962GT	R-2A Agar Plate (γ - irradiated) (Triple Pack) for usage refer PM 1962	1674.00 3753.00	20 plts 50 plts
PM 1640	Rose Bengal Chloramphenicol Agar Plate for selective isolation and enumeration of yeasts and moulds from foods and environmental materials.	1503.00 3385.00	20 plts 50 plts
PM 6319GT	SCDA w/ 0.5% Polysorbate 80 & 1% Glycerol a general purpose medium used for cultivation of a wide variety of microorganisms.	4005.00	50 plts
PM 1108	SS Agar (Salmonella Shigella Agar) Plate for differential and selective isolation of Salmonella and Shigella species from pathological specimens,suspected foodstuffs etc.	1503.00 3385.00	20 plts 50 plts
PM 2067	Sabouraud Chloramphenicol Agar Plate for selective cultivation of yeasts and moulds.	1530.00 3452.00	20 plts 50 plts
PM 2067GT	Sabouraud Chloramphenicol Agar Plate (γ - irradiated) (Triple Pack) for usage refer PM 2067	1810.00 4140.00	20 plts 50 plts
PM 2946GT	Sabouraud Chloramphenicol Agar Plate w/ 1% Glycerol (γ irradiated) (Triple Pack) for selective isolation and cultivation of pathogenic fungi.	2493.00	20 plts
PM 1063H	Sabouraud Dextrose Agar Plate for the subculture of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP.	1314.00 2660.00	20 plts 50 plts
PM 1063GTH	Sabouraud Dextrose Agar Plate (γ irradiated) (Triple pack) for usage refer PM1063H.	1382.00 3015.00	20 plts 50 plts

Product Code	Product Name	Price	Packing
PM 1063GT	Sabouraud Dextrose Agar Plate (γ irradiated) (Triple Pack) for usage refer PM 1063G	2903.00	50 plts
PM 1063AGT	Sabouraud Dextrose Agar Plate w/1% Glycerol (γ irradiated) (TriplePack) for cultivation of yeasts, moulds and aciduric Microorganisms.	3114.00	50 plts
PM 1664	✳Sabouraud Dextrose Agar Platew/Chloramphenicol (50mg/L) and Cycloheximide (500mg/L) for selective isolation and cultivation of pathogenic fungi.	27410.00	50 plts
PM 6332	✳Sabouraud Dextrose Agar Plate w/ Chloramphenicol & Gentamicin for selective cultivation of yeasts and moulds.	3510.00	50 plts
PM 6387	✳Sabouraud Dextrose Agar Plate w/ Cycloheximide for selective isolation of fungi.	6490.00 27280.00	10 plts 50 plts
PM 6386	✳Sabouraud Dextrose Agar Plate w/ Gentamicin for selective isolation of fungi.	824.00 3520.00	10 plts 50 plts
PM 6334	✳Sabouraud Dextrose Agar Plate w/Penicillin & Streptomycin for selective cultivation of yeasts, moulds and aciduric microorganisms.	3105.00	50 plts
PM 1291	✳Schaedler Agar Plate for isolation and enumeration of anaerobic Bacteria.	1827.00	20 plts
PM 2301	✳# Sheep Blood Agar Plate used for cultivation of fastidious organisms and studying haemolytic reactions. It provides improved and enhanced haemolysis.	1602.00 3385.00	20 plts 50 plts
PM 2956	✳# Sheep Blood Agar, Modified Plate used for cultivation and studying haemolytic Reactions of Bacillus cereus. The composition and performance of this media are as per the specification laid down in ISO 21871 :2006	1827.00 3870.00	20 plts 50 plts
PM 1290H	Soybean Casein Digest Agar Plate for the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	1252.00 2853.00	20 plts 50 plts
PM 1290HGT	Soybean Casein Digest Agar Plate (γ irradiated) (Triple pack) for usage refer PM 1290H	1332.00	20 plts
PM 1290HV	Soybean Casein Digest Agar Plate (High Fill volume) for usage refer PM 1290H	2970.00	50 plts
PM 1290	Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) a general purpose medium used for cultivation of a wide variety of microorganisms.	1202.00 2710.00	20 plts 50 plts
PM 1290GT	Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (γ- irradiated) (Triple Pack) for usage refer PM 1290	1360.00 3042.00	20 plts 50 plts
PM 1290AGT	Soyabean Casein Digest Agar Plate w/ 1% Glycerol (γ irradiated) (Triple Pack) a general purpose medium used for cultivation of a wide variety of microorganisms.	1773.00 4005.00	20 plts 50 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Price	Packing
PM 6326GT	**Soyabean Casein Digest Agar Plate w/ 1% Glycerol, 0.5% Lecithin & 4%Polysorbate 80(γ irradiated) (Triple Pack)** for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	4640.00	50 plts
PM 6281GT	**Soybean Casein Digest Agar Plate w/2% Glycerol (γ irradiated) (Triple pack)** used for cultivation of wide variety of Microrganisms	1818.00 4176.00	20 plts 50 plts
PM 6317GT	**Soyabean Casein Digest Agar Plate w/ 1% Glycerol & 4% Polysorbate 80 (γ irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	4240.00	50 plts
PM 2691	**Soyabean Casein Digest Agar Plate w/ LTHTh** for determining the efficiency of sanitization of containers , equipment surfaces, water miscible cosmetics,etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	1737.00	20 plts
PM 2691GT	**Soyabean Casein Digest Agar Plate w/ LTHTh (γ irradiated) (Triple Pack)** for usage refer PM 2691	1927.00 4631.00	20 plts 50 plts
PM 6311GT	**Soyabean Casein Digest Agar Plate w/ 0.1% Polysorbate 80 (γ irradiated) (Triple pack)** for cultivation of wide variety of microorganisms.	1251.00 2970.00	20 plts 50 plts
PM 6282GT	**Soybean Casein Digest Agar Plate w/0.05% Tween 80 (γ irradiated) (Triple pack)** used for cultivation of wide variety of Microrganisms	1593.00 3700.00	20 plts 50 plts
PM 1449	**Soyabean Casein Digest Agar Plate w/ Lecithin and Polysorbate 80 (Tryptone SoyaAgar Plate w/ Lecithin & Polysorbate 80)** for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	3861.00	50 plts
PM 1449GT	**Soyabean Casein Digest Agar Plate w/ Lecithin and Polysorbate 80 (Tryptone Soya Agar Plate w/ Lecithin & Polysorbate 80) (γ- irradiated) (Triple Pack)** for usage refer PM 1449	1890.00 4284.00	20 plts 50 plts
PM 2943	**Soyabean Casein Digest Agar Plate w/ 0.5% Lecithin and 4% Polysorbate 80** for determining efficiency of sanitization of containers , equipments, surfaces, water miscible cosmetics etc.	4240.00	50 plts
PM 6297GT	**Soyabean Casein Digest Agar w/0.5% lecithin and 2% Polysorbate 80 & 1% Glycerol (γ-irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	4644.00	50 plts

Product Code	Product Name	Price	Packing
PM 6270	**Soyabean Casein Digest Agar Plate w/ 1% Polysorbate 80 & 1% Glycerine** for determining efficiency of sanitization of containers , equipments, surfaces, water miscible cosmetics etc.	4401.00	50 plts
PM 6211	**✳# Soyabean Casein Digest Agar Plate w/ 5% Sheep blood** general purpose medium used for the cultivation of wide variety of microorganisms and to study the haemolytic reactions.	1827.00 4122.00	20 plts 50 plts
PM 1870	**TCBS Agar Plate** for the selective isolation of Vibrio cholerae and other enteropathogenic Vibrios .	3430.00	50 plts
PM 2260	**✳#Tellurite Blood Agar Plate** for the selective isolation and cultivation of Corynebacterium species.	2025.00	20 plts
PM 1616	**Tergitol-7 Agar Plate** for the selective enumeration and identification of coliform organisms.	1656.00 3645.00	20 plts 50 plts
PM 1413	**✳Thayer Martin Agar Plate w/VCNT** for selective isolation of Gonococci from pathological specimens.	1503.00 3385.00	20 plts 50 plts
PM 2948	**✳Tryptone Soya Serum Bacitracin Vancomycin Agar (TSBV) Plate** for isolation and presumptive identification of Actinobacillus actinomycetemcomitans.	5090.00	50 plts
PM 2763	**✳Vancomycin Resistant Enterococci (VRE) Agar Plate** for selective isolation of vancomycin resistant Enterococci.	684.00 2754.00	10 plts 50 plts
PM 1581H	**Violet Red Bile Glucose Agar Plate** for the selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	1575.00 3555.00	20 plts 50 plts
PM 1049	**Violet Red Bile Agar Plate** for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy, food products.	1503.00 3385.00	20 plts 50 plts
PM 1023	**Vogel Johnson Agar Plate (V.J. Agar Plate)** for selective isolation of coagulase positive mannitol fermenting Staphylococcus aureus from heavily contaminated food and clinical Specimens.	1575.00 3555.00	20 plts 50 plts
PM 1031H	**Xylose Lysine Deoxycholate Agar Plate** for the selection and subculture of Salmonella in accordance with the harmonized method of USP/EP/BP/JP/IP.	1575.00 3555.00	20 plts 50 plts
PM 1031	**Xylose Lysine Deoxycholate Agar (XLD Agar)** for selective isolation and enumeration of Salmonella Typhi and other Salmonella species.	1503.00 3385.00	20 plts 50 plts
PM 1843	**✳Yersinia Selective Agar Plate** for selective isolation and enumeration of Yersinia enterocolitica from clinical specimens and food samples.	923.00 3771.00	10 plts 50 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

microgen

Ready Prepared Media in 55 mm Scored Polystyrene Plates 55mm equivalent to RODAC Plate

For Environmental Sampling (Triple Pack) (γ- irradiated)
Scored Prepared Plates Also available Triple Pack, γ- irradiated

- **55 mm Scored Polystyrene petri Plate equivalent to RODAC Plates.**
- **Scored Polystyrene Petri Plates (Triple Pack) (γ-irradiated).**
- **For Environmental Sampling, sterility testing etc.,**
- **Grid molded for easy colony counting.**

Product Code	Product Name	Price	Packing
PS 1024HG	**Cetrimide Agar Plate (γ-irradiated)** for the selection and subculture of Pseudomonas aeruginosa in accordance with the harmonized method of USP/EP/BP/JP/IP.	6760.00	100 plts
PS 1144H	**Columbia Agar Plate** for the selection and subculture of Clostridium sporogenes in accordance with the harmonized method of USP/EP/BP/JP/IP.	7101.00	100 plts
PS 1186	**Dey-Engley Neutralizing Agar Plate** in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity.	7776.00	100 plts
PS 1186GT	**Dey-Engley Neutralizing Agar Plate** (γ-irradiated) (Triple Pack) for usage refer PS 1186	8406.00	100 plts
PS 2991I	✳**Microme Chromogenic Coliform Agar Plate** for detection of Escherichia coli and coliforms in water samples. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:2014.	8640.00	100 plts
PS 2569	✳**Microme M-Lauryl Sulphate Agar Plate** for differentiation and enumeration of Escherichia coli and other coliforms by single membrane filteration	8532.00	100 plts
PS 1081H	**MacConkey Agar Plate** for the selection and subculture of Escherichia coli in accordance with the harmonized method of USP/EP/BP/JP.	4793.00	100 plts
PS 1118H	**Mannitol Salt Agar Plate** for the selection and subculture of Staphylococcus aureus in accordance with the harmonized method of USP/EP/BP/JP/IP.	4793.00	100 plts
PS 1091G	**Plate Count Agar Plate (γ -irradiated)** for determination of plate counts of microorganisms in food, water and waste water.	7722.00	100 plts
PS 1096HG	**Potato Dextrose Agar Plate (γ -irradiated)** for the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP.	5333.00	100 plts
PS 2067G	**Sabouraud Chloramphenicol Agar Plate (γ -irradiated)** for selective cultivation of yeasts and moulds.	6516.00	100 plts
PS 1063GT	**Sabouraud Dextrose Agar Plate (γ-irradiated) (Triple Pack)** for usage refer PS 1063	5702.00	100 plts
PS 1063HG	**Sabouraud Dextrose Agar Plate (γ-irradiated)** for the subculture of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP.	5445.00	100 plts
PS 2659G	**Sabouraud Dextrose Agar Plate w/ Lecithin & Polysorbate 80 (γ-irradiated)** for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	6760.00	100 plts
PS 2995GT	**Sabouraud Dextrose Agar Plate w/ LTHTh (γ-irradiated) (Triple Pack)** for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics,etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	7830.00	100 plts
PS 6319GT	**SCDA w/ 0.5% Polysorbate 80 & 1% Glycerol** a general purpose medium for cultivation of a wide variety of microorganisms.	8127.00	100 plts
PS 1290GT	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (γ-irradiated) (Triple Pack)** a general purpose medium for cultivation of a wide variety of microorganisms.	6894.00	100 plts
PS 2691GT	**Soyabean Casein Digest Agar Plate w/ LTHTh (Trytpone Soya Agar plate W/LTHTh) (γ-irradiated)(Triple Pack)** for determining the efficiency of sanitization of containers , equipment surfaces, water miscible Cosmetics,etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	8433.00	100 plts
PS 1449GT	**Soyabean Casein Digest Agar Plate w/ Lecithin & Polysorbate 80 (Tryptone Soya Agar Plate w/Lecithin & Polysorbate 80) (γ-irradiated) (Triple Pack)** for usage refer PS 1449G	8650.00	100 plts
PS 2943GT	**Soyabean Casein Digest Agar Plate w/0.5% Lecithin and 4% Polysorbate 80 (Tryptone Soya Agar plate w/0.5% Lecithin and 4% Polysorbate 80) (γ-irradiated) (Triple Pack)** for usage refer PS 2943	9324.00	100 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Price	Packing
PS 6279GT	**Soyabean Casein Digest Agar Plate W/Lecithin, Tween 80 & 1% Glycerol Plate (γ-Irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	8874.00	100 plts
PS 6297GT	**Soyabean Casein Digest Agar Plate w/0.5% Lecithin, 2% Polysorbate 80 and 1% Glycerol (γ-irradiated) (Triple pack)** sterility test medium also used for cultivation of wide variety of microrganisms and for determining efficiency of sanitization of Containers,equipment surfaces, water miscible cosmetics etc.	9810.00	100 plts
PS 6270	**Soyabean Casein Digest Agar Plate w/ 1% Polysorbate 80 & 1% Glycerine** for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	9297.00	100 plts
PS 6282GT	**Soyabean Casein Digest Agar Plate w/0.05 % Tween 80 (γ-irradiated) (Triple pack)** Sterility test medium also used for cultivation of wide variety of microrganisms.	7380.00	100 plts
PS 6318GT	**Soyabean Casein Digest Agar Plate w/ 1% Lecithin & 4% Polysorbate 80 (γ-irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	8541.00	100 plts
PS 6317GT	**Soyabean Casein Digest Agar Plate w/ 1% Glycerol & 4% Polysorbate 80 (γ-irradiated) (Triple pack)** for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	4240.00	50 plts
PS 6311GT	**Soyabean Casein Digest Agar Plate w/ 0.1% Polysorbate 80 (γ-irradiated) (Triple pack)** for cultivation of wide variety of microorganisms	1485.00 3600.00	20 plts 50 plts
PS 1581H	**Violet Red Bile Glucose Agar Plate** for the selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	6516.00	100 plts
PS 1031H	**Xylose Lysine Deoxycholate Agar Plate** for the selection and subculture of Salmonella in accordance with the harmonized method of USP/EP/BP/JP/IP.	6516.00	100 plts

Ready Prepared Media in Scored Polystyrene Petri Plate (For Environmental Sampling)

PS 1063	**Sabouraud Dextrose Agar Plate (in 55mm scored Petri plate)** for the cultivation of yeast moulds and aciduric bacteria.	5085.00	100 plts
PS 1290	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (in 55mm scored Petri plate)** a general purpose medium for cultivation of a wide variety of microorganisms.	5580.00	100 plts
PS 1290A	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (75mm scored Petri plate)** for usage refer PS 1290	6593.00	100 plts
PS 1290GT	**Soyabean Casein Digest Agar Plate, (Tryptone Soya Agar Plate) (in 55mm scored Petri plate)(γ-irradiated) (Triple pack)** for usage refer PS 1290	6894.00	100 plts

Ready Prepared Media in Polystyrene Plates with β Lactamase

- Sterile Ready to use agar plates w/ β Lactamase available in 90mm Plates & 55mm Scored plates
- The beta lactamases can efficiently inactivate a range of antibiotics as per their activity, thus finding application such as

1. Inactivation of penicillin, Cephalosporin of first, second, third & fourth generation and give true bioburden count during environmental studies.
2. Environmental studies in facilities where presence of beta lactam antibiotics is suspected.

90 mm Ready Prepared Plates with β-Lactamase

PM 6201	**Potato Dextrose Agar Plate w/ β-Lactamase** a general purpose media for isolation of yeasts and moulds and for inactivation of β-lactam antibiotics.	1972.00 4302.00	20 plts 50 plts
PM 6201GT	**Potato Dextrose Agar Plate w/ β- Lactamase (γ-irradiated) (Triple Pack)** for usage refer PM 6201	2133.00 4644.00	20 plts 50 plts
PM 6202	**Potato Dextrose Agar Plate w/ β-Lactamase II** a general purpose media for isolation of yeasts and moulds and for inactivation of cephalosporins of first, second, third and fourth Generation	2835.00 6246.00	20 plts 50 plts
PM 6202GT	**Potato Dextrose Agar Plate w/ β-Lactamase II (γ-irradiated) (Triple Pack)** for usage refer PM 6202	3060.00 6741.00	20 plts 50 plts
PM 6203	**Potato Dextrose Agar Plate w/ β-Lactamase mixture** a general purpose media for isolation of yeasts and moulds and for inactivation of penicillins cephalosporins of first, second, third and fourthgeneration and penems	2835.00 6246.00	20 plts 50 plts
PM 6203GT	**Potato Dextrose Agar Plate w/ β-Lactamase mixture (γ-irradiated) (Triple Pack)** for usage refer PM 6203	3060.00 6741.00	20 plts 50 plts
PM 6308GT	**Sabouraud Chloramphenicol Agar Plate w/ β-lactamase mixture (25IU/plate) (γ-irradiated) (Triple pack)** a general purpose media for isolation of yeasts and moulds and for inactivation of penicillins cephalosporins of first, second, third and fourth generation and penems	2642.00	50 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Price	Packing
PM 6225GT	**Sabouraud Dextrose Agar Plate w/ Lecithin, Polysorbate 80 & β-Lactamase I (γ-irradiated) (Triple Pack)** recommended as a general purpose medium for isolation of yeast and moulds, for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β-lactam antibiotics.	4122.00	50 plts
PM 2765	**Soyabean Casein Digest Agar Plate w/ β Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of β lactam antibiotics.	1972.00 4302.00	20 plts 50 plts
PM 2765GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase) (β- irradiated) (Triple Pack)** for usage refer PM 2765	2232.00 4870.00	20 plts 50 plts
PM 2804	**Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β Lactamase mixture)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and Penems.	2835.00 6246.00	20 plts 50 plts
PM 2804GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β Lactamase mixture) (γ - irradiated) (Triple Pack)** for usage refer PM 2804	3060.00 6741.00	20 plts 50 plts
PM 6309GT	**Soyabean Casein Digest Agar Plate w/ β-lactamase mixture (25IU/ plate) (γ-irradiated) (Triple pack)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	5418.00	50 plts
PM 2805	**Soyabean Casein Digest Agar Plate w/ β-Lactamase II (Tryptone Soya Agar Plate w/ β-Lactamase II)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second , third and fourth generation.	2835.00 6246.00	20 plts 50 plts
PM 2805GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase II (Tryptone Soya Agar Plate w/ β-Lactamase II) (γ - irradiated) (Triple Pack)** for usage refer PM 2805	3060.00 6741.00	20 plts 50 plts
PM 2807	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture)** recommended for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	2970.00 6246.00	20 plts 50 plts
PM 2807GT	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture) (γ-irradiated) (Triple Pack)** for usage refer PM 2807	3204.00 7083.00	20 plts 50 plts
PM 2808	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase II (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase II)** for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second , third and fourth generation.	2835.00 6246.00	20 plts 50 plts
PM 2808GT	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase II (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/β-Lactamase II) (γ-irradiated) (Triple Pack)** for usage refer PM 2808	3204.00 7070.00	20 plts 50 plts
PM 2809	**Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase)** for determining efficiency of containers ,equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics	1972.00 4302.00	20 plts 50 plts
PM 2809GT	**Soyabean Casein Digest Agar Plate w/Lecithin and Tween 80, w/ β-Lactamase (Tryptone Soya Agar w/Lecithin and Tween 80, w/ β-Lactamase) (γ-irradiated) (Triple Pack)** for usage refer PM 2809	2133.00 4644.00	20 plts 50 plts
PM 6280GT	**Soyabean Casein Digest Agar Plate w/1% Glycerol, 0.5% Polysorbate 80, 0.07% Soya Lecithin and 5IU/plate β-lactamase mixture (γ-irradiated) (Triple pack)** for cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems	4707.00	50 plts
PM 2810	**Total Plate Count Agar Plate w/ β-Lactamase** for determination of plate counts of microorganisms in foods,water and waste water and inactivation of β lactam antibiotics	1710.00 3452.00	20 plts 50 plts
PM 2810GT	**Total Plate Count Agar Plate w/ β-Lactamase (γ-irradiated) (Triple Pack)** for usage refer PM 2810	1854.00 3861.00	20 plts 50 plts

55 mm Ready Prepared Scored Plates with β-Lactamase

PS 6330GT	**Dey Engley Neutralizing Agar Plate w/ Penase** in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity.	12393.00	100 plts
PS 6201GT	**Potato Dextrose Agar Plate Plate w/ β-Lactamase I (4.5 IU/plate) (γ-irradiated) (Triple Pack)** a general purpose medium for isolation of yeasts and moulds for inactivation of ß-lactam antibiotics.	11620.00	100 plts

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Price	Packing
PS 2765GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase) (γ-irradiated) (Triple Pack)** for usage refer PS 2765	8793.00	100 plts
PS 2804GT	**Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β-Lactamase mixture) (γ-irradiated) (Triple Pack)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	10130.00	100 plts
PS 2805GT	**Soyabean Casein Digest Agar Plate β-Lactamase-II (Tryptone Soya Agar Plate w/ β-Lactamase-II) (γ-irradiated) (Triple Pack)** a general purpose medium for cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second , third and fourth generation.	8127.00	100 plts
PS 2807GT	**Soyabean Casein Digest Agar Plate w/ Tween 80 and Soya Lecithin and β-Lactamase Mixture (Tryptone Soya Agar Plate w/ Tween 80 and Soya Lecithin and β-Lactamase Mixture) (γ-irradiated) (Triple Pack)** for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and Penems.	10476.00	100 plts
PS 2808GT	**Soyabean Casein Digest Agar Plate w/Lecithin and Tween 80 w/ β-Lactamase II (Tryptone Soya Agar w/ lecithin and Tween 80 w/ β-Lactamase II) (γ-irradiated) (Triple Pack)** for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation.	10476.00	100 plts
PS 2809GT	**Soyabean Casein Digest Agar Plate W/Lecithin and Tween 80 w/ β-Lactamase (Tryptone Soya Agar w/ lecithin and Tween 80 w/ β-Lactamase) (γ-irradiated) (Triple Pack)** for determining efficiency of containers , equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics.	7542.00	100 plts
PS 6280GT	**Soyabean Casein Digest Agar Plate W/1% Glycerol, 0.5% Polysorbate 80, 0.07% Soya Lecithin & 5IU/plate β-lactamase mixture (γ-irradiated) (Triple pack)** for cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	8532.00	100 plts
PS 6222GT	**Soyabean Casein Digest Agar Plate w/ Polysorbate 80 & Glycerol w/ 5IU of β-Lactamase II & 50IU of β-Lactamase I/100 ml (Tryptone Soya Agar Plate w/ Polysorbate 80 & Glycerol w/ 5IU of β-Lactamase II & 50IU of β-Lactamase I/100 ml) (γ-irradiated) (Triple Pack)** for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.	6890.00	100 plts
PS 2810GT	**Total Plate Count Agar Plate w/ β-Lactamase (γ-irradiated) (Triple Pack)** for determination of plate counts of microorganisms in foods, water and waste water and inactivation of β lactam antibiotics	5860.00	100 plts

Ready Prepared Solid Media in Glass Bottles

Product Code	Product Name	Price	Packing
SM 1972	**Bile Esculin Agar** For differential isolation and presumptive identification of Group D Streptococci in food and pharmaceutical products	900.00 2903.00	5x100 ml 5x500 ml
SM 1211	**Brain Heart Infusion Agar** Recommended for the cultivation of fastidious pathogenic bacteria, yeasts andmoulds.	900.00	5x100 ml
SM 1024H	**Cetrimide Agar** For the selection and subculture of Pseudomonas aeruginosa in accordance with harmonized method of USP/EP/BP/JP/IP.	648.00 2082.00	5x100 ml 5x500 ml
SM 1728	**Citrate Agar** For cultivation of iron bacteria	2903.00	5x500 ml
SM 1144H	**Columbia Agar** For the selection and subculture of Clostridium sporogenes in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 2903.00	5x100 ml 5x500 ml
SM 1150	**Corn Meal Dextrose Agar** For cultivation of phytopathological fungi and other fungi.	2903.00	5x500 ml
SM 1467	**Hektoen Enteric Agar** For differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens.	648.00 2084.00	5x100 ml 5x500 ml
SM 1078	**Kligler Iron Agar** For differential identification of gram negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H_2S production.	900.00	5x100 ml
SM 1557	**Luria Agar** For routine cultivation and estimation of not particularly fastidious microorganisms.	2903.00	5x500 ml

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

microgen

Product Code	Product Name	Price	Packing
SM 1081	**MacConkey Agar** Recommended for selective isolation and differentiation of coliform organisms and other enteric pathogens.	882.00	5x100 ml
SM 1081H	**MacConkey Agar** For the selection and subculture of Escherichia coli in accordance with the harmonized method of USP/EP/BP/JP/IP.	2903.00	5x500 ml
SM 1082	**MacConkey Agar** Recommended for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram positive organisms.	882.00	5x100 ml
SM 1118H	**Mannitol Salt Agar** For the selection and subculture of Staphylococcus aureus in accordance with the harmonized method of USP/EP/BP/JP/IP.	963.00 2903.00	5x100 ml 5x500 ml
SM 1260	**Motility Test Agar** For detection of bacterial motility.	900.00	5x100 ml
SM 1173	**Mueller Hinton Agar** Recommended for cultivation of Neisseria and for determination of susceptibility of microorganisms.	882.00	5x100 ml
SM 1001	**Nutrient Agar** Recommended as general culture medium for cultivation of less fastidious microorganisms.	882.00 2660.00	5x100 ml 5x500 ml
SM 1091	**Plate Count Agar** Recommended for determination of plate counts of microorganisms in food, water and waste	882.00 2440.00	5x100 ml 5x500 ml
SM 1096	**Potato Dextrose Agar** Recommended for isolation and enumeration of yeasts and moulds from dairy and other food products.	828.00 2637.00	5x100 ml 5x500 ml
SM 1096H	**Potato Dextrose Agar** For the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 2903.00	5x100 ml 5x500 ml
SM 1962B	**R2A Agar** For heterotrophic plate count of treated potable water using longer incubation periods.	693.00 2286.00	5x100 ml 5x500 ml
SM 1063	**Sabouraud Dextrose Agar** For cultivation of yeasts, moulds and aciduric microorganisms.	2682.00	5x500 ml
SM 1063H	**Sabouraud Dextrose Agar** For cultivation of C. albicans in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 1593.00 2903.00	5x100 ml 5x250 ml 5x500 ml
SM 1290	**Soyabean Casein Digest Agar** Recommended as a general purpose medium for cultivation of wide variety of microorganisms.	900.00 2903.00	5x100 ml 5x500 ml
SM 1290H	**Soyabean Casein Digest Agar** For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 1593.00 2903.00	5x100 ml 5x250 ml 5x500 ml
SM 1021	**Triple Sugar Iron Agar** For identification of gram negative enteric bacilli on the basis of dextrose lactose and sucrose fermentation and hydrogen sulphide production	900.00	5x100 ml
SM 1581H	**Violet Red Bile Glucose Agar** For the subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 2903.00	5x100 ml 5x500 ml
SM 1049	**Violet Red Bile Glucose Agar** For selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy food products.	900.00	5x100 ml
SM 1031H	**Xylose Lysine Deoxycholate Agar** For the selection and subculture of Salmonella species in accordance with the harmonized method of USP/EP/BP/JP/IP	900.00 2903.00	5x100 ml 5x500 ml

Ready Prepared Liquid Medium in Glass Bottles

Product Code	Product Name	Price	Packing
LQ 1210	**Brain Heart Infusion Broth** Recommended for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations.	770.00 1990.00	5x100 ml 5x500 ml
LQ 1157	**GN Broth, Hajna** For the selective enrichment of gram negative organisms of the enteric group	3366.00	5x100 ml
LQ 1108	**Letheen Broth** For determination of bacterial activity of quarternary ammonium compounds using Escherichia coli or Staphylococcus aureus.	1053.00	5x100 ml
LQ 1131	**Letheen Broth Modified** For screening cosmetic products for microbial contamination	1053.00 4194.00	5x100 ml 5x500 ml
LQ 1104H	**#Rappaport Vassiliadis Broth** For selective enrichment of Salmonella species in accordance with the harmonized method of USP/EP/BP/JP/IP	2160.00	5x100 ml
LQ 1148	**Soyabean Casein Digest Medium w/BCP** Soyabean Casein Digest Medium with BCP is a general-purpose medium used for the cultivation of a wide variety of microorganisms. With the addition of carbohydrates it can be also used for the fermentation studies.	2660.00	10x100 ml

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Price	Packing
LQ 1158	**Soyabean Casein Digest Medium with Tween 80 & Lecithin** For determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	4581.00	10x100 ml
LQ 1114	**Terrific Broth** For the cultivation of recombinant strains of Escherichia coli.	1134.00	5x100 ml
	Ready to Use Wash Solution		
LQ 1123	**Buffered Sodium Chloride Peptone Solution pH 7.0** For the preparation of test suspension in accordance with harmonized methods of USP, EP, BP & JP	2170.00 2358.00	10x100 ml 5x300 ml
LQ 1121	**Diluting Fluid A** Diluent in testing of pharmaceuticals in accordance with USP.	2980.00 3717.00 4194.00	10x100 ml 5x300 ml 5x500 ml
LQ 1510	**Diluting Fluid D** Diluent in testing of pharmaceuticals in accordance with USP.	2160.00 3645.00	10x100 ml 5x300 ml

Product Code	Product Name	Price	Packing
LQ 1122	**Diluting Fluid K** Diluent in testing of pharmaceuticals in accordance with USP.	2196.00 3816.00	10x100 ml 5x300 ml
LQ 1141	**Sterile Saline 0.85%** Used as a diluent.	783.00	5x90 ml
	Ready to Use Media for Microbial Limit Test		
LQ 1119H	**Enterobacteria Enrichment Broth Mossel** For enrichment of bile organisms in accordance with the harmonized method of USP/EP/BP/JP/IP	2295.00	10x100 ml
LQ 1115H	**MacConkey Broth** For selective enrichment of Escherichia coli in accordance with the harmonized method of USP/EP/BP/JP/IP	2295.00	10x100 ml
LQ 1130H	**Reinforced Medium for Clostridia** For the cultivation and enumeration of Clostridia from pharmaceutical productsin accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	1053.00	5x100 ml
LQ 1120H	**Sabouraud Dextrose Broth** For enrichment of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP/IP	2252.00 4653.00	10x100 ml 5x 500 ml

On receipt all the above products to be stored between 20-30°C.
✳ On receipt all the above products to be stored between 2-8°C.
Due to short shelf life this product will be supplied to the customer.

Product Code	Product Name	Price	Packing
DM 1874	**A-1 Broth** for determining the presence of faecal coliforms in water samples and foods by MPN Technique. **31.50 gms/litre**	**1683.00** **7191.00**	**100 gm** **500 gm**
DM 1231	**AATCC Bacteriostasis Agar** for the detection of antibacterial activity of Fabrics. **35.00 gms/litre**	**5067.00**	**500 gm**
DM 1221	**AATCC Bacteriostasis Broth (FDA Broth)** for routine antibacterial testing of antiseptics and disinfectants. **20.00 gms/litre**	**4780.00**	**500 gm**
DM 1232	**AATCC Mineral Salts Agar** for evaluation of fungicides for use on textiles and the resistance of textiles to mildew and rot. **27.80 gms/litre**	**4716.00**	**500 gm**
DM 1337	**AC Agar** for cultivation of a wide variety of microorganisms particularly for sterility Testing. **35.20 gms/litre**	**4874.00**	**500 gm**
DM 1875	**AC Broth** for cultivation of common aerobes and sterility testing of solutions and biological products without mercurial preservatives. **34.20 gms/litre**	**4581.00**	**500 gm**
DM 1234	**AK Agar No.2 (Sporulating Agar) (Arret and Kirshbaum Medium)** for production of spores of Bacillus subtilis ATCC 6633 which are used as inoculum in detection of Pencillin and other antibiotics residues in milk and dairy Products. **30.80 gms/litre 123**	**5171.00**	**500 gm**
DM 1226	**APT Agar** for cultivation of heterofermentative Lactobacilli and other organisms requiring a high thiamine content. **61.18 gms/litre**	**4874.00**	**500 gm**
DM 1227	**APT Broth** for the cultivation of heterofermentative lactic acid bacteria requiring high thiamine content. **46.20 gms/litre**	**4581.00**	**500 gm**
DM 1904	**ASLA Agar Base** for selective isolation and cultivation of Propionibacterium species from foods **16.19 gms/litre**	**4865.00**	**500 gm**
MS 2097	***Propionibacteria Growth Supplement**	**1009.00**	**5 vl**
DM 2033	**Acetamide Agar (Twin Pack)** for confirmation of Pseudomonas aeruginosa in water samples. **10** of Part A **+ 22.63** of Part B	**4874.00**	**500 gm**
DM 1148	**Acetamide Broth (Twin Pack)** for confirmation of Pseudomonas aeruginosa in water samples. **10** of Part A **+ 7.63** of Part B	**1134.00** **4802.00**	**100 gm** **500 gm**
DM 2370	**Acetamide Nutrient Broth (Twin Pack)** For detection of microbial utilization of Acetamide. **0.56** of Part A **+ 2.0** of Part B	**1071.00** **4802.00**	**100 gm** **500 gm**

Product Code	Product Name	Price	Packing
DM 2225	***Acetate Agar** for the isolation and cultivation of Leuconostoc and Pediococcus species. **61.90 gms/litre**	**5252.00**	**500 gm**
DM 1339	**Acetate Differential Agar** for the differentiation of Shigella species from Escherichia coli. **29.18 gms/litre**	**4797.00**	**500 gm**
DM 1238	**Acetobacter Agar (Glucose)** for maintenance of glucose positive Acetobacter species. **38.00 gms/litre**	**4842.00**	**500 gm**
DM 1370	**Acetobacter Agar (Mannitol)** for maintenance of mannitol positive Acetobacter species. **48.00 gms/litre**	**4842.00**	**500 gm**
DM 1346	**Acetobacter Agar w/HL Extract** for maintenance of glucose positive Acetobacter species. **57.00 gms/litre**	**4622.00**	**500 gm**
DM 2208	**Acid Broth** for the cultivation of acid tolerant microorganisms from canned food. **27.50 gms/litre**	**4487.00**	**500 gm**
DM 1341	**Actinomyces Agar** for cultivation and maintenance of the anaerobic Actinomyces species. **77.22 gms/litre**	**4595.00**	**500 gm**
DM 1233	**Actinomyces Broth** for cultivation and maintenance of the anaerobic Actinomyces species. **57.22 gms/litre**	**4320.00**	**500 gm**
DM 1855	**Adams Agar** for examination of sporulation in yeasts. **22.70 gms/liter**	**4595.00**	**500 gm**
DM 1884	**Aeromonas Isolation Medium Base** for selective, differential isolation of Aeromonas hydrophila from clinical and environmental Specimens. **56.30 gms/litre**	**6696.00**	**500 gm**
MS 2039	***Aeromonas Selective Supplement**	**1171.00**	**5 vl**
DM 1343	**Algae Culture Agar** for isolation and cultivation of algae from soil, water and sewage. Also for carrying stock cultures of algae used in the bioassay of algicidal chemicals. **16.87 gms/litre**	**4874.00**	**500 gm**
DM 1342	**Algae Culture Broth** for cultivation of algae from soil, water and sewage. Also for preparing the inoculum for the bioassay of algicidal chemicals. **1.87 gms/litre**	**1067.00** **4712.00**	**100 gm** **500 gm**
DM 1618	**Alkaline Peptone Water** for enrichment of Vibrio species. **20.00 gms/litre**	**873.00** **3960.00**	**100 gm** **500 gm**
DM 1618I	**Alkaline Peptone Water** for detection of Vibrio parahaemolyticus. The composition and performance criteria of this medium are in accordance with ISO 1990, ISO/DIS 8914. **50.00 gms/litre**	**3551.00**	**500 gm**

❋ To be added but not provided.
✲ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1618S	**Alkaline Peptone Water** for enrichment of Vibrio species. It is recommended by BIS committee under the specifications IS:5887 Part IV)-1976. **15.00 gms/litre**	873.00 3582.00	100 gm 500 gm
DM 1010	**Alternative Thioglycollate Medium (NIH Thioglycollate Broth)** for sterility testing of turbid or viscous biological products. **29.00 gms/litre**	432.00 1737.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1651	**Amies Transport Medium w/Charcoal** for transportation and preservation of microbiological specimens. **19.75 gms/litre**	1027.00 4150.00	100 gm 500 gm
DM 1235	**Ammonium Phosphate Agar** for detecting the ability of microorganisms to utilize ammonium phosphate as a source of Nitrogen. **26.45 gms/litre**	4392.00	500 gm
DM 1228	**Anaerobic Agar** a general purpose medium for the cultivation of anaerobic bacteria, especially, Clostridium Species. **58.00 gms/litre**	1193.00 4842.00	100 gm 500 gm
DM 1491	**Anaerobic Agar (Brewer)** for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology. **53.00 gms/litre**	4842.00	500 gm
DM 1230	**Anaerobic Agar w/o Dextrose** for carbohydrate fermentation studies and for studies of hemolytic activity of clostridia, streptococci and other organisms. **38.00 gms/litre**	4842.00	500 gm
DM 1229	**Anaerobic Agar w/o Dextrose and Eh Indicator** for the isolation and identification of anaerobic pathogens and for the studies of haemolytic activity of Clostridia, Streptococci and other anaerobic organisms. **43.00 gms/litre**	4842.00	500 gm
DM 2345	**Anaerobic Blood Agar Base** recommended for isolation and cultivation of Group A & Group B Streptococci from throat cultures and other clinical samples. **40.00 gms/litre**	4842.00	500 gm
MS 2149	***Neomycine Supplement**	1013.00	5 vl
DM 1978	**Anaerobic Fermentation Medium Base** for the detection of fermentation reactions of anaerobic microorganisms. **40.00 gms/litre**	4761.00	500 gm
DM 2034	***Anaerobic CNA Agar Base** for the selective isolation of anaerobic Streptococci. **44.14 gms/litre**	8712.00	100 gm
DM 1902	**Anaerobic Egg Agar Base** for detection of Clostridium perfringens in food Samples. **55.00 gms/litre**	5090.00	500 gm
MS 2045F	***Egg Yolk Emulsion (50ml / 100 ml per vial)**	2700.00	5 vl

Product Code	Product Name	Price	Packing
DM 1885S	**Andrade Peptone Water** as a basal medium,which with carbohydrate addition is used to study fermentation Reactions. **15.10 gms/litre**	860.00 3619.00	100 gm 500 gm
DM 1885	**Andrade Peptone Water** A basel medium, which with Carbohydrate addition is used to study Fermantation reactions. **15.10 gms/litre**	860.00 3619.00	100 gm 500 gm
DM 1909	**Andrade Peptone Water w/Meat Extract** As a basel medium for studying Fermantation reactions, particularly of Members of the Enterobacteriaceae. **18.10 gms/litre**	4131.00	500 gm
DM 2346	**Antibiotic Assay Medium B** For microbiological assay of colistumethate Sulphate and polymyxin b sulphate using Bordetella bronchiseptica. **45.00 gms/liter 10 gms/liter Polysorbate 80**	4941.00	500 gm
DM 1555	**Antibiotic Assay Medium C** As the broth medium in turbidimetric Assay of a wide variety of antibiotics. **20.00 gms/litre**	4703.00	500 gm
DM 1556	**Antibiotic Assay Medium D** for microbiological assay of Erythromycin and Neomycin using Klebsiella pneumoniae. **19.40 gms/litre**	4703.00	500 gm
DM 2347	**Antibiotic Assay Medium E** for microbiological assay of Neomycin sulphate and Framycetin sulphate using Bacillus subtilis and Bacillus pumilus. **28.67 gms/litre**	4716.00	500 gm
DM 1923	**Antibiotic Assay Medium F** for microbiological assay of Amphotericin B and Nystatin using Saccharomyces cerevisiae & Candida tropicalis respectively. **60.00 gms/litre**	4905.00	500 gm
DM 1991	**Antibiotic Assay Medium L-AOAC** for microbiological assay of Monensin using Bacillus subtilis as test organism. **28.64 gms/litre**	4892.00	500 gm
DM 1992	**Antibiotic Assay Medium M-AOAC** for microbiological assay of Lasalocid using Bacillus subtilis as a test organism. **33.64 gms/litre**	4892.00	500 gm
DM 1003	**Antibiotic Assay Medium No. 1 (Seed Agar) (Antibiotic Assay Medium-A)** for microbiological assay of ß-lactam and other Antibiotics. **30.50 gms/litre**	1062.00 4244.00	100 gm 500 gm
DM 1005	**Antibiotic Assay medium No. 2 (Base Agar)** for microbiological assay of Antibiotics. **25.50 gms/litre**	4820.00	500 gm
DM 1042	**Antibiotic Assay Medium No. 3** for microbiological assay of antibiotics. **17.50 gms/litre**	905.00 4023.00	100 gm 500 gm

❋ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1140	**Antibiotic Assay Medium No. 4 (Yeast MB Agar)** for detection of Penicillin-G in milk samples using Bacillus Stearothermophilus. **26.50 gms/litre**	5130.00	500 gm
DM 1006	**Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/Yeast Extract)** for microbiological assay of Dihydrostreptomycin, Framycetine and Kanamycin B using Bacillus Subtilis. **25.50 gms/litre**	5040.00	500 gm
DM 1223	**Antibiotic Assay Medium No. 6** for induction of spore production in Bacillus subtilis strains used in antibiotic assay. **30.03 gms/litre**	4464.00	500 gm
DM 1041	**Antibiotic Assay Medium No. 8 (Base Agar w/low pH)** for microbiological assay of Oxytetracycline, tetracycline and Vancomycin. **25.50 gms/litre**	4600.00	500 gm
DM 1147	**Antibiotic Assay Medium No. 9 (Polymyxin Base Agar)** as a base layer medium for assaying the products containing Polymyxin-B. **50.00 gms/litre**	4716.00	500 gm
DM 1225	**Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar)** as a seed layer medium for assaying the products containing Polymyxin-B, also for assaying Carbenicillin, Colistin and Colistimethate sodium. **42.00 gms/liter + 10 ml of Polysorbate 80**	4802.00	500 gm
DM 1004	**Antibiotic Assay Medium No. 11 (Neomycin, Erythromycin Assay Agar) (Erythromycin Seed Agar)** for microbiological assay of antibiotics. (Note : pH of the Medium is 8.3 : ± 0.2) **30.50 gms/litre**	959.00 4302.00	100 gm 500 gm
DM 1280	**Antibiotic Assay Medium No. 12 (Nystatin Assay Agar)** for microbiological assay of Amphotericin B and Nystatin using Saccharomyces.cerevisiae ATCC 2601. **62.50 gms/litre**	5040.00	500 gm
DM 1101	**Antibiotic Assay Medium No. 19** for microbiological assay of Amphotericin B, Natamycin and Nystatin using Saccharomyces Cerevisiae. **60.00 gms/litre**	4716.00	500 gm
DM 1167	**Antibiotics Assay Medium No. 20 (Yeast MB Broth)** for microbiological assay of Amphotericin B using Candida tropicalis. **42.50 gms/litre**	4797.00	500 gm
DM 2667	**Antibiotic Assay Medium No. 37 (Tryptone Soya Broth)** for cultivation of wide variety of microrganisms and sterility testing of pharmaceutical preparations. **30.00 gms/litre**	432.00 1773.00	100 gm 500 gm
DM 1799	**Antibiotic Assay Medium No. 38** for microbiological assay of Ticarcillin using Pseudomonas aeruginosa. **45.40 gms/litre**	4716.00	500 gm

Product Code	Product Name	Price	Packing
DM 2142	**Antibiotic Assay Medium No. 39** for microbiological assay of Neomycin and Streptomycin using Klebsiella pneumoniae as the test organism. **17.50 gms/litre**	4464.00	500 gm
DM 2143	**Antibiotic Assay Medium No. 40** for the microbiological assay of Thiostrepton using Enterococcus hirae (Streptococcus faecalis) as the test organism. **47.10 gms/litre**	4716.00	500 gm
DM 2144	**Antibiotic Assay Medium No. 41** for the microbiological assay of Thiostrepton using Enterococcus hirae as the test organism. **46.00 gms/litre**	4464.00	500 gm
DM 1164	**Antifungal Assay Agar** for assaying antifungal activity of pharmaceutical products and other materials by the cylinder plate or disc method. **75.76 gms/litre**	4770.00	500 gm
DM 1619	**Arginine Dihydrolase Broth** for detection of arginine dihydrolase producing Microorganisms. **19.31 gms/litre**	5031.00	500 gm
DM 1234	**Arret & Kirshbaum Medium (Sporulating Agar)** see **AK Agar No. 2**	5171.00	500 gm
DM 1804	**Ascospore Agar** for detection of ascosporogenous yeasts. **43.50 gms/litre**	4780.00	500 gm
DM 1713	**Ashby's Glucose Agar** for cultivation of Azotobacter species from soil that can use glucose and atmospheric nitrogen as source of carbon and nitrogen Respectively. **40.70 gms/litre**	4991.00	500 gm
DM 1706	**Ashby's Mannitol Agar** for isolation of Azotobacter species from soil that can use mannitol and atmospheric nitrogen as source of carbon and nitrogen respectively. **40.70 gms/litre**	4991.00	500 gm
DM 1725	**Asparagine Gelatin Lactate Medium Base** for isolation of sulphur bacteria. **152.50 gms/litre**	3735.00	100 gm
DM 1724	**Asparagine Nitrate Medium** for the isolation and cultivation of denitrifying bacteria from soil samples. **27.70 gms/litre**	3735.00	100 gm
DM 1182	**Ayers and Johnson Agar (Stock Culture Agar)** for maintenance of cultures of Streptococci and other Microorganisms. **50.00 gms/litre**	4811.00	500 gm
DM 1158	**Azide Blood Agar Base** for selective isolation and cultivation of Staphylococcus and Streptococcus species from mixed bacterial flora. **33.20 gms/litre**	4644.00	500 gm
DM 1345	**Azide Dextrose Broth** a selective medium for detection of Streptococci in water, sewage, food and other materials suspected of sewage contamination. **34.70 gms/litre**	4428.00	500 gm

❊ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 2271	**Azide Dextrose Broth w/BCP** recommended for cultivation of faecal Streptococci. **34.70 gms/litre**	4977.00	500 gm
DM 1220	**B.A.G.G. Broth Base** **(Buffered Azide Glucose Glycerol Broth Base)** for detection of faecal Streptococci (group D) from clinical specimens and other materials of sanitary significance. **36.01 gms/litre**	4563.00	500 gm
DM 1861	**B.T.B. Lactose Agar** for isolation of pathogenic **Staphylococci** **33.17 gms/litre**	1242.00 4977.00	100 gm 500 gm
DM 1036	***B12 Assay Medium** **(Vitamin B_{12} Assay Medium)** **(Using L. Leichmannii)** for microbiological assay of Vitamin B_{12} using Lactobacillus leichmannii ATCC 7830 as the test organism. **84.53 gms/litre**	3618.00	100 gm
DM 1185	***B12 Culture Agar** **(E. coli Maintenance Medium)** **(E. coli Mutant Culture Agar)** for propagation, cultivation and maintenance of Escherichia coli mutant used in microbiological assay of Vitamin B_{12}. **37.85 gms/litre**	2300.00	100 gm
DM 1035	***B12 Culture Agar** **(L.leichmannii Maintance Medium)** for propagation cultivation and maintenance of Lactobacillus leichmannii ATCC 7830 **42.10 gms/litre**	1900.00	100 gm
DM 1206	***B12 Inoculum Broth** for preparing the inoculum of Lactobacillus leichmannii ATCC 7830 for the microbiological assay of Vitamin B_{12}. **32.10 gms/litre**	1872.00	100 gm
DM 1906	**B.C. Motility Test Medium** for testing motility of Bacillus cereus. **23.00 gms/litre**	4356.00	500 gm
DM 1106	**B.C.G. - Dextrose Agar** **(Snyder Test Agar)** for the estimation of Lactobacilli, an indication of caries activity. **65.02 gms/litre**	4654.00	500 gm
DM 1205	**B.D.G. - Broth, Hajna** for presumptive detection of enteric bacilli present in treated drinking waters. **35.60 gms/litre**	5445.00	500 gm
DM 1492	**B.G. Sulpha Agar** See **Brilliant Green Sulpha Agar**	1103.00 5022.00	100 gm 500 gm
DM 2020	**BPL Agar** for isolation and identification of Salmonellae except Salmonella serotype typhi in faeces, urine, milk and other materials. **40.04 gms/litre**	4622.00	500 gm
DM 1470	**BYE Agar** for cultivation and routine studies of distribution of Mycoplasmas or Pleuropneumonia Like organisms (PPLOs) and L- forms of bacteria. **52.00 gms/litre**	4428.00	500 gm

Product Code	Product Name	Price	Packing
DM 1833	**Bacillus Cereus Agar Base** a selective medium for isolation detection and enumeration of Bacillus cereus. **40.97 gms/litre**	1053.00 4725.00	100 gm 500 gm
MS 2003	***Polymyxin B Selective Supplement**	1170.00	5 vl
DM 2394	**Bacillus Differentiation Agar** for differentiation between Bacillus cereus and Bacillus subtilis based on mannitol Fermentation. **22.00 gms/litre**	5540.00	500 gm
DM 1043	**Baird Parker Agar Base** for isolation and enumeration of coagulase positive Staphylococci from food and other Materials. **63.00 gms/litre**	1013.00 4554.00	100 gm 500 gm
MS 2046	***Egg Yolk Tellurite Emulsion (100ml per vial)**	#2264.00	5 vl
MS 2047	***Potassium Tellurite 3.5% (1ml per vial)**	730.00	5 vl
MS 2069	***B. P Sulpha Supplement**	1067.00	5 vl
DM 1043S	**Baird Parker Agar Base** for isolation and enumeration of bacteria responsible for food poisoning **65.00 gms/litre**	1233.00 5022.00	100 gm 500 gm
MS 2045F	***Egg Yolk Emulsion 50% 100ml per vial**	2700.00	5 vl
MS 2046	***Egg Yolk Tellurite Emulsion (100ml per vial)**	#2264.00	5 vl
MS 2047	*** Potassium Tellurite 3.5% (1ml per vial)**	730.00	5 vl
MS 2195	***Fibrinogen Plasma trypsin Inhibitor (100ml per vial)**	5419.00	5 vl
DM 1043M	**Baird Parker Agar Base** for isolation and enumeration of coagulase positive Staphylococci from food and other materials in accordance with IP	1013.00 4554.00	100 gm 500 gm
MS 2045F	***Egg Yolk Emulsion 50% (100ml per vial)**	2700.00	5 vl
MS 2052	*** Potassium Tellurite 1.0% (1ml per vial)**	#675.00	5 vl
DM 2140	**Baird Parker Agar Base w/ Sulpha** recommended for isolation and enumeration of coagulase positive Staphylococci from food and other materials. **63.05 gms/litre**	6080.00	500 gm
MS 2045F	***Egg Yolk Emulsion 50% 100ml per vial**	#2700.00	5 vl
MS 2046	***Egg Yolk Tellurite Emulsion (100ml per vial)**	2264.00	5 vl
MS 2047	*** Potassium Tellurite 3.5% (1ml per vial)**	730.00	5 vl
DM 1005	**Base Agar** See **Antibiotic Assay Medium No. 2**	4820.00	500 gm
DM 1041	**Base Agar w/low pH** See **Antibiotic Assay Medium No.8**	4600.00	500 gm
BA 2274	**Meat Extract Paste**	1197.00	500 gm
BA 2002	**Meat Extract Powder** refined for use in microbial culture media	2300.00 POR	500 gm 2.5 kg
BC 2002	**Meat Extract Powder, Certified** for the maximum recovery and growth of a wide variety of microorganisms.	4095.00	500 gm
BA 2669	**Meat Extract Powder Type 1** used in media for routine cultivation and diagnostic purposes.	2350.00 POR	500 gm 5 kg
DM 1806	**Meat Extract Agar** for routine cultivation of non fastidious bacteria **33.00 gms/litre**	1103.00 4563.00	100 gm 500 gm

To be added but not provided.
* On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1807	**Meat Extract Broth** for routine cultivation of non fastidious bacteria **18.00 gms/litre**	4487.00	500 gm
DM 1217	**Bi.G.G.Y. Agar (Nickerson Medium)** for detection, selective isolation, differentiation and presumptive identification of Candida albicans and Candida tropicalis. **45.00 gms/litre**	5153.00	500 gm
DM 1071	**Bile Broth Base** for cultivation of members of the Enterobacteriaceae and in culture of blood clots from patients with suspected enteric fever **30.00 gms/litre**	1193.00 4780.00	100 gm 500 gm
DM 1972	**Bile Esculin Agar** for differential isolation and Presumptive identification of group D Streptococci in food and pharmaceutical products. **64.50 gms/litre**	2223.00 8892.00	100 gm 500 gm
DM 1972I	**Bile Esculin Agar** recommended for isolation and identification of Yersinia enterocolitica from food and animal feeding stuffs. **64.50 gms/litre** *** Meat Equivalent to Beef**	8640.00	500 gm
DM 2035	**Bile Esculin Agar w/Kanamycin** for selective isolation and presumptive identification of bacteria of the Bacteroides fragilis group from mixed flora. **44.60 gms/litre**	2403.00 9612.00	100 gm 500 gm
DM 1340	**Bile Esculin Agar Base** for differential isolation and presumptive identification of group D Streptococci in food and pharmaceutical products. **63.50 gms/litre**	5481.00	500 gm
MS 2050	**Aesculin (Esculin) 0.5 gm per vial**	#2673.00	5 vl
DM 1493	**Bile Esculin Azide Agar** for selective isolation and presumptive identification of faecal Streptococci. **56.65 gms/litre**	8784.00	500 gm
DM 1493I	**Bile Esculin Azide Agar** recommended for isolation and presumptive identification of faecal Streptococci. **56.65 gms/litre**	8784.00	500 gm
DM 1481	**Bile Peptone Transport Medium** for safe collection, transport and presentation of cholera organisms. **25.00 gms/litre**	4797.00	500 gm
BA 2008	**Bile Salt** for Bacteriology	8964.00	500 gm
BC 2008	**Bile Salts, Certified** a specially manufactured extract of bile salts, is recommended as a selective inhibitory agent in microbiological culture media.	9927.00	500 gm
BA 2009	**Bile Salts Mixture** equivalent to Bile Salt No.3 for use in bacteriology culture media as selective inhibitory agent.	4221.00	100 gm
BC 2009	**Bile Salts Mixture, Certified** recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria.	7610.00	100 gm

Product Code	Product Name	Price	Packing
DM 1739	**Bile Salt Agar** for isolation and enumeration of bile tolerant enteric bacilli. **43.00 gms/litre**	1081.00 4865.00	100 gm 500 gm
DM 1739S	**Bile Salt Agar** for isolation and enumeration of bile tolerant enteric bacteria responsible for food poisoning. **40.00 gms/litre**	1081.00 4865.00	100 gm 500 gm
DM 2157	**Bile Salts Brilliant Green Starch Agar** for selective isolation and identfication of Aeromonas hydrophila from food and environmental specimens. **45.00 gms/litre**	4865.00	500 gm
BA 2021	**Bio Peptone** mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.	2863.00	500 gm
BC 2021	**Bio Peptone, Certified** Provide a broad spectrum of peptides and amino acids which supports better microbiological growth characteristics to a large variety of organisms.	4257.00	500 gm
DM 1027U	**Bismuth Sulphite Agar Medium** for selective isolation of Salmonellae from faeces, urine, sewage and other materials in accordance with USP. **52.32 gms/litre**	1062.00 4343.00	100 gm 500 gm
DM 1027	**Bismuth Sulphite Agar** for selective isolation of Salmonellae from faeces, urine, sewage and other materials. **52.33 gms/litre**	941.00 4203.00	100 gm 500 gm
DM 2004	**Bismuth Sulphite Agar, Modified** for isolation and preliminary identification of Salmonella Typhi and other Salmonellae from pathological materials, sewage, water supplies, food etc. **40.00 gms/litre**	1143.00 4554.00	100 gm 500 gm
DM 1073	**Blood Agar Base (Infusion Agar)** for isolation and cultivation of many fastidious pathogenic microorganisms after addition of blood. **40.00 gms/litre**	792.00 3587.00	100 gm 500 gm
DM 1089	**Blood Agar Base w/low pH** an infusion medium, for isolation and cultivation of fastidious organisms, after addition of blood. **40.00 gms/litre**	959.00 3834.00	100 gm 500 gm
DM 1834	**Blood Agar Base No. 2** after addition of blood, medium permits maximum recovery of Streptococci, Pneumococci and other fastidious pathogenic microorganisms without interfering with their haemolytic reactions. **42.50 gms/litre**	770.00 3452.00	100 gm 500 gm
MS 2005	***Brucella Selective Supplement**	#1413.00	5 vl
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**	#1242.00	5 vl
MS 2007	***Campylobacter Supplement-II (Butzler)**	#1503.00	5 vl
MS 2008	***Campylobacter Supplement-III (Skirrow)**	#1341.00	5 vl
MS 2009	***Campylobacter Growth Supplement**	#1341.00	5 vl
MS 2031	***Strepto Supplement**	1134.00	5 vl

❊ To be added but not provided.
✲ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1834A	**Blood Agar Base No. 2 w/1.2% Agar** especially devised to permit the maximum recovery fo fastidious pathogenic microorganisms without interfering with their haemolytic reactions. **39.50 gms/litre**	3902.00	500 gm
MS 2005	***Brucella Selective Supplement**	1413.00	5 vl
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**	#1242.00	5 vl
MS 2007	***Campylobacter Supplement-II#(Butzler)**	#1503.00	5 vl
MS 2008	***Campylobacter Supplement-III (Skirrow)**	#1341.00	5 vl
MS 2009	***Campylobacter Growth Supplement**	#1341.00	5 vl
MS 2031	***Strepto Supplement**	1134.00	5 vl
DM 1887F	**Blood Free Campylobacter Selectivity Agar Base W/Yeast extract** recommended for elective isolation and differentiation of Campylobacter species inaccordance with FDA BAM.1998	5940.00	500 gm
MS 2135F	***CCDA Supplement**	#1602.00	5 vl
DM 1175	**Bordet Gengou Agar Base** for detection and isolation of Bordetella pertussis and Bordetella parapertussis. **40.00 gms/litre**	5184.00	500 gm
MS 2004	***Bordetella Selective Supplement**	#1292.00	5 vl
DM 1175A	**Bordet Gengou Agar Base w/1.6% Agar** for detection and isolation of Bordetella pertussis and Bordetella parapertussis. **36.00 gms/litre**	5184.00	500 gm
MS 2004	***Bordetella Selective Supplement**	#1292.00	5 vl
DM 1216	**Boric Acid Broth** for the detection and presumptive identification of Escherichia coli, on the basis of the ability of these organisms to grow at 43°C and form gas from lactose in the presence of boric acid. **34.55 gms/litre**	4487.00	500 gm
DM 1211	**Brain Heart Infusion Agar (Special Infusion Agar)** for cultivation of fastidious pathogenic bacteria, yeast and moulds. **52.00 gms/litre**	792.00 3627.00	100 gm 500 gm
DM 1211A	**Brain Heart Infusion Agar w/ 1% Agar** for cultivation of fastidious pathogenic bacteria, yeasts and moulds **47.00 gms/litre**	4343.00	500 gm
DM 2036	**Brain Heart Infusion w/0.1% Agar** for propagation of fastidious pathogenic cocci and other organisms associated blood culture work and allied pathological investigations. **38.00 gms/litre**	4266.00	500 gm
DM 2037	**Brain Heart Infusion w/6.5% NaCl** for selective cultivation of salt tolerant Microorganisms. **97.00 gms/litre**	4190.00	500 gm
DM 2069	**Brain Heart Infusion Agar w/ 3.0% Agar** for cultivation of microorganisms when 3.0% Agar gel is desired. **67.00 gms/litre**	5121.00	500 gm
DM 1210	**Brain Heart Infusion Broth** for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations. **37.00 gms/litre**	792.00 3555.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
DM 1210I	**Brain Heart Infusion Broth** for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6880:1983. **37.00 gms/litre**	4212.00	500 gm
DM 1212	**Brain Heart Infusion w/PABA** for examination of blood from patients under Sulphonamide therapy. **37.05 gms/litre**	4824.00	500 gm
DM 1213	**Brain Heart Infusion w/PABA and Agar** for improved growth of pathogens from blood from patients undergoing Sulphonamide Treatment. **38.05 gms/litre**	4914.00	500 gm
DM 1019	**Brewer Thioglycollate Medium** for testing sterility of biological products and for isolation of aerobic and anaerobic organisms **40.05 gms/litre**	711.00 3101.00	100 gm 500 gm
DM 1195	**Brewer Thioglycollate Medium, Modified (Linden Thioglycollate Medium)** for testing sterility of biological products and for the isolation of aerobic and anaerobic Organisms. **38.50 gms/litre**	739.00 3110.00	100 gm 500 gm
DM 1195A	**Brewer Thioglycollate Medium, Modified** for testing sterility of biological products and for isolation of aerobic and anaerobic organisms. **20.60 gms/litre**	711.00 3101.00	100 gm 500 gm
DM 1016	**Brilliant Green Agar, Modified** for selective isolation of **Salmonellae** other than Salmonella Serotype Typhi from faeces, foods, dairy products. **58.09 gms/litre**	855.00 3501.00	100 gm 500 gm
MS 2068	***Sulpha Supplement**	1485.00	5 vl
DM 1016U	**Brilliant Green Agar, Modified** for selective isolation of Salmonellae other than Salmonella Serotype Typhi from faeces, foods, dairy products etc. In accordance with USP. **58.09 gms/litre**	855.00 3510.00	100 gm 500 gm
DM 1016A	**Brilliant Green Agar w/ 1.2% Agar** recommended as enrichment medium for isolation of Salmonellae from faeces, urine and other pathological materials. **50.09 gms/litre**	873.00 3861.00	100 gm 500 gm
MS 2068	***Sulpha Supplement**	1485.00	5 vl
DM 1971	**Brilliant Green Agar Base w/Phosphates** recommended for selective isolation of Salmonellae while inhibiting Escherichia coli, Proteus and Pseudomonas species. **51.69 gms/litre**	4519.00	500 gm
MS 2068	***Sulpha Supplement**	1485.00	5 vl
DM 1971I	**Brilliant Green Agar w/ Phosphates** recommended for detection and enumeration of Salmonellae. **54.69 gms/litre**	4554.00	500 gm

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1971S	**Brilliant Green Agar Base w/ Phosphates** for selective isolation of bacteria responsible for food poisoning. **52.00 gms/litre**	1013.00 4554.00	100 gm 500 gm
MS 2068	***Sulpha Supplement**	1485.00	5 vl
DM 1059	**Brilliant Green Bile Agar** for enumeration of coliform bacteria in water, sewage and foods. **20.70 gms/litre**	855.00 3843.00	100 gm 500 gm
DM 1121	**Brilliant Green Bile Broth 2%** for detection and confirmation of coliform bacteria in water, waste water, foods, milk and dairy products. **40.01 gms/litre**	770.00 3430.00 6170.00	100 gm 500 gm 1 kg
DM 1492	**Brilliant Green Sulpha Agar** See **BG Sulpha Agar** a highly selective medium for isolation and detection of Salmonella species in food, especially eggs and egg products. **59.09 gms/litre**	1103.00 5022.00	100 gm 500 gm
DM 2212	**Bromo Cresol Purple Azide Broth** for the confirmation of the presence of faecal Streptococci in Water and waste water. **35.93 gms/litre**	4563.00	500 gm
DM 1676	**Bromo Cresol Purple Broth Base (Yeast Fermentation Broth Base)** for studying fermentation of carbohydrates by pure cultures. **18.04 gms/litre** ❈ Desired Carbohydrate - 0.5 - 1.0%	4743.00	500 gm
DM 2265	**Bromo Cresol Purple Broth w/Lactose** for identification of Escherichia coli and coliform bacteria from water samples. **28.02 gms/litre**	3924.00	500 gm
DM 1074	**Brucella Agar Base** for selective isolation and cultivation of Brucella or Campylobacter species from clinical and nonclinical specimens. **43.10 gms/litre**	1017.00 4433.00	100 gm 500 gm
MS 2005	***Brucella Selective Supplement**	1413.00	5 vl
MS 2006	***Campylobacter Supplement I (Blaser - Wang)**	1242.00	5 vl
MS 2007	***Campylobacter Supplement II (Butzler)**	1503.00	5 vl
MS 2008	***Campylobacter Supplement III (Skirrow)**	1341.00	5 vl
MS 2009	***Campylobacter Growth Supplement**	1341.00	5 vl
DM 1074A	**Brucella Agar Base, Modified** for cultivation of Campylobacter species **44.10 gms/liter**	4433.00	500 gm
MS 2009	***Campylobacter Growth Supplement**	1341.00	5 vl
MS 2008	***Campylobacter Supplement III (Skirrow)**	1341.00	5 vl
DM 2039	**Brucella Agar w/Hemin and Vitamin K** for cultivation of Brucella species, for isolation and subculture of anaerobes with addition of blood. **43.12 gms/litre**	5320.00	500 gm
DM 1348	**Brucella Broth Base** for enrichment and cultivation of Brucella or Campylobacter species from clinical and nonclinical specimens. **28.10 gms/litre**	1004.00 4370.00	100 gm 500 gm
MS 2009	***Campylobacter Growth Supplement**	1341.00	5 vl

Product Code	Product Name	Price	Packing
DM 1813	**Buffered Charcoal Yeast Extract Agar Base** for selective isolation and cultivation of Legionella species from clinical and other materials. **40.00 gms/litre**	5441.00	500 gm
MS 2017	***Legionella Selective Supplement**	1170.00	5 vl
MS 2037	***Legionella Selective Supplement II**	1575.00	5 vl
MS 2038	***Legionella Selective Supplement III**	1485.00	5 vl
MS 2040	***Legionella Selective Supplement IV (MWY)**	1742.00	5 vl
MS 2041A	***Legionella Supplement (Twin Pack)**	1134.00	5 vl
DM 1204	**Buffered Glycerol Saline Base** for collection and transportation of faecal Specimens. **8.30+300 ml glycerol**	919.00 4150.00	100 gm 500 gm
DM 1614	**Buffered Peptone Water** for pre-enrichment of injured Salmonella species from foods prior to selective enrichment and isolation. **20.00 gms/litre**	662.00 2952.00	100 gm 500 gm
DM 1951	**Buffered Tryptone Glucose Yeast Extract Broth** for cultivation and characterization of Clostridia isolated from food specimens. **85.00 gms/litre**	4320.00	500 gm
DM 1585	**Buffered Yeast Agar** for cultivation of yeasts and moulds and for the controlling of bottle washing operations in the soft-drinks and releated industries. **41.00 gms/lire**	4392.00	500 gm
DM 1707	**Burk's Medium** for isolation and cultivation of nitrogen fixing bacteria such as Azotobacter species. **21.33 gms/litre**	4347.00	500 gm
DM 1349	**Bushnell Haas Agar** for examination of fuels for microbial contamination and for studying Hydrocarbon deterioration by microorganisms. **23.27 gms/litre**	4654.00	500 gm
DM 1350	**Bushnell Haas Broth** for examining fuels for microbial contamination and for studying hydrocarbon deterioration by microorganisms. **3.27 gms/litre**	1067.00 4581.00	100 gm 500 gm
DM 1893	**CAL Agar (Cellobiose Arginine Lysine Agar)** for isolation and biochemical characterization of Yersinia enterocolitica. **46.03 gms/litre**	7300.00	100 gm
DM 1894	**CAL Broth (Cellobiose Arginine Lysine Broth)** for isolation and biochemical characterization of Yersinia enterocolitica. **26.03 gms/litre**	6786.00	100 gm
DM 1351	**CHO Medium Base** is a basal medium to which carbohydrates may be added for use in fermentation studies of anaerobic bacteria. **26.11 gms/litre**	4194.00	500 gm
DM 1352	**C.L.E.D. Agar w/ Andrade Indicator** for isolation, and differentiation of urinary pathogens on the basis of lactose fermentation. **36.25 gms/litre**	1035.00 4487.00	100 gm 500 gm

❈ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 2146	**C.L.E.D. Agar Base w/o Indicator** for isolation, enumeration and presumptive identification of bacterial flora in urinary tract. **36.13 gms/litre**	990.00 4073.00	100 gm 500 gm
MS 2091	***Bromo Thymol Blue Supplement** (20 mgm per vial)	482.00	5 vl
DM 1792	**C.L.E.D. Agar w/Bromo Thymol Blue** for isolation and differentiation of urinary pathogens on the basis of lactose fermentation. **36.15 gms/litre**	1035.00 4487.00	100 gm 500 gm
DM 2240	**Campylobacter Nitrate Broth** for identification of Campylobacter species on the basis of nitrate reduction. **27.00 gms/litre**	3843.00	500 gm
DM 1363	**Carbon Utilization Agar** for characterization of streptomyces on the basis of carbon utilization source. **24.83 gms/litre**	2300.00 9225.00	100 gm 500 gm
DM 1202	**Cary-Blair Medium Base (Transport Medium w/o Charcoal)** for collection and shipment of cinical Specimens. **12.60 gms/litre**	1143.00 5040.00	100 gm 500 gm
BA 2189	**Casein Acid Hydrolysate,** Certified, Sodium chloride less than 3%	8865.00	500 gm
BA 2498	**Casein Acid Hydrolysate** special for Pertussis Vaccine production.	8820.00	500 gm
BA 2013	**Casein Acid Hydrolysate,** Technical, used in antibiotic sensitivity test media, vaccine preparation media etc.	5239.00	500 gm
BC 2013	**Casein Acid Hydrolysate,** Certified, recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.	7812.00	500 gm
BA 2190	**Casein Acid Hydrolysate,** Vitamin Free	8082.00	500 gm
BA 2014	**Casein Enzyme Hydrolysate,** Type-I Tryptone, used in sterility testing, diagnostic media Preparations	3402.00 POR	500 gm 2.5 kg
BC 2014	**Casein Enzyme Hydrolysate,** Certified Tryptone, recommended in a number of media such as sterility testing media diagnostic media for biochemical Characterization, etc.	3889.00	500 gm
BA 2028	**Casein Enzyme Hydrolysate,** Type-II	2916.00 POR	500 gm 5 kg
BA 2714	**Casein Peptone,** enzymic digest of casein	2907.00 POR	500 gm 2.5 kg
DM 1201	**Casman Agar** for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension. **43.60 gms/lire**	4428.00	500 gm
DM 1766	**Casman Broth Base** for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension. **29.60 gms/litre**	4150.00	500 gm
DM 1024	**Cetrimide Agar Base** for selective isolation of Pseudomonas aeruginosa from clinical specimen. **46.70 gms/litre +10ml glycerol**	792.00 3619.00	100 gm 500 gm
MS 2130	***Nalidixic Selective Supplement**	1053.00	5 vl

Product Code	Product Name	Price	Packing
DM 1024H	**Cetrimide Agar** Recommended as a selective medium used for the isolation of Pseudomonas aeruginosa from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. **45.30 gms/litre + 10ml glycerol**	792.00 3619.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1862	**Cetrimide Broth** for selective cultivation of Pseudomonas aeruginosa **25.30 gms/litre**	873.00 3619.00	100 gm 500 gm
DM 1862A	**Cetrimide Broth Base** recommended for cultivation of Pseudomonas aeruginosa from water samples using membrane filter technique. **31.90 gms/litre**	4424.00	500 gm
DM 1215	**Chapman Stone Agar** for selective isolation of Staphylococci causing food poisoning. **202.50 gms/litre**	4370.00	500 gm
DM 1344	**Charcoal Agar Base** for cultivation of Bordetella pertussis, for vaccine Production and also for stock culture maintenance. **62.50 gms/litre**	4671.00	500 gm
MS 2004	***Bordetella Selective Supplement** ###	1292.00	5 vl
DM 1646	**Charcoal Blood Agar Base** for cultivation of Bordetella pertussis, for vaccine production and also for the maintenance of stock cultures. **54.50 gms/lire**	4802.00	500 gm
DM 2053	**Charcoal Agar Base w/Niacin** for cultivation and isolation of Bordetella pertussis and Haemophilus influenzae. **51.00 gms/litre**	4743.00	500 gm
MS 2004	***Bordetella Selective Supplement**	#1292.00	5 vl
DM 1113	**Chlamydospore Agar** for differentiation of Candida albicans from other Candida species on the basis of chlamydospore formation. **37.10 gms/litre**	1521.00 6890.00	100 gm 500 gm
DM 1580	**China Blue Lactose Agar** for defferentiation and enumeration of bacteria in milk. **38.30 gms/litre**	4654.00	500 gm
DM 2008	***Chloramphenicol Yeast Glucose Agar** recommended for selective enumeration of yeasts and moulds in milk and milk products. **40.00 gms/litre**	905.00 4086.00	100 gm 500 gm
DM 1103	**Chocolate Agar Base** for isolation of **Neisseria** gonorrhoeae from chronic and acute cases of gonococcal infections. **45.50 gms/litre**	4654.00	500 gm
MS 2022	***Haemoglobin Powder**	2421.00	100 gm
MS 2025	***Vitamino Growth Supplement (Vitamins and Amino Acids Mixture)**	#2084.00	5 vl
MS 2027	***Yeast Autolysate Supplement**	990.00	5 vl
DM 1728	**Citrate Agar** for cultivation of iron bacteria from soil samples. **27.20 gms/litre**	887.00 3789.00	100 gm 500 gm
DM 1552	**Clausen Medium** for sterility testing, in accordance with Nordic Pharmacopoeia Board. **40.00 gms/litre**	4622.00	500 gm

❋ To be added but not provided.
❊ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1836	**Clostridium Difficile Agar Base** for selective isolation of Clostridium Difficile from faeces. food and certain pathological specimens. **69.10 gms/litre**	4780.00	500 gm
MS 2010	***Clostridium Difficile Supplement#####**	1350.00	5 vl
DM 2211	**Coliform Broth** for isolation and cultivation of coliform organisms from cream, yogurt and raw milk. **57.14 gms/litre**	3960.00	500 gm
DM 1144	**Columbia Blood Agar Base** an efficient base for preparation of blood agar, Chocolate agar and for various selective and identification media. **44.00 gms/litre**	1027.00 4203.00	100 gm 500 gm
MS 2005	***Brucella Selective Supplement**	#1413.00	5 vl
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)##**	#1242.00	5 vl
MS 2007	***Campylobacter Supplement-II (Butzler)**	#1503.00	5 vl
MS 2008	***Campylobacter Supplement-III (Skirrow)**	#1341.00	5 vl
MS 2009	***Campylobacter Growth Supplement**	1341.00	5 vl
MS 2030	***Staph-Strepto Supplement####**	##1404.00	5 vl
MS 2031	***Strepto Supplement**	#1134.00	5 vl
MS 2056	***G.Vaginalis Selective Supplement**	#1170.00	5 vl
MS 2090	***Campylobacter Selective Supplement**	#1463.00	5 vl
MS 2106	***Campylobacter Supplement VI (Butzler)**	#1602.00	5 vl
DM 1144A	**Columbia Blood Agar Base w/ 1% Agar** a basal medium used with or without blood for isolation and cultivation of fastidious Bacteria. **39.00 gms/litre**	4527.00	500 gm
MS 2005	***Brucella Selective Supplement**	#1413.00	5 vl
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**	#1242.00	5 vl
MS 2007	***Campylobacter Supplement-II (Butzler)**	#1503.00	5 vl
MS 2008	***Campylobacter Supplement III (Skirrow)**	#1341.00	5 vl
MS 2009	***Campylobacter Growth Supplement**	#1341.00	5 vl
MS 2031	***Strepto Supplement**	#1134.00	5 vl
MS 2056	***G Vaginalis Selective Supplement**	#1170.00	5 vl
MS 2090	***Campylobacter Selective Supplement**	####1463.00	5 vl
MS 2106	***Campylobacter Supplement VI (Butzlea)**	#1602.00	5 vl
MS 2119	***Streptococcus Selective Supplement**	#1143.00	5 vl
DM 2133	**Columbia Blood Agar Base w/Hemin** an efficient and enriched base for preparation of chocolate and blood agar and for various selective and identification media. **44.01 gms/litre**	9081.00	500 gm
DM 1145	**Columbia Broth Base** for cultivation of fastidious organisms from clinical specimens. **35.01 gms/litre**	3915.00	500 gm
DM 1560	***Columbia C.N.A. Agar Base** for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens. **44.02 gms/litre**	10360.00	500 gm
DM 1560A	***Columbia C.N.A. Agar Base w/1% Agar** for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens. **39.02 gms/litre**	10360.00	500 gm
DM 1499	**Cooke Rose Bengal Agar Base** for selective isolation and cultivation of fungi. **36.54 gms/litre**	5220.00	500 gm

Product Code	Product Name	Price	Packing
DM 1149	**Cooked Meat Medium (R.C. Medium)** for cultivation of aerobes and anaerobes, especially pathogenic Clostridia and also for the maintenance of stock cultures. **125.00 gms/litre**	855.00 4100.00	100 gm 500 gm
DM 1149S	**Cooked Meat Medium (R.C. Medium)** for cultivation of aerobes and anaerobes, especially pathogenic Clostridia and also for the maintenance of stock cultures. **115.40 gms/litre**	936.00 4500.00	100 gm 500 gm
DM 1146	**Corn Meal Agar** for production of chlamydospores by Candida albicans and the maintenance of fungal stock cultures. **17.00 gms/litre**	1067.00 4356.00	100 gm 500 gm
DM 1897	**Crystal Violet Lactose Agar** for differentiation of pure cultures of pathogenic and nonpathogenic Staphylococci. **33.00 gms/litre**	4622.00	500 gm
DM 1831	**Crystal Violet Lactose Broth** for detection of coliforms in water filteration control works. **16.00 gms/litre**	4284.00	500 gm
DM 1500	**Culture Medium for RWC (Disinfactant Test Broth)** for determination of phenol coefficients of disinfectants using Salmonella typhi as a test organisms. **50.00 gms/litre**	1062.00 4554.00	100 gm 500 gm
DM 1172	**Cystine Heart Agar Base** supports excellent growth of gram-negative cocci and other pathogenic organisms. With added haemoglobin it is used for cultivation of Francisella tularensis. **51.00 gms/litre**	4347.00	500 gm
DM 1159	**Cystine Tryptone Agar** for maintenance, subculturing, detection of motility and fermentation studies with the addition of various carbohydrates. **28.51 gms/litre**	1027.00 4181.00	100 gm 500 gm
DM 1732	**Czapek Malt Agar** for isolation, detection and cultivation of saprophytic fungi. **94.01 gms/litre**	954.00 3961.00	100 gm 500 gm
DM 2335	**Czapek Yeast Extract Agar** for the cultivation and maintenance of Aspergillus niger. **51.40 gms/litre**	4802.00	500 gm
DM 1482	**Dnase Test Agar Base** for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic Staphylococci. **42.00 gms/litre**	6930.00	100 gm
MS 2051	**Toluidine Blue (0.1 gm per vial)**	653.00	5 vl
DM 2419	**DNase Test Agar w/ Methyl green** for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic Staphylococci. **42.05 gms/litre**	6534.00	100 gm
DM 2041	**DNase Test Agar w/ Toluidine Blue** for detection of deoxyribonuclease activity of Microorganisms. **42.10 gms/litre**	8244.00	100 gm

❊ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1741	**DNase Test Agar w/o DNA** with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi. DNA-2gms Bromothymol blue - 0.025 gm ❈ Mannitol-10 gms **40.00 gms/litre**	2043.00 8442.00	100 gm 500 gm
DM 1160	**D.C.L.S. Agar** a selective medium used to detect and isolate Salmonella and Shigella species also useful for isolation of Virbio cholerae. **49.53 gms/litre**	941.00 3753.00	100 gm 500 gm
DM 1178	**D.C.L.S. Agar, Hajna** for the isolation of gram-negative enteric bacilli. **73.52 gms/litre**	941.00 3753.00	100 gm 500 gm
DM 1501	**Decarboxylase Agar Base** for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid added to the medium. **24.02 gms/litre**	4150.00	500 gm
DM 1393	**Decarboxylase Broth Base, Moeller (Moeller Decorboxylase Broth Base)** to differentiate bacteria on the basis of their ability to decarboxylate the amino acid. **10.52 gms/litre**	2331.00 9540.00	100 gm 500 gm
DM 1912S	**Decarboxylase Test Medium Base (Falkow)** for testing amino acid decarboxylase activity. **9.02 gms/litre**	1013.00 4059.00	100 gm 500 gm
DM 1912	**Decarboxylase Test Medium Base (Falkow)** for testing amino acid decarboxylase activity. **9.02 gms/litre**	1013.00 4059.00	100 gm 500 gm
DM 1030	**Deoxycholate Agar** for the direct differential count of coliforms in dairy products and for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens **45.03 gms/litre**	855.00 3501.00	100 gm 500 gm
DM 1065	**Deoxycholate Citrate Agar** selective medium for the isolation of enteric pathogens particularly Salmonella and Shigella species **70.52 gms/litre**	919.00 4167.00	100 gm 500 gm
DM 1065B	**Deoxycholate Citrate Agar Medium (Agar Medium J)** for selective isolation of enteric pathogens in accordance with BP. **69.02 gms/litre**	3303.00	500 gm
DM 1065M	**Deoxycholate Citrate Agar** for selective isolation and identification of Salmonellae in accordance with IP. **69.02 gms/litre**	770.00 3240.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 2074	**Deoxycholate Citrate Agar, Modified** (Heynes) selective medium for the isolation of Salmonella and Shigella species. **51.92 gms/litre**	4811.00	500 gm
DM 1222	**Deoxycholate Citrate Agar w/o Sucrose** for differentiation and identification of enteric Pathogens. **45.03 gms/litre**	963.00 3888.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
DM 1066	**Deoxycholate Lactose Agar** for isolation and enumeration of coliforms in water, waste-water, milk and dairy products. **42.53 gms/litre**	1013.00 4050.00	100 gm 500 gm
DM1084	**Dextrose Agar** for cultivation of a wide variety of microorganisms. **43.00 gms/litre**	873.00 3915.00	100 gm 500 gm
DM 1286	**Dextrose Agar Base, Emmons (Sabouraud Dextrose Agar Base, Modified)** for selective cultivation of pathogenic fungi. **47.00 gms/litre**	1099.00 4554.00	100 gm 500 gm
MS 2035	***CC Supplement**	1242.00	5 vl
DM 1044	**Dextrose Broth** used for cultivation of wide variety of Microorganisms. **23.00 gms/litre**	730.00 2907.00	100 gm 500 gm
DM 1241	**Dextrose Mannitol Agar (Gillies Agar No 1)** for detection of urease production, dextrose and mannitol fermentation for primary isolation of Salmonella and Shigella species **46.05 gms/litre**	5067.00	500 gm
DM 1649	**Dextrose Peptone Agar** for general cultivation of organisms. **50.00 gms/litre**	3933.00	500 gm
DM 1650	**Dextrose Peptone Broth** for the cultivation of fastidious organisms, enumeration of thermophilic bacteria from canned foods and for routine sterility testing **35.00 gms/litre**	3771.00	500 gm
DM 1102	**Dextrose Salt Agar** enumeration of yeasts and moulds in butter and other dairy products. **35.00 gms/litre**	4383.00	500 gm
DM 1980	**Dextrose Salt Broth** enumeration of yeasts and moulds in butter and other dairy products. **20.00 gms/litre**	4005.00	500 gm
DM 1183	**Dextrose Starch Agar** for propagation of pure cultures of Neisseria gonorrhoeae and other fastidious organisms. **65.00 gms/litre**	4383.00	500 gm
DM 1092	**Dextrose Tryptone Agar** for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods. **30.04 gms/litre**	4343.00	500 gm
DM 1913	**Dextrose Tryptone Agar, Modified** for isolation and cultivation of aciduric and thermophilic, aerobic flat-sour sporeformers from canned foods, sugar etc. **32.29 gms/litre**	4500.00	500 gm
DM 1122	**Dextrose Tryptone Broth** for enrichment and cultivationof mesophilic and thermophilic organisms in foods. **15.04 gms/litre**	4203.00	500 gm
DM 1914	**Dextrose Tryptone Broth, Modified** for detection and enumeration of mesophilic and thermophilic aerobic microorganisms in food **17.29 gms/litre**	4203.00	500 gm
DM 2062	**Dey-Engley Neutralizing Broth** for neutralizing and testing antiseptics and disinfectants. **39.02 gms/litre**	4797.00	500 gm

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1187	**Dey-Engley Neutralizing Broth Base** for neutralizing and determining bactericidal activity of quaternary ammonium compounds. **17.52 gms/litre**	4266.00	500 gm
DM 1111	**Diagnostic Stuart's Urea Broth Base (Urea Broth Base)** for the identification of bacteria on the basis of urea utilization, specially for the differentiation of Proteus, Salmonella and Shigella species. **18.71 gms/litre**	1062.00 4356.00	100 gm 500 gm
MS 2048	***Urea 40% (5ml per vial)**	469.00	5 vl
DM 1191	**Diagnostic Thioglycollate Medium (Thioglycollate Medium w/o Indicator)** for enrichment of blood cultures. **30.05 gms/litre**	3430.00	500 gm
DM 1549	**Differential Reinforced Clostridial Broth Base** for the cultivation of Clostridia from water. **29.00 gms/litre**	963.00 4356.00	100 gm 500 gm
DM 1549I	**Differential Reinforced Clostridial Broth Base** for cultivation of Clostridia from water. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6461-1:1986. **29.00 gms/litre**	4581.00	500 gm
DM 1915	**Dihydrolase Broth Base** for studying dihydrolase reaction of Vibrio Parahaemolyticus. **43.03 gms/litre**	4311.00	500 gm
DM 1500	**Disinfectant Test Broth** see **Culture Medium for RWC**	1062.00 4554.00	100 gm 500 gm
DM 1354	**Disinfectant Test Broth, AOAC** for testing disinfectants in accordance with AOAC. **20.00 gms/litre**	4284.00	500 gm
DM 1057	**Double Sugar Agar, Russell (Russell Double Sugar Agar)** for differentiation of gram-negative enteric bacilli on the basis of their ability to ferment dextrose and lactose with or without gas formation. **44.02 gms/litre**	4874.00	500 gm
DM 1067	**Dubos Broth Base** for preparation of liquid medium for rapid cultivation of pure cultures of Mycobacterium tuberculosis and related Microorganisms **6.5 gms/litre**	972.00 4100.00	100 gm 500 gm
DM 1179	**Dubos Oleic Agar Base** for cultivation of Mycobacteria. **20.06 gms/litre**	1004.00 4428.00	100 gm 500 gm
MS 2020	***Oleic Albumin Supplement**	1305.00	5 vl
DM 1839	**Dubos Oleic Broth Base** for cultivation of Mycobacteria. **5.06 gms/liter**	927.00 4100.00	100 gm 500 gm
MS 2020	***Oleic Albumin Supplement**	#1305.00	5 vl
DM 1185	**E. coli Mutant Culture Agar (E. coli Maintenance Medium)** See ***B12 Culture Agar**	2300.00	100 gm
DM 1127	**EC Broth** for selective enumeration of presumptive Escherichia coli by MPN technique. **37.00 gms/litre**	959.00 3933.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
DM 1127I	**EC Broth** for selective enumeration of presumptive Escherichia coli by MPN technique. The composition and performance criteria of this medium are as per the specifications laid down in ISO/DIS 7251:1993. **37.00 gms/litre**	4050.00	500 gm
DM 1748	**Edward's Medium Base, Modified** for selective and rapid isolation of Streptococcus agalactiae and other Streptococci associated with bovine mastitis. **41.33 gms/litre**	2539.00	100 gm
DM 1287	**EE Broth, Mossel** for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods. **43.46 gms/litre**	990.00 4473.00	100 gm 500 gm
DM 1287A	**EE Broth Modified** for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods and animal feed stuffs. **42.93 gms/litre**	4451.00	500 gm
DM 1287D	**EE Broth, Mossel** for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods. **45.01 gms/litre**	4451.00	500 gm
DM 1287I	**EE Broth, Mossel** recommended for selective enrichment of Enterobactericeae in bacteriological examination of foods. **43.46 gms/litre**	4924.00	500 gm
DM 1287H	**EE Broth, Mossel** Enterobacteria Enrichment Broth, Mossel is used for selective enrichment of Enterobacteriaceae from pharmaceuticalproducts in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP **42.93 gms/litre**	1000.00 4518.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1317	**EMB Agar** for differential isolation of gram-negative enteric bacilli from clinical and nonclinical specimens **35.96 gms/litre**	770.00 3430.00	100 gm 500 gm
DM 1301	**EMB Agar Base** a basal medium to which different carbohydrates and other test substances may be added for differentiation and study of various enteric bacteria. **27.46 gms/litre**	1017.00 4100.00	100 gm 500 gm
DM 1022S	**EMB Agar, Levine** for isolation, enumeration and differentiation of members of Enterobacteriaceae. **37.50 gms/litre**	959.00 3961.00	100 gm 500 gm
DM 1022M	**EMB Agar, (Levine-Eosiue methylene Blue Agar Medium) (in accordance with IP 2007)** for isolation, enumeration and differentiation of members of Enterobacteriaceae in accordance with IP. **37.46 gms/litre**	999.00 4500.00	100 gm 500 gm
DM 1022	**EMB Agar, Levine** for isolation, enumeration and differentiation of members of Enterobacteriaceae. **37.46 gms/litre**	747.00 3340.00	100 gm 500 gm
DM 1503	**EMB Broth** for differentiation of gram-negative enteric bacteria from clinical & non-clinical specimens. **22.46 gms/litre**	801.00 3510.00	100 gm 500 gm

❊ To be added but not provided.
✲ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1808	**Egg Yolk Agar Base** for isolation and identification of Clostridia and certain other anaerobes. **75.10 gms/litre**	4536.00	500 gm
MS 2045F	***Egg Yolk Emulsion (100 ml per vial)**	#2700.00	5 vl
DM 1086	**Eijkman Lactose Broth** for detection and differentiation of Escherichia coli from other coliforms on the basis of their ability to grow and liberate gas from lactose. **28.50 gms/litre**	3987.00	500 gm
DM 1368	**Elliker Broth (Lactobacilli Broth)** for cultivation of Lactobacilli and Streptococci of importance in dairy industry. **48.50 gms/litre**	4212.00	500 gm
DM 1466	**Ellners Broth** for induction of spore formation in Clostridium perfringens **67.60 gms/litre**	4113.00	500 gm
DM 1325	**Emerson Agar** for isolation and cultivation of Actinomycetaceae, Streptomycetaceae and moulds. **41.50 gms/litre**	4428.00	500 gm
DM 1773	**Emerson YSS Agar** for the isolation of Actinomycetes and other Fungi. **40.50 gms/litre**	4554.00	500 gm
DM 1029	**Endo Agar** for the confirmation of the presumptive test for members of the coliform group. **41.50 gms/litre**	873.00 3524.00	100 gm 500 gm
DM 2077	**Endo Agar Base** for preparing Endo Agar to confirm presumptive test for lactose fermenting coliforms. **38.00 gms/litre**	887.00 3699.00	100 gm 500 gm
MS 2059A	**Basic Fuchsin** (0.17gm per vial)	604.00	5 vl
DM 2258	**Endo Agar w/NaCl** for detection and isolation of pathogenic enteric bacilli. **37.70 gms/litre**	4172.00	500 gm
DM 2075	**Endo Agar, Modified** for detection and isolation of coliform and other enteric organisms. **38.60 gms/litre**	4977.00	500 gm
DM 1738	**Enriched Thioglycollate Broth** for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria. **31.06 gms/litre**	4150.00	500 gm
DM 1392	**Enterococcus Confirmatory Agar** for confirming the presence of Enterococci in water supplies and other sources. **30.41 gms/litre**	4293.00	500 gm
DM 1394	**Enterococcus Confirmatory Broth** for confirming the presence of Enterococci in water supplies and other sources. **80.41 gms/litre**	4203.00	500 gm
DM 1419	**Enterococcus Presumptive Broth** for detection of Enterococci in water and other materials of sanitary importance. **15.43 gms/litre**	4203.00	500 gm

Product Code	Product Name	Price	Packing
DM 1004	**Erythromycin Seed Agar (Neomycin Erythromycin Assay Agar)** See **Antibiotic Assay Medium No.11**	959.00 4302.00	100 gm 500 gm
DM 2386	**Esculin Agar** for cultivation and differentiation of bacteria that can hydrolyze esculin and produce H_2S. **41.50 gms/litre**	6381.00	500 gm
DM 1749	**Esculin Azide Broth** for selective cultivation and identification of Streptococci. **37.75 gms/litre**	5072.00	500 gm
DM 2382	**Esculin Fermentation Broth** for cultivation and differentiation of bacteria which hydrolyze esculin. **34.50 gms/litre** ferric citrate 0.1 gm/l	5976.00	500 gm
DM 2044	**Esculin Iron Agar** for verifying enterococcal colonies on membrane filters through which water samples have been filtered and which have been incubated on M-Enterococcus Agar, Modified. **16.50 gms/litre**	4995.00	100 gm
DM 1426	**Ethyl Violet Azide Broth (E.V.A. Broth)** for selective, confirmatory detection of Enterococci as an indicator of faecal pollution in water and other specimens. **35.80 gms/litre**	3902.00	500 gm
DM 1428	**Eugonic Agar** for cultivation of fastidious microorganisms like Haemophilus, Neisserria, Pasteurella,Brucella and Lactobacillus species. **44.40 gms/litre**	4622.00	500 gm
DM 1429	**Eugonic Broth** for cultivation of fastidious microorganisms like Haemophilus, Neisserria, Pasteurella,Brucella and Lactobacillus species. **29.40 gms/litre**	4240.00	500 gm
DM 1221	**FDA Broth** See **AATCC Bacteriostasis Broth**	4780.00	500 gm
DM 1565	**FNA Medium (Fluorescein Denitrification Agar)** for differentiation of Pseudomonas from other bacilli by their ability to reduce nitrates or nitrites to nitrogen gas (denitrification) and detection of fluorescein pigment. **30.50 gms/litre**	5544.00	500 gm
DM 1919	**Fermentation Medium Base for C. Perfringens** for studying fermentation reaction of Clostridium perfringens with added carbohydrate **22.25 gms/liter** ❈ 1% sterile salicin, 1% sterile raffinose - 1 ml/tube	4581.00	500 gm
DM 1827	**Fermentation Medium for Staphylococcus and Micrococcus** for studying fermentation by Staphylococcus and Micrococcus species. **23.24 gms/litre**	4842.00	500 gm
DM 1239	**Fletcher Leptospira Medium Base (Leptospira Medium Base, Fletcher)** for isolation, cultivation and maintenance of Leptospira species. **2.5 gms/litre**	1116.00 4892.00	100 gm 500 gm
DM 1117	**Fluid Casein Digest Soya Lecithin Medium (Twin Pack)** for sanitary examination of surfaces. **25.00gms** of Part A **+40 ml** of Part B	2286.00 9090.00	100 gm 500 gm

❈ To be added but not provided.
On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1026	**Fluid Lactose Medium** as a pre enrichment medium for detection of coliform bacteria in water, dairy products and food samples. **13.00 gms/litre**	**585.00** **2480.00**	**100 gm** **500 gm**
DM 1013	**Fluid Sabouraud Medium (Sabouraud Medium, Cluid)** sterility test medium for moulds and lower bacteria in pharmaceutical preparations. **30.00 gms/litre**	**540.00** **2457.00**	**100 gm** **500 gm**
DM 1025	**Fluid Selenite Cystine Medium (Selenite Cystine Medium) (Twin Pack)** enrichment medium for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical Specimens. **19.01 gms** Part of A **+4 gms** Part of B	**1206.00** **5040.00**	**100 gm** **500 gm**
DM 2533I	**Fluid Selenite Cystine Broth (Twin Pack)** recommended as an enrichment medium for isolation of Salmonellae from faeces, urine or other pathological materials. **19.01 gms** Part of A **+4 gms** Part of B	**4554.00**	**500 gm**
DM 1032	**Fluid Tetrathionate Medium w/o Iodine and BG (Tetrathionate Broth Base w/o Iodine and BG)** selective enrichment medium for isolating of Salmonellae from foods and other pathological Materials. **46.00 gms/litre** Iodine solution - 20 ml/lit ❈ 0.1% Brilliant green solution - 10 ml/lit	**684.00** **2817.00**	**100 gm** **500 gm**
DM 1009	**Fluid Thioglycollate Medium** for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles. **29.75 gms/litre**	**387.00** **1746.00** **POR** **POR**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1380	**Fluid Thioglycollate Medium w/ Meat Extract** for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing. **34.75 gms/litre**	**3087.00**	**500 gm**
DM 1431	**Forget Fredette Agar** for selective isolation of anaerobes from a mixture of aerobic and anaerobic flora. **40.50 gms/litre**	**4654.00**	**500 gm**
DM 1079	**Fuchsin Lactose Broth** for determination of `coliform' titre in the bacteriological examination of water and other materials. **13.01 gms/litre**	**4150.00**	**500 gm**
DM 1094	**Fungal Agar (Mycological Agar)** for cultivation and maintenance of fungi **35.00 gms/litre**	**4842.00**	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	**#954.00**	**5 vl**
DM 1095	**Fungal Agar w/low pH (Mycological Agar w/low pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria. **35.00 gms/litre**	**4842.00**	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	**954.00**	**5 vl**
DM 1264	**Fungal Broth (Mycological Broth)** for cultivation of fungi. **50.00 gms/litre**	**4500.00**	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	**954.00**	**5 vl**

Product Code	Product Name	Price	Packing
DM 1265	**Fungal Broth w/low pH (Mycological Broth w/low pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria. **50.00 gms/litre**	**4500.00**	**500 gm**
DM 2010	**Fungi Kimmig Agar Base** for cultivation, isolation, identification and preservation of fungal strains. **50.00 gms/litre** 40,000 IU penicillin 40 mcg streptomycin ❈ 80 mg colistin & 100mg novobiocin	**4842.00**	**500 gm**
DM 1475	***Fungobiotic Agar (Mycobio Agar)** for isolation of dermatophytes and other pathogenic fungi. **35.55 gms/litre**	**7525.00**	**100 gm**
DM 1432	**Furunculosis Agar** for detection of **Aeromonas** salmonicida by means of its brownish Red pigment production. **33.50 gms/litre**	**1027.00** **4554.00**	**100 gm** **500 gm**
DM 2073	**GBS Medium Base** for rapid detection of group B Streptococci in clinical specimens. **110.25 gms/litre**	**4487.00**	**500 gm**
MS 2054	***GBS Supplement**	**954.00**	**5 vl**
DM 1434	**GC Agar Base** with added blood or haemoglobin and other supplements, it is recommended for selective isolation and cultivation of Gonococci. **72.00 gms/litre**	**873.00** **3663.00**	**100 gm** **500 gm**
MS 2021	***GC Supplement w/ Antibiotics**	**#1503.00**	**5 vl**
DM 1242	**GN Broth, Hajna** for selective enrichment of gram-negative organisms of the enteric group. **39.00 gms/litre**	**684.00** **3141.00**	**100 gm** **500 gm**
DM 1920	**Gelatin Agar** for cultivation and identification of Vibrio Species. **65.00 gms/litre**	**4519.00**	**500 gm**
DM 1686	**Gelatin Iron Agar** for detecting gelatin liquefaction and hydrogen sulphide production. **159.00 gms/litre**	**4433.00**	**500 gm**
DM 1521	**Gelatin Mannitol Salt Agar (Staphylococcus Agar No. 110)** for selective isolation and differentiation of pathogenic Staphylococci **149.50 gms/litre**	**963.00** **3880.00**	**100 gm** **500 gm**
BA 2020	**Gelatin Peptone, enzymic digestion of gelatin** antibiotic assay media and various used, for fermentation media. **149.50 gms/litre**	**3105.00** **POR**	**500 gm** **2.5 kg**
DM 1921	**Gelatin Phosphate Salt Agar (GPS Agar)** for cultivation and characterization of Vibrio cholerae from food. **40.00 gms/litre**	**4977.00**	**500 gm**
DM 2148	**Gelatin Salt Agar** for cultivation and differentiation of Vibrio species from foods. **65.00 gms/litre**	**4977.00**	**500 gm**
DM 1241	**Gillies Agar No. 1** See **Dextrose Mannitol Agar**	**5067.00**	**500 gm**

❈ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1240	**Gillies Agar No. 2 (Sucrose Salicin Agar)** for detection of motility, hydrogen sulphide and indole production, fermentation of sucrose and salicin during identification of Salmonella and Shigella species. **48.28 gms/litre**	7407.00	100 gm
DM 1584	**Giolitti-Cantoni Broth Base** for selective enrichment of Staphylococcus aureus from suspected foods stuffs. **54.20 gms/litre**	4532.00	500 gm
MS 2047	***Potassium Tellurite 3.5% (1 ml per vial)**	# 730.00	5 vl
DM 1483	**Gluconate Test Medium** for detection of gluconate oxidizing microorganisms. **43.50 gms/litre**	3996.00	500 gm
DM 1982	**Glucose Azide Broth** for the enumeration of faecal Streptococci by MPN technique From water and sewage. **30.28 gms/litre**	4172.00	500 gm
DM 1860	**Glucose Broth** for study of dextrose fermentation where pH indicator is not desired. **20.00 gms/litre**	919.00 3924.00	100 gm 500 gm
DM 1433	**Glucose Cysteine Agar Base w/ Thiamine** with added blood or haemoglobin or hemin, it is used for cultivation and enumeration of Pasteurella tularensis. **58.00 gms/litre**	1081.00 4554.00	100 gm 500 gm
DM 1621	**Glucose Salt Teepol Broth (Twin Pack)** for enrichment of Vibrio parahaemolyticus and marine isolates from food. **48 gms Part of A+4 ml of Part B**	959.00 4464.00	100 gm 500 gm
DM 1621S	**Glucose Salt Teepol Broth (Twin Pack)** for enrichment of Vibrio parahaemolyticus and marine isolates. **48 gms Part of A+4 ml of Part B**	959.00 4464.00	100 gm 500 gm
DM 1989	**Glucose Starch Agar** for detection of Clostridium perfringens with addition of salicin, raffinose and phenol red **68.00 gms/litre**	4428.00	500 gm
DM 1963	**Glucose Yeast Extract Agar** for enumeration and cultivation of Lactobacilli in pharmaceutical preparations. **28.32 gms/litre**	1103.00 4532.00	100 gm 500 gm
DM 1757	**Glucose Yeast Peptone Agar** for isolation of yeasts from soil specimens. **50.00 gms/litre**	4532.00	500 gm
DM 2089	**Glutamate Starch Phenol Red Agar Base** for detection of Pseudomonas and Aeromonas species in foodstuffs waste water and equipments in food industry. **44.86 gms/litre** 100 IU/ml penicillin G, sodium salt ❊ 10 mcg/ml pimariun	4532.00	500 gm
DM 1360	**Glycerol Asparagine Agar Base (ISP Medium No. 5)** See **ISP Medium No. 5** for cultivation of Streptomyces species as per International Streptomyces Project. **22.00 gms/litre + 10 ml glycerol**	1556.00 6354.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
DM 1243	**H Broth** for preparation of "H" antigen, used in the identification and differentiation of Salmonella species. **21.50 gms/litre**	4240.00	500 gm
DM 1590	**Halophilic Agar** for isolation and cultivation of extremely halophilic bacteria. **325.00 gms/litre**	7340.00	500 gm
DM 1591	**Halophilic Broth** for isolation and cultivation of extremely halophilic bacteria. **305.00 gms/litre**	7200.00	500 gm
DM 2252	**Hanahan's Broth (SOB Medium)** for use in cultivation of recombinant strains of Escherichia coli. **28.08 gms/litre**	4455.00	500 gm
BA 2191	**Heart Infusion Powder,** a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity.	3893.00	500 gm
DM 1169	**Heart Infusion Agar** for isolation and cultivation of a wide variety of fastidious organisms. **40.00 gms/litre**	1062.00 4626.00	100 gm 500 gm
DM 1170	**Heart Infusion Broth** for isolation and cultivation of a wide variety of fastidious organisms. **25.00 gms/litre**	1067.00 4671.00	100 gm 500 gm
DM 1467	**Hektoen Enteric Agar** for differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens. **76.67 gms/litre**	972.00 4086.00	100 gm 500 gm
DM 1775	**Hemmes Medium Base** for biochemical differentiation of Salmonella and Shigella species based on dextrose, lactose, sucrose fermentation, motility, hydrogen sulphide, indole and urease production. **42.95 gms/litre**	8290.00	500 gm
MS 2048	***Urea 40% (5 ml per vial)**	##########469.00	5 vl
DM 2158	**Hemorrhagic Coli (HC) Agar** for isolation and enumeration with an enzyme labeled monoclonal antibody of Escherichia coli. **61.13 gms/litre**	5193.00	500 gm
DM 1505	**Herellea Agar** for the selective isolation and differentiation of gram-negative, fermentative and nonfermentative organisms especially for differentiation of organisms of Mima and Herellea group. **62.27 gms/litre**	5193.00	500 gm
DM 2097	**High Plate Count Agar** for obtaining higher colony counts by spread plate or pour plate or membrane filter technique **18.75 gms/litre**	4842.00	500 gm
DM 2218	**High Salt Nutrient Agar** recommended for isolation and cultivation of salt tolerant Vibrio species. **55.00 gms/litre**	3978.00	500 gm
DM 2219	**High Salt Peptone Yeast Extract Agar** recommended for confirmation of Vibrio species. **65.30 gms/litre**	4982.00	500 gm
DM 1717	**Hofer's Alkaline Medium** for selective isolation of Agrobacterium species while inhibiting Rhizobium species from soil samples. **26.82 gms/litre**	1692.00	100 gm

❊ To be added but not provided.
❊ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 2425	**Hottinger Broth** for the cultivation of less fastidious microorganisms and determination of indole in accordance with USSR State Pharmacopoeia. **23.00 gms/litre**	3375.00	100 gm
DM 1015	**Hoyle Medium Base** a highly selective medium used for the isolation and differentiation of Corynebacterium diptheriae types. **40.00 gms/litre**	1103.00 4500.00	100 gm 500 gm
MS 2047	***Potassium Tellurite 3.5% (1 ml per vial)**	730.00	5 vl
DM 1871	**Hugh Leifson Glucose Medium** for differentiation of Staphylococci from Micrococci on the basis of anaerobic fermentation of glucose. **45.52 gms/litre**	1103.00 4500.00	100 gm 500 gm
DM 1826	**Hugh Leifson Medium** for detecting aerobic and anaerobic breakdown of glucose. **19.35 gms/litre**	1103.00 4500.00	100 gm 500 gm
DM 1826S	**Hugh Leifson Medium** for detecting aerobic and anaerobic breakdown of glucose. **20.33 gms/litre**	1121.00 4761.00	100 gm 500 gm
DM 1356	**ISP Medium No. 1 (Tryptone Yeast Extract Broth)** a general purpose medium for not particularly fastidious Microorganisms **8.00 gms/litre**	1395.00 5670.00	100 gm 500 gm
DM 1424	**ISP Medium No. 2 (Yeast Malt Agar) (Y M Agar)** for the isolation and cultivation of yeasts, moulds and other aciduric Microorganisms. **41.00 gms/litre**	1233.00 5040.00	100 gm 500 gm
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	954.00	5 vl
DM 1358	**ISP Medium No. 3** for cultivation and characterization of Streptomyces species as per International Streptomyces Project. **38.00 gms/litre**	1494.00 6111.00	100 gm 500 gm
DM 1359	**ISP Medium No. 4 (Inorganic Salt Starch Agar)** for cultivation and characterization of Streptomyces species as per International Streptomyces Project. **36.50 gms/litre**	1521.00 6273.00	100 gm 500 gm
DM 1360	**ISP Medium No. 5** See **Glycerol Asparagine Agar Base**	1556.00 6354.00	100 gm 500 gm
DM 1361	**ISP Medium No. 6 (Peptone Yeast Extract Iron Agar)** for use as per International Streptomyces Project. **37.58 gms/litre**	1166.00 4770.00	100 gm 500 gm
DM 1362	**ISP Medium No. 7 (Tyrosine Agar)** for isolation and characterization of Streptomyces species as per International Streptomyces project. **23.74 gms/litre**	1206.00 4874.00	100 gm 500 gm
DM 1247	**IUT Medium Base** for cultivation of Mycobacterium tuberculosis. **12.71+** **12 ml Glycerol** Sterile Whole Egg Emulsion	1454.00 6670.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
DM 1364	**Indole Nitrate Medium (Tryptone Nitrate Medium)** for identification of microorganisms by means of nitrate reduction and indole Production. **25.00 gms/litre**	860.00 3492.00	100 gm 500 gm
DM 1246	**Inhibitory Mould Agar, Ulrich (Mould Inhibitory Agar, Ulrich)** for selective isolation of pathogenic fungi. **36.17 gms/litre**	4802.00	500 gm
DM 1723	**Inorganic Salt Medium (Modified Raggios Medium)** for studying soil microorganisms such as Rhizobium species. **4.14 gms/litre**	1103.00 4554.00	100 gm 500 gm
DM 1359	**Inorganic Salt Starch Agar** See **ISP Medium No 4**	1521.00 6273.00	100 gm 500 gm
DM 1574	**Inositol Brilliant Green Bile Agar (Plesiomonas Differential Agar)** for selective isolation of Plesiomonas Shigelloides , and Aeromonas species from faeces and food stuffs. **52.02 gms/litre**	5067.00	500 gm
DM 2161	**Inositol Gelatin Medium** for the cultivation of Plesiomonas shigelloides from foods as per APHA **140.05 gms/litre**	4802.00	500 gm
DM 1615	**Iron Oxidizing Medium (Twin Pack)** for the isolation, cultivation and enrichment of Thiobacillus ferrooxidans. **3.85** gms of Part A + **44.22** gms of Part B ❈ 10 N Sulphuric acid	1116.00 4455.00	100 gm 500 gm
DM 1868	**Iron Sulphite Agar** for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods. **26.00 gms/litre**	1130.00 4644.00	100 gm 500 gm
DM 1622	**Isolation Medium For Iron Bacteria** for the isolation of iron bacteria, especially those belonging to Sphaerotilus-Leptothrix Group. **10.91 gms/litre**	1103.00 4563.00	100 gm 500 gm
DM 1583	**K.R.A.N.E.P. Agar Base** for selective enumeration of total Staphylococci from Foodstuffs. **71.99 gms/litre**	4743.00	100 gm
MS 2045F	***Egg Yolk Emulsion 50% (100 ml per vial)#####**	2700.00	5 vl
DM 1248	**KF Streptococcal Agar Base** for selective isolation and enumeration of faecal Streptococci in surface water by direct plating or by membrane filter method. **76.40 gms/litre**	1099.00 4383.00	100 gm 500 gm
MS 2057	***TTC Solution 1% (10 ml per vial)**	1054.00	5 vl
MS 2093	***Bromo Cresol Purple (15 mg per vial)**	# 693.00	5 vl
DM 1249	**KF Streptococcal Broth Base** for detection and enumeration of faecal Streptococci in waters and examination of faeces and other materials. **57.05 gms/litre**	1013.00 4059.00	100 gm 500 gm
MS 2057	***TTC Solution 1% (10 ml per vial)** ##	#1054.00 #	5 vl

❈ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 2007	**KF Streptococcus Agar w/BCP** for detection and enumeration of faecal Streptococci. **76.41 gms/litre**	1350.00 5454.00	100 gm 500 gm
MS 2057	***TTC Solution 1% (10 ml per vial)**	#1054.00	5 vl
DM 2021	**KF Streptococcus Broth Base w/BCP** for detection and enumeration of faecal Streptococci. **56.41 gms/litre**	9360.00	500 gm
MS 2057	***TTC Solution 1% (10 ml per vial)**	1054.00	5 vl
DM 1658	**KG Agar Base** for promoting fast and free sporulation to distinguish between Bacillus cereus and Bacillus thuringiensis. **19.53 gms/litre**	5090.00	500 gm
MS 2045F	***Egg Yolk Emulsion (100 ml per vial)**	2700.00	5 vl
MS 2003	***Polymyxin B Selective Supplement**	1170.00	5 vl
DM 1510	**Kanamycin Esculin Azide Agar** for selective isolation and identification of group D Streptococci in foodstuffs. **44.67 gms/litre**	3843.00	100 gm
DM 1776	**Kanamycin Esculin Azide Broth** for selective isolation and identification of group D Streptococci in foodstuffs. **32.67 gms/litre**	3619.00	100 gm
DM 2169	**Kaper's Medium** for the enumeration and identification of Aeromonas hydrophilia from foods, as per APHA. **37.92 gms/litre**	4797.00	500 gm
DM 2235	**King's OF Medium Base** for studying oxidation-fermentation of carbohydrates by Campylobacter species. **0.50 gms/litre**	972.00 4050.00	100 gm 500 gm
DM 1078	**Kligler Iron Agar** for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H_2S production. **57.52 gms/litre**	860.00 3492.00	100 gm 500 gm
DM 1078A	**Kligler Iron Agar, Modified** recommended for identification of Yersinia enterocolitica. Also used for differential identification of gram-negative enteric bacilli on the basis of the fermentation lactose and H_2S production. **57.41 gms/litre of dextrose,**	3951.00	500 gm
DM 1078I	**Kligler Iron Agar** for identification of Pseudomonas species. Also used for differential identification of Gram-negative enteric bacilli. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1995, ISO/DIS 13720. **57.70 gms/litre**	3951.00	500 gm
DM 1802	**Kohn Two Tube Medium No. 2** for identification of Enterobacteriaceae on the basis of sucrose and salicin fermentation,motility ,hydrogen sulphide and indole production. **48.12 gms/litre**	7065.00	100 gm

Product Code	Product Name	Price	Packing
DM 1069	**Koser Citrate Medium** to differentiate Escherichia coli and Enterobacter aerogenes on the basis of citrate utilization. **5.70 gms/litre**	873.00 3771.00	100 gm 500 gm
DM 1742	**L.D. Agar** for cultivation and identification of fastidious anaerobic bacteria. **33.22 gms/litre**	2124.00 8514.00	100 gm 500 gm
DM 1743	**L.D. Esculin Agar** for identification of anaerobic bacteria especially Bacteroides species on the basis of esculin Hydrolysis. **34.62 gms/litre**	4960.00 17352.00	100 gm 500 gm
DM 1582	**L.S. Differential Medium Base (Lactobacillus Streptococcus Differential Medium Base)** for differentiation of Lactobacilli and Streptococci on the basis of colonial morphology, TTC reduction and casein reaction. **65.30 gms/litre**	5050.00	500 gm
MS 2057	***TTC Solution 1% (10 ml per vial)**	1054.00	5 vl
DM 1599	**Lactic Agar** for enumeration and identification of lactic Streptococci and Lactobacilli by pour plate method. **63.50 gms/litre**	1692.00	100 gm
DM 2087	**Lactic Bacteria Differential Agar** for differentiation of homofermentative and heterofermentative lactic acid bacteria. **35.55 gms/litre** ❈ Polysorbate 80-1gm/lit	4654.00	500 gm
DM 2086	**Lactic Bacteria Differential Broth** for differentiation of homofermentative and heterofermentative lactic acid bacteria. **20.55 gms/litre** Polysorbate 80-1gm/lit	4370.00	500 gm
DM 1366	**Lactobacilli Agar, AOAC** for carrying the stock cultures used in the microbiological assays of the B vitamins. **48.00 gms/litre**	2196.00	100 gm
DM 1368	**Lactobacilli Broth** See **Elliker Broth**	4221.00	500 gm
DM 1367	**Lactobacilli Broth, AOAC** for preparation of inocula of test bacteria used in microbiological assays of B vitamins. **38.00 gms/litre**	4712.00	500 gm
DM 1927	***Lactobacillus Bulgaricus Agar Base** with acetate buffer for isolation and identification of Lactobacillus bulgaricus. **70.00 gms/litre** ❈ Acetate Buffer -80ml/lit	5081.00	500 gm
DM 2164	***Lactobacillus Heteroferm Screen Broth** See **MRS Broth Modified**	4734.00	500 gm
DM 1035	**Lactobacillus Leichmannii Maintenance Medium** See **B12 Culture Agar**	1900.00	100 gm

❈ To be added but not provided.
❊ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1641	✲**Lactobacillus MRS Agar (MRS Agar)** for isolation and cultivation of Lactobacilli. **67.15 gms/litre**	4203.00	500 gm
DM 1641I	**Lactobacillus MRS Agar (MRS Agar)** for the isolation and enumeration of lactic acid bacteria from meat and meat products. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1995, Draft ISO/DIS 13720. **65.13 gms/litre**	3915.00	500 gm
DM 2180	✲**Lactobacillus Selection Agar Base** for isolation and enumeration of Lactobacilli from foods. **84.73 gms/litre** ❊ Glacial acetate acid - 1.32 ml/lit	5103.00	500 gm
DM 2165	✲**Lactobacillus Selection bile Agar Base (LBS bile Agar)** for the selective isolation, cultivation and enumeration of Lactobacilli. **86.23 gms/litre** ❊ Glacial acetate acid - 1.32 ml/lit	5166.00	500 gm
DM 2166	✲**Lactobacillus Selection Broth Base** for the selective isolation, cultivation and enumeration of Lactobacilli from foods. **69.73 gms/litre** ❊ Glacial acetate acid - 1.32 ml/lit	4563.00	500 gm
DM 2081	**Lactose Blue Agar** See **BTB Lactose Agar,Modified**	4977.00	500 gm
DM 2003	**Lactose Broth** for the detection of coliform bacteria in water, foods, dairy products as per Standard Methods. **13.00 gms/litre**	594.00 2673.00	100 gm 500 gm
DM 2003S	**Lactose Broth** for the detection of coliform bacteria in water, foods, dairy products. **13.00 gms/litre** ❊ Bromocresol purple solution - 3 ml/lit	711.00 2853.00	100 gm 500 gm
DM 2003E	**Lactose Monohydrate Broth (Broth Medium D)** for detection of coliform bacteria in water, foods, dairy products in accordance with E.P. **12.75 gms/litre**	900.00 4104.00	100 gm 500 gm
DM 1628	**Lactose Gelatin Medium** for the detection of Clostridium species from food samples. **135.00 gms/litre**	4420.00	500 gm
DM 1987	**Lactose Gelatin Medium, Modified** for detection and presumptive identification of Clostridium perfringens from foods,as per AOAC. **160.05 gms/litre**	4420.00	500 gm
DM 1987I	**Lactose Gelatin Medium, Modified** recommended for detection and enumeration of Clostridium perfringens from foods samples. **15.50 gms/litre**	4420.00	500 gm
DM 1080	**Lauryl Sulphate Broth (Lauryl Tryptose Broth)** for detection and enumeration of coliform bacteria in water, wastewater, dairy products and other foods samples. **35.60 gms/litre**	693.00 3173.00 6012.00 POR	100 gm 500 gm 1 kg 2.5 kg
DM 2070	**Lauryl Tryptose Mannitol Broth w/Tryptophan** a single tube medium used for confirmation of Escherichia coli in drinking water. **35.80 gms/litre**	4563.00	500 gm

Product Code	Product Name	Price	Packing
DM 1180	**Lead Acetate Agar** for detection of hydrogen sulphide producing enteric bacteria. **36.28 gms/litre**	4644.00	500 gm
DM 1602	**Lee's Agar** for differential enumeration of yogurt starter bacteria (Lactobacillus bulgaricus, Streptococcus thermophilus). **51.52 gms/litre**	4644.00	500 gm
DM 1809	**Legionella Agar Base** with addition of supplements it is used for cultivation of Legionella species. **37.00 gms/litre**	5225.00	100 gm
MS 2016A	✲**Legionella Growth Supplement (Twin Pack)**####	1004.00	5 vl
MS 2017	✲**Legionella Selective Supplement**	#1170.00	5 vl
MS 2041A	✲**Legionella Supplement (Twin Pack)**	1134.00	5 vl
DM 1809A	**Legionella Agar Base** with addition supplements it is used for cultivation of Legionella species. **25.00 gms/litre**	3699.00	500 gm
MS 2142	✲**Legionella Growth Supplement (BCYE)**	#1800.00	5 vl
MS 2143	✲**Legionella (GVPC) Selective Supplement**	1296.00	5 vl
MS 2144	✲**Legionella (BMPA) Selective Supplement**	1386.00	5 vl
MS 2206	✲**Legionella Growth w/o L-Cysteine**	1612.00	5 vl
MS 2242	✲**Legionella Selective Supplement (GVPN)**	1540.00	5 vl
DM 2399	**Legionella Enrichment Broth Base** with addition of supplements it is used for cultivation of Legionella species. **27.50 gms/litre**	4860.00	100 gm
MS 2016A	✲**Legionella Growth Supplement (Twin Pack)**	1004.00	5 vl
DM 2009	**Leptospira Medium Base** for cultivation and maintenance of Leptospira species. **2.56 gms/litre**	1081.00 4433.00	100 gm 500 gm
MS 2066	✲**Leptospira Enrichment Supplement**	#2039.00	5 vl
DM 1239	**Leptospira Medium Base, Fletcher** See **Fletcher Leptospira Medium Base**	1116.00 4892.00	100 gm 500 gm
DM 1414	✲**Letheen Agar** to determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538. **32.00 gms/litre**	5504.00	500 gm
DM 1946	✲**Letheen Agar, Modified (Modified Letheen Agar)** for screening cosmetic products for microbial Contamination. **54.10 gms/litre**	5607.00	500 gm
DM 1165	✲**Letheen Broth, AOAC** for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538. **25.70 gms/litre**	5225.00	500 gm
DM 1976	✲**Letheen Broth, Modified (Modified Letheen Broth)** for screening cosmetic products for microbial contamination. **42.80 gms/litre**	5140.00	500 gm

❊ To be added but not provided.
✲ On receipt store between 2 - 8°C
✶ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1472	**Levinthal's Medium Base** for cultivation of Haemophilus species. **45.00 gms/litre**	4761.00	500 gm
DM 1569	**Listeria Enrichment Broth (Twin Pack)** for selective enrichment of Listeria monocytogenes from clinical specimens. **26.00** gms Part of A + **37.50** gms Part of B	4487.00	500 gm
DM 1888	❊**Listeria Enrichment Broth, Modified** for selective enrichment of Listeria species. **51.98 gms/litre**	1639.00 7525.00	100 gm 500 gm
DM 1890A	❊**Listeria Enrichment Medium Base (UVM)** for selective isolation and cultivation of Listeria monocytogenes from clinical specimens. **54.35 gms/litre**	1639.00 7525.00	100 gm 500 gm
MS 2136	***Listeria UVM Supplement I**	1067.00	5 vl
MS 2137	***Listeria UVM Supplement II**	1067.00	5 vl
DM 2215	**Listeria Motility Medium** recommended for testing motility of Listeria monocytogenes. **29.60 gms/litre**	4487.00	500 gm
DM 1114	**Litmus Lactose Agar** for differentiation of lactose fermenting and lactose nonfermenting microorganisms. **29.00 gms/litre**	4797.00	500 gm
DM 1609	**Litmus SM Broth** for maintenance of Lactobacilli and for determining the action of bacteria on milk **101.00 gms/litre**	927.00 3924.00	100 gm 500 gm
DM 1373	**Littman Oxgall Agar Base** for primary isolation of pathogenic fungi. **55.01 gms/litre** ❊ Sterile streptomycin - 30 mcg/ml	4797.00	500 gm
DM 1663	**Littman Oxgall Broth Base** for selective enrichment and cultivation of pathogenic fungi. **35.01 gms/litre**	4487.00	500 gm
BA 2326	**Liver Extract Powder** for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, Steroids,enzymes etc.	2844.00	500 gm
BA 2023	**Liver Hydrolysate,** an ideal ingredient of culture media used for the cultivation of fastidious Anaerobic bacteria.	2817.00	500 gm
DM 1162	**Lowenstein Jensen Medium Base** (L.J. Medium) for isolation and cultivation of Mycobacterium species. **37.24 gms/litre** ❊ Egg emulsion base - 1000 ml ➤ Glycerol - 12 ml/lit	864.00 3564.00	100 gm 500 gm
MS 2053	***Gruft Mycobacterial Supplement**	1233.00	5 vl
DM 1557	**Luria Agar** for routine cultivation and estimation of not particularly fastidious microorganisms. **35.00 gms/litre**	4131.00	500 gm
DM 2151	**Luria Bertani Agar, Miller** for the cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies, may be used for routine isolation and cultivation of not particularly fastidious microorganisms. **40.00 gms/litre**	864.00 3807.00 7750.00 POR	100 gm 500 gm 1 kg 2.5 kg

Product Code	Product Name	Price	Packing
DM 2245	**Luria Bertani Broth, Miller** for the cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular biology studies; may be used for routine cultivation and estimation of not particularly fastidious Microorganisms. **25.00 gms/litre**	3375.00 7632.00	500 gm 1 kg
DM 1575	**Luria Broth** for the cultivation and maintenance of recombinant strains of Escherichia coli **20.00 gms/litre**	3996.00	500 gm
DM 2230	**Lysine Arginine Iron (LAI) Agar** for the isolation and presumptiveidentification of Yersinia species from milk and milk products. **44.56 gms/litre**	3591.00	100 gm
DM 1376	**Lysine Decarboxylase Broth** for differentiating Salmonella arizonae from the Bethesda Ballerup group of Enterobacteriaceae. **14.02 gms/litre** ❊ Sterile mineral oil	905.00 3699.00	100 gm 500 gm
DM 1376I	**Lysine Decarboxylase Broth w/o Peptone** recommended for distinguishing the Salmonella arizonae from the Bethesda Ballerup group of Enterobacteriaceae. **9.01 gms/litre** ❊ Sterile mineral oil	905.00 3699.00	100 gm 500 gm
DM 1377	**Lysine Iron Agar** for differentiation of enteric organisms espeically Salmonella arizonae, based on their ability to decarboxylate or deaminate lysine and to form Hydrogen sulphide (H_2S). **34.56 gms/litre**	829.00 3430.00	100 gm 500 gm
DM 1845	**Lysine Iron Cystine Broth Base** for rapid presumptive detection of Salmonellae in foods, food ingredients and feed materials. **25.72 gms/litre**	950.00 4150.00	100 gm 500 gm
MS 2101	***Novobiocin Selective Supplement**	1540.00	5 vl
DM 1330	**Lysine Lactose Broth** for determination of lysine decarboxylase activity of lactose nonfermenting members of Enterobacteriaceae especially Salmonellae. **24.02 gms/litre**	4150.00	500 gm
DM 1642	**Lysine Medium Base** for isolation and enumeration of wild yeasts in pitching yeasts. **66.27 gms/litre**	1062.00 4383.00	100 gm 500 gm
MS 2123	***50% Potassium Lactate (10 ml per vial)**	1386.00	5 vl
DM 1846	❊**M-Broth** for detecting Salmonellae in foods and feeds by the accelerated enrichment Serology procedures. **36.23 gms/litre**	3564.00	100 gm
DM 2119	**M-Azide Broth Base** for the cultivation and enumeration of Enterococci from water samples by membrane filter Technique. **156.40 gms/litre**	5994.00	500 gm
MS 2057	***TTC Solution 1% (10 ml per vial)**	1054.00	5 vl
DM 2130	**M-BCG Yeast and Mould Broth** for the detection of fungi in routine analysis of beverages using membrane filter technique **73.23 gms/litre**	4487.00	500 gm

❊ To be added but not provided.
❊ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Price	Packing
DM 2101	**M-Bismuth Sulphite Broth** for selective detection of Salmonellae by the membrane filter technique. **64.65 gms/litre**	4487.00	500 gm
DM 2102	**M-Brilliant Green Broth** for selective differentiation for primary screening of Salmonellae in polluted water using membrane filter technique. **76.19 gms/litre**	4487.00	500 gm
DM 2105	**M-EMB Broth** for the detection of members of the coliform group by the membrane filter technique. **84.33 gms/litre**	4487.00	500 gm
DM 2106	**M-Endo Agar LES** for enumeration of coliforms in water using a two step membrane filter technique. **51.05 gms/litre**	1166.00 4743.00	100 gm 500 gm
DM 2107	**M-Endo Broth** for estimation of coliforms in water samples using membrane filter technique. **61.50 gms/litre**	1067.00 4420.00	100 gm 500 gm
DM 2103	**M-Endo Broth (MF Endo Medium)** **M-Coliform Broth** for the enumeration of coliform bacteria in water samples using one step membrane filter technique. **48.05 gms/litre**	4420.00	500 gm
DM 2109	**M-Enrichment Broth** for enumeration of bacteria by membrane filter technique and preliminary enrichment of organisms on membrane filter prior to using selective media. **54.00 gms/litre**	5940.00	500 gm
DM 2108	**✲M-Enterococcus Agar Base** for isolation and enumeration of Enterococci in water, sewage, food and other materials by membrane filter technique as well as direct plating of specimens. **41.50 gms/litre**	4743.00	500 gm
DM 2048	**✲M-Enterococcus Agar Base, Modified** for recovery of Enterococci in water samples using membrane filter technique, along with Esculin Iron Agar for identification. **71.45 gms/litre**	3591.00	100 gm
MS 2057	***TTC solution 1% (10 ml per vial)**	1054.00	5 vl
DM 2123	**M-(HPC) Heterotrophic Plate Count Agar Base** for enumeration of heterotrophic microorganisms from water samples using membrane filter Technique. **60.00 gms/litre** ❈ Glycerol - 10ml/lit	4797.00	500 gm
DM 2110	**M-HD Endo Broth** for detection of coliforms in water samples by membrane filter technique. **57.14 gms/litre**	4487.00	500 gm
DM 2118	**M-HD Endo Broth w/BG** for detection of coliforms in highly polluted waters using membrane filter technique. **56.44 gms/litre**	4487.00	500 gm

Product Code	Product Name	Price	Packing
DM 2023	**M-Lauryl Sulphate Broth** for enumeration of Escherichia coli in water using membrane filter technique. **76.20 gms/litre**	4487.00	500 gm
DM 2023I	**M-Lauryl Sulphate Broth** recommended for enumeration of Escherichia coli and coliforms in water using membrane filter technique. **77.20 gms/litre**	4487.00	500 gm
DM 2126	**M-Nutrient Broth** for enumeration of bacteria using membrane filter technique. **46.00 gms/litre**	4212.00	500 gm
DM 2121	**M-PA Agar Base** for detection and isolation of Pseudomonas aeruginosa by membrane filter technique. **39.68 gms/litre**	4689.00	500 gm
MS 2202	***M-PA Selective Supplement**	1593.00	5 vl
DM 2113	**M-Slanetz Enterococcus Broth Base** for isolation and detection of Enterococci using membrane filter technique. **156.40 gms/litre**	4487.00	500 gm
MS 2057	***TTC Solution 1% (10 ml per vial)**	1054.00	5 vl
DM 2114	**M-Standard Methods Broth** for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique. **17.00 gms/litre**	4487.00	500 gm
DM 2120	**M-Staphylococcus Broth** for detection and isolation of Staphylococci by membrane filter technique. **104.55 gms/litre**	3987.00	500 gm
DM 2115	**M-Tetrathionate Broth Base** for selective enrichment of Salmonellae using membrane filter technique. **36.00 gms/litre**	4455.00	500 gm
DM 2116	**M-Tryptone Glucose Extract Broth** for determination of bacterial count in milk and other samples in dairy sanitization by membrane filter technique. **18.00 gms/litre**	4455.00	500 gm
DM 1929	**M17 Agar Base** for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages. **33.25 gms/litre** ❈ Disodium ß-Glycerophosphate - 19 gm/Litre	4797.00	500 gm
DM 2019	**M17 Agar w/o Lactose** on addition of lactose, this medium can be used for cultivation and isolation of lactic Streptococci. **48.25 gms/litre**	4797.00	500 gm
DM 2029	**M17 Broth** for cultivation and isolation of lactic Streptococci and their bacteriophages. **42.25 gms/litre**	1134.00 4703.00	100 gm 500 gm
DM 2063	**M17 Agar w/ Glycerophosphate** for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages. **52.25 gms/litre**	4770.00	100 gm

❈ To be added but not provided.
✲ On receipt store between 2 - 8°C
* Store below 8°C

Product Code	Product Name	Price	Packing
DM 1858	**M2 Agar** a semisynthetic culture medium used as a general purpose plate count Agar. **40.15 gms/litre** ❈ Glycerine - 13ml/lit	4532.00	500 gm
DM 1378	**MIO Medium (Motility Indole Ornithine Medium)** for the identification of Enterobacteriaceae on the basis of motility, indole production and ornithine decarboxylase activity. **31.02 gms/litre**	4455.00	500 gm
DM 2076	**MIU Medium Base** for detection of motility, urease and indole production. **18.00 gms/litre**	4941.00	500 gm
MS 2048	***Urea 40% (5 ml per vial)**	469.00	5 vl
DM 1379	**MOF Medium (Marine Oxidation Fermentation Medium)** for differentiation of marine bacteria on the basis of fermentative and oxidative Metabolism of carbohydrates. **22.14 gms/litre**	4941.00	500 gm
DM 1070S	**MR-VP Medium (Buffered Glucose Broth)** for performance of Methyl Red and Voges Proskauer tests in differentiation of coli-aerogenes group. **15.00 gms/litre**	693.00 2961.00	100 gm 500 gm
DM 1641	❈**MRS Agar** See Lactobacillus MRS Agar	4203.00	500 gm
DM 2163	❈**MRS Agar, Modified** (Lactobacilli Heteroferm Screen Agar) for isolation and cultivation of Lactobacillus species from salad dressings **62.19 gms/litre**	5193.00	500 gm
DM 1594	**MY 40 Agar (Osmophilic Agar)** for detection and isolation of osmophilic microorganisms from food samples. **445.00 gms/litre**	4941.00	500 gm
DM 2168	**MY 40G Agar (Osmophilic Glucose Agar)** for isolation and cultivation of osmotolerant microorganisms from foods. **427.00 gms/litre**	5103.00	500 gm
DM 1082	**MacConkey Agar w/o CV, NaCl w/0.5% Sodium Taurocholate** for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram-positive organisms. **55.04 gms/litre**	783.00 3443.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1082A	**MacConkey Agar w/o CV, NaCl w/ 0.5% Bile Salts** for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram-positive organisms. **47.00 gms/litre**	3555.00	500 gm

Product Code	Product Name	Price	Packing
DM 1081	**MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl** for selective solation and differentiation of coliform organisms and other enteric pathogens. **51.53 gms/litre**	747.00 3366.00	100 gm 500 gm
DM 1081A	**MacConkey Agar w/ CV, NaCl and 0.15% Bile Salts** to identify Enterobacteriaceae in the presence of coliforms and lactose nonfermenters from water, sewage, food products etc. **51.55 gms/litre**	3430.00	500 gm
DM 1081H	**MacConkey Agar (Agar Medium H)** MacConkey Agar is recommended for selective isolation and differentiation of coliforms from pharmaceutical products in accordance with the microbial limit testing by harmonised methodology of USP/EP/BP/JP. **49.53 gms/litre**	747.00 3366.00	100 gm 500 gm
DM 1008	**MacConkey Agar w/o CV w/ 0.15% Bile Salts** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. **51.53 gms/litre**	684.00 3033.00	100 gm 500 gm
DM 1008B	**MacConkey Agar w/o CV, w/ 1.2% Agar** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. **48.53 gms/litre**	3430.00	500 gm
DM 1008A	**MacConkey Agar w/o CV, w/ 0.5% Bile Salts** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. **52.00 gms/litre**	3430.00	500 gm
DM 1008E	**MacConkey Agar Medium** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria and also isolation for faecal Streptococci. **55.37 gms/litre**	3430.00	500 gm
DM 1008S	**MacConkey Agar** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. **55.07 gms/litre**	734.00 3294.00	100 gm 500 gm
DM 1061	**MacConkey Agar w/ Bromo Thymol Blue** for detection of lactose fermenting enteric bacteria. **51.53 gms/litre**	963.00 3861.00	100 gm 500 gm
DM 2024	**MacConkey Agar Base** for studying carbohydrate fermentation reactions of coliforms by adding carbohydrates either individually or in combination. **40.00 gms/litre**	3492.00	500 gm
DM 1051	**MacConkey Agar, Modified** for isolation of Klebsiella species from water samples. **50.00 gms/litre**	3101.00	100 gm
DM 1007	**MacConkey Broth w/Neutral Red** for selective enrichment and enumeration of coliforms. **40.07 gms/litre**	675.00 2872.00	100 gm 500 gm

❈ To be added but not provided.
❈ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1007S	**MacConkey Broth w/ Neutral Red** for selective enrichment and enumeration of coliforms, **40.07 gms/litre**	711.00 2997.00	100 gm 500 gm
DM 1539	**MacConkey Broth (Double Strength) W/Neutral Red** for primary isolation of coliforms from large samples such as water or waste water. **80.15 gms/litre**	603.00 2736.00	100 gm 500 gm
DM 1539S	**MacConkey Broth (Double Strength) w/ Neutral Red** for primary isolation of coliforms from large samples such as water or waste water. **80.14 gms/litre**	873.00 3582.00	100 gm 500 gm
DM 1083	**MacConkey Broth Purple w/BCP)** for the presumptive identification of coliforms from variety of specimens such as water,milk, and food etc. **40.01 gms/litre**	653.00 2872.00	100 gm 500 gm
DM 1083I	**MacConkey Broth Purple w/BCP** recommended for presumptive identification of coliforms from water. **40.01 gms/litre**	693.00 3042.00	100 gm 500 gm
DM 1083S	**MacConkey Broth Purple w/ BCP** for presumptive identification of coliforms from variety of specimens such as water, milk and food etc. **40.02 gms/litre**	693.00 3042.00	100 gm 500 gm
DM 1796	**MacConkey Broth Purple (DoubleStrength) w/BCP** for the presumptive identification of coliforms from large samples. **80.00 gms/litre**	873.00 3582.00	100 gm 500 gm
DM 1298	**MacConkey Sorbitol Agar** See **Sorbitol Agar** for isolation and identification of enteropathogenic Escherichia coli strains associated with infant diarrhoea. **50.03 gms/litre**	1323.00 5360.00	100 gm 500 gm
DM 1777	**Maintenance (SCY) Medium** for the maintenance of iron bacteria. **12.26 gms/litre** ❊ Cyanocobalamin - 0.01 mg/Litre	7047.00	500 gm
DM 1418	**Maintenance Medium for B. subtilis ATCC 6633** for maintenance of Bacillus subtilis ATCC 6633, used as the test organism formicrobiological assay of antibiotics. **30.50 gms/litre**	1692.00	100 gm
DM 2266	**Malachite green Broth** for selective enrichment of Pseudomonas Aeruginosa. **25.13 gms/litre**	3582.00	500 gm
DM 1382	**Malonate Broth** for differentiation of Enterobacter and Escherichia on the basis of malonate utilization. **8.02 gms/litre**	4712.00	100 gm
DM 1779	**Malonate Broth, Ewing Modified** for differentiation of members of Enterobacteriaceae on the basis of malonate Utilization. **9.27 gms/litre**	5081.00	100 gm

Product Code	Product Name	Price	Packing
DM 1253	**Malt Agar** for detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also for carrying stock cultures of yeasts and Moulds. **45.00 gms/litre**	1422.00 5702.00	100 gm 500 gm
BA 2004	**Malt Extract Powder** ideally suitable for use in media for cultivation of fungi.	2912.00	500 gm
BC 2004	**Malt Extract Certified,** ideally suitable for use in media for cultivation of fungi.	5391.00	500 gm
DM 1137	**Malt Extract Agar Base (Malt Extract Agar w/Mycological Peptone)** for detection, isolation and enumeration of yeasts and moulds. **50.00 gms/litre**	5607.00	500 gm
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	954.00	5 vl
DM 1995	**Malt Extract Agar Base, Modified as per Thom and Church** for isolation and cultivation of yeasts and moulds. **31.28 gms/litre** ❊ Glycerol - 2.35 gm/Litre	5850.00	500 gm
DM 1255	**Malt Extract Broth Base** for detection and enumeration of yeasts, moulds and aciduric microorganisms. **20.00 gms/litre**	5373.00	500 gm
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	954.00	5 vl
DM 2128	**Malt Extract Broth, Modified as per Thom and Church** for cultivation and enumeration of yeasts and moulds and to check sterility to detect presence of these organisms. **15.00 gms/litre**	5504.00	500 gm
BA 2569	**D(+) Maltose, Monohydrate,** Extra pure NRC grade, for vaccine production	797.00 3645.00	100 gm 500 gm
DM 2071	**Mannitol Lysine Agar** for selective isolation of Salmonellae other than Salmonella serotype Typhi and Salmonella serotype Paratyphi A. **49.02** gms/litre	4874.00	500 gm
DM 1118	**Mannitol Salt Agar Base** for selective isolation of pathogenic **Staphylococci.** **111.02 gms/litre**	810.00 3259.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1383	**Mannitol Salt Broth** for selective isolation of presumptive pathogenic Staphylococci. **96.02** gms/litre	1099.00 4420.00	100 gm 500 gm
DM 2534	**Mannitol Selenite Broth (Selenite Mannitol Broth) (Twin Pack)** for selective enrichment of Salmonellae from clinical materials. **19.00 gms** of Part A **+ 4 gms** of Part B	5500.00	500 gm

❊ To be added but not provided.
✲ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 2537	**Mannitol Selenite Broth w/ Brilliant Green (Twin Pack)** for enrichment of Salmonellae from faeces, foodstuffs and other materials. **23.75** of Part A **+ 4** of Part B	5391.00	500 gm
DM 1384	**Marine Agar 2216 (Zobell Marine Agar)** for isolation and enumeration of heterotrophic marine bacteria. **55.25** gms/litre	900.00 4064.00	100 gm 500 gm
DM 1385	**Marine Broth 2216 (Zobell Marine Broth)** for cultivation of heterotrophic marine bacteria. **40.25** gms/litre	900.00 4064.00	100 gm 500 gm
DM 1379	**Marine Oxidation Fermentation Medium** See MOF Medium for differentiation of marine bacteria on the basis of fermentative and oxidative metabolism of carbohydrates. **22.14** gms/litre	4941.00	500 gm
DM 2030	**Maximum Recovery Diluent** a protective and isotonic diluent used for maximal recovery of microorganisms. **9.50** gms/litre	3727.00	500 gm
BA 2274	**Meat Extract Paste** for use in microbial culture media.	1197.00	500 gm
BA 2002	**Meat Extract Powder** refined for use in microbial culture media	2300.00 POR	500 gm 2.5 kg
BC 2002	**Meat Extract, Certified** for the maximum recovery and growth of a wide variety of microorganisms.	4095.00	500 gm
BA 2003	**Meat Extract Powder** used in general purpose and diagnostic media preparations	2644.00	500 gm
BC 2003	**Meat Extract, Certified** replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological preparations.	4752.00	500 gm
DM 1806	**Meat Extract Agar** for routine cultivation of non fastidious bacteria. **33.00 gms/liter**	1103.00 4563.00	100 gm 500 gm
DM 1807	**Meat Extract Broth** for routine cultivation of non fastidious bacteria. **18.00 gms/liter**	4487.00	500 gm
BA 2192	**Meat Infusion Powder** a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.	2844.00	500 gm
BA 2635	**Meat Peptone** for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.	2763.00	500 gm
BA 3049	**Meat Peptone Type P** peptone from meat (peptic) is obtained by proteolytic digestion of meat with pepsin.	3731.00	500 gm
BA 3050	**Meat Peptone Type T** peptone from meat (peptic) is obtained by proteolytic digestion of meat with trypsin.	3889.00	500 gm

Product Code	Product Name	Price	Packing
DM 1917	**Mehlman's Maintenance Medium** for maintenance of Campylobacter **38.02 gms/litre** ❈ Sodium sulphite solution - 2.5%	4532.00	500 gm
DM 1132	**Micro Vitamin Test Culture Agar** for cultivation and maintenance of stock cultures of Lactobacilli used in microbiological assays of vitamins. **52.10** gms/litre	1323.00	100 gm
DM 1133	**Micro Vitamin Test Inoculum Broth** for preparation of inocula of Lactobacilli used in microbiological assays of vitamins. **37.10 gms/litre**	1279.00	100 gm
DM 1197	**Middlebrook 7H9 Agar Base A** for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis. **19.69** gms/litre	4644.00	500 gm
MS 2018	***Middlebrook OADC Growth Supplement**	2592.00	5 vl
DM 1198	**Middlebrook 7H9 Broth Base** for cultivation and sensitivity testing of Mycobacterium tuberculosis. **4.69 gms/litre**	4554.00	500 gm
MS 2019	***Middlebrook ADC Growth Supplement**	2534.00	5 vl
DM 1199	**Middlebrook 7H10 Agar Base** for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis. **19.47** gms/litre	4644.00	500 gm
MS 2018	***Middlebrook OADC Growth Supplement**	2592.00	5 vl
DM 1196	**Middlebrook 7H10 Agar Base, Special** for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis. **19.49** gms/litre	4644.00	500 gm
MS 2018	***Middlebrook OADC Growth Supplement**	#2592.00	5 vl
DM 1511	**Middlebrook 7H11 Agar Base** for isolation, cultivation and sensitivity testing of Mycobacteria. **20.49** gms/litre	4644.00	500 gm
MS 2018	***Middlebrook OADC Growth Supplement**	2592.00	5 vl
DM 1511A	**Middlebrook 7H11 Agar Base w/o Malachite Green** for isolation, cultivation and determination of antimicrobial susceptibility of Mycobacteria. **20.50** gms/litre	4644.00	500 gm
MS 2018	***Middlebrook OADC Growth Supplement**	2592.00	5 vl
DM 2273	**Modified Pseudomonas selective w Cetrimide Agar (Twin Pack)** recommended for detection and enumeration of Pseudomonas aeruginosa in water. **26.4 gms Part B +133.33 gms of Part A**	5166.00	500 gm
DM 2273S	**Modified Pseudomonas selective w Cetrimide Agar (Twin Pack)** for detection and enumeration of Pseudomonas aeruginosa in water. **19.80 gms** of Part B **+ 100** gms of Part A	1252.00 5211.00	100 gm 500 gm
DM 1661	**Modified Salt Agar Base for Strectococci** for selective isolation and cultivation of Staphylococci. **88.00** gms/litre	4780.00	500 gm
DM 2151	**Miller Luria Bertani Agar** See Luria Bertani Agar, Miller	864.00 4086.00 7750.00 POR	100 gm 500 gm 1 kg 2.5 kg

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 2245	**Miller Luria Bertani Broth** See Luria Bertani Broth, Miller	3375.00 7632.00	500 gm 1 kg
DM 1512	**Minimal Agar** for isolation and characterization of nutritional mutants of Escherichia coli. **26.60** gms/litre	4977.00	500 gm
DM 1389	**Minimal Broth, Davis** for isolation and characterization of nutritional mutants of Escherichia coli. **11.60** gms/litre	4464.00	500 gm
DM 1390	**Minimal Broth, Davis w/o Dextrose** for isolation and characterization of nutritional mutants of Escherichia coli. **10.60** gms/litre ❈ Dextrose solution - 10%	4617.00	500 gm
DM 2254	**Minimum Salts w/ Casein Acid Hydrolysate** for the cultivation of Escherichia coli strains used for genetic and molecular studies. **19.54** gms/litre ❈ Glucose solution - 20% ❈ Magnesium sulphate - 0.1M ➢ Calcium chloride - 1.0 M	4527.00	500 gm
DM 1259	**Mitis Salivarius Agar Base** for isolation of Streptococci from mixed cultures, especially Streptococcus mitis, Streptococcus salivarius and Enterococcus faecalis. **90.07** gms/litr	4780.00	500 gm
MS 2052	***Potassium Tellurite 1% (1ml per vial)**	675.00	5 vl
DM 2236	**Modified AEA Sporulation Medium Base** for early sporulation of Clostridium perfringens from foods. **26.31** gms/litre Raffinose- 0.6 ml/litre, Sodium carbonate - 0.66 M, ❈ Cobalt chloride- 0.32 %, Sodium ascorbate- 1.5%	4519.00	500 gm
DM 2150	**Modified Bile Esculin Azide Agar** for selective isolation and enumeration of group D Streptococci. **56.25** gms/litre	5643.00	500 gm
DM 2085	**Modified Differential Clostridial Broth** for enumeration of Clostridia from food stuffs and other samples by the MPN technique. **27.50** gms/litre	4802.00	500 gm
DM 2237	**Modified Duncan Strong (DS) Medium** for isolation and differentiation of Clostridium perfringens from otherClostridia from foods on the basis of raffinose fermentation. **34.00** gms/litre	8487.00	500 gm
DM 2045	***Modified Fungal Agar Base** **(Modified Inhibitory Mold Agar Base)** for estimation of moulds in cosmetics and toileteries. **54.46** gms/litre ❈ Polysorbate 80 - 20 ml/litre	4644.00	500 gm
DM 1946	❈**Modified Letheen Agar** See Letheen Agar, Modified	5607.00	500 gm
DM 1976	❈**Modified Letheen Broth** See Letheen Broth, Modified	5140.00	500 gm
DM 1723	**Modified Raggios Medium** See Inorganic Salt Medium	1103.00 4554.00	100 gm 500 gm
DM 2137	**Modified Rappaport Vassiliadis Medium** for selective enrichment of Salmonellae from food and environmental specimens. **30.03** gms/liter	4653.00	500 gm

Product Code	Product Name	Price	Packing
DM 2137I	**Modified Rappaport Vassiliadis Medium** recommended for the isolation of Salmonella species from food and environmental specimens **30.07** gms/liter	4653.00	500 gm
DM 1600	❈**Modified Rogosa Agar (M16 Agar)** for cultivation, enumeration of lactic Streptococci used in manufacturing of cheddar cheese. **36.00** gms/litre	4644.00	500 gm
DM 2213	**Modified Skim Milk Agar** recommended for cultivation and enumeration of Microorganisms encountered in dairy industry. **24.50** gms/litre	5067.00	500 gm
DM 1637	**Modified V.P. Broth** for performing VP test of Bacillus cereus from food samples. **17.00** gms/litre	4194.00	500 gm
DM 1393	**Moeller Decarboxylase Broth Base** See Decarboxylase Broth Base, Moeller	2331.00 9540.00	100 gm 500 gm
DM 1689	**Moeller Decarboxylase Broth w/Arginine HCl** for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride. **20.52** gms/litre	3290.00	100 gm
DM 1687	**Moeller Decarboxylase Broth w/Lysine HCl** for differentiaton of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride. **20.52** gms/litre	3290.00	100 gm
DM 1688	**Moeller Decarboxylase Broth w/Ornithine HCl** for differentiation of bacteria on the basis of their ability to decarboxylate L-Orinithine hydrochloride **20.52** gms/litre.	3420.00	100 gm
DM 1246	❈**Mould Inhibitory Agar, Ulrich** See **Inhibitory Mould Agar, Ulrich**	4802.00	500 gm
DM 1474	**Monsur Medium Base** for selective isolation and differentiation of Vibrio cholerae and other Vibrios from pathological samples. **71.00** gms/litre	1103.00 4712.00	100 gm 500 gm
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	675.00	5 vl
DM 1847	**Motility-Indole-Lysine Medium** **(MIL Medium)** for identification of members of Enterobacteriaceae on the basis of motility, lysinedecarboxylase, lysine deaminase and indole production. **36.52** gms/litre	1017.00 4370.00	100 gm 500 gm
DM 1514	**Motility Medium S Base** for easy detection of bacterial motility by means of TTC reduction. **60.00** gms/litre	4050.00	500 gm
MS 2057	***TTC Solution 1% (10ml per vial)**	1054.00	5 vl
DM 1630	**Motility Nitrate Medium, Buffered** for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test. **19.50** gms/litre ❈ Glycerol - 5 ml/litre	4842.00	500 gm
DM 1630I	**Motility Nitrate Medium, Buffered** recommended for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test. **19.50** gms/litre	4842.00	500 gm

❈ To be added but not provided.
❈ On receipt store between 2 - 8°C
★ Store below 8°C ➢ If required use

Product Code	Product Name	Price	Packing
DM 1515	**Motility Sulphide Medium** for detection of motility and hydrogen sulphide production by pure cultures. **104.40** gms/litre	4428.00	500 gm
DM 1260	**Motility Test Medium** for detection of bacterial motility. **20.00** gms/litre	4203.00	500 gm
DM 1930	**Motility Test Medium (Edwards and Ewing)** for testing motility of enteric bacteria. **22.00** gms/litre	4563.00	500 gm
DM 1930S	**Motility Test Medium (Edwards and Ewing)** for testing motility of enteric bacteria. **22.00** gms/litre	1134.00 4644.00	100 gm 500 gm
DM 1173	**Mueller Hinton Agar** for determination of susceptibility of microorganisms to antimicrobial agents. **38.00** gms/litre	891.00 3600.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1391	**Mueller Hinton Broth** to determine the susceptibility of bacteria to Sulphonamides by the tube dilution method. **21.00** gms/litre	1009.00 4343.00	100 gm 500 gm
DM 1876	**Mueller Kauffman Tetrathionate Broth Base** for improved enrichment and isolation of Salmonellae. **82.05** gms/litre	783.00 3105.00	100 gm 500 gm
DM 1977	**Mutans-Sanguis Agar** for differentiation of Streptococcus mutans and Streptococcus sanguinis associated with oral microflora. **98.10** gms/litre	4595.00	500 gm
DM 1475	❊**Mycobio Agar** See **Fungobiotic Agar**	7525.00	100 gm
DM 1094	**Mycological Agar** See **Fungal Agar**	4842.00	500 gm
DM 2422	**Mycological Agar, Modified** for cultivation of fungi. **36.00** gms/litre	4842.00	500 gm
DM 1095	**Mycological Agar w/low pH** See **Fungal Agar w/low pH**	4842.00	500 gm
BA 2006	**Mycological Peptone** See **Peptone M**	3330.00	500 gm
BC 2006	**Mycological Peptone, Certified** nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.	4159.00	500 gm
DM 1264	**Mycological Broth** See **Fungal Broth**	4500.00	500 gm
DM 1266	**Mycoplasma Agar Base (PPLO Agar Base)** with the addition of enrichment, it is used for isolation and cultivation of Mycoplasma species (Pleuropneumonia-like organisms-PPLO). **36.00** gms/litre	1193.00 4941.00	100 gm 500 gm
MS 2075	***Mycoplasma Enrichment Supplement**	3591.00	5 vl
DM 1268	**Mycoplasma Broth Base w/CV (PPLO Broth Base w/CV)** with the addition of enrichment it is used for isolating Mycoplasma species (PPLO) from clinical specimens and mixed cultures. **21.00** gms/litre	4581.00	500 gm
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	675.00	5 vl
MS 2075	***Mycoplasma Enrichment Supplement**	3591.00	5 vl
DM 1267	**Mycoplasma Broth Base w/o CV (PPLO Broth Base w/o CV)** with the addition of enrichment it is recommended for enrichment of Mycoplasmas species (Pleuro-pneumonia-like organisms) **21.00** gms/litre	4581.00	500 gm
MS 2075	***Mycoplasma Enrichment Supplement**	3591.00	5 vl
DM 1194	**NIH Agar** for sterility testing and for cultivation and maintenance of isolates from sterility testing of biological products. **43.05** gms/litre ❊ 0.05% Sodium Thioglycollate ❊ or 0.03% Thioglycollate acid	1027.00 4136.00	100 gm 500 gm
DM 1004	**Neomycin, Erythromycin Assay Agar (Erythromycin Seed Agar)** See Antibiotic Assay medium No.11	959.00 4302.00	100 gm 500 gm
DM 1217	**Nickerson Medium** See **Bi. G.G.Y. Agar**	5153.00	500 gm
DM 1072	**Nitrate Agar** for detection of nitrate reducing bacteria. **21.00** gms/litre	4995.00	500 gm
DM 1439	**Nitrate Broth** for detection of nitrate reduction by bacteria. **9.00** gms/litre ❊ Sulphanilic acid ❊ α-naphthylamine solution	1067.00 4554.00	100 gm 500 gm
DM 1439S	**Nitrate Broth** for detection of nitrate reduction by bacteria. **39.00** gms/litre	1067.00 4554.00	100 gm 500 gm
DM 1001	**Nutrient Agar** for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids **28.00** gms/litre	720.00 3231.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1012M	**Nutrient Agar (Medium)** a general culture medium which may be used as enriched medium by incorporating blood or other biological fluids in accordance with I.P. **37.00** gms/litre	792.00 3555.00	100 gm 500 gm
DM 1087	**Nutrient Agar 1.5%** for cultivation of bacteria not requiring a highly nutritious medium can be enriched with blood, ascitic fluid or other enriching fluids. **31.00** gms/litre	882.00 3888.00	100 gm 500 gm
DM 1087I	**Nutrient Agar, 1.5%** recommended as a general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment. **28.00** gms/litre	4050.00	500 gm
DM 2269	**Nutrient Agar No.2** for general purpose culture medium. **40.00** gms/litre	3771.00	500 gm

❊ To be added but not provided.
❊ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 2269S	**Nutrient Agar No.2** for general purpose culture medium. **40.00** gms/litre	887.00 3771.00	100 gm 500 gm
DM 1561	**Nutrient Agar, pH 6.8** a general purpose nutrient medium for examination of water, sewage, faeces and other materials. **23.00** gms/litre	887.00 3722.00	100 gm 500 gm
DM 1561A	**Nutrient Agar, pH 7.0** recommended for cultivation of Salmonella species. **23.00** gms/litre	963.00 3996.00	100 gm 500 gm
DM 1931	**Nutrient Agar w/ Manganese** for promoting sporulation in Bacillus species. **23.03** gms/litre	3996.00	500 gm
DM 1012	**Nutrient Agar w/1% Peptone** a general culture medium which may be used as enriched medium by Incorporating blood or other biological fluids. **35.00** gms/litre	887.00 3717.00	100 gm 500 gm
DM 1090	**Nutrient Agar, pH 6.0 w/0.8% NaCl** for cultivation of bacteria requiring slightly acidic pH. **31.00** gms/litre	914.00 3834.00	100 gm 500 gm
DM 2274	**Nutrient Agar for Oxidase** recommended for confirmation of presence of oxidase in microorganisms in water. **22.00** gms/litre	4095.00	500 gm
DM 1002	**Nutrient Broth** for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids **13.00** gms/litre	567.00 2570.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 2362	**Nutrient Broth No. 2** for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media **15.00** gms/litre	3187.00	500 gm
DM 1244	**Nutrient Broth w/ 1% Peptone** a sterility testing medium for aerobes. **25.00** gms/litre	693.00 3141.00	100 gm 500 gm
DM 1088	**Nutrient Broth, pH 6.9 w/o NaCl** as general purpose medium for the cultivation of microorganisms. **8.00** gms/litre	711.00 3150.00	100 gm 500 gm
DM 1244S	**Nutrient Broth w/ 1% Peptone** as a general purpose culture medium. **25.00** gms/litre	693.00 3141.00	100 gm 500 gm
DM 1060	**Nutrient Gelatin** for detection of gelatin liquefaction by proteolytic microorganisms. **128.00** gms/litre	3663.00	500 gm
DM 1280	**Nystatin Assay Agar** See **Antibiotic Assay Medium No. 12**	5040.00	500 gm
DM 1848	**Orchid Agar** for germination of orchid seeds. **30.03** gms/litre	4941.00	500 gm

Product Code	Product Name	Price	Packing
DM 2223	**Ornithine Decarboxylase Broth** for detection of the ability of microorganisms to decarboxylate ornithine. **9.01** gms/litre ❊ Mineral oil 2-3 ml	3330.00	100 gm
DM 2186	**PA Broth** for the detection of presence and absence of coliform bacteria in water from treatment plants or distribution systems. **30.50** gms/litre	4581.00	500 gm
DM 1611	**PE-2 Medium** for detection and cultivation of mesophilic anaerobic sporeformers in specimens collected from food processing plants **23.04** gms/litre.	4716.00	500 gm
DM 2173	**PL Agar** for the isolation and cultivation of Plesiomonas shigelloides from foods. **43.58** gms/litre	6670.00	500 gm
DM 1849	✲**PM Indicator Agar** **(Penicillin in Milk Indicator Agar)** for rapid detection of trace amounts of Penicillin in milk as per AOAC. **32.06** gms/litre	4595.00	500 gm
DM 1266	**PPLO Agar Base** See **Mycoplasma Agar Base**	1193.00 4941.00	100 gm 500 gm
DM 1268	**PPLO Broth Base w/ CV** See **Mycoplasma Broth Base w/ CV**	4581.00	500 gm
DM 1267	**PPLO Broth Base w/o CV** See **Mycoplasma Broth Base w/o CV**	4581.00	500 gm
DM 1941	**PSB Broth Base** for primary enrichment and enumeration of Yersinia enterocolitica from foods. **50.65** gms/litre	4424.00	500 gm
DM 1941I	**PSB Broth, Modified** recommended for primary enrichment and enumeration of Yersinia enterocolitica from foods. **30.77** gms/litre	4802.00	500 gm
DM 1940	**PSTA Enrichment Broth Base** for secondary enrichment of Yersinia enterocolitica from foods. **5.20** gms/litre ❊ Ampicillin - 0.005 gm/lit	1027.00 4424.00	100 gm 500 gm
DM 1037	✲**Pantothenate Assay Medium** for microbiological assay of Pantothenic acid or its salts using Lactobacillus plantarum as the test organism **73.12** gms/litre.	3236.00	100 gm
DM 1135	**Pantothenate Culture Agar** for culturing Lactobacillus plantarum ATCC 8014 used in the microbiological assay of Pantothenic acid or its salts. **45.00** gms/litre	1674.00	100 gm
DM 1542	**Pantothenate Inoculum Broth** for preparation of inoculum used in microbiological assay of Pantothenic acid or its salts. **38.00** gms/litre	1630.00	100 gm

❊ To be added but not provided.
✲ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 2185	**Park and Sanders Enrichment Broth Base** recommended for selective enumeration of thermotolerant Campylobacter species from foods. **28.35** gms/litre	4617.00	500 gm
MS 2104	***Park and Sanders Selective Supplement I**	1485.00	5 vl
MS 2105	***Park and Sanders Selective Supplement II**	2205.00	5 vl
DM 2185I	**Park and Sanders Broth Base** recommended for selective enumeration of thermotolerant Campylobacter species in food and animal feed. **29.35** gms/litre	4617.00	500 gm
MS 2104	***Park and Sanders Selective Supplement I**	1485.00	5 vl
MS 2105	***Park and Sanders Selective Supplement II**	2205.00	5 vl
DM 1867	**Peizer TB Medium Base** for cultivation of Mycobacterium tuberculosis **49.72** gms/litre ❈ Egg yolk emulsion ❈ Glycerol - 40 ml/lit	4842.00	500 gm
DM 1440	**Peptone Iron Agar** for detection of hydrogen sulphide production by microorganisms. **36.58** gms/litre	2493.00	100 gm
BA 2001	**Peptone, Bacteriological** contains high tryptophan content used as culture media ingredient invariety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and Other products.	2745.00 4986.00 POR	500 gm 1 kg 2.5 kg
BC 2001	**Peptone, Certified** recommended as a source of organic nitrogen and growth factors in culture media,fermentation processes and biological preparations.	4928.00	500 gm
BA 2006	**Peptone M** equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.	3330.00	500 gm
BA 2015	**Peptone Special** equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.	3213.00	500 gm
BA 2667	**Peptone Type I, Bacteriological** used as culture media ingredient.	2016.00 POR	500 gm 5 kg
DM 2231	**Peptone Sorbitol Bile Broth** for identification of Yersinia enterocolitica from dairy products. **30.93** gms/litre	4716.00	500 gm
DM 1028	**Peptone Water** all purpose growth medium and as a base of carbohydrate fermentation media. **15.00** gms/litre	693.00 3173.00	100 gm 500 gm
DM 1028I	**Peptone Water w/ Phenol Red** recommended for studying fermentation ability of Yersinia enterocolitica. **15.02** gms/litre	3582.00	500 gm
DM 1670	**Peptone Yeast Dextrose Agar (Cantino)** for cultivation of aquatic fungi like Blastocladiella species. **25.50** gms/litre	1971.00	100 gm

Product Code	Product Name	Price	Packing
DM 1671	**Peptone Yeast Dextrose Broth (Cantino)** for cultivation of aquatic fungi like Blastocladiella species. **5.50** gms/litre	1827.00	100 gm
DM 1361	**Peptone Yeast Extract Iron Agar** See ISP Medium No 6	1166.00 4770.00	100 gm 500 gm
DM 1442	**Peptonized Milk Agar** for cultivation of lactic acid bacteria and examination of dairy products. **27.00** gms/litre	4977.00	500 gm
DM 1579	**Perfringens Agar Base (O.P.S.P.)** for selective isolation and enumeration of Clostridium perfringens from foods. **50.50** gms/litre	4977.00	500 gm
MS 2011	***Perfringens Supplement-I**	891.00	5 vl
MS 2012	***Perfringens Supplement-II**	1224.00	5 vl
DM 1837	**Perfringens Agar Base (T.S.C./S.F.P. Agar Base)** with the addition of selective supplement and enrichment, it is used for the presumptive identification and enumeration of Clostridium perfringens. **47.00** gms/litre	846.00 4032.00	100 gm 500 gm
MS 2013	***S.F.P. Supplement (Perfringens S.F.P. Supplement)**	1013.00	5 vl
MS 2014	***T.S.C. Supplement (Perfringens T.S.C. Supplement)**	1332.00	5 vl
MS 2045L	***Egg Yolk Emulsion (50ml/100 ml per vial)**	1845.00	50mlx5 vl
MS 2243	***Clostridium Perfringens Supplement**	3452.00	5 vl
DM 1787	**Pfizer Selective Enterococcus Agar** for selective isolation and cultivation of Enterococci. **57.75** gms/litre	4941.00	500 gm
DM 1053	**Phenol Red Agar Base** a basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms **31.02** gms/litre.	1027.00 4212.00	100 gm 500 gm
DM 1055	**Phenol Red Dextrose Agar** for Dextrose fermentation studies of microorganisms. **41.02** gms/litre	1062.00 4347.00	100 gm 500 gm
DM 1270	**Phenol Red Lactose Agar** for Lactose fermentation studies of microorganisms. **41.02** gms/litre	1062.00 4347.00	100 gm 500 gm
DM 1271	**Phenol Red Maltose Agar** for Maltose fermentation studies of microorganisms. **41.02** gms/litre	1211.00 4941.00	100 gm 500 gm
DM 1571	**Phenol Red Mannitol Agar** for Mannitol fermentation studies of microorganisms. **41.02** gms/litre	1211.00 4941.00	100 gm 500 gm
DM 1273	**Phenol Red Sucrose Agar** for Sucrose fermentation studies of microorganisms. **41.02** gms/litre	1062.00 4433.00	100 gm 500 gm

❈ To be added but not provided.
❊ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1872	**Phenol Red Tartrate Agar** for identification and differentiation of Salmonellae on the basis of tartrate utilization. **40.02** gms/litre	3375.00	100 gm
DM 1054	**Phenol Red Broth Base** a basal medium to which carbohydrates are added for determination of fermentation reactions of pure cultures of microorganisms. **16.00** gms/litre	959.00 3906.00	100 gm 500 gm
DM 1279	**Phenol Red Broth Base w/ Meat Extract** highly nutritive basal medium which can be used to study fermentation of carbohydrates. **16.02** gms/litre	990.00 4023.00	100 gm 500 gm
DM 2200	**Phenol Red Adonitol Broth** for Adonitol fermentation studies of microorganisms. **21.00** gms/litre	8487.00	100 gm
DM 2014	**Phenol Red Arabinose Broth** for Arabinose fermentation studies of microorganisms. **21.00** gms/litre	6471.00	100 gm
DM 1056	**Phenol Red Dextrose Broth** for Dextrose fermentation studies of microorganisms. **21.00** gms/litre	990.00 4023.00	100 gm 500 gm
DM 1617	**Phenol Red Dulcitol Broth** for Dulcitol fermentation studies of microorganisms. **21.00** gms/litre	7677.00	100 gm
DM 2135	**Phenol Red Galactose Broth** for Galactose fermentation studies of microorganisms. **21.00** gms/litre	4473.00	100 gm
DM 2017	**Phenol Red Inositol Broth** for Inositol fermentation studies of microorganisms. **21.00** gms/litre	3191.00	100 gm
DM 1275	**Phenol Red Lactose Broth** for Lactose fermentation studies of microorganisms. **21.00** gms/litre	990.00 4023.00	100 gm 500 gm
DM 1275I	**Phenol Red Lactose Broth** recommended for Lactose fermentation studies of coliforms. **25.02** gms/litre	990.00 4023.00	100 gm 500 gm
DM 1276	**Phenol Red Maltose Broth** for Maltose fermentation studies of microorganisms. **21.00** gms/litre	1116.00 4563.00	100 gm 500 gm
DM 1570	**Phenol Red Mannitol Broth** for Mannitol fermentation studies of microorganisms. **21.00** gms/litre	1116.00 4563.00	100 gm 500 gm
DM 2013	**Phenol Red Raffinose Broth** for Raffinose fermentation studies of microorganisms. **21.00** gms/litre	4487.00	100 gm

Product Code	Product Name	Price	Packing
DM 2183	**Phenol Red Rhamnose Broth** for Rhamnose fermentation studies of microorganisms. **21.00** gms/litre	8487.00	100 gm
DM 2011	**Phenol Red Salicin Broth** for Salicin fermentation studies of microorganisms. **21.00** gms/litre	6840.00	100 gm
DM 2012	**Phenol Red Sorbitol Broth** for Sorbitol fermentation studies of microorganisms. **21.00** gms/litre	2457.00	100 gm
DM 2016	**Phenol Red Starch Broth** for Starch fermentation studies of microorganisms. **21.00** gms/litre	2124.00	100 gm
DM 1274	**Phenol Red Sucrose Broth** for Sucrose fermentation studies of microorganisms. **21.00** gms/litre	990.00 4023.00	100 gm 500 gm
DM 2201	**Phenol Red Trehalose Broth** for Trehalose fermentation studies of microorganisms. **21.00** gms/litre	8487.00	100 gm
DM 2015	**Phenol Red Xylose Broth** for Xylose fermentation studies of microorganisms. **21.00** gms/litre	3191.00	100 gm
DM 1652	**Phenolphthalein Phosphate Agar** for identification of phosphatase positive Staphylococcus aureus. **28.01** gms/litre	1193.00 4874.00	100 gm 500 gm
DM 1281	**Phenylalanine Agar** for differentiation of Proteus and Providencia group of organisms from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine. **26.00** gms/litre	1103.00 4644.00	100 gm 500 gm
DM 1781	**Phenylalanine Malonate Broth (Shaw and Clarke Medium)** for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine. **11.03** gms/litre	5540.00	100 gm
DM 1461	**Phosphate Buffer, APHA, pH 7.2** for preparation of dilution, blanks for the examination of waters, dairy products, foods, eating utensils and other specimens. **34.00** gms/litre	950.00 4221.00	100 gm 500 gm
DM 1783	**Photobacterium Broth** for cultivation and demonstration of luminiscence of photobacteria. **65.61** gms/litre	3191.00	100 gm

❊ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1519	**Pike Streptococcal Broth Base** for selective enrichment and cultivation of Streptococci from throat swabs and other clinical specimens. **30.26** gms/litre	**1031.00** **4617.00**	**100 gm** **500 gm**
DM 1520	**Pikovskaya's Agar** for detection of phosphate solubilizing soil microorganisms. **31.30** gms/litre	**1193.00** **4977.00**	**100 gm** **500 gm**
DM 1091	**Plate Count Agar** **(Standard Methods Agar)** for determination of plate counts of microorganisms in foods, water and waste water and clinical sample. **23.50** gms/litre	**837.00** **3880.00** **POR** **POR**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1091A	**Plate Count Agar** for determining plate counts of microorganisms in milk and dairy products by pour plate technique. **17.50** gms/litre	**963.00** **4370.00**	**100 gm** **500 gm**
DM 1091S	**Plate Count Agar** for determining plate counts of microorganisms in milk and dairy products by pour plate technique. **30.00** gms/litre	**941.00** **4203.00**	**100 gm** **500 gm**
DM 2025	**Plate Count Agar, Special** for estimation of microbial counts in raw milk and other dairy products as per Netherlands Dairy Association **40.52** gms/litre	**7300.00**	**500 gm**
DM 2351	**Plate Count Agar w/BCP** for enumeration of Lactobacilli in cultured milk, yogurt and sour creams. **24.64** gms/litre	**4595.00**	**500 gm**
DM 1574	**Plesiomonas Differential Agar** See **Inositol Brilliant Green Bile Agar**	**5067.00**	**500 gm**
DM 1096H	**Potato Dextrose Agar** for the cultivation of yeasts and moulds from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP. **39.00** gms/litre ➤10% tartaric acid	**756.00** **3420.00** **POR** **POR**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1937	**Potato Dextrose Agar w/3% Agar** for cultivation of yeasts and moulds from dairy and other food products. **54.00** gms/litre ➤ 10% tartaric acid	**4221.00**	**500 gm**
GM 1403	**Potato Dextrose Broth, Granulated** for cultivation and enumeration of yeasts and moulds. **24.00** gms/liter **20.83** lit/500g ➤ 10% tartaric acid	**4159.00**	**500 gm**
DM 1938	**Potato Dextrose Rose Bengal Agar** for promoting ascospore production. **39.00** gms/litre ➤ 10% tartaric acid	**4221.00**	**500 gm**
DM 2174	**Potato Dextrose Sucrose Agar** for the isolation and cultivation of Zygosaccharomyces rouxii from chocolate syrup. **659.00** gms/litre	**4977.00**	**500 gm**
DM 1174	**Potato Infusion Agar** for isolation of Brucella species. **49.00** gms/litre ❈ Glycerol - 20 ml/lit	**3807.00**	**500 gm**

Product Code	Product Name	Price	Packing
DM 2178	**Pre-Enrichment Broth Base** for isolation and enrichment of Yersinia enterocolitica from foods. **39.10** gms/litre ❈ 0.1% Magnesium sulphate - 10 ml/lit ❈ 0.1% Calcium Chloride - 10 ml/lit	**4716.00**	**500 gm**
DM 1939	**Preston Agar Base** recommended for selective isolation of thermotolerant Campylobacter species. **37.00** gms/litre	**4671.00**	**500 gm**
DM 1956	**Propionibacter Isolation Agar Base** for selective isolation of Propionibacteria **40.30** gms/litre ❈ Sodium Lactate - 10 gms/lit	**4671.00**	**500 gm**
BA 2005	**Proteose Peptone** a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	**3294.00** **POR**	**500 gm** **5 kg**
BC 2005	**Proteose Peptone,** Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics,enzymes, bacterial toxins etc.	**6390.00**	**500 gm**
DM 1406	**Pseudomonas Isolation Agar Base** for selective isolation and identification of Pseudomonas aeruginosa from clinical and nonclinical specimens. **45.03** gms/litre ❈ Glycerol - 20 ml/lit	**941.00** **4347.00**	**100 gm** **500 gm**
DM 1120	**Pseudomonas Agar (For Fluorescein)** for detection of fluorescein production by Pseudomonas species. **38.00** gms/liter ❈ Glycerol - 10 ml/lit	**963.00** **3933.00**	**100 gm** **500 gm**
DM 1120U	**Pseudomonas Agar Medium** For Detection of Fluorescein for detection of fluorescein production by Pseudomonas species in accordance with U.S.P. **37.23** gms/liter ❈ Glycerin - 10 ml/lit	**1260.00** **5500.00**	**100 gm** **500 gm**
DM 1119	**Pseudomonas Agar (For Pyocyanin)** for detection of pyocyanin production by Pseudomonas species. **46.40** gms/liter ❈ Glycerol - 10 ml/lit	**927.00** **3722.00**	**100 gm** **500 gm**
DM 1119M	**Pseudomonas Agar Medium** **(For Detection of Pyocyanin)** for detection of pyocyanin production by Pseudomonas species in accordance with I.P. **46.40** gms/liter ❈ Glycerin - 10 ml/lit	**1098.00** **4761.00**	**100 gm** **500 gm**
DM 2096	**Pseudomonas Asparagine Broth** for presumptive determination of Pseudomonas aeruginosa from recreational or natural water as per A.P.H.A. **4.50** gms/liter	**3267.00** **13055.00**	**100 gm** **500 gm**
DM 1098	**Purple Agar Base** for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms. **31.02** gms/liter	**5544.00**	**500 gm**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Price	Packing
DM 1284	**Purple Broth Base** for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms. **15.02** gms/liter	**4770.00**	**500 gm**
DM 1962	**R-2A Agar** for heterotrophic plate count of treated potable water using longer incubation periods **18.12** gms/liter	**1013.00** **4545.00** **POR** **POR**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2052	**R-3A Agar** for subculturing microorganisms recovered on less nutritive R-2A Agar from potable water samples. **21.25** gms/liter	**5211.00**	**500 gm**
DM 1149	**R.C. Medium** See **Cooked Meat Medium**	**855.00** **4100.00**	**100 gm** **500 gm**
DM 1576	**RS Medium Base** for selective isolation, cultivation and presumptive identification of Aeromonas hydrophila. **45.43** gms/liter	**4991.00**	**500 gm**
MS 2096	***Novobiocin Supplement**	**954.00**	**5 vl**
DM 1500	**RWC Medium** See **Culture Medium for RWC/Disinfectant Test Broth**	**1062.00** **4554.00**	**100 gm** **500 gm**
DM 1880	**Rappaport Vassiliadis Medium** for enrichment of Salmonellae, based on its ability to multiply selectively at high osmotic pressure,low pH and at 43°C, with modest nutritional requirements. **49.17** gms/liter	**1099.00** **4959.00**	**100 gm** **500 gm**
DM 1154	**Reinforced Clostridial Agar** for the cultivation and enumeration of Clostridia and other anaerobes. **51.00** gms/liter	**1031.00** **4320.00**	**100 gm** **500 gm**
DM 1443	**Reinforced Clostridial Broth** for cultivation and enumeration of Clostridia and other anaerobes. **38.00** gms/liter	**1013.00** **4167.00**	**100 gm** **500 gm**
DM 1443A	**Reinforced Clostridial Broth w/o Agar** for the cultivation and enumeration of Clostridia when a semisolid medium is preferred. **37.50** gms/liter	**1031.00** **4320.00**	**100 gm** **500 gm**
DM 1443H	**Reinforced Medium for Clostridial** for the enrichment of Clostridia from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP (Medium 14). **37.54** gms/liter	**954.00** **4280.00**	**100 gm** **500 gm**
DM 1408	**Rhizobium Medium** for cultivation and isolation of Rhizobium species. **31.80** gms/liter	**3259.00**	**500 gm**
DM 2026	**Rice Extract Agar** for identification of Candida albicans by means of its chlamydospore production. **40.00** gms/liter ❈ Polysorbate 80 - 10 ml/Litre	**8631.00**	**500 gm**

Product Code	Product Name	Price	Packing
GM 1525	**Ringer Salt Solution, Granulated** an isotonic diluent for food milk and dairy products during microbiological examination. **8.91** gms/liter **11.22** lit/100g	**1900.00**	**100 gm**
DM 1859	**Rippey-Cabelli Agar Base** for differential and selective isolation of Aeromonas hydrophila species from water samples using membrane filter technique. **32.34** gms/liter	**4172.00**	**100 gm**
MS 2107	***Rippey Cabelli Selective Supplement**	**1233.00**	**5 vl**
DM 1149	**Robertson's Cooked Meat Medium (R.C. Medium)** See **Cooked Meat Medium**	**855.00** **4100.00**	**100 gm** **500 gm**
DM 1130	***Rogosa SL Agar** for selective cultivation of oral and faecal Lactobacilli. **74.72** gms/liter	**4797.00**	**500 gm**
DM 1407	***Rogosa SL Broth** for selective cultivation of all Lactobacilli including oral and faecal Lactobacilli. **59.72** gms/liter	**4383.00**	**500 gm**
DM 2177	**SA Agar Base** for isolation, cultivation and differentiation of Aeromonas hydrophila from foods based on starch hydrolysis as per APHA. **31.01** gms/liter	**6521.00**	**500 gm**
MS 2082	***Ampicillin Supplement**	**1413.00**	**5 vl**
DM 2535	**SBG Enrichment Broth (Twin Pack)** for selective enrichment of Salmonellae from clinical specimens. **19.67**gms Part of A+ **4**gms Part of B ➤ Sodium sulfapyridine - 0.5 g/Lit	**1620.00**	**100 gm**
DM 2371	**SD Agar** for the growth of yeasts for molecular biology purposes. **46.71** gms/liter	**5373.00**	**500 gm**
DM 1297	**SF Broth** for selective cultivation, detection and differentiation of Enterococci from other cocci in diagnostic work. **36.03** gms/liter	**4005.00**	**500 gm**
DM 2005	**S.F.P. Agar Base** for the presumptive identification and enumeration of Clostridium perfringens in foods. **47.00** gms/liter	**5301.00**	**500 gm**
MS 2013	***S.F.P. Supplement (Perfringens S.F.P. Supplement)**	**1013.00**	**5 vl**
MS 2045F	***Egg Yolk Emulsion (50ml/100 ml per vial)**	**2700.00**	**5 vl**
DM 1181	**SIM Medium** for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli. **36.23** gms/liter	**4653.00**	**500 gm**
DM 1632	***SPS Agar** for detection of Clostridium perfringens in foods. **40.03** gms/liter	**4320.00**	**500 gm**
DM 1898	***SPS Agar Modified** for selective isolation and enumeration of Clostridium perfringens from foodstuffs. **41.28** gms/liter	**4320.00**	**500 gm**

❈ To be added but not provided.
❊ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Price	Packing
DM 1108	**SS Agar (Salmonella Shigella Agar)** for differential and selective isolation of Salmonella and Shigella species from pathological specimens, suspected foodstuffs etc. **63.02** gms/liter	792.00 3619.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 2067	***Sabouraud Chloramphenicol Agar** for selective cultivation of yeasts and moulds. **65.05** gms/liter	1035.00 4654.00	100 gm 500 gm
DM 1063H	**Sabouraud Dextrose Agar (Sabouraud Dextrose Agar Medium)** for the cultivation of yeasts, moulds and aciduric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonised methodology of USP/EP/BP/JP. **65.00** gms/liter	756.00 3411.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 2313	**Sabouraud Dextrose Maltose Agar** for cultivation of moulds and yeasts and for testing antimycotic substances. 45.00 gms/liter	5103.00	500 gm
DM 2460	**Sabouraud Dextrose Maltose Broth** for cultivation of moulds, yeasts and aciduric organisms as well as testing antimycotic substances. **30.00** gms/liter	4797.00	500 gm
DM 1286	**Sabouraud Dextrose Agar Base**, Modified See Dextrose Agar Base, Emmons	1099.00 4554.00	100 gm 500 gm
MS 2035	***CC Supplement**	1242.00	5 vl
DM 1062	**Sabouraud Maltose Agar** for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions. **65.00** gms/liter	4644.00	500 gm
DM 1064	**Sabouraud Maltose Broth** for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions. **50.00** gms/liter	4554.00	500 gm
DM 1013	**Sabouraud Medium, Fluid** See **Fluid Sabouraud Medium.**	540.00 2457.00	100 gm 500 gm
DM 1573	**Salmonella Agar, ONOZ** for selective isolation and identification of Salmonellae from clinical specimens. **76.15** gms/liter	4991.00	500 gm
DM 1821	**Salt Polymixin Broth Base** for detection and enumeration of Vibrio species. **33.00** gms/liter	4370.00	500 gm
MS 2003	***Polymyxin-B Selective Supplement 1**	1170.00	5 vl
DM 1821I	**Salt Polymixin Broth Base** recommended for detection and enumeration of Vibrio species. **29.70** gms/liter	4370.00	500 gm
MS 2003	***Polymyxin-B Selective Supplement**	1170.00	5 vl
DM 2276	**Sauton's Fluid Medium** for cultivation and enumeration of Mycobacteria, in accordance with I.P. **3.19** gms/liter ❈ Glycerol - 20 ml/Lit	1323.00 6040.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
DM 1003	**Seed Agar** See **Antibiotic Assay Medium No. 1**	1062.00 4244.00	100 gm 500 gm
DM 1052	**Selenite Broth (Selenite F Broth) (Twin Pack)** an enrichment medium for isolation of Salmonella species from faeces, urine or other pathological materials. **19.00** gms Part A + **4** gms of Part B	1027.00 4622.00	100 gm 500 gm
DM 1052M	**Selenite F Broth (Twin Pack) (Twin Pack)** an enrichment medium for isolation of Salmonella from faeces, urine or other pathological materials, in accordance with I.P. **19.00** Part A + **4** of Part B	1206.00 5000.00	100 gm 500 gm
DM 1970	**Selenite Broth Base w/o Biselenite** with addition of selenite, it is used for enrichment of Salmonellae species from food, dairy products and pathological materials. **19.00** gms/liter	4266.00	500 gm
DM 1025	**Selenite Cystine Broth (Twin Pack)** See **Fluid Selenite Cystine Medium**	1206.00 5040.00	100 gm 500 gm
DM 2079	**Selenite Cystine Broth Base w/o Biselenite** for selective enrichment of Salmonella and possibly Shigella sonnei from faeces, urine, water and foodstuffs. **19.01** gms/liter	4266.00	500 gm
DM 2534	**Selenite Mannitol Broth (Twin Pack)** See **Mannitol Selenite Broth**	5500.00	500 gm
DM 1293	**Sellers Differential Agar w/o Biselenite** for differentiation and identification of gram-negative nonfermentative bacilli especially Pseudomonas aeruginosa and Acinetobacter calcoaceticus. **44.89** gms/liter ❈Dextrose solution (50%) - 0.15 ml/Lit	5153.00	500 gm
DM 2191	**Semisolid Nutrient Agar** recommended for detection of Salmonella species on the basis of motility and hydrogen sulphide (H_2S) production. **12.00** gms/liter	4500.00	500 gm
DM 1645	**Shapton Medium** for enumeration of spores of Bacillus stearothermophilus which causes flat sour spoilage in canned foods with pH more than 4.5 **27.53** gms/liter	4644.00	500 gm
DM 1411	**Simmons Agar Base** a synthetic medium recommended for differentiation between faecal coli and members of the aerogenes group on the basis of citrate utilization. **21.28** gms/liter ❈ Sodium citrate solution (0.2%) - 100 ml/Lit	1715.00	100 gm
DM 1099	**Simmons Citrate Agar** for differentiating members of Enterobacteriaceae on the basis of citrate utilization. **24.28** gms/liter	837.00 3762.00	100 gm 500 gm

❈ To be added but not provided.
❊ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1530	**SM Growth Powder** for cultivation of dairy organisms and differentiation of Clostridium species. **100.00** gms/liter	2151.00	500 gm
DM 1763	**SM Agar** for cultivation and enumeration of microorganisms encountered in dairy industry. **51.50** gms/liter	4941.00	500 gm
DM 1612	**Slanetz and Bartley Medium** for detection and enumeration of faecal Streptococci by membrane filter technique. **46.50** gms/liter	1193.00 4802.00	100 gm 500 gm
DM 1612I	**Slanetz and Bartley Medium** recommended for detection and enumeration of faecal Streptococci by membrane filter technique. **46.50** gms/liter	4802.00	500 gm
DM 1106	**Snyder Test Agar** See **BCG-Dextrose Agar**	4654.00	500 gm
BA 2708	**Sodium Tauroglycocholate** for bacteriological culture media as a selective inhibitory agent.	7830.00	500 gm
DM 1298	**Sorbitol Agar** See **(Sorbitol MacConkey Agar)**	1323.00 5360.00	100 gm 500 gm
DM 1299	**Sorbitol Iron Agar** for cultural identification and differentiation of enteropathogenic Escherichia coli which do not ferment sorbitol. **46.03** gms/liter	5171.00	500 gm
DM 1290	**Soyabean Casein Digest Agar (Tryptone Soya Agar) (Casein Soyabean Digest Agar)** a general purpose medium used for cultivation of a wide variety of microorganisms and for sterility testing in pharmaceutical procedures. **40.00** gms/liter	891.00 3690.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1011	**Soyabean Casein Digest Medium (Tryptone Soya Broth)** a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria as per various Pharmacopia. **30.00** gms/liter	414.00 1863.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1011H	**Soyabean Casein Digest Medium (Casein Soyabean Digest Broth)** a general purpose medium used for cultivation of a wide variety of microorganisms and for sterility testing of moulds and lower bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP.. **29.77** gms/liter	468.00 1890.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1322	**Soyabean Casein Digest Medium (Tryptone Soya Broth w/o Dextrose.)** recommended for cultivation of anaerobic microorganisms when the presence of carbohydrate is not desired. **27.50** gms/liter	3573.00	500 gm
DM 1323	**Soyabean Casein Digest Medium w/0.1% Agar (Tryptone Soya Broth w/0.1% Agar)** for cultivation of anaerobes from root canals, blood and other specimens. **31.00** gms/liter	3452.00	500 gm

Product Code	Product Name	Price	Packing
DM 1207	**Soyabean Casein Digest Medium w/Yeast Extract and Hemin w/o Dextrose (Tryptone Soya w/YeastExtract and Hemin w/o Dextrose)** a highly nutritious medium which supports luxuriant growth of fastidious bacteria. **32.52** gms/liter	1279.00 5166.00	100 gm 500 gm
BA 2007	**Soya Peptone** papaic digest of soyabean meal, plant peptone	2835.00 POR	500 gm 5 kg
BC 2007	**Soya Peptone, Certified** recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant growth.	4784.00 POR	500 gm 5 kg
BA 2015	**Special Peptone** See Peptone Special	3213.00	500 gm
BC 2015	**Special Peptone, Certified** specially designed to maximize the growth of fastidious microorganisms.	5265.00	500 gm
DM 1412	**Spirolate Broth, OMATA** for mass cultivation of Treponema pallidum, Reiter strain for antigen production and other studies. **29.00** gms/liter	1800.00	100 gm
DM 1234	**Sporulating Agar** See **AK Agar No 2 (Arret & Krishbaum Medium)**	5171.00	500 gm
DM 1302	***Standard Methods Agar w/Tween 80 and Lecithin** for sanitary examination of surfaces, that is, for counts before and after Application of disinfectants. **29.20** gms/liter	2565.00 10431.00	100 gm 500 gm
DM 1588	**Standard Methods Caseinate Agar** for detection of proteolytic microorganisms. **40.13** gms/liter	1962.00	100 gm
DM 1877	**Standard Nutrient Agar** a general utility medium for cultivation and enumeration of not particularly fastidious microorganisms. **45.00** gms/liter	4347.00	500 gm
DM 2210	**Standard Nutrient Agar No. 1** for the cultivation of fastidious bacteria. **37.00** gms/liter	4500.00	500 gm
DM 2224	**Standard Nutrient Broth No. 1** for the cultivation of fastidious bacteria. **25.00** gms/liter	4343.00	500 gm
DM 1521	**Staphylococcus Agar No. 110** See Gelatin Mannitol Salt Agar	963.00 3880.00	100 gm 500 gm
DM 1156	**Staphylococcus Agar No. 110 w/Azide** for selective isolation and testing of pathogenic Staphylococci. **149.60** gms/liter	4874.00	500 gm
DM 1107	**Starch Agar** for detection of starch hydrolyzing microorganisms. **30.00** gms/liter	4500.00	500 gm
DM 1182	**Stock Culture Agar** See Ayers and Johnson Agar	4811.00	500 gm

❈ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1925	**Streptococcus Lactis Differential Agar Base** for differentiation of citrate utilizing lactic Streptococci-Lactococcus lactis (Streptococcus lactis) subspecies diacetylactis from citrate non-utilizing Lactococcus lactis (Streptococcus lactis) and Lactococcus lactis (Streptococcus lactis) subspecies cremoris. **32.50** gms/liter ❈ 10% Potassium ferricyanide -10ml/Lit ❈ Citrated solution -10ml/Lit	4797.00	500 gm
DM 1304	**Streptococcus Selection Agar** for selective isolation and enumeration of all types of Streptococci including Group A beta Haemolytic strains. **45.60** gms/liter	4392.00	500 gm
DM 1303	**Streptococcus Selection Broth** for selective isolation and cultivation of streptococci including group A beta Haemolytic strains. **30.60** gms/litre	3663.00	500 gm
DM 1948	**Streptococcus Thermophilus Isolation Agar** for determining the ratio of Streptococcus thermophilus and Lactobacillus bulgaricus in yoghurt. **42.00** gms/litre	4941.00	500 gm
DM 1006	**Streptomycin Assay Agar w/Yeast Extract (Antibiotic Assay Medium No. 5)** **25.50** gms/litre	5040.00	500 gm
DM 1306	**Stuart Transport Medium (Transport Medium, Stuart)** for preservation and transportation of Neisseria species and other fastidious organisms from clinic to the laboratory. **14.10** gms/liter	1746.00 6975.00	100 gm 500 gm
DM 2131	**Stuart Transport Medium w/o Methylene Blue** for routine transport of gonococcal species and other fastidious organisms. **14.00** gms/litre	1746.00 6975.00	100 gm 500 gm
DM 1309	***Sulphate API Agar w/o Sodium Lactate** for detection and estimation of sulphate reducing bacteria. **25.41** gms/litre	5252.00	500 gm
DM 1310	***Sulphate API Broth w/o Sodium lactate** for detection of sulphate reducing bacteria. **11.41** gms/litre ❈ Sodium Lactate - 4ml/Lit	4892.00	500 gm
DM 1523	***Sulphate API Broth w/o NaCl** for detection, differentiation and estimation of sulphate reducing bacteria. **1.41** gms/litre ❈ Sodium Lactate - 4ml/Lit	1121.00 4892.00	100 gm 500 gm
DM 1800	**Sulphate Reducing Medium (Twin Pack)** for cultivation and enumeration of sulphate reducing bacterium- Thiobacillus thioparus **2.32** gms of Part A+**10.00** gms of Part B	1121.00 4892.00	100 gm 500 gm
DM 1803	**Sulphate Reducing Medium (Triple Pack)** for enumeration of sulphate reducing bacteria in water samples. **6.08** gms of Part A+**0.492** gms of Part B + **3.50** gms of Part C	1121.00 4892.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
DM 1311	**Sulphite Agar** for detection of thermophilic sulphide producing anaerobes. **31.00** gms/liter ❈ 5% Ferric citrate solution - 10ml/Lit	4802.00	500 gm
DM 1559	**Sulphur Medium (Twin Pack)** for cultivation of Thiobacillus thiooxidans. **3.74** gms/liter Part A +**10.0** gms Part B	1090.00 4770.00	100 gm 500 gm
DM 1100	**TB Broth Base** for cultivation of Mycobacterium tuberculosis. **12.10** gms/liter ❈ Dextrose - 0.5% Glycerol - 5ml/Lit, ➤ Bovine serum albumin V	4554.00	500 gm
DM 1034	**TB Broth Base w/o Tween 80** for cultivation of Mycobacteria when the presence of oelic acid is undesirable. **11.60** gms/liter ❈ Dextrose - 0.5% Glycerol - 5ml/Lit, ➤ Bovine serum albumin V	4554.00	500 gm
DM 1189	**TCBS Agar** for selective isolation and cultivation of Vibrio cholerae and other enteropathogenic Vibrios causing food poisoning. **89.08** gms/liter	1013.00 4572.00	100 gm 500 gm
DM 1870	**TCBS Agar (Selective)** for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios. **89.08** gms/liter	1013.00 4690.00	100 gm 500 gm
DM 1870A	**TCBS Agar, Modified** for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios. **88.00** gms/liter	1323.00 5382.00	100 gm 500 gm
DM 1870S	**TCBS Agar** for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios. **89.08** gms/liter	1323.00 5382.00	100 gm 500 gm
DM 1791	**TGB Agar (Tryptone Glucose Meat Extract Agar)** for enumeration of bacteria in water,air, milk and dairy products. **24.00** gms/liter	1013.00 4743.00	100 gm 500 gm
DM 1950	**TN Agar** for isolation and cultivation of Vibrios from food samples. **35.00** gms/liter	4622.00	500 gm
DM 1402	**TPEY Agar Base** with addition of supplement, it is recommended for selective isolation and enumeration of Staphylococci from foods. **60.00** gms/liter	4820.00	500 gm
MS 2045F	***Egg Yolk Emulsion (50ml/100 ml per vial)**	2700.00	5 vl
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	675.00	5 vl
DM 2250	**Tartoff- Hobbs Broth (Terrific Broth)** for the cultivation of recombinant strains of Escherichia coli. **47.60** gms/liter	5652.00	500 gm
DM 1045	**Taurocholate Broth** for selective isolation of coliforms from water, milk and other food products. **40.03** gms/liter	4554.00	500 gm

❈ To be added but not provided.
❈ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Price	Packing
DM 2260	**Tellurite Blood Agar Base** for the selective isolation and cultivation of Corynebacterium species. **31.00** gms/liter	**4874.00**	**500 gm**
MS 2022	***Haemoglobin Powder**	**2421.00**	**100 gm**
MS 2025	***Vitamino Growth Supplement**	**2084.00**	**5 vl**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	**675.00**	**5 vl**
DM 1616	**Tergitol-7 Agar Base** for selective enumeration and identification of coliform organisms. **33.13** gms/liter	**1062.00** **4780.00**	**100 gm** **500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**	**1054.00**	**5 vl**
DM 1850	**Tergitol-7 Agar H** for selective isolation and differentiationof enteric bacteria from urine specimens. **34.13** gms/liter	**5022.00**	**500 gm**
DM 1851	**Tergitol-7 Broth** selective and differential medium for detection and enumeration of coliforms. **18.13** gms/liter	**4581.00**	**500 gm**
DM 2255	**Tetrathionate Brilliant Green** Bile Broth for isolation and identification of Salmonellae. **63.07** gms/liter	**2620.00**	**500 gm**
DM 1032M	**Tetrathionate Broth Medium** an enrichment broth for isolation of Salmonellae from specimens suspected to be contaminated with Salmonellae in accordance with I.P. **77.40** gms/liter ❊ Iodine Solution - 20ml/Lit	**694.00** **3114.00**	**100 gm** **500 gm**
DM 1032	**Tetrathionate Broth Base** (w/o Iodine and BG) See Fluid Tetrathionate Medium w/o Iodine and BG	**684.00** **2817.00**	**100 gm** **500 gm**
DM 2256	**Tetrathionate CV Enrichment Broth** for the selective enrichment of Salmonellae from meat and foodstuffs. **35.00** gms/liter	**3344.00**	**500 gm**
DM 1413	**Thayer Martin Medium Base** for selective isolation of Gonococci from pathological specimens. **42.00** gms/liter	**959.00** **4163.00**	**100 gm** **500 gm**
MS 2021	***GC Supplement w/ Antibiotics**	**1503.00**	**5 vl**
MS 2022	***Haemoglobin Powder**	**2421.00**	**100 gm**
MS 2023	***V.C.N. Supplement**	**2084.00**	**5 vl**
MS 2024	***V.C.N.T. Supplement**	**2084.00**	**5 vl**
MS 2025	***Vitamino Growth Supplement**	**2084.00**	**5 vl**
DM 1125	**Thermoacidurans Agar** for isolation of Bacillus thermoacidurans from food products. **39.00** gms/liter	**4941.00**	**500 gm**
DM 1788	**Thiobacillus Agar** for isolation and cultivation of Thiobacillus species. **22.66** gms/liter	**4581.00**	**500 gm**
DM 1789	**Thiobacillus Broth** for cultivation of Thiobacillus species. **10.16** gms/liter	**4973.00**	**500 gm**

Product Code	Product Name	Price	Packing
DM 1608	**Thioglycollate Agar** for cultivation of anaerobic microorganisms. **49.00** gms/liter	**4581.00**	**500 gm**
DM 1462	**Thioglycollate Broth w/ Liver Extract** See B.Q. Vaccine Medium Sterile glucose solution - 0.5%	**3141.00**	**500 gm**
DM 1010	**Thioglycollate Broth, Alternative** See **Alternative Thioglycollate Medium (NIH Thioglycollate Medium)**	**432.00** **1737.00** **POR** **POR**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1009	**Thioglycollate Medium Fluid** See **Fluid Thioglycollate Medium.**	**387.00** **1746.00** **POR** **POR**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1979	**Thioglycollate Medium w/ Hemin and Vitamin K** for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions. **29.65** gms/liter	**4802.00**	**500 gm**
DM 1190	**Thioglycollate Medium w/o Dextrose** for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates. **25.70** gms/liter	**3177.00**	**500 gm**
DM 1191	**Thioglycollate Medium w/o Indicator** See Diagnostic Thioglycollate Medium	**3430.00**	**500 gm**
DM 1195	**Thioglycollate Medium Linden** See **Brewer Thioglycollate Medium Modified.**	**739.00** **3110.00**	**100 gm** **500 gm**
DM 1610	**Thiogel Medium** for cultivation of strictly anaerobic, aerobic as well as facultative microorganisms and for the identification of pure cultures on the basis of their ability to liquefy gelatin. **80.05** gms/liter	**693.00** **3087.00**	**100 gm** **500 gm**
DM 1314	**Tinsdale Agar Base** for selective isolation and differentiation of Corynebacterium diphtheriae. **40.67** gms/liter	**4874.00**	**500 gm**
DM 1313	**Todd Hewitt Broth** for cultivation of group A haemolytic Streptococci used for serological studies. **37.00** gms/liter	**959.00** **4131.00**	**100 gm** **500 gm**
DM 1048	***Tomato Juice Agar** for cultivation and enumeration of Lactobacilli. **51.00** gms/liter	**5103.00**	**500 gm**
DM 1879	***Tomato Juice Agar, Special** for cultivation and enumeration of Lactobacilli from saliva and of other acidophilic bacteria. **60.00** gms/liter	**5103.00**	**500 gm**
DM 2027	***Tomato Juice Broth** for cultivation of yeasts and other aciduric microorganisms. **41.23** gms/liter	**4797.00**	**500 gm**
DM 1315	**Transport Charcoal Medium** for transportation of clinical specimens. **24.00** gms/liter	**5022.00**	**500 gm**

❊ To be added but not provided.
✻ On receipt store between 2 - 8°C
★ Store below 8°C

Product Code	Product Name	Price	Packing
DM 1306	**Transport Medium (Stuart)** See **Stuart Transport Medium.**	1746.00 6975.00	100 gm 500 gm
DM 1202	**Transport Medium w/o Charcoal** See **Cary-Blair Medium.**	1143.00 5040.00	100 gm 500 gm
DM 1157	**Tributyrin Agar Base w/o Tributyrin** for detection of lipolytic microorganisms. **23.00** gms/liter	1193.00 4977.00	100 gm 500 gm
MS 2081	***Tributyrin (10 ml per vial)**	1674.00	5 vl
DM 1021	**Triple Sugar Iron Agar** for identification of gram-negative enteric bacilli on the basis of dextrose, Lactose and sucrose fermentation and hydrogen sulphide production. **64.52** gms/liter	783.00 3740.00	100 gm 500 gm
DM 1021S	**Triple Sugar Iron Agar** for identification of gram-negative enteric bacilli on the basis of dextrose,lactose and sucrose fermentation and hydrogen sulphide production. **64.32** gms/liter	927.00 3996.00	100 gm 500 gm
DM 1021I	**Triple Sugar Iron Agar** recommended for identification of members of Enterobacteriaceae especiallySalmonella species. **64.62** gms/liter	3996.00	500 gm
BA 2014	**Tryptone Type I** See **Casein Enzyme Hydrolysate used in sterility testing, diagnostic media preparations.**	3402.00 POR	500 gm 2.5 kg
BC 2014	**Tryptone, Certified** See **Casein Enzyme Hydrolysate, Certified**	3889.00	500 gm
BA 2029	**Tryptone T, Type-III** for tetanus toxin, culture media ingredient.	4113.00	500 gm
DM 1319	**Tryptone Agar Base** for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes. **23.52** gms/liter ➤ Carbohydrate - 0.5%	4842.00	500 gm
DM 1463	**Tryptone Broth (Tryptone Water)** for detection of indole producing microorganisms. **15.00** gms/litre	702.00 3173.00	100 gm 500 gm
DM 1961	**Tryptone Bile Agar** for rapid detection and enumeration of Escherichia coli in foods using amodified direct plating method. **36.50** gms/litre	4644.00	500 gm
DM 1791	**Tryptone Glucose Beef Extract Agar** See **TGB Agar**	1013.00 4743.00	100 gm 500 gm
DM 1014	**Tryptone Glucose Extract Agar** **(Tryptone Glucose Yeast Extract Agar)** for enumeration of bacteria in water, air,milk and dairy products. **24.00** gms/litre	905.00 3843.00	100 gm 500 gm
DM 1952	**Tryptone Glucose Yeast Extract Broth** for enumeration of microorganisms from foods by MPN technique. **17.25** gms/litre	3843.00	500 gm

Product Code	Product Name	Price	Packing
DM 1364	**Tryptone Nitrate Medium** See **Indole Nitrate Medium**	860.00 3492.00	100 gm 500 gm
DM 1953	**Tryptone Phosphate Broth** for enrichment and cultivation of enteropathogenic Escherichia coli from suspected food samples. **30.50** gms/litre	4095.00	500 gm
DM 1290	**Tryptone Soya Agar** **(Casein Soyabean Digest Agar)** See **Soyabean Casein Digest Agar** a general purpose medium used for cultivation of a wide variety of microorganisms.	891.00 3690.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1011	**Tryptone Soya Broth** See **Soyabean Casein Digest Medium**	414.00 1863.00 POR	100 gm 500 gm 2.5 kg
DM 1323	**Tryptone Soya Broth w/0.1% Agar** See Soyabean Casein Digest Medium w/ 0.1% Agar	3452.00	500 gm
DM 1322	**Tryptone Soya Broth w/o Dextrose** See **Soyabean Casein Digest Medium w/o Dextrose**	3573.00	500 gm
DM 2056	**Tryptone Tellurite Agar Base** for selective isolation of pathogens from clinical specimens, especially from nose, throat and vagina. **47.00** gms/litre	4941.00	500 gm
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**	675.00	5 vl
DM 1463I	**Tryptone Water** recommended for detection of indole production **25.00** gms/litre	4032.00	500 gm
DM 1463S	**Tryptone Water w/o Sodium Chloride** for detection of Vibrio cholerae and Vibrio para-haemolyticus. **10.00** gms/litre	864.00 3510.00	100 gm 500 gm
DM 2198	**Tryptone Water Broth w/BCP** for the cultivation of Salmonella species from foods. **17.29** gms/litre	3321.00	500 gm
DM 2272	**Tryptone Yeast Extract Agar** recommended for estimation of microbial counts in water. **21.00** gms/litre	5103.00	500 gm
DM 2193	**Tryptone Yeast Extract Agar w/BCP** recommended for isolation and enumeration of Enterobacteriaceae and Bacillus cereus. **41.51** gms/litre	5103.00	500 gm
DM 1356	**Tryptone Yeast Extract Broth** See **ISP Medium No. 1**	1395.00 5670.00	100 gm 500 gm
BA 2030	**Tryptose** bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.	3731.00 POR	500 gm 2.5 kg
BC 2030	**Tryptose, Certified** designed to promote luxuriant growth of highly fastidious microorganisms.	6093.00	500 gm

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Price	Packing
DM 1538	**Tryptose Agar** for isolation, cultivation and differentiation primarily of Brucella, but also of Streptococci, Pneumococci, Meningococci and other pathogenic microorganisms. **41.00** gms/litre	**4941.00**	**500 gm**
DM 1996	**Tryptose Agar w/Thiamine HCl** for isolation, differentiation and cultivation of fastidious microorganisms in an infusion free medium. **41.00** gms/litre	**4941.00**	**500 gm**
DM 1097	**Tryptose Blood Agar Base** for the isolation of fastidious organisms and determining the haemolytic reactions. **33.00** gms/litre	**1360.00** **5481.00**	**100 gm** **500 gm**
DM 1450	**Tryptose Blood Agar Base** w/Yeast Extract with or without added blood it can be used for culturing fastidious microorganisms. **34.00** gms/litre	**4941.00**	**500 gm**
DM 1177	**Tryptose Broth** for the cultivation primarily of .Brucella species **26.00** gms/litre	**3834.00**	**500 gm**
DM 1997	**Tryptose Broth w/Thiamine HCl** for cultivation and differentiation of fastidious microorganisms in an infusion free medium. **26.00** gms/litre ➤ Agar - 0.5-1%	**4761.00**	**500 gm**
DM 1093	**Tryptose Phosphate Broth** for cultivation of fastidious bacteria. **29.50** gms/litre	**900.00** **3681.00**	**100 gm** **500 gm**
DM 1634	***Tryptose Sulphite Neomycin Agar** for selective isolation and enumeration of Clostridium perfringens in foods or other specimens. **40.07** gms/litre ➤ Thioglycollate Solution - 20ml/Lit	**2700.00**	**100 gm**
DM 1415	**Universal Beer Agar (UB Agar)** for culturing microorganisms of significance in the brewing industry. **62.16** gms/litre	**2359.00**	**100 gm**
DM 1112	**Urea Agar Base (Christensen) (Autoclavable)** for detection of urease production, particularly by Proteus vulgaris, Micrococci and paracolon organisms. **24.01** gms/litre	**927.00** **3727.00**	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**469.00**	**5 vl**
DM 1112I	**Urea Agar Base, Christensen** for the detection of urease production, particularly by members of the genus Proteus. The composition and performance criteria are in accordance with ISO 1993, ISO DIS 6579. **24.01** gms/litre	**4356.00**	**500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**469.00**	**5 vl**
GM 1112A	**Urea Agar Base Granulated (Filter Sterilizable) (w/o Agar)** with added agar it is used for detection of urea splitting microorganism. **29.00** gms/liter **17.24** lit/500g	**4203.00**	**500 gm**
DM 1112S	***Urea Agar Base (Christensen)** for detection of urease production, particularly by Proteus vulgaris,Micrococci and paracolon organisms. **24.51** gms/litre	**1027.00** **4136.00**	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**469.00**	**5 vl**
DM 1111	**Urea Broth Base** **See (Diagnostic Stuart's Urea Broth Base)**	**1062.00** **4356.00**	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**	**469.00**	**5 vl**
GM 1111A	**Urea Broth Granulated (Filter Sterilizable)** for identification of bacteria on the basic of urea utilization, specifically for the differentiation of proteus species from Salmonella and Shigella species. **38.71** gms/liter **12.92** lit/500g	**4680.00**	**500 gm**
DM 1416	**Veillonella Agar Base** for selective isolation of Veillonella . species **23.75** gms/litre ❈ Sodium Lactate - 21 ml/Lit ❈ Vancomycin - 7.5 mg/ml ➤ Cween 80 - 1gm/Lit	**4644.00**	**500 gm**
DM 1820	**Vibrio Agar** for selective cultivation of Vibrio species. **79.92** gms/litre	**4644.00**	**500 gm**
DM 2153	**Vibrio Parahaemolyticus Sucrose Agar** for isolation and enumeration of Vibrio parahaemolyticus from seafood samples as per APHA. **73.52** gms/litre	**5616.00**	**500 gm**
DM 1049S	**Violet Red Bile Agar** recommended for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products. **41.53** gms/litre	**810.00** **3645.00**	**100 gm** **500 gm**
DM 1049A	**Violet Red Bile Agar (1.2%)** recommended for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products. **38.53** gms/litre	**3762.00**	**500 gm**
DM 1458	**Violet Red Bile Broth** for detection and enumeration of coliforms from water and food. **26.53** gms/litre	**3699.00**	**500 gm**
DM 1581H	**Violet Red Bile Glucose Agar** recommended for detection and enumeration of Enterobacteri aceae from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. **40.62** gms/litre	**936.00** **3753.00** **POR** **POR**	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1036	***Vitamin B12 Assay Medium** See **B12 Assay Medium**	**3618.00**	**100 gm**
DM 1023	**Vogel-Johnson Agar Base w/o Tellurite (V.J. Agar)** for selective isolation of coagulase positive,mannitol fermenting Staphylococcus aureus from heavily contaminated foods and clinical specimens. **61.02** gms/litre	**887.00** **3654.00**	**100 gm** **500 gm**
MS 2052	***Potassium Tellurite 1% (1ml per vial)**	**675.00**	**5 vl**

❈ To be added but not provided.
❄ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Price	Packing
DM 2152	**Wesley Broth Base** used as a selective enrichment medium for isolation of Campylobacter jejuni from poultry products as per APHA. **39.25** gms/litre	9423.00	500 gm
MS 2077	***Campylobacter Selective Supplement**	1602.00	5 vl
DM 1832	**Wilkins Chalgren Anaerobic Agar Base** for selective isolation and cultivation of anaerobic bacteria and susceptibility testing of anaerobes by the agar dilution method. **43.01** gms/litre	4519.00	500 gm
MS 2001	***Non Spore Anaerobic Supplement**	1305.00	5 vl
MS 2002	***G.N. Spore Anaerobic Supplement**	1431.00	5 vl
DM 1863	**Wilkins Chalgren Anaerobic Broth** Base for cultivation and susceptibility testing of anaerobic bacteria. **33.01** gms/litre	4194.00	500 gm
MS 2001	***Non Spore Anaerobic Supplement**	1305.00	5 vl
MS 2002	***G.N. Spore Anaerobic Supplement**	1431.00	5 vl
DM 1331	**Wilson Blair Agar Base** with the addition of selective reagent used for the isolation of Salmonella serotype Typhi. **60.00** gms/litre ❈ Brilliant green solution - 4 ml/Lit ❈ Selective reagent - 70 ml/Lit	1233.00 4941.00	100 gm 500 gm
DM 1332	**Wilson Blair Agar w/BG** for isolation and preliminary identification of Salmonella typhi from clinical specimens. **52.32** gms/litre	1233.00 4941.00	100 gm 500 gm
DM 1129	**Wort Agar** for the cultivation and enumeration of yeasts. **48.28** gms/litre	1216.00 4874.00	100 gm 500 gm
DM 1333	**Wort Broth** for cultivation and enumeration of yeasts. **33.28** gms/litre ❈ Glycerol - 2.35 gm/Lit	4532.00	500 gm
DM 1336	**Xylose Lysine Agar Base** for isolation and identification of pathogenic enteric bacilli. **45.08** gms/litre ❈ 34% Sodium thiosulphate - 20 ml/Lit ❈ 4% Ferric ammonium citrate - 20 ml/Lit	4150.00	500 gm
DM 1031	**Xylose Lysine Deoxycholate Agar (XLD Agar)** for selective isolation and enumeration of Salmonella serotype Typhi and other Salmonella species. **56.68** gms/litre	864.00 3870.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1031H	**XLD Agar** a selective medium recommended for the isolation and enumeration of Salmonella Typhi and other Salmonella species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP **54.80** gms/litre	864.00 3870.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 2251	**YT Broth (2XYT Broth)** for the cultivation of recombinant strains of Escherichia coli. **31.00** gms/litre	4842.00	500 gm
BA 2194	**Yeast Autolysate** extract from autolysing yeast cells (Saccharomyces) specially cultivated to obtain yeast autolysate.	2745.00	500 gm

Product Code	Product Name	Price	Packing
DM 2413	**Yeast and Mould Broth** for isolation and cultivation of yeasts and moulds. **20.00** gms/litre	4424.00	500 gm
DM 1140	**Yeast Meat Agar** See **Antibiotic Assay Medium No.4**	5130.00	500 gm
BA 2025	**Yeast Extract** Paste suitable for culture media	1503.00	500 gm
BA 2027	**Yeast Extract** Powder a low salt extract refined for use in microbial culture media, fermentation and other biological products. Also used with beef extract or in place of beef extract.	2102.00 POR	500 gm 2.5 kg
BC 2027	**Yeast Extract** Powder, Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.	3245.00	500 gm
BA 2668	**Yeast Extract** Powder Type I specially developed for routine bacteriological work.	2322.00 POR	500 gm 5 kg
DM 1456	**Yeast Extract Agar** highly nutritive medium recommended for plate count of microorganisms in water. **23.00** gms/litre	711.00 2970.00	100 gm 500 gm
DM 1955	**Yeast Extract Rose Bengal Broth Base** for the cold enrichment for the recovery of Yersinia enterocolitica and Yersinia seudotuberculosis from food sample. **26.30** gms/litre ❈ 4% Sorbose solution - 100 ml/Lit	4001.00	500 gm
DM 1676	**Yeast Fermentation Broth Base** See **Bromo Cresol Purple Broth**	4743.00	500 gm
DM 1720	**Yeast Lactose Agar** for cultivation of soil microorganisms such as Rhizobium species. **26.80** gms/litre	2620.00	100 gm
DM 1424	**Yeast Malt Agar (YM Agar)** See **ISP Medium No. 2**	1233.00 5040.00	100 gm 500 gm
DM 1425	**Yeast Malt Broth (YM Broth)** for isolation and cultivation of yeasts, moulds and aciduric microorganisms. **21.00** gms/litre	963.00 4023.00	100 gm 500 gm
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**	954.00	5 vl
DM 1715	**Yeast Mannitol Agar w/1.5% Agar** for cultivation, isolation & enumeration of soil microorganisms like Rhizobium species. **27.80** gms/litre	1134.00 4622.00	100 gm 500 gm
DM 1716	**Yeast Mannitol Broth** for cultivation of Rhizobium species. **12.80** gms/litre	3375.00	500 gm
DM 1138	***Yeast Morphology Agar** for classification of yeasts on the basis of their colonial characteristics & cell morphology. **34.75** gms/litre	2043.00	100 gm
DM 1139	***Yeast Nitrogen Base** for classification of yeasts on the basis of their ability to assimilate carbon compounds. **6.75** gms/litre	2772.00	100 gm

❈ To be added but not provided.
❋ On receipt store between 2 - 8°C
★ Store below 8°C ➤ If required use

Product Code	Product Name	Price	Packing
DM 1878	❋**Yeast Nitrogen Base w/o Amino Acids** for investigating carbon and nitrogen requirements of yeasts. **67.0** gms/litre	2772.00	100 gm
DM 1151	❋**Yeast Nitrogen Base w/o Amino** Acids and Ammonium Sulphate for classification of yeasts on the basis of their ability to assimilate nitrogen and carbon compounds. **17.1** gms/litre	3330.00	100 gm
DM 2061	**Yeast Phosphate Agar** for isolation of dimorphic pathogenic fungi from clinical specimens. **21.50** gms/litre ❊ Conc. ammonia	7137.00	500 gm
DM 2367	**Yersinia Enrichment Broth Base** for the enrichment of Yersinia species, in particular Yersinia enterocolitica from human and animal intestinal contents. **13.01** gms/litre	4532.00	500 gm

Product Code	Product Name	Price	Packing
DM 2221	**Yersinia Identification Broth Base** recommended for identification of Yersinia species. **10.02** gms/litre	4802.00	500 gm
MS 2048	***Urea 40% (5 ml per vial)**	469.00	5 vl
DM 1564	**Yersinia Isolation Agar** recommended for selective isolation of Yersinia species from foods. **79.02** gms/litre	4941.00	500 gm
DM 1843	**Yersinia Selective Agar Base** recommended for selective isolation and enumeration of Yersinia enterocolitica from clinical specimens and foods samples. **58.04** gms/litre	4941.00	500 gm
MS 2034	***Yersinia Selective Supplement**	1242.00	5 vl
DM 1384	**Zobell Marine Agar 2216** See **Marine Broth 2216**	900.00 4064.00	100 gm 500 gm
DM 1385	**Zobell Marine Broth 2216** See **Marine Broth 2216**	900.00 4064.00	100 gm 500 gm

microgen

CE Certified
ISO 13485:2016

dehydrated culture media
media bases & supplements

❊ To be added but not provided.
❋ On receipt store between 2 - 8°C
★ Store below 8°C

microgen

MEDIA SUPPLEMENTS

MICROBIOLOGY PRODUCTS

Ready Prepared Media can meet your quality control and research needs, to enable right detection of microorganisms.

Product	Page
Media Supplements (MS)	**326-337**
• Enrichment Supplements	
· Selective Inhibitory Supplements	
· Selective Growth Supplements	
· Vitamin & Growth Factor Supplements	
· Antibiotic Mixtures	
· Supplements for Diagnostic Purpose	
· Supplements for identification and growth of	
- *Listeria, Campylobactera, Legionella, Neisseria, Leptospira, Mycoplasma, Lactobacilli, Bacillus anthracis, Mycobacteria, Pseudomonas, Haemophilus, Bacillus, Aeromonas, Bacteroides, Bifidobacteria, Burkholderia, Clostridia ets.*	
· Supplements for Selective Growth of Mycobacteria	
· Supplement for processing of sputum samples of Mycobacteria	
· Egg Yolk Supplements	
· Supplements with Tellurite formulations	
· Chromogenic & Fluorogenic Supplements	
· Supplements for detecting enzymatic activity	
· Sterile Enrichments	
· Serum and other derivatives of Biological origin such as	
- Horse serum	
- Rabbit serum	
- Coagulase Plasma	
- Haemoglobin Powder	
· Supplements for selective isolation of drug resistant strains like MRSA, VRE, ESBLs, Carbapenem Resistant, MDR strains etc.	

microgen

BETA-LACTAMASES

MEDIA SUPPLEMENTS

Environmental monitoring during aseptic production of Betalactam antibiotics can give deceptive results if the traces of the antibiotic are found in the environment. The air sampling thus should be conducted with agar medium containing a Beta-lactamase for neutralization of antibiotic to avoid any false negative results.

Microgen offers a range of products to aid the environmental monitoring in the antibiotic production area.
Beta-lactamase Supplements in Powder From are available as :

MS2267 : Beta-lactamase I Supplement (containing 3300 IU of Penicillinase enzyme)

MS2268 / MS2268G : Beta-lactamase Mixture Supplement (containing ³ 50 IU / vial of Cephalosporinase & ³ 500 IU / vial of Penicillinase enzyme)

Ms2289 : Beta-lactamase Mixture Supplement (containing ³ 2 KIU / vial of Cephalosporinase & ³ 20 KIU / vial of Penicillinase enzyme)

MS2267 : Can inactivate pecillin group of antibiotics whereas

Ms2268 / MS2268G / MS2289 : can inactivate a wide range of antibiotics like penicillins, Cephalosporins of first, second, third and fourth generations and Penems.

Product Code	Product Name	Price	Packing
MS 2284	**Acrilavin-Cefsulodin-Vancomycin Supplement (ACV Supplement)** recommended for the isolation of Enterohemorrhagic E. Coli. (EHEC). One vial is sufficient for 500 ml medium	4159.00	5vl
MS 2039	**Aeromonas Selective Supplement** recommended for the isolation of Aeromonas species. One vial is sufficient for 500 ml medium	1171.00	5vl
MS 2201	**Albumin Glucose Supplement** recommended for rapid cultivation of Mycobacterium tuberculosis. One vial is sufficient for 200 ml medium	1360.00	5vl
MS 2107A	**Albumin Dextrin Selective Supplement** recommended for selective isolation and differentiation of Aeromonas species from water samples using membrane filter Technique. One vial is sufficient for 1000 ml medium	1233.00 3861.00	5vl 5x5vl
MS 2082	**Ampicillin Supplement** recommended for isolation of Aeromonas hydrophila from foods. One vial is sufficient for 1000 ml medium	1413.00	5vl
MS 2185	**Anthracis Selective Supplement** recommended for the selective isolation of Bacilllus anthracis. Aeromonas hydrophila from foods. One vial is sufficient for 1000 ml medium	1098.00	5vl
MS 2179	**Antibiotic Mixture for Borrelia (100 X) (5 ml per vial)** recommended for cultivation of Borrelia burgdorferi. One vial is sufficient for 500 ml medium	1440.00	5vl
MS 2304	**Arcobacter Selective Supplement** a selective supplement for the isolation of Arcobacter species from food samples One vial is sufficient for 1000 ml medium	2052.00	5vl
MS 2069	**B P Sulpha Supplement** recommended for suppression of Proteus species growing on Baird Parker Agar Base. One vial is sufficient for 1000 ml medium	1067.00	5vl
MS 2180	✦ **BSK-H Supplement** selected for ability to support growth of Borrelia burgdorferi. One vial is sufficient for 1000 ml medium	2912.00	1x100ml
MS 2324	**Bacillus Selective Supplement** recommended for selective isolation of Bacillus species One vial is sufficient for 1000 ml medium :	1540.00	5vl
MS 2062	**Bacteroides Selective Supplement** recommended for the selective isolation of Bacteroides species. One vial is sufficient for 500 ml medium	1053.00	5vl

Product Code	Product Name	Price	Packing
MS 2059A	★ **Basic Fuchsin (0.17 gm per vial)** recommended for preparation of Endo Agar which is used for confirmation of the presumptive test for the members of the coliform group One vial is sufficient for 100 ml medium	604.00	5vl
MS 2059	★ **Basic Fuchsin (6.0 gm per vial)** recommended for preparation of Endo Agar which is used for confirmation of the presumptive test for the members of the coliform group	630.00	1vl
MS 2361	**BCSA Selective Supplement** An antibiotic supplement recommended for isolation of burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens.	1620.00	5vl
MS 2267	**Beta Lactamase I Supplement (w/ 3300 IU of Penicillinase)** A Beta lactamase enzyme recommended for inactivation of penicillin group of antibiotics.	13050.00	1vl
MS 2316	**Beta Lactamase II non sterile powder Supplement** for inactivation wide range of antibiotics like Penicillins, Cephalosporins of first, second, third & fourth generations and Penems.	POR	1vl
MS 2268	**Beta Lactamase Mixture Supplement w/ > 50IU of Cephalosporinase & > 500 IU of Penicillinase** A mixture of Beta Lactamase enzymes recommended for inactivation of a wide range of antibiotics like Penicillins, Cephalosporins of first, second, third and fourth generations and Penems.	7092.00	1vl
MS 2268G	**Beta Lactamase Mixture Supplement (sterile) w/ > 50IU of Cephalosporinase & > 50IU of Penicillinase** use and media as specified in Ms1268	7803.00	1vl
MS 2289	**Beta Lactamase Mixture Supplement w/ > 2KIU of Cephalosporinase & 20KIU of Penicillinase** use and media as specified in Ms1268	39623.00	1vl
MS 2296	**Sterile Beta Lactamase Liquid Mixture (Ready to use)** (Each vial contains 10ml of >100IU of Cephalosporinase and >1KIU of Penase.) media as specified in Ms1268	66533.00	5vl
MS 2297A	**Sterile Beta Lactamase I Concentrate** (Each vail contains 20 ml of 20,000 Levy units per ml of Penicillinase that can inactive 10,000,000 IU/ml of Penicillin-G) media as specified in Ms1268	14500.00	5vl
MS 2314	**Sterile Beta Lactamase I Supplement (Ready to use)** (Each vail contains 20 ml solution. Activity : 2000 Levy units per ml per min which inactivates 1000,000 IU/ml of Penicillin-G)9)	19810.00	6vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

microgen

Product Code	Product Name	Price	Packing
MS 2285	**Bifidobacterin Selective Supplement** recommended for the selective isolation of Bifidobacterium species. One vial is sufficient for 1000 ml medium	450.00	5vl
MS 2250	**Bifido Selective Supplement A** A selective supplement recommended for the selective isolation of Bifidobacterium species by colony count method from milk products. One vial is sufficient for 500 ml medium	2359.00	5vl
MS 2251	**Bifido Selective Supplement B** A selective supplement recommended for the selective isolation of Bifidobacterium species by colony count method from milk products. One vial is sufficient for 500 ml medium	608.00	5vl
MS 2231	**Bolton Selective Supplement** recommended for selective isolation of Campylobacter species One vial is sufficient for 500 ml medium	1540.00	5vl
MS 2004	**Bordetella Selective Supplement** recommended for the selective isolation of Bordetella pertussis. One vial is sufficient for 500ml or 1000ml medium	1292.00	5vl
MS 2228	**Brettanomyces Selective Supplement** An antimicrobial supplement recommended for the selective isolatoin of Brettanomyces species. One vial is sufficient for 1000 ml medium	2003.00	5vl
MS 2093	★ **Bromo Cresol Purple (15 mg per vial)** a dye supplement recommended for identification of faecal Streptococci. One vial is sufficient for 1000 ml medium	693.00	5vl
MS 2091	★ **Bromo Thymol Blue Supplement (20 mg per vial)** a dye supplement which helps to differentiate microflora in urinary tract. One vial is sufficient for 1000 ml medium	482.00	5vl
MS 2005	**Brucella Selective Supplement** recommended for the selective isolation of Brucella species from milk. One vial is sufficient for 500 ml medium	1413.00 3538.00	5vl 5x5 vl
MS 2232	**Burkholderia Cepacia Selective Supplement** recommended for the selective isolation Burkholderia Cepacia One vial is sufficient for 500 ml medium	1683.00	5vl
MS 2049	**C.B.I. Supplement** recommended for the selective isolation of Clostridum Botulinum. One vial is sufficient for 450ml medium	1323.00	5vl
MS 2009	**Campylobacter Growth Supplement** recommended for the enhanced growth and aerotolerance of Campylobacter fetus. One vial is sufficient for 500ml medium	1341.00	5vl

Product Code	Product Name	Price	Packing
MS 2077	**Campylobacter Selective Supplement** recommended for the selective isolation of Campylobacter species. One vial is sufficient for 1000ml medium	1602.00	5vl
MS 2090	**Campylobacter Selective Supplement** recommended for the selective isolation of Campylobacter pylori. One vial is sufficient for 500ml medium	1463.00	5vl
MS 2294	**Campylobacter Selective Supplement, Abeyta** recommended by FDA BAM for selective isolation of Campylobacter species. One vial is sufficient for 500ml medium	1643.00	5vl
MS 2042	**Campylobacter Selective Supplement IV (Preston Selective Supplement)** recommended for the selective isolation of Campylobacter species. One vial is sufficient for 500ml medium	1242.00	5vl
MS 2132	**Campylobacter Selective Supplement IV w/ Hemin (Karmali)** recommended for isolating thermotolerant Campylobacter species. One vial is sufficient for 500ml medium	1540.00 4320.00	5vl 5x5vl
MS 2078	**Campylobacter Selective Supplement Karmali** recommended for isolating thermotolerant Campylobacter species. One vial is sufficient for 500ml medium	1607.00 3358.00	5vl 5x5vl
MS 2006	**Campylobacter Supplement-I (Blaser-Wang)** recommended for the isolation of Campylobacter species. One vial is sufficient for 500ml medium	1442.00	5vl
MS 2007	**Campylobacter Supplement-II (Butzler)** an antibiotic supplement for the isolation of Campylobacter species. One vial is sufficient for 500ml medium	1503.00 4221.00	5vl 5x5vl
MS 2008	**Campylobacter Supplement-III (Skirrow)** recommended for the isolation of Campylobacter species. One vial is sufficient for 500ml medium	1341.00	5vl
MS 2067	**Campylobacter Supplement-V (BFCSA)** recommended for the selective isolation of Campylobacter species. One vial is sufficient for 500ml medium	1674.00	5vl
MS 2106	**Campylobacter Supplement-VI (Butzler)** recommended by ISO for the selective isolation of thermotolarent Campylobacter species. One vial is sufficient for 470ml medium	1602.00 4221.00	5vl 5x5vl
MS 2357	**Carba Selective Supplement** for selective isolation of carbapenem resistant Enterobacteriaceae One vial is sufficient for 500ml medium	2359.00	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Price	Packing
MS 2145	**CAT Selective Supplement** recommended for isolation of thermophilic Campylobacter species. One vial is sufficient for 500ml medium	1521.00	5vl
MS 2235	**CATC Supplement** recommended for selective isolation and detection of Enterococcus faecalis by means ot TTC reduction. One vial is sufficient for 500ml medium	1341.00	5vl
MS 2360	**C.auris Selective Supplement** A selective sullpement for the isolation of MDR C.auris One vial is sufficient for 500 ml medium	3992.00	5vl
MS 2035	**CC Supplement** recommended for the selective isolation of pathogenic fungi. One vial is sufficient for 500ml medium	1242.00	5vl
MS 2135F	**CCDA Supplement** An antibiotic supplement recommended for the selective cultivation of Campylobacter. One vial is sufficient for 1000 ml medium	1602.00	5vl
MS 2135	**CCDA Selective Supplement** An antibiotic supplement recommended for the selective cultivation of Campylobacter or Arcobacter species. One vial is sufficient for 500 ml medium	1521.00	5vl
MS 2246	**Cefixime Supplement** recommended for selective isolation of E. coli 0157:H7 One vial is sufficient for 500 ml medium	653.00	5vl
MS 2259	**Cefoxitin Supplement** recommended for selective isolation of Methicillin Resistant Staphlococcus aureus from clinical specimens.	1540.00	5vl
MS 2029	**Cetrinix Supplement** Recommended for the selective isolation of Pseudomonas species. One vial is sufficient for 500ml medium	1494.00 3798.00	5vl 5x5vl
MS 2036	**CFC Supplement** recommended for selective isolation of Pseudomonas species. One vial is sufficient for 500 ml medium	1351.00 4194.00	5vl 5x5 vl
MS 2033	**Chloramphenicol Selective Supplement** recommended for the selective isolation of yeasts and moulds. One vial is sufficient for 500 ml medium :	1053.00 3186.00	5vl 5x5 vl
MS 2270	**Chromogenic Supplement** recommended for enumeration of faecal caliform by membrane filter technique. One vial is sufficient for 100 ml medium	2331.00	5vl
MS 2120	**Chlortetracycline Selective Supplement** recommended for selective isolation of Penicillium viridicatum and related species from foods. One vial is sufficient for 1000 ml medium	1117.00	5vl

Product Code	Product Name	Price	Packing
MS 2120F	**Chlortetracycline Selective Supplement, Modified** for use, selective isolation of fungal cultures, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	1017.00	5vl
MS 2346	**Ciprofloxacin-Clindamycin Selective Supplement** for the selective isolation of Lactobacillus from a mixed culture. One vial is sufficient for 1000ml medium	2547.00	5vl
MS 2345	**Ciprofloxacin Supplement** for the selective isolation of Lactobacillus from a mixed culture. One vial is sufficient for 1000ml medium	1134.00	5vl
MS 2010	**Clostridium Difficile Supplement** recommended for the selective isolation of Clostridium difficile. One vial is sufficient for 500ml medium	1350.00 3538.00	5vl 5x5vl
MS 2243	**Clostridium Perfringens Supplement** An antibiotic supplement recommended for selective isolation of Clostridium perfringens One vial is sufficient for 500ml medium	3452.00	5vl
MS 2320	**Clostridium Difficile Selective Supplement** used for cultivation of Clostridium difficile from certain clinical specimens. One vial is sufficient for 1000ml medium	2016.00	5vl
MS 2115	**CNA Supplement** recommended for selective isolation of anaerobic Gram-positive cocci. One vial is sufficient for 950ml medium	1544.00	5vl
MS 2248	**Coagulase Plasma (0.1gm per vial)** recommended for studying coagulation reaction in diagnosis of Staphylococci.	3430.00	5vl
MS 2248A	**Coagulase Plasma W/EDTA** Recomended for studying coagulase reaction in diagnosis of staphylococci	4059.00	5vl
MS 2362	**Coagulase Supplement** Recommended for enumeration of coagulase positive staphylococci 10 vials are sufficient for 1000ml medium	5580.00 18423.00	5vl 5x5vl
MS 2298	**Colistin Selective Supplement** for use in cultivation and identification of Vibrio species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000ml medium	1962.00	5vl
MS 2110	**CPC Supplement** recommended for selective isolation and enumeration of Vibrio species from foods. One vial is sufficient for 500ml medium	2097.00	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

microgen

Product Code	Product Name	Price	Packing
MS 2015	**Dermato Supplement** recommended for selective isolation of pathogenic dermatophytes. One vial is sufficient for 500ml medium	1350.00	5vl
MS 2073	**Diphtheria Virulence Supplement (Part A & B)** for isolation and presumptive identification of Corynebacterium diphtheriae. (1 Kit contains Part A : BA2239-100ML & Part B : MS1073-1VL) One vial is sufficient for 1000ml medium	4140.00	1 kit
MS 2356	**Diphenyl Supplement (Part A & B)** for selective isolation and differentiation of Cryptococcus neoformans. One vial is sufficient for 1000ml medium	608.00	5vl
MS 2043	**Doyle's Antibiotic Supplement** recommended for the selective isolation of Campylobacter species. One vial is sufficient for 460ml medium	1161.00 3722.00	5vl 5x5vl
MS 2247	**EC0157:H7 Selective Supplement** An antibiotic supplement recommended for selective isolation of E. Coli 0157:H7 One vial is sufficient for 1000ml medium	1440.00 3591.00	5vl 5x5vl
MS 2344	**ECC Selective Supplement, Modified** recommended for detection of E. Coli 0157:H7 and other Enterobacteriaceae in water samples One vial is sufficient for 1000ml medium	1143.00	5vl
MS 2045L	**Egg Yolk Emulsion, (50ml/100ml per vial)** recommended for use in following culture Media	1845.00 2183.00	50mlx5vl 100mlx5vl
MS 2046L	**Egg Yolk Tellurite Emulsion (50ml / 100ml per vial)** recommended for use in Baird Parker Medium for identification of Staphylococci.	1890.00	50mlx5vl
MS 2045F	**Egg Yolk Emulsion, 50%** Use in various culture media, in accordance with FDA BAM, 1998.	2700.00	100mlx5vl
MS 2226	**Enterococcus faecium Selective Supplement** recommended to differentiate Enterococcus faecium from Enterococcus faecalis. One vial is sufficient for 500ml medium	2025.00	5vl
MS 2050	★ **Esculin (0.5 gms per vial)** recommended for detection of group D Streptococci by means of esculin hydrolysis.	2673.00	5vl
MS 2303	**Exeter Camplyobacter Selective Supplement** a selective supplement for the isolation of Campylobacter species from food and environmental samples. One vial is sufficient for 1000 ml medium	1584.00	5vl

Product Code	Product Name	Price	Packing
MS 2195	**Fibrinogen Plasma Trypsin Inhibitor** recommended by ISO committee for enumeration of coagulase positive Staphylococci One vial is sufficient for 100 ml medium	5419.00 18423.00	5vl 5x5vl
MS 2065	**Fraser Enrichment Supplement** recommended for isolation and enrichment of Listeria monocytogenes from food and environmental specimens. One vial is sufficient for 1000 ml medium	1233.00	5vl
MS 2125	**Fraser Selective Supplement** recommended for selective isolation and cultivation of Listeria monocytogenes from food and environmental specimens. One vial is sufficient for 1000 ml medium	1611.00	5vl
MS 2125l	**Fraser Selective Supplement** recommended for selective isolation and enumeration of Listeria monocytogenes from food, animal feeds etc. One vial is sufficient for 500ml / 1000ml medium	1620.00	5vl
MS 2141	★ **Fraser Supplement** recommended for selective isolation and enumeration of Listeria monocytogenes from food, animal feeds etc. One vial is sufficient for 500ml medium	1022.00	5vl
MS 2317	**Friis Supplement** A selective supplement for detection of non-avian Mycoplasmas in Pharmaceutical products in accordance with European Pharmacopoeia One vial is sufficient for 1000ml medium	1773.00	5vl
MS 2056	**G. Vaginalis Selective Supplement** for selective isolation of Gardnerella vaginalis: One vial is sufficient for 500 ml medium	1170.00	5vl
MS 2002	**G.N. Spore Anaerobic Supplement** an enrichment and antibiotic supplement recommended for the selective isolation of Gramnegative anaerobes. One vial is sufficient for 500 ml medium	1431.00 3898.00	5vl 5x5vl
MS 2054	**GBS Supplement** for selective isolation and presumptive identification of group B Streptococci. One vial is sufficient for 450 ml medium	954.00	5vl
MS 2021	**GC Supplement w/ Antibiotics** recommended for the selective isolation and cultivation of pathogenic Neisseria. One vial is sufficient for 500 ml medium	1503.00 3803.00	5vl 5x5vl
MS 2252	**Gentamicin Supplement w/ Antibiotics** An antibiotic supplement used for detection of Clostridium perfringens from pharmaceutical products. One vial is sufficient for 1000 ml medium	954.00	5vl
MS 2131	**Genta-Oxy Selective Supplement** recommended for selective isolation and enumeration of yeasts and moulds from meat & meat products. One vial is sufficient for 500 ml medium	1350.00 3231.00	5vl 5x5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Price	Packing
MS 2112	**George Kimming Selective Supplement** for selective isolation and cultivation of fungi. One vial is sufficient for 500 ml medium	1305.00	5vl
MS 2302	**Group A Selective Supplement** for selective isolation of Group A Streptococci One vial is sufficient for 1000 ml medium	1134.00	5vl
MS 2287	**Growth Supplement I for MSM** recommended for the enrichment of Salmonella species. One vial is sufficient for 1000 ml medium	1053.00	5vl
MS 2288	**Growth Supplement II for MSM** recommended for the enrichment of Salmonella species. One vial is sufficient for 1000 ml medium	891.00	5vl
MS 2053	**Gruft Mycobacterial Supplement** recommended for the selective cultivation of Mycobacteria. One vial is sufficient for 400 ml medium	1233.00	5vl
MS 2117	**Haemophilus Growth Supplement** a growth supplement for cultivation of Haemophilus influenzae. One vial is sufficient for 500 ml medium	1350.00	5vl
MS 2022	**Haemoglobin Powder** recommended for the isolation of Neisseria.	1369.00 2421.00	50gm 100gm
MS 2300	**Hayflick growth Supplement** recommended for detection of Mycoplasmas in pharmaceutical products, vaccines, cell banks and virus culture in accordance with European Pharmacopoeia. One vial is sufficient for 500 ml medium	1305.00	5vl
BA 2239	✦ **Horse Serum (100 ml per vial)** used for isolation and cultivation of Mycoplasma or Trichomonas or Streptococcus species.	5000.00	100ml
MS 2192	**Microme Candida Selective Supplement** recommended for rapid & direct isolation & identification of Candida species from mixed cultures. One vial is sufficient for 500 ml medium	1467.00 3501.00	5vl 5x5vl
MS 2283R	**Microme Candida Differential Selective Supplement** recommended for rapid & direct isolation and identification of Candida species from mixed cultures. One vial is sufficient for 500 ml medium	1058.00	5vl
MS 2355	**Microme Colistin Resistant Selective Supplement** for selective isolation of colistin resistant gram negative bacteria. One vial is sufficient for 1000 ml medium	1900.00	5vl

Product Code	Product Name	Price	Packing
MS 2230	**Microme EC 0157:H7 Selective Supplement I** recommended for isolation and easy detection of Escherichia coli 0157:H7 from food and environmental samples. One vial is sufficient for 500 ml medium	1540.00	5vl
MS 2187	**Microme EC 0157:H7 Selective Supplement** recommended for selective isolation and easy detection of E. coli 0157:H7 from food samples. One vial is sufficient for 1000 ml medium	864.00	5vl
MS 2295	**Microme EC 0157:H7 Selective Supplement, Modified** for presumptive enumeration of Echerichia coli 0157:H7 by membrane filteration technique. One vial is sufficient for 1000 ml medium	2345.00 10558.00	2vl 2x5vl
MS 2190	**Microme ECC Selective Supplement** recommended for direction of E. coli and coliforms in water and food samples. One vial is sufficient for 1000 ml medium	1242.00	5vl
MS 2278	**Microme ESBL Agar Supplement** is used for the detection of Extended Spectrum β-Lactamase-producing organisms. One vial is sufficient for 500 ml medium	1683.00	5vl
MS 2272	**Microme Fluorogenic Agar Supplement** recommended for selective detection and confirmation of Escherichia coli and total coliforms on the basis of enzyme substrate reaction from water samples. One vial is sufficient for 1000 ml medium	1540.00	5vl
MS 2279	**Microme KPC Agar Supplement** for detection of Gram-negative bacteria with a reduced susceptibility to carbapenem agents. One vial is sufficient for 500 ml medium	1665.00	5vl
MS 2181	**Microme Listeria Selective Supplement** recommended for rapid and direct identification of Listeria species. One vial is sufficient for 500 ml medium	1413.00	5vl
MS 2245	**Microme Nickels & Leesment Selective Supplement** A selective supplement recommended for isolation of citrate-fermenting lactic acid bacteria. One vial is sufficient for 500 ml medium	1890.00	5vl
MS 2273	**Microme Strep B Selective Supplement** recommended for selective isolation of Group B Streptococci from clinical samples. One vial is sufficient for 1000 ml medium	1836.00	5vl
MS 2274	**Microme Selective Salmonelia Agar Supplement** for selective isolation & differentiation of Salmonella species from coliforms by chromogenic method. One vial is sufficient for 1000 ml medium	1278.00 3407.00	5vl 5x5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Price	Packing
MS 2277	**Microme VRE Agar Supplement** recommended for selective isolation of Vancomycin Resistant Enterococci (VRE). One vial is sufficient for 500 ml medium	1602.00	5vl
MS 2363	**HiMRSA Selective Supplement** Recomended for the selective isolation of methicillin resistant staphylococus aureus (MRSA) One vial is sufficient for 1000ml medium	1656.00	5vl
MS 2193	**IMRV/RV Selective Supplement** recommended for isolation of Salmonella from food stuffs and other materials. One vial is sufficient for 1000 ml medium	1773.00	5vl
MS 2237	**Iron Sulphate Supplement** recommended for preparation of Modified iron Sulphate Agar which is used for the detection and enumeration of Clostridia. One vial is sufficient for 500 ml medium	657.00 2655.00	5vl 5x5vl
MS 2146	**Kanamycin Sulphate Selective Supplement** recommended for the selective isolation of Enterococci. One vial is sufficient for 500 ml medium	1413.00	5vl
MS 2111	**Kimmin Selective Supplement (Twin Pack)** for selective isolation and cultivation of fungi. One vial is sufficient for 500 ml medium	1818.00	5vl
MS 2072	**KL Virulence Enrichment (20 ml per vial)** recommended for cultivation and in-vitro toxicity testing of Corynebacterium diphtheriae One vial is sufficient for 100 ml medium	1323.00 3461.00	5vl 5x5vl
MS 2225	**Klebsiella Selective Supplement** for selective isolation and easy detection of Klebsiella species from water and other sources. One vial is sufficient for 500 ml medium	1350.00	5vl
MS 2116	**KV Supplement** recommended for the selective isolation of Gram-negative anaerobes. One vial is sufficient for 950 ml medium	1540.00	5vl
MS 2214	✦ **L.mono Enrichment Supplement I** recommended for the selective differentiation of Listeria monocytogenes from other Listeria species. One vial is sufficient for 500 ml medium	8460.00	5vl
MS 2227	✦ **L.mono Enrichment Supplement II** recommended for the selective differentiation of Listeria monocytogenes from other Listeria species. One vial is sufficient for 500 ml medium	4172.00	5vl
MS 2305	**L.mono Selective Supplement** for selective isolation of Listeria monocytogenes from food and environmental samples One vial is sufficient for 1000 ml medium	1467.00	5vl

Product Code	Product Name	Price	Packing
MS 2212	**L.mono Selective Supplement I** recommended by ISO for isolation of Listeria species. One vial is sufficient for 500 ml medium	1090.00	5vl
MS 2330	**LM Selective Supplement** recommended for presumptive enumeration of Listeria species One vial is sufficient for 1000 ml medium	2205.00	5vl
MS 2209	**Lachica's Supplement** recommended for selective isolation of of Aeromonas hydrophila. One vial is sufficient for 1000 ml medium	702.00	1vl
MS 2095	**10% Lactic Acid Solution (10 ml per vial)** recommended for the adjustment of acidic pH. One vial is sufficient for 500 ml medium	954.00 3073.00	5vl 5x5vl
MS 2055	**Lactic Supplement** for selective isolation of lactic acid bacteria in beer and brewing processes. One vial is sufficient for 500 ml medium	1189.00	5vl
MS 2098	**Lactobacilli Supplement** recommended for selective isolation of Lactobacilli from wine. One vial is sufficient for 500 ml medium	1440.00 4572.00	5vl 5x5vl
MS 2338	**LCN Supplement** recommended for selective isolation of Mycobacterium from specimens containing mixed flora. One vial is sufficient for 500 ml medium	1540.00 4460.00	5vl 5x5vl
MS 2332	**Lecithin solution** for detection of PCPLC activity. One vial is sufficient for 500 ml medium	3452.00	5vl
MS 2335	**Leeds Acinetobacter Selective Supplement** for selective isolation of Acinetobacter species. One vial is sufficient for 1000 ml medium	2007.00	5vl
MS 2143	**Legionella (GVPC) Selective Supplement** recommended for isolation of Legionella species. One vial is sufficient for 500 ml medium	1296.00 3893.00	5vl 5x5vl
MS 2144	**Legionella BMPA Selective Supplement** recommended for selective isolation of Legionella species. One vial is sufficient for 450 ml medium	1386.00 4163.00	5vl 5x5vl
MS 2016A	**Legionella Growth Supplement (Twin Pack)** recommended for enhancing growth of Legionella species. One vial is sufficient for 500 ml medium	1004.00	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Price	Packing
MS 2206	**Legionella Growth Supplement w/o L-Cysteine** recommended for enhancing growth of Legionella species. One vial is sufficient for 440 ml medium	1612.00 4262.00	5vl 5x5vl
MS 2142	**Legionella Growth Supplement (BCYE)** recommended for enhancing growth of Legionella species. One vial is sufficient for 440 ml medium	1800.00	5vl
MS 2142X	**Legionella Growth Supplement** A chemical enrichment supplement recomended for enhancing growth of legionella species. One vial is sufficient for 100 ml medium	342.00 1674.00	5vl 5x5vl
MS 2017	**Legionella Selective Supplement** recommended for the selective isolation of Legionella species. One vial is sufficient for 500 ml medium	1170.00	5vl
MS 2037	**Legionella Selective Supplement II** recommended for the selective isolation of Legionella species from mixed cultures. One vial is sufficient for 500 ml medium	1575.00	5vl
MS 2038	**Legionella Selective Supplement III** recommended for the selective isolation of Legionella species from mixed cultures. One vial is sufficient for 500 ml medium	1485.00	5vl
MS 2040	**Legionella Selective Supplement IV (MWY)** recommended for the selective isolation of Legionella species. One vial is sufficient for 500 ml medium	1742.00	5vl
MS 2242	**Legionella Selective Supplement (GVPN)** An antibiotic supplement recommended for the selective isolation of Legionella species. One vial is sufficient for 500 ml medium	1540.00	5vl
MS 2041A	**Legionella Supplement (Twin Pack)** recommended for enhanced growth of Legionella species. One vial is sufficient for 500 ml medium	1134.00	5vl
MS 2066	**Leptospira Enrichment** recommended for cultivation of Leptospira species. One vial is sufficient for 180 ml medium	2039.00	5vl
MS 2026	**Linco T Supplement** recommended for the selective isolation and cultivation of Neisseria species. One vial is sufficient for 500 ml medium	1467.00 4262.00	5vl 5x5vl
MS 2126	**Listeria Moxalactam Supplement** recommended for the isolation of Listeria monocytogenes from mixed flora. One vial is sufficient for 500 ml medium	1611.00	5vl

Product Code	Product Name	Price	Packing
MS 2266	**Listeria Moxalactam Supplement Modified** recommended for the selective isolation of Listeria species. One vial is sufficient for 500 ml medium	1611.00	5vl
MS 2061	**Listeria Selective Supplement (PALCAM)** recommended for the selective isolation and identification of Listeria monocytogenes. One vial is sufficient for 500 ml medium	1215.00 4127.00	5vl 5x5vl
MS 2063	**Listeria Selective Supplement II** recommended for the selective cultivation of Listeria species. One vial is sufficient for 1000 ml medium	1224.00	5vl
MS 2063I	**Listeria Selective Supplement II** recommended for the selective cultivation of Listeria species. One vial is sufficient for 500 ml medium	1242.00 4365.00	5vl 5x5vl
MS 2136	**Listeria UVM Supplement I** for selective isolation and cultivation of Listeria monocytogenes species. One vial is sufficient for 500 ml medium	1067.00	5vl
MS 2137	**Listeria UVM Supplement II** for selective isolation and cultivation of Listeria monocytogenes from clinical specimens One vial is sufficient for 500 ml medium	1067.00	5vl
MS 2070	**McBride Listeria Supplement** recommended for the selective isolation of Listeria species. One vial is sufficient for 1000 ml medium	1386.00	5vl
MS 2153	**M-CP Selective Supplement - I** recommended by the Directive of the Council of the European Union 98/83 EC for selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1413.00	5vl
MS 2154	**M-CP Selective Supplement - II** recommended by the Directive of the Council of the European Union 98/83 EC for selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1270.00	5vl
MS 2154A	**M-CP Selective Supplement, Modified** recommended for selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1270.00	5vl
MS 2271	**MDR Acinetobacter Selective Supplement** recommended for selective isolation of MDR strains of Acinetobacter One vial is sufficient for 1000 ml medium	1944.00	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

microgen

Product Code	Product Name	Price	Packing
MS 2229	**MeReSa Selective Supplement** recommended for selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens. One vial is sufficient for 500 ml medium	1540.00	5vl
MS 2262	**Meropenem Supplement** recommended for enrichment of Enterococci. One vial is sufficient for 500 ml medium	1720.00	5vl
MS 2019	**Middlebrook ADC Growth Supplement** recommended for the cultivation of Mycobacteria. One vial is sufficient for 500 ml medium	2534.00	5vl
MS 2018	**Middlebrook OADC Growth Supplement** recommended for the isolation and cultivation of Mycobacteria. One vial is sufficient for 500 ml medium	2592.00	5vl
MS 2329	**Middlebrook OADC Enrichment Supplement** recommended for the cultivation of Mycobacteria. One vial is sufficient for 180 ml medium	3483.00	5vl
MS 2203	**MKTT Novobiocin Supplement** recommended for the selective enrichment and isolation Salmonellae One vial is sufficient for 1000 ml medium	1935.00	5vl
MS 2281	**Modified C.F.C. Selective Supplement** recommended for the selective isolation of Pseudomonas species. One vial is sufficient for 500 ml medium	1373.00	5vl
MS 2110F	**Modified C.P.C. Supplement** For use in cultivation and identification of Vibrio species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	2196.00	5vl
MS 2333	**Modified L.mono Selective Supplement** for selective isolation and differentiation of Listeria monocytogenes and other Listeria species based on PCPLC activity. One vial is sufficient for 500 ml medium	1926.00	5vl
MS 2126F	**Modified Listeria Moxalactam Supplement** For use in isolation of Listeria species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 500 ml medium	2196.00	5vl
MS 2306	**Modified Listeria Oxford Selective Supplement** Modified Listeria Oxford Selective Supplement One vial is sufficient for 1000 ml medium	1575.00	5vl

Product Code	Product Name	Price	Packing
MS 2309	**Monensin Selective Supplement** A selective supplement recommended for the detection of coliform bacteria using membrane filtration technique. One vial is sufficient for 1000 ml medium	2340.00 10558.00	2vl 2x5vl
MS 2151	**Moxalactam Supplement** recommended for isolation and cultivation Listeria monocytogenes. One vial is sufficient for 1000 ml medium	1494.00	5vl
MS 2202	**M-PA Selective Supplement** recommended for selective isolation of Pseudomonas aeruginosa. One vial is sufficient for 1000 ml medium	1593.00	5vl
MS 2319	**MRSA Selective Supplement** recommended for the selective isolation of Methicillin Resistant Staphylococcus aureus. One vial is sufficient for 1000 ml medium	1638.00 4591.00	5vl 5x5vl
MS 2118	**Mucasol** for dilution and digestion of sputm.	1575.00	5vl
MS 2100	✦ **Mueller Tellurite Serum (25 ml per vial)** recommended for isolation, cultivation and differentiation of Corynebacterium diphtheriae. One vial is sufficient for 975 ml medium	2502.00	5vl
MS 2092	**MUG Supplement (50 mg per vial)** a fluorogenic substrate for measuring B-glucuronidase activity, in rapid sensitive identification of Escherichia coli. One vial to be added in media as per recommendation	2124.00	5vl
MS 2198	**Mycoplasma Cultivation Supplement** recommended for the isolation and cultivation of Mycoplasma. One vial is sufficient for 70 ml medium	5175.00	5vl
MS 2075	**Mycoplasma Enrichment Supplement** recommended for the isolation of Mycoplasma. One vial is sufficient for 70 ml medium	3591.00 13550.00	5vl 5x5vl
MS 2334	**Mycoplasma Selective Supplement** selective supplement for the isolation of Mycoplasma. One vial is sufficient for 1000 ml medium	3123.00	5vl
MS 2182	**Mycoplasma Supplement - P** a selective supplement for the isolation of Mycoplasma pneumoniae. One vial is sufficient for 500 ml medium	2772.00	1vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Price	Packing
MS 2175	**Mycoplasma Urogenital Selective Supplement** recommended for selective cultivation of Mycoplasma associated with urogenital infections. One vial is sufficient for 500 ml medium	1540.00 3591.00	5vl 5x5vl
MS 2173	**Mycoprep (for 2 tests)** sputum liquefaction and decontamination mixture.	1422.00	1 kit
MS 2173B	**Mycoprep (for 10 tests)** sputum liquefaction and decontamination mixture.	5697.00	1 kit
MS 2327	**NAD Supplement** recommended for preparation of Mueller Hinton Agar F medium as per EUCAST guidelines. One vial is sufficient for 1000 ml medium	2079.00	5vl
MS 2130	**Nalidixic Selective Supplement** recommended for selective isolation of Pseudomonas aeruginosa from clinical specimens. One vial is sufficient for 1000 ml medium	1053.00	5vl
MS 2341	**NAMC Listeria Selective Supplement** An antibiotic supplement recommended for the selective enrichment of Listeria species from food. One vial is sufficient for 1000 ml medium	1215.00	5vl
MS 2249	**Neo Enrichment Selective Supplement** An antimicrobial supplement recommended for selective isolation of Listeria species from samples in 24 hours. One vial is sufficient for 500 ml medium	1494.00	5vl
MS 2149	**Neomycin Supplement** recommended for selective isolation of Streptococcus species. One vial is sufficient for 940 ml medium	1013.00	5vl
MS 2174	**Neomycin Supplement** recommended for isolation and differentiation of Candida species. One vial is sufficient for 500 ml medium	1278.00	5vl
MS 2001	**Non Spore Anaerobic Supplement** an enrichment Supplement recommended for the selective isolation or cultivation of nonsporing anaerobic bacteria. One vial is sufficient for 500 ml medium	1305.00	5vl
MS 2101	**Novobiocin Selective Supplement** recommended for the rapid presumptive detection of Salmonella species in foods and feed materials. One vial is sufficient for 1000 ml medium	1540.00	5vl

Product Code	Product Name	Price	Packing
MS 2290	**Novobiocin Selective Supplement** recommended for the detection of Escherichia coli 0157:H7 from food. One vial is sufficient for 1000 ml medium Also recommended for the detection of motile Salmonella species from food, faeces and environmental specimens.	2745.00	5vl
MS 2096	**Novobiocin Supplement** an antibiotic supplement for presumptive identification of Aeromonas hydrophila. One vial is sufficient for 250/1000 ml medium :	954.00 3538.00	5vl 5x5vl
MS 2150	**NYC Supplement** recommended for the isolation and cultivation of pathogenic Neisseria species. One vial is sufficient for 500 ml medium	1350.00	5vl
MS 2348	**OADS Supplement** recommended for the isolation and cultivation of Mycobacteria. One vial is sufficient for 500 ml medium	2592.00	5vl
MS 2212A	**OA Listeria Selective Supplement** A selective supplement recommended by ISO committee for the isolation of listeria Species One vial is sufficient for 500 ml medium	2507.00	5vl
MS 2269	**OFPBL Selective Supplement** recommended for selective isolation of Burkholderia cepacia from clinical specimens as well as non-clinical samples. One vial is sufficient for 1000 ml medium	1791.00	5vl
MS 2020	**Oleic Albumin Supplement** recommended for the cultivation of of Mycobacterium tuberculosis One vial is sufficient for 200 ml medium	1305.00 4644.00	5vl 5x5vl
MS 2191	**Oxacillin Resistant Selective Supplement** recommended for screening Oxacillin Resistant microorganisms. One vial is sufficient for 500 ml medium	1179.00	5vl
MS 2071	**Oxford Listeria Supplement** recommended for the selective isolation of Listeria species. One vial is sufficient for 500 ml medium	1413.00	5vl
MS 2032	**Oxytetra Selective Supplement** recommended for the selective isolation and cultivation of yeasts and moulds. One vial is sufficient for 500 ml medium	954.00 3133.00	5vl 5x5vl
MS 2104	**Park and Sanders Selective Supplement I** recommended for selective isolation and enumeration of thermotolarent Campylobacter species. One vial is sufficient for 950 ml medium	1485.00	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

microgen

Product Code	Product Name	Price	Packing
MS 2105	**Park and Sanders Selective Supplement II** recommended for selective isolation and enumeration of thermotolarent Campylobacter species. One vial is sufficient for 950 ml medium	2205.00	5vl
MS 2347	**PCP Supplement** for selective isolation and cultivation of Legionella species from cooling towers, clinical and other materials. The composition and performance criteria of this medium are as per the specifications laid down in ISO 11731-2 One vial is sufficient for 1000 ml medium	1575.00	5vl
MS 2200	**PEMBA Supplement** recommended for selective cultivation of Bacillus cereus. One vial is sufficient for 90 ml medium	1180.00 3618.00	5vl 5x5vl
MS 2260	**Penta Mix** An Antibiotic mixture recommended to add in media to reduce contamination of other organisms from suspected tuberculosis positive clinical samples prior to inoculation. If desired can be added to (Middlebrook 7H9 Broth Base).	1620.00	5vl
MS 2307	**Perfringens Selective Supplement** recommended for rapid detection of Clostridium perfringens from food. One vial is sufficient for 1000 ml medium	1161.00	5vl
MS 2011	**Perfringens Supplement-I** recommended for the selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	891.00 2503.00	5vl 4x5vl
MS 2012	**Perfringens Supplement-II** recommended for the selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1224.00 3218.00	5vl 4x5vl
MS 2241	**Poctri Supplement** An antimicrobial supplement recommended for selective isolation of M.tuberculosis from suspected clinical specimens. One vial is sufficient for 4 ml medium	392.00	5vl
MS 2003	**Polymyxin B Selective Supplement** antibiotic supplement recommended for the selective isolation of various microorganisms. One vial is sufficient for 500 ml medium	1170.00 3384.00	5vl 5x5vl
MS 2103	**Potassium Chlorate Supplement** a liquid Potassium Chlorate Supplement for selective enrichment of Yersinia enterocolitica. One vial is sufficient for 1000 ml medium	837.00	5vl

Product Code	Product Name	Price	Packing
MS 2123	**50% Potassium Lactate (10ml per vial)** recommended for isolation and enumeration of wild yeasts and in pitching yeasts. One vial is sufficient for 1000 ml medium	1386.00	5vl
MS 2124	**Potassium Sorbate 10% (10ml per vial)** for the detection and isolation of acid resistant yeasts, Zygosaccharomyces bailii and Zygosaccharomyces rouxii in salads, sauces and dressings.	1161.00	5vl
MS 2052	**Potassium Tellurite 1% (1 ml per vial)** for selective isolation of Staphylococci and Corynebacteria. One vial is sufficient for 500 ml medium	675.00 2381.00	5vl 5x5vl
MS 2047	**Potassium Tellurite 3.5% (1 ml per vial)** for the selective isolation of Staphylococci and Corynebacteria	730.00	5vl
MS 2264	**PP Pseudomonas Selective Supplement** selective supplement recommended for selective isolation of Pseudomonas species. One vial is sufficient for 500 ml medium	1152.00	5vl
MS 2265	**PP Pseudomonas Selective Supplement II** selective supplement recommended for isolation of Pseudomonas species. One vial is sufficient for 500 ml medium	972.00	5vl
MS 2097	**Propionibacteria Growth Supplement** a growth supplement for selective cultivation of Propionibacteria. One vial is sufficient for 500 ml medium	1009.00	5vl
MS 2342	**Rapid Listeria Selective Supplement** for selective enrichment of Listeria species from food samples. One vial is sufficient for 500 ml medium	1431.00	5vl
MS 2107	**Rippey Cabelli Selective Supplement** recommended for cultivation of Aeromonas hydrophila. One vial is sufficient for 500 ml medium	1233.00	5vl
MS 2058	**★Rosolic Acid (0.1 gm per vial)** recommended for the selective isolation of coliform bacteria. One vial is sufficient for 1000 ml medium	1440.00	5vl
MS 2013	**S.F.P. Supplement** **(Perfringens S.F.P. Supplement)** recommended for the selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1013.00 2637.00	5vl 4x5vl
MS 2238	**★ SalEnrich Selective Supplement** recommended for two-step enrichment of sublethally injured Salmonellae from foods and feeds. One vial is sufficient for 250 ml medium	2151.00 8470.00	5vl 5x5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

Product Code	Product Name	Price	Packing
MS 2275	**Salmonella Selective Enrichment Supplement** for selective isolation and differentiation of Salmonella species from coliforms by chromogenic method. One vial is sufficient for 1000 ml medium	1683.00	5vl
MS 2299	**Selective Enrichment for MRSA** recommended for improved detection of Methicillin Resistant Staphylococcus aureus (MRSA) One vial is sufficient for 500 ml medium	2034.00 6130.00	5vl 5x5vl
MS 2354	**Shiga toxin EC Selective supplement** A selective supplement for the isolation of Shiga toxin producing Escherichia coli. Two vial is sufficient for 1000 ml medium	2727.00	5vl
MS 2108	**Shigella Selective supplement** recommended for the selective isolation of Shigella species. One vial is sufficient for 1000 ml medium	1224.00	5vl
MS 2122	**SM Selective supplement** recommended for the selective isolation and cultivation of Pseudomonas solanacearum. One vial is sufficient for 1000 ml medium	1224.00	5vl
DB 2001	**Sodium Biselenite Bud (1 pack contains 50 buds)** One bud is sufficient for 100 ml medium	3060.00	1pk
MS 2236	**Sorbic Acid Supplement** recommended for cultivation of Lactobacillus species. One vial is sufficient for 500 ml medium	640.00	5vl
MS 2030	**Staph-Strepto Supplement** recommended for the selective isolation of Staphylococci and Streptococci. One vial is sufficient for 500 ml medium	1404.00	5vl
MS 2280	**★ Sterile Charcoal Supplement for Legionella Agar** recommended for growth of Legionella species. One vial is sufficient for 500 ml medium	1755.00 1648.00	5vl 5x5vl
MS 2031	**Strepto Supplement** recommended for the selective cultivation of Streptococcus species. One vial is sufficient for 500 ml medium	1134.00 3538.00	5vl 5x5vl
MS 2119	**Streptococcus Selective Supplement** recommended for the selective isolation and cultivation of Streptococci. One vial is sufficient for 500 ml medium	1440.00 3533.00	5vl 5x5vl

Product Code	Product Name	Price	Packing
MS 2068	**Sulpha Supplement** recommended for the selective isolation of Salmonella species. One vial is sufficient for 500 ml medium	1485.00	5vl
MS 2014	**T.S.C. Supplement (Perfringers T.S.C. Supplement)** recommended for the selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1332.00 3308.00	5vl 4x5vl
MS 2147	**Tellurite - Cefixime Supplement** recommended for the isolation of Escherichia coli 0157:H7 One vial is sufficient for 500 ml medium	1215.00	5vl
MS 2196	**Tetracycline Selective Supplement** recommended for selective cultivation of yeasts and moulds. One vial is sufficient for 1000 ml medium	1224.00	5vl
MS 2102	**Ticarcillin Supplement** used for the selective enrichment of Yersinia enterocolitica. One vial is sufficient for 1000 ml medium	1386.00	5vl
MS 2051	**★ Toluidine Blue (0.1 gm per vial)** recommended for detection of deoxyribonuclease activity. One vial is sufficient for 1000 ml medium	653.00 1098.00	5vl 2x5vl
MS 2081	**Tributyrin (10 ml per vial)** recommended for detection of lipolytic microorganisms. One vial is sufficient for 990 ml medium	1692.00	5vl
MS 2276	**Trichoderma Harzianum Selective Supplement** for the selective isolation of Trichoderma harzianum One vial is sufficient for 1000 ml medium	4320.00	5vl
MS 2099	**Trichomonas Selective Supplement I** for selective isolation of Trichomonas species from clinical specimens. One vial is sufficient for 500 ml medium	1611.00	5vl
MS 2094	**Trichomonas Selective Supplement II** recommended for selective isolation of Trichomonas species. One vial is sufficient for 500 ml medium	1233.00	5vl
MS 2057	**TTC Solution 1% (10 ml per vial)** recommended for the detection microbial growth by means of TTC reduction. One vial is sufficient for 1000 ml medium	1054.00 3276.00	5vl 5x5vl
MS 2321	**TYCSB Supplement** recommended for the selective isolation of Streptococcus mutans One vial is sufficient for 1000 ml medium	756.00	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

microgen

Product Code	Product Name	Price	Packing
MS 2048	**Urea 40% (5 ml per vial)** recommended for detection of urease activity in following media : One vial is sufficient for 100 ml medium	469.00 1881.00	5vl 5x5vl
MS 2157	**Urea 5% (5 ml per vial)** recommended for selective cultivation of Mycoplasma hominis and Ureaplasma urealyticum. One vial is sufficient for 425 ml medium	410.00 1665.00	5vl 5x5vl
MS 2253	**Urea Solution** (Filter sterilized) recommended for isolation of Ureaplasma urealyticum and other ureaplasma species. One vial is sufficient for 1000 ml medium	576.00 2673.00	5vl 5x5vl
MS 2254	**Ureaplasma Selective Supplement** as selective supplement for isolation of Ureaplasma urealyticum and other ureaplasma species. One vial is sufficient for 1000 ml medium	1233.00 3430.00	5vl 5x5vl
MS 2255	**Ureaplasma Growth Supplement** A chemically defined growth supplement recommended for the isolation of Ureaplasma urealyticum and other ureaplasma species. One vial is sufficient for 1000 ml medium	1981.00 7340.00	5vl 5x5vl
MS 2023	**V.C.N. Supplement** recommended for selective isolation of Neisseria gonorrhoeae and Neisseria meningitidis species. One vial is sufficient for 500 ml medium	2084.00 7722.00	5vl 5x5vl
MS 2024	**V.C.N.T. Supplement** recommended for the selective isolation of Neisseria gonorrhoeae and Neisseria meningitidis. One vial is sufficient for 500 ml medium	2084.00 8200.00	5vl 5x5vl
MS 2312	**VIA Supplement** for the cultural isolation of Stenotrophomonas maltophilia. One vial is sufficient for 1000 ml medium	1935.00	5vl
MS 2349	**VP Supplement** Recommended for isolation of legionella species One vial is sufficient for 1000ml Medium	1440.00	5vl
MS 2028	**Vanclo T Supplement** recommended of the selective isolation of Neisseria species. One vial is sufficient for 500 ml medium	1764.00 4262.00	5vl 5x5vl

Product Code	Product Name	Price	Packing
MS 2233	**Vancomycin Supplement** recommended of isolation of Cronobacter sakazakii. One vial is sufficient for 1000 ml medium	1710.00	5vl
MS 2261	**Vancomycin Supplement** recommended of selective isolation of Vancomycin Resistant Entercocci. One vial is sufficient for 500 ml medium	1643.00 3645.00	5vl 5x5vl
MS 2114	**Vitamin K1 Supplement** a vitamin growth supplement for the isolation of anaerobic organisms. One vial is sufficient for 1000 ml medium	1067.00	5vl
MS 2025	**Vitamino Growth Supplement (Twin Pack)** recommended for the cultivation of a wide variety of microorganisms. One vial is sufficient for 500 ml medium	2084.00 8200.00	5vl 5x5vl
MS 2215	**Vitamino Growth Supplement, Modified (Twin Pack)** recommended for the cultural isolation of Neisseria and Haemophilus species from a variety of clinical. One vial is sufficient for 500 ml medium	1485.00	5vl
MS 2156	**Willis and Hobb's Supplement** recommended for isolation of Clostridium perfringens and Clostridium botulium species from food. One vial is sufficient for 475 ml medium	1413.00	5vl
MS 2152	**XLT4 Supplement** recommended for isolation of non-typhi Salmonella. One vial is sufficient for 1000 ml medium	1522.00	1vl
MS 2027	**Yeast Autolysate Supplement** recommended for the cultivation of Neisseria species. One vial is sufficient for 500 ml medium	990.00 3186.00	5vl 5x5vl
MS 2034	**Yersinia Selective Supplement** recommended for the selective isolation Yersinia enterocolitica. One vial is sufficient for 500 ml medium	1242.00 3753.00	5vl 5x5vl
MS 2286	**Yersinia Selective Supplement** used for the selective isolation of Yersinia enterocolitica. One vial is sufficient for 1000 ml medium	1323.00 3601.00	5vl 5x5vl
MS 2301	**Yersinia Selective Supplement - 2** For use, in selective isolation of and enumeration of Yersinia enterocolitica from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	185.00	5vl

★ Store between 10-30°C.
✦ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

CULTURE MEDIA BASES

MICROBIOLOGY PRODUCTS

Your perfect choice of media for utilizing raw materials as media ingredients for cultivation of bacteria in small scale and large scale. It is recommended for biomass cultivation required in fermentation studies in various applications; antibiotic manufacturing, enzyme manufacturing, vaccine manufacturing etc.

Product	Page
CULTURE MEDIA BASES	**339-342**
• Peptones, Extracts, Hydrolysates, Infusions from Animal origin & Plant Origin	
• Ingredients to suit Cell Culture Applications	
• Ingredients for Vaccine production, Antibiotic production etc.	
• Ingredients for Media Fill Trials	
• Range of Yeast Extracts	
• Range of Malt Extracts	
• Range of Soyapeptones	
• Equivalent Bacteriological ingredients of Plant origin	

Product Code	Product Name	Price	Packing
BA 2274	**Meat Extract** Paste	1197.00	500 gm
BA 2002	**Meat Extract** Powder refined for use in microbial culture media	2300.00 POR	500 gm 2.5 kg
BC 2002	**Meat Extract Powder,** Certified for the maximum recovery and growth of a wide variety of microorganisms. It is usually incorporated in a concentration of 0.3% to 0.5% when combined with suitable peptones.	4095.00	500 gm
BA 2003	**Meat Extract Powder** used in general purpose and diagnostic media preparations	2644.00	500 gm
BC 2003	**Meat Extract,** Certified replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological Preparations.	4752.00	500 gm
BA 2669	**Meat Extract** Powder Type 1 used in media for routine cultivation and diagnostic purposes.	495.00 2350.00 POR	100 gm 500 gm 5 kg
BA 2008	**Bile Salts** for Bacteriology. for Use in Bacteriological culture media as selective inhibitory agent.	8964.00	500 gm
BC 2008	**Bile Salts, Certified** a specially manufactured extract of bile salts, prepared from fresh ox bile, is recommended as a selectively inhibitory agent in microbiological culture media	9927.00	500 gm
BA 2009	**Bile Salts Mixture** equivalent to Bile Salt No. 3 for use in Bacteriological culture media as selective inhibitory agent	4221.00	100 gm
BC 2009	**Bile Salts Mixture, Certified** recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria	7610.00	100 gm
BA 2021	**Bio Peptone** mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.	2863.00	500 gm
BC 2021	**Bio Peptone,** Certified provides a broad spectrum of peptides amino acids which supports better microbiological growth characteristics to a large variety of organisms	4257.00	500 gm
BA 2189	**Casein Acid Hydrolysate,** Certified **(Acicase, Certified)** Sodium chloride less than 3%	8865.00	500 gm

Product Code	Product Name	Price	Packing
BA 2013	**Casein Acid Hydrolysate,** Technical used in antibiotic sensitivity test media, vaccine preparation media etc.	5239.00	500 gm
BC 2013	**Casein Acid Hydrolysate,** Certified **(Acicase, Certified)** recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.	7812.00	500 gm
BA 2498	**Casein Acid Hydrolysate** Recommended Special for Pertussis Vaccine production.	8820.00	500 gm
BA 2190	**Casein Acid Hydrolysate** (Acicase, Vitamin Free) used in bacteriological assay of vitamins and antibiotic sensitivity.	8082.00	500 gm
BA 2014	**Casein Enzyme Hydrolysate,** Type-I Tryptone, used in sterility testing, diagnostic media preparations.	3402.00 POR	500 gm 2.5 kg
BC 2014	**Casein Enzyme Hydrolysate, Certified** Tryptone, rich in tryptophan and is used by a wide variety of microorganisms, recommended in a number of media such as Sterility Testing media. Diagnostic media for biochemical characterization, etc.	3889.00	500 gm
BA 2028	**Casein Enzyme Hydrolysate,** Type-II equivalent to Casitone, used in Antibiotic Assay Media.	2916.00 POR	500 gm 5 kg
BC 2028	**Casein Enzyme Hydrolysate,** Type-II, **Certified** is a refined product providing high quality soluble source of amino acids, polypeptides and peptides. It is a very rich source of Amino Nitrogen. Recommended for Laboratory and fermentation media, for commercial production of antibiotics, toxins and enzymes.	3182.00	500 gm
BA 9707	**Casein Enzyme Hydrolysate (MB grade)** suitable for recombinant strains growth and molecular biology work	4122.00	500 gm
BA 2714	**Casein Peptone** enzymic, digest of casein	2907.00 POR	500 gm 2.5 kg
BA 6902	**Casein Peptone Soya Meat** a mixture of casein, soya and meat peptones that provides broad spectrum of peptides and amino acids that supports better microbiological growth characteristics.	6435.00	500 gm
BC 2032	**Certified Heart Infusion** a rich nutritive component used in media for cultivation of fastidious microorganisms.	6660.00	500 gm

Product Code	Product Name	Price	Packing
BA 2202	**Cholic Acid, Sodium Salt** See Sodium Cholate	1512.00 5333.00	25 gm 100 gm
BA 2020	**Gelatin Peptone** enzymic digestion of gelatin, used, for antibiotic assay media and various fermentation media.	3105.00 POR	500 gm 2.5 kg
BA 2191	**Heart Infusion Powder** a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity test.	3893.00	500 gm
BA 9710	**Liver Extract Paste** used for cultivation of fastidious anaerobic bacteria and bulk production of vaccines, steroides, enzymes etc.	1242.00	500 gm
BA 2326	**Liver Extract** Powder for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, steroids, enzymes etc.	2844.00	500 gm
BA 2023	**Liver Hydrolysate** an ideal ingredient of culture media used for the cultivation of fastidious anaerobic bacteria.	2817.00	500 gm
BA 8405	**Liver Hydrolysate, Neutralized** recommended for use in culture medium for cultivation of fastidious anaerobic bacteria.	3564.00	500 gm
BA 2022	**Liver Infusion Powder** suitable for vaccine manufacturing.	2817.00	500 gm
BA 2004	**Malt Extract Powder** ideally suitable for use in media for cultivation of fungi.	612.00 2912.00	100 gm 500 gm
BR 2004	**Malt Extract Powder, Refined** purified under controlled condition which is ideally suitable for broth media.	5391.00	500 gm
BC 2004	**Malt Extract,** Certified ideally suitable for use in media for cultivation of fungi.	5391.00	500 gm
BA 2569	**D(+) Maltose, Monohydrate**, Extra pure NRC grade, for vaccine production	797.00 3645.00	100 gm 500 gm
BA 2018	**D(+) Maltose, Monohydrate,** for bacteriological purpose	585.00 2507.00	100 gm 500 gm
BA 2570	**D-Mannitol, A.R. Sterile (γ irradiated)** suitable for use in media fill trials.	POR POR	5 kg 50 kg

Product Code	Product Name	Price	Packing
BA 2192	**Meat Infusion** Powder a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.	2844.00	500 gm
BA 2635	**Meat Peptone** for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.	2763.00	500 gm
BA 3049	**Meat Peptone** Type P peptone from meat (peptic) is obtained by proteolytic digest of meat with pepsin.	3731.00	500 gm
BA 3050	**Meat Peptone** Type T peptone from meat (tryptic) is obtained by proteolytic digest of meat with trypsin.	3889.00	500 gm
BA 2006	**Mycological Peptone** See Peptone M	3330.00	500 gm
BC 2006	**Mycological Peptone,** Certified nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.	4159.00	500 gm
BA 4565	**Oat Meal** Powder recommended for cultivation of fungi in microbiological culture media.	1364.00	500 gm
BA 2656	**Papaic Digest of Casein** it is rich in proteases, peptidesand free amino acids, recommended for bulk production of antibiotics, enzymes and biomolecule production.	POR	500 gm
BA 2001	**Peptone,** Bacteriological contains high tryptophan content used as culture media ingredient invariety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and other Products.	2745.00 4986.00 POR	500 gm 1 kg 2.5 kg
BC 2031	**Peptone** Certified recommended as a source of organic nitrogen and growth factor for cultivation of wide variety of microorganisms.	6516.00	500 gm
BC 2001	**Peptone,** Certified recommended as a source of organic nitrogen and growth factors in culture media, fermentation processes and biological preparations.	4928.00	500 gm

All the above Products to be Stored between 10-30°C

microgen

Product Code	Product Name	Price	Packing
BA 2006	**Peptone** M equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.	3330.00	500 gm
BA 2015	**Peptone** Special equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.	3213.00	500 gm
BA 2667	**Peptone** Type I, Bacteriological used as culture media ingredient.	423.00 2016.00 POR	100 gm 500 gm 5 kg
BA 9709	**Peptone** Type III, Bacteriological recommended for general bacteriological work including mass cultivation.	1440.00	500 gm
BA 2275	**Peptonized Milk (SH Powder)** suitable for Lactobacilli, yeasts and moulds.	3123.00	500 gm
BA 2005	**Proteose Peptone** a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	3294.00 POR	500 gm 5 kg
BC 2005	**Proteose Peptone,** Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	6390.00	500 gm
BA 8394	**Proteose Peptone A** enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, recommended for cultivation of fastidious pathogens and particularly for bulk production of antibiotics, enzyme, veterinary preparations and bacterial toxins, specially diphtheria toxin.	3366.00	500 gm
BA 8392	**Proteose Peptone B** enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, provides superior nutrition for fastidious organisms including pyogenic cocci.	3285.00 POR	500 gm 2.5 kg
BA 2280	**Protose** enzymic digest of mixed proteins, recommended for fermentation and vaccine industries.	2925.00	500 gm
BA 2202	**Sodium Cholate** cholic acid, sodium salt as a selective inhibitory agent for bacteriological culture media.	1512.00 5333.00	25 gm 100 gm
BA 2131	**Sodium Deoxycholate** as a selective inhibitory agent for bacteriological culture media.	5310.00 18540.00 POR	25 gm 100 gm 500 gm

Product Code	Product Name	Price	Packing
BA 2011	**Sodium Taurocholate** as a selective inhibitory agent for bacteriological culture media.	9000.00	500 gm
BC 2011	**Sodium Taurocholate, Certified** a purified component of Ox bile (free from bile acid) is recommended as a selective agent in microbiological culture media.	9900.00	500 gm
BA 2708	**Sodium Tauroglycocholate** as Selective inhibitory agent Bacteriological Grade.	7830.00	500 gm
BA 2007	**Soya Peptone** papaic digest of soyabean meal, plant peptone	2835.00	500 gm
BC 2007	**Soya Peptone,** Certified recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant Growth.	4784.00	500 gm
BA 9714	**Soya Peptone Type I** plant peptone is a soluble end product of the enzymic digestion of soyabean meal by papain.	1674.00 POR	500 gm 5 kg
BA 2015	**Special Peptone** See Peptone Special	3213.00	500 gm
BC 2015	**Special Peptone,** Certified specially designed to maximize the growth of fastidious microorganisms.	5265.00	500 gm
BA 2014	**Tryptone** Type I See Casein Enzyme Hydrolysate	3402.00 POR	500 gm 2.5 kg
BC 2014	**Tryptone,** Certified See Casein Enzyme Hydrolysate, Certified tryptone, recommended in a number of media such as Sterility Testing media, Diagnostic media and media for biochemical characterization etc.	3889.00	500 gm
BA 2193	**Tryptone** D, Type IV tryptic digest of casein, recommended for vaccine production.	4203.00	500 gm
BA 2029	**Tryptone** T, Type-III for tetanus toxin, culture media ingredient.	4113.00	500 gm
BA 2030	**Tryptose** bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.	3731.00 POR	500 gm 2.5 kg
BC 2030	**Tryptose,** Certified designed to promote luxuriant growth of highly fastidious microorganisms.	6093.00	500 gm

All the above Products to be Stored between 10-30°C

Product Code	Product Name	Price	Packing
BA 2194	**Yeast Autolysate** extract from autolysing yeast cells (Saccharomyces) specially cultivated to obtain yeast autolysate.	2745.00	500 gm
BA 2025	**Yeast Extract** Paste suitable for culture media	1503.00	500 gm
BA 2027	**Yeast Extract** Powder Yeast extract is manufactured from selected strains of Saccharomyces cerevisiae under control conditions by retaining all the nutritive values, amino acids, vitamins, especially B group and growth factors. It contains low salt and is recommended for microbiological media and for mass cultivation of various microorganisms.	2102.00 POR	500 gm 2.5 kg

Product Code	Product Name	Price	Packing
BC 2027	**Yeast Extract** Powder, Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.	3245.00	500 gm
BA 2668	**Yeast Extract** Powder Type I specially developed for routine bacteriological work.	486.00 2322.00 POR	100 gm 100 gm 5 kg

Culture Media Bases

Ingredients

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.

All the above Products to be Stored between 10-30°C

microgen

ANTIMICROBIAL SUSCETIBILITY TESTING SYSTEMS

MICROBIOLOGY PRODUCTS

Your perfect choice of AST for in-vitro determination of antibiograms and minimum inhibitory concentration (MIC) of antibiotics against microbes.
It includes Sensitivity Discs, which are available as Single Discs and Multi Discs (combination of antibiotics) - Hexa, Octo, Dodeca and Icosa Discs.
Micomb Strips and Mic Ezy Strips to determine MIC of single, dual or multiple antibiotics using simples technologies.

Product	Prefix	Page
• Mic Ezy Strips	**EM**	
>> Antibacterial Mic Ezy Strips(Single)		346-351
>> ESBL Detection Multi Mic Ezy Strips		351
>> Ampc Detection Multi Mic Ezy Strips		352
>> MBL - ESBL - AmpC Detection Mic Ezy Strips		352
>> MBL Detection Dual Mic Ezy Strips		352
>> KPC Detection Mic Ezy Strips		353
>> Dual Mic Ezy Strips		353
>> Antifungal Mic Ezy Strips		353
>> MicPer Mic Ezy Microbiology Teaching Kit		354
•MiComb Mic Test Strips	**MD**	354-357
Study 16 concentrations of an antibiotic at one time		
>> Antifungal Agents		358
•Antibacterial Agents	**SD**	358-362
Concentration of Antibiotics as per CLSI (formerly NCCLS) & EUCAST standards		
>> ESBL Identification Test Kits		362
>> Antifungal Agents		362
•Antibacterial Agents		363
Concentration of Antibiotics only as per EUCAST standard		
•Antibacterial Agents		364-371
Concentration of Antibiotics not as per CLSI (formerly NCCLS) & not as per EUCAST standards		
>> ESBL Identification Test Kits		370
>> Antifungal Agents		370-371
• Mic6 (Hexa) Discs	**HX**	372-375
Test 6 different antibiotics at once		
>> Gram - Negative Organisms		373
>> Pseudomonas		374
>> UTI Pathogenic Organisms		374
>> Haemophilus		374
>> Pneumococci		374
>> Anaerobic Bacteria		375
>> Antifungal		375

Product	Prefix	Page
• Mic8 (Octo) Discs	**OD**	376-380
Test 8 different antibiotics in one shot		
>> Gram - Negative Organisms		378
>> Pseudomonas		379
>> UTI Pathogenic Organisms		379
>> Sputum & Respiratory Pathogenic Organisms		380
>> General Purpose		380
• Mic12 (Dodeca) Discs	**DE**	381-384
Test 12 different antibiotics, for testing on a single 150 mm plate		
>> Gram-positive Organisms		381
>> Gram-negative Organisms		382
>> UTI Pathogenic Organisms		383
>> Pseudomonas		384
• Mic20 (Icosa) Discs	**IC**	385-386
Test 20 different antibiotics, in one shot-efficiently, easily and rapidly		
>> Gram-positive Organisms		385
>> UTI Pathogenic Organisms		386
>> Pseudomonas		386

MIC EZY STRIPS

Antimicrobial Susceptibility Testing - Mic Ezy Strips

MIC DETERMINATION STRIPS

Mic Ezy Strip is a thin, inert and porous paper strip coated with antibiotic. Both sides of the strip are likewise printed with the MIC reading scale in mcg/ml and the two or three- letter symbol printed on the top of the strip helps in easy identification of the antibiotic. A predefined exponential gradient of antibiotic, dried and stabilized, is immobilized on either sides of the strip with the concentration maximum at one end and minimum at the other. The gradient covers a continuous concentration range across 15 two-fold dilutions of a conventional MIC method.

- Determines the MIC of fastidious, slow-growing or nutritionally deficient micro-organisms, or for a specific type of patient or infection.
- Confirms/ detects a specific resistant phenotype e.g. ES, MBL, VISA/hVISA. AmpC, MRSA, HLAR.
- Detects low levels resistance.
- Provides high medical value to critical care cases to, refine or guide treatment decisions. Also helps in determining the choice and dosage of antimicrobials in patients with sterile site infections (e.g. endocarditic), severe nosocomial infections, chronic infections, (e.g. cystic fibrosis) and immuno suppressed patients.
- Promotes antibiotic stewardship.

Factors affecting the performance of Sensitivity Discs

microgen

Effects of medium components

The quality of the medium plays major role in antimicrobial susceptibility system. Free electrolyte present in the medium can affect sensitivity of few antimicrobial agents. Hence, Mueller Hinton Agar should be monitored to make sure that is contains acceptable concentrations of divalent cations such as Cs^{++} and Mg^{++} as the increased concentration of Cs^{++} and Mg^{++} results in decreased activity of Aminoglycosides and Tetracyclines whereas the decreased concentration of Cs^{++} and Mg^{++} will have the opposite effect.

If Mueller Hinton Agar contains excessive amounts of thymine of thymidine content, they will reversibly inhibit the action of certain antimicrobial agents such as Sulfonamides, Trimethoprim-Sulphomethoxazole etc. which gives smaller or less distinct or even no zones and will be misinterpreted as resistant antibiotics. If zone of inhibition of Sulfonamides, Trimethorim, Trimethoprim-Sulphomethoxazole will £ 20 mm for E. faecalis ATCC 29212 can interpet as medium contains high thymine or thymidine content. Mueller Hinton Agar is low in thymine and thymidine content and it can be used successfully to study the susceptibility of antibiotics.

pH of medium

The pH of the prepared medium is one of the important parameter of disc diffusion method. The pH of prepared medium should fall within acceptable range which is 7.2 to 7.4 as per CLSI. If the pH is outisde the stated parameters the zone sizes will be altered, with the degree of alteration determined by the antibiotic group.

For e.g. an increase in pH will results in a decrease in Penicillins and Tetracyclines zones and increase in quinolones, macrolids and aminoglycosides zone; conversely, decrease in pH will results in increase in and aminoglycosides zone; pH should perform as a part of the routine quality control tests for each batch of medium prepared.

Depth of agar medium in petri plates

For antimicrobial activity, growth rate of the test organism affects the rate of diffusion of the antimicrobial agent. Hence it is advisable to pour the plates on uniform bench to achieve depth of 4 to 5 mm (Usally 70 ml medium for 150 mm Petri plate, 25 to 30 ml medium for 100 Petri plate and 20 to 25 ml medium for 90 mm Petri plate). Variation in depth of medium will affect the zone of inhibition which can give false positive or negative results.

For e.g. If the depth of agar is too thin, larger zones will appear as the antimicrobial compound will diffuse further than it should. If the depth of agar is too thick, smaller zones will appear as the diffusion of antimicrobial agent will be restricted.

Inoculum level

The inoculum level is also one of the most important, and variable factors in susceptibility testing, and will have a profound effect on the zone size obtained. The zone edge is determined when the critical mass is achieved. If the inoculum is heavy, then the critical mass will be achieved in a shorter time and the zone will be smaller. If the inoculum is light, the critical mass takes longer to develop, the antibiotic diffuses further and a larger zone is achieved. It is advisable to use a technique which yields a uniform suspension of correct number of organisms i.e. 10^5-10^6 cells/ml. Even if the density of culture is adjusted due to improper inoculation false results could be obtained. Inoculation method includes correct & even swabbing of plates & correct placement of discs.

Incubation

Incubation for correct time and correct temperature is also very important parameter. Incubation at temperature above 35 C may fail to detect Methicillin Resistant Staphylococci. At temperatures. lower than 35 C, the rate of growth of most bacteria is prolonged; also antimicrobial agents diffuse more slowly. Increased CO_2 atmosphere results in decreased pH, which affects the activity of some antimicrobial agents. The plates should therefore be incubated in ambient air atmosphere unless CO2 is necessary for the growth of the organisms. Hence, calibration of instruments is a must at all stages.

Disc Storage

The antibiotic discs must be stored according to manufacturer's instructions i.e. between -20 C and +8 C in a sealed, desiccated environment. Cartridges not in use should be stored unopened in their original packaging in order to prevent moisture ingress. This is extremely important since it is well known that moisture is a major cause of antibiotic degradation. Opened cartridges must be refrigerated and sealed in the disc dispenser or other suitable container when not in use. Opened cartridges should not be stored for more than one week; cartridges containing b-lactamase inhibitors (e.g. clavulanic acid, tazobactam and sulbactam) are particularly susceptible to moisture which may results in degradation of antibiotics.

Effect of Inoculum level

Inoculum : $<10^5$-10^6 cells/ml	Inoculum : 10^5-10^6 cells/ml	Inoculum : $>10^5$-10^6 cells/ml
Observed zone : SD1035 - 30mm SD1045 - 45mm	Observed zone : SD1035 - 23mm SD1045 - 20mm	Observed zone : SD1035 - 19mm SD1045 - 16mm

Staphylococcus aureus ATCC 25923
Std. zone : SD1035 Amikacin 30mcg : 20-26 mm
SD1045 Vancomycin 10mcg : 17-21 mm

Product Code	Product Name	Price	Packing
EM1001	**Amikacin** **AMK** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Amikacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1002	***Amoxicillin** **AMX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Amoxicillin on a single strip in a concentration gradient manner,capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1003	***Amoxyclav (2:1)** **AMC** **(Amoxicillin/Clavulanic Acid)** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated which is coated with Amoxyclav (Amoxicillin & Clavulanic Acid) on a single strip in a concentration gradient manner, of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1139	***Amoxyclav** **AUG** **(Amoxicillin/ Clavulanic acid (2 mcg/ml)** **(As per EUCAST)** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Amoxyclav (Amoxicillin &Clavulanic acid) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1068	***Ampicillin** **AMP** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ampicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1109	***Ampicillin/Sulbactam (2:1)** **AMS** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ampicillin & Sulbactam on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1140	***Ampicillin/Sulbactam** **SAM** **Ampicillin/Sulbactam (4mcg/ml)** **(As per EUCAST)** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ampicillin & Sulbactam on a single strip in a concentration gradient manner, capable showing MIC's range predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1004	**Azithromycin** **AZI** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Azithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1006	***Aztreonam** **AZT** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Aztreonam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st

Product Code	Product Name	Price	Packing
EM1126	**Bacitracin** **BAC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Bacitracin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1107	***Cefaclor** **CEC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefaclor on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1008	***Cefazolin** **CFZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefazolin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1009	***Cefdinir** **CDR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefdinir on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1070	***Cefepime** **CPM** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefepime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1093	***Cefepime/Tazobactam** **CPT** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefepime & Tazobactam on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1110	***Cefixime** **FIX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefixime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1148	***Cefixime/Clavulanic acid** **FIC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefixime & Clavulanic acid on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1114	***Cefmetazole** **CMZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefmetazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st
EM1113	***Cefonicid** **CID** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefonicid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

microgen

Product Code	Product Name	Price	Packing
EM1112	***Cefoperazone** **CFP** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefoperazone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1094	***Cefoperazone/Sulbactam (2:1)** **CPS** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefoperazone & Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1850.00** **5031.00** **9162.00** **12501.00** **15282.00** **16497.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1100	***Cefotaxime** **CTX** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Cefotaxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1064	***Cefotaxime** **CTX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefotaxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1814.00** **4932.00** **8991.00** **12272.00** **14990.00** **16182.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1105	***Cefotetan** **CTN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefotetan on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1101	***Cefoxitin** **FOX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefoxitin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1011	***Cefpirome** **CR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefpirome on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1129	***Cefpodoxime** **CPD** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefpodoxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**

Product Code	Product Name	Price	Packing
EM1138	*** Cefpodoxime/Clavulanic acid** **CPC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefpodoxime & Clavulanic acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1850.00** **5031.00** **9162.00** **12501.00** **15282.00** **16497.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1130	***Cefprozil** **CPR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cefprozil on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1012	***Ceftazidime** **CAZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftazidime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1149	***Ceftazidime/Tazobactam** **CAT** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftazidime & Tazobactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1850.00** **5031.00** **9162.00** **12501.00** **15282.00** **16497.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1123	***Ceftizoxime** **ZOX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftizoxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1013	***Ceftriaxone** **CTR** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ceftriaxone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1066	***Ceftriaxone** **CTR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftriaxone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1814.00** **4932.00** **8991.00** **12272.00** **14990.00** **16182.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1097	***Ceftriaxone/Sulbactam (2:1)** **CTS** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ceftriaxone & Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1904.00** **5180.00** **9442.00** **12884.00** **15732.00** **16992.00**	**10st** **30st** **60st** **90st** **120st** **150st**

* Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Price	Packing
EM1102	***Cefuroxime** **CXM** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip whic is coated with Cefuroxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1106	***Cephalothin** **CEP** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Cephalothin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1016	**Chloramphenicol** **CHL** Range in µg :**0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Chloramphenicol on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1017	**Ciprofloxacin** **CIP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ciprofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1082	**Ciprofloxacin** **CPH** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ciprofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st
EM1018	**Clarithromycin** **CLR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Clarithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1019	**Clindamycin** **CLI** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Clindamycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1020	**Colistin** **CL** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Colistin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st

Product Code	Product Name	Price	Packing
EM1021	**Co-Trimoxazole (1:19)** **COT** **(Trimethoprim/Sulfamethoxazole)** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Co-Trimoxazole (Trimethoprim & Sulfamethoxazole) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1083	**Co-Trimoxazole (1:19)** **TSH** **(Trimethoprim/Sulfamethoxazole)** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Co-Trimoxazole (Trimethoprim & Sulfamethoxazole) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st
EM1088	**Daptomycin** **DAP** (Supplemented with Calcium ions) Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Daptomycin along with Calcium ions on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1971.00 5365.00 9775.00 13330.00 16301.00 17605.00	10st 30st 60st 90st 120st 150st
EM1090	***Doripenem** **DOR** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Doripenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st
EM1103	**Doxycycline** **DOX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Doxycycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st
EM1115	**Enrofloxacin** **EFX** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Enrofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1085	***Ertapenem** **ETP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ertapenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

microgen

Product Code	Product Name	Price	Packing
EM1022	**Erythromycin** **ERY** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Erythromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1091	***Faropenem** **FAR** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Faropenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st
EM1108	**Fosfomycin** **FOS** (Supplemented with Glucose-6-phosphate) ange in µg : **0.064 - 1024 mcg/ml** A unique MIC determination paper strip which is coated with Fosfomycin along with Glucose-6-phosphate on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1971.00 5365.00 9775.00 12884.00 16301.00 17605.00	10st 30st 60st 90st 120st 150st
EM1023	**Fusidic Acid** **FC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Fusidic Acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1024	**Gatifloxacin** **GAT** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Gatifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1076	**Gemifloxacin** **GEM** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Gemifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1025	**Gentamicin** **GEN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Gentamicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1061	**Gentamicin** **HLG** Range in µg : **0.064 - 1024 mcg/ml** A unique MIC determination paper strip which is coated with Gentamicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st

Product Code	Product Name	Price	Packing
EM1104	**#Imipenem** **IPM** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Imipenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st
EM1026	**Kanamycin** **KAN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Kanamycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1027	**Levofloxacin** **LEV** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Levofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1029	**Linezolid** **LNZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Linezolid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1124	***Mecillinam** **MEC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Mecillinam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1080	***Meropenem** **MRP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Meropenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st
EM1128	**Metronidazole** **MTZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Metronidazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1032	**Minocycline** **MIN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Minocycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st

* Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Price	Packing
EM1033	**Moxifloxacin** **MXF** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Moxifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1087	**Mupirocin** **MUP** Range in µg : **0.064 - 1024 mcg/ml** A unique MIC determination paper strip which is coated with Mupirocin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1890.00** **5135.00** **9342.00** **12740.00** **15580.00** **16803.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1035	**Nalidixic acid** **NAL** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Nalidixic acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1095	**Netilmicin** **NET** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Netilmicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1037	**Nitrofurantoin** **NIT** Range in µg : **0.032 - 512 mcg/ml** A unique MIC determination paper strip which is coated with Nitrofurantoin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1038	**Norfloxacin** **NOR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Norfloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1039	**Ofloxacin** **OFX** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1065	***Oxacillin** **OXA** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Oxacillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**

Product Code	Product Name	Price	Packing
EM1084	***Penicillin** **PEN** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Penicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1062	***Penicillin** **PEN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Penicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1814.00** **4932.00** **8991.00** **12272.00** **14990.00** **16182.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1041	***Piperacillin** **PIP** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Piperacillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1042	***Piperacillin/Tazobactam** **PTZ** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Piperacillin & Tazobactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1850.00** **5031.00** **9162.00** **12501.00** **15282.00** **16497.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1043	**Polymixin B** **PB** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Polymixin B on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1814.00** **4932.00** **8991.00** **12272.00** **14990.00** **16182.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1044	**Pristinomycin** **QDA** **(Quinupristin/Dalfopristin)** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Pristinomycin (Quinupristin & Dalfopristin) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1850.00** **5031.00** **9162.00** **12501.00** **15282.00** **16497.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1045	**Rifampicin** **RIF** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Rifampicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**
EM1046	**Roxithromycin** **ROX** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Roxithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	**1760.00** **4797.00** **8730.00** **11903.00** **14553.00** **15710.00**	**10st** **30st** **60st** **90st** **120st** **150st**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

microgen

Product Code	Product Name	Price	Packing
EM1047	**Sparfloxacin** **SPA** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Sparfloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1048	**Streptomycin** **STR** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Streptomycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1131	***Sulbactam** **SUL** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1055	**Teicoplanin** **TEI** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Teicoplanin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st
EM1056	**Tetracycline** **TET** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Tetracycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st
EM1057	***Ticarcillin** **TIC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ticarcillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1125	***Ticarcillin/Clavulanic Acid** **TCC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Ticarcillin & Clavulanic Acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1089	**Tigecycline** **TGC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Tigecycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st

Product Code	Product Name	Price	Packing
EM1058	**Tobramycin** **TOB** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Tobramycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1059	**Trimethoprim** **TMP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Trimethoprim on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1060	**Vancomycin** **VAN** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Vancomycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st

ESBL Detection Multi Mic EZY Strips
MultiMIXEZY

Product Code	Product Name	Price	Packing
Em1116	***Cefepime / Cefepime + Clavulanic acid** **CPM+/ CPM** Range : **CPM+ :** Cefepime with Clavulanic acid : 0.064 - 4 **CPM :** Cefepime : 0.25 - 16 **For ESBL detection :** A unique phenotypic detection strip which is coated with Cefepime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with cefepime in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st
EM1099	***Cefotaxime / Cefotaxime + Clavulanic acid** **CTX + / CTX** Range : **CTX+ :** Cefotaxime with Clavulanic acid: 0.016 - 1 **CTX :** Cefotaxime : 0.25-16 **For ESBL detection :** A unique phenotypic detection strip which is coated with Cefotaxime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Cefotaxime in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st
EM1098	***Ceftazidime / Ceftazidime+ Clavulanic acid** **CAZ + / CAZ** Range : **CAZ+ :** Ceftazidime with Clavulanic acid: 0.064 - 4 **CAZ :** Ceftazidime : 0.5 - 32 **For ESBL detection :** A unique phenotypic detection strip which is coated with Ceftazidime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st

* Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name		Price	Packing
EM1117	***Ceftriaxone / Ceftriaxone + Clavulanic acid** Range : **CTR + :** Ceftriaxone with Clavulanic acid : 0.016 - 1 **CTR :** Ceftriaxone : 0.25 - 16 **For ESBL detection :** A unique phenotypic detection strip which is coated with Ceftriaxone + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftriaxone in a reverse direction.	**CTR +/ CTR**	**2021.00 5522.00 10044.00 13703.00 16749.00 18072.00**	**10st 30st 60st 90st 120st 150st**
EM1132	***Improved ESBL Detection Strip** Range : **MIX+ :** Ceftazidime, Cefotaxime, mixture with Clavulanic acid : 0.032- 4 **MIX:** Ceftazidime, Cefotaxime mixture: 0.125-16 **For ESBL detection :** A unique phenotypic detection strip which is coated with Ceftazidime & Cefotaxime mixture + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime & Cefotaxime mixture in a reverse direction.	**MIX+ / MIX**	**2196.00 5990.00 10917.00 17532.00 18199.00 19643.00**	**10st 30st 60st 90st 120st 150st**

Ampc Detection Multi Mic EZY Strips

Product Code	Product Name		Price	Packing
EM1127	***Cefotetan / Cefotetan + Cloxacillin** Range : **CTN+ :** Cefotetan with Cloxacillin : 0.5 - 32 mcg/ml **CTN :** Cefotetan : 0.5 - 32 mcg/ml **For AmpC Detection :** A unique phenotypic detection strip which is coated with Cefotetan + Cloxacillin on upper half with highest concentration tapering downward whereas lower half is coated with Cefotetan in a reverse direction.	**CTN+ / CTN**	**2021.00 5522.00 10044.00 13703.00 16749.00 18072.00**	**10st 30st 60st 90st 120st 150st**
EM1133	***Improved AmpC Detection Strip** Range : **MIX+ :** Ceftazidime, Cefotaxime & Cloxacillin mixture with Clavulanic acid : 0.032- 4 **MIX :** Ceftazidime, Cefotaxime & Cloxacillin mixture : 0.125-16 **For ESBL & AmpC Detection:** A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime & Cloxacillin mixture + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime & Cloxacillin mixture in a reverse direction.	**MIX+/ MIX**	**2196.00 5990.00 10917.00 17532.00 18199.00 19643.00**	**10st 30st 60st 90st 120st 150st**
EM1136	***ESBL- AmpC Co-existence Detection Kit** **Kit Content :** 10 strips each of EM1132 - Improved ESBL Detection Strip EM1133 - Improved AmpC Detection Strip		**5886.00**	**1 kit**

MBL-ESBL-AmpC Detection Mic EZY Strips

Product Code	Product Name		Price	Packing
EM1135	***MBL Plus AmpC Detection Strip** Range : **AmpC+:** Ceftazidime, Cefotaxime, Cloxacillin & EDTA with Clavulanic acid : 0.032- 4 **AmpC :** Ceftazidime, Cefotaxime, Cloxacillin & EDTA : 0.125-16 **For MBL, ESBL & AmpC Detection :** A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime, Cloxacillin, EDTA mixture + clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime, Cloxacillin & EDTA mixture in a reverse direction.	**AmpC+/ AmpC**	**2291.00 6237.00 11350.00 15490.00 18927.00 20430.00**	**10st 30st 60st 90st 120st 150st**
EM1134	***MBL Plus ESBL Detection Strip** Range : **ESBL+:** Ceftazidime, Cefotaxime & EDTA with Clavulanic acid : 0.032- 4 **ESBL :** Ceftazidime, Cefotaxime & EDTA : 0.125-16 **For MBL + ESBL Detection :** A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime, EDTA mixture + clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime, EDTA mixture in a reverse direction.	**ESBL+/ ESBL**	**2291.00 6237.00 11350.00 15490.00 18927.00 20430.00**	**10st 30st 60st 90st 120st 150st**
EM1137	***MBL-ESBL-AmpC Co-existence Kit** **Kit Content :** 10 strips each of EM1134 - MBL plus ESBL Detection Strip EM1135 - MBL plus AmpC Detection Strip		**6066.00**	**1 kit**

MBL Detection Dual Mic EZY Strips

Product Code	Product Name		Price	Packing
EM1078	**#Imipenem with & without EDTA** Range : **Imipenem+EDTA : 1 - 64** **Imipenem: 4 - 256** **For MBL detection :** A unique phenotypic detection strip which is coated with Imipenem + EDTA on upper half with highest concentration tapering downward whereas lower half is coated with Imipenem in a reverse direction.	**IPM+ EDTA / IPM**	**2021.00 5522.00 10044.00 13703.00 16749.00 18072.00**	**10st 30st 60st 90st 120st 150st**
EM1092	***Meropenem with & without EDTA** Range : **Meropenem+EDTA : 1 - 64** **Meropenem: 4 - 256** **For MBL detection :** A unique phenotypic detection strip which is coated with Meropenem + EDTA on upper half with highest concentration tapering downward whereas lower half is coated with Meropenem in a reverse direction.	**MRP+ EDTA / MRP**	**2021.00 5522.00 10044.00 13703.00 16749.00 18072.00**	**10st 30st 60st 90st 120st 150st**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
★ On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

microgen

Product Code	Product Name	Price	Packing
	KPC Detection Mic EZY Strip		
EM1141	***Ertapenem/ Ertapenem + Boronic acid** **ETP+/ ETP** Range : **ETP+:** Ertapenem + Boronic acid **:** 0.032-2 **ETP:** Ertapenem : 0.125 - 8 **For KPC Detection :** A unique phenotypic detection strip which is coated with Ertapenem + Boronic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ertapenem in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st
	Dual Mic EZY Strips		
EM1063	***Oxacillin - Vancomycin** **OXA / VAN** Range : **Oxacillin : 0.064 - 8 mcg/ml** **Vancomycin : 0.19 - 16 mcg/ml** **For MRSA detection :** MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Oxacillin with a highest concentration tapering downwards, whereas lower half is similarly coated with Vancomycin concentration gradient in reverse direction.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st
EM1077	***Vancomycin - Cefoxitin** **VAN / CX** Range : **Cefoxitin: 0.5 - 64 mcg/ml** **Vancomycin : 0.19 -16 mcg/ml** **For MRSA detection :** MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Vancomycin with a highest concentration tapering downwards, whereas lower half is similarly coated with Cefoxitin concentration gradient.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st
EM1111	**Vancomycin - Teicoplanin** **VAN / TEI** Range : **Vancomycin : 0.5 - 32 mcg/ml** **Teicoplanin : 0.5 - 32 mcg/ml** **For GRD detection :** MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Vancomycin with a highest concentration tapering downwards, whereas lower half is similarly coated with Teicoplanin concentration gradient in reverse direction.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st
	Antifungal Mic EZY Strips		
EM1071	**Amphotericin B** **AP** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Amphotericin B on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1122	**Anidulafungin** **AND** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Anidulafungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st

Product Code	Product Name	Price	Packing
EM1119	**Caspofungin** **CAS** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Caspofungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st
EM1144	**Clotrimazole** **CLO** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Clotrimazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1072	**Fluconazole** **FLC** Range in µg : **0.016 - 256 mcg/ml** A unique MIC determination paper strip which is coated with Fluconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1118	**Flucytosine** **FLU** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Flucytosine on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st
EM1143	**Griseofulvin** **GRI** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Griseofulvin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1073	**Itraconazole** **ITR** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Itraconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1074	**Ketoconazole** **KET** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Ketoconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1121	**Micafungin** **MYC** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Micafungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st

* Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C.

Product Code	Product Name	Price	Packing
EM1146	**Miconazole** **MIC** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Miconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1145	**Nystatin** **NYT** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Nystatin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1120	**Posaconazole** **POS** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Posaconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st
EM1142	**Terbinafine** **TRB** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Terbinafine on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1086	**Voriconazole** **VRC** Range in µg : **0.002 - 32 mcg/ml** A unique MIC determination paper strip which is coated with Voriconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st

MicPer Mic Ezy Microbiology Teaching Kits

HTM1006	**MicPer Teaching Kit** Microgen MicPer Mic Ezy Teaching Kit facilitates the determination of the Minimum Inhibitory Concentration (MIC) of an antimicrobial agent required to inhibit growth of a microorganism under defined condition. **Contents:** S. aureus culture, MIC Strips (Ciprofloxacin, Vancomycin, Azithromycin, Linezolid, Amikacin), Mueller Hinton Agar, Sterile cotton swabs, Applicator, Saline.	6237.00	10pr

Micomb MIC Test strip

Study 16 concentrations of an antibiotic at one time.

Easy, Accurate & Fast

Convenient and the most economical test for the assessment of minimum inhibitory concentration (MIC) of antimicrobial agent.

1. Micomb consists of a strip made of an inert material, with 8 extensions that carry the discs of 4 mm, resembling the 'tooth' of a comb
2. Towards the stem of the strip, MIC reading scale in mcg/ml is given along with the Microgen Code.
3. A defined concentration of antibiotic is loaded on each of the disc so as to from a gradient when placed on agar plate.
4. When applied to the agar surface, the antibiotic instantaneously diffuses into the surrounding medium in hugh to low amounts from one end of the strip to the other.
5. The gradient remains stable after diffusion, and the zone of inhibition created takes the form of ellipse.

Product Code	Product Name	Price	Packing
MD1001	**Amikacin** **AK** Range A : 256-0.1 in µg B : 4-0.001 Levels A : 256, 128, 64, 32, 16, 8, 4, 0.1 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1260.00	1pk
MD1067	**Amikacin** **AK** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk
MD1002	***Amoxicillin** **AMX** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1260.00	1pk
MD1003	***Amoxyclav (Amoxicillin/ Clavulanic acid)** **AMC** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1332.00	1pk
MD1068	***Ampicillin** **AMP** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk
MD1004	**Azithromycin** **AZM** Range A : 128-0.01 in µg B : 2-0.0001 Levels A : 128, 64, 32, 16, 8, 4, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.05, 0.01, 0.005, 0.0001	1260.00	1pk

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C. • : 1 Pack contains 10 strips of A + 10 strips of B.
Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Product Code	Product Name		Price	Packing
MD1005	***Azlocillin** Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	**AZ**	**1260.00**	**1pk**
MD1006	**Aztreonam** Range A : 240-0.01 in µg B : 2-0.0001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.05, 0.01, 0.005, 0.0001	**AT**	**1260.00**	**1pk**
MD1062	***Benzyl Penicillin** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**P**	**1260.00**	**1pk**
MD1007	***Carbenicillin** Range A : 512-0.1 in µg B : 32-0.01 Levels A : 512, 256, 128, 64, 32, 16, 4, 0.1 in µg B : 32, 16, 8, 4, 2, 1, 0.1, 0.01	**CB**	**1260.00**	**1pk**
MD1014	***Cefalexin (Cephalexin)** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01,0.001	**CN**	**1260.00**	**1pk**
MD1008	***Cefazolin** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**CZ**	**1260.00**	**1pk**
MD1009	***Cefdinir** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.01, 0.008, 0.001	**CDR**	**1260.00**	**1pk**
MD1010	***Cefepime** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**CPM**	**1260.00**	**1pk**
MD1070	***Cefepime** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**CPM**	**1260.00**	**1pk**
MD1015	***Cefotaxime (Cephotaxime)** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**CTX**	**1260.00**	**1pk**
MD1064	***Cefotaxime (Cephotaxime)** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**CTX**	**1260.00**	**1pk**

Product Code	Product Name		Price	Packing
MD1011	***Cefpirome** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**CFP**	**1260.00**	**1pk**
MD1012	***Ceftazidime** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**CAZ**	**1260.00**	**1pk**
MD1069	***Ceftazidime** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**CAZ**	**1260.00**	**1pk**
MD1013	***Ceftriaxone** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01,0.001	**CTR**	**1260.00**	**1pk**
MD1066	***Ceftriaxone** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**CTR**	**1260.00**	**1pk**
MD1016	**Chloramphenicol** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.01, 0.001	**C**	**1260.00**	**1pk**
MD1017	**Ciprofloxacin** Range A : 240-0.01 in µg B : 2-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.25, 0.01, 0.008, 0.004, 0.001	**CIP**	**1260.00**	**1pk**
MD1018	**Clarithromycin** Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	**CLR**	**1260.00**	**1pk**
MD1019	**Clindamycin** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 0.5, 0.08, 0.06, 0.01, 0.001	**CD**	**1260.00**	**1pk**
MD1020	**Colistin (Methane Sulphonate)** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**CL**	**1674.00**	**1pk**
MD1021	**Co-Trimoxazole (Sulpha/ Trimethoprim)** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	**COT**	**1260.00**	**1pk**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C. • : 1 Pack contains 10 strips of A + 10 strips of B.
Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Product Code	Product Name		Price	Packing
MD1022	**Erythromycin** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**E**	**1260.00**	**1pk**
MD1023	**Fusidic Acid** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**FC**	**1674.00**	**1pk**
MD1024	**Gatifloxacin** Range A : 64-0.01 in µg B : 2-0.001 Levels A : 64, 32, 16, 8, 4, 2, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.03, 0.008, 0.004, 0.001	**GAT**	**1341.00**	**1pk**
MD1076	**Gemifloxacin** Range A : 240-0.001 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**GEM**	**1260.00**	**1pk**
MD1025	**Gentamicin** Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**GEN**	**1260.00**	**1pk**
MD1061	**Gentamicin** Range A : 1024-8 in µg B : 8.192-0.064 Levels A : 1024, 512, 256, 128, 64, 32, 16, 8 in µg B : 8. 192, 4.096, 2.048, 1.024, 0.512, 0.256, 0.128, 0.064	**GEN**	**1260.00**	**1pk**
MD1026	**Kanamycin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**K**	**1549.00**	**1pk**
MD1027	**Levofloxacin** Range A : 240-0.01 in µg B : 5-0.005 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 4, 2, 1, 0.5, 0.25, 0.05, 0.005	**LE**	**1260.00**	**1pk**
MD1028	**Lincomycin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**L**	**1260.00**	**1pk**
MD1029	**Linezolid** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.01, 0.001	**LZ**	**1260.00**	**1pk**
MD1030	**Lomefloxacin** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**LOM**	**1260.00**	**1pk**

Product Code	Product Name		Price	Packing
MD1031	***Methicillin** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**MET**	**1260.00**	**1pk**
MD1032	**Minocycline** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	**MI**	**1260.00**	**1pk**
Md1033	**Moxifloxacin** Range A : 240-0.01 in µg B : 32-0.005 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 0.1, 0.06, 0.03, 0.005	**MO**	**1260.00**	**1pk**
MD1034	**Mupirocin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**MU**	**1260.00**	**1pk**
MD1035	**Nalidixic Acid** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.05, 0.001	**NA**	**1260.00**	**1pk**
MD1036	**Neomycin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**N**	**1260.00**	**1pk**
MD1037	**Nitrofurantoin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**NIT**	**1260.00**	**1pk**
MD1038	**Norfloxacin** Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.05, 0.001	**NX**	**1260.00**	**1pk**
MD1039	**Ofloxacin** Range A : 64-0.01 in µg B : 8-0.001 Levels A : 64, 32, 16, 8, 4, 2, 0.1, 0.01 in µg B : 8, 4, 2, 0.5, 0.15, 0.06, 0.004, 0.001	**OF**	**1260.00**	**1pk**
MD1065	***Oxacillin** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**OX**	**1557.00**	**1pk**
MD1040	**Pefloxacin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**PF**	**1260.00**	**1pk**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20°C to 8°C. • : 1 Pack contains 10 strips of A + 10 strips of B.
# Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

microgen

Product Code	Product Name		Price	Packing
MD1041	***Piperacillin** Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 1, 0.5, 0.1, 0.08, 0.06, 0.01, 0.001	**PI**	**1557.00**	**1pk**
MD1042	***Piperacillin/Tazobactam** Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 1, 0.5, 0.1, 0.08, 0.06, 0.01, 0.001	**PIT**	**1639.00**	**1pk**
MD1043	**Polymyxin-B** Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 1, 0.1, 0.01, 0.001	**PB**	**1341.00**	**1pk**
MD1044	**Pristinomycin (Quinupristin/Dalfopristin)** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**RP**	**1260.00**	**1pk**
MD1045	**Rifampicin** Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 1, 0.1, 0.01, 0.001	**RIF**	**1260.00**	**1pk**
MD1046	**Roxithromycin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**RO**	**1260.00**	**1pk**
MD1047	**Sparfloxacin** Range A : 64-0.01 in µg B : 2-0.001 Levels A : 64, 32, 16, 8, 4, 2, 1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.06, 0.03, 0.004, 0.001	**SPX**	**1260.00**	**1pk**
MD1048	**Streptomycin** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**S**	**1341.00**	**1pk**
MD1049	**Sulfasomidine** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**SO**	**1341.00**	**1pk**
MD1050	**Sulphadiazine** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**SZ**	**1341.00**	**1pk**
MD1051	**Sulphafurazole (Sulfisoxazole)** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**SF**	**1341.00**	**1pk**

Product Code	Product Name		Price	Packing
MD1052	**Sulphamethizole** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**SM**	**1341.00**	**1pk**
MD1053	**Sulphamethoxypyridazine** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**ST**	**1341.00**	**1pk**
MD1054	**Sulphaphenazole** Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	**SP**	**1341.00**	**1pk**
MD1055	**Teicoplanin** Range A : 240-0.01 in µg B : 1-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 1, 0.8, 0.5, 0.25, 0.1, 0.05, 0.01, 0.001	**TEI**	**1557.00**	**1pk**
MD1056	**Tetracycline** Range A : 240-0.01 in µg B : 5-0.01 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 3, 2, 1, 0.5, 0.25, 0.1, 0.01	**TE**	**1260.00**	**1pk**
MD1057	***Ticarcillin** Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	**TI**	**1260.00**	**1pk**
MD1058	**Tobramycin** Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	**TOB**	**1341.00**	**1pk**
MD1059	**Trimethoprim** Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 2, 0.1, 0.01, 0.001	**TR**	**1260.00**	**1pk**
MD1060	**Vancomycin** Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	**VA**	**1260.00**	**1pk**
MD1063	**Vancomycin** Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	**VA**	**1260.00**	**1pk**

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
For prolonged use, store at or below -20°C. • : 1 Pack contains 10 strips of A + 10 strips of B.
Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Antifungal Agents

Product Code	Product Name		Price	Packing
MD1071	**Amphotericin B** AP Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002		1674.00	1pk
MD1072	**Fluconazole** FLC Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016		1260.00	1pk
MD1073	**Itraconazole** IT Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002		1260.00	1pk
MD1074	**Ketoconazole** KT Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002		1260.00	1pk

Antibacterial Agents

Concentration of Antibiotics **as per CLSI** (formerly NCCLS) & **EUCAST** standards

Now Microgen AST product range also offers Sensitivity discs as per EUCAST standard (The Europe Committee onAntimicrobial Susceptibility Testing). For more convenience of user we have separated the list of antibiotic discs as per CLSI, EUCAST & non CLSI & non EUCAST items. The following packaging are our standard packs for Antimicrobial Susceptibility Testing products.

Product Code	Product Name			Price	Packing
SD1035	**Amikacin #**	AK	30 mcg	392.00 199.00 415.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1063	***Amoxyclav #** (Amoxicillin/Clavulanic acid)	AMC	30 mcg (20/10 mcg)	360.00 271.00 1027.00 545.00 392.00	1pk 1vl 5vl 5x50ds 5ct
SD1002	***Ampicillin #**	AMP	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1112	***Ampicillin/Sulbactam # A/S**		10/10 mcg	473.00 239.00 914.00 505.00 500.00	1pk 1vl 5vl 5x50ds 5ct
SD1204	**Azithromycin**	AZM	15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1064	***Azlocillin**	AZ	75 mcg	972.00 441.00 1827.00 991.00 1013.00	1pk 1vl 5vl 5x50ds 5ct
SD1212	***Aztreonam #**	AT	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1004	***Carbenicillin**	CB	100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1157	***Cefaclor #**	CF	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1200	***Cefamandole**	FAM	30 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1047	***Cefazolin**	CZ	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1218	***Cefdinir**	CDR	5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1219	***Cefepime #**	CPM	30 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct
SD1211	***Cefixime #**	CFM	5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
* On receipt store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20°C to 8°C. • : 1 Pack contains 10 strips of A + 10 strips of B.
# Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

Product Code	Product Name			Price	Packing
SD1244	*Cefmetazole	CMZ	30 mcg	1207.00	1pk
				576.00	1vl
				2259.00	5vl
				1225.00	5x50ds
				1233.00	5ct
SD1248	*Cefonicid	CID	30 mcg	941.00	1pk
				441.00	1vl
				1782.00	5vl
				963.00	5x50ds
				981.00	5ct
SD1072	*Cefoperazone	CPZ	75 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1040	*Cefotaxime (Cephotaxime)	CTX	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1724	*Cefotaxime/ Clavulanic acid	CEC	30/10 mcg	473.00	1pk
				239.00	1vl
				914.00	5vl
				491.00	5x50ds
				500.00	5ct
SD1249	*Cefotetan	CTN	30 mcg	603.00	1pk
				284.00	1vl
				1143.00	5vl
				621.00	5x50ds
				630.00	5ct
SD1041	*Cefoxitin # (Cephoxitin)	CX	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1725	*Cefpodoxime #	CPD	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1209	*Cefprozil	CPR	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1062	*Ceftazidime	CAZ	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Product Code	Product Name			Price	Packing
SD1207	*Ceftazidime / Clavulanic acid	CAC	30/10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1110	*Ceftizoxime	CZX	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1065	*Ceftriaxone #	CTR	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1061	*Cefuroxime #	CXM	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1050	*Cephalothin	CEP	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1006	Chloramphenicol #	C	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1245	Cinoxacin	CIN	100 mcg	1242.00	1pk
				576.00	1vl
				2322.00	5vl
				1225.00	5x50ds
				1270.00	5ct
SD1060	Ciprofloxacin #	CIP	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1192	Clarithromycin	CLR	15 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1051	Clindamycin #	CD	2 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1010	Co-Trimoxazole # (Sulpha/Trimethoprim)	COT	25 mcg (23.75/1.25 mcg)	473.00	1pk
				239.00	1vl
				914.00	5vl
				491.00	5x50ds
				500.00	5ct
SD1283	*Doripenem #	DOR	10 mcg	1251.00	1vl
				4910.00	5vl
				2601.00	5x50ds
SD1012	Doxycycline Hydrochloride	DO	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1237	Enoxacin	EN	10 mcg	603.00	1pk
				284.00	1vl
				1143.00	5vl
				621.00	5x50ds
				630.00	5ct
SD1280	*Ertapenem #	ETP	10 mcg	630.00	1vl
				2475.00	5vl
				1314.00	5x50ds
SD1013	Erythromycin #	E	15 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1279	*Faropenem	FAR	5 mcg	707.00	1vl
				2781.00	5vl
				1481.00	5x50ds
SD1205	Fosfomycin #	FO	200 mcg	770.00	1pk
				387.00	1vl
				1485.00	5vl
				819.00	5x50ds
				837.00	5ct
SD1171	Fusidic Acid #	FC	10 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				522.00	5x50ds
				540.00	5ct
SD1737	Gatifloxacin	GAT	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1250	Gemifloxacin	GEM	5 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct

Product Code	Product Name			Price	Packing
SD1016	Gentamicin #	GEN	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1195	Gentamicin For detection of HLAR Strains.	HLG	120 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1073	*Imipenem #	IPM	10 mcg	630.00	1vl
				2475.00	5vl
				1314.00	5x50ds
SD1017	Kanamycin	K	30 mcg	473.00	1pk
				217.00	1vl
				882.00	5vl
				482.00	5x50ds
				495.00	5ct
SD1216	Levofloxacin #	LE	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1215	Linezolid	LZ	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1206	Lomefloxacin	LOM	10 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1176	*Mecillinam #	MEC	10 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1727	*Meropenem	MRP	10 mcg	630.00	1vl
				2475.00	5vl
				1314.00	5x50ds
SD1019	*Methicillin	MET	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

microgen

Product Code	Product Name			Price	Packing
SD1225	Mezlocillin #	MZ	75 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1158	Minocycline #	MI	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1220	Moxalactam	MX	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				415.00	5x50ds
				415.00	5ct
SD1217	Moxifloxacin #	MO	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1246	Nafcillin	NAF	1 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1021	Nalidixic Acid #	NA	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1046	Netillin (Netilmicin Sulphate)	NET	30 mcg	473.00	1pk
				217.00	1vl
				882.00	5vl
				482.00	5x50ds
				495.00	5ct
SD1023	Nitrofurantoin	NIT	300 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1057	Norfloxacin #	NX	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1087	Ofloxacin #	OF	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Product Code	Product Name			Price	Packing
SD1088	*Oxacillin	OX	1 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1070	Pefloxacin #	PF	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1028	*Penicillin-G	P	10 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
Sd1066	*Piperacillin	PI	100 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1210	*Piperacillin/ Tazobactam	PIT	100/10 mcg	603.00	1pk
				289.00	1vl
				1152.00	5vl
				630.00	5x50ds
				653.00	5ct
SD1029	Polymyxin-B	PB	300 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1178	Pristinomycin # (Quinupristin / Dalfopristin)	RP	15 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1268	Prulifloxacin (Ulifloxacin)	PRU	5 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1030	Rifampicin #	RIF	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1162	Sparfloxacin	SPX	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1181	**Spectinomycin**	**SPT**	**100 mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**
SD1031	**Streptomycin**	**S**	**10 mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**
SD1236	**Streptomycin**	**HLS**	**300 mcg**	**482.00**	**1pk**
	For detection of HLAR Strains.			**221.00**	**1vl**
				914.00	**5vl**
				495.00	**5x50ds**
				505.00	**5ct**
SD1032	**Sulphafurazole (Sulfisoxazole)**	**SF**	**300 mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**
Sd1213	**Teicoplanin #**	**TEI**	**30 mcg**	**505.00**	**1pk**
				239.00	**1vl**
				954.00	**5vl**
				527.00	**5x50ds**
				540.00	**5ct**
SD1037	**Tetracycline #**	**TE**	**30mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**
SD1074	***Ticarcillin #**	**TI**	**75 mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**
SD1201	***Ticarcillin / Clavulanic Acid #**	**TCC**	**75/10 mcg**	**473.00**	**1pk**
				239.00	**1vl**
				914.00	**5vl**
				491.00	**5x50ds**
				500.00	**5ct**
SD1278	**Tigecycline #**	**TGC**	**15 mcg**	**680.00**	**1pk**
				320.00	**1vl**
				1242.00	**5vl**
				693.00	**5x50ds**
				707.00	**5ct**
SD1044	**Tobramycin #**	**TOB**	**10 mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**

Product Code	Product Name			Price	Packing
SD1039	**Trimethoprim #**	**TR**	**5 mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**
SD1045	**Vancomycin**	**VA**	**30 mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**
	ESBL Identification Test Kits				
SD1238	***Kit I for ESBL Identification, Cefotaxime (Cephotaxime)** Kit contains 6 cartridges (6CT): 3CT of SD1040 Cefotaxime (Cephotaxime) 30 mcg, 3CT of SD1724 Cefotaxime (Cephotaxime)/Clavulanic acid 30/10 mcg			**657.00**	**1 kit**
SD1240	***Kit III for ESBL Identification, Ceftazidime** Kit contains 6 cartridges (6CT): 3CT of SD1062 Ceftazidime 30 mcg, 3CT of Sd1207 Ceftazidime /Clavulanic acid 30/10 mcg			**657.00**	**1 kit**
	Antifungal Agents				
SD1232	**Fluconazole**	**FLC**	**25 mcg**	**392.00**	**1pk**
				199.00	**1vl**
				756.00	**5vl**
				405.00	**5x50ds**
				415.00	**5ct**
SD1277	**Voriconazole**	**VRC**	**1 mcg**	**505.00**	**1pk**
				239.00	**1vl**
				954.00	**5vl**
				527.00	**5x50ds**
				540.00	**5ct**

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Antibacterial Agents

Concentration of Antibiotics only as per EUCAST standard
(The European Committee on Antimicrobial Susceptibility Testing)

Product Code	Product Name			Price	Packing
SD1002A	*Ampicillin	AMP	2mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1116	*Cefadroxil (Cephadroxil)	CFR	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1048	*Cefalexin (Cephalexin)	CN	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1295E	*Cefotaxime	CTX	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1062A	*Ceftazidime	CAZ	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1170	Gentamicin	GEN	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1296E	Linezolid	LZ	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1085	Netillin (Netilmicin Sulphate)	NET	10 mcg	473.00	1pk
				217.00	1vl
				882.00	5vl
				482.00	5x50ds
				495.00	5ct
SD1086	Nitrofurantoin	NIT	100 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1196	Nitroxoline	NO	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1089	*Penicillin-G	P	1 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1066A	*Piperacillin	PI	30 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1292E	*Piperacillin / Tazobactam	PIT	30/6 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1293E	Mupirocin	MUP	200 mcg	1269.00	1pk
				680.00	1vl
				2673.00	5vl
				1422.00	5x50ds
				1440.00	5ct
SD1731	Neomycin	N	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1155	Vancomycin	VA	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container,
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

: Concentration of antibiotic also as per EUCAST
* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Antibacterial Agents

Concentration of Antibiotics not as per CLSI (formerly NCCLS) & not as per EUCAST standards
These codes do not have concentration of Antibiotics as per CLSI (formerly NCCLS) & EUCAST standards, however Microgen provides these concentrations as required by our users. Although zone interpretative criteria for these codes can not be provided, Quality control limits of standard organisms can be made available.

Product Code	Product Name			Price	Packing
SD1082	Amikacin	AK	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1001	*Amoxicillin	AMX	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1129	*Amoxicillin	AMX	25mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1076	*Amoxicillin	AMX	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1264	*Amoxicillin/Sulbactam	AMS	30/15 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1078	*Amoxyclav	AMC	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1281	*Amoxyclav	AMC	50/10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1077	*Ampicillin	AMP	25 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1113	*Ampicillin/ Cloxacillin	AX	10 mcg	513.00	1pk
				252.00	1vl
				990.00	5vl
				527.00	5x50ds
				540.00	5ct

Product Code	Product Name			Price	Packing
SD1124	Azithromycin	AZM	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1094	*Azlocillin	AZ	30 mcg	495.00	1pk
				221.00	1vl
				932.00	5vl
				513.00	5x50ds
				505.00	5ct
SD1263	*Aztreonam	AT	50 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1105	Bacitracin	B	8 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1003	Bacitracin	B	10 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1079	*Cefaloridine (Cephaloridine)	CR	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1005	*Cefaloridine (Cephaloridine)	CR	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1262	*Cefepime	CPM	50 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1234	*Cefepime/ Clavulanic acid	CFC	30/10 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1257	*Cefepime/ Tazobactam	CPT	30/10 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1247	*Cefepime/ Tazobactam	CPT	80/10 mcg	630.00	1pk
				293.00	1vl
				1184.00	5vl
				649.00	5x50ds
				657.00	5ct
SD1820	*Cefixime	CFM	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1266	*Cefixime/ Clavulanic acid	CMC	5/10 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1259	*Cefoperazone/ Sulbactam	CFS	50/50 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1254	*Cefoperazone/ Sulbactam	CFS	75/10 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1203	*Cefoperazone/ Sulbactam	CFS	75/30 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1253	*Cefoperazone/ Tazobactam	CST	75/10 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1040A	*Cefotaxime (Cephotaxime)	CTX	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
Sd1285	*Cefoxitin-Cloxacillin For detection of AmpC.	CXX	30/200 mcg	1152.00	1pk
				545.00	1vl
				2120.00	5vl
				1179.00	5x50ds
				1207.00	5ct
SD1738	*Cefpirome	CFP	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Product Code	Product Name			Price	Packing
SD1235	*Cefpirome/ Clavulanic acid	CPC	30/7.5 mcg	473.00	1pk
				239.00	1vl
				914.00	5vl
				491.00	5x50ds
				500.00	5ct
SD1160	*Cefradine (Cephradine)	CH	25 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1704	*Cefradine (Cephradine)	CH	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1252	*Ceftazidime/ Tazobactam	CAT	30/10 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1269	*Ceftazidime/ Tazobactam	CAT	80/10 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1109	*Ceftriaxone	CTR	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1261	*Ceftriaxone/ Sulbactam	CIS	30/15 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1256	*Ceftriaxone/ Tazobactam	CIT	30/10 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1251	*Ceftriaxone/ Tazobactam	CIT	80/10 mcg	576.00	1pk
				271.00	1vl
				1094.00	5vl
				595.00	5x50ds
				603.00	5ct
SD1081	Chloramphenicol	C	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1153	Chloramphenicol	C	25 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1131	Chloramphenicol	C	50 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1007	Chlortetracycline	CT	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1060A	Ciprofloxacin	CIP	1 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1080	Ciprofloxacin	CIP	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1142	Ciprofloxacin	CIP	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1164	Clindamycin	CD	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1008	*Cloxacillin	COX	1 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1075	*Cloxacillin	COX	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1143	*Cloxacillin	COX	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Product Code	Product Name			Price	Packing
SD1165	*Cloxacillin	COX	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1284	*Cloxacillin	COX	200 mcg	1112.00	1pk
				518.00	1vl
				2021.00	5vl
				1125.00	5x50ds
				1134.00	5ct
SD1009	Colistin (Methane Sulphonate)	CL	10 mcg	581.00	1pk
				284.00	1vl
				1107.00	5vl
				603.00	5x50ds
				621.00	5ct
SD1108	Colistin (Methane Sulphonate)	CL	25 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1097	Colistin (Methane Sulphonate)	CL	50 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1071	Co-Trimazine (Human)	CM	25 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1052	*Dicloxacillin	D/C	1 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1120	Doxycycline Hydrochloride	DO	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1156	Enrofloxacin	EX	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1150	Enrofloxacin	EX	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1222	Erythromycin	E	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1083	Erythromycin	E	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1140	Floxidin	FL	20 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1141	Floxidin	FL	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1179	Fosfomycin	FO	50 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1014	Framycetin	F	100 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1169	Fusidic Acid	FC	30 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1015	Furazolidone	FR	50 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1197	Furazolidone	FR	100 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1042	Furoxone	FX	100 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1753	Gatifloxacin	GAT	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Product Code	Product Name			Price	Packing
SD1740	Gatifloxacin	GAT	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1166	Gentamicin	GEN	50 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1265	*Imipenem/Cilastin	IC	10/10 mcg	1463.00	1pk
				707.00	1vl
				2781.00	5vl
				1490.00	5x50ds
				1557.00	5ct
SD1282	*Imipenem-EDTA	IE	10/750 mcg	770.00	1vl
	For detection of MBL producers.			3020.00	5vl
				1899.00	5x50ds
SD1214	Isepamicin	IP	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1223	Kanamycin	K	5 mcg	473.00	1pk
				217.00	1vl
				882.00	5vl
				482.00	5x50ds
				495.00	5ct
SD1837	Kanamycin	K	1000 mcg	1602.00	1pk
	Recommended for use in the presumptive identification and differentiation of gram-negative anaerobic bacilli and not for therapeutic purposes.			756.00	1vl
				2970.00	5vl
				1639.00	5x50ds
				1737.00	5ct
SD1018	Lincomycin	L	2 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1084	Lincomycin	L	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1098	Lincomycin	L	15 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1260	Lomefloxacin	LOM	15 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1125	Lomefloxacin	LOM	30mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1177	Mecillinam	MEC	25 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1068	Methanamine Mandalate	ME	3 mg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1136	*Methicillin	MET	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1137	*Methicillin	MET	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1099	Metronidazole	MT	4 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1020	Metronidazole	MT	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1748	Mupirocin	MUP	5 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1258	Nadifloxacin	NAD	5 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct

Product Code	Product Name			Price	Packing
SD1731	Neomycin	N	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1022	Neomycin	N	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1090	Nitrofurantoin	NIT	200 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1024	Nitrofurazone	NR	100 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1184	Norfloxacin	NX	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1121	Novobiocin	NV	5 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1053	Novobiocin	NV	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1069	Ofloxacin	OF	2 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1026	Oleandomycin	OL	15 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1043	*Oxacillin	OX	5 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1027	Oxytetracycline	O	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1144	*Penicillin-G	P	2 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1185	Pipemidic Acid	PA	20 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1175	Pipemidic Acid	PA	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1132	*Piperacillin	PI	75 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1106	Polymyxin-B	PB	50 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1139	Polymyxin-B	PB	100 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1267	Prulifloxacin (Ulifloxacin)	PRU	10 mcg	482.00	1pk
				221.00	1vl
				914.00	5vl
				495.00	5x50ds
				505.00	5ct
SD1096	Rifampicin	RIF	2 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1128	Rifampicin	RIF	15 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Product Code	Product Name			Price	Packing
SD1127	Rifampicin	RIF	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1126	Roxithromycin	RO	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1059	Sisomicin	SS	10 mcg	505.00	1pk
				239.00	1vl
				954.00	5vl
				527.00	5x50ds
				540.00	5ct
SD1054	Spiramycin	SR	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1101	Spiramycin	SR	100 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1067	Sterile Discs	—	—	311.00	1pk
				162.00	1vl
				603.00	5vl
				325.00	5x50ds
				338.00	5ct
SD1091	Streptomycin	S	25 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1056	Sulfasomidine	SO	300 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1092	Sulphadiazine	SZ	100 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1034	Sulphadiazine	SZ	300 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1033	Sulphamethizole	SM	300 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1055	Sulphametho-xypyridazine	ST	300 mcg	405.00 199.00 779.00 415.00 432.00	1pk 1vl 5vl 5x50ds 5ct
SD1036	Sulphaphenazole	SP	200 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1133	Tetracycline	TE	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1154	Tobramycin	TOB	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1093	Trimethoprim	TR	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1148	Trimethoprim	TR	25 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1149	Trimethoprim	TR	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1038	Triple Sulphas	S3	300 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1199	Tylosine	TL	15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct

Product Code	Product Name			Price	Packing
SD1163	Vancomycin	VA	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1182	Virginamycin	VI	15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
	ESBL Identification Test Kits				
SD1239	***Kit II for ESBL Identification, Cefepime** Kit contains 6 cartridges (6CT): 3CT of SD1219 Cefepime 30 mcg, 3CT of SD1234 Cefepime /Clavulanic acid 30/10 mcg			792.00	1 kit
SD1241	***Kit IV for ESBL Identification, Cefpirome** Kit contains 6 cartridges (6CT): 3CT of SD1738 Cefpirome 30 mcg, 3CT of SD1235 Cefpirome /Clavulanic acid 30/7.5 mcg			792.00	1 kit
	· **Refer Hexa Discs section for Hexa G-Minus 23 (HX1095) & Hexa G-Minus 24(HX1096) disc specially developed for screening of ESBL producer.**				
	Antifungal Agents				
SD1111	Amphotericin-B	AP	100 units	657.00 311.00 1233.00 662.00 693.00	1pk 1vl 5vl 5x50ds 5ct
SD1233	Amphotericin B	AP	20 mcg	657.00 311.00 1233.00 662.00 693.00	1pk 1vl 5vl 5x50ds 5ct
SD1270	Amphotericin B	AP	50 mcg	657.00 311.00 1233.00 662.00 693.00	1pk 1vl 5vl 5x50ds 5ct
SD1115	Clotrimazole	CC	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1114	Fluconazole	FLC	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Product Code	Product Name			Price	Packing
SD1221	Itraconazole	IT	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1276	Itraconazole	IT	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1224	Ketoconazole	KT	10 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1275	Ketoconazole	KT	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1274	Ketoconazole	KT	50 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Product Code	Product Name			Price	Packing
SD1273	Miconazole	MIC	30 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1272	Miconazole	MIC	50 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1025	Nystatin	NS	100 units	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct
SD1271	Nystatin	NS	50 mcg	392.00	1pk
				199.00	1vl
				756.00	5vl
				405.00	5x50ds
				415.00	5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C..

Antimicrobial Susceptibility Testing - Mic6 (Hexa) Discs Microgen 6-in one ready antibiotic combination modules

[To be used on 90 mm plates or 100 mm plates]

Mic6 (HEXA) DISCS

Test 6 different antibiotics at once.

- Microgen`s Mic6 (Hexa) discs are enhanced extensions of Single Discs.These series of discs gives the privilege to study 6 antibiotics on a single plate.
- These are flat circular rings, made of inert material w/ 6 equidistant arms on the outer periphery w/ a 6 mm filter paper disc at the end.
- These discs placed at a distance of 24 mm apart from each other are impregnated with 6 different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging.
- The unique inert material used for making the rings allows faster absorption of the rings and hence a uniform diffusion of the antibiotics on to the medium.
- The discs are available in various pre-selected combinations of 6 antibiotics. However rings can be made as per individual customized specification.
- These discs are to be used on 100 mm plates like 90mm plates. Also available are ready prepared media plates of Mueller Hinton Agar (90 mm) and Mueller Hinton Agar (100 mm)

Note: **In product description column** Symbol **&** Quantity **are given in bracket after the Antibiotics name.**

Product Code	Product Name	Price	Packing
HX1001	***Mic6 (Hexa) G-plus 1** Penicillin-G (P - 10 units), Oxacillin (OX - 1mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Amoxyclav (AMC - 30 mcg)	252.00	1pk
HX1002	***Mic6 (Hexa) G-plus 2** Penicillin-G (P - 10 units), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Vancomycin (VA - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg)	230.00	1pk
HX1003	***Mic6 (Hexa) G-plus 3** Vancomycin (VA - 30 mcg), Ofloxacin (OF - 5 mcg), Teicoplanin (TEI - 30 mcg), Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Cefoxitin (CX - 30 mcg)	230.00	1pk
HX1004	**Mic6 (Hexa) G-plus 4** Piperacillin (PI - 100 mcg), Linezolid (LZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Teicoplanin (TEI - 30 mcg), Vancomycin (VA - 30 mcg), Gentamicin (GEN - 10 mcg)	230.00	1pk
HX1005	***Mic6 (Hexa) G-plus 5** Tetracycline (TE - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Cloxacillin (COX - 1 mcg), Lincomycin (L - 2 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	207.00	1pk
HX1022	***Mic6 (Hexa) G-plus 6** Ampicillin (AMP - 10 mcg), Chloramphenicol (C - 25 mcg), Penicillin-G (P - 1 unit), Streptomycin (S - 10 mcg), Sulphatriad (S3 - 300 mcg), Tetracycline (TE - 25 mcg)	207.00	1pk
HX1023	***Mic6 (Hexa) G-plus 7** Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA - 30 mcg)	207.00	1pk
HX1024	***Mic6 (Hexa) G-plus 8** Penicillin-G (P - 10 units), Methicillin (MET - 5 mcg), Vancomycin (VA - 30 mcg), Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Ampicillin (AMP - 10 mcg)	207.00	1pk
HX1027	***Mic6 (Hexa) G-Plus 9** Gentamicin (GEN - 10 mcg), Vancomycin (VA - 30 mcg), Fusidic acid (FC - 10 mcg), Chloramphenicol (C - 30 mcg), Methicillin (MET - 5 mcg), Cefepime (CPM - 30 mcg)	239.00	1pk
HX1031	***Mic6 (Hexa) G-Plus 10** Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg)	207.00	1pk
HX1034	***Mic6 (Hexa) G-plus 11** Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00	1pk
HX1040	***Mic6 (Hexa) G-plus 13** Cloxacillin (COX - 5 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Co-Trimoxazole (COT - 25 mcg)	207.00	1pk
HX1047	***Mic6 (Hexa) G-plus 25** Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Tetracycline (TE - 30 mcg)	207.00	1pk
HX1048	***Mic6 (Hexa) G-plus 26** Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Penicillin-G (P - 10 units)	207.00	1pk
HX1049	***Mic6 (Hexa) G-plus 27** Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg), Vancomycin (VA - 30 mcg)	207.00	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
HX1080	***Mic6 (Hexa) G-plus 14** Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Linezolid (LZ - 30 mcg), Streptomycin (S - 10 mcg), Vancomycin (VA - 30 mcg)	207.00	1pk
HX1081	***Mic6 (Hexa) G-plus 15** Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Linezolid (LZ - 30 mcg), Penicillin-G (P - 10 units), Streptomycin (S - 10 mcg), Vancomycin (VA - 30 mcg)	207.00	1pk
HX1083	***Mic6 (Hexa) G-plus 17** Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Fosfomycin (FO - 200 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk
HX1090	***Mic6 (Hexa) G-plus 18** Ciprofloxacin (CIP - 5 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Lincomycin (L - 15 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30 mcg)	207.00	1pk
HX1091	***Mic6 (Hexa) G-plus 19** Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Levofloxacin (LE - 5 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA - 30 mcg)	230.00	1pk
HX1092	**Mic6 (Hexa) G-plus 20** Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Fusidic Acid (FC - 30 mcg), Linezolid (LZ - 30 mcg), Rifampicin (RIF - 5 mcg), Tetracycline (TE - 30 mcg)	239.00	1pk
HX1101	***Mic6 (Hexa) G-plus 24** Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Clindamycin (CD - 2 mcg), Amoxyclav (AMC - 30 mcg), Clarithromycin (CLR - 30 mcg)	239.00	1pk
	Gram - Negative Organisms		
HX1006	***Mic6 (Hexa) G-minus 1** Ampicillin (AMP - 10 mcg), Amoxyclav (AMC - 30 mcg), Cefotaxime (CTX - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Tobramycin (TOB - 10 mcg)	207.00	1pk
HX1007	***Mic6 (Hexa) G-minus 2** Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Amikacin (AK - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Netillin (NET - 30 mcg), Nalidixic acid (NA - 30 mcg)	217.00	1pk
HX1008	***Mic6 (Hexa) G-minus 3** Co-Trimoxazole (COT - 25 mcg), Amoxyclav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg), Tetracycline (TE - 30 mcg), Ofloxacin (OF - 5 mcg), Cefuroxime (CXM - 30 mcg)	207.00	1pk
HX1010	***Mic6 (Hexa) G-minus 5** Cefotaxime (CTX - 30 mcg), Levofloxacin (LE - 5 mcg), Aztreonam (AT - 30 mcg), Imipenem (IPM - 10 mcg), Amikacin (AK - 30 mcg), Ceftazidime (CAZ - 30 mcg)	239.00	1pk

Product Code	Product Name	Price	Packing
HX1028	***Mic6 (Hexa) G-minus 7** Recommended for use in the presumptive identification and differentiation of gram-negative anaerobic bacilli and not for therapeutic purposes. Kanamycin (K - 1000 mcg), Rifampicin (RIF - 15 mcg), Penicillin-G (P - 2 units), Vancomycin (VA - 5 mcg), Erythromycin (E - 60 mcg), Colistin (CL - 10 mcg)	482.00	1pk
HX1030	***Mic6 (Hexa) G-Minus 8** Amikacin (AK - 30mcg), Ceftazidime (CAZ - 30 mcg), Aztreonam (AT - 30 mcg), Piperacillin (PI - 100 mcg), Imipenam (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg)	239.00	1pk
HX1035	***Mic6 (Hexa) G-minus 9** Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Nalidixic acid (NA - 30 mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	207.00	1pk
HX1056	***Mic6 (Hexa) G-minus 26** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactum (A/S - 10/10 mcg), Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg)	207.00	1pk
HX1058	***Mic6 (Hexa) G-minus 28** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Levofloxacin (LE - 5 mcg)	207.00	1pk
HX1060	***Mic6 (Hexa) G-minus 11** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactum (A/S - 10/10 mcg), Ceftriaxone (CTR - 30 mcg), Ofloxacin (OF - 5 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg)	207.00	1pk
HX1063	***Mic6 (Hexa) G-minus 14** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	207.00	1pk
HX1064	***Mic6 (Hexa) G-minus 15** Ampicillin (AMP - 10 mcg), Cefepime (CPM - 30 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	239.00	1pk
HX1070	***Mic6 (Hexa) G-minus 21** Ampicillin (AMP - 10 mcg), Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	207.00	1pk
HX1095	***Mic6 (Hexa) G-minus 23** **For Initial Screen test of ESBL producers** Aztreonam (AT - 30 mcg), Cefpodoxime (CPD - 10 mcg), Cefpodoxime/Clavulanic acid (CCL - 10/5 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefotaxime (CTX - 30 mcg)	230.00	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
HX1096	***Mic6 (Hexa) G-minus 24** **For Phenotypic Confirmation of ESBL producers** Cefpodoxime (CPD - 10 mcg), Cefpodoxime/Clavulanic acid (CCL - 10/5 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefotaxime (CTX - 30 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10mcg)	252.00	1pk
	Pseudomonas		
HX1011	***Mic6 (Hexa) Pseudo 1** Cefoperazone (CPZ - 75 mcg), Piperacillin (PI - 100 mcg), Levofloxaxin (LE - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30mcg), Colistin (CL - 10 mcg)	239.00	1pk
HX1051	***Mic6 (Hexa) Pseudo 7** Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg)	239.00	1pk
HX1055	***Mic6 (Hexa) Pseudo 11** Amikacin (AK - 30 mcg), Aztreonam (AT - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg), Tobramycin (TOB - 10 mcg)	239.00	1pk
HX1103	***Mic6 (Hexa) Pseudo 12** Ciprofloxacin (CIP - 5 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Ertapenem (ETP - 10 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	289.00	1pk
	UTI Pathogenic Organisms		
HX1014	***Mic6 (Hexa) UTI 1** Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg), Oxytetracycline (O - 30 mcg), Cefuroxime (CXM - 30 mcg), Amoxyclav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg)	207.00	1pk
HX1072	***Mic6 (Hexa) UTI 13** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Fosfomycin (FO - 200 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk
HX1073	***Mic6 (Hexa) UTI 5** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk

Product Code	Product Name	Price	Packing
HX1074	***Mic6 (Hexa) UTI 6** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefuroxime axetil (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk
HX1075	***Mic6 (Hexa) UTI 7** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk
HX1077	***Mic6 (Hexa) UTI 9** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk
HX1079	***Mic6 (Hexa) UTI 11** Amikacin (AK - 30 mcg), Amoxyclav (AMC - 30 mcg), Ceftriaxone (CTR - 30 mcg), Fosfomycin (FO - 200 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	207.00	1pk
	Haemophilus		
HX1086	***Mic6 (Hexa) Haemophilus 6** Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	207.00	1pk
	Pneumococci		
HX1020	***Mic6 (Hexa) Pneumococci 2** Vancomycin (VA - 30 mcg), Cefuroxime (CXM - 30 mcg), Levofloxacin (LE - 5 mcg), Gentamicin (GEN - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg) Co-Trimoxazole (COT - 25 mcg)	207.00	1pk
HX1042	***Mic6 (Hexa) Pneumococci-4** Oxacillin (OX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Lincomycin (L - 15 mcg), Tetracycline (TE - 30 mcg)	239.00	1pk
HX1046	***Mic6 (Hexa) Pneumococci-8** Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Oxacillin (OX - 1 mcg), Rifampicin (RIF - 5 mcg), Vancomycin (VA - 30 mcg)	239.00	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
	Anaerobic Bacteria		
HX1021	***Mic6 (Hexa) Anaerobic 1** Penicillin-G (P - 10 units), Tetracycline (TE - 30 mcg), Lincomycin (L - 2 mcg), Gentamicin (GEN - 10 mcg), Cefotaxime (CTX - 30 mcg), Cefoxitin (CX - 30 mcg)	207.00	1pk
HX1032	***Mic6 (Hexa) Universal - 1** Bacitracin (B - 10 units), Chloramphenicol (C - 30 mcg), Penicillin-G (P - 10 units), Polymyxin B (PB - 300 mcg), Gentamicin (GEN - 10 mcg), Neomycin (N - 30 mcg)	207.00	1pk
HX1038	***Mic6 (Hexa) Universal-2** Cefotaxime (CTX - 30 mcg), Augmentin (AMC - 30 mcg), Erythromycin (E - 10 mcg), Chloramphenicol (C - 30 mcg), Ofloxacin (OF - 5 mcg), Co-Trimoxazole (COT - 25 mcg)	207.00	1pk

Product Code	Product Name	Price	Packing
	Antifungal		
HX1104	**Mic6 (Hexa) Antimyco-01** Amphotericin-B (AP - 100 units), Clotrimazole (CC - 10 mcg), Fluconazole (FLC - 25 mcg), Itraconazole (IT - 10 mcg), Ketoconazole (KT - 10 mcg), Nystatin (NS - 100 units)	239.00	1pk
HX1715	***Mic6 (Hexa) Universal - 4** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactum (A/S - 10/10 mcg), Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Gentamicin (HLG - 120 mcg), Ceftriaxone (CTR - 30 mcg)	203.00	1pk
HX1716	**Mic6 (Hexa) Universal - 5** Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5mcg), Clindamycin (CD - 2 mcg), Teicoplanin (TEI - 30 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg)	203.00	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Antimicrobial Susceptibility Testing-Mic8(Octo) discs Microgen 8-in-one ready antibiotic combination modules

Mic8 (OCTO) DISCS

Test 8 different antibiotics in one shot

- Available in two different sizes,Microgen Mic8 (Octo) Discs will help in testing 8 different antibiotics in one shot.
- These are flat circular rings, made of inert material w/ 8 equidistant arms on the outer periphery w/ a 6 mm filter paper disc at the end. Available in 2 sizes, the smaller size can be used on 90 mm plates, whereas the bigger sizes are to be used on 120 mm plates.
- For the bigger size rings, the discs placed at a distance of 24 mm apart from each other are impregnated w/ 8 different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging.
- However for smaller rings, the distance between the two discs is lesser than 24 mm which might lead to merging of zones.
- The unique inert material used for making the rings allows faster absorption of the rings and hence a uniform diffusion of the antibiotics on to the medium.
- The discs are available in various pre-selected combinations of 8 antibiotics. Also rings can be made as per individual customized specification.
- The smaller size rings are to be used on 100 mm plates or 90mm plates.

  Also available are ready prepared media plates of Mueller Hinton Agar (90 mm) and Mueller Hinton Agar (100 mm)
- For the bigger size rings, 120 mm plates are to be used. Also available are ready prepared media plates of Mueller Hinton Agar (120 mm)

Note: **In product description column** Symbol **&** Quantity **are given in bracket after the Antibiotics name.**

Product Code	Product Name	Price	Packing
OD1020 OD1020R	***Mic8 Combi I** Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 1 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30mcg)	230.00 230.00	1pk 1pk
OD1023 OD1023R	***Mic8 Combi IV** Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA-30mcg)	262.00 262.00	1pk 1pk
OD1026 OD1026R	***Mic8 Combi VII** Amoxicillin (AMX - 10 mcg), Cloxacillin (COX - 5 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 10 mcg), Penicillin-G (P - 2 units), Co-Trimoxazole (COT - 25 mcg), Penicillin-V (PV - 3 mcg), Cefalexin (CN - 30 mcg)	230.00 230.00	1pk 1pk
OD1271 OD1271R	***Mic8 Combi 69** Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Gatifloxacin (GAT - 5 mcg), Aztreonam (AT - 30 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg)	230.00 230.00	1pk 1pk
OD1277 OD1277R	***Mic8 Combi 77** Amikacin (AK - 30 mcg), Cefotaxime (CTX - 30 mcg), Amoxicillin (AMX - 30 mcg), Cefepime (CPM - 30mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Isepamicin (IP - 30 mcg)	230.00 230.00	1pk 1pk
OD1280 OD1280R	***Mic8 Combi 80** Penicillin-G (P - 10 units), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Cefazolin (CZ - 30 mcg), Clindamycin (CD - 2 mcg), Cloxacillin (COX - 30 mcg), Erythromycin (E - 15 mcg), Teicoplanin (TEI - 30 mcg)	230.00 230.00	1pk 1pk
OD1281 OD1281R	***Mic8 Combi 85** Co-Trimoxazole (COT - 25 mcg), Gatifloxacin (GAT - 5 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefalexin (CN - 30 mcg), Chloramphenicol (C - 30 mcg), Doxycycline Hydrocloride (DO - 30 mcg), Azithromycin (AZM - 15 mcg)	230.00 230.00	1pk 1pk
OD1291 OD1291R	***Mic8 Combi 90** Ampicillin (AMP - 10 mcg), Levofloxacin (LE - 5 mcg), Vancomycin (VA - 30 mcg), Cephalothin (CEP - 30 mcg), Gentamicin (GEN - 10 mcg), Oxacillin (OX - 1 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg)	262.00 262.00	1pk 1pk
OD1298 OD1298R	***Mic8 Combi 94** Amikacin (AK - 30 mcg), Amoxyclav (AMC - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Azithromycin (AZM - 15mcg), Cefepime (CPM - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Cefpirome (CFP - 30 mcg), Ceftazidime (CAZ - 30 mcg)	320.00 320.00	1pk 1pk
OD1286 OD1286R	***Mic8 Combi 510** Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Clindamycin (CD - 2 mcg), Ofloxacin (OF - 5 mcg), Azithromycin (AZM - 15 mcg), Tetracycline (TE - 30 mcg)	230.00 230.00	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used. ★ On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C. The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
OD1290 OD1290R	***Mic8 Combi 514** Penicillin-G (P - 2 units), Erythromycin (E - 10 mcg), Cefazolin (CZ - 30 mcg), Lincomycin (L - 2 mcg), Cloxacillin (COX - 5 mcg), Vancomycin (VA - 30 mcg), Gentamicin (GEN - 10 mcg), Teicoplanin (TEI - 30 mcg)	230.00 230.00	1pk 1pk
OD1740 OD1740R	***Mic8 Combi 523** Amoxyclav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Cefuroxime (CXM - 30 mcg)	333.00 333.00	1pk 1pk
OD1741 OD1741R	***Mic8 Combi 524** Levofloxacin (LE - 5 mcg), Cefpodoxime (CPD - 10 mcg), Ceftizoxime (CZX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Amikacin (AK - 30 mcg), Cefixime (CFM - 5 mcg), Ofloxacin (OF - 5 mcg), Ticarcillin (TI - 75 mcg)	302.00 302.00	1pk 1pk
OD1750 OD1750R	***Mic8 Combi 533** Amoxycillin (AMX - 10 mcg), Amoxyclav (AMC - 10 mcg), Ceftriaxone (CTR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg)	302.00 302.00	1pk 1pk
OD1751 OD1751R	***Mic8 Combi 534** Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Colistin (CL - 10 mcg), Cefepime (CPM - 30 mcg)	387.00 387.00	1pk 1pk
OD1752 OD1752R	***Mic8 Combi 535** Ampicillin (AMP - 10 mcg), Amoxyclav (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gatifloxacin (GAT - 5 mcg), Lincomycin (L - 2 mcg), Cefotaxime (CTX - 30 mcg)	302.00 302.00	1pk 1pk
OD1753 OD1753R	***Mic8 Combi 536** Cefoxitin (CX - 30 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Cefpirome (CFP - 30 mcg)	302.00 302.00	1pk 1pk
OD1754 OD1754R	***Mic8 Combi 537** Tetacycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Co-trimoxazole (COT - 25 mcg), Ofloxacin (OF - 5 mcg), Tobramycin (TOB - 10 mcg), Roxithomycin (RO - 15 mcg), Cefoperazone/Sulbactum (CFS - 75/10 mcg), Cefixime (CFM - 5 mcg)	320.00 320.00	1pk 1pk
OD1001 OD1001R	***Mic8 G-I-plus** Amoxyclav (AMC - 10 mcg), Cefalexin (CN - 10 mcg),Ciprofloxacin (CIP - 10 mcg), Clindamycin (CD - 2 mcg),Cloxacillin (COX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg)	230.00 230.00	1pk 1pk

Product Code	Product Name	Price	Packing
OD1002 OD1002R	***Mic8 G-II-plus** Ampicillin (AMP - 10 mcg), Carbenicillin (CB - 100 mcg),Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg),Co-trimazine (CM - 25 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Oxacillin (OX - 5 mcg)	262.00 262.00	1pk 1pk
OD1003 OD1003R	***Mic8 G-III-plus** Amikacin (AK - 10 mcg), Amoxicillin (AMX - 10 mcg), Bacitracin (B - 10 units), Cephalothin (CEP - 30 mcg),Erythromycin (E - 15 mcg), Novobiocin (NV - 30 mcg),Oxytetracycline (O - 30 mcg), Vancomycin (VA - 30 mcg)	230.00 230.00	1pk 1pk
OD1033 OD1033R	***Mic8 G-V-plus** Amoxicillin (AMX-10 mcg), Tetracycline (TE-30 mcg),CoTrimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcgErythromycin (E - 15 mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg)	230.00 230.00	1pk 1pk
OD1034 OD1034R	***Mic8 G-VI-plus** Ceftriaxone (CTR - 30 mcg), Ceftazidime (CAZ - 30 mcgCefotaxime (CTX - 30 mcg), Lincomycin (L - 2 mcg), Netilmicin (NET - 30 mcg), Ofloxacin (OF - 2 mcg), Vancomycin (VA - 30 mcg), Amikacin (AK - 30 mcg)	243.00 243.00	1pk 1pk
OD1041 OD1041R	***Mic8 G-XII-plus** Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Amikacin (AK - 30 mcg), Co-Trimoxazole (COT - 25 mcg	230.00 230.00	1pk 1pk
OD1050 OD1050R	***Mic8 G-XIV-plus** Penicillin-G (P - 10 units), Gentamicin (GEN - 10 mcg), Augmentin (AMC - 30 mcg), Ciprofloxacin (CIP - 5 mcg),Erythromycin (E - 10 mcg), Fusidic acid (FC - 10 mcg),Chloramphenicol (C - 30 mcg), Vancomycin (VA - 30 mcg)	230.00 230.00	1pk 1pk
OD1303 OD1303R	***Mic8 G Plus-15** Penicillin-G (P - 10 units), Ampicillin (AMP - 10 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg),Erythromycin (E - 15 mcg), Doxycyline Hydrochloride (DO - 30 mcg), Gentamicin (HLG - 120 mcg), Levofloxacin (LE - 5 mcg	262.00 262.00	1pk 1pk
OD1304 OD1304R	***Mic8 G Plus-16** Penicillin-G (P - 10 units), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Cefoxitin (CX - 30 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Gentamicin (GEN - 10 mcg)	262.00 262.00	1pk 1pk
OD1305 OD1305R	***Mic8 G Plus-17** Doxycyline Hydrochloride (DO - 30 mcg), Levofloxacin (LE - 5 mcg), Cefepime (CPM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Quinupristin/Dalfopristin (RP - 15/15 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg), Sparfloxacin (SPX - 5 mcg)	271.00 271.00	1pk 1pk
OD1309 OD1309R	***Mic8 G Plus-18** Oxacillin (OX - 1 mcg), Penicillin-G (P - 10 units),Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Gentamicin (HLG - 120 mcg)	284.00 284.00	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Gram - Negative Organisms

Product Code	Product Name	Price	Packing
OD1258 OD1258R	**Mic8 Combi 61** Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg),Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Levofloxacin (LE - 5 mcg)	289.00 289.00	1pk 1pk
OD1272 OD1272R	***Mic8 Combi 70** Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg) Norfloxacin (NX - 10 mcg), Levofloxacin (LE - 5 mcg), Aztreonam (AT - 30 mcg), Gatifloxacin (GAT - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00 230.00	1pk 1pk
OD1278 OD1278R	***Mic8 Combi 78** Ceftriaxone (CTR - 30 mcg), Gentamicin (GEN - 10 mcg),Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Netillin (NET - 30 mcg), Tetracycline (TE - 30 mcg), Amoxyclav (AMC - 30 mcg), Ofloxacin (OF - 5 mcg)	230.00 230.00	1pk 1pk
OD1293 OD1293R	***Mic8 Combi 92** Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefoxitin (CX - 30 mcg), Cefoxatime (CTX - 30 mcg), Ceftriaxone (CTR - 30 mcg)	230.00 230.00	1pk 1pk
OD1284 OD1284R	***Mic8 Combi 508** Ceftazidime (CAZ-30 mcg), Cefotaxime (CTX-30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Netillin (NET - 30 mcg), Gatifloxacin (GAT - 30 mcg)	243.00 243.00	1pk 1pk
OD1285 OD1285R	***Mic8 Combi 509** Tobramycin (TOB - 10 mcg), Imipenem (IPM - 10 mcg),Augmentin (AMC - 30 mcg), Cefoxitin (CX - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Cefoperazone (CPZ - 75 mcg), Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg)	262.00 262.00	1pk 1pk
OD1289 OD1289R	***Mic8 Combi 513** Cefuroxime (CXM - 30 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Ceftriaxone (CTR - 30 mcg), Amikacin (AK - 30 mcg), Cephalothin (CEP - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00 230.00	1pk 1pk
OD1296 OD1296R	***Mic8 Combi 517** Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg),Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefpirome (CFP - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ceftizoxime (CZX - 30 mcg), Polymyxin-B (PB - 300 units)	230.00 230.00	1pk 1pk
OD1297 OD1297R	***Mic8 Combi 518** Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ofloxacin (OF - 5 mcg), Gatifloxacin (GAT - 5 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline Hydrocloride (DO - 30 mcg)	271.00 271.00	1pk 1pk
OD1005 OD1005R	***Mic8 G-I-minus** Ampicillin (AMP-10 mcg), Ciprofloxacin (CIP-10 mcg), Colistin (CL - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Streptomycin (S - 10 mcg), Tetracycline (TE - 30 mcg)	230.00 230.00	1pk 1pk
OD1006 OD1006R	***Mic8 G-II-minus** Cefotaxime (CTX - 30 mcg), Cefalexin (CN - 30 mcg),Co-Trimoxazole (COT - 25 mcg), Chloramphenicol (C - 30 mcg), Nalidixic acid (NA - 30 mcg), Furazolidone (FR - 50 mcg), Norfloxacin (NX - 10 mcg), Oxytetracycline (O - 30 mcg)	230.00 230.00	1pk 1pk
OD1007 OD1007R	***Mic8 G-III-minus** Amikacin (AK - 10 mcg), Carbenicillin (CB - 100 mcg), Ciprofloxacin (CIP - 10 mcg), Co-Trimazine (CM - 25 mcg), Kanamycin (K - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Streptomycin (S - 10 mcg), Tetracycline (TE - 30 mcg)	230.00 230.00	1pk 1pk
OD1042 OD1042R	***Mic8 G-VI-minus** Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 30 mcg), Cefotaxime (CTX - 30 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Netillin (NET - 30 mcg), Ofloxacin (OF - 5 mcg)	243.00 243.00	1pk 1pk
OD1043 OD1043R	***Mic8 G-VII-minus** Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Kanamycin (K - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg), Streptomycin (S - 25 mcg)	230.00 230.00	1pk 1pk
OD1044 OD1044R	***Mic8 G-VIII-minus** Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 300 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 25 mcg), efalexin (CN - 30 mcg), Norfloxacin (NX - 10 mcg), Mecillinam (MEC - 33 mcg)	230.00 230.00	1pk 1pk
OD1047 OD1047R	***Mic8 G-XI-minus** Chloramphenicol (C - 25 mcg), Ampicillin (AMP - 25 mcg), Tetracycline (TE - 25 mcg), Gentamicin (GEN - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Ceftriaxone (CTR -30 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 10 mcg)	230.00 230.00	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.
★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

microgen

Product Code	Product Name	Price	Packing
OD1061 OD1061R	***Mic8 G-XXII-minus** Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Kanamycin (K - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg)	243.00 243.00	1pk 1pk
OD1301 OD1301R	***Mic8 G minus-24** Piperacillin /Tazobactam (PIT - 100/10 mcg), Piperacillin (PI - 100 mcg), Gentamicin (GEN - 10 mcg), Cefotaxime (CTX - 30 mcg), Amikacin (AK - 30 mcg), Meropenem (MRP - 10 mcg), Cefepime (CPM - 30 mcg), Levofloxacin (LE - 5 mcg)	262.00 262.00	1pk 1pk
OD1302 OD1302R	***Mic8 G minus-25** Ampicillin (AMP - 10 mcg), Amoxicillin /Clavulanic acid (AMC - 20/10 mcg), Cefoxitin (CX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime /Clavulanic acid (CAC - 30/10 mcg), Doxycyline Hydrochloride (DO - 30 mcg), Aztreonam (AT - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	289.00 289.00	1pk 1pk
OD1310 OD1310R	***Mic8 G minus-26** Piperacillin /Tazobactam (PIT - 100/10 mcg), Ampicillin /Sulbactam (A/S - 10/10 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Ceftriaxone (CTR - 75 mcg), Cefepime (CPM - 30 mcg), Imipenem/Cilastin (IC - 10/10 mcg), Nalidixic acid (NA - 30 mcg)	342.00 342.00	1pk 1pk
OD1311 OD1311R	***Mic8 G minus-27** Cefixime (CFM - 5 mcg), Polymyxin B (PB - 300 units), Norfloxacin (NX - 10 mcg), Netilimicin (NET - 30 mcg), Levofloxacin (LE - 5 mcg), Cefoperazone (CPZ - 75 mcg), Colistin (CL - 10 mcg), Aztreonam (AT - 30 mcg)	284.00 284.00	1pk 1pk
OD1312 OD1312R	***Mic8 G Minus-28** Piperacillin /Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Cefepime (CPM - 30 mcg), Cefotaxime (CTX - 30 mcg), Levofloxacin (LE - 5 mcg)	320.00 320.00	1pk 1pk
OD1313 OD1313R	***Mic8 G Minus-29** Cefepime /Tazobactam (CPT - 30/10 mcg), Netillin (NET - 30 mcg), Amoxicillin /Clavulanic acid (AMC - 20/10 mcg), Doxycyclin Hydrochloride (DO - 30 mcg), Imipenem (IPM - 10 mcg), Aztreonam (AT - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefuroxime (CXM - 30 mcg)	289.00 289.00	1pk 1pk
	Pseudomonas		
OD1025 OD1025R	***Mic8 Combi VI** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Cefoxitin (CX - 30 mcg), Ceftazidime (CAZ - 30 mcg),Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 100 mcg)	243.00 243.00	1pk 1pk
OD1031 OD1031R	***Mic8 Combi XII** Amikacin (AK - 10 mcg), Augmentin (AMC - 30 mcg),Cefotaxime (CTX - 10 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 75 mcg),Ceftazidime (CAZ - 30 mcg), Colistin (CL - 25 mcg)	243.00 243.00	1pk 1pk

Product Code	Product Name	Price	Packing
OD1256 OD1256R	***Mic8 Combi 59** Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Carbenicillin (CB - 100 mcg), Cephalothin (CEP - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (CPZ - 75 mcg)	243.00 243.00	1pk 1pk
OD1257 OD1257R	***Mic8 Combi 60** Amoxyclav (AMC-10 mcg), Ceftriaxone (CTR-30 mcg), Ceftizoxime (CZX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefpodoxime (CPD - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	230.00 230.00	1pk 1pk
OD1294 OD1294R	***Mic8 Combi 93** Amikacin (AK - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Aztreonam (AT - 30 mcg), Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg)	289.00 289.00	1pk 1pk
OD1008 OD1008R	***Mic8 Pseudo** Amikacin (AK - 10 mcg), Carbenicillin (CB - 100 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 10 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg)	230.00 230.00	1pk 1pk
OD1063 OD1063R	***Mic8 Pseudo V** Amikacin (AK - 30 mcg), Carbenicillin (CB - 100 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg)	230.00 230.00	1pk 1pk
OD1307 OD1307R	***Mic8 Pseudo-6** Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 100 mcg), Piperacillin /Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Cefoperazone (CPZ - 75 mcg), Levofloxacin (LE - 5 mcg), Meropenem (MRP - 10 mcg)	271.00 271.00	1pk 1pk
	UTI Pathogenic Organisms		
OD1022 OD1022R	***Mic8 Combi III** Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg),Cephalothin (CEP - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	230.00 230.00	1pk 1pk
OD1030 OD1030R	***Mic8 Combi XI** Ampicillin (AMP - 25 mcg), Tetracycline (TE - 50 mcg), Co-Trimoxazole (COT - 25 mcg), Nalidixic acid (NA - 30 mcg), Mecillinam (MEC - 25 mcg), Gentamicin (GEN - 10 mcg), Colistin (CL - 50 mcg), Norfloxacin (NX - 10 mcg)	230.00 230.00	1pk 1pk
OD1270 OD1270R	***Mic8 Combi 68** Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	230.00 230.00	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used. ★ On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C. The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
OD1273 OD1273R	***Mic8 Combi 71** Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg),Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 50 mcg)	230.00 230.00	1pk 1pk
OD1066 OD1066R	***Mic8 Combi 82** Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	262.00 262.00	1pk 1pk
OD1067 OD1067R	***Mic8 Combi 83** Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg), Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 300 mcg)	230.00 230.00	1pk 1pk
OD1292 OD1292R	***Mic8 Combi 91** Augmentin (AMC - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Nalidixic acid (NA - 30 mcg), Cefuroxime (CXM - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg), Cefixime (CFM - 5 mcg)	230.00 230.00	1pk 1pk
OD1300 OD1300R	***Mic8 Combi 96** Imipenem (IPM - 10 mcg), Linezolid (LZ - 30 mcg),Meropenem (MRP - 10 mcg), Nitrofurantion (NIT - 300 mcg), Ofloxacin (OF - 5 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Polymyxin-B (PB - 300 units), Vancomycin (VA - 30 mcg)	338.00 338.00	1pk 1pk
OD1287 OD1287R	***Mic8 Combi 511** Ampicillin (AMP - 25 mcg), Cefalexin (CN - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 100 mcg), Gentamicin (GEN - 10 mcg), Ceftriaxone (CTR - 30 mcg), Norfloxacin (NX - 10 mcg)	230.00 230.00	1pk 1pk
OD1035 OD1035R	**Mic8 UTI III** Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg),Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Amoxicillin (AMX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Chloramphenicol (C - 30 mcg)	230.00 230.00	1pk 1pk
OD1019 OD1019R	***Mic8 UTI-V** Ampicillin (AMP - 25 mcg), Gentamicin (GEN - 10 mcg),Carbenicillin (CB - 100 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 50 mcg), Sulphamethizole (SM - 200 mcg), Tetracycline (TE - 100 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00 230.00	1pk 1pk

Product Code	Product Name	Price	Packing
OD1054 OD1054R	***Mic8 UTI-XII** Ampicillin (AMP - 25 mcg), Gentamicin (GEN - 10 mcg),Carbenicillin (CB - 100 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 50 mcg), Tetracycline (TE - 100 mcg), Co-Trimoxazole (COT - 25 mcg), Nicene (NI - 30 mcg)	230.00 230.00	1pk 1pk
OD1306 OD1306R	***Mic8 UTI-18** Norfloxacin (NX - 10 mcg), Nalidixic acid (NA - 30 mcg),Nitrofurantoin (NIT - 300 mcg), Ofloxacin (OF - 5 mcg), Carbenicillin (CB - 100 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Co-Trimoxazole (COT - 25 mcg), Ceftazidime (CAZ - 30 mcg)	262.00 262.00	1pk 1pk
Sputum & Respiratory Pathogenic Organisms			
OD1269 OD1269R	***Mic8 Combi 67** Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	271.00 271.00	1pk 1pk
OD1276 OD1276R	***Mic8 Combi 84** Chloramphenicol (C - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	320.00 320.00	1pk 1pk
General Purpose			
OD1282 OD1282R	***Mic8 Combi 505** Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	262.00 262.00	1pk 1pk
OD1283 OD1283R	**Mic8 Combi 506** Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Gatifloxacin (GAT - 5 mcg), Teicoplanin (TEI - 30 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Doxycycline Hydrocloride (DO - 30 mcg)	262.00 262.00	1pk 1pk
OD1308 OD1308R	***Mic8 Universal-1** Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoxitin (CX - 30 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	284.00 284.00	1pk 1pk
OD1295 OD1295R	***Mic8 Combi 516** Imipenem (IPM-10 mcg), Meropenem (MRP-10 mcg), Amoxyclav (AMC - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Nitrofurantoin (NIT - 300 mcg)	320.00 320.00	1pk 1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used.
★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

microgen

Product Code	Product Name	Price	Packing

Antimicrobial Susceptibility Testing - Mic12 Dodeca Discs
Microgen 12-in-one ready antibiotic combination modules
[To be use on 150 mm plates]

Mic12 (DODECA) DISCS

Test 12 different antibiotics, for testing on a single 150 mm plate

- These discs are placed at a distance of 24 mm from each other.
- These are flat circular rings, made of inert material w/ 8 & 4 equidistant arms on the outer & inner peripheryrespectively w/ a 6 mm filter paper disc at the end.
- Microgen Mic12 (Dodeca) discs are enhanced extensions of Single Discs. These series of discs gives the privilege to study 12 antibiotics on a single plate.
- These discs are impregnated w/ 12 different antibiotics, w/corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging.
- The unique inert material used for making the rings aids in quicker absorption of the rings and hence a proper diffusion of the antibiotics on to the medium.
- The discs are available in various pre-selected combinations of 12 antibiotics. However rings can also be made as per individual customized specification.
- These discs are to be used on 150 mm plates. Also available are ready prepared media plates of Mueller Hinton Agar (150 mm)

Note: **In product description column** Symbol **&** Quantity **are given in bracket after the Antibiotics name.**

Product Code	Product Name	Price	Packing
DE1001	***Mic12 (Dodeca) Universal-I** Cefpodoxime (CPD - 10 mcg), Chloramphenicol (C - 30 mcg), Vancomycin (VA - 30 mcg), Streptomycin (S - 10 mcg), Rifampicin (RIF - 5 mcg), Levofloxacin (LE - 5 mcg), Ceftriaxone (CTR - 30 mcg), Clindamycin (CD - 2 mcg), Augmentin (AMC - 30 mcg), Amikacin (AK - 30 mcg), Cefixime (CFM - 5 mcg), Tetracycline (TE - 30 mcg)	347.00	1pk
DE1007	***Mic12 (Dodeca) Universal-II** Amikacin (AK - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Augmentin (AMC - 30 mcg), Netillin (NET - 30 mcg), Norfloxacin (NX - 10 mcg), Ceftriaxone (CTR - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Furazolidone (FR - 50 mcg), Amoxicillin (AMX - 10 mcg)	369.00	1pk
DE1008	***Mic12 (Dodeca) Universal-III** Ampicillin (AMP - 10 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Augmentin (AMC - 30 mcg), Penicillin-G (P - 10 units), Cefotaxime (CTX - 30 mcg), Cefaclor (CF - 30 mcg) Azithromycin (AZM - 15 mcg), Erythromycin (E - 15 mcg), Cefoperazone (CPZ - 75 mcg), Clarithromycin (CLR - 15 mcg), Ciprofloxacin (CIP - 5 mcg)	347.00	1pk
DE1012	***Mic12 (Dodeca) Universal-IV** Cefuroxime (CXM - 30 mcg), Cefaclor (CF - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefalexin (CN - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftizoxime (CZX - 30 mcg), Cefadroxil (CFR - 30 mcg), Ampicillin/Cloxacillin (AX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefotaxime (CTX - 30 mcg), Cefixime (CFM - 5 mcg), Cefazolin (CZ - 30 mcg)	347.00	1pk
DE1035	***Mic12 (Dodeca) Universal-XIV** Imipenem (IPM - 10 mcg), Amoxyclav (AMC - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefuroxime (CXM - 30 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Cefoxitin (CX - 30 mcg)	387.00	1pk
DE1042	***Mic12 (Dodeca) Universal-XV** Augmentin (AMC - 30 mcg), Amikacin (AK - 30 mcg), Gatifloxacin (GAT - 5 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Chloramphenicol (C - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Imipenem (IPM - 10 mcg)	432.00	1pk
	Gram-positive Organisms		
DE1002	***Mic12 (Dodeca) G-I-Plus** Azithromycin (AZM - 15 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Cefadroxil (CFR - 30 mcg), Cefuroxime (CXM - 30 mcg), Roxithromycin (RO - 30 mcg), Ampicillin / Cloxacillin (AX - 10 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Clarithromycin (CLR - 15 mcg), Sparfloxacin (SPX - 5 mcg)	347.00	1pk
DE1009	***Mic12 (Dodeca) G-II-Plus** Cefotaxime (CTX - 30 mcg), Augmentin (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Amoxicillin (AMX - 10 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 5 mcg), incomycin (L - 2 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg)	347.00	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
DE1018	***Mic12 (Dodeca) G-III-Plus** Penicillin-G (P - 10 units), Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Vancomycin (VA - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Tetracycline (TE - 30 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg)	347.00	1pk
DE1023	***Mic12 (Dodeca) G-IV-Plus** Amikacin (AK - 30 mcg), Amoxicillin (AMX - 25 mcg), Cefalexin (CN - 30 mcg), Cefazolin (CZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Amoxyclav (AMC - 30 mcg), Tetracycline (TE - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Teicoplanin (TEI - 30 mcg), Erythromycin (E - 15 mcg)	379.00	1pk
DE1032	***Mic12 (Dodeca) G-V-Plus** Penicillin-G (P - 10 units), Amoxicillin (AMX - 10 mcg), Carbenicillin (CB - 100 mcg), Methicillin (MET - 5 mcg), Azithromycin (AZM - 15 mcg), Clindamycin (CD - 2 mcg), Roxithromycin (RO - 15 mcg), Lincomycin (L - 2 mcg), Vancomycin (VA - 30 mcg), Rifampicin (RIF - 5 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg)	379.00	1pk
DE1036	***Mic12 (Dodeca) G-VI-Plus** Penicillin-G (P - 10 units), Cloxacillin (COX - 10 mcg), Oxacillin (OX - 1 mcg), Cefazolin (CZ - 30 mcg), Azithromycin (AZM - 15 mcg), Clindamycin (CD - 2 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Teicoplanin (TEI - 30 mcg), Novobiocin (NV - 5 mcg), Minocycline (MI - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	379.00	1pk
DE1038	***DMic12 (Dodeca) G-VII-Plus** Amoxyclav (AMC - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg), Erythromycin (E - 15 mcg), Cefoperazone (CPZ - 75 mcg), Cefepime (CPM - 30 mcg), Cloxacillin (COX - 5 mcg), Gentamicin (GEN - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg)	347.00	1pk
DE1047	***Mic12 (Dodeca) G-IX-plus** Penicillin-G (P - 10 units), Cefoxitin (CX - 30 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Amoxyclav (AMC - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Erythromycin (E - 15 mcg), Co-Trimoxazole (COT - 25 mcg)	379.00	1pk
DE1736	***Mic12 (Dodeca) G-Plus 15** Amoxyclav (AMC - 20/10 mcg), Penicillin-G (P - 10 Units), Roxithromycin (RO - 15 mcg), Azithromycin (AZM - 15 mcg), Cefuroxime (CXM - 30 mcg), Cefazolin (CZ - 30 mcg), Cefoxitin (CXM - 30 mcg), Clindamycin (CD - 2 mcg), Tetracycline (TE - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg)	383.00	1pk

Product Code	Product Name	Price	Packing
DE1048	***Mic12 (Dodeca) Staphylococci-1** Penicllin-G (P - 10 units), Azithromycin (AZM - 15 mcg), Erythromycin (E - 15 mcg), Clarithromycin (CLR - 15 mcg), Linezolid (LZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Vancomycin (VA - 30 mcg), Cefoxitin (CX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gatifloxacin (GAT - 5 mcg), Ofloxacin (OF - 5 mcg), Clindamycin (CD - 2 mcg)	347.00	1pk
DE1049	***Mic12 (Dodeca) Staphylococci-2** Tigecycline (TGC - 15 mcg), Moxifloxacin (MO - 5 mcg), Gentamicin (GEN - 10 mcg), Rifampicin (RIF - 5 mcg), Lomefloxacin (LOM - 10 mcg), Norfloxacin (NX - 10 mcg), Novobiocin (NV - 30 mcg), Teicoplanin (TEI - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Pristinomycin (RP - 15 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	369.00	1pk
DE1050	***Mic12 (Dodeca) Enterococcus -1** Ampicillin (AMP - 10 mcg), Penicillin-G (P - 10 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Gentamicin (HLG - 120 mcg), Tigecycline (TGC - 15 mcg), Erythromycin (E - 15 mcg), Pristinomycin (RP - 15 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 5 mcg), Fosfomycin (FO - 200 mcg)	369.00	1pk
	Gram-negative Organisms		
DE1003	***Mic12 (Dodeca) G-I-Minus** Amikacin (AK - 30 mcg), Lomefloxacin (LOM - 10 mcg), Cefadroxil (CFR - 30 mcg), Sparfloxacin (SPX - 5 mcg), Netillin (NET - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Cefoperazone (CPZ - 75 mcg), Ampicillin/ Sulbactam (A/S - 10/10 mcg)	369.00	1pk
DE1010	***Mic12 (Dodeca) G-II-Minus** Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Cefuroxime (CXM - 30 mcg), Augmentin (AMC - 30 mcg), Lomefloxacin (LOM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefoperazone (CPZ - 75 mcg), Gentamicin (GEN - 10 mcg), Netillin (NET - 30 mcg), Pefloxacin (PF - 5 mcg), Ofloxacin (OF - 5 mcg)	369.00	1pk
DE1019	***Mic12 (Dodeca) G-III-Minus** Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg), Cephalothin (CEP - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10mcg), Cefuroxime (CXM - 30 mcg), Cefepime (CPM - 30mcg), Cefoperazone (CPZ - 75 mcg), Cefoxitin (CX - 30 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg)	347.00	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
DE1031	***Mic12 (Dodeca) G-VI minus** Piperacillin/ Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Kanamycin (K - 30 mcg), Tobramycin (TOB - 10 mcg), Netillin (NET - 30 mcg), Sisomicin (SS - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Cefotaxime/ Sulbactam (CES - 30/15 mcg), Ceftriaxone/ Sulbactam (CIS - 30/15 mcg), Ceftriaxone/Tazobactam (CIT - 30/10 mcg)	379.00	1pk
DE1033	***Mic12 (Dodeca) G-VII Minus** Cefixime (CFM - 5 mcg), Cefpodoxime (CPD - 10 mcg), Ceftizoxime (CZX - 30 mcg), Cefpirome (CFP - 30 mcg), Cefepime (CPM - 30 mcg), Nalidixic acid (NA - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 10 mcg), Lomefloxacin (LOM - 10 mcg), Norfloxacin (NX - 10 mcg), Ceftriaxone (CTR - 30 mcg)	360.00	1pk
DE1037	***Mic12 (Dodeca) G-VIII-Minus** Ampicillin (AMP - 10 mcg), Ticarcillin (TI - 75 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefpodoxime (CPD - 10 mcg), Gatifloxacin (GAT - 5 mcg), Aztreonam (AT - 30 mcg), Netillin (NET - 30 mcg), Tobramycin (TOB - 10 mcg), Colistin (CL - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	379.00	1pk
DE1039	***Mic12 (Dodeca) G-IX-Minus** Ampicillin (AMP - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Cefuroxime (CXM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Amoxyclav (AMC - 10 mcg)	387.00	1pk
DE1045	***Mic12 (Dodeca) G-XI-minus** Amikacin (AK - 30 mcg), Amoxicillin/Clavulanic acid (AMC - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefepime (CPM - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Chloramphenicol (C - 30 mcg)	347.00	1pk
DE1046	***Mic12 (Dodeca) G-XII minus** Ceftazidime (CAZ - 30 mcg), Colistin (Methane Sulphonate) (CL - 10 mcg), Minocycline (MI - 30 mcg), Imipenem (IPM - 10 mcg), Tigecycline (TGC - 15 mcg), Cefuroxime (CXM - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg) Levofloxacin (LE - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Aztreonam (AT - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	387.00	1pk

Product Code	Product Name	Price	Packing
DE1737	***Mic12 (Dodeca) G-Minus 23** Amoxyclav (AMC - 20/10 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (CPZ - 30 mcg), Ceftazidime (CAZ - 30 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Tetracycline (TE - 30 mcg)	383.00	1pk
DE1738	***Mic12 (Dodeca) G-Minus 24** Ceftazidime/Tazobactum (CAT - 30/10 mcg), Ceftiaxone/Sulbactum (CIS - 75/30 mcg), Cefoperazone/Sulbactum (CFS - 75/30 mcg), Cefepime (CPM - 30 mcg), Piperacillin/Tazobactum (PIT - 100/10 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Levofloxacin (LE - 5 mcg), Prulifloxacin (PRU - 5 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10 mcg), Cefixime/Clavulanic acid (CMC - 05/10 mcg)	459.00	1pk
DE1053	***Mic12 (Dodeca) Enterobacteriaceae-1** Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Amoxyclav (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg)	432.00	1pk
DE1054	***Mic12 (Dodeca) Enterobacteriaceae-2** Cefotaxime (CTX - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefoxitin (CX - 30 mcg), Meropenem (MRP - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Aztreonam (AT - 75 mcg), Gatifloxacin (GAT - 5 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Cefoperazone (CPZ - 75 mcg), Levofloxacin (LE - 5 mcg), Ceftizoxime (CZX - 30 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg)	387.00	1pk
	UTI Pathogenic Organisms		
DE1004	***Mic12 (Dodeca) UTI-I** Amikacin (AK - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Nalidixic acid (NA - 30 mcg), Netillin (NET - 30 mcg), Norfloxacin (NX - 10 mcg), Cefaclor (CF - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Gentamicin (GEN - 10 mcg), Cefoperazone (CPZ - 75 mcg), Ofloxacin (OF - 5 mcg)	369.00	1pk
DE1005	***Mic12 (Dodeca) UTI-II** Ceftriaxone (CTR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefaclor (CF - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Cefotaxime (CTX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefadroxil (CFR - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Furazolidone (FR - 50 mcg), Augmentin (AMC - 30 mcg), Cefalexin (CN - 30 mcg), Amikacin (AK - 30 mcg)	347.00	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
DE1011	***Mic12 (Dodeca) UTI-IV** Amikacin (AK - 30 mcg), Cefalexin (CN - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefixime (CFM - 5 mcg), Cefoperazone (CPZ - 75 mcg), Nalidixic acid (NA - 30 mcg), Kanamycin (K - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Lomefloxacin (LOM - 30 mcg), Ofloxacin (OF - 5 mcg), Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg)	347.00	1pk
DE1021	***Mic12 (Dodeca) UTI-V** Carbenicillin (CB - 100 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Lomefloxacin (LOM - 10 mcg), Gatifloxacin (GAT - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg), Netillin (NET - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Ceftizoxime (CZX - 30 mcg)	369.00	1pk
DE1025	***Mic12 (Dodeca) UTI-VI** Amikacin (AK - 30 mcg), Amoxicillin (AMX - 25 mcg), Cefalexin (CN - 30 mcg), Cefazolin (CZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Amoxyclav (AMC - 30 mcg), Norfloxacin (NX - 10 mcg), Ceftazidime (CAZ - 30 mcg), Imipenem (IPM - 10 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	379.00	1pk
DE1030	***Mic12 (Dodeca) UTI-VII** Sparfloxacin (SPX - 10 mcg), Levofloxacin (LE - 5 mcg), Gatifloxacin (GAT - 10 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Meropenem (MRP - 10 mcg), Imipenem (IPM - 10 mcg), Polymyxin B (PB - 300 units), Furazolidone (FR - 100 mcg), Aztreonam (AT - 30 mcg), Cloxacillin (COX - 1 mcg)	432.00	1pk
	Pseudomonas		
DE1034	***Mic12 (Dodeca) UTI-VIII** Pefloxacin (PF 10 mcg), Levofloxacin (LE - 5 mcg), Gatifloxacin (GAT - 10 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Polymyxin B (PB - 300 units), Furazolidone (FR - 100 mcg), Aztreonam (AT - 30 mcg), Cloxacillin (COX - 1 mcg)	Discontinue	1pk
DE1040	***Mic12 (Dodeca) UTI-IX** Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Amoxyclav (AMC - 10 mcg), Norfloxacin (NX - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Nalidixic acid (NA - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Co-Trimoxazole (COT - 25 mcg), iperacillin/Tazobactam (PIT - 100/10 mcg), Ciprofloxacin (CIP - 5 mcg)	369	1pk

Product Code	Product Name	Price	Packing
DE1739	***Mic12 (Dodeca) UTI 13** Cephalothin (CEP - 30 mcg), Ceftizoxime (CZX - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Amoxyclav (AMC - 20/10 mcg), Norfloxacin (NX - 10 mcg), Ofloxacin OF (OF - 2 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Trimethoprim (TR - 5 mcg), Amikacin (AK - 30 mcg), Tobramycin (TOB - 10 mcg)	383.00	1pk
DE1020	***Mic12 (Dodeca) Pseudo-I** Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Ticarcillin (TI - 75 mcg), Piperacillin (PI - 100 mcg), Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Tobramycin (TOB - 10 mcg), Netillin (NET - 30 mcg), Meropenem (MRP - 10 mcg)	387.00	1pk
DE1041	***Mic12 (Dodeca) Pseudo-II** Gentamicin (GEN - 10 mcg), Netillin (NET - 30 mcg), Amikacin (AK - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Amoxyclav (AMC - 30 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Levofloxacin (LE - 5 mcg), Tobramycin (TOB - 10 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone/Tazobactam (CIT - 30/10 mcg), Cefepime (CPM - 30 mcg)	432.00	1pk
DE1051	***Mic12 (Dodeca) Pseudomonas -1** Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI-100 mcg), Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Aztreonam (AT - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	432.00	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

microgen

Product Code	Product Name	Price	Packing

Antimicrobial Susceptibility Testing - Mic20 Icosa Discs
Microgen 20-in-one ready antibiotic combination modules
[To be use on 200 mm plates]

Mic20 (ICOSA) DISCS

Test 20 different antibiotics, in one shot-efficiently, easily and rapidly

- Microgen Mic20 Icosa discs are enhanced extensions of Single Discs. These series of discs gives the privilege to study 20 antibiotics at one time.
- These are flat circular rings, made of inert material w/ 12 & 8 equidistant arms on the outer & inner periphery respectively w/ a 6 mm filter paper disc at the end.
- These discs are impregnated w/ different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter.
- Moreover the discs are designed in such a way that each antibiotic disc on a single ring is atleast 24 mm apart from the others, thus reducing the merging of zones.
- The unique inert material used for making the rings enhances the absorption of the ring and hence a proper diffusion of the antibiotics on to the medium.
- The discs are available in various pre-selected combinations of 20 antibiotics. But rings can be made as per individual customized specification.
- These discs are to be used on 200 mm plates.
  Also available are ready prepared media plates of Mueller Hinton Agar (200 mm).

Note: **In product description column** Symbol **&** Quantity **are given in bracket after the Antibiotics name.**

Product Code	Product Name	Price	Packing
IC1001	***Mic20 (Icosa) Universal - 1** Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg), Chloramphenicol (C - 30 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoperazone (CPZ - 75 mcg), Ceftazidime (CAZ - 30 mcg), Roxithromycin (RO - 30 mcg), Clarithromycin (CLR - 15 mcg), Co-Trimoxazole (COT - 25 mcg), Netillin (NET - 30 mcg), Cefaclor (CF - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefadroxil (CFR - 30 mcg), Azithromycin (AZM - 15 mcg), Ampicillin/Cloxacillin (AX - 10 mcg), Penicillin-G (P - 10 units), Amikacin (AK - 30 mcg), Sparfloxacin (SPX - 5 mcg), Ampicillin/ Sulbactam (A/S - 10/10 mcg)	833.00	1pk
IC1006	***Mic20 (Icosa) Universal - 2** Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Amoxicillin (AMX - 10 mcg), Cefadroxil (CFR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cloxacillin (COX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Nalidixic Acid (NA - 10 mcg), Netillin (NET - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Penicillin-G (P - 10 units), Tobramycin (TOB - 10 mcg), Vancomycin (VA - 30 mcg)	833.00	1pk
	Gram-positive Organisms		
IC1002	***Mic20 (Icosa) G-I-Plus** Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 5 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30 mcg), Ampicillin (AMP - 10 mcg), Chloramphenicol (C - 30 mcg), Oxacillin (OX - 1 mcg), Linezolid (LZ - 30 mcg), Azithromycin (AZM - 15 mcg), Amikacin (AK - 30 mcg), Clarithromycin (CLR - 15 mcg), Teicoplanin (TEI - 10 mcg), Methicillin (MET - 5 mcg), Amoxyclav (AMC - 30 mcg), Novobiocin (NV - 5 mcg), Tetracycline (TE - 30 mcg)	833.00	1pk
IC1003	***Mic20 (Icosa) G-I-Minus** Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Nalidixic acid (NA - 30 mcg), Augmentin (AMC - 30 mcg), Kanamycin (K - 30 mcg), Gatifloxacin (GAT - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Streptomycin (S - 25 mcg), Ceftriaxone (CTR - 30 mcg), Cefpodoxime (CPD - 10 mcg), Ticarcillin (TI - 75 mcg)	900.00	1pk
IC1008	***Mic20 (Icosa) G-II-Minus** Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Ceftazidime (CAZ - 30 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Nalidixic acid (NA - 30 mcg), Augmentin (AMC - 30 mcg), Cefoxitin (CX - 30 mcg), Gatifloxacin (GAT - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Aztreonam (AT - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefpodoxime (CPD - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	900.00	1pk

★ On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

Product Code	Product Name	Price	Packing
	UTI Pathogenic Organisms		
IC1004	***Mic20 (Icosa) UTI - 1** Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Cephalothin (CEP - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Cefoperazone (CPZ - 75 mcg), Amikacin (AK - 30 mcg), Piperacillin /Tazobactam (PIT - 100/10 mcg), Cefepime (CPM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefazolin (CZ - 30 mcg), Streptomycin (S - 10 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Moxifloxacin (MO - 5 mcg), Carbenicillin (CB - 100 mcg), Gatifloxacin (GAT - 5 mcg), Tetracycline (TE - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg)	833.00	1pk

Product Code	Product Name	Price	Packing
	Pseudomonas		
IC1005	***Mic20 (Icosa) Pseudo - 1** Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Carbenicillin (CB - 100 mcg), Piperacillin (PI - 100 mcg), Aztreonam (AT - 30 mcg), Tobramycin (TOB - 10 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone (CPZ - 75 mcg), Azlocillin (AZ - 75 mcg), Levofloxacin (LE - 5 mcg), Ticarcillin (TI - 75 mcg), Ofloxacin (OF - 5 mcg), Mezlocillin (MZ - 75 mcg), Gatifloxacin (GAT - 5 mcg), Piperacillin/Tazobactam (PIT - 100 / 10 mcg) Ceftriaxone (CTR - 30 mcg), Netillin (NET - 30 mcg)\	900.00	1pk
IC1007	***Mic20 (Icosa) Pseudo - 2** Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Carbenicillin (CB - 100 mcg), Piperacillin (PI - 100 mcg), Aztreonam (AT - 30 mcg), Tobramycin (TOB - 10 mcg), Polymyxin-B (PB - 300 mcg), Ciprofloxacin (CIP - 5 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone (CPZ - 75 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Levofloxacin (LE - 5 mcg), Ticarcillin (TI - 75 mcg), Colistin (CL - 10 mcg), Cefepime (CPM - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ceftriaxone (CTR - 30 mcg), Netillin (NET - 30 mcg)	900.00	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

microgen

CELL BIOLOGY

A wide range of media both in dehydrated powder and liquid forms can help accelerate your research and optimize your process.

Product	Prefix	Page
Cell Culture Platform		
Cell Culture Media		
Classical Media (Liquid)	**AL**	**390-396**
✱Basal Medium Eagle (BME)		
✱Click's Medium (EHAA)		
✱Chick Embryo Fibroblast Medium		
✱CMRL 1066 Medium		
✱Dulbecco's Modified Eagle Medium (DMEM)		
✱Dulbecco's Modified Eagle Medium (DMEM), Low Glucose		
✱Dulbecco's Modified Eagle Medium (DMEM), High Glucose		
✱(DMEM / F12, 1:1 Mixture)		
✱Glasglow's Minimum Essential Medium (GMEM)		
✱Iscove's Modified Dulbecco's Medium (IMDM)		
✱Leibovitz's L-15 Medium		
✱MCDB 131 Medium		
✱McCoy's 5A Medium		
✱Medium 199		
✱Minimum Essential Medium Eagle (MEM)		
✱Minimum Essential Medium Eagle (Joklik Modification)		
✱Minimum Essential Medium Eagle (Alpha Modification)		
✱Minimum Essential Medium Eagle (MEM) (For Suspension Culture)		
✱Nutrint Mixture F-10 Ham		
✱Nutrient Mixture F-12 Ham		
✱Nutrint Mixture F-10 Ham		
✱Nutrient Mixture F-12 Ham, Kaighn's Modification		
✱Nutrient Mixture F-12 Ham, Coon's Modification		
✱NCTC-109 Medium		
✱RPMI-1640		
✱RPMI - 1640, Dutch modification		
✱Waymouth Medium MB 752/1		
✱William's Medium E		
Classical Media (Powder)	**AT**	**396-402**
✱AME's Medium		
✱BGjb Medium Fitton - Jackson Modification		
✱Basal Medium Eagle (BME)		
✱Click's Medium (EHAA) Eagle Hank's Amino Acids		
✱CMRL 1066 Medium		
✱Chick Embryo Fibroblast Medium		
✱ Dulbecco's Modified Eagle Medium (DMEM)		
✱Dulbecco's Modified Eagle Medium (DMEM), Low Glucose		
✱Dulbecco's Modified Eagle Medium (DMEM), High Glucose		
✱DMEM / F12, 1:1 Mixture		
✱DMEM / F12, 3:1 Mixture, High Glucose		
✱Fischer's Medium		
✱Glasgow's Minimum Essential Medium, GMEM		
✱Tryptose Phosphate Broth		
✱Iscove's Modified Dulbecco's Medium (IMDM)		
✱Leibovitz's L-15 Medium		
✱McCcoy's 5A Medium		
✱McCcoy's 5A Medium (For Suspension Culture)		
✱MCDB Medium		
✱Medium 199		
✱Medium 199 (For Suspension Culture)		
✱Minimum Essential Medium Eagle (MEM)		
✱Minimum Essential Medium Eagle (For Suspension Culture)		
✱Minimum Essential Medium Eagle (Joklik Modification)		
✱Minimum Essential Medium Eagle (Alpha Modification)		
✱MEM / F12 1:1 Mixture		
✱NCTC 109 Medium		
✱Nutrient Mixture F-12 Ham		
✱Nutrient Mixture F-10 Ham		
✱Nutrient Mixture F-12 Ham, Kaighn's Modification		
✱Nutrient Mixture F-12 Ham, Coon's Modification		
✱RPMI-1640,		
✱SFRE Medium 199-1		
✱Swim's S-77 Medium		
✱Waymouth Medium MB 752/1		
✱William's Medium E		
Insect Media (Liquid)	**IML**	**402**
Insect Media (Powder)	**IM**	**402**
Insect Diets	**ID/TS**	**402**
MicGlutaXL Media	**AL ***G**	**402-403**
MicSera Media	**RSL**	**403-404**
Mic XL Serioes of Cell Freezing Media TCL		**404**
✱Freezing Media for regular and sensitive cell lines		
✱Animal origin-free and serum-free cell freezing media		
✱Stem cell freezing media		
✱Hybridoma Cell freezing media		
Cell Culture Reagents		
Antibiotic Solutions	**AO**	**404-405**

microgen

CELL BIOLOGY

Product	Prefix	Page
Balanced Salts	**TS / TL**	**405-407**
✱Balanced Salt Solutions (Liquid)		
✱Balanced Salt (Powder)		
Cell Dissociation Reagents	**TCL**	**407-408**
✱Trypsin Solution		
✱Trypsin EDTA Solution		
✱TPVG Solution		
✱Versene Solution		
✱Trypsin Inhibitors		
Miscellaneous Reagents	**TCL**	**408-409**
✱Carrier Proteins		
✱Attachment Factors		
✱Media Supplements and Buffers		
✱Solubilized Growth Factors		
✱Others		
✱Water		
✱Cell Lysis Solution		
Cell Culture Supplements		
Amino Acid Concentrates	**AC / ACL**	**409**
✱Amino Acid Concentrates (Liquid)		
✱Amino Acid Concentrates (Powder)		
Hydrolysates	**TC / TCL**	**409-410**
✱Casein Enzyme Hydrolysate		
✱Cotton Hydrolysate		
✱Lactalbumin Hydrolysate		
✱Meat Peptone		
✱Pea Hydrolysate		
✱Soya Peptone		
✱Tryptose Phosphate Broth		
✱Wheat Hydrolysate		
✱Yeast Extract		
Vitamin Solutions	**VA**	**410**
✱Vitamin Solution (Sterile Filtered)		
Specialty Product Segment		**410-411**
Mouse IVF Platform	**AL**	
Hybridoma Platform	**AT / AL / TC / TCL**	**411**
✱Hybridoma Culture Media		
✱Hybridoma Tested DMSO		
✱Freezing Medium for Hybridoma		
✱Hybridoma Selection Supplements		
Transfection Platform	**SFM / RSL / CCK**	**411**
✱ Media and Kits		

Product	Prefix	Page
Cytogenetics Platform	**AL/TCL**	**411**
Peripheral Blood Karyotyping		
✱Media Countaining PHA-M as Mitogen		
✱Media Countaining PHA-P as Mitogen		
✱Media Without Mitogen		
✱Mitotic Stimulators		
✱Mitotic Inhibitors		
✱Related Reagents		
Viral Transport Systems	**AL / MS**	**411-412**
✱Media without Glass beads		
✱Media Glass beads		
✱Media without Glass beads		
Cell Culture Tested Chemical		
Amino Acids	TC	415-416
FMOC Amino Acids	TC	417-418
Antibiotics		
Contamination Control Antibiotics	TC	418-420
Gene Selection Antibiotics	TC	420
Anticancer Antibiotics	TC	420-421
Cytotoxic Anticancer Antibiotics	TC	421
Attachement Factors	TC	421
Biological Buffers	TC	421-423
Biochemicals and Components	TC	423-427
Carbohydrates	TC	427-428
Carrier Proteins	TC	428
Cell Dissociation Products	TC	428-429
Cell Proliferation & Cytotoxicity Indicators	TC	429
Cryoprotectants	TC	429-430
Cyclodextrins	TC	430
Detergents	TC	430
Differentiation Reagents	TC	430
Enzymes	TC	431-432
Fatty Acids	TC	432
Hormones and Hormone Alternatives	TC	432-433
Lipids	TC	433
Nucleotides and Nucleosides	TC	433-434
Chemicals Meeting Pharmacopeial Testing Specifications	TC	434-439
Vaccine stabilizers and adjuants	TC	439-440
Vitamins	TC	440-441

microgen

CELL CULTURE PLATFORM

The introduction of cell culture methodology to the biological sciences ushered in a new era of rapid and exciting advances in the fields of virology, cytology, drug discovery, toxicology, cancer and stem cell research and therapy. Microgen's comprehensive portfolio includes cell culture platform (media, sera and regenAts), cell analysis and detection solutions, cell culture tested chemicals, cell culture systems, stem cells and primary cells, filtration solutions and also skill development modules to enable scientists to achieve milestone in their research endeavors.

Media : Microgen's core expertise lies in manufacturing cell culture media, both in powdered as well as liquid form, for mammalian and insect cell. Comprehensive design of experiments, rigorous raw material qualification and media production with no manual intervention using automated liquid handling platform and automatic filling line are our strengths that enable us to provide the widest range of cell culture media.

Customized Media : It has been our endeavor to help researchers with their specific requirements related to media and cell culture reagents. We provide customized products as per the unique requirements of the customer in terms of : media formulations, packaging, labeling, documentation (e.g. certificates of origin, BSE/ TSE risk statements) and additional.

QC testing (e.g. virus testing, mycoplasma detection, amino acid profilling). We are firmly committed to maintain the confidentiality of your project and we sign a confidentiality agreement to ensure that the integrity of your projects is not compromised.

Sera : Microgen provides a wide range of quality assured serum over decades that helps achieving consistency in cell growth, Our product listing includes sera from bovine fetus, adult bovine, new born calf and other animals and speciality sera including charcoal treated, dialyzed, tetracycline negative and ES cell tested sera. All lots of sera undergo comprehensive quality control testing that include sterility testing against mycoplasma, viruses and bacteria, antibody testing, analysis of growth promotion capacity, protein profiling, endotoxin content and physicochemical analysis.

Specialty Platforms : For the specialized segments such as cytogenetics, transfection, hydridoma technology, IVF, viral transport, separation of different types of leukocytes, Microgen Offers a complete range of media and cell culture reagents

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com

CELL CULTURE PLATFORM

ANIMAL CELL CULTURE PRODUCTS

Microgen's core expertise in cell culture media enables us to provide the widest range of cell culture media along with a wide range of quality assured cell culture reagents, supplements and sera.

Product	Prefix	Page
Cell Culture Media		
Classical Media	AL / AT	390-402
Insect Media	IML / IM	402
Insect Diets	ID	402
MicGlutaXL Media	AL ***G	402-403
MicSera Media	RSL	403-404
Mic XL Cell Freezing Media	TCL	404
Cell Culture Reagents		
Antibiotic Solutions	A	404-405
Balanced Salts	TS / TL	405-407
Cell Dissociation Reagents	TCL	407-408
Miscellaneous Reagents	TCL	408-409
Cell Culture Supplements		
Amino Acid Concentrates	AC / ACL	409
Hydrolysates	TC / TCL	409-410
Vitamin Solutions	VA	410
Specialty Product Segment		
Mouse IVF Platform	AL	410-411
Hybridoma Platform	AT / AL / T / TCL	411
Transfection Platform	SFM / RS L/ CCK	411
Cytogenetics Platform		
Peripheral Blood Karyotyping	TC / TCL	411
Viral Transport Systems	AL / MS	411-412

CELL CULTURE MEDIA

Classical Media (Liquid)

Product Code	Product Name	Price	Packing
	Basal Medium Eagle (BME)		
AL1242	**Basal Medium Eagle (BME)** w/ Earle's salts and Sodium bicarbonate W/o L-Glutamine	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
	Click's Medium (EHAA)		
AL1117	**Click's Medium (EHAA) Eagle Hank's Amino Acids** w/ Sodium bicarbonate W/o Mercaptoethanol and L-Glutamine	2489.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Chick Embryo Fibroblast Medium		
AL1168A	**Click's Embrya Fibroblast Medium** w/ L-Glutamine and Sodium bicarbonate	4712.00 4230.00 6408.00 17316.00 43056.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
	CMRL 1066 Medium		
AL1110A	**CMRL 1066 Medium** w/ L-Glutamine and Sodium bicarbonate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1226	**CMRL 1066 Medium** w/ Sodium bicarbonate W/o L-Glutamine and Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Dulbecco's Modified Eagle Medium (DMEM)		
AL1186	**Dulbecco's Modified Eagle Medium (DMEM)** W/ Sodium pyruvate and Sodium bicarbonate W/o Glucose and L- Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1186A	**Dulbecco's Modified Eagle Medium (DMEM)** W/ L- Glutamine, Sodium bicarbonate and Sodium pyruvate W/o Glucose	3650.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1269A	**Dulbecco's Modified Eagle Medium (DMEM)** W/ L- Glutamine and Sodium bicarbonate W/o Glucose and Sodium pyruvate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose		
AL1006	**Dulbecco's Modified Eagle Medium (DMEM), Low glucose** W/ 1gm Glucose per litre, Sodium bicarbonate and Sodium pyruvate, W/o L- Glutamine	3650.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1006A	**Dulbecco's Modified Eagle Medium (DMEM), Low glucose** W/ 1gm Glucose per litre, L- Glutamine Sodium bicarbonate and Sodium pyruvate	3650.00 2538.00 3790.00 10220.00 25407.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1006F	**Dulbecco's Modified Eagle Medium (DMEM), Low glucose** W/ 1gm Glucose per litre, L- Glutamine Sodium bicarbonate and Sodium pyruvate W/o Folic acid	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1149	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** W/ 1 gm Glucose per litre, 25mM HEPES buffer, Sodium pyruvate and Sodium bicarbonate W/o L- Glutamine	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1149A	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** W/ 1 gm Glucose per litre, L- Glutamine, 25mM HEPES buffer, Sodium pyruvate and Sodium bicarbonate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1183	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** W/ 1 gm Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o L- Glutamine and Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1183A	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** W/ 1 gm Glucose per litre, L- Glutamine, Sodium bicarbonate and Sodium pyruvate, W/o Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Dulbecco's Modified Eagle Medium (DMEM), High Glucose		
AL1111	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate Hybridoma Tested	2615.00 3978.00 10755.00 25324.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1066	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1066A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine and Sodium bicarbonate W/o and Sodium pyruvate	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1007	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o L- Glutamine	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1007A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine, 3.7 gms per litre Sodium bicarbonate and Sodium pyruvate	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1007S	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** w/ 4.5gms glucose per litre, 1mM Sodium pyruvate, L-Glutamine and 1.5 gms per litre Sodium bicarbonate	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
AL1007F	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine, Sodium bicarbonate and Sodium pyruvate W/o Folic acid	3204.00 4883.00 13181.00 32720.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1101S	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, 1mm Sodium pyruvate, L- Glutamine, and 1.5 gms per litre Sodium bicarbonate w/o Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1219A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine, Sodium pyruvate and Sodium bicarbonate W/o Calcium Chloride	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1264A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, L- Glutamine, Sodium pyruvate and Sodium bicarbonate W/o Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1067	**Dulbecco's Modified EagleMedium (DMEM), High glucose** W/ 4.5gms Glucose per litre 25mM HEPES Buffer and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1067A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre L-Glutamine, 25mM HEPES Buffer and Sodium bicarbonate W/o Sodium pyruvate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1068A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre L-Glutamine, and Sodium bicarbonate W/o Sodium pyruvate and Sodium phosphate	4253.00 2454.00 4185.00 11340.00 28170.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1151	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre 25mM HEPES Buffer, Sodium pyruvate and Sodium bicarbonate W/o L-Glutamine	4253.00 2454.00 4185.00 11340.00 28170.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1151A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre 25mM HEPES Buffer, L-Glutamine, Sodium pyruvate and Sodium bicarbonate	4253.00 2454.00 4185.00 11340.00 28170.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1241A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre L-Glutamine, Sodium pyruvate, 25mM HEPES Buffer and Sodium bicarbonate W/o Phenol red	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1101	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o Phenol red and L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Product Code	Product Name	Price	Packing
AL1251	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre Sodium bicarbonat, D-Valine and Sodium pyruvate W/o L-Valine and L- Glutamine	3204.00 4883.00 13181.00 32720.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1281A	**Dulbecco's Modified Eagle Medium High glucose** W/ 4.5gms Glucose per litre, L- Glutamine W/o Sodium pyruvate and Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1291	**Dulbecco's Modified Eagle Medium (DMEM), High glucose, 10X** W/ 4.5gms Glucose per litre, Sodium pyruvate and Sodium bicarbonate w/o L- Glutamine	13041.00 19530.00 52281.00 131005.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1293	**Dulbecco's Modified Eagle Medium (DMEM), High glucose** W/ 4.5gms Glucose per litre, and Sodium bicarbonate, w/o L- Glutamine, Calcium chloride, HEPES buffer and Sodium pyruvate	4257.00 2817.00 4185.00 11340.00 28152.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1294A	**Dulbecco's Modified Eagle Medium (DMEM), High glucose, 2X** W/ 4.5gms Glucose per litre and L- Glutamine w/o Sodium pyruvate and Sodium bicarbonate 2X Liquid Cell Culture Medium	6012.00 8811.00 25092.00 58770.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	(DMEM / F12, 1:1 Mixture)		
AL1127	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/o Sodium bicarbonate and Trace elements w/o L- Glutamine and HEPES buffer	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1127A	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Glutamine, Sodium bicarbonate and Trace elements w/o HEPES buffer	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1127S	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ Trace elements, L- Glutamine 1.5 gms per litre Sodium bicarbonate w/o HEPES buffer	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1155A	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Glutamine and 2.438 gms per litre Sodium bicarbonate w/o HEPES buffer Trace elements	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1139	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ 15mM HEPES buffer, Sodium bicarbonate and Trace elements	4640.00 3250.00 4914.00 13293.00 33066.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1139A	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Glutamine, 15mM HEPES buffer, Sodium bicarbonate and Trace elements	4635.00 3250.00 4914.00 13293.00 33066.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1215A	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Glutamine, 15mM HEPES buffer and Sodium bicarbonate w/o Phenol red and Trace elements	3024.00 4590.00 12420.00 30880.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
AL1140	**Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture)** w/ 15M HEPES buffer and Sodium bicarbonate w/o L-Glutamine and Trace elements	3250.00 4914.00 13293.00 33066.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1140S	**Dulbecco's Modified Eagle Medium Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture)** w/2/5mM L-Glutamine, 15mM HEPES buffer, 0.5mM Sodium pyruvate and 1.2gms per litre Sodium bicarbonate	3250.00 4914.00 13293.00 33066.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1243A	**Dulbecco's Modified Eagle Medium Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture)** w/ L-Glutamine, 2mg/L Riboflavin, 55mg/L Sodium pyruvate and Sodium bicarbonate w/o HEPES buffer Trace elements and Pyridoxal hydrochloride	4253.00 2454.00 4185.00 11340.00 28170.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
	Glasglow's Minimum Essential Medium (GMEM)		
AL1058	**Glasgow's Minimum Essential Medium (GMEM)** w/ Sodium bicarbonate and NEAA w/o L-Glutamine, Sodium phosphate and Tryptose Phosphate Broth	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1069	**Glasgow's Minimum Essential Medium (GMEM)** w/ Tryptose phosphate broth and Sodium bicarbonate w/o L-Glutamine	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1166A	**Glasgow's Minimum Essential Medium (GMEM)** w/ L-Glutamine and Sodium Bicarbonate w/o Tryptose Phosphate Broth Note: See page 407 for TCL009 - Tryptose Phosphate Broth	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
	Iscove's Modified Dulbecco's Medium (IMDM)		
AL1160A	**Iscove's Modified Dulbecco's (IMDM)** w/ L-Glutamine and Sodium Bicarbonate w/o HEPES buffer	2417.00 3663.00 9918.00 24620.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1070	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ Sodium bicarbonate and 25mM HEPES buffer W/o L- Glutamine	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1070H	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ L-glutamine, sodium bicarbonate and 25mM HEPES buffer Hybridoma Tested	3105.00 4698.00 12704.00 31550.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1070S	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ 4mM L-Glutamine, 4.5 gms Glucose per litre, 25 mM HEPES buffer and 1.5 gms per litre Sodium bicarbonate 1X Liquid Cell Culture Medium	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1070A	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ L-Glutamine, 3.024 gms per litre Sodium bicarbonate and 25mM HEPES buffer	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Product Code	Product Name	Price	Packing
AL1230A	**Iscove's Modified Dulbecco's Medium** w/ L-Glutamine, 25mM HEPES buffer and Sodium, bicarbonate w/o Glucose	4257.00 2300.00 3492.00 9486.00 25443.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
	Leibovitz's L-15 Medium		
AL1011	**Leibovitz's L-15 Medium** w/ L-Glutamine	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1011A	**Leibovitz's L-15 Medium** w/ L-Glutamine	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1204A	**Leibovitz's L-15 Medium** w/ L-Glutamine and Sodium bicarbonate w/o Phenol red and Sodium pyruvate	2454.00 4185.00 11340.00 28197.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1011S	**Leibovitz's L-15 Medium** w/ 2mM L-Glutamine	4253.00 2454.00 4185.00 11340.00 28170.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1247A	**Leibovitz's L-15 Medium 2X** w/ L-Glutamine	3870.00 5868.00 15840.00 39430.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	MCDB 131 Medium		
AL1133A	**MCDB 131 Medium** w/ Trace elements, L-Glutamine and Sodium bicarbonate	3443.00 5230.00 14094.00 35100.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1135A	**MCDB 153 Medium** w/ Trace elements, L-Glutamine 28 mM HEPES buffer and Sodium bicarbonate 1x Liquid Cell Culture Mediun	3780.00 5743.00 15530.00 38570.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	McCoy's 5A Medium		
AL1057	**McCoy's 5A Medium** w/ Sodium bicarbonate w/o L-Glutamine	2417.00 3672.00 9918.00 24620.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1057A	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate	2417.00 3663.00 9918.00 24620.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1057S	**McCoy's 5A Medium** w/ 1.5mM L-Glutamine and 2.2gms per litre Sodium bicarbonate	2417.00 3663.00 9918.00 24620.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1057F	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate w/o Folic acid	3204.00 4887.00 13181.00 32720.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
AL1179A	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate w/o Phenol red	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Medium 199		
AL1014	**Medium 199** w/ Earle's Salts and Sodium bicarbonate W/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1014A	**Medium 199** w/ Earle's Salts, L-Glutamine and Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1258A	**Medium 199 (2X)** w/ Earle's Salts, L-Glutamine and Sodium bicarbonate	3906.00 5913.00 15984.00 50140.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1094	**Medium 199** w/ Earle's Salts, 25 mM HEPES buffer and Sodium bicarbonate w/o L-Glutamine	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1094A	**Medium 199** w/ Earle's Salts, 25 mM HEPES buffer L-Glutamine and Sodium bicarbonate	4248.00 2454.00 4185.00 11340.00 28170.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1189	**Medium 199 (10X)** w/ Earle's Salts, w/o L-Glutamine and Sodium bicarbonate	12762.00 19378.00 52308.00 129996.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1267	**Medium 199** w/ Hank's salts and Sodium bicarbonate w/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1192	**Medium 199** w/ Hank's salts w/o L-Glutamine and Sodium bicarbonate	12762.00 19378.00 52308.00 129996.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1209A	**Medium 199** w/ Hank's salts, 25mM HEPES buffer, L-Glutamine and Sodium bicarbonate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Minimum Essential Medium Eagle (MEM)		
AL1020	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, and Sodium bicarbonate w/o NEAA and L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1020A	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, L-Glutamine and 2.2gms per Sodium bicarbonate w/o NEAA	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1020S	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, and 1.5gms per litre Sodium bicarbonate w/o NEAA and L-Glutamine	2620.00 3987.00 10746.00 26766.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Product Code	Product Name	Price	Packing
AL1047	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, NEAA and Sodium bicarbonate w/o , L-Glutamine	3650.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1047A	**AMinimun Essential Medium Eagle (MEM)** w/ Earle's salts, L-Glutamine, NEAA and 2.2gms w/o Sodium bicarbonate	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1047H	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts,NEAA, Sodium bicarbonate L-Glutamine Hybridoma Tested	2601.00 3942.00 10675.00 26550.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1047S	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, 2mM L-Glutamine, 1mM Sodium pyruvate, NEAA and 1.5 gms per litre Sodium bicarbonate	3650.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1182A	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, L-Glutamine, NEAA, Sodium pyruvate, 15mM HEPES Buffer and Sodium bicarbonate	2934.00 4473.00 12078.00 30007.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1046	**Minimun Essential Medium Eagle (MEM)** w/ Earle's salts, NEAA and Sodium bicarbonate w/o L-Glutamine and Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1046A	**Minimun Essential Medium (MEM)** w/ Earle's salts, NEAA, L-Glutamine and Sodium bicarbonate w/o Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1191	**Minimun Essential Medium Eagle (MEM)(10X)** w/ Earle's salts w/o NEAA, L-Glutamine and Sodium bicarbonate	13950.00 18945.00 51192.00 127193.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1260A	**Minimum Essential Medium Eagle (MEM)** with Earle's salts, L-Glutamine, 25mM HEPES NEAA and Sodium bicarbonate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1056A	**Minimum Essential Medium Eagle (MEM)** w/ Hank's salts, L-Glutamine and Sodium bicarbonate	2480.00 3888.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1048A	**Minimum Essential Medium Eagle (MEM)** w/ Hank's salts, L-Glutamine, NEAA and Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1075A	**Minimum Essential Medium Eagle (MEM)** w/ Hank's salts, 25mM HEPES buffer, L-Glutamine and Sodium bicarbonate	4253.00 2934.00 4473.00 12060.00	5x100 ml 500 ml 2x500 ml 6x500 ml
AL1190	**Minimum Essential Medium Eagle** **(MEM) 10X** w/ Hank's salts W/o L-Glutamine and Sodium bicarbonate	13950.00 18945.00 47394.00 117770.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1154A	**Minimum Essential Medium Eagle** **(MEM)** w/ Earle's salts L-Glutamine, Sodium pyruvate and Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C

microgen

Product Code	Product Name	Price	Packing
AL1178A	**Minimum Essential Medium Eagle**	2862.00 4330.00 11710.00 29125.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Minimum Essential Medium Eagle (Joklik Modification)		
AL1079	**Minimum Essential Medium Eagle (MEM) (Joklik Modification) (For Suspension Culture)** w/ Sodium bicarbonate W/o L-Glutamine	2710.00 4123.00 10872.00 27801.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Minimum Essential Medium Eagle (Alpha Modification)		
AL1080	**Minimum Essential Medium Eagle (Alpha modification)** w/ Deoxyribonucieosides, Ribonucleosides and Sodium bicarbonate w/o L-Glutamine	3155.00 4788.00 12942.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1080A	**Minimum Essential Medium Eagle (Alpha Modification)** w/ Deoxyribonucleoside, Ribonucleoside, L-Glutamine and Sodium bicarbonate	3155.00 4788.00 12942.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1285A	**Minimum Essential Medium Eagle (Alpha Modification)** w/ L-Glutamine and Sodium bicarbonate W/o Sodium Pyruvate, Ribonucleoside and Deoxyribonucleoside	3155.00 4788.00 12943.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1253A	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine, Deoxyribonucleoside Ribonucleoside and Sodium bicarbonate W/o Phenol red	3110.00 4734.00 12830.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1221A	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ Deoxyribonucleoside Ribonucleoside L-Glutamine and Sodium bicarbonate W/o Ascornic acid	3308.00 5022.00 13590.00 33750.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1081	**Minimum Essential Medium Eagle (Alpha Modification)** w/ Sodium bicarbonate W/o L-Glutamine, Deoxyribonucleosides and Ribonucleoside	2925.00 4473.00 12074.00 30007.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1081A	**Minimum Essential Medium Eagle (Alpha Modification)** w/ L-Glutamine and Sodium bicarbonate W/o Deoxyribonucleosides and Ribonucleoside	2925.00 4473.00 12078.00 29997.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Minimum Essential Medium Eagle (MEM) (For Suspension Culture)		
AL1019	**Minimum Essential Medium Eagle (MEM) (For Suspension Culture)** w/ Spinner salts and Sodium bicarbonate W/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Nutrint Mixture F-10 Ham		
AL1083A	**Nutrient Mixture F-10 Ham** w/ Sodium bicarbonate, 25mM HEPES buffer and L-Glutamine	2925.00 4473.00 12074.00 29997.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Product Code	Product Name	Price	Packing
AL1196	**Nutrient Mixture F-10 Ham** w/ 20mM HEPES buffer W/o L-Glutamine and Sodium bicarbonate	2997.00 4473.00 12060.00 29916.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1184	**Nutrient Mixture F-10 Ham** w/ 20mM HEPES buffer and Sodium bicarbonate W/o L-Glutamine	4734.00 3384.00 5022.00 13572.00 33741.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1024	**Nutrient Mixture F-10 Ham** w/ Sodium bicarbonate W/o L-Glutamine	3528.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1024A	**Nutrient Mixture F-10 Ham** w/ Sodium bicarbonate and L-Glutamine	3524.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
	Nutrient Mixture F-12 Ham		
AL1025	**Nutrient Mixture F-12 Ham** w/ Sodium bicarbonate W/o L-Glutamine	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1025A	**Nutrient Mixture F-12 Ham** w/ L-Glutamine and 1.176gms per litre Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1025S	**Nutrient Mixture F-12 Ham** w/ 2mM L-Glutamine and 1.5gms per litre Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Nutrint Mixture F-10 Ham		
AL1290A	**Nutrient Mixture F-10 Ham** w/ 10mM HEPES buffer, L-Glutamine and 1.2 g/L Sodium bicarbonate W/o Phenol red	4253.00 2925.00 4473.00 12070.00 29997.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
	Nutrient Mixture F-12 Ham, Kaighn's Modification		
AL1106	**Nutrient Mixture F-10 Ham, Kaighn's Modification** w/ Sodium bicarbonate W/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1106A	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/ L-Glutamine and 2.5 gms per liter Sodium bicarbonate	3627.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1106S	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/ L-Glutamine and 1.5 gms per liter Sodium bicarbonate	3627.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml

Product Code	Product Name	Price	Packing
AL1271S	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/ 1.5 gms per liter Sodium bicarbonate W/o L-Glutamine	2493.00 3790.00 10233.00 26154.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Nutrient Mixture F-12 Ham, Coon's Modification		
AL1146	**Nutrient Mixture F-12 Ham, Coon's Modification** w/ Sodium bicarbonate W/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	NCTC-109 Medium		
AL1138	**NCTC - 109 Medium** w/ Phenol red and coenzymes W/o L-Glutamine and HEPES buffer	3425.00 5234.00 15710.00 35100.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	RPMI-1640		
AL1028	**RPMI - 1640** w/ Sodium bicarbonate W/o L-Glutamine	3627.00 2480.00 3790.00 10233.00 25443.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1028A	**RPMI-1640** w/ L-Glutamine and Sodium bicarbonate	3627.00 2480.00 3790.00 10233.00 25443.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1028B	**RPMI-1640** w/ Sodium bicarbonate w/o L-Glutamine Hybridoma tested	3407.00 5176.00 13293.00 33003.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1028F	**RPMI-1640** w/ Sodium bicarbonate w/o Folic acid and L-Glutamine	2714.00 4123.00 11170.00 27801.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1120A	**RPMI-1640** w/ L-Glutamine and Sodium bicarbonate w/o Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1150A	**RPMI-1640** w/ L-Glutamine and Sodium bicarbonate w/o Glucose and HEPES	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1162A	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and 2 gms per litre Sodium bicarbonate	4725.00 3308.00 5022.00 13590.00 33786.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1171A	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and Sodium bicarbonate w/o Phenol red	4608.00 3205.00 4883.00 13190.00 32805.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1162S	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and 1.5gms per litre Sodium bicarbonate	4725.00 3308.00 5022.00 13590.00 33786.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml

Product Code	Product Name	Price	Packing
AL1223S	**RPMI-1640** w/ 2mM L-Glutamine, 10mM HEPES buffer 4.5 gms Glucose per litre, and 1.5gms per litre Sodium bicarbonate w/o Sodium pyruvate	4725.00 3308.00 5022.00 13590.00 33786.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1223A	**RPMI-1640** w/ 2mM L-Glutamine, 10mM HEPES buffer, 4.5 gms Glucose per litre, and 2gms per litre Sodium bicarbonate w/o Sodium pyruvate	3308.00 5022.00 13590.00 33786.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1199A	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine, 4.5 gms Glucose per litre, and 2.0gms per litre Sodium bicarbonate w/o HEPES buffer	3308.00 5022.00 13590.00 33786.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1199S	**RPMI-1640** w/ 1mM Sodium pyruvate, 2mM L-Glutamine, 4.5 gms Glucose per litre, and 1.5gms per litre Sodium bicarbonate w/o HEPES buffer	4725.00 3308.00 5022.00 13590.00 33786.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1214A	**RPMI-1640** w/ 3.05mM L-Glutamine, 10mM and 2gms per litre Sodium bicarbonate	3308.00 5022.00 13590.00 33786.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1157	**RPMI-1640** w/ 25mM HEPES buffer, Sodium bicarbonate and Sodium pyruvate w/o L-Glutamine	3308.00 4892.00 13590.00 33786.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1060	**RPMI-1640** w/ Sodium bicarbonate and 25mM HEPES buffer w/o L-Glutamine	4725.00 3308.00 4892.00 13590.00 33786.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1060A	**RPMI-1640** w/ L-Glutamine, 25mM HEPES buffer and Sodium bicarbonate	4725.00 3308.00 4892.00 13590.00 33786.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1197A	**RPMI-1640** w/ L-Glutamine and 20mM HEPES buffer w/o Sodium bicarbonate	3425.00 5225.00 14094.00 35046.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1180A	**RPMI-1640** w/ L-Glutamine, 2gms Glucose per liter, 0.165 moles per liter MOPS buffer and Sodium bicarbonate	3807.00 5796.00 15642.00 38943.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1200A	**RPMI-1640** w/ L-Glutamine, and 2gms Glucose per liter and 0.165 moles per liter MOPS buffer w/o Sodium bicarbonate	4896.00 4010.00 6093.00 16470.00 40950.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1201A	**RPMI-1640** w/ 25mM HEPES buffer, L-Glutamine, and 2.2gms per liter Sodium bicarbonate	4010.00 6093.00 16443.00 40950.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1102	**RPMI-1640 10X** w/ Sodium bicarbonate and L-Glutamine	16232.00 12771.00 19350.00 52300.00 129996.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C

microgen

Product Code	Product Name	Price	Packing
	RPMI - 1640, Dutch modification		
AL1198	**RPMI-1640, Dutch modification** w/ 20mM HEPES buffer and 1gm per liter Sodium bicarbonate w/o L-Glutamine	3425.00 5225.00 14094.00 35046.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Waymouth Medium MB 752/1		
AL1091A	**Waymounth Medium MB 752/1** w/ L-Glutamine and Sodium bicarbonate	3110.00 4734.00 12798.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	William's Medium E		
AL1125	**William's Medium E** w/ Sodium bicarbonate w/o L-Glutamine	2822.00 4307.00 11652.00 26001.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1240	**William's Medium E** w/ Sodium bicarbonate w/o Phenol red and L-Glutamine	2822.00 4307.00 11652.00 26001.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Classical Media (Powder)

Product Code	Product Name	Price	Packing
	AME's Medium		
AT1121	**AME's Medium** w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	450.00 3438.00 4644.00	1 lit 10x1 lit 20 lit
	BGjb Medium Fitton - Jackson Modification		
AT1123	**BGJB Medium Fitton-Jackson Modification** w/ L-Glutamine w/o Sodium bicarbonate	477.00 1404.00 3510.00 4743.00	1 lit 5 lit 10x1 lit 20 lit
	Basal Medium Eagle (BME)		
AT1001	**Basal Medium Eagle (BME)** w/ Earle's salts and L-Glutamine w/o Sodium bicarbonate	428.00 1310.00 3272.00 4424.00	1 lit 5 lit 10x1 lit 20 lit
AT1242A	**Basal Medium Eagle (BME)** w/ Earle's salts W/o L-Glutamine and Sodium bicarbonate	Discontinue 3272.00 4424.00	5 lit 10x1 lit 20 lit
AT1002	**Basal Medium Eagle (BME)** w/ Hanks' salts and L-Glutamine w/o Sodium bicarbonate	3276.00 4424.00	10x1 lit 20 lit
AT1062	**Basal Medium Eagle (BME)** w/ Hanks' salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	1620.00 4082.00 6804.00	5 lit 10x1 lit 20 lit
AT1004A	**Basal Medium Eagle (BME) (Modified For Autoclaving)** w/ Earle's salts w/o L-Glutamine and Sodium bicarbonate	3272.00 4424.00	10x1 lit 20 lit
	Click's Medium (EHAA) Eagle Hank's Amino Acids		
AT1122A	**Click's Medium (EHAA) Eagle Hanks' Amono Acids** w/ L-Glutamine, Mercaptoethanol and Sodium bicarbonate	1472.00 3690.00 4892.00	5 lit 10x1 lit 20 lit

Product Code	Product Name	Price	Packing
	CMRL 1066 Medium		
AT1110	**CMRL 1066 Medium** w/ L-Glutamine w/o Sodium bicarbonate	1085.00 4824.00 10944.00 17209.00 30150.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1226A	**CMRL 1066 Medium** w/o L-Glutamine, Phenol red and Sodium bicarbonate	4824.00 10944.00 17209.00 30150.00	5 lit 10x1 lit 20 lit 50 lit
	Chick Embryo Fibroblast Medium		
AT1168	**Chick Embryo Fibroblast Medium** w/ L-Glutamine w/o Sodium bicarbonate	617.00 4590.00 7520.00 12492.00	1 lit 10x1 lit 20 lit 50 lit
	Dulbecco's Modified Eagle Medium (DMEM)		
AT1063A	**Dulbecco's Modified Eagle Medium (DMEM)** w/o L-Glutamine, Glucose, Phenol red Sodium pyruvate and Sodium bicarbonate	509.00 1575.00 3992.00 5522.00 9410.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1186	**Dulbecco's Modified Eagle Medium (DMEM)** w/ L-Glutamine and Sodium pyruvate w/o Glucose and Sodium bicarbonate	531.00 1575.00 3992.00 5522.00 9410.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1195	**Dulbecco's Modified Eagle Medium (DMEM)** w/ L-Glutamine w/o D-Glucose, Sodium pyruvate and Sodium bicarbonate	531.00 3992.00 5522.00	1 lit 10x1 lit 20 lit
	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose		
AT1006	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate	464.00 1400.00 3510.00 4932.00 8110.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1006A	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	468.00 3510.00 4932.00 8110.00	1 lit 10x1 lit 20 lit 50 lit
AT1065A	**Dulbecco's Modified Eagle Medium (DMEM) Low Glucose (Modified for Autoclaving)** w/ 1gm Glucose per litre and Sodium pyruvate W/o L-Glutamine and Sodium bicarbonate	522.00 1548.00 3992.00 5522.00	1 lit 5 lit 10x1 lit 20 lit
AT1149	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre, L-Glutamine, 25mM HEPES buffer and Sodium pyruvate w/o Sodium bicarbonate	572.00 1746.00 4343.00 7173.00	1 lit 5 lit 10x1 lit 20 lit
AT1183	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	464.00 1400.00 3510.00 4932.00	1 lit 5 lit 10x1 lit 20 lit

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
AT1235	**Dulbecco's Modified Eagle Medium (DMEM), Low Glucose** w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Calcium chloride and Sodium bicarbonate	1400.00 3510.00 4932.00	5 lit 10x1 lit 20 lit
	Dulbecco's Modified Eagle Medium (DMEM), High Glucose		
AT1187	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, 25mM HEPES Buffer, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	572.00 4343.00 7173.00	1 lit 10x1 lit 20 lit
AT1007	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1007A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	500.00 3807.00 5954.00 8920.00	1 lit 10x1 lit 20 lit 50 lit
AT1007F	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Folic acid and Sodium bicarbonate	3807.00 5954.00 8920.00	10x1 lit 20 lit 50 lit
AT1262F	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Phenol red, acid and Sodium bicarbonate	3807.00 5954.00 8920.00	10x1 lit 20 lit 50 lit
AT1219	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Calcium Chloride and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit
AT1190	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit
AT1190A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and Sodium pyruvate w/o L-Glutamine, Sodium bicarbonate and Phenol red	3807.00 5954.00	10x1 lit 20 lit
AT1066	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and L-Glutamine w/o Sodium bicarbonate and Sodium pyruvate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1066A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, w/o L-Glutamine, Sodium bicarbonate and Sodium pyruvate	500.00 3807.00 5954.00	1 lit 10x1 lit 20 lit
AT1067	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate and Sodium pyruvate	622.00 1881.00 4707.00 7650.00	1 lit 5 lit 10x1 lit 20 lit

Product Code	Product Name	Price	Packing
AT1067A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and 25mM HEPES buffer w/o L-Glutamine, Sodium bicarbonate and Sodium pyruvate	4707.00 7650.00	10x1 lit 20 lit
AT1068	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, and L-Glutamine w/o Sodium pyruvate, Sodium phosphate and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit
AT1151	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ L-Glutamine, 4.5gm Glucose per litre, and Sodium pyruvate and 25mM HEPES buffer w/o Sodium bicarbonate	572.00 1746.00 4221.00 7173.00 12492.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1241	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre, L-Glutamine Sodium pyruvate and 25mM HEPES buffer w/o Phenol red and Sodium bicarbonate	4221.00 7173.00 12492.00	10x1 lit 20 lit 50 lit
AT1287A	**Dulbecco's Modified Eagle Medium (DMEM), High Glucose** w/ 4.5gm Glucose per litre w/o L-Glutamine, Calcium chloride HEPES buffer and Sodium pyruvate	585.00 1800.00 4311.00 7300.00 12700.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
	DMEM / F12, 1:1 Mixture		
AT1127	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L-Glutamine and Trace elements w/o HEPES buffer and Sodium bicarbonate	810.00 5882.00 8244.00	1 lit 10x1 lit 20 lit
AT1127G	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L- Alanyl-L-Glutamine and Trace elements w/o HEPES buffer and Sodium bicarbonate	2574.00 6710.00 8946.00	5 lit 10x1 lit 20 lit
AT1147	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L-Glutamine and Trace elements w/o Phenol red, Sodium bicarbonate and HEPES buffer	810.00 5882.00 8244.00	1 lit 10x1 lit 20 lit
AT1147A	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ Trace elements w/o L-Glutamine, Phenol red, and Sodium bicarbonate and HEPES buffer	2448.00 5882.00 8244.00	5 lit 10x1 lit 20 lit
AT1139	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L-Glutamine, 15mM HEPES buffer and Trace elements w/o Sodium bicarbonate	810.00 2462.00 6107.00 8352.00 14706.00	1 lit 5 lit 10x1 lit 20 lit 50 lit

Unless indicated all the above products to be stored at 2 - 8°C

microgen

Product Code	Product Name	Price	Packing
AT1140	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ L-Glutamine and 15mM HEPES buffer w/o Trace elements and Sodium bicarbonate	2448.00 6107.00 8352.00 14706.00	5 lit 10x1 lit 20 lit 50 lit
AT1140A	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture)** w/ 15mM HEPES buffer w/o L-Glutamine, Trace elements and Sodium bicarbonate	6107.00 8352.00 14706.00	10x1 lit 20 lit 50 lit
AT1155	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Glutamine w/o HEPES buffer, Phenol Trnce Elements and Sodium bicarbonate	2448.00 5882.00 8253.00	5 lit 10x1 lit 20 lit
AT1239	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Glutamine, w/o HEPES buffer, Trnce Elements, Phenol red and Sodium bicarbonate	2462.00 5882.00 8244.00	5 lit 10x1 lit 20 lit
AT1192	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ 15mM HEPES buffer, Trnce Elements and L-Glutamine w/o Phenol red and Sodium bicarbonate	810.00 2448.00 6107.00 8352.00	1 lit 5 lit 10x1 lit 20 lit
AT1243	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Glutamine, 2mg/L Riboflavin and 55mg/L Sodium Pyruvate w/o HEPES buffer, Trance elements, Pyridoxal hydrochloride and Sodium bicarbonate	2475.00 5882.00 8244.00 14706.00	5 lit 10x1 lit 20 lit 50 lit
	DMEM / F12, 3:1 Mixture, High Glucose		
AT1189	**Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Glutamine w/o Calcium chloride, HEPES buffer and Sodium bicarbonate	810.00 2448.00 6107.00 8352.00	1 lit 5 lit 10x1 lit 20 lit
	Fischer's Medium		
AT1054	**Fischer's Medium /** w/ L-Glutamine w/o Sodium bicarbonate	932.00 4230.00 9743.00 14850.00	1 lit 5 lit 10x1 lit 20 lit
	Glasgow's Minimum Essential Medium, GMEM		
AT1102	**Glasgow's Minimum Essential Medium (GMEM)** w/ L-Glutamine w/o Tryptose Phosphate Broth and Sodium bicarbonate	1323.00 3384.00 4527.00 7750.00	5 lit 10x1 lit 20 lit 50 lit
AT1058	**Glasgow's Minimum Essential Medium (GMEM)** w/ L-Glutamine and NEAA w/o Sodium Phosphate, Sodium bicarbonate Tryptose Phosphate Broth	428.00 3250.00 4424.00	1 lit 10x1 lit 20 lit

Product Code	Product Name	Price	Packing
AT1069	**Glasgow's Minimum Essential Medium (GMEM)** w/ L-Glutamine and Tryptose Phosphate Broth w/o Sodium bicarbonate	1746.00 4410.00 5963.00	5 lit 10x1 lit 20 lit
	Tryptose Phosphate Broth		
AT1811	**Tryptose Phosphate Broth** Cell Culture Grade	2142.00 7452.00	100 gm 500 gm
	Iscove's Modified Dulbecco's Medium (IMDM)		
AT1160	**Iscove's Modified Medium (GMEM)** w/ L-Glutamine w/o HEPES buffer and Sodium bicarbonate	1602.00 4055.00 5625.00	5 lit 10x1 lit 20 lit
AT1261A	**Iscove's Modified Dulbecco's Medium (IMDM)** w/o L-Glutamine, HEPES, Sodium bicarbonate and Phenol red	522.00 4055.00 5625.00	1 lit 10x1 lit 20 lit
AT1070	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	1800.00 4424.00 7308.00 15003.00	5 lit 10x1 lit 20 lit 50 lit
AT1070A	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	572.00 1800.00 4424.00 7308.00	1 lit 5 lit 10x1 lit 20 lit
AT1188	**Iscove's Modified Dulbecco's Medium (IMDM)** w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate and Phenol red	1800.00 4424.00 7308.00	5 lit 10x1 lit 20 lit
AT1230	**Iscove's Modified Dulbecco's Medium** w/ L-Glutamine and 25mM HEPES buffer w/o Glucose and Sodium bicarbonate	1827.00 4518.00 7452.00	5 lit 10x1 lit 20 lit
	Leibovitz's L-15 Medium		
AT1011	**Leibovot's L-15 Medium** w/ L-Glutamine w/o Sodium bicarbonate	860.00 3475.00 6741.00 12123.00	1 lit 5 lit 10x1 lit 20 lit
AT1011A	**Leibovot's L-15 Medium** w/ L-Glutamine and Sodium bicarbonate	3475.00 6741.00 12123.00	5 lit 10x1 lit 20 lit
AT1164	**Leibovot's L-15 Medium** w/ L-Glutamine w/o Sodium Pyruvate and Sodium bicarbonate	3475.00 6741.00 12123.00	5 lit 10x1 lit 20 lit
AT1207	**Leibovot's L-15 Medium** w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	1116.00 3983.00 9180.00 14706.00	1 lit 5 lit 10x1 lit 20 lit
	McCcoy's 5A Medium		
AT1057	**McCoy's 5A Medium** w/ L-Glutamine w/o Sodium bicarbonate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

Product Code	Product Name	Price	Packing
AT1057A	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1057F	**McCoy's 5A Medium** w/ L-Glutamine w/o Folic acid and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit
AT1179F	**McCoy's 5A Medium** w/ L-Glutamine W/o Phenol red, Folic Acid and Sodium Bicarbonate	3807.00 5954.00	10x1 lit 20 lit
McCcoy's 5A Medium (For Suspension Culture)			
AT1071	**McCoy's 5A Medium (For Suspension Culture)** w/ L-Glutamine w/o Calcium chloride and Sodium bicarbonate	1746.00 4221.00 7173.00	5 lit 10x1 lit 20 lit
MCDB Medium			
AT1131	**MCDB Medium** w/ L-Glutamine w/o Phenol red, Folic Acid and Sodium bicarbonate	6940.00 15894.00 23805.00	5 lit 10x1 lit 20 lit
AT1132	**MCDB 110 Medium** w/ Trace elements, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	6940.00 15894.00 23805.00	5 lit 10x1 lit 20 lit
AT1133	**MCDB 131 Medium** w/ Trace elements and L-Glutamine w/o Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit
AT1134	**MCDB 151 Medium** w/ Trace elements, L-Glutamine and HEPES buffer w/o Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit
AT1135	**MCDB 153 Medium** w/ Trace elements, L-Glutamine and HEPES buffer w/o Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit
AT1137	**MCDB 302 Medium** w/ Trace elements, L-Glutamine and w/o Nucleosides and Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit
Medium 199			
AT1014	**Medium 199** w/ Earle's Salts and L-Glutamine w/o Sodium bicarbonate	572.00 1746.00 4221.00 7173.00 10009.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1014A	**Medium 199** w/ Earle's Salts w/o L-Glutamine and Sodium bicarbonate	4221.00 7173.00	10x1 lit 20 lit
AT1094	**Medium 199** w/ Earle's Salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	1161.00 8829.00 13190.00	1 lit 10x1 lit 20 lit
AT1094A	**Medium 199** w/ Earle's Salts and 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	8829.00 13190.00	10x1 lit 20 lit

Product Code	Product Name	Price	Packing
Medium 199 (For Suspension Culture)			
AT1043	**Medium 199 (For Suspension Culture)** w/ Earle's Salts and L-Glutamine w/o Calcium Chloride, Magnesium Sulphate and Sodium bicarbonate	572.00 4221.00 7173.00	1 lit 10x1 lit 20 lit
Minimum Essential Medium Eagle (MEM)			
AT1020	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts and L-Glutamine w/o NEAA and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1020G	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts and L-Alanyl-L-Glutamine w/o NEAA and Sodium bicarbonate	1638.00 4109.00 5643.00 9770.00	5 lit 10x1 lit 20 lit 50 lit
AT1159A	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts w/o L-Glutamine, NEAA, Phenol red and Sodium bicarbonate	1701.00 3807.00 5954.00	5 lit 10x1 lit 20 lit
AT1047	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, NEAA and L-Glutamine w/o Sodium bicarbonate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1047A	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts and NEAA w/o L-Glutamine and Sodium bicarbonate	500.00 3807.00 5954.00	1 lit 10x1 lit 20 lit
AT1046	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, NEAA and L-Glutamine w/o Phenol red and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit
AT1046A	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts and NEAA w/o L-Glutamine, Phenol red and Sodium bicarbonate	500.00 3807.00 5954.00	1 lit 10x1 lit 20 lit
AT1153	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, NEAA, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	4343.00 7173.00	10x1 lit 20 lit
AT1154	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, L-Glutamine, NEAA and Sodium Pyruvate w/o and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit
AT1074	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, L-Glutamine and 25mM HEPES Sodium Pyruvate w/o Sodium bicarbonate	572.00 4343.00 7173.00	1 lit 10x1 lit 20 lit
AT1182	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, L-Glutamine, NEAA, Sodium Pyruvate and 25mM HEPES w/o Sodium bicarbonate	572.00 1746.00 4343.00 7173.00	1 lit 5 lit 10x1 lit 20 lit
AT1056	**Minimum Essential Medium Eagle (MEM)** w/ Hanks' Salts and L-Glutamine w/o Sodium bicarbonate	500.00 3807.00 5954.00	1 lit 10x1 lit 20 lit
AT1056A	**Minimum Essential Medium Eagle (MEM)** w/ Hanks' Salts w/o L-Glutamine and Sodium bicarbonate	1701.00 3807.00 5954.00	5 lit 10x1 lit 20 lit

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

Product Code	Product Name	Price	Packing
AT1048	**Minimum Essential Medium Eagle (MEM)** w/ Hanks' Salts, L-Glutamine and NEAA w/o Sodium bicarbonate	1701.00 3807.00 5954.00	5 lit 10x1 lit 20 lit
AT1075	**Minimum Essential Medium Eagle (MEM)** w/ Hanks' Salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	572.00 4343.00 7173.00	1 lit 10x1 lit 20 lit
AT1017A	**Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts NEAA w/o L-Glutamine and Sodium bicarbonate	572.00 1746.00 4221.00 7173.00	1 lit 5 lit 10x1 lit 20 lit
AT1077A	**Minimum Essential Medium Eagle (MEM) (Modified for Autoclaving)** w/ Earle's Salts w/o L-Glutamine, NEAA and Sodium bicarbonate	4221.00 7173.00	10x1 lit 20 lit
	Minimum Essential Medium Eagle (For Suspension Culture)		
AT1238	**Minimum Essential Medium Eagle (MEM) (For Suspension Culture)** w/ Earle's Salts, L-Glutamine and NEAA w/o Calcium Chloride, Magnesium Sulfate and Sodium bicarbonate	1701.00 3807.00 5954.00	5 lit 10x1 lit 20 lit
	Minimum Essential Medium Eagle (Joklik Modification)		
AT1079	**Minimum Essential Medium Eagle (MEM) (Joklik Modification) (For Suspension Culture)** w/ L-Glutamine w/o Calcium Chloride and Sodium bicarbonate	4230.00 9792.00 14850.00	5 lit 10x1 lit 20 lit
	Minimum Essential Medium Eagle (Alpha Modification)		
AT1080	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine, Ribonucleosides and Deoxyribonucleosides w/o Sodium bicarbonate	865.00 2574.00 6471.00 9550.00 17073.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1080A	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ Ribonucleosides and Deoxyribonucleosides w/o L-Glutamine and Sodium bicarbonate	2574.00 6471.00 9550.00	5 lit 10x1 lit 20 lit
AT1253	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine Ribonucleosides and Deoxyribonucleosides w/o Sodium bicarbonate and Phenol red	2574.00 6471.00 9550.00	5 lit 10x1 lit 20 lit
AT1221	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ Deoxyribonucleosides, Ribonucleosides and L-Glutamine w/o Ascorbic acid and Sodium bicarbonate	6471.00 9550.00	10x1 lit 20 lit
AT1081	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine w/o Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	702.00 2106.00 4932.00 7412.00 13302.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1081A	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/o L-Glutamine, Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	2106.00 4932.00 7412.00	5 lit 10x1 lit 20 lit

Product Code	Product Name	Price	Packing
AT1285	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine w/o Sodium Pyruvate, Ribonucleosides and Deoxyribonucleosides,	702.00 2106.00 4932.00 7412.00	1 lit 5 lit 10x1 lit 20 lit
AT1300	**Minimum Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Glutamine W/o Deoxyribose nucleosides, Ribonucleosides Phenol red and Sodium bicarbonate	702.00 2106.00 4932.00 7412.00	1 lit 5 lit 10x1 lit 20 lit
	MEM / F12 1:1 Mixture		
AT1237	**Minimum Essential Medium Eagle / Nutrient Mixture F-12 Ham (MEM / F12 1:1 Mixture)** w/ 15mM HEPES buffer, 25mM L-Glutamine w/o Sodium bicarbonate	6471.00 9550.00	10x1 lit 20 lit
	NCTC 109 Medium		
AT1138	**NCTC 109 Medium** w/ L-Glutamine w/o Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit
AT1138A	**NCTC 109 Medium** w/o L-Glutamine and Sodium bicarbonate	2385.00 7074.00 16182.00 24210.00	1 lit 5 lit 10x1 lit 20 lit
	Nutrient Mixture F-12 Ham		
AT1024	**Nutrient Mixture F-10 Ham** w/ L-Glutamine w/o Sodium bicarbonate	572.00 1746.00 4221.00 7173.00 10009.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1024A	**Nutrient Mixture F-10 Ham** w/ L-Glutamine and w/o Sodium bicarbonate	4221.00 7173.00 10009.00	10x1 lit 20 lit 50 lit
AT1083	**Nutrient Mixture F-10 Ham** w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	1881.00 4707.00 7650.00	5 lit 10x1 lit 20 lit
AT1184	**Nutrient Mixture F-10 Ham** w/ 20mM HEPES buffer and L-Glutamine w/o Sodium bicarbonate	635.00 1881.00 4707.00 7650.00	1 lit 5 lit 10x1 lit 20 lit
	Nutrient Mixture F-10 Ham		
AT1025	**Nutrient Mixture F-12 Ham** w/ L-Glutamine w/o Sodium bicarbonate	914.00 2705.00 4824.00 8110.00 14706.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1025A	**Nutrient Mixture F-12 Ham** w/o L-Glutamine and Sodium bicarbonate	2705.00 4824.00 8110.00 14706.00	5 lit 10x1 lit 20 lit 50 lit
AT1144	**Nutrient Mixture F-12 Ham** w L-Glutamine w/o Phenol red and Sodium bicarbonate	914.00 2705.00 4824.00 8110.00	1 lit 5 lit 10x1 lit 20 lit
AT1095	**Nutrient Mixture F-12 Ham** w L-Glutamine w/o Folic acid, Phenol red and Sodium bicarbonate	927.00 2754.00 4914.00 8280.00	1 lit 5 lit 10x1 lit 20 lit

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

Product Code	Product Name	Price	Packing
AT1119A	**Nutrient Mixture F-12 Ham** w/o Folic acid L-Glutamine, Phenol red and Sodium bicarbonate	2705.00 4824.00 8145.00	5 lit 10x1 lit 20 lit
AT1290	**Nutrient Mixture F-12 Ham** w/ 10mM HEPES buffer acid L-Glutamine w/o Sodium bicarbonate and Phenol red	Discontinue Discontinue Discontinue Discontinue	1 lit 5 lit 10x1 lit 20 lit
AT1144A	**Nutrient Mixture F-12 Ham** w/o L-Glutamine, Phenol red and Sodium bicarbonate	914.00 2705.00 4824.00 8110.00	1 lit 5 lit 10x1 lit 20 lit
	Nutrient Mixture F-12 Ham, Kaighn's Modification		
AT1106	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/ L-Glutamine w/o Sodium bicarbonate	1107.00 3285.00 8244.00 11547.00	1 lit 5 lit 10x1 lit 20 lit
AT1106A	**Nutrient Mixture F-12 Ham, Kaighn's Modification** w/o L-Glutamine and Sodium bicarbonate	8244.00 11547.00	10x1 lit 20 lit
	Nutrient Mixture F-12 Ham, Coon's Modification		
AT1146	**Nutrient Mixture F-12 Ham, Caon's Modification** w L-Glutamine w/o Sodium bicarbonate	810.00 2228.00 5760.00 8110.00	1 lit 5 lit 10x1 lit 20 lit
AT1146A	**Nutrient Mixture F-12 Ham, Caon's Modification** w/o L-Glutamine and Sodium bicarbonate	833.00 2277.00 5877.00 8280.00	1 lit 5 lit 10x1 lit 20 lit
	RPMI-1640		
AT1150	**RPMI-1640** w/ L-Glutamine w/o Glucose and Sodium bicarbonate	563.00 1710.00 4275.00 5796.00	1 lit 5 lit 10x1 lit 20 lit
AT1028	**RPMI-1640** w/ L-Glutamine w/o Sodium bicarbonate	509.00 1530.00 3884.00 5292.00 9190.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1028A	**RPMI-1640** w/o L-Glutamine and Sodium bicarbonate	509.00 1530.00 3884.00 5292.00 9190.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1028F	**RPMI-1640** w L-Glutamine w/o Folic acid and Sodium bicarbonate	590.00 4590.00 6107.00	1 lit 10x1 lit 20 lit
AT1161A	**RPMI-1640** w/o Folic acid, L-Glutamine and Sodium bicarbonate	590.00 4590.00 6107.00	1 lit 10x1 lit 20 lit
AT1229A	**RPMI-1640** w/ Sodium pyruvate w/o L-Glutamine, Phenol red and Sodium bicarbonate	590.00 4590.00 6107.00	1 lit 10x1 lit 20 lit
AT1112A	**RPMI-1640** w/o L-Glutamine, Phenol red and Sodium bicarbonate	509.00 3884.00 5292.00	1 lit 10x1 lit 20 lit

Product Code	Product Name	Price	Packing
AT1120	**RPMI-1640** w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	590.00 1746.00 4590.00 6107.00 11652.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1060	**RPMI-1640** w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	810.00 2350.00 5882.00 8829.00 17663.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1060A	**RPMI-1640** w/ 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	810.00 5882.00 8829.00	1 lit 10x1 lit 20 lit
AT1157A	**RPMI-1640** w/ 25mM HEPES buffer and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	810.00 2350.00 5882.00 8829.00	1 lit 5 lit 10x1 lit 20 lit
AT1113A	**RPMI-1640** w/ 25mM HEPES buffer w/o L-Glutamine, Phenol red and Sodium bicarbonate	810.00 5882.00 8829.00	1 lit 10x1 lit 20 lit
AT1162	**RPMI-1640** w/ L-Glutamine, Sodium Pyruvate, 4.5gms Glucose per liter and 10mM HEPES buffer w/o Sodium bicarbonate	810.00 2350.00 5882.00 8829.00 17663.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1171	**RPMI-1640** w/ 2mM L-Glutamine, 1mM Sodium Pyruvate, 4.5gms Glucose per liter and 10mM HEPES buffer w/o Phenol red and Sodium bicarbonate	810.00 5882.00 8829.00	1 lit 10x1 lit 20 lit
AT1126A	**RPMI-1640 (Modified for Autoclaving)** w/o L-Glutamine and Sodium bicarbonate	1503.00 5292.00 13190.00 18360.00	1 lit 5 lit 10x1 lit 20 lit
AT1180	**RPMI-1640** w/ L-Glutamine, Phenol red, 0.2% Glucose 0.165 moles per litre MOPS buffer w/o Sodium bicarbonate	1503.00 5292.00 13190.00 18360.00	1 lit 5 lit 10x1 lit 20 lit
	SFRE Medium 199-1		
AT1089	**SERE Medium 199-1** w/ Hanks' salts, L-Glutamine, Galactose and Glucose w/o Sodium bicarbonate and Insulin	1035.00 4671.00 10683.00 16281.00	1 lit 5 lit 10x1 lit 20 lit
AT1090	**SERE Medium 199-2** w/ Earle's salts, L-Glutamine, Galactose and Glucose w/o Sodium bicarbonate and Insulin	4590.00 10440.00 16007.00	5 lit 10x1 lit 20 lit
	Swim's S-77 Medium		
AT1124	**Swim's S-77 Medium** w/ L-Glutamine w/o Streptomycin sulphate, Phenol red and Sodium bicarbonate	1611.00 4077.00 5522.00	5 lit 10x1 lit 20 lit
	Waymouth Medium MB 752/1		
AT1091	**Waymounth Medium MB 752/1** w/ L-Glutamine w/o Sodium bicarbonate	3285.00 8110.00 10944.00	5 lit 10x1 lit 20 lit

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

Product Code	Product Name	Price	Packing
	William's Medium E		
AT1125	**William Medium E** w/ L-Glutamine w/o Sodium bicarbonate	860.00 6921.00 13185.00	1 lit 10x1 lit 20 lit
	Insect Media (Liquid)		
IML1001	**Grace's Insect Medium** w/ Sodium bicarbonate w/o L-Glutamine	3272.00 4977.00 12465.00 30915.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IML1001A	**Grace's Insect Medium** w/ L-Glutamine and Sodium bicarbonate	3272.00 4977.00 12465.00 30915.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IML1002	**Mitsuhashi and Maramorosch Insect Medium** w/ Sodium bicarbonate	2844.00 4320.00 10836.00	500 ml 2x500 ml 6x500 ml
IML1003	**Schneider's Insect Medium** w/ Calcium Chloride and Sodium bicarbonate w/o L-Glutamine	3425.00 5207.00 13010.00 30852.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IML1003A	**Schneider's Insect Medium** w/ Calcium Chloride, L-Glutamine and Sodium bicarbonate	3672.00 5580.00 13960.00	500 ml 2x500 ml 6x500 ml
IML1007	**TC-100 Insect Medium** w/ Sodium bicarbonate w/o L-Glutamine	3411.00 5193.00 12987.00 32283.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IML1008	**TNM-FH Insect Medium** w/ Lactalbumin hydrolysate, Yeast extract and Sodium bicarbonate w/o L-Glutamine	4140.00 6314.00 15773.00 39141.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IML1008A	**TNM-FH Insect Medium** w/ Lactalbumin hydrolysate, Yeast extract and Sodium bicarbonate	4140.00 6314.00 15773.00 39141.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Insect Media (Powder)		
IM1001	**Grace's Insect Medium** w/ L- Glutamine w/o Sodium bicarbonate	1323.00 7083.00 10098.00	1 lit 10 lit 10x1 lit
IM1002	**Mitsuhashi and Maramorosch** Insect Medium w/o Sodium bicarbonate	1350.00 7052.00 10170.00	1 lit 10 lit 10x1 lit
IM1003	**Schneider's Insect Medium** w/ L- Glutamine w/o Calcium Chloride and Sodium bicarbonate	1323.00 7083.00 10098.00	1 lit 10 lit 10x1 lit
IM1004	**Sheilds and Sang M3 Insect Medium** w/ L- Glutamine w/o Potassium bicarbonate	964.00 5166.00 7250.00	1 lit 10 lit 10x1 lit
IM1007	**TC-100 Insect Medium** w/ L- Glutamine w/o Sodium bicarbonate	1323.00 7083.00 10098.00	1 lit 10 lit 10x1 lit
IM1008	**TNM-FH Insect Medium** Grance's Medium Supplemented w/ L- Glutamine, Lactalbumin hydrolyste and Yeast extract w/o Sodium bicarbonate	2007.00 10548.00 15210.00	1 lit 10 lit 10x1 lit

Product Code	Product Name	Price	Packing
	Insect Diets		
ID1001	**Drosophila Diet**	2673.00 8010.00	1 lit 5 lit
ID1003	**Vanderzant Vitamin Mixture** Animal Component Free	5922.00 30573.00	100 gm 1 kg
TS2100	**Wesson's Salt Mixture** Insect Cell Culture Tested	4735.00 9473.00 15093.00	500 gm 2 kg 10 kg
	MicglutaXL Media		
	Media Containing Stable Glutamine		
AL1066G	**MicglutaXL Dubecco's Modified Eagle Medium, High Glucose** w/ 4.5gms Glucose per litre, L-Alanyl-L-Glutamine and Sodium bicarbonate w/o Sodium Pyruvate	2601.00 3942.00 9910.00 24593.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1007G	**MicglutaXL Dubecco's Modified Eagle Medium, High Glucose** w/ L-Alanyl-L-Glutamine, Sodium Pyruvate and Sodium bicarbonate	2601.00 3942.00 9910.00 24593.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1067G	**MicglutaXL Dubecco's Modified Eagle Medium (DMEM)** w/ 4.5gms Glucose per litre, L-Alanyl-L-Glutamine, 2.5mM HEPES buffer and Sodium bicarbonate w/o Sodium Pyruvate	2601.00 3942.00 9910.00 24593.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1127G	**MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Alanyl-L- Glutamine, Sodium bicarbonate and Trace elements W/o HEPES buffer	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1273G	**MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Alanyl-L- Glutamine and 1.2 gms per liter Sodium bicarbonate w/o HEPES buffer and Trace elements	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1155G	**MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Alanyl-L- Glutamine and 2.438gms per liter Sodium bicarbonate w/o HEPES buffer and Trace elements	2907.00 4311.00 11107.00 27572.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1139G	**MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L-Alanyl-L- Glutamine, HEPES buffer, Sodium bicarbonate and Trace elements	3798.00 5760.00 14454.00 35933.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1014G	**MicglutaXL Medium 199** w/ Earie's Salts, L-Alanyl-L- Glutamine and Sodium bicarbonate w/o HEPES buffer	3798.00 5760.00 14454.00 33273.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1020G	**MicglutaXL Minium Essential Medium Eagle (MEM)** w/ L-Alanyl-L- Glutamine, Earie's Salts and Sodium bicarbonate w/o NEAA	3798.00 5760.00 14454.00 35933.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
AL1047G	**MicglutaXL Minium Essential Medium Eagle** w/ L-Alanyl-L- Glutamine, Earie's Salts NEAA and Sodium bicarbonate	2601.00 3942.00 9910.00 24633.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1056G	**MicglutaXL Minium Essential Medium Eagle** w/ L-Alanyl-L- Glutamine, Hanks' Salts and Sodium bicarbonate	2601.00 3942.00 9910.00 24633.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1080G	**MicglutaXL Minium Essential Medium (Alpha Modification)** w/ L-Alanyl-L- Glutamine, Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1081G	**MicglutaXL Minium Essential Medium (Alpha Modification)** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate w/o Deoxyribonucleosides and Ribonucleosides	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1255G	**MicglutaXL Minium Essential Medium Eagle (MEM) (Alpha Modification)** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate w/o Deoxyribonucleosides, Ribonucleosides and Phenol red	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1024G	**MicglutaXL Minium Mixture F-10 Ham** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate	4446.00 3110.00 4734.00 11880.00 29493.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1028G	**MicglutaXL RPMI-1640** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate	2601.00 3942.00 9910.00 24633.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1060G	**MicglutaXL RPMI-1640** w/ L-Alanyl-L- Glutamine, HEPES buffer and Sodium bicarbonate	3438.00 5225.00 13050.00 32450.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1751G	**MicglutaXL RPMI-1640** w/ L-Alanyl-L- Glutamine, HEPES buffer 60mg per litre Penicillin, 100mg per liter Streptomycin, 15% FBS and Sodium bicarbonate (*8ml medium in 15ml round bottom centrifuge tube)	8753.00 6350.00 9648.00 24152.00 67122.00 107820.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml 20x50 NO
TCL1030	**MicglutaXL Supplement 200mM** w/ L-Alanyl-L- Glutamine in 0.85% normal Saline	2395.00 8348.00	100 ml 5x100 ml

MicSera Media

Media requiring reduced serum Supplementation

Product Code	Product Name	Price	Packing
RSL1019	**MicSera Dulbecco's Modified Eagle Medium, Low Glucose** w/ 1gm Glucose per litre, Sodium Pyruvate and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3285.00 5135.00 12843.00 34542.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1003	**MicSera Dulbecco's Modified Eagle Medium, High Glucose** w/ Sodium Pyruvate and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3285.00 5135.00 12843.00 34506.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1003G	**MicSera Dulbecco's Modified Eagle Medium, HIgh Glucose** w/ L-Alanyl-L- Glutamine, Sodium Pyruvate and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3447.00 5373.00 13500.00 36243.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1005	**MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ Trace Elements and Sodium bicarbonate w/o L- Glutamine and HEPES buffer 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3785.00 5913.00 14810.00 39745.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1006	**MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ HEPES buffer, Sodium bicarbonate and Trace Elements w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4356.00 6813.00 19062.00 51246.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1006G	**MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture)** w/ L- Alanyl-L- Glutamine HEPES buffer, Sodium bicarbonate and Trace Elements 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4572.00 7155.00 17892.00 48042.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1007	**MicSera Iscove's Modified Dulbecco's Medium** w/ HEPES buffer and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4284.00 6693.00 16722.00 44910.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1008	**MicSera Minimum Essential Medium Eagle** w/ Earle's Salts, NEAA and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3285.00 5135.00 12843.00 34506.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1008A	**MicSera Minimum Essential Medium Eagle (MEM)** w/ Earle's Salts, NEAA and L- Glutamine and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3245.00 5031.00 12614.00 33885.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1008G	**MicSera Minimum Essential Medium Eagle** w/ Earle's Salts, L-Alanyl-L- Glutamine NEAA and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3447.00 5373.00 13500.00 36243.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1009	**MicSera Nutrient Mixture F-10 Ham** w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4284.00 6693.00 16722.00 44910.00	500 ml 2x500 ml 6x500 ml 20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
RSL1010	**MicSera Nutrient Mixture F-12 Ham** w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4284.00 6693.00 16722.00 44910.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1011	**MicSera RPMI-1640** w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3285.00 5135.00 12843.00 34551.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1011G	**MicSera RPMI-1640** w/ L-Alanyl-L- Glutamine and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3447.00 5373.00 13500.00 36243.00	500 ml 2x500 ml 6x500 ml 20x500 ml
RSL1012	**MicSera RPMI-1640** w/ HEPES buffer and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3785.00 5913.00 14810.00 39745.00	500 ml 2x500 ml 6x500 ml 20x500 ml

MicXL Serioes of Cell Freezing Media

Freezing Media for regular and sensitive cell lines

Product Code	Product Name	Price	Packing
TCL1043	***MicXL Cell Freezing Medium-DMSO, 1X** w/ FBS and DMSO w/o Antibiotics Sterile filtered	10755.00	50 ml
TCL1093	***MicXL Cell Freezing Medium-DMSO, 1X** w/ FBS and DMSO w/o Antibiotics Sterile filtered This medium contains high, concentration of FBS and can be used for Freezing of sensitive cell lines.	13320.00	50 ml
TCL1056	***MicXL Cell Freezing Medium-DMSO, 1X** w/ FBS and DMSO w/o Antibiotics and Phenol red Sterile filtered	10755.00	50 ml
TCL1044	***MicXL Cell Freezing Medium-** Glycerol, 1X w/ FBS and Glycerol w/o Antibiotics Sterile filtered	10144.00	50 ml
TCL1078	***MicXL Cell Freezing Medium-Glycerol, 1X** w/ FBS and Glycerol w/o Antibiotics and Phenol red Sterile filtered	10144.00	50 ml

Animal origin-free and serum-free cell freezing media

Product Code	Product Name	Price	Packing
TCL1098	***MicXL Universal Freezing Medium** w/ DMSO w/o Antibiotics, Antimycotics and Phenol red Sterile filtered	16497.00	50 ml

Stem cell freezing media

Product Code	Product Name	Price	Packing
TCL1107	***MicXL Stem Cell Freezing Medium** w/ FBS and DMSO w/o Antibiotics Sterile filtered	12708.00	50 ml

Hybridoma Cell freezing media

Product Code	Product Name	Price	Packing
TCL1123	***MicXL Hybridoma Cell Freezing Medium, DMSO, 1X** w/ FBS and DMSO w/o Antibiotics This medium is optimized for cryopreservation of hybridoma cells	16362.00	50 ml

Cell Culture Reagents

Antibiotic Solution

Product Code	Product Name	Price	Packing
A01011	***Amphotericin B Solution 250µg/ml** Cell Culture Tested	6255.00	5x20 ml
A01022	***Ampicillin Solution** w/ 10mg/ml Ampicillin sodium salt in sterile tissue culture grade water	2651.00 8010.00	20 ml 5x20 ml
A01023	***Ampicillin Solution** w/ 100mg/ml Ampicillin Solution salt in sterile tissue culture grade water	7803.00	20 ml
A01001	***Antibiotic Solution 100X Liquid** w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	Discontinue Discontinue Discontinue Discontinue	50 ml 5x50 ml 100 ml 5x100 ml
A01001A	***Antibiotic Solution 100X Liquid Endotoxin tested** w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	1728.00 6282.00 2223.00 9774.00	50 ml 5x50 ml 100 ml 5x100 ml
A01014	***Antibiotic Solution 100X Liquid** w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	6975.00 10863.00	5x50 ml 5x100 ml
A01018	***Antibiotic Solution 100X Liquid** w/ 10,000 U Penicillin, 5mg Streptomycin per ml in 0.9% normal saline	6975.00 10863.00	5x50 ml 5x100 ml
A01002	***Antibiotic Antimycotic Solution 100X Liquid** w/ 10,000 U Penicillin, 10mg Streptomycin and 25 g Amphotericin B per ml in 0.9% normal saline	1386.00 5297.00 7857.00 3492.00 12861.00	20 ml 5x20 ml 5x50 ml 100 ml 5x100 ml
A01002A	***Antibiotic Antimycotic Solution 100X Liquid, Endotoxin tested** w/ 10,000 U Penicillin, 10mg Streptomycin and 25 g Amphotericin B per ml in 0.9% normal saline	1422.00 6903.00 10400.00 3654.00 18131.00	20 ml 5x20 ml 5x50 ml 100 ml 5x100 ml
A01003	***Antibiotic Solution 50X Liquid** w/ 5,000 U Penicillin and 5mg/ml Streptomycin in 0.9% normal saline	1022.00 3807.00	50 ml 5x50 ml
A01019	***Carbenicillin Solution 100mg/ml** w/ 100mg/ml carbenicillin in sterile tissue culture grade water	4482.00 8316.00	20 ml 5x20 ml
A01032	***Ciprofloxacin 2% Solution 5X** w/ 2% Ciprofloxacin in sterile tissue culture grade water	2745.00	100 ml
A01016	***Geneticin Solution (G418 Solution)** w/ 50 mg/ml Geneticin in sterile tissue culture grade water	12240.00 44802.00	20 ml 5x20 ml
A01005	***Gentamicin Solution** w/ 50 mg/ml Gentamicin in sterile tissue culture grade water	2718.00 5445.00	1x100 ml 20 ml

Unless indicated all the above products to be stored at 2 - 8°C
*Store at (-20°C)

Product Code	Product Name	Price	Packing
TL2109	**Hanks' Balanced Salt Solution 10X** w/ Calcium and Magnesium w/o Sodium bicarbonate and Phenol red	5508.00 6534.00 9756.00 19099.00 44631.00	5X100 ml 500 ml 2x500 ml 6x500 ml 20X500 ml
TL2021	**Hanks' Balanced Salt Solution 10X** w/ Phenol red w/o Sodium bicarbonate	6534.00 9923.00 19121.00 44631.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2122	**Hanks' Balanced Salt Solution 10X** w/ Phenol red w/o Calcium chloride, Magnesium sulfate and Sodium bicarbonate	4356.00 6606.00 15966.00 37211.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2098	**Hanks' Balanced Salt Solution 1X** w/ Sodium bicarbonate w/o Calcium, Magnesium and Phenol red	2178.00 3303.00 7983.00 18396.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2155	**Hanks' Balanced Salt Solution 1X** w/ Calcium and Magnesium w/o Sodium bicarbonate and Phenol red	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2097	**Krebs-Ringer Biocarbonate Buffer 1X** w/ 1.8gms Glucose per litre and Sodium bicarbonate w/o Calcium Chloride	2178.00 3303.00 7983.00 18396.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2143	**Krebs-Ringer Biocarbonate Buffer 1X** w/ Calcium Chloride, HEPES buffer, 0.2% Bovine serum Albumin and Sodium bicarbonate w/o Glucose	2822.00 4302.00 10360.00 23873.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2152	**Krebs-Ringer Phosphate HEPES Buffer pH 7.4** w/ 20mM HEPES buffer, Calcium and Magnesium w/o Phenol red	3060.00 4563.00 11214.00 25750.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2031	**Phosphate Buffered Saline pH 7.2 1X**	2178.00 3303.00 7983.00 17474.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2032	**Phosphate Buffered Saline pH 7.2 10X**	5211.00 4356.00 6516.00 15912.00 37211.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2033	**Phosphate Buffered Saline pH 7.2 20X**	8280.00 7650.00 11277.00 27900.00 65547.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2101	**Phosphate Buffered Saline pH 7.4 1X**	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2099	**Phosphate Buffered Saline pH 7.4 10X**	5211.00 4356.00 6515.00 15912.00 37211.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml

Product Code	Product Name	Price	Packing
TL2126	**Phosphate Buffered Saline pH 7.4 1X** w/ Phenol red	2075.00 3132.00 7610.00 17721.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2153	**Potassium Phosphate Buffer, pH 6.8 (1X)**	2448.00 1890.00 2835.00 6930.00 15975.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2104	**Potassium Phosphate Buffered Saline 1X**	2178.00 3303.00 7983.00 18396.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2011	**Spinner Balanced Salts, Eagle 1X** w/ Phenol red and Sodium bicarbonate w/o Calcium Chloride	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
	Balanced Salt (Powder)		
TS2119	**Dulbecco's Phosphate Buffered Saline** w/ Calcium and Magnesium w/o Phenol red	378.00 1193.00 2970.00 4047.00	1 lit 5 lit 10x1 lit 20 lit
TS2006	**Dulbecco's Phosphate Buffered Saline** w/ Calcium, Magnesium and Phenol red	378.00 1193.00 2970.00 4047.00 7075.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
TS2003	**Hanks' Balanced Salts** w/ Phenol red w/o Sodium bicarbonate	284.00 865.00 2178.00 2925.00 5148.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
TS2010	**Hanks' Balanced Salts** w/o Phenol red and Sodium bicarbonate	284.00 865.00 2178.00 2925.00 5148.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
TS2033	**Hanks' Balanced Salts** w/ Phenol red w/o Calcium, Magnesium and Sodium bicarbonate	325.00 995.00 2493.00 3375.00	1 lit 5 lit 10x1 lit 20 lit
TS2020	**Hanks' Balanced Salts** w/ Phenol red w/o Calcium and Sodium bicarbonate	325.00 995.00 2493.00 3375.00	1 lit 5 lit 10x1 lit 20 lit
TS2098	**Hanks' Balanced Salts** w/o Calcium, Magnesium, Phenol red and Sodium bicarbonate	325.00 995.00 2493.00 3375.00	1 lit 5 lit 10x1 lit 20 lit
TS2097	**Krebs-Ringer Bicarbonate Buffer** w/ 1.8 gms Glucose per liter w/o Phenol red, Calcium Chloride and Sodium bicarbonate	325.00 995.00 2480.00 3344.00	1 lit 5 lit 10x1 lit 20 lit
TS2152	**Krebs-Ringer Phosphate HEPES Buffer pH 7.4** w/ 20mM HEPES buffer, Calcium and Magnesium w/o Phenol red	657.00 2025.00 5072.00 6885.00	1 lit 5 lit 10x1 lit 20 lit

Unless indicated all the above products to be stored at 2 - 8°C

microgen

Product Code	Product Name	Price	Packing
A01006	***Gentamicin L-Glutamine Solution** w/ 200mM L-Glutamine and 5 mg/ml Gentamicin in 0.9% normal Saline	8028.00	5x20 ml
A01010	**Gentamicin Solution** w/ 10 mg/ml Gentamicin sulfate in sterile tissue culture grade water	2215.00 5243.00 4735.00	20 ml 5X20 ml 100 ml
A01031	***Gentamicin-Amphotericin B Solution 1000X** w/ 30 mg/ml Gentamicin nd 25 g/ml Amphotericin B in sterile tissue culture grade water	7430.00 26046.00	20 ml 5x20 ml
A01015	**Hygromycin B Solution** w/ 50 mg/ml Hygromycin B in sterile tissue culture grade water	8487.00 34902.00	20 ml 5x20 ml
A01008	**Kanamycin Solution** w/ 10 mg/ml Kanamycin 0.9% normal saline	1764.00 5292.00	20 ml 5x20 ml
A01009	**Kanamycin Solution** w/ 50 mg/ml Kanamycin in 0.9% normal saline	4158.00 7025.00	20 ml 5x20 ml
A01024	**Neomycin Sulphate Solution** w/ 10 mg/ml Neomycin in 0.9% normal saline	1670.00 5373.00	20 ml 5x20 ml
A01012	**Nystatin Suspension** w/ 10,000units Nystatin per ml in Dulbecco's Phosphate Buffered Saline	4671.00 8883.00	5x20 ml 5x50 ml
A01027	**Polymyxin B Solution** w/ 50mg/ml Polymyxin B in sterile tissue culture grade water Suitable for vaccine Production	3807.00	5x20 ml
A01007	***L-Glutamine-Penicillin-Streptomycin Solution** w/ 200mM L-Glutamine, 10,000 units/ml Penicillin and 10 mg/ml Streptomycin in 0.9% normal saline	4910.00 10206.00	5x20 ml 5x100 ml
A01028	***Penicillin-Streptomycin-Neomycin Solution** w/ 5000 units Penicillin, 5mg Streptomycin and 10 mg Neomycin per ml in Citrate buffer	7983.00	5x20 ml
A01004	**Penicillin-Streptomycin Powder** w/ 5000 units Penicillin, 5mg Streptomycin per ml in 0.9% normal saline when reconstituted with sterile tissue culture grade water to indicated volume	5184.00 10369.00	5x50 ml 5x100 ml
A01038	**Puromycin dihydrochloride Solution** w/ 10mg/ml Puromycin dihydrochloride in cell culture grade water	27477.00 108765.00	20 ml 5x20 ml

Balanced Salts

Balanced Salt Solutions (Liquid)

Product Code	Product Name	Price	Packing
TL2006	**Dulbecco's Phosphate Buffered Saline 1X** w/ Phenol red, Calcium and Magnesium	2822.00 2178.00 3312.00 8775.00 20210.00 2763.00 24966.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml 1000 ml 20x1000 ml
TL2023	**Dulbecco's Phosphate Buffered Saline 1X** w/ Calcium and Magnesium w/o Phenol red	2822.00 2178.00 3105.00 8775.00 20210.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2106	**Dulbecco's Phosphate Buffered Saline 1X** w/ 1000mg/ml D-Glucose, 36mg Sodium pyrucate per liter, Calcium and Magnesium w/o Phenol red	2822.00 2178.00 3105.00 8775.00 20210.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2022	**Dulbecco's Phosphate Buffered Saline 10X** w/o Phenol red, Calcium and Magnesium	5211.00 4356.00 6516.00 15912.00 37211.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2145	**Dulbecco's Phosphate Buffered Saline with Gentamicin** w/ 120 g/ml Gentamicin Sulphate w/o Calcium, Magnesium and Phenol red contains 20ml DPBS in 50ml self-standing centrifuge tube	POR	5x20 ml
TL2002	**Earle's Balanced Salt Solution 1X** w/ Phenol red and sodium blcarbonate	2178.00 3312.00 7974.00 18396.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2110	**Earle's Balanced Salt Solution 1X** w/ Sodium bicarbonate and Phenol red w/o Calcium and Magnesium	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2107	**Earle's Balanced Salt Solution 1X** w/ Sodium bicarbonate w/o Calcium, Magnesium and Phenol red	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2024	**Hanks' Balanced Salt Solution 1X** w/ Phenol red and Sodium bicarbonate w/o Calcium	2178.00 3303.00 7983.00 18396.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2003	**Hanks' Balanced Salt Solution 1X** w/ Phenol red and Sodium bicarbonate	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2010	**Hanks' Balanced Salt Solution 1X** w/ Sodium bicarbonate w/o Phenol red	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2151	**Hanks' Balanced Salt Solution 1X** w/ 10mM HEPES and Sodium bicarbonate w/o Phenol red	2372.00 3618.00 8793.00 20210.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TL2019	**Hanks' Balanced Salt Solution 1X** w/ Phenol red w/o Sodium bicarbonate	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
TL2108	**Hanks' Balanced Salt Solution 1X** w/ Phenol red w/o Calcium, Magnesium Sulphate and Sodium bicarbonate	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C
*Store at (-20°C)

Product Code	Product Name	Price	Packing
TS2148	**Krebs-Henseleit Buffer** w/ 2gms Glucose per liter w/o Calcium chloride and Sodium bicarbonate	378.00 1193.00 2970.00 4047.00	1 lit 5 lit 10x1 lit 20 lit
TS2099	**Phosphate Buffered Saline, pH 7.2**	293.00 865.00 2178.00 2925.00 5162.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
TS2120	**Phosphate Buffered Saline, pH 7.4** w/ 1% Bovine Serum Albumin	1085.00 3312.00 8190.00 11115.00	1 lit 5 lit 10x1 lit 20 lit
TS2101	**Phosphate Buffered Saline, pH 7.4**	284.00 865.00 2178.00 2925.00 5162.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
TS2150	**Phosphate Buffered Saline, pH 7.4** w/ 1gm/ litre Glucose and phenol red w/o Calcium, Magnesium and Sodium bicarbonate	307.00 923.00 2331.00 3524.00	1 lit 5 lit 10x1 lit 20 lit
TS2011	**Spinner Salts, Eagle** w/ Phenol red w/o Calcium chloride and Sodium bicarbonate	378.00 1193.00 2970.00 4047.00	1 lit 5 lit 10x1 lit 20 lit

Cell Dissociation Reagents

Trypsin Solution

Product Code	Product Name	Price	Packing
TCL1011	***Trypsin 0.1% Solution 1X** 0.1% Trypsin in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	1148.00 5243.00 4023.00 13482.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1006	***Trypsin 0.25% Solution 1X** 0.25% Trypsin in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	1148.00 5243.00 4023.00 13482.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1047	***Trypsin 0.25% Solution 1X** 0.25% Trypsin in Hank's Balanced Salt Solution w/ Phenol red w/o Calcium and Magnesium Sterile Filtered	1148.00 5243.00 4023.00 13482.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1151	***Trypsin 0.25% Solution 1X** 0.25% Trypsin in Hank's Balanced Salt Solution w/o Calcium and Magnesium and Phenol red Sterile Filtered	4293.00 8703.00 7344.00	100 ml 5x100 ml 500 ml
TCL1008	***Trypsin 0.25% Solution 10X** 2.5% Trypsin in Hank's Balanced Salt Solution 10X w/o Phenol red Sterile Filtered	4293.00 8703.00 7344.00	100 ml 5x100 ml 500 ml
TCL1111	***Trypsin 0.25% Solution 1X** 0.25% Trypsin in Citrate buffer w/o Phenol red Sterile Filtered	1148.00 5243.00 4023.00 13482.00	100 ml 5x100 ml 500 ml 6x500 ml

Trypsin EDTA Solution

Product Code	Product Name	Price	Packing
TCL1007	***Trypsin-EDTA Solution 1X** 0.25% Trypsin and 0.02% EDTA in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	1148.00 5562.00 4023.00 13050.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1049	***Trypsin-EDTA Solution 1X** 0.25% Trypsin and 0.02% EDTA in Hank's Balanced Salt Solution w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1152	***Trypsin-EDTA Solution 1X** 0.25% Trypsin and 0.02% EDTA in Hank's Balanced Salt Solution w/o Calcium, Magnesium and Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1165	***Trypsin-EDTA Solution 1X** 0.25% Trypsin and 0.02% EDTA in 0.8% normal Saline w/ 0.4 g/L Potassium Chloride, 1.0g/L Glucose, 0.35 g/L Sodium bicarbonate and 0.01 g/L Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1155	***Trypsin-EDTA Solution 1X** 0.25% Trypsin Gamma irradiated and 0.02%EDTA in Hanks' Balanced Salt Solution With Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1048	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, 0.038% EDTA in Hanks' Balanced Salt Solution w/o Calcium and Magnesium w/ Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1154	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, 0.038% EDTA in Hanks' Balanced Salt Solution w/o Calcium and Magnesium and Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1014	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, and 0.001% EDTA in Dulbecco's Phosphate Buffered Balanced Saline w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1033	***Trypsin-EDTA Solution 1X** 0.05% Trypsin, 0.02% EDTA in Hanks' Balanced Salt Solution w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1139	***Trypsin-EDTA Solution 1X** w/ 0.05% Trypsin, and 0.02% EDTA in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1042	***Trypsin-EDTA Solution 1X** w/ 0.25% Trypsin, 0.1% EDTA in Hanks' Balanced Salt Solution w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)

microgen

Product Code	Product Name	Price	Packing
TCL1081	***Trypsin-EDTA Solution 1X** w/ 500 BAEE units Porcine Trypsin and 180 g EDTA tetrasodium salt per ml in Dulbecco's Phosphate Buffered Saline w/o Calcium, Magnesium and Phenol red	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1099	***Trypsin-EDTA Solution 1X** w/ 0.025% Trypsin and 0.01% EDTA Dulbecco's Phosphate Buffered Saline w/o Phenol red	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1034	***Trypsin-EDTA Solution 10X** 0.5% Trypsin, 0.2% EDTA in 0.85% normal Saline w/o Phenol red	4293.00 8703.00 7344.00	100 ml 5x100 ml 500 ml
TCL1144	***Trypsin-EDTA Solution 10X** 0.5% Trypsin, (1:250) Gamma irradiated and 0.2% EDTA in 0.85% normal Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1140	***Trypsin-EDTA Solution 10X** w/ 0.5% Trypsin, and 0.2% EDTA Dulbecco's Phosphate Buffered Saline w/o Phenol red	4293.00 8703.00 7344.00	100 ml 5x100 ml 500 ml
TCL1070	***Trypsin-EDTA Solution 10X** w/ 2.5% Trypsin, (1:250) 0.2% EDTA in 0.85% normal Saline w/o Phenol red	4185.00 8703.00 7344.00	100 ml 5x100 ml 500 ml
TCL1145	***Trypsin-EDTA Solution 1X** w/ 0.05% Trypsin, 0.02% EDTA and 0.1% Glucose, 0.8% Sodium Chloride, 0.04% Potassium Chloride and 500mg per liter Sodium bicarbonate w/o Phenol red	1296.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1179	***Trypsin-EDTA Solution 1X** 0.25% Trypsin, 0.03% EDTA in PBS w/ Phenol red	1148.00 5562.00 4023.00 13050.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1184	***Trypsin-EDTA Solution 1X** 0.05% Trypsin, and 0.02% EDTA in 0.04% KCl, 0.1% Glucose, 0.58g/L Sodium bicarbonate and phenol red in 0.8% normal saline	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml
	TPVG Solution		
TCL1022	***Trypsin Phosphate Versene Glucose (TPVG) Solution 1X** 0.25% Trypsin, 0.5% PVP, 0.02% EDTA and 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6471.00 4158.00 18180.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1143	***Trypsin Phosphate Versene Glucose (TPVG) Solution 1X** 0.25% Trypsin, 0.5% PVP, 0.02% EDTA and 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/ Phenol red	1287.00 6471.00 4158.00 18180.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1031	***Trypsin Phosphate Versene Glucose (TPVG) Solution 1X** 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1120	***Trypsin Phosphate Versene Glucose (TPVG) Solution 1X** 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14292.00	100 ml 5x100 ml 500 ml 6x500 ml
	Versene Solution		
TCL1020	**Versene (EDTA) 0.1% Solution 1X** 0.1% Versene in Dulbecco's Phosphate Buffered Saline w/o Phenol red	3308.00 5517.00	5x100 ml 2x500 ml
	Trypsin Inhibitors		
TCL1068	**Trypsin Inhibitor from Soyabean 1X, Liquid** w/ 1mg/ml of Trypsin inhibitor in Dulbecco's Phosphate Buffered Saline	3524.00 12047.00	100 ml 5x100 ml

Miscellaneous Reagents

Product Code	Product Name	Price	Packing
	Carrier Proteins		
TCL1036	**Bovine Albumin Fraction V 7.5% Solution** in Dulbecco's Phosphate Buffered Saline	3600.00	100 ml
	Attachment Factors		
TCL1127	**Collagen Peptide Solution 1%** w/ 1% Collagen Peptide in Dulbecco's Phosphate Buffered Saline	1782.00 3294.00	50 ml 100 ml
TCL1109	**Gelatin Solution 0.5%** w/ 0.5% Type B Gelatin from bovine skin in sterile tissue culture grade water	1530.00	100 ml
TCL1059	**Gelatin Solution 2%** w/ 2% Type B Gelatin from bovine skin in sterile tissue culture grade water	2363.00	100 ml
TCL1148	**Poly-L-Ornithine Solution, 0.01%**	7173.00	100 ml
	Media Supplements and Buffers		
TCL1012	***L-Glutamine 200mM Solution** L-Glutamine in 0.85% normal Saline Cell Culture tested	3695.00 7120.00 4563.00 9144.00	5x20 ml 5x100 ml 500 ml 2x500 ml
TCL1030	***MiglutaXLTM Supplement 200mM** w/ L-Alanyl-L-Glutamine in 0.85% normal Saline	2395.00 8348.00	100 ml 5x100 ml
TCL1021	**HEPES 1M Solution** Cell Culture tested	3825.00 6300.00 7785.00 15251.00	100 ml 5x50 ml 500 ml 2x500 ml
TCL1003	**1N Hydrochloric Acid Solution**	2633.00	10x20 ml
TCL1024	**Potassium bicarbonate Solution 7.5%**	2520.00	5x100 ml
TCL1013	**Sodium bicarbonate Solution 7.5%**	855.00 3074.00 2570.00	100 ml 5x100 ml 500 ml
TCL1002	**1N Sodium Hydroxide**	2448.00	10x20 ml
TCL1015	**Sodium Pyruvate Solution 100mM**	855.00 2363.00	100 ml 5x100 ml
TCL1188	**0.5M EGTA Solution, pH 8.0**	2710.00 10881.00	100 ml 500 ml

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)

Product Code	Product Name	Price	Packing
TCL1189	**0.5M EDTA Solution, pH 8.0**	3083.00 10881.00	100 ml 500 ml
TCL1190	**HEPES Solution** 1M in normal saline	4932.00 8650.00	100 ml 500 ml
	Solubilized Growth Factors		
TCL1211	**Dexamethasone- Water Soluble** Lyophilized	17910.00	100 mg
	Others		
TCL1077	**D-(+)-Glucose Solution 45% Autoclaved** w/ 45% D-(+)-Glucose in sterile tissue culture grade water	2700.00 6246.00	100 ml 500 ml
TCL1129	**Heparin Solution, 1000 units/ml** sterile filtered Cell culture tested	3744.00	50 ml
TCL1138	**DL-Lactic acid Sodium salt Solution, 60%**	3708.00 12173.00	100 ml 500 ml
TCL1023	**Pluronic F-68 Solution 10%, 100X**	2210.00	100 ml
TCL1035	**Recombinant** Human Insulin Solution, 10mg/ml	6422.00 10850.00	10 ml 20 ml
TCL1125	**Recombinant Human Insulin Solution, 5mg/ml**	5220.00 9410.00	10 ml 20 ml
TCL1119	**Paraformaldehyde Solution, 4%** 4% Paraformaldehyde in Phosphate Buffered Saline	585.00	100 ml
	Water		
TCL1016	**Water, Sterile, Molecular Biology Grade** DEPC treated, Nuclease and Protease free	4892.00 1287.00 9045.00 13482.00	10x100 ml 500 ml 10x500 ml 10x1000 ml
TCL1018	**Water, Sterile, Molecular Biology Grade** Endotoxin tested DEPC treated, Nuclease and Protease free	5877.00 1355.00 9702.00 13482.00	20x100 ml 500 ml 10x500 ml 10x1000 ml
TCL1010	**Water, Sterile, Tissue Culture Grade**	4892.00 1287.00 9045.00 13482.00	20x100 ml 500 ml 10x500 ml 10x1000 ml
TCL1019	**Water, Sterile, Tissue Culture Grade** Endotoxin Tested	5877.00 1287.00 9045.00 13482.00	20x100 ml 500 ml 10x500 ml 10x1000 ml
	Cell Lysis Solution		
TCL1131	**RIPA buffer** Sterile filtered	3897.00 12960.00	100 ml 500 ml
TCL1135	**CritonTM X-100 Solution, 10%** Sterile filtered	3618.00 12573.00	100 ml 500 ml
TCL1136	**CritonTM X-100 Solution, 20%** Sterile filtered	3897.00 13230.00	100 ml 500 ml
TCL1161	**Urea Buffer** Sterile filtered	3402.00 13600.00	100 ml 500 ml
TCL1166	**20% Cween 20** Sterile filtered	3402.00 11880.00	100 ml 500 ml

Cell Culture Supplements

Amino Acid Concentrates

Product Code	Product Name	Price	Packing
	Amino Acid Concentrates (Liquid)		
ACL1002	**MEM Amino Acids Solitoon 100X** w/o L-Glutamine **5472.00**	1746.00 5x100 ml	100 ml
ACL1003	**MEM Glasgow's Modification Amino Acids Solution 100X** w/o L-Glutamine	1746.00 5472.00	100 ml 5x100 ml
ACL1005	**MEM Non Essential Amino Acids Solution 50X**	1548.00 4833.00	100 ml 5x100 ml
ACL1006	**MEM Non Essential Amino Acids Solution 100X**	1962.00 6130.00	100 ml 5x100 ml
	Amino Acid Concentrates (Powder)		
AC1004	**MEM Dulbecco's Modification Amino Acids 50X**	1116.00 8379.00	1 lit 10x1 lit
AC1003	**MEM Glasgow Modification Amino Acids 50X** w/o L-Glutamine	1116.00 8379.00	1 lit 10x1 lit
AC1005	**MEM-Non Essential Amino Acids (NEAA) 50X**	932.00 7128.00	1 lit 10x1 lit

Hydrolysats

Hydrolysates are enzymatic digests of proteins. They are obtained from sources such as animal tissue, milk, soyabean, yeast, wheat and many others. The end product is a source of vitamins, lipids, minerals, dipeptides and tripeptides that supply a rich source of basic amino acids for cell growth, Hydrolysates are widely used in cell culture as a supplement to basal medium to enhance cell growth and maximize product yield.

Product Code	Product Name	Price	Packing
	Casein Enzyme Hydrolysate		
TC1370	**Casitose** Cell Culture Tested Store below 30°C	5103.00 40910.00 POR	500 gm 5 kg 25 kg
	Cotton Hydrolysate		
TC1651	**Cotton hydrolysate** Cell Culture Tested Store below 30°C	10692.00 85545.00 POR	500 gm 5 kg 25 kg
	Lactalbumin Hydrolysate		
TC1367	**Lactalbumin Hydrolysate** Cell Culture Tested Store below 30°C	6174.00 50508.00 POR	500 gm 5 kg 25 kg
TC1367G	**Lactalbumin Hydrolysate** Cell Culture Tested Gamma irradiated Store below 30°C	60710.00 POR	5 kg 25 kg
TC1367V	**Lactalbumin Hydrolysate** Cell Culture Tested Recommeneded as a vaccine stabilizer Store below 30°C	6710.00 53730.00 POR	500 gm 5 kg 25 kg
	Meat Peptone		
TC1371	**Meat Peptone Henceforth referred as HM Peptone** Cell Culture Tested Store below 30°C	4788.00 38300.00 POR	500 gm 5 kg 25 kg

microgen

Product Code	Product Name	Price	Packing
	Pea Hydrolysate		
TC1650	**Pea hydrolysate** Cell Culture Tested Store below 30°C	POR POR POR	500 gm 5 kg 25 kg
	Soya Peptone		
TC1608	**Soya Peptone** Cell Culture Tested Store below 30°C	5472.00 69804.00 POR	500 gm 5 kg 25 kg
TC1437	**Soya Peptone, Ultrafiltered** Cell Culture Tested Store below 30°C	10962.00 139394.00 POR	500 gm 5 kg 25 kg
	Tryptose Phosphate Broth		
AT1811	**Tryptose Phosphate Broth** Cell Culture Grade	2142.00 7452.00	100 gm 500 gm
TCL1009	**Tryptose Phosphate Broth 50X**	1701.00 4420.00	100 ml 5x100 ml
	Wheat Hydrolysate		
TC1649	**Wheat hydrolysate** Cell Culture Tested Store below 30°C	17046.00 134793.00 POR	500 gm 5 kg 25 kg
	Yeast Extract		
TC1369	**Yeast Extract** Cell Culture Tested Store below 30°C	3663.00 29385.00 POR	500 gm 5 kg 25 kg
TC1438	**Yeast Extract, Ultrafiltered** Cell Culture Tested Store below 30°C	16245.00 124893.00 POR	500 gm 5 kg 25 kg
TC1535	**Yeast Extract, Granulated** Cell Culture Tested Store below 30°C	POR POR POR	500 gm 5 kg 25 kg
TC1593	**Yeast Extract, Ultrafiltered Granulated** Cell Culture Tested Store below 30°C	POR POR POR	500 gm 5 kg 25 kg
TCL1041	**Yeast Extract, Solution, 150g/l** Cell Culture Tested	2183.00 4842.00	100 ml 500 ml
	Vitamin Solution		
	Vitamin Solution (Sterile Filtered)		
VA1001	***BME Vitamin Solution 100X** Sterile filtered	3618.00 7200.00	100 ml 5x100 ml
VA1002	***MEM Vitamin Solution 100X** Sterile filtered	3744.00 7304.00	100 ml 5x100 ml
VA1003	***RPMI 1640 Vitamin Solution 100X** Sterile filtered Media countaining PHA-M as mitogen	3618.00 7200.00	100 ml 5x100 ml
	Speciality Product Segment		
	Mouse IVF Platform		
AL1142	**M2 Medium** w/ HEPES buffer, Sodium bicarbonate and Sodium lactate Mouse embryos in M2 Medium	17073.00	500 ml
AL1143	**M16 Medium** w/ Sodium bicarbonate and Sodium lactate Mouse embryos in M16 Medium	16488.00	500 ml
AL1233	**HTF Medium** w/ HEPES buffer and Sodium bicarbonate w/o Phenol red	6606.00 15426.00	100 ml 500 ml
AL1234	**HTF Medium** w/ Sodium bicarbonate and Phenol red w/o HEPES buffer	13986.00	500 ml
	Hybridoma Platform		
	Hybridoma Culture Media		
AT1191	**Hybridoma Medium** Hydrodoma Medium is a modified mixture of DMEM and NCTC 135 specially developed for propagation and rapid growth of hybridomas and other fastidious cell lines. It is supplemented with insulin Part A: Chemically defined powdered medium Part B: Recombinat Human Insulin Powder	918.00 6903.00 9374.00	1 lit 10x1 lit 20 lit
AL1206A	**Hybridoma Medium** w/ L-Glutamine, HEPES buffer, Insulin and 1.5gms per litre Sodium bicarbonate 1X Liquid Cell Culture Medium Hydrodoma Medium is a modifies mixture of DMEM and NCTC 135 specially developed for propagation and rapid growth of hybridomas and other fastidious cell lines. It is supplemented with insulin.	5954.00 9023.00 19535.00 49910.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1057H	**McCoy's 5A Medium** w/ L-Glutamine and Sodium bicarbonate Hybridoma Tested	3906.00 2534.00 3843.00 10414.00 25893.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1047H	**Minimum Essential Medium Eagle (MEM)** w/ Earle's salts, NEAA, Sodium bicarbonate and L-Glutamine Hybridoma Tested	2601.00 3942.00 10675.00 26550.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1028B	**RPMI-1640** w/ Sodium bicarbonate w/o L-Glutamine Hybridoma Tested	3407.00 5176.00 13293.00 33003.00	500 ml 2x500 ml 6x500 ml 20x500 ml
	Hybridoma Tested DMSO		
TC1429	**Hybridoma DMSO** Cell Culture Tested hybridoma Tested	13185.00	100 ml
TC1433	**Hybridoma DMSO** Sterile Filtered Cell Culture Tested	16254.00	100 ml
	Freezing Medium for Hybridoma		
TCL1123	**Hybridoma Cell Freezing Medium, DMSO, 1X** w/ FBS and DMSO w/o Antibiotics	16390.00	50 ml

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)
Colcemid ® is a registered trademark of ciba-giegy corp.

Product Code	Product Name	Price	Packing
	Hybridoma Selection Supplements		
TCL1072	***HAT Medium Supplement 50X, Liquid** w/ 680.5 mg/litre Hypoxanthine, 8.8 mg/litre Aminopterin and 193.8 mg/litre Thymidine in Phosphate Buffered Saline 10ml HAT Supplement is Suffcient for 500ml medium	3663.00 5499.00 5013.00	5x10 ml 10x10 ml 100 ml
TCL1073	***HAT Medium Supplement 50X, Liquid** w/ 680.5 mg/litre Hypoxanthine and 193.8 mg/litre Thymidine in Phosphate Buffered Saline 10ml HT Supplement is Suffcient for 500ml medium	3160.00 5292.00 4640.00	5x10 ml 10x10 ml 100 ml

Transfection Platform

Product Code	Product Name	Price	Packing
	Media and Kits		
SFM1015	**Rabsfection Medium, Serum Free, Animal Component Free, Low Protein** w/ Sodium bicarbonate w/o L-Glutamine PartA-Basal Medium *PartB-Low Protein Growth Supplement VERO cells cultured in SFM1O15 and transfectedwith GFP Plasmid (100X)	4645.00	500 ml
RSL1013	**Trabsfection Medium, Reduced Serum** w/ Sodium bicarbonate w/o L-Glutamine Part A-Basal Medium *Part B-Reduced Serum Supplement VERO cells cultured in RSL1O13 and transfected with GFP Plasmid (100X)	4379.00	500 ml
RSL1020	**Trabsfection Medium, Reduced Serum** w/ Sodium bicarbonate w/o Phenol red and L-Glutamine Part A-Basal Medium *Part B-Reduced Serum Supplement VERO cells cultured in RSL1020 and transfected with GFP Plasmid (100X)	4379.00	500 ml
CCK1064	**b-Gal Staining Kit** b-Gal Staining Kirt provides a method for determining the percentage of cells transfected with the plasmid expressing the b-galactosidase gene, LacZ, X-Gal acts as a substrate for b-Galactosidase and is hydrolyzed to form a blue coloured product, staining the transfected cells blue in colour b-Gal Stainning of CHO Cells transfected with LanZ plasmid (10X).	10710.00	Kit for 300 tests in a 35mm dish

Product Code	Product Name	Price	Packing
	Cytogenetics Platform		
	Peripheral Blood Karyotyping Optimized for short-term cultures of peripheral blood lymphocytes for chromosome analysis		
	Media Countaining PHA-M as Mitogen		
AL1165A	**RPMI Medium** w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate	12060.00 3420.00 10962.00	50x10 ml 100 ml 5x100 ml
AL1169A	**Nutrient Mixture F10 Medium** w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate Media countaining PHA-M as mitogen	12060.00 10962.00	50x10 ml 5x100 ml
	Media Countaining PHA-P as Mitogen		
AL1249A	**RPMI Medium** w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate Media without mitogen	12852.00 11633.00	50x10 ml 5x100 ml
	RPMI Media without Mitogen		
AL1173A	**RPMI Medium** w/ L-Glutamine, FBS, Penicillin, Streptomycin and Sodium bicarbonate w/o PHA-M	12060.00 3420.00 10962.00	50x10 ml 100 ml 5x100 ml
AL1185	**ANutrient Mixture F-10** Ham Medium w/ L-Glutamine, FBS, Penicillin, Streptomycin and Sodium bicarbonate w/o PHA-M	3420.00 10962.00	100 ml 5x100 ml
	Mitotic Stimulators		
TCL1061	**PHA-M Solution** w/ 0.1 mg per ml PHA-M in sterile tissue culture grade water	4262.00 13293.00	10 ml 5x10 ml
TCL1071	**PHA-M Solution** w/ 1 mg per ml PHA-M in sterile tissue culture grade water	6840.00 21303.00	10 ml 5x10 ml
	Mitotic Inhibitors		
TCL1062	**Colchicine Solution** w/ 10µg per ml Colchicine in Phosphate Buffered Saline	2210.00	20 ml
TCL1074	**Colchicine Solution** w/ 10µg per ml Colchicine in Hanks Balanced salt solution	2448.00 7893.00	20 ml 100 ml
TCL1133	**Colcemid Solution** w/ 10µg per ml Colchicine in Phosphate Buffered Saline	2943.00 7893.00	20 ml 100 ml
	Related Reagents		
TCL1122	***Trypsin Solution for G-Banding** w/ 0.025% Trypsin in Dulbecco's Phosphate Buffered Saline	3087.00 5094.00	100 ml 5x100 ml
TCL2139	**Gurr Buffer Solution pH 6.8**	1341.00	500 ml

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)
Store kit contents as per storage temperature of individual components

microgen

Viral Transport Systems

Recommended for collection and transport of viruses

Product Code	Product Name	Price	Packing
	Media without Glass beads		
AL1167	**Viral Transport Medium** with 3ml viral transport medium in a self-standing tube	1494.00	50X3 ml
AL1296	**Viral Transport Medium** w/ 1ml viral transport medium in a self-standing tube	POR	50 nos
	Media Glass beads		
AL1270	**Viral Transport Medium** w/ Amphotericin B contains 3ml viral transport medium self-standing tube with 3 glass beads	POR	50x3 ml
AL1297	**Viral Transport Medium** w/ 1ml viral transport medium in a self-standing tube with 3 glass beads	POR	50 nos
	Media without Glass beads		
MS3760	**Viral Transport Kit** w/ 3ml viral transport medium in a self-standing tube and one sterile flocked nylon swab with breakpoint.	POR	50 nos
MS3760A	**Viral Transport Kit (A)** w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab with breakpoint and one sterile viscose swab without breakpoint	POR	50 nos
MS3760B	**Viral Transport Kit (A)** w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab with breakpoint and one sterile swab without breakpoint	POR	50 nos
MS3760D	**Viral Transport Kit (D)** w/ 3ml viral transport medium in a self-standing tube and one sterile sterile viscose swab without breakpoint	POR	50 nos
MS3760E	**Viral Transport Kit (E)** w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab and one sterile polyester swab with breakpoint	POR	50 nos
MS3760F	**Viral Transport Kit (F)** w/ 3ml viral transport medium in a self-standing tube and one sterile polyester swab with breakpoint	POR	50 nos
MS3760G	**Viral Transport Kit (G)** w/ 3ml viral transport medium in a self-standing tube and one sterile foam tipped swab with breakpoint	POR	50 nos
MS3760H	**Viral Transport Kit (H)** w/ 3ml viral transport medium in a self-standing tube and two sterile flocked nylon swabs with breakpoint	POR	50 nos
MS3760R	**Viral Transport Kit (R)** With viral transport medium in self-standing / conical bottom tube, one sterile Nasopharyngeal Nylon flocked swab with breakpoint and One sterile oropharyngeal nylon flocked swab with breakpoint	POR	50 nos
MS3760S	**Viral Transport Kit (S)** With viral transport medium in self-standing / conical bottom tube, one sterile Nasopharyngeal Nylon flocked swab with breakpoint and One sterile oropharyngeal Viscose swab with breakpoint	POR	50 nos

Viral Transport Systems

Viral Transport Medium (VTM) KIT for collection & Transport of clinical specimens containing viruses. Is a specially designed transport system to collect and transport viruses in an active form to the laboratory for isolation. It is designed to maintain the viability and the virulence of the viral sample.

It is prepared by Hanks Balanced Salt Solution and contains a protective protein, antibiotics to control microbial and fungal contamination and buffers to control the pH. Phenol red is used as a pH indicator. The medium also contains a cryoprotectant which helps in preserving the viruses if specimens are frozen for prolonged storage.

ICMR APPROVED

CELL CULTURE TESTED CHEMICALS

ANIMAL CELL CULTURE PRODUCTS

CDH supplies a comprehensive range of chemicals and speciality chemicals that are tested for cell culture applications. Our product portfolio also includes chemicals meeting United States Pharmacopeia (USP), European Pharmacopoeia, Brithish Pharmacopoeia (EP) and Japanese Pharmacopoeia testing specifications.

Product	Prefix	Page
Amino Acids	TC	415-416
FMOC Amino Acids	TC	417-418
Antibiotics		
Contamination Control Antibiotics	TC	418-420
Gene Selection Antibiotics	TC	420
Anticancer Antibiotics	TC	420-421
Cytotoxic Anticancer Antibiotics	TC	421
Attachement Factors	TC	421
Biological Buffers	TC	421-423
Biochemicals and Components	TC	423-427
Carbohydrates	TC	427-428
Carrier Proteins	TC	428
Cell Dissociation Products	TC	428-429
Cell Proliferation & Cytotoxicity Indicators	TC	429
Cryoprotectants	TC	429-430
Cyclodextrins	TC	430
Detergents	TC	430
Differentiation Reagents	TC	430
Enzymes	TC	431-432
Fatty Acids	TC	432
Hormones and Hormone Alternatives	TC	432-433
Lipids	TC	433
Nucleotides and Nucleosides	TC	433-434
Chemicals Meeting Pharmacopeial Testing Specifications	TC	434-439
Vaccine stabilizers and adjuants	TC	439-440
Vitamins	TC	440-441

CELL CULTURE TESTED CHEMICALS

CDH is one ot the leading supplier of comprehensive range of chemicals and specialty chemicals including amino acids, antibiotics, growth factors, biochemicals, cell dissociation and cryopreservation reagents used in cell culture. These chemicals apart from the analytical testing indergo cell culture test to verify their suitability in cell culture application.

In view of the challenges that some companies face in responding to an increasingly complex regulatory compliance, we provide quality grade chemicals meeting United States Pharmacopoeia (USP), European Pharmacopoeia, British Pharmacopoeia (EP) and Japanese Pharmacopoeia testing specifications. Every lot released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specifiations.

Multicompendial Biopharmaceutical Grade Chemicals are

- USP, EP, JP & BP Compliant
- Reduce regulatory hassles
- Complete documentation available
- Guaranteed quality and consistency

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com

AMINO ACIDS

Product Code	Product Name	Price	Packing
TC1054	**N-Acetyl-L-Cysteine**	1450.00	5 gm
	(From non-animal source)	3591.00	25 gm
	Cell Culture Tested	13010.00	100 gm
$C_5H_9NO_3S$	MW : 163.19		
(616-91-1)	Assay : ≥98%		
	Store at 2 - 8°C		
TC1055	**N-Acetyl-L-Tyrosine**	5590.00	5 gm
	(From non-animal source)	19620.00	25 gm
	Cell Culture Tested	61489.00	100 gm
$C_{11}H_{13}NO_4$	MW : 223.23		
(537-55-3)	Assay : ≥98%		
	Store at 2 - 8°C		
TC1056	**L-Alanine**	1360.00	25 gm
	(From non-animal source)	3033.00	100 gm
	Cell Culture Tested	12110.00	500 gm
$C_3H_7NO_2$	MW : 89.09	21870.00	1 kg
(56-41-7)	Assay : ≥99%		
	Store below 30°C		
TC1089	**L-Alanyl-L-Glutamine**	1773.00	5 gm
	(Glutamine-s)	7110.00	25 gm
	Cell Culture Tested	21375.00	100 gm
$C_8H_{15}N_3O_4$	MW : 217.22		
(39537-23-0)	Assay : ≥98%		
	Store below 30°C		
TC1052	**L-Arginine**	1450.00	25 gm
	(From non-animal source)	4383.00	100 gm
	Cell Culture Tested	12033.00	500 gm
$C_6H_{14}N_4O_2$	MW : 174.2	18054.00	1 kg
(74-79-3)	Assay : ≥98%		
	Store below 30°C		
TC1053	**L-Arginine Monohydrochloride**	1260.00	25 gm
	(From non-animal source)	3160.00	100 gm
	Cell Culture Tested	9500.00	500 gm
$C_6H_{14}N_4O_2HCl$	MW : 210.66	14310.00	1 kg
(1119-34-2)	Assay : ≥98.5%		
	Store below 30°C		
TC1057	**L-Asparagine** Monohydrate	1332.00	25 gm
	(From non-animal source)	4014.00	100 gm
	Cell Culture Tested	15561.00	500 gm
$C_4H_8N_2O_3.H_2O$	MW : 150.13	28170.00	1 kg
(5794-13-8)	Assay : ≥99%		
	Store below 30°C		
TC1059	**L-Aspartic Acid**	482.00	25 gm
	(From non-animal source)	1459.00	100 gm
	Cell Culture Tested	4383.00	500 gm
$C_4H_7NO_4$	MW : 133.1		
(56-84-8)	Assay : ≥99%		
	Store below 30°C		
TC1058	**L-Cysteine Hyrochloride** Monohyhdrate	1459.00	25 gm
	(From non-animal source)	4401.00	100 gm
	Cell Culture Tested	18441.00	500 gm
$C_3H_7NO_2S.HCl.H_2O$	MW : 175.63	27450.00	1 kg
(7048-04-6)	Assay : ≥98.5%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1060	**L-Cysteine**	2800.00	25 gm
	(From non-animal source)	8389.00	100 gm
	Cell Culture Tested	25200.00	500 gm
$C_3H_7NO_2S$	MW : 121.16	38052.00	1 kg
(52-90-4)	Assay : ≥98%		
	Store below 30°C		
TC1070	**L-Cystine**	1575.00	25 gm
	(From non-animal source)	4707.00	100 gm
	Cell Culture Tested	17496.00	500 gm
$C_6H_{12}N_2O_4S_2$	MW : 240.3	25070.00	1 kg
(56-89-3)	Assay : ≥98.5%		
	Store below 30°C		
TC1062	**L-Cysteine** Dihydrochloride	8397.00	25 gm
	(From non-animal source)	31950.00	100 gm
	Cell Culture Tested	101610.00	500 gm
$C_6H_{12}N_2O_4S_2.2HCl$	MW : 313.22	180189.00	1 kg
(30925-07-6)	Assay : ≥98.5%		
	Store below 30°C		
TC1074	**L-Glutamic Acid**	910.00	25 gm
	(From non-animal source)	1845.00	100 gm
	Cell Culture Tested	6440.00	500 gm
$C_5H_9NO_4$	MW : 147.13	9576.00	1 kg
(56-86-0)	Assay : ≥98.5%		
	Store below 30°C		
TC1064	**L-Glutamic Acid Monosodium**	1260.00	100 gm
	Monohydrate	3780.00	500 gm
	(From non-animal source)	5670.00	1 kg
	Cell Culture Tested		
$C_5H_8NNaO_4H_2O$	MW : 187.13		
(6106-04-3)	Assay : ≥99%		
	Store below 30°C		
TC1243	**L-Glutamine**	1161.00	10 gm
	(From non-animal source)	2331.00	25 gm
	Cell Culture Tested	7002.00	100 gm
$C_5H_{10}N_2O_3$	MW : 146.14	39006.00	1 kg
(56-85-9)	Assay : ≥99%		
	Store below 30°C		
TC1075	**Glycine**	2142.00	100 gm
	(From non-animal source)	14301.00	1 kg
	Cell Culture Tested		
$C_2H_5NO_2$	MW : 75.07		
(56-40-6)	Assay : ≥98%		
	Store below 30°C		
TC1076	**L-Histidine**	4410.00	100 gm
	(From non-animal source)	15850.00	500 gm
	Cell Culture Tested	27360.00	1 kg
$C_6H_9N_3O_2$	MW : 155.15		
(71-00-1)	Assay : ≥98.5%		
	Store below 30°C		
TC1077	**L-Histidine Monohydrochloride**	1571.00	25 gm
	Monohydrate	4716.00	100 gm
	(From non-animal source)	35411.00	1 kg
	Cell Culture Tested		
$C_6H_9N_3O_2.HClH_2O$	MW : 209.63		
(5934-29-2)	Assay : ≥99%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1049	**L-Isoleucine**	1602.00	10 gm
	(From non-animal source)	1917.00	25 gm
	Cell Culture Tested	5742.00	100 gm
$C_6H_{13}NO_2$	MW : 131.17	43070.00	1 kg
(73-32-5)	Assay : ≥99%		
	Store below 30°C		
TC1078	**L-Leucine**	1287.00	10 gm
	(From non-animal source)	2030.00	25 gm
	Cell Culture Tested	6102.00	100 gm
$C_6H_{13}NO_2$	MW : 131.17	42760.00	1 kg
(61-90-5)	Assay : ≥99%		
	Store below 30°C		
TC1207	**L-Lysine**	5590.00	25 gm
	(From non-animal source)	16110.00	100 gm
	Cell Culture Tested	48600.00	500 gm
$C_6H_{14}N_2O_2$	MW : 146.19	72810.00	1 kg
(56-87-1)	Assay : ≥98.5%		
	Store below 30°C		
TC1079	**L-Lysine Monohydrochloride**	1233.00	25 gm
	(From non-animal source)	3722.00	100 gm
	Cell Culture Tested	15840.00	1 kg
$C_6H_{14}N_2O_2HCl$	MW : 182.65		
(657-27-2)	Assay : ≥98.5%		
	Store below 30°C		
TC1080	**L-Methionine**	1827.00	25 gm
	(From non-animal source)	5504.00	100 gm
	Cell Culture Tested	38493.00	1 kg
$C_5H_{11}NO_2S$	MW : 149.21		
(63-68-3)	Assay : ≥99%		
	Store below 30°C		
TC1093	**L-Ornithine Monohydrochloride**	2745.00	25 gm
	(From non-animal source)	6390.00	100 gm
	Cell Culture Tested	20016.00	500 gm
$C_5H_{12}N_2O_2.HCl$	MW : 168.62	30015.00	1 kg
(3184-13-2)	Assay : ≥99%		
	Store below 30°C		
TC1098	**L-Phenylalanine**	1143.00	10 gm
	(From non-animal source)	2034.00	25 gm
	Cell Culture Tested	6102.00	100 gm
$C_9H_{11}NO_2$	MW : 165.19	42750.00	1 kg
(63-91-2)	Assay : ≥98.5%		
	Store below 30°C		
TC1109	**L-Proline**	1431.00	25 gm
	(From non-animal source)	4293.00	100 gm
	Cell Culture Tested	17110.00	500 gm
$C_5H_9NO_2$	MW : 115.13	25776.00	1 kg
(147-85-3)	Assay : ≥99%		
	Store below 30°C		
TC1377	**DL-Serine**	2412.00	25 gm
	(±) 2-Amino-3-hydroxypropionic acid	5590.00	100 gm
	Cell Culture Tested		
$C_3H_7NO_3$	MW : 105.09		
(302-84-1)	Assay : ≥98%		
	Store below 30°C		
TC1113	**L-Serine**	3353.00	25 gm
	(From non-animal source)	7110.00	100 gm
	Cell Culture Tested	23031.00	500 gm
$C_3H_7NO_3$	MW : 105.09	43956.00	1 kg
(56-45-1)	Assay : ≥98.5%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1028	**Taurine**	1170.00	25 gm
	(From non-animal source)	3510.00	100 gm
	Cell Culture Tested	14067.00	500 gm
$C_2H_7NO_3S$	MW : 125.15	24620.00	1 kg
(107-35-7)	Assay : ≥99%		
	Store below 30°C		
TC1378	**DL-Threonine**	3960.00	25 gm
	(±)-2-Amino-3-hydroxybutyric acid	14940.00	100 gm
	Cell Culture Tested		
$C_4H_9NO_3$	MW : 119.12		
(80-68-2)	Assay : ≥99%		
	Store below 30°C		
TC1120	**L-Threonine**	3182.00	25 gm
	(From non-animal source)	9550.00	100 gm
	Cell Culture Tested	28620.00	500 gm
$C_4H_9NO_3$	MW : 119.12	42980.00	1 kg
(72-19-5)	Assay : ≥99%		
	Store below 30°C		
TC1121	**L-Tryptophan**	3182.00	25 gm
	(From non-animal source)	9554.00	100 gm
	Cell Culture Tested	28620.00	500 gm
$C_{11}H_{12}N_2O_2$	MW : 204.23	42980.00	1 kg
(73-22-3)	Assay : ≥99%		
	Store below 30°C		
TC1122	**L-Tyrosine**	1737.00	25 gm
	(From non-animal source)	6066.00	100 gm
	Cell Culture Tested	24354.00	500 gm
$C_9H_{11}NO_3$	MW : 181.19	36522.00	1 kg
(60-18-4)	Assay : ≥95%		
	Store below 30°C		
TC1461	**L-Tyrosine Disodium Salt** Hydrate	4113.00	25 gm
	L-3-(4-Hydroxyphenyl) alanine	13176.00	100 gm
	disodium salt	50067.00	500 gm
	(From non-animal source)		
	Cell Culture Tested		
$C_9H_9NO_3$•2Na•XH_2O	MW : 225.15		
(69847-45-6)	Assay : ≥98%		
	Store below 30°C		
TC1477	**L-Tyrosine Disodium Salt** Dihydrate	POR	25 gm
	L-3-(4-Hydroxyphenyl)	POR	100 gm
	alanine disodium salt	POR	500 gm
	(From non-animal source)		
	Cell Culture Tested		
$C_9H_9NO_3$•2Na•$2H_2O$	MW : 261.19		
(122666-87-9)	Assay : ≥95%		
	Store below 30°C		
TC1132	**L-Valine**	1287.00	25 gm
	(From non-animal source)	3870.00	100 gm
	L-2-Amino-3-methylbutanoic acid	11655.00	500 gm
	Cell Culture Tested	17492.00	1 kg
$C_5H_{11}NO_2$	MW : 117.15		
(72-18-4)	Assay : ≥99%		
	Store below 30°C		

FMOC AMINO ACIDS

Product Code	Product Name	Price	Packing
TC1653	**FMOC-Aib-OH** N-♋-Fmoc-♋-aminoisobutyric acid MW : 325.36 Store below 30°C	POR POR	1 gm 5 gm
$C_{19}H_{19}NO_4$ (94744-50-0)			
TC1654	**FMOC-Ala-OH** Fmoc-L-alanine; N-(9-Fluorenylmethoxycarbonyl)-L-alanine MW : 311.33 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{18}H_{17}NO_4$ (35661-39-3)			
TC1655	**FMOC-L-Arg(Pbf)-OH** N♋-Fmoc-N◆-Pbf-L-arginine MW : 648.77 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{34}H_{40}N_4O_7S$ (154445-77-9)			
TC1656	**Fmoc-Asn(trt)-OH** N♋-Fmoc-N♑-trityl-L-asparagine MW : 596.67 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{38}H_{32}N_2O_5$ (132388-59-1)			
TC1657	**FMOC-L-Asp(OtBu)-OH** Fmoc-L-aspartic acid 4-tert-butyl ester MW : 411.45 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{23}H_{25}NO_6$ (71989-14-5)			
TC1658	**FMOC-Cys(Acm)-OH** N♋-Fmoc-S-acetaminomethyl-L-cysteine MW : 414.47 Store below 30°C	POR POR	5 gm 25 gm
$C_{21}H_{22}N_2O_5S$ (86060-81-3)			
TC1659	**FMOC-L-Cys(StBu)-OH** N♋-Fmoc-S-tert-butylthio-L-cysteine MW : 431.57 Store below 30°C	POR	1 gm
$C_{22}H_{25}NO_4S_2$ (73724-43-3)			
TC1660	**FMOC-Cys(Trt)-OH** N♋-Fmoc-S-trityl-L-cysteine MW : 585.71 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{37}H_{31}NO_4S$ (103213-32-7)			
TC1661	**FMOC-L-Gln(Trt)-OH** N♋-Fmoc-N-trityl-L-glutamine MW : 610.7 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{39}H_{34}N_2O_5$ (132327-80-1)			
TC1662	**FMOC-L-Glu(otBu)-OH** Fmoc-L-glutamic acid 5-tert-butyl ester MW : 425.47 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{24}H_{27}NO_6$ (71989-18-9)			
TC1663	**FMOC-Gly-OH** Fmoc-glycine MW : 297.31 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 500 gm
$C_{17}H_{15}NO_4$ (29022-11-5)			
TC1664	**FMOC-L-His(trt)-OH** N♋-Fmoc-N(im)-trityl-L-histidine MW : 619.71 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{40}H_{33}N_3O_4$ (109425-51-6)			
TC1665	**FMOC-Ile-OH** Fmoc-L-isoleucine MW : 353.41 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{21}H_{23}NO_4$ (71989-23-6)			
TC1666	**FMOC-L-Leu-OH** Fmoc-L-leucine MW : 353.41 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{21}H_{23}NO_4$ (35661-60-0)			
TC1667	**FMOC-L-Lys(Boc)-OH** N♋-Fmoc-N♏(Boc)-L-lysine MW : 468.54 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{26}H_{32}N_2O_6$ (71989-26-9)			
TC1668	**FMOC-Lys(Dde)-OH** N♋-Fmoc-N♏-1-(4,4-dimethyl-2,6-dioxycyclohex-1-ylidene) ethyl-L-lysine MW : 532.63 Store below 30°C	POR	1 gm
$C_{31}H_{36}N_2O_6$ (150629-67-7)			
TC1669	**FMOC-L-Met-OH** Fmoc-L-methionine MW : 371.45 Store below 30°C	POR POR POR	5 gm 25 gm 100 gm
$C_{20}H_{21}NO_4S$ (71989-28-1)			
TC1670	**FMOC-Orn(Boc)-OH** N♋-Fmoc-N♎-Boc-L-Ornithin MW : 454.52 Store below 30°C	POR POR	5 gm 25 gm
$C_{25}H_{30}N_2O_6$ (109425-55-0)			
TC1671	**FMOC-L-Phe-OH** Fmoc-L-phenylalanine MW : 387.43 Store below 30°C	POR POR POR	5 gm 25 gm 100 gm
$C_{24}H_{21}NO_4$ (35661-40-6)			
TC1672	**FMOC-Pro-OH** Fmoc-L-proline MW : 337.37 Store below 30°C	POR POR	25 gm 100 gm
$C_{20}H_{19}NO_4$ (71989-31-6)			
TC1673	**FMOC-L-Ser(tBu)-OH** Fmoc-O-tert-Butyl-L-serine MW : 383.44 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
$C_{22}H_{25}NO_5$ (71989-33-8)			

Product Code	Product Name	Price	Packing
TC1674	**FMOC-Thr(tBu)-OH**	POR	5 gm
	Fmoc-O-tert-Butyl-L-threonine	POR	25 gm
$C_{23}H_{27}NO_5$	MW : 397.46	POR	100 gm
(71989-35-0)		POR	1 kg
	Store below 30°C		
TC1675	**FMOC-L-Trp(Boc)-OH**	POR	5 gm
	N_{ε}-Fmoc-N(in)-Boc-L-tryptophan	POR	25 gm
$C_{31}H_{30}N_2O_6$	MW : 526.58	POR	100 gm
(143824-78-6)		POR	1 kg
	Store below 30°C		
TC1676	**FMOC-L-Tyr(tBu)-OH**	POR	5 gm
	Fmoc-O-tert-Butyl-L-tyrosine	POR	25 gm
$C_{28}H_{29}NO_5$	MW : 459.53	POR	100 gm
(71989-38-3)		POR	1 kg
	Store below 30°C		
TC1677	**FMOC-L-Val-OH**	POR	25 gm
	Fmoc-L-valine	POR	100 gm
$C_{20}H_{21}NO_4$	MW : 339.39		
(68858-20-8)			
	Store below 30°C		

ANTIBIOTICS
CONTAMINATION CONTROL ANTIBIOTICS

Product Code	Product Name	Price	Packing
TC1018	**Actinomycin D**	12420.00	5 mg
	Cell Culture Tested	20170.00	2x5 mg
	Recommended for use in	40275.00	5x5 mg
	cell culture applications at 1 mg/L		
$C_{62}H_{86}N_{12}O_{16}$	MW : 1255.42		
(50-76-0)	Assay : ≥97.5%		
	Store at 2 - 8°C		
TC1019	**Amphotericin B**	6210.00	1 gm
	Cell Culture Tested	24170.00	5 gm
	Recommended for use in		
	cell culture applications at 2.5 mg/L		
$C_{47}H_{73}NO_{17}$	MW : 924.08		
(1397-89-3)	Assay : ≥90%		
	Potency : ≥750 µg/mg		
	Store at 2 - 8°C		
TC1021	**Ampicillin Sodium Salt**	743.00	1 gm
	Cell Culture Tested	2952.00	5 gm
	Recommended for use in	11520.00	25 gm
	cell culture applications at 100 mg/L		
$C_{16}H_{18}N_3NaO_4S$	MW : 371.39		
(69-52-3)	Assay : ≥91%		
	Potency : ≥845 µg/mg		
	Store at 2 - 8°C		
TC1201	**Bacitracin**	1692.00	1 vl
	50,000 units per vial	6120.00	5 vl
	Cell Culture Tested		
$C_{66}H_{103}N_{17}O_{16}S$	MW : 1422.69		
(1405-87-4)			
	Potency : ≥60 units/mg		
	Store at 2 - 8°C		
TC1421	**Blasticidin S Hydrochloride**	15003.00	25 mg
$C_{17}H_{26}N_8O_5.HCl$	Blasticidin S	52443.00	100 mg
(3513-03-9)	Cell Culture Tested	POR	1 gm
	MW : 458.9		
	Assay : ≥99.5		
	Store at 2 - 8°C		

Product Code	Product Name	Price	Packing
TC1199	**Carbenicillin Disodium Salt**	1422.00	250 mg
	Cell Culture Tested	3114.00	1 gm
$C_{17}H_{16}N_2O_6SNa_2$	MW : 422.36	9342.00	5 gm
(4800-94-6)		14022.00	10 gm
	Potency : ≥770 µg/mg		
	Store at 2 - 8°C		
TC1022	**Cephalothin Sodium Salt**	3520.00	250 mg
	Cell Culture Tested	10630.00	1 gm
	Recommended for use in cell culture	34034.00	5 gm
	Applications at 100 mg/L		
$C_{16}H_{15}N_2NaO_6S_2$	MW : 418.42		
(58-71-9)	Assay : ≥95%		
	Store at 2 - 8°C		
TC1352	✱**Cefotaxime Sodium Salt**	16830.00	1 gm
	Cell Culture Tested	34700.00	5 gm
$C_{16}H_{16}N_5O_7S_2Na$	MW : 477.45	100630.00	25 gm
(64485-93-4)	Assay : ≥98%		
	Potency : 916-964		
	µg/mg		
	Store below 2 - 8°C		
TC1204	**Chloramphenicol**	1953.00	5 gm
	Cell Culture Tested	5364.00	25 gm
$C_{11}H_{12}Cl_2N_2O_5$	MW : 323.13		
(56-75-7)	Assay : ≥98%		
	Store below 30°C		
TC1447	**Ciprofloxacin Hydrochloride**	900.00	1 gm
	Monoydrate	3627.00	5 gm
	Cell Culture Tested	14500.00	25 gm
$C_{17}H_{18}FN_3O_3HCl.H_2O$	MW : 385.82		
(86393-32-0)	Assay : ≥98%		
	Store below 30°C		
TC1196	**Cycloheximide**	3033.00	1 gm
	Cell Culture Tested	11260.00	5 gm
$C_{15}H_{23}NO_4$	MW : 281.35		
(66-81-9)	Assay : ≥96%		
	Store below 2 - 8°C		
TC1024	**Erythromycin**	1476.00	1gm
	Cell Culture Tested	5616.00	5 gm
	Recommended for use in Cell		
	culture applications at 100 mg/L		
$C_{37}H_{67}NO_{13}$	MW : 733.93		
(114-07-8)	Assay : ≥98%		
	Potency : ≥920 µg/mg		
	Store below 30°C		
TC1026	**Gentamicin Sulphate**	2070.00	1 gm
	Cell Culture Tested	6237.00	5 gm
	Recommended for use in Cell	24966.00	25 gm
	Culture application 50 mg/L		
(1405-41-0)			
	Potency : ≥590 IU/mg		
	Store below 2 - 8°C		
TC1136	**Kanamycin Sulphate**	1377.00	1 gm
	Cell Culture Tested	4510.00	5 gm
	Recommended for use in Cell	15111.00	25 gm
	Culture application 100 mg/L		
$C_{18}H_{36}N_4O_{11}.H_2SO_4$	MW : 582.58		
(25389-94-0)			
	Potency : ≥750 µg/mg		
	Store below 2 - 8°C		

Product Code	Product Name	Price	Packing
TC1636	**Kanamycin Acid Sulphate** Meets IP and BP testing specifications $C_{18}H_{40}N_4O_{19}.S_2$ MW : 680.64 (64013-70-3) Potency : ≥750 µg/mg Store below 2 - 8°C	POR POR	5 gm 25 gm
TC1136G	**Kanamycin sulphate** Gamma irradiated Cell Culture Tested Recommended for use in cell culture applications at 100 mg/L $C_{18}H_{36}N_4O_{11}.H_2SO_4$ MW : 582.58 (25389-94-0) Potency : ≥750 µg/mg Store below 2 - 8°C	1485.00 4842.00 16245.00	1 gm 5 gm 25 gm
TC1203	**Lincomycin Hydrochloride** (Lincocin hydrochloride) Cell Culture Tested $C_{18}H_{34}N_2O_6S.HCl$ MW : 443.0 (859-18-7) Assay : ≥95% Store below 2 - 8°C	2952.00 10026.00	1x1mu 5x1mu
TC1274	**Minocycline Hydrochloride** Cell Culture Tested $C_{23}H_{27}N_3O_7.HCl$ MW : 493.94 (13614-98-7) Assay : ≥98% Store below 2 - 8°C	2394.00 6921.00 14320.00 37827.00	25 mg 100 mg 250 mg 1 gm
TC1406	**Mitomycin C** Cell Culture Tested $C_{15}H_{18}N_4O_5$ MW : 334.33 (50-07-7) Store below 2 - 8°C	22721.00	10 mg
TC1032	**Mycostatin** (Nystatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 m/L (1400-61-9) Potency : ≥4400 USP units/mg Store below 2 - 8°C	900.00 3690.00 11952.00	1x1 mu 5x1 mu 25x1 mu
TC1032G	**Mycostatin Gamma Irradiated** (Nystatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 m/L $C_{47}H_{75}NO_{17}$ MW : 926.09 (1400-61-9) Potency : ≥4400 USP units/mg Store below 2 - 8°C	1125.00 4600.00 14940.00	1x1 mu 5x1 mu 25x1 mu
TC1407	**Natamycin** Cell Culture Tested $C_{33}H_{47}NO_{13}$ MW : 665.73 (7681-93-8) Assay : ≥900 µg/mg Store below 2 - 8°C	12150.00 27810.00	100 mg 1 gm

Product Code	Product Name	Price	Packing
TC1032	**Nystatin** (Mycostatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 m/L (1400-61-9) Potency : ≥4400 USP units/mg Store below 2 - 8°C	900.00 3690.00 11952.00	1x1 mu 5x1 mu 25x1 mu
TC1032G	**Nystatin Gamma Irradiated** (Mycostatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mg/L $C_{47}H_{75}NO_{17}$ MW : 926.09 (1400-61-9) Potency : ≥4400 USP units/mg Store at 2 - 8°C	1125.00 4600.00 14940.00	1x1 mu 5x1 mu 25x1 mu
TC1200	**Oxytetracycline Dihydrate** Cell Culture Tested $C_{22}H_{24}N_2O_9.2H_2O$ MW : 496.46 (6153-64-6) Potency : ≥832 µg/mg Store below 30°C	1112.00 7520.00	1 gm 10 gm
TC1353	**Paromomycin Sulphate** Cell Culture Tested $C_{23}H_{45}N_2O_{14}.H_2SO_4$ MW : 713.71 (1263-89-4) Assay : ≥98% Store at 30°C	3276.00 15210.00	1 gm 5 gm
TC1187	**Penicillin G Potassium Salt** Cell Culture Tested 1 million units per vial $C_{16}H_{17}KN_2O_4S$ MW : 372.48 (113-98-4) Assay : ≥99% Potency : 1400-1680 U/mg Store at 2 - 8°C	1530.00 3402.00 23760.00	1 mu 10 mu 100 mu
TC1020	**Penicillin G sodium Salt** Cell Culture Tested 1 million units/vl Recommended for use in cell culture applications at 100000 U/L $C_{16}H_{17}N_2NaO_4S$ MW : 356.37 (69-57-8) Potency : 1500-1750 IU/mg Store at 2 - 8°C	1125.00 1737.00 2809.00 9550.00	1x1 mu 10x1 mu 25x1 mu 100x1 mu
TC1033	**Polymyxin B Sulphate** Cell Culture Tested (1 million units/vl) Recommended for use in cell culture applications at 50mg/L $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ MW : 1385.61 (1405-20-5) Potency : ≥6500 IU/mg Store at 2 - 8°C	2673.00 5913.00 17055.00	1x1 mu 5x1 mu 25x1 mu
TC1354	**Rifampicin (Rifampin)** Cell Culture Tested $C_{43}H_{58}N_4O_{12}$ MW : 822.94 (13292-46-1) Potency : ≥97% Store at 2 - 8°C	11070.00 22140.00	1 gm 5 gm

Product Code	Product Name	Price	Packing
TC1408	**Sparfloxacin** 5-Amino-1-cyclohexyl-7-(cis-3,5-dimethylpiperazino-6,8-difluoro-1, 4-dihydro-4-oxo-3-quinolinecaroxylic acid Cell Culture Tested $C_{19}H_{22}F_2N_4O_3$ MW : 392.4 (110871-86-8) Assay : ≥98.5% Store at 2 - 8°C	3380.00 27100.00	1 gm 10 gm
TC1034	**Spectinomycin Dihydrochloride Pentahydrate** Cell Culture Tested Recommended for use in cell culture application at 7.5-20 mg/L $C_{14}H_{24}N_2O_7.2HCl.5H_2O$ MW : 495.35 (22189-32-8) Potency : ≥603 µg/mg Store at 2 - 8°C	2052.00 6710.00 29430.00	1 gm 5 gm 25 gm
TC1035	**Streptomycin Sulphate** Cell Culture Tested Recommended for use in cell culture application at 100 mg/L $C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$ MW : 728.69 (3810-74-0) Potency : ≥730 Units/mg Store at 2 - 8°C	1112.00 2772.00	5 gm 25 gm
TC1036	**Tetracycline Hydrochloride** Cell Culture Tested Recommended for use in cell culture $C_{22}H_{24}N_2O_8.HCl$ MW : 480.9 (64-75-5) Potency : ≥720 IU/mg Store at 2 - 8°C	1656.00 6300.00	5 gm 25 gm
TC1470	**Thimerosal** Cell Culture Tested Thiomersal; Thiomersalate; Mercurothiolate; Sodium ethylmercrithiosalicylate $C_9H_9HgNaO_2S$ MW : 404.81 (54-64-8) Potency : ≥97% Store below 30°C	10270.00 21132.00 67631.00 227120.00	10 gm 25 gm 100 gm 500 gm
TC1205	**Tylosin Tartrate** Cell Culture Tested Potency : ≥900 U/mg Store at 2 -8°C	3213.00 12843.00 20520.00	1 gm 5 gm 10 gm
TC1202	**Vancomycin Hydrochloride** Cell Culture Tested $C_{66}H_{75}Cl_2N_9O_{24}.HCl$ MW : 1485.71 (1404-93-9) Assay : ≥80% Potency : ≥900 µg/mg Store at 2 - 8°C	5310.00 9774.00 36720.00	500 mg 1 gm 5 gm

GENE SELECTION ANTIBIOTICS

Product Code	Product Name	Price	Packing
TC1025	**Geneticin Disulphate** G418 Disulfate salt Cell Culture Tested Recommended for use in cell culture applications at 100-800 mg/L $C_{20}H_{40}N_4O_{10}.2H_2SO_4$ MW : 692.71 (108321-42-2) Potency : ≥650 µg/mg Store at 2 - 8°C	12051.00 42120.00	1 gm 5 gm
TC1027	**Hygromycin-B** Cell Culture Tested Recommended for use in cell culture applications at 200-400 mg/L $C_{20}H_{37}N_3O_{13}$ MW : 527.52 (31282-04-9) Assay : ≥80% Potency : ≥1170 µg/mg Store at 2 - 8°C	2790.00 4824.00 9756.00 28220.00	50 mg 100 mg 250 mg 1 gm
TC1404	**Methotrexate Disodium Salt** Cell Culture Tested $C_{20}H_{20}N_8Na_2O_5$ MW : 498.4 (7413-34-5) Assay : ≥98.5% Store at 2 - 8°C	41004.00	250 mg
TC1405	**Mycophenolic Acid** Cell Culture Tested $C_{20}H_{20}N_8Na_2O_5$ MW : 320.34 (24280-93-1) Assay : ≥99% Store at 2 - 8°C	2736.00 5603.00 42442.00	25 mg 50 mg 250 mg
Tc1031	**Neomycin Sulphate Salt** Cell Culture Tested Recommended for use in cell culture application at 50 mg/L $C_{23}H_{46}N_6O_{13}.3H_2SO_4$ MW : 908.88 (1405-10-3) Assay : ≥600 IU/mg Store below 30°C	1017.00 2421.00	5 gm 25 gm
TC1198	**Puromycin Dihydrochloride** Cell Culture Tested $C_{22}H_{29}N_7O_5.2HCl$ MW : 544.43 (58-58-2) Assay : ≥98% Store below 2 - 8°C	4320.00 9081.00	10 mg 25 mg

ANTICANCER ANTIBIOTICS

Product Code	Product Name	Price	Packing
TC1409	**17-AAG** 17-(Allylamino)-17-demethoxygeldanamycin Cell Culture Tested $C_{31}H_{43}N_3O_8$ MW : 585.69 (75747-14-7) Assay : ≥99% Store at 2 - 8°C	32760.00 77813.00	1 mg 5 mg
TC1410	**Avermectin B1a,EvoPure®** 5-O-Demethylavermectin A1a Cell Culture Tested $C_{48}H_{72}O_{14}$ MW : 873.1 (65195-55-3) Assay : ≥99% Store at - 20°C	185130.00	5 mg
TC1411	**Conglobatin** (3Z,5R,7S,8S,11Z,13R,15S,16S)-3,5,7,11,13,15- hexamethyl-8, 16-bis (1, 3-oxazol-5-ylmethyl)-1,9-dioxacyclohexadeca-3,11-diene-2,10-dione Cell Culture Tested $C_{28}H_{38}N_2O_6$ MW : 498.61 (72263-05-9) Assay : ≥95% Store at - 20°C	29340.00	1 mg
TC1412	**Erlotinib Hydrochloride** Cell Culture Tested $C_{22}H_{23}N_3O_4$ MW : 492.9 (183321-74-6) Assay : ≥98% Store at 2 - 8°C	29196.00 121221.00	1 gm 5 gm

Unless indicated all the above products to be stored below 30°C
Avermectin B1a, EvoPure® is a registered trademark of Toku - E Company

Product Code	Product Name	Price	Packing
TC1414	**Gefitinib** Cell Culture Tested $C_{22}H_{24}ClFN_4O_3$ (184475-35-2)	26640.00 87300.00	1 gm 5 gm
	MW : 446.9 Assay : ≥98% Store at 2 - 8°C		
TC1415	**Geldanamycin** 2-azabicyclo[16.3.1]docasa-4,6,10, 18,21-pentaene-3, 20, 22-trione, 9, 13-dihydroxy-8, 14,19-trimethoxy-4, 10,12,16-tetramethyl-9-carbamate Cell Culture Tested $C_{29}H_{40}N_2O_9$ (30562-34-6)	43560.00 58203.00 73530.00	25 mg 50 mg 100 mg
	MW : 560.64 Assay : ≥99% Store at 2 - 8°C		
TC1413	**Paclitaxel** Taxol Cell Culture Tested $C_{47}H_{51}NO_{14}$ (33069-62-4)	7650.00	10 mg
	MW : 853.9 Assay : ≥95% Store at 2 - 8°C		
TC1416	**Rapamycin** 23,27-Epoxy-3H-pyrido[2,1-c][1,4] oxaazacyclohentriacontine, AY 22989, Sirolimus Cell Culture Tested $C_{51}H_{79}NO_{13}$ (53123-88-9)	33850.00 90936.00	10 mg 50 mg
	MW : 914.17 Assay : ≥90% Store at 2 - 8°C		
TC1418	**Streptozotocin** N-(methyl nitroso carbamoyl)-α-D-glucosamine Cell Culture Tested $C_8H_{15}N_3O_7$ (18883-66-4)	4690.00 26073.00	100 mg 1 gm
	MW : 265.22 Assay: ≥98% Store at -20°C		
	CYTOTOXIC ANTICANCER ANTIBIOTICS		
TC1419	**Aclarubicin Hydrochloride** Cell Culture Tested $C_{42}H_{53}NO_{15}.HCl$ (75443-99-1)	35433.00	5 mg
	MW : 848.33 Assay : ≥90% Store at 2 - 8°C		
TC1417	**Daunorubicin Hydrochloride** Cell Culture Tested $C_{27}H_{29}NO_{10}.HCl$ (23541-50-6)	7551.00 28310.00	5 mg 25 mg
	MW : 563.98 Assay : ≥90% Store at 2 - 8°C		
TC1420	**Doxorubicin Hydrochloride** DOX, Hydroxydaunorubicin hydrochloride $C_{27}H_{29}NO_{11}.HCl$ (25316-40-9)	25785.00	10 mg
	MW : 579.98 Assay : ≥98% Store at 2 - 8°C		
	ATTACHMENT FACTORS		
TC1242	**Chitosan** Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥75% (9012-76-4)	3627.00 6040.00 18756.00	50 gm 100 gm 500 gm
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1633	**Chitosan** Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥90% (9012-76-4)	4473.00 6714.00 20170.00	50 gm 100 gm 500 gm
	Store below 30°C		
Tc1040	**Chondroitin Sulphate A Sodium Salt** Cell Culture Tested (39455-18-0)	3690.00 13860.00	5 gm 25 gm
	Assay : ≥90% Store at 2 - 8°C'		
TC1343	**Collagen Peptide** **Hydrolysed form of collagen type I** Cell Culture Tested	4410.00 6615.00 11570.00	5 gm 10 gm 25 gm
	Assay : 90% Store below 30°C		
TC1278	**Fetuin** Cell Culture Tested (9014-81-7)	POR POR POR	100 mg 1 gm 5 gm
	Store at 2 - 8°C		
TC1041	**Gelatin** Cell Culture Tested (9000-70-8)	810.00 3141.00	100 gm 500 gm
	Store below 30°C		
TC1306	**Human Vitronectin** **Bloom Strength : 120g** Cell Culture Tested (83380-82-9)	POR POR	100 mcg 1 mg
	Store at -20°C		
	BIOLOGICAL BUFFERS		
TC1578	**di-Ammonium Hydrogen Phosphate** Ammonium monohydrogen phosphate, Ammonium phosphate dibasic Cell Culture Tested $(NH_4)_2HPO_4$ (7783-28-0)	2170.00 4780.00	100 gm 500 gm
	MW : 132.06 Assay : ≥98% Store below 30°C		
TC1042	**BES buffer, Free acid** (NN-bis[2-Hydroxyethyl]-2-aminoethanesulphonic acid; 2-[bis(2-Hydroxyethyl)amino]-ethanesulfonic acid) Cell Culture Tested $C_6H_{15}NO_5S$ (10191-18-1)	2223.00 6687.00 27720.00 46000.00	25 gm 100 gm 500 gm 1 kg
	MW : 213.25 Assay : ≥99% Store at 2 - 8°C		
TC1043	**BIS TRIS** (bis[2-Hydroxy Methyl]amino-tris (hydroxyethyl) methane; 2-bis[2-Hydroxyethyl] amino-2-[2-Hydroxy Methyl]-1,3 propanediol Cell Culture Tested $C_8H_{19}NO_5$ (6976-37-0)	2970.00 8910.00 34700.00 50500.00	25 gm 100 gm 500 gm 1 kg
	MW : 209.24 Assay : ≥99% Store below 30°C		

Product Code	Product Name	Price	Packing
TC1267	**BIS-TRIS propane** 1,3-Bis[tris(hydroxy methyl) methylamino] propane Cell Culture Tested	5913.00 17100.00 62330.00	25 gm 100 gm 500 gm
$C_{11}H_{26}N_2O_6$ (64431-96-5)	MW: 282.33 Assay : ≥99% Store below 30°C		
TC1063	**EPPS** (HEPPS) [N-(2-Hydroxyethyl) piperazine-N'-3-propanesulfonic acid] Cell Culture Tested	2457.00 10450.00 20141.00 30214.00	25 gm 100 gm 500 gm 1 kg
$C_9H_{20}N_2O_4S$ (16052-06-5)	MW: 252.33 Assay : ≥99% Store below 30°C		
TC1044	**Ethanolamine hydrochloride** (2-Aminoethanol; 2-Amino ethyl alcohol; Monoethanolamine) Cell Culture Tested	612.00 2466.00	5 gm 25 gm
$C_2H_7NO.HCl$ (2002-24-6)	MW: 97.54 Assay : ≥99% Store below 30°C		
TC1061	**Glycylglycine** (Gly-Gly) Cell Culture Tested	2890.00 11070.00 37350.00 63630.00	25 gm 100 gm 500 gm 1 kg
$C_4H_8N_2O_3$ (556-50-3)	MW: 132.12 Assay : ≥99% Store at 2 - 8°C		
TC1065	**Glycyl-L-glutamine monohydrate** Cell Culture Tested	3501.00 12830.00	1 gm 5 gm
$C_7H_{13}N_3O_4.H_2O$ (172669-64-6)	MW: 221.21 Assay : ≥98% Store below 30°C		
TC1050	**HEPES Free Acid** [N-(2Hydroxyethyl)-piperazine-N'-(2-ethane sulphonic acid)]	2790.00 8370.00 24210.00 35361.00	25 gm 100 gm 500 gm 1 kg
$C_8H_{18}N_2O_4S$ (7365-45-9)	MW: 238.30 Assay : ≥99% Store below 30°C		
TC1066	**HEPES Sodium Salt** [N-2Hydroxyethyl)-piperazine-N'-(2-ethanesulfonic acid) sodium salt] Cell Culture Tested	2907.00 8730.00 25200.00 39340.00	25 gm 100 gm 500 gm 1 kg
$C_8H_{17}N_2NaO_4S$ (75277-39-3)	MW : 260.29 Assay : ≥99% Store below 30°C		
TC1063	**HEPPS** (EPPS) [N-2Hydroxyethyl)-piperazine-N'-(3-propanesulfonic acid] Cell Culture Tested	2466.00 10450.00 20151.00 POR	25 gm 100 gm 500 gm 1 kg
$C_9H_{20}N_2O_4S$ (16052-06-5)	MW : 252.33 Assay : ≥99% Store below 30°C		
TC1268	**MES Sodium Salt** Cell Culture Tested	4392.00 13190.00 44510.00 60580.00	25 gm 100 gm 500 gm 1 kg
$C_6H_{12}NNaO_4S$ (71119-23-8)	MW : 217.22 Assay : ≥99% Store below 30°C		

Product Code	Product Name	Price	Packing
TC1067	**MOPS Free Acid** [3-(N-Morpholino)-propanesulphonic acid) Cell Culture Tested	2601.00 7830.00 22640.00 33030.00	25 gm 100 gm 500 gm 1 kg
$C_7H_{15}NO_4S$ (1132-61-2)	MW : 209.26 Assay : ≥99% Store below 30°C		
TC1269	**MOPS Sodium Salt** [3-(N-Morpholino)-propanesulphonic acid) Cell Culture Tested	4433.00 11120.00 31086.00 45270.00	25 gm 100 gm 500 gm 1 kg
$C_7H_{14}NO_4SNa$ (71119-22-7)	MW : 231.25 Assay : ≥98% Store below 30°C		
TC1270	**PIPES Buffer** Cell Culture Tested	11772.00 17033.00	50 gm 100 gm
$C_8H_{18}N_2O_6S_2$ (5625-37-6)	MW : 302.37 Assay : ≥99% Store below 30°C		
TC1011	**Potassium Dihydrogen Phosphate** Anhydrous (Potassium phosphate monobasic; Monopotassium phosphate) Cell Culture Tested	1251.00 3231.00 5616.00 11232.00	100 gm 500 gm 1 kg 5 kg
KH_2PO_4 (7778-77-0)	MW : 136.09 Assay : ≥99% Store below 30°C		
TC1596	**di-Potassium Hydrogen Phosphate** Anhydrous (di-Potassium phosphate Potassium Hydrogen Phosphate Cell Culture Tested	1220.00 4905.00	100 gm 500 gm
K_2HPO_4 (7758-11-4)	MW : 174.174 Assay : ≥97% Store below 30°C		
TC1023	**Sodium Acetate** Anhydrous [Acetic acid sodium salt) Cell Culture Tested	595.00 1773.00	100 gm 500 gm
$C_2H_3O_2Na$ (127-09-3)	MW : 82.03 Assay : ≥99% Store below 30°C		
TC1230	**Sodium Bicarbonate** (Sodium hydrogen carbonate) Cell Culture Tested	833.00 2502.00 3762.00 11286.00	100 gm 500 gm 1 kg 5 kg
$NaHCO_3$ (144-55-8)	MW : 84.01 Assay : ≥99.5% Store below 30°C		
TC1068	**Sodium Dihydrogen Phosphate** Monohydrate (Sodium phosphate monobasic; Monosodium phosphate) Cell Culture Tested	1494.00 3807.00 4761.00 12790.00	100 gm 500 gm 1 kg 5 kg
$NaH_2PO_4.H_2O$ (10049-21-5)	MW : 137.99 Assay : ≥98% Store below 30°C		

Product Code	Product Name	Price	Packing
TC1051	**di-Sodium Hydrogen Phosphate** Anhydrous (Sodium phosphate dibasic; Disodium phosphate Cell Culture Tested Na_2HPO_4 (7558-79-4) MW : 141.96 Assay : ≥99% Store below 30°C	1746.00 3803.00 5283.00 13095.00	100 gm 500 gm 1 kg 5 kg
TC1507	**di-Sodium hydrogen phosphate** Dihydrate (Sodium phosphate dibasic dihydrate Cell Culture Tested $Na_2HPO_4 2H_2O$ (10028-24-7) MW : 177.99 Assay : ≥99% Store below 30°C	1800.00 3160.00 11052.00	500 gm 1 kg 5 kg
TC1508	**di-sodium Hydrogen Phosphate** Dodecahydrate (Sodium phosphate dibasic dodecahydrate) Cell Culture Tested $Na_2HPO_4 12H_2O$ (10039-32-4) MW : 358.14 Assay : ≥99% Store below 30°C	1944.00 11620.00	500 gm 5 kg
TC1459	**Sodium Phosphate Monobasic** Anhydrous (Sodium phosphate monobasic) Cell Culture Tested NaH_2PO_4 (7558-80-7) MW : 119.98 Assay : ≥98% Store below 30°C	1540.00 3852.00 4802.00 12821.00	100 gm 500 gm 1 kg 5 kg
TC1271	**TAPS Buffer** Cell Culture Tested $C_7H_{17}NO_6S$ (29915-38-6) MW : 243.28 Assay : ≥99.5% Store below 30°C	2142.00 6201.00 19450.00 POR	25 gm 100 gm 500 gm 1 kg
TC1272	**TAPSO Buffer** Cell Culture Tested $C_7H_{17}NO_7S$ (68399-81-5) MW : 259.28 Assay : ≥99% Store below 30°C	2552.00 8091.00 25083.00	25 gm 100 gm 500 gm
TC1273	**TES Buffer** Cell Culture Tested $C_6H_{15}NO_6S$ (7365-44-8) MW : 229.25 Assay : ≥99% Store below 30°C	4370.00 13100.00	25 gm 100 gm
TC1069	**Tricine** [N-Tris[Hydroxymethyl]-methyl-glycine); (N-[2-Hydroxy-1,1-bis-(hydroxymethyl)ethylglycine) Cell Culture Tested $C_6H_{13}NO_5$ (5704-04-1) MW : 179.17 Assay : ≥99% Store below 30°C	1818.00 5445.00 21025.00 30627.00	25 gm 100 gm 500 gm 1 kg
TC1072	**Tris Base** [Tris(hydroxymethyl) aminomethane] Cell Culture Tested $C_4H_{11}NO_3$ (77-86-1) MW : 121.14 Assay : ≥99% Store below 30°C	1260.00 5130.00 7830.00	100 gm 500 gm 1 kg
TC1073	**Tris Hydrochloride** [Tris(hydroxymethyl) aminomethane] hydrochloride] Cell Culture Tested $C_4H_{11}NO_3.HCl$ (1185-53-1) MW : 157.60 Assay : ≥98% Store below 30°C	1791.00 7470.00	100 gm 500 gm

BIOCHEMICHALS AND COMPONENTS

Product Code	Product Name	Price	Packing
TC1081	**N-Acetyl-D-Glucosamine** Cell Culture Tested $C_8H_{15}NO_6$ (7512-17-6) MW : 221.21 Assay : ≥98.5% Store at 2 - 8°C	2350.00 3340.00 10009.00	10 gm 25 gm 100 gm
TC1086	**Adonitol** (Adonite, Ribitol) Cell Culture Tested $C_5H_{12}O_5$ (488-81-3) MW : 152.15 Assay : ≥99% Store below 30°C	4960.00 9711.00 30411.00	10 gm 25 gm 100 gm
TC1090	**L-α-Amino-n-Butyric Acid** (L-(+)-2-Aminobutyric acid) Cell Culture Tested $C_4H_9NO_2$ (1492-24-6) MW : 103.12 Assay : ≥98% Store below 30°C	1872.00 5463.00 21726.00	250 mg 1 gm 5 gm
TC1091	**Aminopterin** (4-Aminofolic acid) Cell Culture Tested $C_{19}H_{20}N_8O_5$ (54-62-6) MW : 440.41 Assay : ≥98% Store at 2 - 8°C	3636.00 8964.00 27810.00	10 mg 25 mg 100 mg
TC1092	**Ammonium Chloride** Cell Culture Tested NH_4Cl (12125-02-9) MW : 53.49 Assay : ≥99.5% Store below 30°C	460.00 1206.00	100 gm 500 gm
TC1717	**Aprotinin** Source: Bovine lung Cell Culture Tested $C_{284}H_{432}N_{84}O_{79}S_7$ (9087-70-1) MW : 6511.44 Store at 2 - 8°C	13320.00 25430.00	25 mg 50 mg
TC1723	**BAPTA AM** 1,2-Bis (2-aminophenoxy) ethane-N,N,N',N'-tetraacetic acid tetrakis (acetoxy methyl ester) Cell Culture Tested $C_{34}H_{40}N_2O_{18}$ (126150-97-8) MW : 764.68 Store below -20°C	19190.00	25 mg
TC1097	**Calcium Chloride** Anhydrous Cell Culture Tested $CaCl_2$ (10043-52-4) MW : 110.98 Assay : ≥93% Store below 30°C	2089.00 8343.00	100 gm 500 gm
TC1001	**Calcium Chloride** Dihydrate Cell Culture Tested $CaCl_2.2H_2O$ (10035-04-8) MW : 147.01 Assay : ≥98% Store below 30°C	5814.00 9140.00	500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1099 $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Cell Culture Tested MW : 236.15 Assay : ≥99% Store below 30°C	1755.00 2637.00	500 gm 1 Kg
TC1502 $CaSO_4$ (7778-18-9)	**Calcium Sulphate,** Anhydrous Cell Culture Tested MW : 136.14 Store below 30°C	1130.00	500 gm
TC1100 C (7440-44-0)	**Charcoal, Activated** HCl-washed Cell Culture Tested AW : 12.01 Store below 30°C	2241.00 16740.00	500 gm 5 kg
TC1105 $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous Cell Culture Tested MW : 192.12 Assay : ≥97% Store below 30°C	1143.00 1737.00	100 gm 500 gm
TC1106 $C_6H_5K_3O_7.H_2O$ (6100-05-6)	**Citric Acid Tripotassium Salt** (Tripotassium citrate monohydrate) MW : 324.41 Assay : ≥99% Store below 30°C	1656.00	500 gm
TC1107 $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt Chloride** Hexahydrate Cell Culture Tested MW : 237.93 Assay : ≥98% Store below 30°C	3960.00 10350.00	25 gm 100 gm
TC1566 $C_{21}H_{25}NO_5$ (477-30-5)	**Colcemid®** Demecolcine Cell Culture Tested MW : 371.43 Assay : ≥95% Store at 2 - 8°C	12870.00 23680.00 108950.00	5 mg 10 mg 50 mg
TC1030 $C_{22}H_{25}NO_6$ (64-86-8)	**Colchicine** Cell Culture Tested MW : 399.44 Assay : ≥95% Store below 30°C	2520.00 4203.00 38430.00	500 mg 1 gm 10 gm
TC1220 (11028-71-0)	**Concanavalin A** Cell Culture Tested Assay : ≥90% Store at 2 - 8°C	2331.00 6840.00	25 mg 100 mg
TC1108 $CuCl_2.2H_2O$ (10125-13-0)	**Cupric Chloride** Dihydrate (Copper chloride dihydrate) Cell Culture Tested MW : 170.48 Assay : ≥99% Store below 30°C	1206.00 4266.00	100 gm 500 gm
TC1003 $CuSO_4.5H_2O$ (7758-99-8)	**Cupric Sulphate** Pentahydrate (Copper sulphate pentahydrate) Cell Culture Tested MW : 249.69 Assay : ≥98.5% Store below 30°C	1422.00 2570.00	500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1224 $C_{29}H_{37}NO_5$ (14930-96-2)	**Cytochalasin B** Cell Culture Tested MW : 479.61 Assay : ≥98% Store at -20°C	64000.00 POR	10 mg 5x10 mg
TC1540 $HSCH_2CH(OH)CH(OH)CH_2SH$ (3483-12-3)	**DL-Dithiothreitol** Threo-1,4-Dimercapto-2,3-butanediol, Cleland's reagent, DTT Cell Culture Tested MW : 154.25 Assay : ≥99% Store at 2 - 8°C	2925.00 8613.00 28710.00	1 gm 5 gm 25 gm
TC1736 C_3H_7NO (68-12-2)	**N,N-dimethylformamide** DMF Cell Culture Tested MW : 73.09 Store belwo 30°C	POR	500 ml
TC1115 $C_{10}H_{16}N_2O_8$ (60-00-4)	**EDTA Free Acid** Anhydrous Cell Culture Tested MW : 292.24 Assay : ≥99% Store below 30°C	1062.00 4077.00	100 gm 500 gm
TC1038 $C_{10}H_{14}N_2O_8.Na_2.2H_2O$ (6381-92-6)	**EDTA Disodium Salt** Dihydrate Cell Culture Tested MW : 372.24 Assay : ≥99% Store below 30°C	1350.00 2070.00 POR	500 gm 1 kg 5 kg
TC1116 $C_{10}H_{12}N_2Na_4O_8 2H_2O$ (10378-23-1)	**EDTA Tetrasodium Salt** Dihydrate Cell Culture Tested MW : 416.2 Assay : ≥99% Store below 30°C	1944.00 5860.00	100 gm 500 gm
TC1721 $C_{14}H_{24}O_{10}N_2$ (67-42-5)	**EGTA** Ethylene glycol-bis(2-aminoethyl ether)-N,N,N'N'-tetraaceticacid Cell Culture Tested MW : 380.35 Assay : ≥97% Store at 30°C	4176.00 9460.00 36144.00	10 gm 25 gm 100 gm
TC1722 $C_{26}H_{40}N_2O_8$ (99590-86-0)	**EGTA AM** Ethylene glycol-bis(β-aminoethyl ether)-N,N,N'N'-tetraacetoxy methyl ester Cell Culture Tested Store at -20°C	22266.00	10 mg
TC1453 (1185-57-5)	**Ferric Ammonium Citrate, Brown** Ammonium iron (III) citrate Cell Culture Tested Assay : 16.5-22.5% Fe Store below 30°C	1044.00 4343.00	100 gm 500 gm
TC1583 $FeCl_2$ (7705-08-0)	**Ferric Chloride** Anhydrous Ferric chloride Cell Culture Tested MW : 162.2 Assay : 14-16% Fe Store below 30°C	1422.00 2719.00 5841.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
TC1117	**Ferric Citrate** Monohydrate	1179.00	250 gm
	Cell Culture Tested	1760.00	500 gm
$C_6H_5FeO_7.H_2O$	MW : 262.96	2646.00	1 kg
(2338-05-8)	Assay : ≥98%		
	Store below 30°C		
TC1118	**Ferric Nitrate** Nonahydrate	1395.00	100 gm
	Cell Culture Tested	5553.00	500 gm
$FeN_3O_9.9H_2O$	MW : 404		
(7782-61-8)	Assay : ≥98%		
	Store below 30°C		
TC1119	**Ferrous Sulphate** Heptahydrate	1647.00	500 gm
	Cell Culture Tested	2601.00	1 kg
$FeSO_4.7H_2O$	MW : 278.01		
(7782-63-0)	Assay : ≥99.5%		
	Store below 30°C		
TC1125	**Fumaric Acid**	1071.00	100 gm
	Cell Culture Tested	4240.00	500 gm
$C_4H_4O_4$	MW : 116.07		
(110-17-8)	Assay : ≥99%		
	Store below 30°C		
TC1282	**Glutathione Oxidized**	2120.00	100 mg
	Aminomethanamidine hydrochloride,	4266.00	250 mg
	Guanidinium chloride	8910.00	1 gm
	Cell Culture Tested	30663.00	5 gm
$C_{20}H_{32}N_6O_{12}S_2$	MW : 612.63		
(27025-41-8)	Assay : ≥98%		
	Store at 2 - 8°C		
TC1134	**Glutathione Reduced** (GSH)	5175.00	10 gm
	Cell Culture Tested	10360.00	25 gm
$C_{10}H_{17}N_3O_6S$	MW : 307.32	31005.00	100 gm
(70-18-8)	Assay : ≥98%		
	Store at 2 - 8°C		
TC1138	**Heparin Sodium Salt**	5220.00	1 vial
	Cell Culture Tested	POR	10x1 vial
(9041-08-1)	Potency : ≥140 USP U/mg 100000 unit		
	Store at 2 - 8°C		
TC1139	**Hypoxanthine**	1485.00	5 gm
	(6-Hydroxypurine)	5940.00	25 gm
	Cell Culture Tested		
$C_5H_4N_4O$	MW : 136.11		
(68-94-0)	Assay : ≥99%		
	Store below 30°C		
TC1711	**Inomycin Calcium Salt**	48510.00	10 mg
	Cell Culture Tested		
	MW : 747.07		
(56090-82-1)	Assay : ≥98%		
	Store at 2 - 8°C		
TC1539	**4-Isopropylbenzoic Acid**	5050.00	5 gm
	Cumic acid, Cuminic acid	22770.00	25 gm
	Cell Culture Tested		
$(CH_3)_2CHC_6H_4CO_2H$	MW : 164.2		
(536-66-3)	Assay : ≥98%		
	Store below 30°C		
TC1140	**myo-Inositol**	1341.00	25 gm
	(meso-Inositol; I-Inositol)	3996.00	100 gm
	Cell Culture Tested	15912.00	500 gm
$C_6H_{12}O_6$	MW : 180.16	24003.00	1 kg
(87-89-8)	Assay : ≥97%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1141	**α-Ketoglutaric Acid**	1602.00	25 gm
	Cell Culture Tested	4833.00	100 gm
$C_5H_6O_5$	MW : 146.1	16390.00	500 gm
(328-50-7)	Assay : ≥99%		
	Store at 2 - 8°C		
TC1541	**N-Lauroylsarcosine Sodium Salt**	770.00	5 gm
	N-Dodecanoyl-N-methylglycine	3501.00	25 gm
	sodium salt		
	Cell Culture Tested		
$CH_3(CH_2)_{10}CON(CH_3)CH_2COONa$	MW : 293.38		
(137-16-6)	Assay : ≥99%		
	Store below 30°C		
TC1713	**Lithium Lactate**	3636.00	100 gm
	Cell Culture Tested		
$C_3H_5LiO_3$	MW : 96.01		
(867-55-0)	Assay : ≥95%		
	Store below 30°C		
TC1728	**D-Luciferin, Free Acid**	4320.00	1 mg
	Cell Culture Tested	23760.00	10 mg
$C_{11}H_8N_2O_3S_2$	MW : 280.32		
(2951-17-5)			
	Store at -20°C		
TC1186	**Magnesium Chloride Anhydrous**	2539.00	100 gm
	Cell Culture Tested	15264.00	1 kg
$MgCl_2$	MW : 95.21		
(7786-30-3)	Assay : ≥97%		
	Store below 30°C		
TC1006	**Magnesium chloride hexahydrate**	1530.00	100 gm
	Cell Culture Tested	4617.00	500 gm
$MgCl_2.6H_2O$	MW : 203.30		
(7791-18-6)	Assay : ≥99%		
	Store below 30°C		
TC1146	**Magnesium Sulphate** Anhydrous	2295.00	500 gm
	Cell Culture Tested	3465.00	1 kg
$MgSO_4$	MW : 120.37		
(7487-88-9)	Assay : ≥62%		
	Store below 30°C		
TC1149	**Magnesium (II) Sulphate** Monohydrate	1067.00	100 gm
	Cell Culture Tested	4212.00	500 gm
$MnSO_4.H_2O$	MW : 169.02		
(10034-96-5)	Assay : ≥99%		
	Store below 30°C		
TC1152	**2-Mercaptoethanol**	1737.00	100 ml
	Cell Culture Tested	3402.00	250 ml
C_2H_6OS	MW : 78.13.	5202.00	500 ml
(60-24-2)	Assay : ≥99%		
	Store below 30°C		
TC1155	**Nickel (II) Chloride** Hexahydrate	1746.00	100 gm
	Cell Culture Tested	4743.00	500 gm
$NiCl_2.6H_2O$	MW : 237.69.		
(7791-20-0)	Assay : ≥98%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1699	**β-Nicotinamide Adenine Dinucleotide, Reduced Disodium Salt** Hydrate **(NADH)** Cell Culture Tested MW : 709.40. (anhydrous basis) Store at -20°C $C_{21}H_{27}N_7Na_2O_{14}P_2.xH_2O$ (606-68-8)	4266.00 9252.00 12700.00 49284.00	100 mg 500 mg 1 gm 5 gm
TC1700	**Nicotinamide Adenine Dinucleotide, Phosphate Disodium salt (NADP)** Cell Culture Tested MW : 787.37 Store at 2 - 8°C $C_{21}H_{26}N_7Na_2O_{17}P_3$ (24292-60-2)	4302.00 14220.00 47610.00	50 mg 250 mg 1 gm
TC1701	**Nicotinamide Adenine Dinucleotide 2 -phosphate Reduced Tetrasodium Salt** Hydrate **(NADPH)** Cell Culture Tested MW : 833.35 Store at 2 - 8°C $C_{21}H_{26}N_7Na_4O_{17}P_3.XH_2O$ (2646-71-1)	12520.00 46900.00 84510.00	100 mg 500 mg 1 gm
TC1702	**p-Nitrophenol** Cell Culture Tested MW : 139.11 Store below 30°C $C_6H_5NO_3$ (100-02-7)	3033.00 10917.00	5 gm 25 gm
TC1533	**Orthophosphoric Acid** Phosphoric acid Cell Culture Tested MW : 98 Assay : ≥95% Store below 30°C H_3PO_4 (7664-38-2)	3024.00 4330.00	100 gm 500 gm
TC1158	**Oxaloacetic Acid** Cell Culture Tested MW : 132.07 Assay : ≥95% Store at 2 - 8°C $C_4O_5H_4$ (328-42-7)	1485.00 5940.00 23850.00 84600.00	1 gm 5 gm 25 gm 100 gm
TC1703	**Paraformaldehyde** Cell Culture Tested MW : 30.03 (as monomer) Store below 30°C $HO(CH_2O)_nH$ (30525-89-4)	1944.00 3340.00	500 gm 1 kg
TC1209	**PHA-M** (Phytohemagglutinin-M) Cell Culture Tested Assay : ≥60% Store at -20°C (9008-97-3)	3510.00 6201.00 18630.00	10 mg 25 mg 4x25 mg
TC1226	**PHA-P** (Phytohemagglutinin-P) Cell Culture Tested Potency : ≥62.5 mcg/ml Store at -20°C (9008-97-3)	3771.00 11322.00	5 mg 5x5 mg
TC1706	**Phenylmethanesulfonyl Fluoride (PMSF)** Cell Culture Tested Assay : ≥99% Store below 30°C $C_7H_7FO_2S$ (329-98-6)	1692.00 5454.00 24570.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
TC1010	**Potassium Chloride** Cell Culture Tested MW : 74.55 Assay : ≥98.5% Store below 30°C KCl (7447-40-7)	2790.00 4343.00 8055.00	250 gm 500 gm 1 kg
TC1505	**Potassium Hydroxide Pellets** Potash caustic Cell Culture Tested MW : 56.11 Assay : ≥85% Store below 30°C KOH (1310-58-3)	720.00 5580.00	500 gm 5 kg
TC1161	**Potassium Nitrate** Cell Culture Tested MW : 101.10 Assay : ≥99% Store below 30°C KNO_3 (7757-79-1)	3240.00 4883.00	500 gm 1 kg
TC1163	**Putrescine Dihydrochloride** Cell Culture Tested MW : 161.07 Assay : ≥98% Store below 30°C $C_4H_{12}N_2.2HCl$ (333-93-7)	2480.00 10854.00	5 gm 25 gm
TC1456	**Sodium Acetate** Trihydrate Acetic acid sodium salt trihydrate Cell Culture Tested MW : 136.08 Assay : ≥98% Store below 30°C $CH_3COONa . 3H_2O$ (6131-90-4)	2507.00 4392.00 7034.00 21096.00	250 gm 500 gm 1 kg 5 kg
TC1704	**Sodium Azide** Cell Culture Tested MW : 65.01 Store below 30°C NaN_3 (26628-22-8)	1215.00 3636.00 14553.00	25 gm 100 gm 500 gm
TC1471	**Sodium Butyrate** Butyric acid sodium salt trihydrate Cell Culture Tested MW : 110.09 Assay : ≥99% Store below 30°C $CH_3CH_2CH_2COONa$ (156-54-7)	882.00 1566.00 6103.00	5 gm 100 gm 500 gm
TC1046	**Sodium Chloride** Cell Culture Tested MW : 58.44 Assay : ≥99% Store below 30°C NaCl (7647-14-5)	1540.00 2350.00 5814.00 7480.00	500 gm 1 kg 5 kg 10 kg
TC1249	**tri-Sodium Citrate** Dihydrate Cell Culture Tested MW : 294.10 Assay : ≥99% Store below 30°C $Na_3C_6H_5O_7.2H_2O$ (6132-04-03)	1584.00 2570.00 9054.00	500 gm 1 kg 5 kg
TC1460	**Sodium Hydroxide Pellets** Caustic Soda Cell Culture Tested MW : 40 Assay : ≥99% Store below 30°C NaOH (1310-73-2)	405.00 739.00 2961.00	500 gm 1 kg 5 kg
TC1166	**Sodium Pyruvate** (Pyruvic acid sodium salt) Cell Culture Tested MW : 110.04 Assay : ≥99% Store below 30°C $C_3H_3O_3Na$ (113-24-6)	3960.00 14004.00 31680.00 88371.00	25 gm 100 gm 250 gm 1 kg

Product Code	Product Name	Price	Packing
TC1169	**Sodium Selenite**	1485.00	10 gm
	Cell Culture Tested	2394.00	25 gm
Na_2SeO_3	MW : 172.94	5013.00	100 gm
(10102-18-8)	Assay : ≥99%		
	Store below 30°C		
TC1219	**Sodium Succinate** Hexahydrate	653.00	25 gm
	Cell Culture Tested	1990.00	100 gm
$C_4H_4O_4Na_2.6H_2O$	MW : 270.14	8415.00	500 gm
(6106-21-4)	Assay : ≥99%		
	Store below 30°C		
TC1347	**Sodium Taurodeoxycholate** Hydrate	864.00	500 mg
	Cell Culture Tested	1584.00	1 gm
$C_{26}H_{44}NO_6SNa.XH_2O$	MW : 521.69 (anhydrous basis)	7520.00	5 gm
(207737-97-1)	Assay : ≥99%		
	Store below 30°C		
TC1275	**Spermine (Free base)**	5184.00	1 gm
	Cell Culture Tested	23265.00	5 gm
$C_{10}H_{26}N_4$	MW : 202.34		
(71-44-3)	Assay : ≥96%		
	Store at 2 - 8°C		
TC1276	**Spermidine**	5175.00	1 gm
	Cell Culture Tested	21744.00	5 gm
$C_7H_{19}N_3$	MW : 145.25		
(124-20-9)	Assay : ≥98%		
	Store at 2 - 8°C		
TC1047	**Succinic Acid, Free Acid**	1463.00	100 gm
	Cell Culture Tested	4370.00	500 gm
$C_4H_6O_4$	MW : 118.09		
(110-15-6)	Assay : ≥99%		
	Store below 30°C		
TC1705	**TMB**	1386.00	100 mg
	3,3',5,5' Tetramethyl benzidine	5391.00	1 gm
	Cell Culture Tested	18072.00	5 gm
$C_{16}H_{20}N_2$	MW : 240.34		
(54827-17-7)	Assay : ≥99%		
	Store below 30°C		
TC1180	**Urea**	1386.00	500 gm
	(Carbamide)	2070.00	1 kg
CH_4N_2O	MW : 60.06	6732.00	5 kg
(57-13-6)	Assay : ≥99.5%		
	Store below 30°C		
TC1184	**Zinc Chloride** Anhydrous	1017.00	100 gm
	Cell Culture Tested	3011.00	500 gm
$ZnCl_2$	MW : 136.3	4527.00	1 Kg
(7646-85-7)	Assay : ≥97%		
	Store below 30°C		
TC1131	**Zinc Sulphate** Heptahydrate	1504.00	100 gm
	Cell Culture Tested	3173.00	500 gm
$ZnSO_4.7H_2O$	MW : 287.56		
(7446-20-0)	Assay : ≥99.5%		
	Store below 30°C		
	CARBOHYDRATES		
TC1124	**D-(-)-Fructose**	910.00	100 gm
	(Fruit sugar)	2727.00	500 gm
	Cell Culture Tested	17730.00	5 kg
$C_6H_{12}O_6$	MW : 180.16		
(57-48-7)	Assay : ≥99.5%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1611	**L-(-)-Fucose**	38840.00	25 gm
	(Fucose)	133772.00	100 gm
	Cell Culture Tested		
$C_6H_{12}O_5$	MW : 164.16		
(2438-80-4)	Assay : ≥95%		
	Store below 30°C		
TC1126	**D-(+)-Galactosamine Hydrochloride**	3591.00	500 mg
	Cell Culture Tested	5410.00	1 gm
$C_6H_{13}NO_5.HCl$	MW : 215.63	20853.00	5 gm
(1772-03-8)	Assay : ≥99%		
	Store below 30°C		
TC1127	**D-(+)-Galactose** Anhydrous	2980.00	100 gm
	Cell Culture Tested	13500.00	500 gm
$C_6H_{12}O_6$	MW : 180.16	24850.00	1 kg
(59-23-4)	Assay : ≥98%		
	Store below 30°C		
TC1129	**D-(+)-Glucosamine** Hydrochloride	3042.00	100 gm
	Cell Culture Tested	12231.00	500 gm
$C_6H_{13}NO_5{\cdot}HCl$	MW : 215.63		
(66-84-2)	Assay : ≥98%		
	Store below 30°C		
TC1130	**D-(+)-Dextrose** Anhydrous	333.00	100 gm
	(Dextrose anhydrous)	1940.00	1 kg
	Cell Culture Tested	4743.00	5 kg
$C_6H_{12}O_6$	MW : 180.16	7020.00	10 kg
(50-99-7)	Assay : ≥99%		
	Store below 30°C		
TC1208	**D-(+)-Dextrose** Monohydrate	873.00	500 gm
	(Dextrose monohydrate)	1287.00	1 kg
	Cell Culture Tested	3825.00	5 kg
$C_6H_{12}O_6.H_2O$	MW : 198.17	5733.00	10 kg
(14431-43-7)	Assay : ≥99%		
	Store below 30°C		
TC1128	**D-Glucuronic Acid Sodium Salt**	1459.00	5 gm
	Monohydrate	5860.00	25 gm
	(Sodium glucoronate)		
	Cell Culture Tested		
$C_6H_9NaO_7.H_2O$	MW : 234.14		
(207300-70-7)	Assay : ≥98%		
	Store below 30°C		
TC1144	**Lactose** Monohydrate	864.00	500 gm
	(Milk Sugar)	6400.00	5 kg
	Cell Culture Tested		
$C_{12}H_{22}O_{11}.H_2O$	MW : 360.31		
(64044-51-5)	Assay : ≥99%		
	Store below 30°C		
TC1148	**Maltose** Monohrdrate	1450.00	100 gm
	Cell Culture Tested	5670.00	500 gm
$C_{12}H_{22}O_{11}.H_2O$	MW : 360.31	8550.00	1 kg
(6363-53-7)	Assay : ≥95%		
	Store below 30°C		
TC1513	**D-Mannitol**	1620.00	25 gm
	Mannite	2655.00	100 gm
	Cell Culture Tested		
$C_6H_{14}O_6$	MW : 182.17		
(69-65-8)	Assay : ≥99%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1150	**D-(+)-Mannose**	3020.00	25 gm
	Cell Culture Tested	9100.00	100 gm
$C_6H_{12}O_6$	MW : 180.16	35100.00	500 gm
(3458-28-4)	Assay : ≥99%		
	Store below 30°C		
TC1162	**D-(+)-Raffinose** Pentahydrate	4240.00	25 gm
	(Melitose; Melitriose)	15660.00	100 gm
	Cell Culture Tested	60462.00	500 gm
$C_{18}H_{32}O_{16}.5H_2O$	MW : 594.51		
(17629-30-0)	Assay : ≥98%		
	Store below 30°C		
TC1168	**D-(-)-Ribose**	3267.00	25 gm
	Cell Culture Tested	8204.00	100 gm
$C_5H_{10}O_5$	MW : 150.13		
(50-69-1)	Assay : ≥99%		
	Store at 2 - 8°C		
TC1170	**D-(-)-Sorbitol**	1540.00	500 gm
	Cell Culture Tested	2313.00	1 kg
$C_6H_{14}O_6$	MW : 182.17	9540.00	5 kg
(50-70-4)	Assay : ≥98%		
	Store below 30°C		
TC1048	**Sucrose**	2210.00	500 gm
	Source : Sugarcane	3591.00	1 kg
	Cell Culture Tested	10630.00	5 kg
$C_{12}H_{22}O_{11}$	MW : 342.30		
(57-50-1)			
	Store below 30°C		
TC1648	**Sucrose**	6732.00	500 gm
	Source : Beetroot	11790.00	1 kg
	Cell Culture Tested	48303.00	5 kg
$C_{12}H_{22}O_{11}$	MW : 342.30		
(57-50-1)			
	Store below 30°C		
TC1177	**D(+)-Trehalose** Dihydrate	2520.00	10 gm
	Cell Culture Tested	4950.00	25 gm
$C_{12}H_{22}O_{11}.2H_2O$	MW : 378.33	13600.00	100 gm
(6138-23-4)	Assay : ≥98%		
	Store below 30°C		
CARRIER PROTEINS			
TC1545	**Bovine serum Albumin** pH 7.0	1360.00	5 gm
	Cell Culture Tested	5427.00	25 gm
	Ultra-low IgG	20350.00	100 gm
	Store at 2 - 8°C	86400.00	500 gm
TC1546	**Bovine serum Albumin** pH 6.5-7.0	1279.00	5 gm
	Cell Culture Tested	4671.00	25 gm
	Protease free, Diagnostic grade	17415.00	100 gm
	Store at 2 - 8°C	76311.00	500 gm
TC1548	**Bovine serum Albumin**	12843.00	5 gm
	Cell Culture Tested	41310.00	25 gm
	Manufacturing grade	125330.00	100 gm
	New Zealand/ Australia origin		
	Store at 2 - 8°C		
TC1194	**Bovine serum Albumin Fraction-V**	1090.00	5 gm
	Cell Culture Tested	4257.00	25 gm
	Store at 2 - 8°C	14760.00	100 gm
	pH 6.5-7.0	62721.00	500 gm

Product Code	Product Name	Price	Packing
TC1348	**Bovine serum Albumin, pH 7.0**	2493.00	10 gm
	Low Fatty acid	5990.00	25 gm
	Cell Culture Tested	10990.00	50 gm
	Store at 2 - 8°C		
TC1613	**Human serum albumin**	2592.00	1 gm
	Low Fatty acid	11350.00	5 gm
	Cell Culture Tested	35055.00	25 gm
(70024-90-7)			
	Store at 2 - 8°C		
CELL DISSOCIATION PRODUCTS			
TC1037	**Catalase**	3285.00	1 gm
	Source : Bovine Liver	14940.00	5 gm
	Cell Culture Tested	27900.00	10 gm
	Activity : 100000		
	U/g protein		
(9001-05-2)			
	Store at 2 - 8°C		
TC1211	**Collagenase Type I**	7416.00	100 mg
	Source : Clostridium histolyticum	29403.00	500 mg
	Suggested for epithelial, liver, lung	44100.00	1 gm
	and adrenal primary cell isolations	208440.00	5 gm
	Cell Culture Tested		
	Activity : ≥125 units per mg of		
	dry weight		
	MW : 68- 130 kDa		
(9001-12-1)			
	Store at 2 - 8°C		
TC1212	**Collagenase Type II**	7061.00	100 mg
	Clostridopeptidase A)	28009.00	500 mg
	Source : Clostridium histolyticum	42012.00	1 gm
	Suggested for bone, heart, liver,	198500.00	5 gm
	thyroid and salivary primary cell		
	isolation		
	Cell Culture Tested		
	Activity : ≥125 units per mg of		
	dry weight		
(9001-12-1)			
	Store at 2 - 8°C		
TC1214	**Collagenase Type IV**	7061.00	100 mg
(9001-12-1)	Source : Clostridium histolyticum	28009.00	500 mg
	Prepared to contain lower tryptic	42012.00	1 gm
	activity levels to limit damage to	198531.00	5 gm
	membrane proteins and receptors		
	but with normal to above normal		
	collagenase activity, Suggested for		
	pancreatic islet primary isolation		
	Cell Culture Tested		
	Activity : ≥160 units per mg		
	(dry weight basis)		
	Store at 2 - 8°C		
TC1280	**Collagenase Animal origin free**	8352.00	100 mg
	Cell Culture Tested	38070.00	500 mg
	Activity : ≥150 units per mg of	60930.00	1 gm
	dry weight		
(9001-12-1)			
	Store at 2 - 8°C		

Product Code	Product Name	Price	Packing
TC1253	**Collagenase Purified** 50 Caseinase units/mg Chromatographically purified collagenase which is specially purified to reduce caseinase activity and provide high specific activity. It is typically used for pancreatic and parotid acini isolations and collagen structural analysis Cell Culture Tested Activity : ≥500 U/mg dry basis (9001-12-1) Store at 2 - 8°C	39420.00	10000 Units
TC1303	**Dispase®** Cell Culture Tested Activity : ≥0.5 Units/mg dry weight (42613-33-2) Store at 2 - 8°C	4140.00	100 mg
TC1311	**Elastase** Suitable for the isolation of Type II lung cells Cell Culture Tested Activity : ≥3 Units/mg Protein MW : 282.46 (39445-21-1) Store at 2 - 8°C	5958.00 11889.00 45450.00	10 mg 25 mg 100 mg
TC1331	**Hyaluronidase** Cell Culture Tested Activity : 400 - 1000 units/mg solid (37326-33-3) Store below -20°C	5031.00	25 mg
Tc1598	**Trypsin** Source : Bovine Pancreas Cell Culture Tested (9002-07-7) Store at 2 - 8°C	2421.00 19414.00 27270.00	25 gm 250 gm 500 gm
TC1245	**Trypsin 1:250 Powder Porcine** Source : Porcine Pancreas Cell Culture Tested Activity : 1000-1500 BAEE units/mg (9002-07-7) Store at 2 - 8°C	4914.00 13343.00 24957.00	25 gm 250 gm 500 gm
TC1245G	**Trypsin 1:250 Powder Porcine Gamma irradiated** Source : Porcine Pancreas Cell Culture Tested Activity : 1000-1500 BAEE units/mg (9002-07-7) Store at 2 - 8°C	15030.00	100 gm
TC1485	**Trypsin Recombinant, Porcine** Source : E,coli Cell Culture Tested (9002-07-7) Store at 2 - 8°C	3240.00 7650.00 52497.00	25 mg 100 mg 1 gm

Product Code	Product Name	Price	Packing
TC1251	**Trypsin Inhibitor, Powder** Source : Soyabean Cell Culture Tested Activity : ≥7000 BAEE units of inhibition/mg (9035-81-8) Store at 2 - 8°C	3132.00 9396.00 37593.00 60156.00	25 mg 100 mg 500 mg 1 gm
TC1318	**Trypsin inhibitor from Lima bean** Cell Culture Tested Source Lima Bean (9035-81-8) Store at 2 - 8°C	10692.00 18720.00	50 mg 100 mg

CELL PROLIFERATION AND CYTOTOXITY INDICATORS

Product Code	Product Name	Price	Packing
TC1235	**Alamar Blue®** Resazurin Sodium salt Cell Culture Tested $C_{12}H_6NNaO_4$ MW : 251.17 (62758-13-8) Store below 2 - 8°C	2854.00 6670.00	1 gm 5 gm
TC1476	**5-Bromo-4-Chloro 3-Indolyl Phosphate, Disodium Salt** BCIP®, X-phosphate disodium salt Cell Culture Tested $C_8H_4BrClNO_4P$. 2Na MW : 370.43 (102185-33-1) Store at -20°C	1530.00 4095.00 28710.00	25 mg 100 mg 1 gm
TC1191	**MTT** (Thiazoyl blue tetrazolium bromide) Cell Culture Tested $C_{18}H_{16}BrN_5S$ MW : 414.32 (298-93-1) Activity : ≥98% Store at 2 - 8°C	5427.00 9090.00	500 mg 1 gm
TC1475	**Nitroblue Tetrazolium Chloride** Cell Culture Tested $C_{40}H_{30}N_{10}O_6.2Cl$ MW : 817.64 (298-83-9) Activity : ≥98% Store at 2 - 8°C	1670.00 3681.00 10026.00 30060.00	100 mg 250 mg 1 gm 5 gm
TC1484	**Phenazine Methosulfate** Cell Culture Tested $C_{13}H_{11}N_2 . CH_3SO_4$ MW : 306.34 (299-11-6) Activity : ≥90% Store at -20°C	1044.00 1431.00 6003.00 10900.00 22923.00	500 mg 1 gm 5 gm 10 gm 25 gm
TC1239	**XTT Sodium Salt** Cell Culture Tested $C_{22}H_{16}N_7NaO_{13}S_2$ MW : 673.52 (111072-31-2) Store at -20°C	23000.00 110250.00	100 mg 500 mg

CRYPROTECTANTS

Product Code	Product Name	Price	Packing
TC1450M	**DMSO DMSO** Sterile Filtered Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications C_2H_6OS MW : 78.13 (67-68-5) Assay : ≥99.5% Store below 30°C	18190.00	100 ml

Unless indicated all the above products to be stored below 30°C
Dispace® is a registered trademark of Godo Shusei Co. Ltd. Tokyo, Japan
Almar Blue® is a registered trademark of Morphosys U.K. Ltd.
BCIP® is a registered trademark of Sigma - Aldrich Co. LLC

Product Code	Product Name	Price	Packing
TC1349	**Dimethyl Sulphoxide (DMSO), Sterile** Sterile Filtered Cell Culture Tested C_2H_6OS MW : 78.13 (67-68-5) Assay : ≥99.5% Store below 30°C	13311.00	100 ml
TC1185	**Dimethyl sulphoxide (DMSO)** Cell Culture Tested C_2H_6OS MW : 78.13 (67-68-5) Assay : ≥99.5% Store below 30°C	6210.00 14310.00	100 ml 250 ml
Tc1503	**Glycerol** 1,2,3-Propanetriol Cell Culture Tested $C_3H_8O_3$ MW : 92.09 (56-81-5) Assay : ≥98.5% Store below 30°C	1755.00 3150.00	500 ml 1 lit
CYCLODEXTRINS			
TC1103	**α - Cyclodextrin** Cell Culture Tested $C_{36}H_{60}O_{30}$ MW : 972.84 (10016-20-3) Assay : ≥98% Store below 30°C	2934.00 11682.00	1 gm 5 gm
TC1104	**β - Cyclodextrin** Cell Culture Tested $C_{42}H_{70}O_{35}$ MW : 1134.98 (7585-39-9) Assay : ≥98.5% Store below 30°C	1683.00 6732.00 20187.00	5 gm 25 gm 100 gm
TC1446	**Hydroxypropyl-β-cyclodextrin** 2-Hydroxypropylether-B-cyclodextrin Cell Culture Tested $C_{54}H_{102}O_{39}$ MW : 1375.36 (94035-02-6) Assay : ≥98.5% Store at 15 - 30°C	9153.00 34340.00	5 gm 5x5 gm
TC1227	**β-Methyl cyclodextrin** Cell Culture Tested (128446-36-6) Store at 2 - 8°C	3267.00 15507.00 29556.00	1 gm 5 gm 10 gm
DETERGENTS			
TC1589	**Dextran Sulphate, Sodium Salt** Cell Culture Tested $C_3H_8O_3$ MW : 5,00,000 (9011-18-1) Assay : ≥98% Store at 2 - 8°C	5000.00 23400.00	10 gm 50 gm
TC1698	**Dodecyl sulphate sodium salt** (Lauryl sulphate sodium salt) Cell Culture Tested $C_{12}H_{25}NaO_4S$ MW : 288.38 Store below 30°C	1760.00 5270.00 10557.00 13222.00 26010.00	25 gm 100 gm 250 gm 500 gm 1 kg
TC1708	**Nonidet® P-40** 4-Nonylphenyl-polyethylene glycol, NP-40 Cell Culture Tested (9016-45-9) Store below 30°C	1022.00 4527.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
TC1698	**SDS** (Dodecyl sulphate sodium salt) Cell Culture Tested $C_{12}H_{25}NaO_4S$ MW : 288.38 Store below 30°C	1760.00 5270.00 10557.00 13222.00 26010.00	25 gm 100 gm 250 gm 500 gm 1 kg
TC1286	**Criton® X-100** Cell Culture Tested $C_{34}H_{62}O_{11}$ MW : 646.87 (9002-93-1) Store below 30°C	3349.00 5004.00	100 ml 500 ml
TC1287	**Cween® -20** Cell Culture Tested (9005-64-5) Store below 30°C	2160.00 4545.00	100 ml 5x100 ml
DIFFERENTIATION REAGENTS			
TC1466	**5-Azacytidine** 4-Amino-1-(β-D-ribofuranosyl)-1,3,5 triazin-2(1H)-one, Ladakamycin Cell Culture Tested $C_8H_{12}N_4O_5$ MW : 244.2 (320-67-2) Assay : ≥98% Store at -20°C	5355.00 11133.00 33183.00	100 mg 250 mg 1 gm
TC1472	**Forskolin** 7β-Acetoxy-8,13-epoxy-1α,6β,9α–trihydroxylabd-14-en-11-one, Coleonol, Colforsin Cell Culture Tested $C_{22}H_{34}O_7$ MW : 410.5 (66575-29-9) Assay : ≥99.5% Store below 30°C	24422.00 49050.00	10 mg 25 mg
TC1465	**Indomethacin** 1-(4-Chlorobenzoyl)-5-methoxy-2-methyl-3-indoleacetic acid Cell Culture Tested $C_{19}H_{16}ClNO_4$ MW : 357.79 (53-86-1) Assay : ≥99% Store at 2 - 8°C	5040.00 8870.00 21020.00 64332.00	5 gm 10 gm 25 gm 100 gm
TC1464	**3-Isobutyl-1-methylxanthine** 1-Methyl-3-isobutylxanthine IBMX Cell Culture Tested $C_{10}H_{14}N_4O_2$ MW : 222.24 (28822-58-4) Assay : ≥99% Store at -20°C	8442.00 15813.00 46710.00	100 mg 250 mg 1 gm
ENZYMES			
TC1678	**Acid Phosphatase** Cell Culture Tested (9001-77-8) Store at -20°C	5230.00 17730.00	50 units 200 units
TC1679	**Aldehyde dehydrogenase** Cell Culture Tested Activity : NLT 1U/mg (9028-88-0) Store at 2 - 8°C	10670.00	10 mg
TC1488	**Alkaline phosphatase** From Bovine Intestine Cell Culture Tested MW : ~160 kDa Activity : 2000-4000 DAE unit/mg (9001-78-9) Store at 2 - 8°C	7790.00	1000 units

Product Code	Product Name	Price	Packing
TC1680	**Bromelain** Source : Pineapple stem Cell Culture Tested MW : ~33 kDa (9001-00-7) Store at -20°C	6813.00 23850.00	25 gm 100 gm
TC1462	**Diaphorase** Source : Cl. Kluyveri Cell Culture Tested Activity: NLT 30 U/mg (9001-18-7) Store at 2 - 8°C	16700.00	1 ku
TC1696	**Deoxyribonuclease Type I Dnase I** Source : Pineapple stem Cell Culture Tested Av MW : ~84.5 kDa Activity : NLT 30 U/mg (9003-98-9) Store at -20°C	6156.00 9243.00 13860.00	10 ku 20 ku 40 ku
TC1681	**β-Glucosidase** Source : Sweet almond Cell Culture Tested (9001-22-3) Store at 2 - 8°C	24773.00 43713.00	2500units 5000units
TC1486	**Glucose oxidase** Cell Culture Tested Activity : NLT 100 U/mg (9001-37-0) Store at -20°C	2034.00 3771.00 6597.00	25 mg 50 mg 100 mg
TC1682	**Glucose-6-Phosphate dehydrogenase** Cell Culture Tested Activity : ≥ 400 U/mg (9001-40-5) Store at 2 - 8°C	27270.00	500 units
TC1490	**Glutamate dehydrogenase** From E.coli Cell Culture Tested Activity : NLT 80 U/mg (9029-12-3) Store at 2 - 8°C	6615.00 11120.00 19400.00	25 mg 50 mg 100 mg
TC1489	**Glutaminase** L-Glutamine amidohydrolase Cell Culture Tested Activity : NLT 100 U/mg (9001-47-2) Store at 2 - 8°C	7020.00 11790.00 20520.00	25 mg 50 mg 100 mg
TC1695	**Glutathione Peroxidase** Cell Culture Tested MW : 84.5kDa (9013-66-5) Store at -20°C	POR POR POR	100 units 200 units 500 units
TC1492	**Glutathione-S-Transferase** Cell Culture Tested Activity : NLT 25 U/mg (50812-37-8) Store at 2 - 8°C	7506.00	1 mg
TC1683	**Hexokinase** Cell Culture Tested (9001-51-8) Store at 2 - 8°C	5454.00 14760.00	1000 units 5000 units

Product Code	Product Name	Price	Packing
TC1487	**Horseradish Peroxidase** Cell Culture Tested Activity : NLT 250 U/mg (9003-99-0) Store at 2 - 8°C	9045.00 15822.00	25 mg 50 mg
TC1491	**D-Lactate Dehydrogenase** Cell Culture Tested (9028-36-8) Store at 2 - 8°C	20520.00 37350.00	5 Ku 10 Ku
TC1493	**Luciferase** Source : Vibiro fischeri Cell Culture Tested (9014-00-0) Store at -20°C	POR	25 mg
TC1597	**Luciferase from firefly** Source : Photinus pyralis (firefly) Cell Culture Tested (61970-00-1) Store at -20°C	POR	1 mgm
TC1684	**Lysozyme** Source : Chicken egg white Cell Culture Tested MW : 14.4 kDa (12650-88-3) Store at 2 - 8 °C	4240.00 16920.00 50940.00	1 gm 5 gm 25 gm
TC1694	**Neuraminidase** Cell Culture Tested (9001-67-6) Store at 2 - 8 °C	POR POR POR	1 units 5 units 10 units
TC1685	**Papain** Source : Carica papaya Cell Culture Tested Activity : NLT 30000 USP units/mg (9001-73-4) Store at -20°C	5922.00 20700.00	25 gm 100 gm
TC1686	**Pepsin (Bovine)** Cell Culture Tested Activity : ≥140U/mg (9001-75-6) Store at 2 - 8°C	5094.00	5 gm
Tc1687	**Proteinase K** Cell Culture Tested MW: 28.9 kDa (39450-01-6) Store below 30°C	1944.00 8730.00	10 mg 100 mg
TC1692	**Pyruvate kinase** Cell Culture Tested MW : 237 kDa (9001-59-6) Assay : ≥95% Store at 2 - 8°C	POR	1000 units
TC1688	**RNase A (DNase free)** Source : Bovine Pancreas Cell Culture Tested MW : ~13.7 kDa (9001-99-4) Store at -20°C	9531.00 22563.00 38421.00	100 mg 500 mg 1 gm
TC1689	**Renin** Cell Culture Tested Rennet strength : NLT 800 MCU/g (9001-98-3) Store at 2 - 8°C	3033.00 12132.00	1 gm 5 gm

Product Code	Product Name	Price	Packing
TC1693	**Superoxide Dismutase (SOD)** Cell Culture Tested MW : 32.5 kDa Activity : NLT 1000U/mg (9054-89-1) Store at -20°C	10009.00	15 ku
TC1697	**TUNEL enzyme (Terminal eoxynucleotidyl transferase)** Cell Culture Tested MW : 60 kDa Activity : NLT 5000Units/mg (9027-67-2) Store at -20°C	POR	1000 units
TC1691	**Urease** Cell Culture Tested Av MW : 90.77 kDa (9002-13-5) Store at -20°C	18810.00	25 gm
TC1690	**Xanthine Oxidase** Cell Culture Tested Activity : ~15U/mg (9002-17-9) Store at 2 - 8°C	39600.00	250 units
	FATTY ACIDS		
TC1389	**Arachidonic Acid** Cell Culture Tested $C_{20}H_{32}O_2$ MW : 304.47 (506-32-1) Assay : ≥90% Store at 2- 8°C	4019.00 12700.00	10 mg 50 mg
TC1383	**Linoleic Acid Methyl Ester** Cell Culture Tested $C_{19}H_{34}O_2$ MW : 294.47 (112-63-0) Assay : ≥99% Store at 2 - 8°C	4545.00 8663.00 13190.00	1 gm 5 gm 10 gm
TC1381	**Linoleic Acid, Free Acid** Cell Culture Tested $C_{18}H_{32}O_2$ MW : 280.45 (60-33-3) Assay : ≥99% Store at 2 - 8°C	1485.00 3123.00 9019.00	100 mg 1 gm 5 gm
TC1449	**α-Lipoic Acid** (±)-αLipoic acid, (±)-1,2-Dithiolane-3-pentanoic acid, 6,8-Dithiooctanoic acid, DL-αLipoic acid, DL-6,8-Thioctic acid, Lip(S2) Cell Culture Tested $C_8H_{14}O_2S_2$ MW : 206.33 (1077-28-7) Assay : ≥98% Store at 2 - 8°C	2597.00 9100.00 27306.00	1 gm 5 gm 25 gm
TC1382	**Oleic Acid** Cell Culture Tested $C_{18}H_{34}O_2$ MW : 282.46 (112-80-1) Assay : ≥97% Store at 2 - 8°C	2453.00 7830.00 23652.00	1 ml 5 ml 25 ml
TC1386	**Palmitic Acid** Cell Culture Tested $C_{16}H_{32}O_2$ MW : 256.42 (57-10-3) Assay : ≥98% Store below 30°C	3654.00 6651.00 12987.00	10 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
TC1387	**Palmitic Acid Methyl Ester** Cell Culture Tested $C_{17}H_{34}O_2$ MW : 270.45 (112-39-0) Assay : ≥95% Store below 30°C	1530.00 4212.00 13527.00	1 gm 5 gm 25 gm
TC1388	**Palmitoleic Acid** Cell Culture Tested $C_{16}H_{30}O_2$ MW : 254.41 (373-49-9) Assay : ≥99% Store at 2 - 8°C	4482.00 27270.00	100 mg 1 gm
TC1384	**Stearic Acid** Cell Culture Tested $C_{18}H_{36}O_2$ MW : 284.48 (57-11-4) Assay : ≥99% Store below 30°C	1270.00 3803.00 5615.00 10692.00	1 gm 5 gm 10 gm 25 gm
	HORMONES AND HORMONE ALTERNATIVE		
TC1277	**Dexamethasone** Cell Culture Tested $C_{22}H_{29}FO_5$ MW : 392.46 (50-02-2) Assay : ≥97% Store at 2- 8°C	1845.00 5355.00 15300.00 23252.00	25 mg 100 mg 500 mg 1 gm
TC1281	**Dopamine Hydrochloride** Cell Culture Tested $C_8H_{11}NO_2.HCl$ MW : 189.64 (62-31-7) Assay : ≥98% Store at 2 - 8°C	473.00 2160.00 8010.00	1 gm 5 gm 25 gm
TC1283	**1-Eicosanol** Cell Culture Tested $C_{20}H_{42}O$ MW : 298.55 (629-96-9) Assay : ≥98% Store below 30°C	2323.00 10540.00	5 gm 25 gm
TC1284	**Epiandrosterone** Cell Culture Tested $C_{19}H_{30}O_2$ MW : 290.44 (481-29-8) Assay : ≥97% Store below 30°C	2493.00 7506.00	1 gm 5 gm
TC1346	**β-Estradiol** Cell Culture Tested $C_{18}H_{24}O_2$ MW : 272.38 (50-28-2) Assay : ≥97% Store below 30°C	6012.00	1 gm
TC1302	**Human Recombinant Prolactin** Source : E-coli Cell Culture Tested Store at -20°C	POR POR	10 mcg 50 mcg
TC1344	**Hydrocortisone** Cell Culture Tested $C_{21}H_{30}O_5$ MW : 362.46 (50-23-7) Assay : ≥98% Store below 30°C	1971.00 7020.00 12281.00	1 gm 5 gm 10 gm
TC1329	**Murine Recombinant Prolactin** Source : E-coli Cell Culture Tested Store at -20°C	22662.00 28134.00	10 mcg 50 mcg
TC1379	**Progesterone** Cell Culture Tested $C_{21}H_{30}O_2$ MW : 314.46 (57-83-0) Assay : ≥97% Store below 30°C	1944.00 3960.00 13770.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
	LIPIDS		
TC1101	**Cholesterol**	3240.00	5 gm
	(5-Cholesten-3β-ol)	12942.00	25 gm
	Cell Culture Tested	37440.00	100 gm
$C_{27}H_{46}O$	MW : 386.65		
(57-88-5)	Assay : ≥98%		
	Store at 2- 8°C		
TC1279	**Sphingomyelin**	21663.00	100 mg
	Cell Culture Tested	62321.00	500 mg
	Source : Bovine brain		
(85187-10-6)	Assay : ≥98%		
	Store at -20°C		
	NUCLEOTIDES AND NUCLEOSIDES		
TC1082	**Adenine**	1440.00	5 gm
	Cell Culture Tested	5760.00	25 gm
$C_5H_5N_5$	MW : 135.13	16700.00	100 gm
(73-24-5)	Assay : ≥99%		
	Store below 30°C		
TC1071	**Adenine Sulfate**	2250.00	5 gm
	Cell Culture Tested	9019.00	25 gm
$C_5H_5N_5.½H_2SO_4$	MW : 184.17	26100.00	100 gm
(321-30-2)	Assay : ≥99%	76230.00	500 gm
	Store below 30°C		
TC1083	**Adenosine**	1670.00	5 gm
	Cell Culture Tested	6615.00	25 gm
$C_{10}H_{13}N_5O_4$	MW : 267.24		
(58-61-7)	Assay : ≥99%		
	Store at 2 - 8°C		
TC1312	**Adenosine-5'-Monophosphate**	630.00	1 gm
	Disodium Salt	4640.00	5 gm
	Cell Culture Tested	12700.00	25 gm
$C_{10}H_{12}N_5Na_2O_7P$	MW : 391.18		
(4578-31-8)	Assay : ≥95%		
	Store at 2 - 8°C		
TC1084	**Adenosine 5'-Monophosphate**	2930.00	1 gm
	Sodium Salt	10143.00	5 gm
	Cell Culture Tested		
$C_{10}H_{14}N_5O_7P.xNa^+$	MW : 347.22		
$.yH_2O$	(Anhydrous free acid basis)		
(149022-20-8)	Assay : ≥99%		
	Store at 2 - 8°C		
TC1085	**Adenosine 5' -Triphosphate**	1130.00	1 gm
	Disodium Salt	2745.00	5 gm
	Cell Culture Tested	9603.00	25 gm
$C_{10}H_{14}N_5Na_2O_{13}P_3$	MW : 554.14		
(987-65-5)	Assay : ≥95%		
	Store at 2 - 8°C		
TC1372	**5-Bromo-2'-Deoxyuridine**	2660.00	100 mg
	5-BrdU	4131.00	250 mg
	Cell Culture Tested	6750.00	500 mg
$C_9H_{11}BrN_2O_5$	MW : 307.10		
(59-14-3)	Assay : ≥96.5%		
	Store at 2 - 8°C		
TC1110	**Cytidine**	1287.00	1 gm
	Cell Culture Tested	3852.00	5 gm
$C_9H_{13}N_3O_5$	MW : 243.22	27900.00	50 gm
(65-46-3)	Assay : ≥99%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1111	**2'-Deoxyadenosine** Monohydrate	1990.00	1 gm
	Cell Culture Tested	8001.00	5 gm
$C_{10}H_{13}N_5O_3.H_2O$	MW : 269.26		
(16373-93-6)	Assay : ≥99%		
	Store at 2 - 8°C		
TC1112	**2'-Deoxycytidine** Hydrochloride	1845.00	250 mg
	Cell Culture Tested	5535.00	1 gm
$C_9H_{13}N_3O_4.HCl$	MW : 263.68	39960.00	10 gm
(3992-42-5)	Assay : ≥99%		
	Store below 30°C		
TC1114	**2'-Deoxy-D-ribose**	1440.00	1 gm
	Cell Culture Tested	5059.00	5 gm
$C_5H_{10}O_4$	MW : 134.13		
(533-67-5)	Assay : ≥99%		
	Store at 2- 8°C		
TC1467	**N6-2'-O-Dibutyryladenosine-3',5'**	4519.00	25 mg
	Cyclic Monophosphate Sodium Salt	13563.00	100 mg
	Bucladesine sodium salt, Dibutyryl	27109.00	250 mg
	cAMP sodium salt, Dibutyryl	76005.00	1 gm
	cyclic-AMP sodium salt		
	Cell Culture Tested		
$C_{18}H_{23}N_5O_8PNa$	MW : 491.37		
(16980-89-5)	Assay : ≥95%		
	Store at -20°C		
TC1156	**β-Nicotinamide Adenine**	1557.00	100 mg
	Dinucleotide, From Yeast	6490.00	1 gm
	Cell Culture Tested	22500.00	5 gm
$C_{21}H_{27}N_7O_{14}P_2$	MW : 663.43	27190.00	10 gm
(53-84-9)	Assay : ≥95%		
	Store at 2- 8°C		
TC1174	**Thymidine**	1729.00	1 gm
	Cell Culture Tested	5832.00	5 gm
$C_{10}H_{14}N_2O_5$	MW : 242.23	9045.00	10 gm
(50-89-5)	Assay : ≥99%	20070.00	25 gm
	Store below 30°C		
TC1175	**Thymine**	1279.00	5 gm
	Cell Culture Tested	3803.00	25 gm
$C_5H_6N_2O_2$	MW : 126.11		
(65-71-4)	Assay : ≥98%		
	Store below 30°C		
TC1178	**Uracil**	1503.00	25 gm
	Cell Culture Tested	3609.00	100 gm
$C_4H_4N_2O_2$	MW : 112.09	14310.00	500 gm
(66-22-8)	Assay : ≥99%		
	Store below 30°C		
TC1181	**Uridine**	2250.00	5 gm
	Cell Culture Tested	6210.00	25 gm
$C_9H_{12}N_2O_6$	MW : 244.2	9153.00	50 gm
(58-96-8)	Assay : ≥99%		
	Store at 2 - 8°C		
	CHEMICALS MEETING PHARMACOPEIAL TESTING SPECIFICATIONS		
TC1574M	**Acetic Acid, Glacial**	3960.00	1 lit
	Meets USP 41-NF 36, EP 9.0,		
	JP 17 and BP 2016 testing		
	specifications		
CH_3COOH	MW : 60.05		
(64-19-7)			
	Store below 30°C		

Product Code	Product Name	Price	Packing
TC1054M	**N-Acetyl-L-Cysteine** Acetylcysteine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 163.191 Store at 2 - 8°C $C_5H_9NO_3S$ (616-91-1)	4730.00 18180.00 48520.00	5 gm 25 gm 100 gm
TC1056M	**L-Alanine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 89.09 Store below 30°C $C_3H_7NO_2$ (56-41-7)	1809.00 5247.00 18198.00 36360.00	25 gm 100 gm 500 gm 1 kg
TC1092M	**Ammonium Chloride** Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications MW : 53.49 Store below 30°C ClH_4N (12125-02-9)	1819.00 5454.00	100 gm 500 gm
TC1052M	**L-Arginine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 174.2 Store below 30°C $C_6H_{14}N_4O_2$ (74-79-3)	2300.00 5697.00 14922.00 28990.00	25 gm 100 gm 500 gm 1 kg
TC1053M	**L-Arginine Monohydrochloride** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 210.66 Store below 30°C $C_6H_{14}N_4O_2.HCl$ (1119-34-2)	2430.00 6170.00 18180.00 27720.00	25 gm 100 gm 500 gm 1 kg
TC1057M	**L-Asparagine** Monohydrate (From non-animal source) Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications MW : 150.13 Store below 30°C $C_4H_8N_2O_3.H_2O$ (5794-13-8)	3033.00 9090.00 26676.00 40005.00	25 gm 100 gm 500 gm 1 kg
TC1059M	**L-Aspartic Acid** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 133.11 Store below 30°C $C_4H_7NO_4$ (56-84-8)	1215.00 3636.00 16920.00	25 gm 100 gm 500 gm
TC1580M	**Boric acid** Hydrogen borate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 61.83 Store below 30°C H_3BO_3 (10043-35-3)	3033.00 5153.00	500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1001M	**Calcium Chloride** Dihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 147.01 Store below 30° $CaCl_2.2H_2O$ (10035-04-8)	7272.00 10900.00	500 gm 1 kg
TC1105M	**Citric Acid** Anhydrous Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 192.12 Store below 30° $C_6H_8O_7$ (77-92-9)	2300.00 7272.00	100 gm 500 gm
TC1454M	**Citric Acid** Monohydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 210.14 Store below 30°C $C_6H_8O_7.H_2O$ (5949-29-1)	4671.00 7002.00	500 gm 1 kg
TC1108M	**Cupric Chloride** Dihydrate Copper dichloride; Copper(II) chloride Meets USP 41-NF 36 testing specifications MW : 170.48 Store below 30°C $CuCl_2.H_2O$ (10125-13-0)	3024.00 9081.00	100 gm 500 gm
TC1609M	**Cupric Sulphate** Anhydrous Copper(II)sulphate Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications MW : 159.61 Store below 30°C $CuSO_4$ (7758-98-7)	1809.00 6048.00	100 gm 1 kg
TC1003M	**Cupric Sulphate** Pentahydrate Copper(II) sulphate pentahydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 249.69 Store below 30°C $CuSO_4.5H_2O$ (7758-99-8)	3024.00 5571.00	500 gm 1 kg
TC1183M	**Cyanocobalamin** (See: Vitamin B12) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 1355.37 Store at 2 - 8°C $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	3033.00 3870.00 6490.00 24260.00	100 mg 250 mg 1 gm 5 gm
TC1058M	**L-Cysteine Hydrochloride** Monohydrate (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 175.63 Store below 30°C $HSCH_2CH(NH_2)COOH.HCl.H_2O$ (7048-04-6)	1611.00 4600.00 20620.00 30933.00	25 gm 100 gm 500 gm 1 kg
TC1070M	**L-Cystine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 240.3 Store below 30°C $HSCH_2CH(NH_2)CO_2H$ (56-89-3)	3259.00 10171.00 33710.00 60030.00	25 gm 100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1450M	**Dimethyl Sulfoxide** (See: Micryo SL DMSO) Sterile Filtered Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications C_2H_6OS MW : 78.13 (67-68-5) Assay : ≥99.5% Store at 2 - 8°C	18190.00	100 ml
TC1115M	**Edetic Acid** Anhydrous (See: EDTA free acid, anhydrous) Diaminoethane-tetraacetic acid, Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications $C_{10}H_{16}N_2O_8$ MW : 292.24 (60-00-4) Store below 30°C	1062.00 4077.00	100 gm 500 gm
TC1038M	**EDTA Disodium Salt** Dihydrate EDTA disodium salt Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_{10}H_{14}N_2O_8Na_2..2H_2O$ MW : 372.24 (6381-92-6) Store below 30°C	3690.00 13100.00	100 gm 500 gm
TC1453U	**Ferric Ammonium Citrate, Brown** (Ammonium iron(III) citrate) Meets USP 41-NF 36 testing specifications $C_6H_8O_7.xFe_3 + . yNH_3$ (1185-57-5) Store below 30°C	1260.00 5022.00	100 gm 500 gm
TC1587M	**Ferric Chloride** Hexahydrate Iron(III) chloride hexahydrate Meets EP 9.0, and BP 2016 testing specifications $FeCl_3.6H_2O$ MW : 270.28 (10025-77-1) Store below 30°C	1872.00 2817.00 9612.00	5 gm 25 gm 100 gm
TC1119M	**Ferrous Sulphate** Heptahydrate Iron(II) sulphate hexahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $FeSO_4.7H_2O$ MW : 278.01 (7782-63-0) Store below 30°C	1971.00 3123.00	500 gm 1 kg
TC1123M	**Folic Acid** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_{19}H_{19}N_7O_6$ MW : 441.4 (59-30-3) Store at 2- 8°C	1360.00 5850.00	5 gm 25 gm
TC1127M	**D-(+)-Galactose** Anhydrous Meets EP 9.0 and BP 2016 testing specifications $C_6H_{12}O_6$ MW : 180.16 (59-23-4) Store below 30°C	4824.00 21740.00 32580.00	100 gm 500 gm 1 kg
TC1127U	**α-(D)-Galactose** Anhydrous Meets USP 41-NF 36 testing specifications $C_6H_{12}O_6$ MW : 180.16 (3646-73-9) Store below 30°C	9216.00 36270.00 53550.00	100 gm 500 gm 1 kg
TC1130M	**D-(+)-Glucose anhydrous** Dextrose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_6H_{12}O_6$ MW : 180.16 (50-99-7) Store below 30°C	684.00 3960.00	100 gm 1 kg
TC1074M	**L-Glutamic Acid** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_5H_9NO_4$ MW : 147.13 (56-86-0) Store below 30°C	1251.00 3636.00 14553.00 24242.00	25 gm 100 gm 500 gm 1 kg
TC1243M	**L-Glutamine** (From non-animal source) Meets USP 41-NF 36 and JP 17 testing specifications $C_5H_{10}N_2O_3$ MW : 146.14 (56-85-9) Store below 30°C	1809.00 2907.00 9702.00 53380.00	10 gm 25 gm 100 gm 1 kg
TC1503M	**Glycerol** Glycerin Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $HOCH_2CH(OH)CH_2OH$ MW : 92.09 (56-81-5) Store below 30°C	4050.00 7830.00	500 ml 1 lt
TC1075M	**Glycine** 2-Aminoacetic acid Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications NH_2CH_2COOH MW : 75.07 (56-40-6) Store below 30°C	5823.00 20385.00	100 gm 1 kg
TC1076M	**L-Histidine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_6H_9N_3O_2$ MW : 155.15 (71-00-1) Store below 30°C	7272.00 24260.00 43610.00	100 gm 500 gm 1 kg
TC1077M	**L-Histidine Monohydrochloride** Monohydrate (From non-animal source) Meets EP 9.0, JP 17 and BP 2016 testing specifications $C_6H_9N_3O_2.HCl.H_2O$ MW : 209.63 (5934-29-2) Store below 30°C	2907.00 8001.00 43677.00	25 gm 100 gm 1 kg

Product Code	Product Name	Price	Packing
TC1049M	**L-Isoleucine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 131.18 Store below 30°C $C_6H_{13}NO_2$ (73-32-5)	2142.00 4176.00 14400.00 86625.00	10 gm 25 gm 100 gm 1 kg
TC1136M	**Kanamycin sulphate** Meets USP 41-NF 36 and JP 17 testing specifications MW : 582.58 Potency : ≥750 µg/mg Store at 2 - 8°C $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	1656.00 5436.00 18163.00	1 gm 5 gm 25 gm
TC1636M	**Kanamycin Acid Sulphate** Meets IP 2018 and BP 2016 testing specifications MW : 680.64 Potency : ≥750 µg/mg Store at 2 - 8°C $C_{18}H_{40}N_4O_{19}S_2$ (64013-70-3)	POR POR POR	1 gm 5 gm 25 gm
TC1541E	**N-Lauroylsarcosine Sodium Salt** N-Dodecanoyl-N-methylglycine sodium salt Meets EP 9.0 testing specifications MW : 293.38 Store below 30°C $CH_3(CH_2)_{10}CON(CH_3)CH_2COONa$ (137-16-6)	932.00 4190.00	5 gm 25 gm
TC1078M	**L-Leucine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 131.17 Store below 30°C $C_6H_{13}NO_2$ (61-90-5)	1818.00 3393.00 11277.00 60660.00	10 gm 25 gm 100 gm 1 kg
TC1079M	**L-Lysine Monohydrochloride** L-Lysine hydrochloride (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 182.65 Store below 30°C $C_6H_{14}N_2O_2.HCl$ (657-27-2)	2179.00 4240.00 18190.00	25 gm 100 gm 1 kg
TC1577M	**Magnesium Sulphate** Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 246.466 Store below 30°C $H_{14}MgO_{11}S$ (10034-99-8)	2952.00 4923.00	100 gm 1 kg
TC1149M	**Magnesium (II) Sulphate** Monohydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 169 Store below 30°C $MnO_4S.H_2O$ (10034-96-5)	3033.00 9702.00	100 gm 500 gm
TC1513M	**D-Mannitol** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 182.172 Store below 30°C $C_6H_{14}O_6$ (69-65-8)	2421.00 7272.00	25 gm 100 gm
TC1080M	**L-Methionine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 149.21 Store below 30°C $C_5H_{11}NO_2S$ (63-68-3)	3510.00 10071.00 54540.00	25 gm 100 gm 1 kg
TC1154M	**Nicotinamide** Niacinamide Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 122.12 Store below 30°C $C_6H_6N_2O$ (98-92-0)	1819.00 4842.00	100 gm 500 gm
TC1533M	**Orthophosphoric Acid** Phosphoric acid Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 98 Store below 30°C H_3PO_4 (7664-38-2)	4842.00 14553.00	100 gm 500 gm
TC1098M	**L-Phenylalanine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 165.19 Store below 30°C $C_9H_{11}NO_2$ (63-91-2)	1819.00 3636.00 10310.00 66700.00	10 gm 25 gm 100 gm 1 kg
TC1222M	**Poloxamer F-68** Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 60.09 Store at 2 - 8°C $(C_3H_6O.C_2H_4O)_x$ (9003-11-6)	2061.00 18180.00	100 gm 1 kg
TC1223M	**Poloxamer P-188** (Pluronic®F-68) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 60.09 Store at 2 - 8°C $C_3H_6O.C_2H_4O)$ (9003-11-6)	2061.00 18180.00	100 gm 1 kg
TC1287M	**Polysorbate 20** (See: Tween®20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications Store below 30°C (9005-64-5)	2790.00 8352.00	100 ml 5x100 ml
TC1010M	**Potassium Chloride** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 74.55 Store below 30°C KCl (7447-40-7)	4181.00 6516.00 12060.00	250 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1011M	**Potassium Dihydrogen Phosphate** Anhydrous Monobasic Potassium phosphate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 136.09 KH_2PO_4 (7778-77-0) Store below 30°C	2430.00 4176.00 7110.00 21344.00	100 gm 500 gm 1 kg 5 kg
TC1596M	**di-Potassium Hydrogen Phosphate** Anhydrous Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 174.2 HK_2O_4P (7758-11-4) Store below 30°C	3636.00 7272.00 POR	500 gm 1 kg 5 kg
TC1109M	**L-Proline** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 115.13 $C_5H_9NO_2$ (147-85-3) Store below 30°C	1540.00 4653.00 18153.00 28881.00	25 gm 100 gm 500 gm 1 kg
TC1571M	**1-Propanol** N-Propanol Meets EP 9.0 and BP 2016 testing specifications MW : 60.09 C_3H_8O (71-23-8) Store below 30°C	5400.00 8235.00	500 ml 1 lit
TC1039M	**Pyridoxine Hydrochloride** Vitamin B6; Pyridoxol hydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 205.64 $C_8H_{11}NO_3.HCl$ (58-56-0) Store at 2 - 8°C	3636.00 7272.00 14544.00	10 gm 25 gm 100 gm
TC1167M	**(-)-Riboflavin** Vitamin G; Vitamin B2; Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 376.36 $C_{17}H_{20}N_4O_6$ (83-88-5) Store below 30°C	3155.00 9100.00	25 gm 100 gm
TC1113M	**L-Serine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 105.09 $C_3H_7NO_3$ (56-45-1) Store below 30°C	4014.00 7776.00 25300.00 48920.00	25 gm 100 gm 500 gm 1 kg
TC1023U	**Sodium Acetate** Anhydrous Acetic acid sodium salt, Sodium acetate Meets USP 41-NF 36 testing specifications MW : 82.03 CH_3COONa (127-09-3) Store below 30°C	1431.00 6399.00	100 gm 500 gm
TC1456M	**Sodium Acetate** Trihydrate Acetic acid sodium salt trihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 136.079 $C_2H_9NaO_5$ (6131-90-4) Store below 30°C	4986.00 7470.00 13104.00 23590.00 54540.00	250 gm 500 gm 1 kg 2 kg 5 kg
TC1230M	**Sodium Bicarbonate** Sodium hydrogen carbonate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 84.01 $NaHCO_3$ (144-55-8) Store below 30°C	1818.00 5454.00 8487.00 24264.00	100 gm 500 gm 1 kg 5 kg
TC1046M	**Sodium Chloride** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 58.44 NaCl (7647-14-5) Store below 30°C	3033.00 5454.00 16371.00 24260.00	500 gm 1 kg 5 kg 10 kg
TC1526M	**Sodium Citrate** Anhydrous Meets USP 41-NF 36 testing specifications MW : 214.11 $NaC_6H_7O_7$ (68-04-2) Store below 30°C	8843.00 22140.00	100 gm 500 gm
TC1249M	**tri-Sodium Citrate** Dihydrate Sodium citrate dihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 294.1 $Na_3C_6H_5O_7.HO_2$ (6132-04-3) Store below 30°C	5463.00 9864.00 36702.00	500 gm 1 kg 5 kg
TC1460M	**Sodium Hydroxide Pellets** Caustic Soda Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 40 NaOH (1310-73-2) Store below 30°C	1215.00 2179.00 6543.00	500 gm 1 kg 5 kg
TC1051M	**di-Sodium Hydrogen Phosphate** Anhydrous Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 141.96 Na_2HPO_4 (7558-79-4) Store below 30°C	2628.00 7579.00 11862.00 22752.00	100 gm 500 gm 1 kg 5 kg
TC1507M	**di-Sodium Hydrogen Phosphate** Dihydrate Disodium phosphate dihydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 177.99 $Na_2HPO_42H_2O$ (10028-24-7) Store below 30°C	2170.00 3790.00 13262.00	500 gm 1 kg 5 kg
TC1581M	**Sodium Molybdate** Dihydrate Meets EP 9.0 and and BP 2016 testing specifications MW : 241.95 $Na_2MoO_4.2H_2O$ (10102-40-6) Store below 30°C	1819.00 5823.00 24462.00 49510.00	25 gm 100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1459M	**Sodium Phosphate Monobasic** Anhydrous Monosodium dihydrogen orhtophosphate, Monosodium phosphate, anhydrous Meets USP 41-NF 36 and BP 2016 testing specifications MW : 119.98 Store below 30°C	5243.00 17240.00 30465.00	100gm 500 gm 1 kg
NaH_2PO_4 (7558-80-7)			
TC1169E	**Sodium Selenite** Anhydrous Meets EP 9.0 testing specifications MW : 172.94 Store below 30°C	1810.00 3115.00 6606.00	10 gm 25 gm 100 gm
Na_2SeO_3 (10102-18-8)			
TC1572M	**Sodium Sulphate** Anhydrous Meets USP 41-NF 36, EP 9.0 BP 2016 testing specifications MW : 142.04 Store below 30°C	1260.00 1900.00 8523.00	500 gm 1 kg 5 kg
Na_2SO_4 (7757-82-6)			
TC1170M	**D-(-)-Sorbitol** Polyhydric alcohol; D- Glucitol; Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications MW : 182.17 Store below 30°C	1863.00 2781.00 11430.00	500 gm 1 kg 5 kg
$C_6H_{14}H_6$ (50-70-4)			
TC1048M	**Sucrose** D-(+)-Saccharose, Sugar Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications MW : 342.30 Store below 30°C	4240.00 9702.00 38800.00	500 gm 1 kg 5 kg
$C_{12}H_{22}O_{11}$ (57-50-1)			
TC1173M	**Thiamine Hydrochloride** Vitamin B1; Thiamine monohydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 337.27 Store at 2 - 8°C	1944.00 4923.00 14553.00	25 gm 100 gm 500 gm
$C_{12}H_{17}ClN_4OS.HCl$ (67-03-8)			
TC1120M	**L-Threonine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 119.12 Store below 30°C	4842.00 14553.00 31545.00 60666.00	25 gm 100 gm 500 gm 1 kg
$C_4H_9NO_3$ (72-19-5)			
TC1177M	**D-(+)-Trehalose** Dihydrate Mycose, Tremalose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 378.33 Store below 30°C	3114.00 6183.00 17595.00	10 gm 25 gm 100 gm
$C_{12}H_{22}O_{11} \cdot 2H_2O$ (6138-23-4)			
TC1072M	**Tris Base (Trizma®)** Tromethamine; Tris (hydroxymethyl) aminomethane, Trometamol Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 121.14 Store below 30°C	2925.00 7641.00 11430.00	100 gm 500 gm 1 kg
$NH_2C(CH_2OH)_3$ (77-86-1)			

Product Code	Product Name	Price	Packing
TC1121M	**L-Tryptophan** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 204.23 Store below 30°C	5220.00 15156.00 45450.00 60660.00	25 gm 100 gm 500 gm 1 kg
$C_{11}H_{12}N_2O_2$ (73-22-3)			
TC1287M	**Cween®20** (See: Polysorbate 20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications Store below 30°C	2790.00 8352.00	100 ml 5x100 ml
(9005-64-5)			
TC1122M	**L-Tyrosine** (From animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 181.19 Store below 30°C	3150.00 10170.00 27270.00 47313.00	25 gm 100 gm 500 gm 1 kg
$4\text{-}(HO)C_6H_4CH_2CH(NH_2)CO_2H$ (60-18-4)			
TC1180M	**Urea** (Carbamide) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 60.06 Store below 30°C	2718.00 4032.00 13060.00	500 gm 1 kg 5 kg
NH_2CONH_2 (57-13-6)			
TC1132M	**L-Valine** (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 117.15 Store below 30°C	1575.00 4730.00 21816.00 41220.00	25 gm 100 gm 500 gm 1 kg
$C_5H_{11}NO_2$ (72-18-4)			
TC1183M	**Vitamin B12** (Cyanocobalamin) Cell Culture Tested Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 1355.37 Store at 2 - 8°C	3033.00 3870.00 6490.00 24260.00	100 mg 250 mg 1 gm 5 gm
$C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)			
TC1184M	**Zinc Chloride** Anhydrous Zinc(II) chloride, Zinc dichloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 136.29 Store below 30°C	1279.00 3627.00 5445.00	100 gm 500 gm 1 kg
$ZnCl_2$ (7646-85-7)			
TC1131M	**Zinc Sulphate** Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 287.56 Store below 30°C	2070.00 4266.00	100 gm 500 gm
$ZnSO_4 7H_2O$ (7446-20-0)			

Unless indicated all the above products to be stored below 30°C
Trizma® is a registered trademark of Sigma - Aldrich Co. LLC

Product Code	Product Name	Price	Packing
	VACCINE STABILIZERS AND ADJUVANT		
TC1550M	**Aluminium Hydroxide, Dried Gel** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 78 (21645-51-2) Store below 30°C	**4420.00** **7970.00** **31770.00**	**500 gm** **1 kg** **5 kg**
TC1551M	**Aluminium Phosphate Gel** Meets EP 9.0 and BP 2016 testing specifications AlO_4P MW : 121.95 (7784-30-7) Store below 30°C	**POR** **POR**	**100 ml** **500 ml**
TC1551U	**Aluminium Phosphate Gel** Meets USP 41-NF 36 testing specifications AlO_4P MW : 121.95 (7784-30-7) Store below 30°C	**POR** **POR**	**100 ml** **500 ml**
TC1552M	**Aluminium Potassium Sulphate** Dodecahydrate (Potassium alum dodecahydrate) Meets USP 41-NF 36, EP 9.0, JP and BP 2016 testing specifications $KAl(SO_4)_2.12H_2O$ MW : 474.39 (7784-24-9) Store below 30°C	**13600.00** **15300.00**	**500 gm** **1 kg**
TC1553U	**Aluminium Sulphate** Diammonium sulphate Meets USP 41-NF 36 testing specifications $(NH_4)_2SO_4$ MW : 132.14 (7783-20-2) Store below 30°C	**4707.00** **7430.00** **29700.00**	**500 gm** **1 kg** **5 kg**
TC1554M	**Benzethonium Chloride** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_{27}H_{42}ClNO_2$ MW : 448.09 (121-54-0) Store below 30°C	**6750.00** **13500.00**	**100 gm** **250 gm**
TC1516	**Bromoethyl Amine Hydrobromide** 2-Aminoethyl bromide hydrobromide $BrCH_2CH_2NH_2 \cdot HBr$ MW : 204.89 (2576-47-8) Assay ≥96% Store below 30°C	**1503.00** **9990.00** **POR**	**100 gm** **1 kg** **5 kg**
TC1555U	**Cetyl Trimethyl Ammonium Bromide** Cetrimonium bromide; Hexadecyltrimethylammonium bromide Meets USP 41-NF 36 testing specifications MW : 364.45 (57-09-0) Store below 30°C	**5184.00** **12591.00** **25560.00**	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Price	Packing
TC1557M	**Formaldehyde Sol, ≥35%** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications CH_2O MW : 30.03 (50-00-0) Store below 30°C	**1819.00**	**500 ml**
TC1558M	**Glutaraldehyde, 50%** Glutaral Meets USP 41-NF 36 and BP 2016 testing specifications MW : 100.12 (111-30-8) Store at 2 - 8°C	**17550.00**	**100 ml**
TC1559	**Hemin** MW : 652 (16009-13-5) Store at 2 - 8°C	**4240.00** **18190.00**	**1 gm** **5 gm**
TC1560M	**Magnesium Stearate** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_{36}H_{70}MgO_4$ MW : 591.27 (557-04-0) Store below 30°C	**2241.00** **3357.00**	**500 gm** **1 kg**
TC1600	**Mineral Oil** White Mineral oil C_2H_6OS MW : 78.13 (8042-47-5) Store below 30°C	**1161.00** **3627.00**	**100 ml** **500 ml**
TC1561U	**Monosodium Glutamate** Meets USP 41-NF 36 testing specifications MW : 169.11 Store below 30°C	**2421.00** **9702.00**	**100 gm** **500 gm**
TC1549M	**2-Phenoxyethanol** Phenoxyethanol, 2-Phenoxyethyl alcohol Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications $C_8H_{10}O_2$ MW : 138.16 (122-99-6) Store below 30°C	**6030.00**	**500 ml**
TC1601M	**Povidone, K-value ≤15** Plasdone C; PVP, 1-Vinyl-2-pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_6H_9NO)_n$ (9003-39-8) Store below 30°C	**3600.00** **5000.00** **6246.00** **21060.00**	**10 gm** **50 gm** **100 gm** **500 gm**
TC1562M	**Povidone, K-value > 15** Plasdone C; PVP, 1-Vinyl-2-pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_6H_9NO)_n$ (9003-39-8) Store below 30°C	**3510.00** **4905.00** **6120.00** **20070.00**	**10 gm** **50 gm** **100 gm** **500 gm**

Product Code	Product Name	Price	Packing
TC1552M $KAlSO_4)_2.12H_2O$ (7784-24-9)	**Potassium Alum** Dodecahydrate (Aluminium potassium sulphate, dodecahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 474.39 Store below 30°C	13600.00 15300.00	500 gm 1 kg
TC1543M (9005-65-6)	**Polysorbate 80** (Tween®80 Polyxyethylene 20 sorbitan monooleate Meets USP and EP testing specifications Store below 30°C	1656.00 3726.00	100 ml 500 ml
TC1223 $C_3H_4O_2$ (57-57-8)	**β-Propiolactone** MW : 72.06 Assay ≥97% Store at -20°C	72630.00	100 ml
TC1563M (9009-65-8)	**Protamine Sulphate** Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 372.42 Store below 30°C	21060.00 84240.00 POR	10 gm 50 gm 500 gm
TC1599 $C_{24}H_{44}O_6$ (1338-43-8)	**Span® 80, Vaccine Grade** MW : 428.6 Store below 30°C	4734.00 7920.00	100 ml 500 ml
TC1543M (9005-65-6)	**Cween®80** (Polysorbate 80) Polyoxyethylene 20 sorbitan monooleate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	1656.00 3726.00	100 ml 500 ml

VITAMINS

Product Code	Product Name	Price	Packing
TC1094 $C_6H_8O_6$ (50-81-7)	**L-Ascorbic Acid** (Vitamin C) Cell Culture Tested MW : 176.12 Assay : ≥99% Store below 30°C	1566.00 2502.00 7947.00	25 gm 100 gm 500 gm
TC1096 $C_{10}H_{16}N_2O_3S$ (58-85-5)	**D-Biotin** (Vitamin B7, Vitamin H) Cell Culture Tested MW : 244.31 Assay : ≥99% Store at 2 - 8°C	2899.00 11620.00 43700.00	1 gm 5 gm 25 gm
TC1159 $C_9H_{16}O_5N.1/2Ca$ (137-08-6)	**Calcium-D-Pantothenic** Cell Culture Tested MW : 238.27 Assay : ≥98% Store at 2 - 8°C	1170.00 3619.00 14445.00	25 gm 100 gm 500 gm
TC1029 $C_{27}H_{44}O$ (67-97-0)	**Cholecalciferol** (Vitamin D3) Cell Culture Tested MW : 384.64 Assay : ≥97% Store at 2 - 8°C	2120.00 15930.00 35820.00	1 gm 10 gm 25 gm
TC1102 $C_5H_{14}ClNO$ (67-48-1)	**Choline Chloride** Cell Culture Tested MW : 139.62 Assay : ≥97% Store below 30°C	1377.00 5270.00 8343.00	100 gm 500 gm 1 kg
TC1123 $C_{19}H_{19}N_7O_6$ (59-30-3)	**Folic Acid** (Vitamin M; Vitamin B9) Cell Culture Tested MW : 441.4 Assay : ≥95% Store at 2 - 8°C	954.00 4330.00	5 gm 25 gm
TC1151 $C_{11}H_9NaO_5S$ (130-37-0)	**Menadione Sodium Bisulphite** (Vitamin K3; W.S.) Cell Culture Tested MW : 276.24 Assay : ≥95% Store at 2 - 8°C	1530.00 5239.00	25 gm 100 gm
TC1154 $C_6H_6N_2O$ (98-92-0)	**Niacinamide** Nicotinamide Cell Culture Tested MW : 122.12 Assay : ≥98.5% Store below 30°C	1143.00 3434.00	100 gm 500 gm
TC1157 $C_6H_5NO_2$ (59-67-6)	**Nicotinic Acid** (Vitamin B3, Niacin) Cell Culture Tested MW : 123.11 Assay : ≥99% Store below 30°C	1305.00 3933.00	100 gm 500 gm
TC1164 $C_8H_9NO_3.HCl$ (65-22-5)	**Pyridoxal Hydrochloride** Cell Culture Tested MW : 203.62 Assay : ≥99% Store at 2 - 8°C	3380.00 13550.00	5 gm 25 gm
TC1165 $C_8H_{12}N_2O_2.2HCl$ (524-36-7)	**Pyridoxamine Dihydrochloride** Cell Culture Tested MW : 241.11 Assay : ≥98% Store at 2 - 8°C	5153.00 14004.00 53411.00	1 gm 5 gm 25 gm
TC1039 $C_8H_{11}NO_3.2HCl$ (58-56-0)	**Pyridoxine Hydrochloride** (Vitamin B6 hydrochloride) Cell Culture Tested MW : 205.64 Assay : ≥99% Store at 2 - 8°C	1630.00 3240.00 9766.00	10 gm 25 gm 100 gm
TC1153 $C_{22}H_{32}O_2$ (127-47-9)	**Retinol Acetate** (Vitamin A acetate power: Retinyl acetate) Cell Culture Tested MW : 328.49 Assay : ≥475000 IU/g Store at 2 - 8°C	1593.00 5590.00 11205.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
TC1167	**(-)-Riboflavin** (Vitamin G; Vitamin B2) Cell Culture Tested $C_{17}H_{20}N_4O_6$ (83-88-5) MW : 376.36 Assay : ≥98% Store below 30°C	1504.00 4545.00	25 gm 100 gm
TC1095	**Sodium-L-Ascorbate** (Vitamin C sodium salt) Cell Culture Tested $C_6H_7NaO_6$ (134-03-2) MW : 198.11 Assay : ≥99% Store below 30°C	2124.00 8514.00	100 gm 500 gm
TC1173	**Thiamine Hydrochloride** (Vitamin B1 hydrochloride) Cell Culture Tested $C_{12}H_{17}ClN_4OS.HCl$ (67-03-8) MW : 337.27 Assay : ≥99% Store at 2 - 8°C	1602.00 4073.00 10009.00	25 gm 100 gm 500 gm

Product Code	Product Name	Price	Packing
TC1376	**DL-α-Tocopherol Acetate** (Vitamin E acetate) Cell Culture Tested $C_{31}H_{52}O_3$ (7695-91-2) MW : 472.74 Assay : ≥96% Store at 2 - 8°C	1459.00 3636.00 12132.00	5 gm 25 gm 100 gm
TC1183	**Vitamin B_{12}** (Cyanocobalmin) Cell Culture Tested $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9) MW : 1355.37 Assay : ≥96% Store at 2 - 8°C	1369.00 2052.00 5157.00 15490.00	100 mg 250 mg 1 gm 5 gm

Animal Tissue Culture

Tested Chemicals

CDH introducing the comprehensive range of animal tissue culture tested chemicals. We are one of the pioneer supplier of chemicals and specialty chemicals, including amino acids, antibiotics, growth factors, biochemicals, used in cell culture. ATC chemicals are analysed with cell culture test to verify their suitability in cell culture application apart from analytical testing .

These products are specially designed for the customers looking for products in compliance to USP, EP and BP testing specifications. Every batch is released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specification.

Unless indicated all the above products to be stored below 30°C

PLANT TISSUE CULTURE

Your choice of media can bring more productivity and consistency in research and commercial applications.

Product	Prefix	Page
Plant Tissue Culture Media		**445-456**
Complete Media	PT	
Plant Salt Mixture	FD	
Macroelements	TS/PL	
Microelements	TS/PL	
Vitamins	VP/PL	
Teaching Aids	TP	
Plant Growth Regulators CDH		**457-461**
Auxins	PCT	
Cytokinins	PCT	
Gibberellins	PCT	
Others	PCT	
Contamination Control Systems CDH		**462-467**
Antibiotics and Antifungals	PCT	
Antimicrobial Solution (Sterile filtered)	PCT	
Disinfectants	PCT	
Plant Tissue Culture Tested Chemicals CDH		**468-469**
Adsorbent	PCT	
Amino Acids	PCT	
Buffers	PCT	
Carbohydrates	PCT	

Product	469-478
Dyes and Stains	PCT
Enzymes	PCT
Indicators	PCT
Macroelements	PCT
Media Dyes	PCT
Metalbolites	PCT
Microelements	PCT
Miscellaneous Chemicals	PCT
Organic Acids	PCT
Organic Supplements	PCT
Steroids/ Sterols	PCT
Vitamins	PCT

microgen

PLANT TISSUE CULTURE MEDIA

The blessing of plant biotechnology relies very much on the fundamental techniques of Plant Tissue Culture. Understanding basic biology of plants is a prerequisite for proper utilization of the plant system or parts thereof. Culture medium is the most important requirement for Plant Tissue Culture and its success largely depends on the composition of culture media. Optimal growth and morphogenesis of tissues may vary for different plants according to their nutritional requirements.

Microgen fulfills the needs of a researcher by providing a broad range of classical as well as crop specific media with nimber of variations. To meet the requirements of the scientists, we offer a wide range of media in powder form along with their supplements in both powder and liquid forms. All our media undergo stringent quality control testing and analysis along with Plant Tissue Culture tests required to maintain consistency and quality.

As customization is our forte, we also provide customized media as per the needs and requirements of the researcher with committed confidentiality at affordable prices. Our distribution capabilities and real time inventory tracking ensures that your Plant Tissue Culture products are available on time whenever and where you need them.

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com

microgen

PLANT TISSUE CULTURE MEDIA AND MEDIA SUPPLEMENTS

Nature your plants with quality nourishment from our wide range of product offerings for plant tissue culture.

Product	Page
African Violet	**445**
Anthurium	**445**
Arabidopsis	**445**
Banana	**445**
Begonia	**445**
Cactus	**445**
Carnation	**445**
Carrot	**445**
Chee and Pool (C2D) Vitis	**445**
>> Macroelements	
CHU (N6)	**445-446**
>> Macroelements	
>> Microelements	
>> Vitamins	
CLC / Ipomoea	**446**
>> Macroelements	
Date Palm	**446**
De Greef and Jacobs	**446**
>> Macroelements	
>> Microelements	
DKW/Juglans	**446**
>> Macroelements	
>> Microelements	
>> Vitamins	
Eriksson	**446**
>> Macroelements	
>> Microelements	
>> Vitamins	
Fern	**446**
Gamborg B5	**446-447**
>> Macroelements	
>> Microelements	
>> Vitamins	
Geranium	**447**
Gerbera	**447**

Product	Page
Gresshoff and Doy	**447**
Heller	**447**
>> Macroelements	
>> Microelements	
Hoagland	**447**
Kao and Michayluk	**447**
>> Macroelements	
>> Microelements	
>> Vitamins	
Leifert and Waites	**447**
Linsmaier and Skoog	**447-448**
>> Macroelements	
>> Microelements	
>> Vitamins	
Litvay	**448**
>> Macroelements	
>> Microelements	
Murashige and Skoog	**448-450**
>> Macroelements	
>> Microelements	
>> Vitamins	
NB Medium	**450**
Nitsch	**450**
>> Macroelements	
>> Microelements	
>> Vitamins	
NLN	**450**
>> Macroelements	
>> Microelements	
>> Vitamins	
Orchid	**450-451**
>> Macroelements	
>> Microelements	
>> Vitamins	

Product	Page
Poinsettia	**451**
Potato	**451-452**
Quorin and Lepoivre	**452**
Rhododendron	**452**
>> Macroelements	
>> Microelements	
>> Vitamins	
Staba	**452**
Schenk and Hildebrandt	**452**
>> Macroelements	
>> Microelements	
>> Vitamins	
Spathyphyllum	**452**
Strawberry	**452**
Syngonium	**452**
>> Macroelements	
Tobacco	**452**
Tomato	**452**
Westvaco	**452**
White	**453**
>> Macroelements	
Woody Plant	**453**
>> Macroelements	
>> Microelements	
>> Vitamins	
Yoshida	**453**
Chelated Iron Solution (Liquid Sterile Filtered)	**453**
Teaching Aids	**453**
Phycology Media (Liquid Sterile Filtered)	**453**
Phycology Media (Powder)	**453**
Rose	**450**
Rugini Olive	**454**
>> Macroelements	
>> Vitamins	
Phytopathological Media	**454-455**
Phytopathological Supplement	**455-556**

Product Code	Product Name	Price	Packing
	African Violet		
PT 1111	**African Violet Multiplication Medium** w/ Vitamins, Sucrose & IAA; W/o Agar	761.00 2620.00	5 lit 25 lit
PT 1110	**African Violet Multiplication Medium** w/ Vitamins, Sucrose, MES, Adenine sulphate, IAA & Kinetin; W/o Agar	761.00 2620.00	5 lit 25 lit
	Anthurium		
PT 1162	**Anthurium Callus Induction Medium** w/ Vitamins, Sucrose, Plant growth regulators & Agar	657.00 2241.00	5 lit 25 lit
PT 1163	**Anthurium Multiplication Medium** w/ Vitamins, Sucrose, Plant growth regulators & Agar	954.00 3123.00	5 lit 25 lit
PT 1164	**Anthurium Rooting Medium** w/ Vitamins, Sucrose, Plant growth regulators, Activated charcoal & Agar	972.00 3213.00	5 lit 25 lit
	Arabidopsis		
PT 1083	**Arabidopsis Callus Initiation Medium** w/ Vitamins, Sucrose, 2,4-D & Kinetin; W/o Agar	504.00 1854.00	5 lit 25 lit
PT 1156	**Arabidopsis Seed Germination Medium** w/ Sucrose & Agar	1053.00 4104.00	5 lit 25 lit
	Banana		
PT 1076	**Banana Micropropagation Medium** w/ Vitamins; W/o NH_4NO_3, Sucrose & Agar	540.00 2331.00	5 lit 25 lit
PT 1075	**Banana Multiplication Medium** w/ Vitamins, Casein hydrolysate & IAA; W/o Sucrose & Agar	540.00 2223.00	5 lit 25 lit
PT 1077	**Banana Multiplication Medium** w/ Vitamins, Sucrose, Casein hydrolysate, IAA & Agar;	860.00 3555.00	5 lit 25 lit
PT 1077G	**Banana Multiplication Medium** w/ Vitamins, Sucrose, Casein hydrolysate, IAA & CleriGel	909.00 3807.00	5 lit 25 lit
PT 1078	**Banana Multiplication Medium** w/ Vitamins, Sucrose & Agar; W/o NH_4NO_3 & Casein hydrolysate	504.00 2052.00	5 lit 25 lit
PT 1079	**Banana Multiplication Medium** w/ CaCl, Vitamins, Sucrose, Glucose, Ascorbic acid, IAA, 6-BAP & Agar	860.00 3160.00	5 lit 25 lit
PT 1079G	**Banana Multiplication Medium** w/ CaCl, Vitamins, Sucrose, acid, IAA, 6-BAP & CleriGel	981.00 3690.00	5 lit 25 lit
PT 1150	**Banana Multiplication Medium** w/ Vitamins, Glucose, Sucrose, Plant growth regulators & Agar	864.00 3155.00	5 lit 25 lit
PT 1158	**Banana Rooting Medium** w/ Vitamins, Plant growth regulators, Sucrose, Activated charcoal & Agar Glucose, Ascorbic	1103.00 4302.00	5 lit 25 lit

Product Code	Product Name	Price	Packing
	Begonia		
PT 1109	**Begonia Multiplication Medium** w/ Vitamins, Sucrose, Adenine sulphate, IAA & 2iP; w/o Agar	761.00 2620.00	5 lit 25 lit
	Cactus		
PT 1124	**Cactus Multiplication Medium** w/ Vitamins, Sucrose, Adenine sulphate, iP, IAA, IBA & Agar	820.00 2844.00	5 lit 25 lit
	Carnation		
PT 1121	**Carnation Initiation Medium** w/ Vitamins, Sucrose, Casein hydrolysate, Kinetin, NAA & Agar	820.00 2844.00	5 lit 25 lit
PT 1122	**Carnation Multiplication Medium** w/ Vitamins, Sucrose, Kinetin, **NAA & Agar**	820.00 2844.00	5 lit 25 lit
PT 1123	**Carnation Rooting Medium** w/ Vitamins, Sucrose & Agar	820.00 2844.00	5 lit 25 lit
	Carrot		
PT 1089	**Carrot Callus Initiation Medium** w/ Vitamins & 2,4-D; W/o Sucrose & Agar	531.00 2025.00	5 lit 25 lit
PT 1112	**Carrot Organogenesis Medium** w/ Vitamins, Sucrose & Kinetin; W/o Agar	756.00 2610.00	5 lit 25 lit
	Chée & Pool (C_2D) Vitis		
PT 1027	**Chée & Pool (C2D) Vitis Medium** w/ Vitamins; W/o Sucrose & Agar	473.00 1427.00	5 lit 25 lit
TS 2113	**Chée & Pool (C_2D) Vitis Plant Salt Mixture**	405.00 1620.00	5 lit 25 lit
	Macroelements		
TS 2041	**Chée & Pool (C_2D) Vitis Macroelements**	351.00 729.00 POR	10 lit 25 lit 50 lit
	Chu (N_6)		
PT 1030	**CHU (N_6) Medium** w/ Vitamins; W/o Sucrose & Agar	486.00 1450.00	5 lit 25 lit
PT 1113	**CHU (N_6) Medium** w/ Vitamins & Sucrose; W/o Agar	563.00 1701.00	5 lit 25 lit
PL 1026	**CHU (N_6) Basal Solution (10X)**	4572.00 7313.00	5X100ml 2X500ml
TS 2103	**CHU (N_6) Plant Salt Culture**	1125.00	5 lit

Product Code	Product Name	Price	Packing
	Macroelements		
TS 2043	CHU (N_6) Macroelements	342.00 729.00 POR	10 lit 25 lit 50 lit
PL 1001	CHU (N_6) Macroelements Solution(10X)	4536.00 7236.00	5X100 ml 2X500 ml
	Microelements		
TS 2042	CHU (N_6) Microelements	747.00 3411.00	1 vl 5 vl
PL 1002	CHU (N_6) Microelements Solution(100X)	4464.00	1X100 ml
	Vitamins		
VP 1010	CHU (N_6) Vitamins (100X)	414.00 1602.00	1 vl 5 vl
PL 1017	CHU (N_6) Vitamins Solution (100X)	2160.00	1X50 ml
	CLC/Ipomoea		
PT 1028	CLC / Ipomoea Basal Medium (for Embryogenic Callus Growth, CP) w/ Vitamins; w/o $CaCl_2$, Sucrose & Agar	477.00 1422.00	5 lit 25 lit
PT 1029	CLC / Ipomoea Basal Medium (for Embryo Development, EP) w/ Vitamins; w/o Sucrose & Agar	477.00 1422.00	5 lit 25 lit
	Macroelements		
TS 2045	CLC / Ipomoea Macroelements (for Embryogenic Callus Growth, CP)	351.00 730.00 POR	10 lit 25 lit 50 lit
TS 2046	CLC / Ipomoea Macroelements (for Embryo Development, EP)	351.00 730.00 POR	10 lit 25 lit 50 lit
	Date Palm		
PT 1084	Date Palm Callus Initiation Medium w/ Vitamins, Sucrose, 2,4-D, 2iP, Activated charcoal & Agar	820.00 3105.00	5 lit 25 lit
PT 1146	Date Palm Regeneration Medium w/ 2iP, Activated charcoal, Sucrose & Agar	855.00 3114.00	5 lit 25 lit
	De Greef And Jacobs		
PT 1031	De Greef & Jacobs Medium w/ Vitamins; W/o Sucrose & Agar	477.00 1422.00	5 lit 25 lit
	Macroelements		
TS 2048	De Greef & Jacobs Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2047	De Greef & Jacobs Microelements (100X)	743.00 3411.00	1 vl 5 vl

Product Code	Product Name	Price	Packing
	DKW/Juglans		
PT 1032	DKW / Juglans Medium w/ Vitamin W/o Sucrose & Agar	477.00 1422.00	5 lit 25 lit
PT 1147	DKW / Juglans Medium w/ Vitamins & Sucrose; W/o Agar	504.00 1485.00	5 lit 25 lit
TS 2115	DKW / Juglans Plant Salt Mixture	441.00 1764.00	5 lit 25 lit
	Macroelements		
TS 2050	DKW / Juglans Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2049	DKW / Juglans Microelements (100X)	743.00 3407.00	1 vl 5 vl
	Vitamins		
VP 1013	DKW / Juglans Vitamins (100X)	414.00 1584.00	1 vl 5 vl
	Eriksson		
PT 1033	Eriksson (ER) Medium w/ Vitamins; W/o Sucrose & Agar	432.00 1310.00	5 lit 25 lit
PT 1148	Eriksson (ER) Medium w/ Vitamins & Sucrose; W/o Agar	513.00 1386.00	5 lit 25 lit
	Macroelements		
TS 2052	Eriksson (ER) Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2051	Eriksson (ER) Microelements (100X)	743.00 3411.00	1 vl 5 vl
	Vitamins		
VP 1014	Eriksson (ER) Vitamins (100X)	414.00 1584.00	1 vl 5 vl
	Fern		
PT 1087	Fern Micropropagation Medium w/ Vitamins, NAA & Kinetin; W/o Sucrose & Agar	550.00 2034.00	5 lit 25 lit
PT 1119	Stag Horn Fern Multiplication Medium w/ Vitamins, Sucrose, Adenine sulphate, IAA & Agar	820.00 2844.00	5 lit 25 lit
PT 1120	Stag Horn Fern Rooting Medium w/ Vitamins, Sucrose & Agar	837.00 2853.00	5 lit 25 lit
	Gamborg B5		
PT 1016	Gamborg B5 Medium w/ $CaCl_2$, Vitamins & Sucrose; W/o Agar	1071.00 590.00 2061.00 8082.00	10X1 lit 5 lit 25 lit 100X1 lit

Unless indicated all the above products to be stored at 2 - 8°C

microgen

Product Code	Product Name	Price	Packing
PT 1017	**Gamborg B5 Medium** w/ $CaCl_2$, Vitamins, Sucrose & Agar;	730.00 2710.00	5 lit 25 lit
PT 1017G	**Gamborg B5 Medium** w/ $CaCl_2$, Vitamins, Sucrose & CleriGel;	910.00 3384.00	5 lit 25 lit
PT 1127	**Gamborg B5 Medium** w/ Vitamins; W/o Sucrose & Agar	1089.00 477.00 1476.00	10x1 lit 5 lit 25 lit
PL 1027	**Gamborg B5 Basal Solution (10X)**	4572.00 7313.00	5X100 ml 2X500 ml
TS 2014	**Gamborg B5 Plant Salt Mixture**	414.00	5 lit
	Macroelements		
TS 2054	**Gamborg B5 Macroelements**	342.00 729.00 POR	10 lit 25 lit 50 lit
PL 1003	**Gamborg B5 Macroelements Solution**	4464.00 8244.00	5X100 ml 2X500 ml
	Microelements		
TS 2053	**Gamborg B5 / Kao Michayluk Microelements (100X)**	743.00 3407.00	1 vl 5 vl
PL 1004	**Gamborg B5 Microelements Solution**	4275.00	1X100 ml
	Vitamins		
PL 1018	**Gamborg B5 Vitamins Solution (1000X)**	1472.00	1X50 ml
	Geranium		
PT 1165	**Geranium Regeneration Medium** W/vitamins, Sucrose, Plant Growth Regulators & Agar	981.00 4433.00	5 lit 25 lit
PT 1166	**Geranium Shoot Multiplication Medium** W/vitamins, Sucrose, Plant Growth Regulators & Agar	531.00 2440.00	5 lit 25 lit
PT 1167	**Geranium Rooting Medium** W/vitamins, Sucrose, Plant Growth Regulators & Agar	576.00 2620.00	5 lit 25 lit
	Gerbera		
PT 1001	**Gerbera Multiplication Medium** w/ $CaCl_2$, Vitamins, Tyrosine, Sucrose & Adenine sulphate; W/o Agar	414.00 1575.00	5 lit 25 lit
PT 1002	**Gerbera Multiplication Medium** w/ CaCl2, Vitamins, Tyrosine, Sucrose & Adenine sulphate; & Agar	522.00 1881.00	5 lit 25 lit
PT 1002G	**Gerbera Multiplication Medium** w/ CaCl2, Vitamins, Tyrosine, Sucrose Adenine sulphate & CleriGel	671.00 2493.00	5 lit 25 lit
PT 1135G	**Gerbera Multiplication Medium** w/ Vitamins, Sucrose & CleriGel Tyrosine, Sucrose & Adenine sulphate; W/o Agar	495.00 1940.00	5 lit 25 lit

Product Code	Product Name	Price	Packing
	Gresshoff And Doy		
PT 1035	**Gresshoff & Doy (DBM2) Medium** w/ Vitamins; W/o Sucrose & Agar	477.00 1413.00	5 lit 25 lit
	Heller		
PT 1036	**Heller Medium** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	820.00 3033.00	5 lit 25 lit
	Macroelements		
TS 2034	**Heller Macroelements**	351.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2035	**Heller Microelements (100X)**	747.00 3402.00	1 vl 5 vl
	Hoagland		
TS 2094	**Hoagland No. 2 Basal Salt Mixture**	729.00 401.00	10X1 lit 5 lit
TS 2105	**Hoagland No. 2 Basal Salt Mixture** (Modification No. 1)	405.00	5 lit
TS 2117	**Hoagland No. 2 Basal Salt Mixture** W/o Nitrogen	324.00	5 lit
PT 1126	**Hoagland & Knop Medium** w/ Agar; W/o Vitamins	558.00 1926.00	5 lit 25 lit
	Kao & Michayluk		
PT 1037	**Kao & Michayluk Medium** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	473.00 1413.00	5 lit 25 lit
	Macroelements		
PL 1007	**Kao & Michayluk Macroelements Solution (10X)**	4572.00 7313.00	5X100 ml 2X500 ml
	Microelements		
PL 1008	**Kao & Michayluk Microelements Solution (100X)**	4536.00	1X100 ml
	Vitamins		
PL 1020	**Kao & Michayluk Vitamins Solution (100X)**	2462.00	1X50 ml
	Leifert & Waites		
PT 1125	**Leifert & Waites Medium** w/ Vitamins, Sucrose, Glucose, MicVeg peptone & Yeast extract	873.00 3618.00	5 lit 25 lit
	Linsmaier & Skoog		
PT 1040	**Linsmaier & Skoog Medium** w/ Vitamins; W/o Sucrose & Agar	473.00 1450.00	5 lit 25 lit
PT 1095	**Linsmaier & Skoog Medium** w/ $CaCl_2$, Vitamins & Sucrose; W/o Agar	531.00 2034.00	5 lit 25 lit
PT 1096	**Linsmaier & Skoog Medium** w/ $CaCl_2$, Vitamins, Sucrose & Agar	729.00 2718.00	5 lit 25 lit

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
PT 1096G	**Linsmaier & Skoog Medium** w/ $CaCl_2$, Vitamins, Sucrose & CleriGel	882.00 3276.00	5 lit 25 lit
PT 1097	**Linsmaier & Skoog Modified Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins & Sucrose; W/o Agar	531.00 2835.00	5 lit 25 lit
PT 1098	**Linsmaier & Skoog Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins, Sucrose & Agar	693.00 2718.00	5 lit 25 lit
PT 1098G	**Linsmaier & Skoog Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins, Sucrose & CleriGel	820.00 3276.00	5 lit 25 lit
	Macroelements		
TS 2064	**Linsmaier & Skoog Macroelements**	342.00 720.00 POR	10 lit 25 lit 50 lit
PL 1009	**Linsmaier & Skoog Macroelements Solution (10X)**	4212.00 6733.00	5X100 ml 2X500 ml
	Microelements		
TS 2063	**Linsmaier & Skoog / Murashige & Skoog Microelements (100X)**	743.00 3380.00	1 vl 5 vl
PL 1010	**Linsmaier & Skoog Microelements Solution (100X)**	4266.00	1X100 ml
	Vitamins		
VP 1017	**Linsmaier & Skoog Vitamins (100X)**	432.00 1584.00	1 vl 5 vl
PL 1021	**Linsmaier & Skoog Vitamins Solution (1000X)**	2570.00	1X50 ml
	Litvay		
PT 1042	**Litvay Medium** w/ Vitamins; W/o Sucrose & Agar	477.00 1755.00	5 lit 25 lit
PT 1140	**Litvay Medium** w/ Sucrose & Agar; W/o Vitamins	648.00 2507.00	5 lit 25 lit
	Macroelements		
TS 2066	**Litvay Macroelements**	342.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2065	**Litvay Microelements (100X)**	747.00 3393.00	1 vl 5 vl
	Murashige & Skoog		
PT 1010	**Murashige & Skoog Medium** w/ Vitamins, Sucrose ; W/o $CaCl_2$ & Agar	1053.00 590.00 2061.00 8123.00	10X1 lit 5 lit 25 lit 100X1 lit
PT 1011	**Murashige & Skoog Medium** w/ Vitamins, Sucrose & Agar; W/o $CaCl_2$	1080.00 603.00 2115.00 8240.00	10X1 lit 5 lit 25 lit 100X1 lit

Product Code	Product Name	Price	Packing
PT 1011C	**Murashige & Skoog Medium** w/ Vitamins, Sucrose, 6-BAP & Agar; W/o $CaCl_2$	837.00 2844.00	5 lit 25 lit
PT 1011G	**Murashige & Skoog Medium** w/ Vitamins, Sucrose & CleriGel W/o $CaCl_2$	810.00 2772.00 10854.00	5 lit 25 lit 100X1 lit
PT 1018	**Murashige & Skoog Medium** w/ Vitamins; W/o $CaCl_2$, Sucrose & Agar	882.00 495.00 1683.00 6642.00	10x1 lit 5 lit 25 lit 100X1 lit
PT 1021	**Murashige & Skoog Medium** w/ $CaCl_2$ & Vitamins; W/o Sucrose & Agar	1013.00 590.00 2350.00 8523.00	10x1 lit 5 lit 25 lit 100X1 lit
PT 1045	**Murashige & Skoog Medium** w/ $CaCl_2$, Vitamins & MES; W/o Sucrose & Agar	1071.00 495.00 1764.00	10x1 lit 5 lit 25 lit
PT 1080	**Murashige & Skoog Medium** w/ Sucrose, 6-BAP & Agar; W/o $CaCl_2$	837.00 3105.00	5 lit 25 lit
PT 1099	**Murashige & Skoog Medium** w/ $CaCl_2$, Vitamins & Sucrose; W/o Agar	1040.00 572.00 2160.00 7772.00	10X1 lit 5 lit 25 lit 100X1 lit
PT 1100	**Murashige & Skoog Medium** w/ $CaCl_2$,Vitamins, Sucrose & Agar	1391.00 774.00 2898.00 10530.00	10X1 lit 5 lit 25 lit 100X1 lit
PT 1100G	**Murashige & Skoog Medium** w/ $CaCl_2$,Vitamins, Sucrose & CleriGel	2034.00 882.00 3276.00	10x1 lit 5 lit 25 lit
PT 1128	**Murashige & Skoog Medium** w/ $CaCl_2$;w/o NH_4, NO_3, KNO_3, ,Vitamins, Sucrose & Agar	495.00 1868.00	5 lit 25 lit
PT 1145	**Murashige & Skoog Medium** w/ Vitamins, Sucrose & Glucose; W/o Agar	513.00 1881.00	5 lit 25 lit
PT 1051	**Murashige & Skoog Medium (Finer & Nagasawa Modification)** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	473.00 1418.00	5 lit 25 lit
PT 1046	**Murashige & Skoog Medium (Modification No. 1)** w/ ½ Macroelements & Vitamins; W/o Sucrose & Agar	460.00 1427.00	5 lit 25 lit
PT 1047	**Murashige & Skoog Medium (Modification No. 2)** w/ ¾ Macroelements & Vitamins; W/o Sucrose & Agar	477.00 1440.00	5 lit 25 lit
PT 1048	**Murashige & Skoog Medium (Modification No. 3)** w/ ½ NH_4NO_3, ½ KNO_3 & Vitamins; W/o Sucrose & Agar	473.00 1422.00	5 lit 25 lit

Product Code	Product Name	Price	Packing
PT 1049	**Murashige & Skoog Medium (Modification No. 4)** w/ Vitamins; w/o NH_4NO_3 , Sucrose & Agar	473.00 1427.00	5 lit 25 lit
PT 1050	**Murashige & Skoog Medium (Modification No. 5)** w/ NH_4NO_3 replaced by $NaNO_3$; W/o Vitamins, Sucrose & Agar	460.00 1422.00	5 lit 25 lit
PT 1091	**Murashige & Skoog Medium (Modification No. 6)** w/ ½ Macroelements, ½ Microelements & Vitamins; W/o Sucrose & Agar	473.00 1427.00	5 lit 25 lit
PT 1092	**Murashige & Skoog Medium (Modification No. 7)** w/ ½ NH_4NO_3, ½ KNO_3 , ½ $CaCl_2$ & Vitamins; W/o Sucrose & Agar	460.00 1427.00	5 lit 25 lit
PT 1093	**Murashige & Skoog Medium (Modification No. 8)** w/ Vitamins; W/o NH_4NO_3, KNO_3 , Sucrose & Agar	460.00 1422.00	5 lit 25 lit
PT 1103	**Murashige & Skoog Medium (Modification No. 9)** w/ ½ Macroelements, ½ Microelements & ½ Vitamins; W/o Sucrose & Agar	460.00 1422.00	5 lit 25 lit
PT 1129	**Murashige & Skoog Medium (Modification No. 10)** w/ ½ NH_4NO_3 & ½ KNO_3; W/o Vitamins, Sucrose & Agar	392.00 1179.00	5 lit 25 lit
PT 1052	**Murashige & Skoog Medium (Van der Salm Modification)** w/ $FeSO_4$ replaced by FeEDDHA & Vitamins; W/o Sucrose & Agar	460.00 1413.00	5 lit 25 lit
PT 1025	**Murashige & Skoog Modified Medium** w/ $CaCl_2$ & Gamborg B_5 vitamins; W/o Sucrose & Agar	954.00 527.00 1593.00 7182.00	10x1 lit 5 lit 25 lit 100x1 lit
PT 1044	**Murashige & Skoog Modified Medium** w/ $CaCl_2$ & Nitsch vitamins; W/o Sucrose & Agar	477.00 1755.00	5 lit 25 lit
PT 1101	**Murashige & Skoog Modified Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins & Sucrose; W/o Agar	495.00 1827.00	5 lit 25 lit
PT 1102	**Murashige & Skoog Modified Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins, Sucrose & Agar	729.00 2710.00	5 lit 25 lit
PT 1102G	**Murashige & Skoog Modified Medium** w/ $CaCl_2$, FeNaEDTA, Vitamins, Sucrose & CleriGel™	873.00 3258.00	5 lit 25 lit
PT 1114	**Murashige & Skoog Modified Medium** w/ $CaCl_2$, Gamborg B_5 vitamins & Sucrose; W/o Agar	657.00 2260.00	5 lit 25 lit
PT 1022	**Murashige & Skoog Shoot Multiplication Medium A** w/ $CaCl_2$, Vitamins, Sucrose, IAA, Adenine sulphate & iP; W/o Agar	855.00 2898.00	5 lit 25 lit

Product Code	Product Name	Price	Packing
PT 1054	**Murashige & Skoog Shoot Multiplication Medium B** w/ $CaCl_2$, Vitamins & Adenine sulphate; W/o Sucrose & Agar	531.00 2012.00	5 lit 25 lit
PT 1115	**Murashige & Skoog Shoot Multiplication Medium B** w/ $CaCl_2$, Vitamins, Sucrose & Adenine sulphate; W/o Agar	837.00 2844.00	5 lit 25 lit
PT 1151	**Murashige & Tucker Medium** w/ $CaCl_2$, Vitamins, Sucrose & Agar	774.00 2763.00	5 lit 25 lit
PL 1028	**Murashige & Skoog Basal Soution (10X)**	4622.00 7390.00	5X100 ml 2X500 ml
TS 2005	**Murashige & Skoog Plant Salt Mixture** W/o $CaCl_2$	450.00	5 lit
TS 2004	**Murashige & Skoog Plant Salt Mixture** w/ $CaCl_2$	1053.00 460.00	10x1 lit 5 lit
TS 2017	**Murashige & Skoog Plant Salt Mixture** w/ $CaCl_2$, Inositol & Thiamine	527.00	5 lit
TS 2109	**Murashige & Skoog Plant Salt Mixture** W/o NH_4NO_3	405.00 1620.00	5 lit 25 lit
TS 2110	**Murashige & Skoog Plant Salt Mixture** w/ Macroelements & Microelements; W/o NH_4NO_3 & KNO_3	360.00 1427.00	5 lit 25 lit
TS 2111	**Murashige & Skoog Plant Salt Mixture** w/ ½ Macroelements & ½ Microelements	387.00 1530.00	5 lit 25 lit
TS 2112	**Murashige & Skoog Plant Salt Mixture** w/ FeNaEDTA	387.00 1553.00	5 lit 25 lit
TS 2118	**Murashige & Skoog Plant Salt Mixture** w/ ½ NH_4NO_3, ½ KNO_3 & ½ $CaCl_2$	387.00 1512.00	5 lit 25 lit
	Macroelements		
TS 2068	**Murashige & Skoog Macroelements**	338.00 684.00 POR	10 lit 25 lit 50 lit
TS 2073	**Murashige & Skoog (Finer & Nagasawa Modification) Macroelements** w/ 1.6 x KNO_3 & 0.5 x NH_4NO_3	351.00 729.00 POR	10 lit 25 lit 50 lit
TS 2069	**Murashige & Skoog (Modification No. 1) ½ concentration Macroelements**	351.00 675.00 POR	10 lit 25 lit 50 lit
TS 2070	**Murashige & Skoog (Modification No. 2) ¾ th concentration Macroelements**	342.00 729.00 POR	10 lit 25 lit 50 lit

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
TS 2071	Murashige & Skoog (Modification No. 3) Macroelements w/ ½ NH_4NO_3 & ½ KNO_3	351.00 729.00 POR	10 lit 25 lit 50 lit
TS 2072	Murashige & Skoog (Modification No. 5) Macroelements w/ NH_4NO_3 replaced by $NaNO_3$	351.00 729.00 POR	10 lit 25 lit 50 lit
PL 1011	Murashige & Skoog Macroelements Soution (10X)	4622.00 7390.00	5X100 ml 2X500 ml
TS 2076	Murashige & Skoog Shoot Multiplication Medium B Macroelements	351.00 730.00 POR	10 lit 25 lit 50 lit
	Microelements		
PL 1012	Murashige & Skoog Microelements Soution (100X)	4671.00	1X100 ml
TS 2074	Murashige & Skoog (Van der Salm Modification) Microelements (100X)	756.00 3465.00	1 vl 5 vl
	Vitamins		
VP 1021	Murashige & Skoog Vitamins (100X)	450.00 1692.00	1 vl 5 vl
VP 1022	Murashige & Skoog Modified Vitamins (100X)	450.00 1692.00	1 vl 5 vl
PL 1034	Murashige & Skoog Modified Vitamins Solution (1000X)	1818.00	1X50 ml
PL 1022	Murashige & Skoog Vitamins Solution (1000X)	1710.00	1X50 ml
	NB Medium		
PT 1107	NB Medium w/ CHU macroelements, Gamborg microelements, Gamborg B_5 vitamins & Sucrose; W/o Agar	662.00 2264.00	5 lit 25 lit
	Nitsch		
PT 1012	Nitsch Medium w/ Vitamins & Sucrose; W/o $CaCl_2$ & Agar	558.00 1935.00	5 lit 25 lit
PT 1104	Nitsch Medium w/ Vitamins, Sucrose & Agar; W/o $CaCl_2$	730.00 2718.00	5 lit 25 lit
PT 1143	Nitsch Medium w/ Vitamins; W/o Sucrose & Agar	504.00 1935.00	5 lit 25 lit
TS 2013	Nitsch Plant Salt Mixture	378.00	5 lit
	Macroelements		
TS 2078	Nitsch Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
PL 1013	Nitsch & Nitsch Macroelements Solution (10X)	4131.00 6580.00	5X100 ml 2X500 ml
	Microelements		
TS 2077	Nitsch Microelements (100X)	747.00 3402.00	1 vl 5 vl
PL 1014	Nitsch & Nitsch Microelements Solution (100X)	4622.00	1X100 ml

Product Code	Product Name	Price	Packing
	Vitamins		
VP 1023	Nitsch Vitamins (100X)	450.00 1692.00	1 vl 5 vl
PL 1023	Nitsch & Nitsch Vitamins Solution (1000X)	1944.00	1X50 ml
	NLN		
PT 1094	NLN Medium w/ Vitamins; W/o Calcium nitrate, Sucrose & Agar	540.00 2057.00	5 lit 25 lit
	Macroelements		
TS 2080	NLN Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2079	NLN Microelements (100X)	747.00 3402.00	1 vl 5 vl
	Vitamins		
VP 1024	NLN Vitamins (100X)	3110.00 13433.00	1 vl 5 vl
	Orchid		
PT 1062	BM-1 Terrestrial Orchid Medium w/ Vitamins, Sucrose, Casein hydrolysate & Agar	414.00 1652.00	5 lit 25 lit
PT 1062G	BM-1 Terrestrial Orchid Medium w/ Vitamins, Sucrose, Casein hydrolysate & CleriGel	460.00 1827.00	5 lit 25 lit
PT 1063	BM-1 Terrestrial Orchid Medium w/ Vitamins, Sucrose & Casein hydrolysate; W/o Agar	369.00 1422.00	5 lit 25 lit
PT 1064	BM-2 Terrestrial Orchid Medium w/ Vitamins, Sucrose, Casein hydrolysate, 6-BAP & Agar	392.00 1540.00	5 lit 25 lit
PT 1064G	BM-2 Terrestrial Orchid Medium w/ Vitamins, Sucrose, Casein hydrolysate, 6-BAP & CleriGel	514.00 2012.00	5 lit 25 lit
PT 1152	Dendrobium (Orchid) Seed Germination Medium w/ Vitamins, Sucrose & Agar	514.00 2012.00	5 lit 25 lit
PT 1065	Ichihashi New Phalaenopsis (NP) Medium w/ NH_4NO_3 , Vitamins & Sucrose; W/o Agar	1350.00 5580.00	5 lit 25 lit
PT 1006	Knudson C Orchid Medium w/ Sucrose; W/o Vitamins & Agar	540.00 2025.00	5 lit 25 lit
PT 1038	Knudson C Orchid Medium (Morel Modification) w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	477.00 1413.00	5 lit 25 lit
PT 1066	Knudson C Orchid Medium (Morel Modification) w/ Sucrose; W/o Vitamins & Agar	307.00 1170.00	5 lit 25 lit
PT 1039	Lindemann Orchid Medium w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	307.00 1292.00	5 lit 25 lit

Unless indicated all the above products to be stored at 2 - 8°C

microgen

Product Code	Product Name	Price	Packing
PT 1067	**Lindemann Orchid Medium** w/ Vitamins & Sucrose; W/o Agar	460.00 1413.00	5 lit 25 lit
PT 1068	**Malmgren Modified Terrestrial Orchid Medium** w/ Vitamins, Casein hydrolysate, Pineapple powder, Activated charcoal & Agar; W/o Sucrose	860.00 3627.00	5 lit 25 lit
PT 1069	**Murashige Cattleya Orchid Multiplication Medium** w/ Vitamins, Sucrose, Citric acid, IAA, IBA & NAA; W/o Agar	307.00 1292.00	5 lit 25 lit
PT 1106	**Mitra Orchid Medium** w/ Vitamins & Sucrose; W/o Agar	730.00 2718.00	5 lit 25 lit
PT 1139	**Mitra Orchid Medium** w/ Vitamins; W/o Sucrose & Agar	572.00 2196.00	5 lit 25 lit
PT 1055	**Orchid Maintenance Medium** w/ $CaCl_2$, Vitamins, Sucrose, Tryptone, MES & Activated charcoal; W/o Agar	550.00 1683.00	5 lit 25 lit
PT 1071	**Orchid Maintenance Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg peptone, MES & Activated charcoal; W/o Agar	729.00 3015.00	5 lit 25 lit
PT 1072	**Orchid Maintenance Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg peptone, MES, Activated charcoal & Agar	864.00 3600.00	5 lit 25 lit
PT 1070	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg peptone, MES & Agar; W/o Activated charcoal	729.00 3015.00	5 lit 25 lit
PT 1154	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg Peptone & MES; W/o Activated charcol & Agar	783.00 3465.00	5 lit 25 lit
PT 1070G	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, MicVeg peptone, MES & CleriGel ; W/o Activated charcoal	873.00 3600.00	5 lit 25 lit
PT 1073	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, Banana powder, MicVeg peptone, MES & Activated charcoal; W/o Agar	910.00 3807.00	5 lit 25 lit
PT 1074	**Orchid Maintenance / Replate Medium** w/ $CaCl_2$, Vitamins, Sucrose, Banana powder, MicVeg peptone, MES, Activated charcoal & Agar	873.00 3600.00	5 lit 25 lit
TS 2083	**Orchid Maintenance Organic Mixture**	342.00 729.00 POR	10 lit 25 lit 50 lit
PT 1155	**Orchid Multiplication Medium** w/ $CaCl_2$, Vitamins, Sucrose, 6-BAP & NAA; W/o Activated charcol & Agar	860.00 3313.00	5 lit 25 lit
PT 1041	**Vacin & Went Medium** w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	477.00 1755.00	5 lit 25 lit

Product Code	Product Name	Price	Packing
PT 1081	**Vacin & Went Modified Medium** w/ Ferric tartrate replaced by $FeSO_4$ W/o Vitamins & Agar	351.00 1494.00	5 lit 25 lit
PT 1082	**Vacin & Went Medium** w/ Thiamine, Sucrose & Agar & Sucrose;	405.00 1720.00	5 lit 25 lit
	Macroelements		
TS 2060	**Knudson C Orchid Macroelements (Morel Modification)**	342.00 729.00 POR	10 lit 25 lit 50 lit
TS 2062	**Lindemann Orchid Macroelements**	342.00 729.00 POR	10 lit 25 lit 50 lit
TS 2082	**Orchid Maintenance Macroelements**	351.00 729.00 POR	10 lit 25 lit 50 lit
TS 2091	**Vacin & Went Macroelements**	351.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2059	**Knudson C Orchid Microelements (100X)**	747.00 3402.00	1 vl 5 vl
TS 2061	**Lindemann Orchid Microelements (100X)**	743.00 3402.00	1 vl 5 vl
TS 2081	**Orchid Maintenance Microelements (100X)**	747.00 3402.00	1 vl 5 vl
TS 2090	**Vacin & Went Microelements (100X)**	747.00 3402.00	1 vl 5 vl
	Vitamins		
VP 1028	**Morel & Wetmore Vitamins (100X)**	392.00 1701.00	1 vl 5 vl
PL 1035	**Morel & Wetmore Vitamins Solution (100X)**	1652.00	1X50 ml
	Poinsettia		
PT 1159	**Poinsettia Regeneration Medium** w/ Vitamins, Sucrose, Plant growth regulators, Casein hydrolysate & Agar	1161.00 4510.00	5 lit 25 lit
PT 1160	**Poinsettia Multiplication Medium** w/ Vitamins, Sucrose, Plant growth regulators & Agar	1071.00 4194.00	5 lit 25 lit
PT 1161	**Poinsettia Rooting Medium** w/ Vitamins, Sucrose, Plant growth regulators & Agar	820.00 3276.00	5 lit 25 lit
	Potato		
PT 1090	**Potato Micropropagation Medium** w/ $CaCl_2$, Vitamins, IAA & Kinetin; W/o Sucrose & Agar	572.00 2237.00	5 lit 25 lit
PT 1132	**Potato Establishment Medium** w/ Vitamins, 6-BAP, Sucrose & Agar	702.00 2763.00	5 lit 25 lit
PT 1133	**Potato Multiplication Medium** w/ Vitamins, 6-BAP & Sucrose; W/o Agar	387.00 1512.00	5 lit 25 lit

Product Code	Product Name	Price	Packing
PT 1134	**Potato Tuberization Medium** w/ Vitamins, 6-BAP & Sucrose; W/o Agar	585.00 2358.00	5 lit 25 lit
	Quoirin & Lepoivre		
PT 1056	**Quoirin & Lepoivre Medium** w/ Vitamins; W/o Sucrose & Agar	477.00 1755.00	5 lit 25 lit
	Rhododendron		
PT 1019	**Anderson Rhododendron Medium** w/ $CaCl_2$, Vitamins, Sucrose, Adenine sulphate & Agar;	671.00 2493.00	5 lit 25 lit
PT 1019G	**Anderson Rhododendron Medium** w/ $CaCl_2$, Vitamins, Sucrose, Adenine sulphate & CleriGel	873.00 3240.00	5 lit 25 lit
TS 2016	**Anderson Rhododendron Plant Salt Mixture**	378.00	5 lit
	Macroelements		
TS 2039	**Anderson Rhododendron Macroelements**	342.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2038	**Anderson Rhododendron Microelements (100X)**	743.00 3407.00	1 vl 5 vl
	Vitamins		
VP 1008	**Rugini Olive Vitamins (100X)**	414.00 1602.00	1 vl 5 vl
	Staba		
VP 1029	**Staba Modified Vitamins (100X)**	414.00 1602.00	1 vl 5 vl
	Schenk & Hildebrandt		
PT 1059	**Schenk & Hildebrandt Medium** w/ Vitamins; W/o Sucrose & Agar	477.00 1755.00	5 lit 25 lit
PT 1116	**Schenk & Hildebrandt Medium** w/ Vitamins & Sucrose; W/o Agar	657.00 2241.00	5 lit 25 lit
PT 1137	**Schenk & Hildebrandt Modified Medium** w/ ½ Macroelements, ½ Microelements, ½ Vitamins & Sucrose; W/o Agar	441.00 1593.00	5 lit 25 lit
PT 1138	**Schenk & Hildebrandt Modified Medium** w/ Vitamins, Sucrose & Agar	653.00 2493.00	5 lit 25 lit
TS 2102	**Schenk & Hildebrandt Plant Salt Mixture**	504.00	5 lit
TS 2116	**Schenk & Hildebrandt Plant Salt Mixture** W/o $CaCl_2$	437.00 1719.00	5 lit 25 lit
	Macroelements		
TS 2089	**Schenk & Hilderandt Macroelements**	351.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2088	**Schenk & Hildebrandt Micr150oelements (100X)**	747.00 3402.00	1 vl 5 vl

Product Code	Product Name	Price	Packing
	Vitamins		
VP 1026	**Schenk & Hildebrandt Vitamins (100X)**	675.00 2925.00	1 vl 5 vl
	Spathiphyllum		
PT 1157	**Spathiphyllum Regeneration Medium** w/ Vitamins & Sucrose; W/o Agar	662.00 2570.00	5 lit 25 lit
	Strawberry		
PT 1117	**Strawberry Multiplication Medium** w/ Vitamins, Sucrose, 6-BAP & Agar	820.00 2844.00	5 lit 25 lit
PT 1118	**Strawberry Rooting Medium** w/ Vitamins, Sucrose, IBA, Activated charcoal & Agar	820.00 2844.00	5 lit 25 lit
	Syngonium		
PT 1053	**Murashige & Miller Medium (Syngonium Stage I & II)** w/ NaH_2PO_4 & Vitamins; W/o Sucrose & Agar	460.00 1413.00	5 lit 25 lit
PT 1136G	**Syngonium Rooting Medium** w/ Vitamins, Sucrose & CleriGel	495.00 1944.00	5 lit 25 lit
	Macroelements		
TS 2075	**Murashige & Miller (Syngonium Stage I & II) Macroelements**	351.00 729.00 POR	10 lit 25 lit 50 lit
	Tobacco		
PT 1088	**Tobacco Callus Initiation Medium** w/ Vitamins, Casein hydrolysate, IAA & Kinetin; W/o Sucrose & Agar	514.00 1944.00	5 lit 25 lit
	Tomato		
PT 1130G	**Tomato Regeneration Medium** w/ Vitamins, Sucrose & CleriGel	1467.00 6642.00	5 lit 25 lit
PT 1131G	**Tomato Regeneration Medium** w/ Vitamins; W/o Sucrose & CleriGel	1071.00 4707.00	5 lit 25 lit
	Westvaco		
PT 1085	**Westvaco WV3 Medium** w/ Vitamins; W/o Sucrose & Agar	477.00 1742.00	5 lit 25 lit
PT 1086	**Westvaco WV5 Medium** w/ Vitamins; W/o Sucrose & Agar	477.00 1742.00	5 lit 25 lit

Unless indicated all the above products to be stored at 2 - 8°C

microgen

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing
	White		
PT 1014	**White Medium** w/ Vitamins & Sucrose; W/o Agar	558.00 1935.00	5 lit 25 lit
PT 1015	**White Modified S-3 Medium** w/ Vitamins, Amino acids & Sucrose; W/o Agar	585.00 2237.00	5 lit 25 lit
PT 1009	**White Root Culture Modified Medium** w/ Vitamins & Sucrose; W/o Agar	531.00 1890.00	5 lit 25 lit
	Macroelements		
PL 1015	**White Macroelements Solution (10X)**	4572.00 7313.00	5X100 ml 2X500 ml
	Woody Plant		
PT 1026	**Woody Plant Medium** w/ $CaCl_2$ & Vitamins; W/o Sucrose & Agar	1017.00 3483.00	5 lit 25 lit
PT 1105	**Woody Plant Medium** w/ $CaCl_2$, Vitamins & Sucrose; W/o Agar	1260.00 5130.00	5 lit 25 lit
	Macroelements		
TS 2036	**Woody Plant Macroelements**	351.00 729.00 POR	10 lit 25 lit 50 lit
	Microelements		
TS 2037	**Woody Plant Microelements (100X)**	747.00 3402.00	1 vl 5 vl
	Vitamins		
VP 1007	**Woody Plant Vitamins (100X)**	2961.00	5 vl
	Yoshida		
PL 1039	**Yoshida Solution (10X)** For hydroponic rice seedling culture	1270.00	1X100 ml
	Chelated Iron Solution (Liquid Sterile Filtered)		
PL 1025	**Ferrous Chelated Solution (100X)**	3430.00	2X50 ml

Teaching Aids

Media is offering kits for education trial demonstration with aim to assist the plant tissue culture beginners. The Kits are designed in a simple user friendly manner for different plant tissue culture applications.

Product Code	Product Name	Price	Packing
TP 1008	**Himic Aster Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Aster sps.	4185.00	1 kit
TP 1004	**Himic Carnation Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Carnation sps.	4240.00	1 kit
TP 1009	**Himic Carrot Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Carrot sps.	4240.00	1 kit
TP 1005	**Himic Dahlia Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Dahlia sps.	4590.00	1 kit
TP 1002	**Himic Gelling agents Kit** To enable comparative study of different gelling agents.	1472.00	1 kit
TP 1006	**Himic Gerbera Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Gerbera sps.	4122.00	1 kit
TP 1007	**Himic Marigold Plant Tissue Culture Teaching Kit** To demonstrate in vitro propagation of Marigold sps.	4185.00	1 kit
TP 1001	**Himic Plant Tissue Culture Teaching / Hobby Kit (for 10 experiments)** To demonstrate in vitro propagation techniques.	8154.00	1 kit
TP 1003	**Himic Sterilization agent k Kit** Designed for studying effects of different sterilization agents.	1225.00	1 kit
	Phycology Media (Liquid Sterile Filtered)		
PL 1037	**Allen Basal Solution (10X)** Recommended for in vitro cultivation of algae	4149.00 6692.00	5X100 ml 2X500 ml
PL 1030	**BG-11 Basal Solution (10X)** Recommended for in vitro cultivation of algae	4536.00 7300.00	5X100 ml 2X500 ml
PL 1031	**Bold Basal Solution (10X)** Recommended for in vitro cultivation of algae	4536.00 7300.00	5X100 ml 2X500 ml
PL 1032	**CHU Basal Solution No. 10 (10X)** Recommended for in vitro cultivation of algae	4338.00 6876.00	5X100 ml 2X500 ml
PL 1041	**f/2 Guillards Marine Enriched Solution (10X)** Recommended for in vitro cultivation of algae	4149.00 6876.00	5X100 ml 2X500 ml
PL 1044	**Seawater Solution No. 1 (10X)**	4545.00 7353.00	5X100 ml 2X500 ml
PL 1042	**Sueoka's Basal Solution (10X)** w/ Sodium acetate Recommended for in vitro cultivation of algae	4149.00 6692.00	5X100 ml 2X500 ml
PL 1038	**TAP Basal Solution (10X)** Recommended for in vitro cultivation of algae	4149.00 6692.00	5X100 ml 2X500 ml
PL 1040	**Z8 Basal Solution (10X)** Recommended for in vitro cultivation of algae	4149.00 6692.00	5X100 ml 2X500 ml
	Phycology Media (Powder)		
PT 1153	**Artificial Seawater Nutrient Medium (III)**	527.00 2372.00	5 lit 25 lit
	Rose		
PT 1144	**Rose Establishment Medium**	653.00 2372.00	5 lit 25 lit
PT 1141	**Rose Multiplication Medium**	630.00 2367.00	5 lit 25 lit

Unless indicated all the above products to be stored at 2 - 8°C

Product Code	Product Name	Price	Packing
PT 1142	**Rose Rooting Medium**	653.00 2372.00	5 lit 25 lit
	Rugini Olive		
PT 1057	**Rugini Olive Medium**	477.00 1755.00	5 lit 25 lit
PT 1149	**Rugini Olive Medium**	495.00 1863.00	5 lit 25 lit
	Macroelements		
TS 2087	**Rugini Olive Marcoelements**	729.00	25 lit
	Vitamins		
VP1027	**Rugini Olive Vitamins (100X)**	414.00 1602.00	1 vl 5 vl
	Phytopathological Media		
PHM 1001	**Phyto Boric Acid Peptone Agar Base (KBBC Medium)** Selective medium for the detection of Pseudomonas syringae on seeds of beans and also for the detection of Ps. porri, Ps. pisi and Ps. tomato on seeds of resp. leek, pea and tomato **Gms/Lit : 38.73 12.91 Lit/500G**	882.00 3465.00	100 gm 500 gm
PHS 1001	***CNC Supplement** No. of Vials: **Δ13 vials**	1746.00	5 vl
PHM 1002	**Phyto Buffered Starch Agar Base** (mFS Medium) Selective medium for the detection of Xanthomonas campestris pv. campestris and Xanthomonas campestris pv.armoraciae in brassica **Gms/Lit : 42.26 11.83 Lit/500G**	1022.00 4060.00	100 gm 500 gm
PHS 1002	***NMPT Supplement** No. of Vials: **Δ12 vials**	1450.00	5 vl
PHM 1003	***Phyto Casein Hydrolysate Sucrose Agar (Bacteria Screening Medium 523)** General purpose medium used for cultivation of bacteria **Gms/Lit : 32.07 15.61 Lit/500G**	837.00 3735.00	100 gm 500 gm
PHM 1004	**Phyto Casein Hydrolysate Yeast Extract Agar Base (D2ANX Medium)** Semi-selective medium for the detection of Clavibacter michiganensis subsp michiganensis on seeds of Tomato **Gms/Lit : 37.35 13.39 Lit/500G**	905.00 4032.00	100 gm 500 gm
PHS 1003	***CNP Supplement** No. of Vials: **Δ14 vials**	1450.00	5 vl

Product Code	Product Name	Price	Packing
PHM 1005	**Phyto Cmm Agar Base (SCM Medium)** Semi-selective medium for the detection of Clavibacter michiganensis subsp michiganensis on seeds of Tomato **Gms/Lit : 32.22 15.52 Lit/500G**	730.00 3123.00	100 gm 500 gm
PHS 1004	***CNNP Supplement** No. of Vials: **Δ16 vials**	2295.00	5 vl
PHM 1006	**Phyto Lactose Trehalose Agar Base (mKM Medium)** Semi-selective medium for the detection of Xanthomonas hor torum pv.carotae in carrot **Gms/Lit : 35.60 14.04 Lit/500G**	734.00 3123.00	100 gm 500 gm
PHS 1005	***CNTB Supplement** No. of Vials: **Δ15 vials**	1450.00	5 vl
PHM 1007	**Phyto Peptone Bromide Agar Base** (mTBM Medium) Semi-selective medium for the detection of Xanthomonas hor torum pv.carotae in carrot **Gms/Lit : 35.30 14.16 Lit/500G**	923.00 4185.00	100 gm 500 gm
PHS 1006	***CNF Supplement** No. of Vials: **Δ15 vials**	1674.00	5 vl
PHM 1008	**Phyto Proteose Agar Medium Base (KB Medium)** Non selective medium used to subculture suspected isolates, on addition of antibiotics it is suitable for the detection of serveral Pseudomonas species **Gms/Lit : 37.23 13.43 Lit/500G**	882.00 3888.00	100 gm 500 gm
PHS 1007	***CNF Supplement** No. of Vials: **Δ14 vials**	1400.00	5 vl
PHM 1009	**Phyto Pspi Agar Base (SNAC Medium)** Semi-selective medium for the detection of Pseudomonas syringae pv. pisi on seeds of pea **Gms/Lit : 78.00 6.41 Lit/500G**	1193.00 4734.00	100 gm 500 gm
PHS 1008	***CN Supplement - I** No. of Vials: **Δ7 vials**	1674.00	5 vl
PHM 1010	**Phyto Pspo Agar Base (PSM Medium)** Selective medium for the detection of Pseudomonas syringae pv. porri on seeds of leek **Gms/Lit : 45.63 10.96 Lit/500G**	801.00 3380.00	100 gm 500 gm
PHS 1009	***CNVB Supplement** No. of Vials: **Δ11 vials**	1746.00	5 vl
PHM 1011	**Phyto Pst Agar Base (KBZ Medium)** Semi-selective medium for the detection of Pseudomonas syringae pv. tomato on seeds of tomato **Gms/Lit : 37.23 13.43 Lit/500G**	882.00 3456.00	100 gm 500 gm
PHS 1010	***CCTP Supplement** No. of Vials: **Δ14 vials**	1400.00	5 vl
PHM 1012	**Phyto Semiselective Agar Base (CKTM Medium)** Semi-selective medium for the detection of Xanthomonas campestris pv. Vesicatoria on seeds of pepper and tomato **Gms/Lit : 29.00 17.24 Lit/500G**	842.00 3672.00	100 gm 500 gm
PHS 1011	***CCFTNB Supplement** No. of Vials: **Δ18 vials**	2480.00	5 vl

Unless indicated all the above products to be stored at 10 - 30°C
* Store at 2 - 8°C
Δ Approx. no. of vials required per 500gm of powder medium

microgen

Product Code	Product Name	Price	Packing
PHM 1013	**Phyto Starch Peptone Agar Base with CV (mXCP1 Medium)** Semi-selective medium for the detection of Xanthomonas axonopodis pv.phaseoli in seeds of beans on the basis of starch hydrolysis **Gms/Lit : 60.25 8.3 Lit/500G**	901.00 4113.00	100 gm 500 gm
PHS 1012	***CNFT Supplement** No. of Vials: **Δ9 vials**	1450.00	5 vl
PHM 1014	**Phyto Starch Tyrosine Peptone Agar (PTSA Medium)** Semi-selective medium for the detection of Xanthomonas axonopodis pv. Phaseoli in seeds of beans on the basis of pigment production **Gms/Lit : 33.00 15.15 Lit/500G**	2439.00 8136.00	100 gm 500 gm
PHM 1015	**Phyto Sterility Test Medium (Leifert and Waites Sterility Test Medium)** Sterility testing medium for bacteria **Gms/Lit : 45.20 11.06 Lit/500G**	882.00 3960.00	100 gm 500 gm
PHM 1016	**Phyto Sucrose Peptone Agar Base (MSP Medium)** Selective medium for the detection of Pseudomonas savastanoi pv.phaseolicola and Pseudomonas syringae pv. syrinage on seeds of beans **Gms/Lit : 45.63 10.96 Lit/500G**	882.00 3960.00	100 gm 500 gm
PHS 1009	***CNVB Supplement** No. of Vials: **Δ11 vials**	1746.00	5 vl
PHM 1017	**Phyto Tbb Agar Base (MXV Medium)** Semi-selective medium for the detection of Xanthomonas campestris pv. vesicatoria and Xanthomonas vesicatoria on seeds of pepper and tomato **Gms/Lit : 32.20 15.53 Lit/500G**	1022.00 4307.00	100 gm 500 gm
PHS 1013	***CCFTNB Supplement - I** No. of Vials: **Δ16 vials**	2480.00	5 vl
PHM 1018	**Phyto Tyrosine Peptone Agar Base (MT Medium)** Semi-selective medium for the detection of Pseudomonas savastanoi pv. phaseolicola, Pseudomonas syringae pv. syringae and Xanthomonas pv. phaseoli axonopodis in seeds of beans **Gms/Lit : 25.75 19.42 Lit/500G**	2538.00 8136.00	100 gm 500 gm
PHS 1014	***CNV Supplement** No. of Vials: **Δ20 vials**	1674.00	5 vl
PHM 1019	**Phyto Xano Camp Agar Base (mCS20ABN Medium)** Selective medium for the isolation of Xanthomonas campestris pv. campestris and Xanthomonas campestris pv.armoraciae from crucifer seeds. **Gms/Lit : 58.70 8.52 Lit/500G**	909.00 4113.00	100 gm 500 gm
PHS 1015	***NNB Supplement** No. of Vials: **Δ9 vials**	1450.00	5 vl

Product Code	Product Name	Price	Packing
PHM 1020	**Phyto XcCar Agar Base (mD5A Medium)** Semi-selective medium for the detection of Xanthomonas campestris pv.carota in carrot. **Gms/Lit : 20.05 24.94 Lit/500G**	855.00 3483.00	100 gm 500 gm
PHS 1016	***CNBGM Supplement** No. of Vials: **Δ25 vials**	2480.00	5 vl
PHM 1021	**Phyto Xcv Agar Base (mTMB Medium)** Semi-selective medium for the detection of Xanthomonas campestris pv. vesicatoria and Xanthomonas vesicatoria on seeds of pepper and tomato **Gms/Lit : 35.35 14.14 Lit/500G**	923.00 4185.00	100 gm 500 gm
PHS 1017	***CCFT Supplement** No. of Vials: **Δ14 vials**	1746.00	5 vl
PHM 1022	**Phyto Yeast Extract Glucose Agar (YDC Medium** Non selective medium used to subculture suspected Xanthomonads and Clavibacters **Gms/Lit : 65.00 7.69 Lit/500G**	882.00 3465.00	100 gm 500 gm
PHM 1023	**Mathur's Medium, Modified** Non selective medium used in plant pathology for sporulation of Colletotrichum species. **Gms/Lit : 28.12 17.78 Lit/500G**	873.00 3407.00	100 gm 500 gm
PHM 1026	**Phyto Peptone Sucrose Agar** Semi selective Agar medium for detection of Xanthomonas axonopodis pv. malvacearum in naturally infected cotton seed. **Gms/Lit : 43.00 11.63 Lit/500G**	4365.00	500 gm
PHS 1018	***PSA Supplement** No. of Vials: **Δ16 vials**	1450.00	5 vl
	Phytopathological Supplement		
PHS 1017	**CCFT Supplement** Selective supplement for the detection of Xanthomonas campestris pv. vesicatoria and Xanthomonas vesicatoria on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	1746.00	5 vl
PHS 1011	**CCFTNB Supplement** Selective supplement for the detection of Xanthomonas campestris pv. vesicatoria on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	2480.00	5 vl
PHS 1013	**CCFTNB Supplement - I** Selective supplement for the detection of Xanthomonas campestris pv. Vesicatoria and Xanthomonas vesicatoria on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	2480.00	5 vl
PHS 1010	**CCTP Supplement** Selective supplement for the detection of Pseudomonas syringae pv. Tomato on seeds of tomato One vial is sufficient for 1000 ml medium :	1400.00	5 vl
PHS 1007	**CN Supplement** Selective supplement for the detection of several Pseudomonas species One vial is sufficient for 1000 ml medium :	1400.00	5 vl

Unless indicated all the above products to be stored at 10 - 30°C
* Store at 2 - 8°C
Δ Approx. no. of vials required per 500gm of powder medium

Product Code	Product Name	Price	Packing
PHS 1008	**CN Supplement - I** Selective supplement for the detection of Pseudomonas syringae pv. pisi on seeds of pea One vial is sufficient for 1000 ml medium :	1674.00	5 vl
PHS 1016	**CNBGM Supplement** Selective supplement for the detection of Xanthomonas campestris pv.carota in carrot One vial is sufficient for 1000 ml medium :	2480.00	5 vl
PHS 1001	**CNC Supplement** Selective supplement for the detection of Pseudomonas syringae on seeds of beans and also for the detection of Ps. porri, Ps. pisi and Ps. tomato on seeds of resp. leek, pea and tomato. One vial is sufficient for 1000 ml medium :	1746.00	5 vl
PHS 1006	**CNF Supplement** Selective supplement for the detection of Xanthomonas hor torum pv.carotae In carrot. One vial is sufficient for 1000 ml medium :	1670.00	5 vl
PHS 1012	**CNFT Supplement** Selective supplement for the detection of Xanthomonas axonopodis pv. phaseoli in seeds of beans on the basis of starch hydrolysis. One vial is sufficient for 1000 ml medium :	1450.00	5 vl
PHS 1004	**CNNP Supplement** Selective supplement for the detection of Clavibacter michiganensis subsp michiganensis on seeds of tomato. One vial is sufficient for 1000 ml medium :	2295.00	5 vl
PHS 1003	**CNP Supplement** Selective supplement for the detection of Clavibacter michiganensis subsp michiganensis on seeds of tomato. One vial is sufficient for 1000 ml medium :	1450.00	5 vl

Product Code	Product Name	Price	Packing
PHS 1005	**CNTB Supplement** Selective supplement for the detection of Xanthomonas hor torum pv.carotae in carrot. One vial is sufficient for 1000 ml medium :	1450.00	5 vl
PHS 1014	**CNV Supplement** Selective supplement for the detection of Pseudomonas savastanoi pv. phaseolicola, Pseudomonas syringae and Xanthomonas axonopodis in seeds of Beans One vial is sufficient for 1000 ml medium :	1674.00	5 vl
PHS 1009	**CNVB Supplement** Selective supplement for the detection of Pseudomonas syringae pv. porri on seeds of leek and for Pseudomonas savastanoi pv. phaseolicola and Pseudomonas syringae on seeds of beans One vial is sufficient for 1000 ml medium :	1746.00	5 vl
PHS 1015	**NNB Supplement** Selective supplement for the isolation of Xanthomonas campestris pv. campestris and Xanthomonas campestris pv. armoraciae from crucifer seeds One vial is sufficient for 1000 ml medium :	1450.00	5 vl
PHS 1002	**NMPT Supplement** Selective supplement for the detection of Xanthomonas campestris pv. campestris and Xanthomonas campestris Pv.armoraciae in brassica One vial is sufficient for 1000 ml medium :	1450.00	5 vl
PHS 1018	**PSA Supplement** Selective supplement for detection of Xanthomonas axonopodis pv. malvacearum in naturally infected cotton seed. One vial is sufficient for 1000 ml medium :	1450.00	5 vl

Unless indicated all the above products to be stored at 2 - 8°C
Approx. no. of vials required per 500gm of powder medium

PLANT GROWTH REGULATORS

Is your plant meeting their growth milestones? Try out our growth hormones - power pack for plant growth!

Product	Prefix	Page
Auxins	PCT	459
Cytokinins	PCT	459-460
Gibberellins	PCT	460
Others	PCT	460-461

PLANT GROWTH REGULATORS

Plant hormones or plant growth substances are naturally occurring chemicals within plant tissues, which play a regulatory function in growth and development of a plant. These are usually synthesized in certain part of the plant and moved through the plant from one part to another. Chemicals prepared synthetically or through fermentation processes, which mimic the action of naturally occurring growth substances and have an ability to modify plant growth in some way, are termed as plant growth regulators.

The five major classes of Plant Growth Regulators are Auxinx, Cytokinins, Gibberellins, Polyamines and Abscisic acid. Each of the growth regulator has a specific role and function which can be used to promote various physiological processes like callus induction, somatic embryogenesis, root formation, inhibition of axillary bud, cell elongation/ division, regulation of organogenesis, soma clonal variation, seed germination etc. Each response if often the result of two

or more regulators acting together. Auxins and Cytokinins are by far the most commonly used regulators and usually form an integral part of nutrient media.

For more info :
sales@cdhfinechemical.com
www.cdhfinechemical.com

Product Code	Product Name	Price	Packing
	AUXINS		
PCT1841 $C_8H_7ClO_3$ (122-88-3)	p-**Chloro Phenoxy Acetic Acid** Plant Culture Tested MW : 186.59 Assay 98% Store below 30°C	**450.00** **1557.00** **7030.00**	**25 gm** **100 gm** **500 gm**
PCT1825 $C_8H_6Cl_2O_3$ (94-75-7)	2,4-**Dichlorophenoxy Acetic Acid (2,4-D)** Plant Culture Tested MW : 221.04 Assay : ≥ 98% Store below 30°C	**1908.00** **3807.00**	**100 gm** **250 gm**
PCT2401	2,4-**Dichlorophenoxy Acetic Acid (2,4-D) solution** w/ 1 mg/ml 2,4-D in sterile distiiled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	**765.00** **2300.00**	**20 ml** **5X20 ml**
PCT1834 $C_8H_6Cl_2O_3$ (1918-00-9)	**Dicamba** (3,6 dichloro-o-anisic acid) Plant Culture Tested MW : 221.04 Assay 98% Store at 2 - 8°C	**7857.00** **71321.00**	**100 mg** **1 gm**
PCT1803 $C_{10}H_9NO_2$ (87-51-4)	**Indole-3-Acetic Acid (IAA)** (Heteroauxine) Plant Culture Tested MW : 175.19 Assay 99% Store at 2 - 8°C	**675.00** **3340.00** **10692.00**	**5 gm** **25 gm** **100 gm**
PCT2404	**IAA Solution** w/ 1 mg/ml IAA in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	**797.00** **2403.00**	**20 ml** **5X20 ml**
PCT1804 $C_{12}H_{13}NO_2$ (133-32-4)	**Indole-3-Butyric Acid (IBA)** Plant Culture Tested MW : 203.24 Assay 99% Store at 2 - 8°C	**666.00** **2997.00** **10512.00**	**5 gm** **25 gm** **100 gm**
PCT2405	**IBA Solution** w/ 1 mg/ml IBA in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	**873.00** **2610.00**	**20 ml** **5X20 ml**
PCT1831 $C_{11}H_{11}NO_2$ (830-96-6)	**Indole-3-Propionic Acid (IPA)** Plant Culture Tested MW : 189.21 Assay 97% Store at 2 - 8°C	**1836.00** **8964.00**	**5 gm** **25 gm**
PCT2407	**IPA Solution** w/ 1 mg/ml IPA in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	**910.00** **2754.00**	**20 ml** **5X20 ml**

Product Code	Product Name	Price	Packing
PCT1809 $C_{12}H_{10}O_2$ (86-87-3)	a-**Naphthalene Acetic Acid (NAA)** Plant Culture Tested MW : 186.21 Assay 95% Store below 30°C	**230.00** **730.00**	**25 gm** **100 gm**
PCT2402	**NAA Solution** w/ 1 mg/ml NAA in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	**837.00** **2511.00**	**20 ml** **5X20 ml**
PCT1810 $C_{12}H_{10}O_3$ (120-23-0)	2-**Naphthoxyacetic Acid (NOA)** Plant Culture Tested MW : 202.21 Assay 97% Store below 30°C	**1710.00** **4950.00**	**25 gm** **100 gm**
PCT2408	**NOA** Solution w/ 1 mg/ml NOA in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	**770.00** **2340.00**	**20 ml** **5X20 ml**
PCT1845 $C_{18}H_{13}NO_3$ (132-66-1)	N-1-**Naphthylphthalamic Acid (NPA)** Plant Culture Tested MW : 291.3 Store below 30°C	**2250.00** **4519.00** **6462.00**	**100 mg** **250 mg** **500 mg**
	CYTOKININS		
PCT1842 $C_5H_5N_5$ (73-24-5)	**Adenine** (6-**Aminopurine; Vitamin B4**) Plant Culture Tested MW : 135.13 Assay 99% Store below 30°C	**293.00** **833.00** **2660.00**	**5 gm** **25 gm** **100 gm**
PCT1801 $C_5H_5N_5.1/2H_2SO_4$ (321-30-2)	**Adenine Sulphate** Plant Culture Tested MW : 184.17 Assay 98% Store below 30°C	**891.00** **8397.00** **41886.00** **75402.00**	**10 gm** **100 gm** **500 gm** **1 kg**
PCT1852 $C_{10}H_{15}N_5O$ (14894-18-9)	**Dihydrozeatin (DHZ)** Plant Culture Tested MW :- 221.3 Store at 2 - 8°C	**1981.00** **3753.00** **7146.00** **17127.00**	**25 mg** **50 mg** **100 mg** **250 mg**
PCT1808 $C_{12}H_9N_5O$ (4005-49-6)	N6-**Benzoyladenine** Plant Culture Tested MW : 239.23 Assay 99% Store at 2 - 8° C	**7182.00**	**1 gm**
PCT1802 $C_{12}H_{11}N_5$ (1214-39-7)	6-**Benzyladenine** (6-**BAP**) (6-Benzylaminopurine) Plant Culture Tested MW : 225.25 Assay 98% Store at 2 - 8°C	**203.00** **900.00** **4883.00**	**1 gm** **5 gm** **25 gm**

Product Code	Product Name	Price	Packing
PCT2403	6-**BAP Solution** w/ 1 mg/ml 6-BAP in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	891.00 2673.00	20 ml 5X20 ml
PCT1807 $C_{10}H_{13}N_5$ (2365-40-4)	N6-(2-**Isopentenyl) Adenine;(2iP)** [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested MW : 203.24 Assay 98% Store at 2 - 8°C	22905.00 81810.00	1 gm 5 gm
PCT1850 $C_{15}H_{21}N_5O_4$ (7724-76-7)	N6-(2-**Isopentenyl) Adenine; (2-iP) riboside** [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested MW : 335.4 Assay 97% Store at 2 - 8°C	12078.00 57996.00	1 gm 5 gm
PCT1806 $C_{10}H_9N_5O$ ((525-79-1)	**Kinetin** Plant Culture Tested MW : 215.21 Assay 99% Store at 2 - 8°C	675.00 3132.00 15580.00	1 gm 5 gm 25 gm
PCT2406	**Kinetin Solution** w/ 1 mg/ml Kinetin in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	1189.00 3564.00	20 ml 5X20 ml
PCT1820 $C_9H_8N_4OS$ (51707-55-2)	**Thidiazuron (TDZ)** Plant Culture Tested MW : 220.25 Assay 92% Store at 2 - 8°C	6102.00 21362.00	250 mg 1 gm
PCT2409	**Thidiazuron (TDZ)** Solution w/ 1 mg/ml TDZ in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	873.00 4212.00	20 ml 5X20ml
PCT1827 $C_{12}H_{10}N_5OH$ (75737-38-1)	meta-**Topolin** Plant Culture Tested MW : 241.25 Store at 2 - 8°C	5243.00 17820.00	25 mg 100 mg
PCT2410	meta-**Topolin Solution** w/ 1 mg/ml meta-Topolin in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	3250.00 15957.00	20 ml 5X20 ml
PCT1813 $C_{10}H_{13}N_5O$ (1637-39-4)	**Zeatin** Plant Culture Tested MW : 219.24 Assay 99% Store at 2 - 8°C	5373.00 10260.00 22590.00 41553.00 80640.00	50 mg 100 mg 250 mg 500 mg 1 gm
PCT2411	**Zeatin Solution** w/ 1 mg/ml Zeatin in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	4680.00 22950.00	20 ml 5X20 ml

Product Code	Product Name	Price	Packing
PCT1814 $C_{15}H_{21}N_5O_5$ (6025-53-2)	trans-**Zeatin Riboside** Plant Culture Tested MW : 351.36 Assay 98% Store at 2 - 8°C	28116.00 63243.00	10 mg 25 mg
	GIBBERELLINS		
PCT1830 $C_{19}H_{22}O_6$ (77-06-5)	**Gibberellic Acid (GA3)** Plant Culture Tested MW : 346.37 Assay 90% Store at 2 - 8°C	280.00 2205.00 17010.00	1 gm 10 gm 100 gm
	OTHERS		
PCT1815 $C_{15}H_{20}O_4$ (14375-45-2)	(±)-**Abscisic Acid** Plant Culture Tested MW : 264.32 Assay 99% Store at 2 - 8°C	7812.00 35100.00 56840.00	100 mg 500 mg 1 gm
PCT1837 $C_{15}H_{16}N_2O_2$ (12771-68-5)	**Ancymidol** Plant Culture Tested MW : 256.3 Assay 98% Store at 2 - 8°C	9666.00 19530.00	50 mg 100 mg
PCT1817 $(C_6H_{11}NO_4)_n$ (9012-76-4)	**Chitosan** Plant Culture Tested From Shrimp shells Degree of deacetylation =75% Store below 30°C	900.00 2700.00 8100.00	25 gm 100 gm 500 gm
PCT1824 $C_5H_{13}Cl_2N$ (999-81-5)	**Chlormequat Chloride** Plant Culture Tested MW : 158.07 Assay 98% Store below 30°C	1000.00 3600.00	1 gm 5 gm
PCT1846 $C_9H_8O_2$ (140-10-3)	trans-**Cinnamic Acid** Plant Culture Tested MW : 148.16 Store below 30°C	500.00 1040.00	10 gm 25 gm
PCT1838 $C_6H_{12}N_2O_3$ (1596-84-5)	**Daminozide (Alar)** Plant Culture Tested MW : 160.17 Assay 99% Store below 30°C	820.00 3690.00	1 gm 5 gm
PCT1832 $C_{12}H_{18}O_7.H_2O$ (68539-16-2)	**Dikegulac** Plant Culture Tested MW : 292.28 Assay 97.5% Store at 2 - 8°C	38079.00 68500.00	500 mg 1 gm
PCT1853 $ClCH_2CH_2P(O)(OH)_2$ (16672-87-0)	**Ethephon** Plant Culture Tested MW : 144.49 Assay > 97.5% Store at 2-8°C	2179.00 9666.00 18180.00	100 mg 500 mg 1 gm

Product Code	Product Name	Price	Packing
PCT1843 $C_{19}H_{14}F_3NO$ CAS : 59756-60-4	**Fluridon** Plant Culture Tested MW : 329.3 Assay > 99 % Store below 30°C	5720.00 10620.00	100 mg 250 mg
PCT1844 $C_{15}H_{15}F_3N_2O_2$ (56425-91-3)	**Flurprimidol** Plant Culture Tested MW : 312.29 Store below 30°C	2440.00 20115.00	10 mg 100 mg
PCT1835 $C_3H_8NO_5P$ (1071-83-6)	**Glyphosate [N-(Phosphonomethyl)glycine]** Plant Culture Tested MW : 169.07 Assay 95% Store at 2 - 8°C	30483.00	1 gm
PCT1805 $C_{12}H_{18}O_3$ (77026-92-7)	(±)-**Jasmonic Acid** Plant Culture Tested MW : 210.27 Assay 85% Store at 2 - 8°C	11142.00 24525.00	100 mg 250 mg
PCT1818 $C_4H_4N_2O_2$ (123-33-1)	**Maleic Hydrazide** Plant Culture Tested MW : 112.09 Assay 99% Store at 2 - 8°C	5040.00 11070.00	100 gm 250 gm
PCT1840 $C_{13}H_{16}N_2O_2$ (73-31-4)	**Melatonin** Plant Culture Tested MW : 232.28 Assay 99% Store at 2 - 8°C	3960.00 17991.00 26991.00	1 gm 5 gm 10 gm
PCT1828 $C_{15}H_{20}ClN_3O$ (76738-62-0)	**Paclobutrazol** Plant Culture Tested MW : 293.79 Assay 95% Store below 30°C	3434.00 7560.00	10 gm 25 gm
PCT1836 $C_6H_6O_3$ (108-73-6)	**Phloroglucinol** Plant Culture Tested MW : 126.11 Assay 99% Store below 30°C	2034.00 7128.00	25 gm 100 gm
PCT1829 $C_6H_3Cl_3N_2O_2$ (1918-02-1)	**Picloram** Plant Culture Tested MW : 241.46 Assay 97% Store below 30°C	18810.00 33930.00 135720.00	5 gm 10 gm 50 gm
PCT1854 $C_{10}H_{10}CaO_5$ (127277-53-6)	**Prohexadione Calcium** Plant Culture Tested MW : 250.26 Store below 30°C	4185.00 31410.00	100 mg 1 gm
PCT1811 $C_4H_{12}N_2.2HCl$ (333-93-7)	**Putrescine Dihydrochloride** (1,4-Butanediamine dihydrochloride)Plant Culture Tested MW : 161.07 Assay 99% Store below 30°C	675.00 1962.00 8811.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
PCT1826 $C_7H_6O_3$ (69-72-7)	**Salicyclic Acid** Plant Culture Tested MW : 138.12 Assay 99% Store below 30°C	1350.00	500 gm
PCT1812 $C_7H_{19}N_3$ (124-20-9)	**Spermidine** Plant Culture Tested MW : 145.25 Assay 98% Store at 2 - 8°C	7740.00 34830.00	1 gm 5 gm
PCT1821 $C_{10}H_{26}N_4$ (71-44-3)	**Spermine** Plant Culture Tested MW : 202.34 Assay 97% Store at 2 - 8°C	13923.00	1 gm
PCT1819 $C_{10}H_7N_3S$ (148-79-8)	**Thiabendazole** Plant Culture Tested MW : 201.25 Assay 98% Store at 2 - 8°C	29844.00 54270.00	50 gm 100 gm
PCT1839 $C_8H_5Cl_3O_3$ (93-76-5)	2,4,5-**Trichlorophenoxyacetic Acid** Plant Culture Tested MW : 255.48 Assay 98% Store at 2 - 8°C	7497.00 24363.00	25 gm 100 gm
PCT1823 $C_7H_3I_3O_2$ (88-82-4)	2,3,5-**Triiodobenzoic acid (TIBA)** Plant Culture Tested MW : 499.81 Assay 98% Store at 2 - 8°C	4707.00	5 gm

Plant Tissue Culture

Tested Chemicals

CONTAMINATION CONTROL SYSTEMS

Select and try out our wide range of antibiotics and selection agents for utmost sterility.

Product	Prefix	Page
Antibiotics & Antifungals	PCT	464-466
Antibiotics Solutions (Sterile Filtered)	PCT	466
Disinfectants	PCT	466-467

CONTAMINATION CONTROL SYSTEMS

Avoidance or prevention of microbial contamination in plant tissue culture is critical. Microbial contamination is one of the major challenges in Plant Tissue Culture. Microorganisms infecting plant tissue culture leads to depletion of nutrients in the medium and reduces chances of survival of the plant culture.

To counter the contamination issues, Microgen offers a wide range of antimicrobials including antibiotics, antifungals and selection agents. Our proprietary products like antimicrobial supplement are broad spectrum biocide and have been specially designed for use in plant tissue culture.

The potential of antibiotics as selection agents has been very well realized in plant transformation systems and we provide a wide range of important selection agents including Hygromycin B, Kanamycin, Timentin, neomycin etc.

For more info :

sales@cdhfinechemical.com
www.cdhfinechemical.com

ANTIBIOTICS AND ANTIFUNGALS

Product Code	Product Name	Price	Packing
PCT2122	**Actidione** Plant Culture Tested MW : 281.35 Assay 96% Store at 2 - 8°C	4482.00 21110.00	1 gm 5 gm
$C_{15}H_{23}NO_4$ (66-81-9)			
PCT2140	**Acyclovir** Plant Culture Tested MW : 225.2 Store below 30°C	4743.00 10000.00	1 gm 5x1 gm
$C_8H_{11}N_5O_3$ (59277-89-3)			
PCT2141	**Amiprophos Methyl** Plant Culture Tested MW : 304.3 Store at 2-8 °C	10710.00 35555.00	250 mg 1 gm
$C_{11}H_{17}N_2O_4PS$ (36001-88-4)			
PCT2107	**Amoxycillin** Plant Culture Tested MW : 365.4 Potency : =900 µg/mg Store at 2 - 8°C	387.00 3690.00 8820.00	1 gm 10 gm 25 gm
$C_{16}H_{19}N_3O_5S$ (26787-78-0)			
PCT2115	**Amoxycillin:clavulanic Acid potassium salt (5:1) (Augmentin)** Plant Culture Tested Store at 2 - 8°C	3195.00	2 gm
PCT2108	**Amphotericin B** Plant Culture Tested MW : 924.08 Potency 750 µg/mg Assay 80% Store at 2 - 8°C	4673.00 23000.00 POR	1 gm 5 gm 25 gm
$C_{47}H_{73}NO_{17}$ (1397-89-3)			
PCT2101	**Ampicillin Sodium Salt** Plant Culture Tested MW : 371.39 Assay : 91% Store at 2 - 8°C	432.00 1737.00 3123.00 7840.00	1 gm 5 gm 10 gm 25 gm
$C_{16}H_{18}N_3NaO_4S$ (69-52-3)			
PCT2143	**Atrazine** Plant Culture Tested MW : 215.68 Assay : > 97 % Store below 30°C	8316.00	250 mg
$C_8H_{14}ClN_5$ (1912-24-9)			
PCT2109	**Bacitracin** Plant Culture Tested MW : 1422.69 Potency 60 U/mg Store at 2 - 8° C	1431.00 11170.00 27900.00	1 vl 10X1 vl 25X1vl
$C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)			
PCT2121	**Carbendazim** Plant Culture Tested MW : 191.19 Assay 91% Store at 2 - 8°C	2826.00 11372.00 42400.00	1 gm 5 gm 25 gm
$C_9H_9N_3O_2$ (10605-21-7)			
PCT2102	**Carbenicillin Disodium Salt** Plant Culture Tested MW : 422.36 Potency 770 µg/mg Store at 2 - 8°C	711.00 1683.00 7560.00 13600.00	250 mg 1 gm 5 gm 10 gm
$C_{17}H_{16}N_2O_6SNa_2$ (4800-94-6)			
PCT2144	**Carboxin** Plant Culture Tested MW : 235.31 Assay 95% Store below 30°C	10112.00	250 mg
$C_{12}H_{13}NO_2S$ (5234-68-4)			
PCT2129	**Cephalexin** Plant Culture Tested MW : 347.39 (anhydrous basis) Assay 97% Store at 2 - 8°C	1692.00 6777.00 10850.00	1 gm 5 gm 10 gm
$C_{16}H_{17}N_3O_4S$ (15686-71-2)			
PCT2103	**Cephotaxime Sodium Salt** Plant Culture Tested MW : 477.45 Assay 98% Potency : 916 - 964 µg/mg Store at 2 - 8° C	1476.00 5913.00 10665.00 24890.00	1 gm 5 gm 10 gm 25 gm
$C_{16}H_{16}N_5NaO_7S_2$ (64485-93-4)			
PCT2117	**Chloramphenicol** Plant Culture Tested MW : 323.13 Assay 97% Potency : ~900 µg/mg Store at 2 - 8°C	1170.00 2664.00 6660.00	5 gm 25 gm 100 gm
$C_{11}H_{12}Cl_2N_2O_5$ (56-75-7)			
PCT2146	**Chlorhexidine Digluconate** Plant Culture Tested MW : 897.8 Store below 30°C	3123.00 11871.00	250 ml 1 lit
$C_{34}H_{54}C_{12}N_{10}O_{14}$ (18472-51-0)			
PCT2145	**Chlorsulfuron** Plant Culture Tested MW : 357.8 Assay : > 95 % Store below 30°C	14860.00	100 mg
$C_{12}H_{12}ClN_5O_4S$ (64902-72-3)			
PCT2147	**Clindamycin Hydrochloride** Plant Culture Tested MW : 461.05 Store below 30°C	5454.00	5 gm
$C_{18}H_{33}ClN_2O_5S.HCl$ (21462-39-5)			
PCT2142	**Colistin Sulphate** Plant Culture Tested Potency : > 19.000 units / mg Store at 2 - 8°C	4752.00 19009.00	1 gm 5 gm
(1264-72-8)			
PCT2130	**D-Cycloserine (D-4-Amino-3-isoxazolidone)** Plant Culture Tested MW : 102.09 Assay 98% Store at 2 - 8°C	2520.00 10130.00	1 gm 5 gm
$C_3H_6N_2O_2$ (68-41-7)			
PCT2138	**Doxycycline Hydrochloride** Plant Culture Tested MW : 480.9 Store at 2-8°C	5310.00 13320.00	10 gm 25 gm
$C_{22}H_{24}N_2O_8.HCl$ (10592-13-9)			
PCT2123	**Erythromycin** Plant Culture Tested MW : 733.93 Potency 850µg/mg Store below 30°C	513.00 2304.00 10360.00	1 gm 5 gm 25 gm
$C_{37}H_{67}NO_{13}$ (114-07-8)			

Product Code	Product Name	Price	Packing
PCT2139	**5-Fluorouracil (5-FU)**	891.00	1 gm
	Plant Culture Tested	4014.00	5 gm
$C_4H_3FN_2O_2$	MW : 130.1		
(51-21-8)	Assay : > 98 %		
	Store at 2 - 8°C		
PCT2116	**Geneticin Disulphate**	9810.00	1 gm
	(G-418 Disulfate Salt)	44190.00	5 gm
	Plant Culture Tested		
$C_{20}H_{40}N_4O_{10}.2H_2SO_4$	MW : 692.71		
(108321-42-2)			
	Potency 500 µg/mg		
	Store at 2 - 8°C		
PCT2118	**Gentamicin Sulphate**	972.00	1 gm
	Plant Culture Tested	4410.00	5 gm
(1405-41-0)		7939.00	10 gm
	Potency 590 µg/mg	19620.00	25 gm
	Store at 2 - 8°C		
PCT2148	**Griseofulvin**	1665.00	5 gm
	Plant Culture Tested	8001.00	25 gm
$C_{17}H_{17}ClO_6$	MW : 352.8		
(126-07-8)	Store below 30°C		
PCT2128	**8-Hydroxy quinoline**	1540.00	100 gm
	Plant Culture Tested	6219.00	500 gm
C_9H_7NO	MW : 145.16	11970.00	1 kg
(148-24-3)	Assay 99%		
	Store below 30°C		
PCT2104	**Hygromycin-B**	3852.00	100 mg
	From Streptomyces	8470.00	250 mg
	hygroscopicus	29664.00	1 gm
	Plant Culture Tested		
$C_{20}H_{37}N_3O_{13}$	MW : 527.52		
(31282-04-9)	Assay 60%		
	Store at 2 - 8°C		
PCT2105	**Kanamycin Acid Sulphate**	1017.00	1 gm
	Plant Culture Tested	4536.00	5 gm
(64013-70-3)		20260.00	25 gm
	Potency 670 units/mg	36450.00	50 gm
	Store at 2 - 8°C		
PCT2127	**6-Mercaptopurine** Monohydrate	1152.00	1 gm
	(6-Purinethiol)	5193.00	5 gm
	Plant Culture Tested		
$C_5H_4N_4S.H_2O$	MW : 170.19		
(6112-76-1)	Assay 98%		
	Store below 30°C"		
PCT2110	**Miconazole Nitrate**	873.00	1 gm
	Plant Culture Tested	3267.00	5 gm
$C_{18}H_{14}Cl_4N_2O{\bullet}HNO_3$	MW : 479.14	14724.00	25 gm
(22832-87-7)	Assay 98%		
	Store below 30°C		
PCT2131	**Mitomycin C**	6444.00	2 mg
	Plant Culture Tested	10314.00	5 mg
$C_{15}H_{18}N_4O_5$	MW : 334.33	17100.00	10 mg
(50-07-7)			
	Store at 2 - 8°C"		
PCT2111	**Neomycin Sulphate**	540.00	5 gm
	Plant Culture Tested	1459.00	25 gm
$C_{23}H_{46}N_6O_{13}.3H_2SO_4$	MW : 908.88	5563.00	100 gm
(1405-10-3)	Potency 600 µg/mg		
	Store below 30°C		

Product Code	Product Name	Price	Packing
PCT2112	**Nystatin**	662.00	1 vl
	Plant Culture Tested	5292.00	10X1 vl
	1,000,000 units per vial	13230.00	25X1 vl
(1400-61-9)			
	Potency 4400 USP U/mg		
	Store at 2 - 8°C		
PCT2124	**Paromomycin Sulphate**	4050.00	1 gm
	Plant Culture Tested	18190.00	5 gm
$C_{23}H_{45}N_5O_{14}.H_2SO_4$	MW : 713.71		
(1263-89-4)	Assay 98%		
	Store below 30°C		
PCT2132	**Penicillin G Sodium Salt**	4752.00	5 gm
	1 million units/vl	19035.00	25 gm
	Plant Culture Tested	60930.00	100 gm
$C_{16}H_{17}N_2NaO_4S$	MW : 356.37		
(69-57-8)			
	Potency : 1500-1750 IU/mg		
	Store at 2 - 8°C"		
PCT2125	**Polymyxin B Sulphate**	2682.00	1X1 mu
	Plant Culture Tested	5373.00	5X1 mu
$C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$	MW : 1385.61	15512.00	25X1 mu
(1405-20-5)			
	Potency : =6000IU/mg		
	Store at 2 - 8°C		
PCT2150	**Puromycin Dihydrochloride**	10211.00	10 mg
	Plant Culture Tested		
$C_{22}H_{29}N_7O_5.2HCl$	MW : 544.43		
(58-58-2)			
	Store at 2-8°C		
PCT2133	**Ribavirin**	1791.00	10 mg
	Plant Culture Tested	8042.00	50 mg
$C_8H_{12}N_4O_5$	MW : 244.2		
(36791-04-5)	Assay : =98.9%		
	Store at 2 - 8°C		
PCT2119	**Rifampicin**	963.00	1 gm
	Plant Culture Tested	2890.00	5 gm
$C_{43}H_{58}N_4O_{12}$	MW : 822.94	11543.00	25 gm
(13292-46-1)	Assay 97%	34642.00	100 gm
	Store at 2 - 8°C		
PCT2134	**Spectinomycin Dihydrochloride**	1881.00	1 gm
	Pentahydrate	8483.00	5 gm
	Plant Culture Tested	38187.00	25 gm
$C_{14}H_{24}N_2O_7.2HCl.5H_2O$	MW : 495.35		
(22189-32-8)	Assay 98%		
	Store at 2 - 8°C		
PCT2120	**Streptomycin Sulphate**	945.00	5 gm
	Plant Culture Tested	4257.00	25 gm
$C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$	MW : 728.69	14900.00	100 gm
(3810-74-0)			
	Potency 650-850 µg/mg		
	Store at 2 - 8°C		
PCT2135	**Sulphamethoxazole**	900.00	5 gm
	Plant Culture Tested	2700.00	25 gm
$C_{10}H_{11}N_3O_3S$	MW : 253.28	5400.00	50 gm
(723-46-6)	Assay 98%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
PCT2126	**Tetracycline Hydrochloride** Plant Culture Tested $C_{22}H_{24}N_2O_8.HCl$ MW : 480.9 (64-75-5) Assay 98% Store at 2 - 8°C	1170.00 4491.00 14621.00	5 gm 25 gm 100 gm
PCT2136	**Thimerosal** (Sodium ethylmercurithio salicylate) Plant Culture Tested $C_9H_9HgNaO_2S$ MW : 404.81 (54-64-8) Store below 30°C	6800.00 16200.00 62001.00	10 gm 25 gm 100 gm
PCT2113	**Timentin** [Ticarcillin disodium salt / Potassium clavulanate mixture (15:1)] Plant Culture Tested $C_{15}H_{14}N_2Na_2O_6S_2/C_8H_8KNO_5$ MW : 428.4/237.3 (4697-14-7 /61177-45-5) Store at 2 - 8°C	6462.00 11633.00	1 gm 2 gm
PCT2137	**Trimethoprim** Plant Culture Tested $C_{14}H_{18}N_4O_3$ MW : 290.32 (738-70-5) Assay 98% Store at 2 - 8°C	950.00 4284.00	5 gm 25 gm
PCT2114	**Vancomycin Hydrochloride** Plant Culture Tested $C_{66}H_{75}Cl_2N_9O_{24}.HCl$ MW : 1485.71 (1404-93-9) Potency 950 µg/mg Store at 2 - 8°C	4361.00 6543.00 25533.00 98100.00	500 mg 1 gm 5 gm 25 gm
PCT2149	**Oxytetracycline HCl** Plant Culture Tested $C_{22}H_{24}N_2O_9.HCl$ MW : 496.9 (2058-46-0) Store at 30°C	1242.00 6003.00	5 gm 25 gm
	ANTIBIOTIC SOLUTIONS (STERILE FILTERED)		
PCT2501	**Carbenicillin Solution** w/ 100 mg/ml Carbenicillin in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	3700.00 13910.00	20 ml 5X20 ml
PCT2502	**Cephotaxime Solution** w/ 100 mg/ml Cephotaxime in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	3816.00 11421.00	20 ml 5X20 ml
PCT2505	**Cephotaxime Solution** w/ 250 mg/ml Cephotaxime in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	5346.00 16070.00 14445.00	20 ml 5X20 ml 100 ml

Product Code	Product Name	Price	Packing
PCT2503	**Hygromycin B Solution** w/ 50 mg/ml Hygromycin B in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	19998.00 96300.00	20 ml 5X20 ml
PCT2504	**Kanamycin Solution** w/ 50 mg/ml Kanamycin in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	1571.00 5000.00	20 ml 100 ml
PCT2506	**Neomycin Sulphate Solution** w/ 10 mg/ml Neomycin sulphate in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	1539.00 5000.00	20 ml 5X20 ml
PCT2508	**Timentin Solution** [Ticarcillin disodium salt / Potassium clavulanate mixture (15:1)] w/ 100 mg/ml Timentin in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	4986.00 13640.00	20 ml 100 ml
	DISINFECTANTS		
PCT2322	**Benzalkonium Chloride** 50 wt % aqueous solution Plant Culture Tested (8001-54-5) Assay 48-55% Store below 30°C	590.00	500 ml
PCT2509	**Bleaching Powder** Plant Culture Tested $Ca(ClO)_2$ MW : 142.98 (7778-54-3) Available chlorine ≥33% Store below 30°C	360.00 7300.00	500 gm 50 kg
PCT2510	**Diethylpyro Carbonate** Plant Culture Tested $O(COOC_2H_5)_2$ MW : 162.14 (1609-47-8) Assay 97% Store at 2 - 8°C	3402.00 5590.00 9423.00	25 ml 50 ml 100 ml
PCT2511	**Hydrogen Peroxide** Plant Culture Tested H_2O_2 MW : 34.0147 (7722-84-1) Assay min 30% Store at 2 - 8°C	4060.00 7120.00 10620.00	100 ml 500 ml 1 lit
PCT2512	**Mercuric Chloride** Plant Culture Tested $HgCl_2$ MW : 271.5 (7487-94-7) Assay 99.5% Store below 30°C	5400.00 11880.00 21375.00	100 gm 250 gm 500 gm
PCT2307	**Silver Nitrate** Plant Culture Tested $AgNO_3$ MW : 169.87 (7761-88-8) Assay 99.9% Store below 30°C	4491.00 9882.00 34601.00	10 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
PCT2311 NaOCl (7681-52-9)	**Sodium Hypochlorite** **(4% w/v solution)** Plant Culture Tested MW : 74.44 Store below 30°C	2061.00 3259.00	5X50 ml 5X100 ml
PCT2310 (9005-64-5)	**Cween® 20** Plant Culture Tested Store below 30°C	1431.00	500 ml

Product Code	Product Name	Price	Packing
PCT2513 (9005-65-6)	**Cween® 80** Plant Culture Tested Store below 30°C	460.00 1494.00	100 ml 500 ml

Plant Tissue Culture

Tested Chemicals

CDH introducing the comprehensive range of plant tissue culture tested chemicals on customer demand. Plant tissue culture tested chemicals are assessed and analysed for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

PTC products are analysed with stringent quality control required to maintain consistency and quality. We have developed complete in-house testing facilities for all our products and deliver the best to our customers. Our range include wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.

PLANT TISSUE CULTURE TESTED CHEMICALS

Your perfect choice of chemicals can bring more productivity and consistency in research and commercial applications.

Product	Prefix	Page
Adsorbent	PCT	470
Amino Acids	PCT	470-471
Buffers	PCT	471
Carbohydrates (Carbon Source)	PCT	471-472
Dyes and Stains	PCT	472
Enzymes	PCT	472
Indicators	PCT	472-473
Macroelements	PCT	473-474
Metabolites	PCT	474
Media Dyes	PCT	474
Microelements	PCT	474-475
Miscellaneous Chemicals	PCT	475-477
Organic Acids	PCT	477
Organic Supplements	PCT	477
Steroids/ Sterols	PCT	477
Vitamins	PCT	478

PLANT TISSUE CULTURE TESTED CHEMICALS

CDH is one of the foremost supplier of comprehensive range of plant tissue culture tested chemicals and biochemicals. The complete range of plant tissue culture tested chemicals are assessed analytically for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

Many users prefer to design their own formulations, keeping this requirement in mind, we offer a wide range of chemicals including macroelements, microelemenets, amino acids, carbohydrates, vitamins and organic supplements.

All our products undergo stringent quality control required to maintain consistency and quality. We have developed in-house testing criteria for all our products and have defined release criteria. The routine testing protocol includes parameters such as:

Quality Parameter	Description
Appearance	Individual product's is tested for color, Texture, Nature, Consistency
Solubility	Individual product's solubility is tested in the solvents that they are soluble in
FTIR	Infrared absorption and emission spectra are measured and are matched with the standard spectrum.
Assay	Qualitative/ Quantitative measurement of the analyte is done by carrying out different kinds of assays
Melting Range	Purity of a substance and amount of impurities present in a sample is determined
Plant Tissue Culture Test	Application test

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com

Product Code	Product Name	Price	Packing
	ADSORBENT		
PCT2001	**Charcoal Activated Powder**	**576.00**	**100 gm**
	(Activated Charcoal Powder)	**1251.00**	**250 gm**
	Plant Culture Tested	**2260.00**	**500 gm**
C	AW : 12.01	**20440.00**	**5 kg**
(7440-44-0)	Store below 30°C		
PCT2004	**Polyvinyl Pyrrolidone (PVP 10)**	**7497.00**	**100 gm**
	Plant Culture Tested	**35991.00**	**500 gm**
	Av. MW : 10,000		
(9003-39-8)			
	Store below 30°C		
PCT2002	**Polyvinylpyrrolidone (PVP) K-30**	**680.00**	**100 gm**
	(Povidone)	**3070.00**	**500 gm**
	Plant Culture Tested		
$(C_6H_9NO)n$	Av. MW : 40,000		
(9003-39-8)			
	Store below 30°C		
PCT2003	**Polyvinylpolypyrrolidone (PVPP)**	**5490.00**	**100 gm**
	(Crospovidone)		
	Plant Culture Tested		
$(C_8H_9NO)_n$			
(9003-39-8)			
	Store below 30°C		
	AMINO ACIDS		
PCT1301	**L-Alanine**	**387.00**	**25 gm**
	(2-Aminopropionic acid)	**7047.00**	**500 gm**
	Plant Culture Tested	**12700.00**	**1 kg**
$C_3H_7NO_2$	MW : 89.09		
(56-41-7)	Assay 99%		
	Store below 30°C		
PCT1302	**L-Arginine**	**302.00**	**25 gm**
	Plant Culture Tested	**1031.00**	**100 gm**
$C_6H_{14}N_4O_2$	MW : 174.2	**9270.00**	**1 kg**
(74-79-3)	Assay 99%		
	Store below 30°C		
PCT1303	**L-Asparagine** Monohydrate	**396.00**	**25 gm**
	Plant Culture Tested	**1279.00**	**100 gm**
$C_4H_8 N_2O_3.H_2O$	MW : 150.13	**5994.00**	**500 gm**
(5794-13-8)	Assay 99.5%		
	Store below 30°C		
PCT1304	**L-Aspartic acid**	**145.00**	**25 gm**
	Plant Culture Tested	**495.00**	**100 gm**
$C_4H_7NO_4$	MW : 133.1	**2142.00**	**500 gm**
(56-84-8)	Assay 99%		
	Store below 30°C		
PCT1305	**L-Cysteine**	**662.00**	**25 gm**
	Plant Culture Tested	**2300.00**	**100 gm**
$C_3H_7NO_2S$	MW : 121.16	**10360.00**	**500 gm**
(52-90-4)	Assay 99%		
	Store below 30°C		
PCT1325	**L-Cysteine HCl** Monohydrate	**370.00**	**25 gm**
	Plant Culture Tested	**1143.00**	**100 gm**
$C_3H_8NO_2SCl.H_2O$	MW : 175.63	**5130.00**	**500 gm**
(7048-04-6)	Assay 98%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
PCT1306	**L-Cystine**	**612.00**	**25 gm**
	Plant Culture Tested	**2300.00**	**100 gm**
$C_6H_{12}N_2O_4S_2$	MW : 240.3	**9837.00**	**500 gm**
(56-89-3)	Assay 99%	**18612.00**	**1 kg**
	Store below 30°C		
PCT1307	**L-Glutamic Acid**	**801.00**	**100 gm**
	Plant Culture Tested	**3619.00**	**500 gm**
$C_5H_9NO_4$	MW : 147.13	**POR**	**10 kg**
(56-86-0)	Assay 98.5%		
	Store below 30°C		
PCT1324	**D-Glutamine**	**3663.00**	**1 gm**
	Plant Culture Tested	**16421.00**	**5 gm**
$C_5H_{10}N_2O_3$	MW : 146.14		
(5959-95-5)	Assay 98.5%		
	Store below 30°C		
PCT1308	**L-Glutamine**	**432.00**	**25 gm**
	Plant Culture Tested	**1306.00**	**100 gm**
$C_5H_{10}N_2O_3$	MW : 146.14	**5850.00**	**500 gm**
(56-85-9)	Assay 99%		
	Store below 30°C		
PCT1309	**Glutathione**	**469.00**	**1 gm**
	Plant Culture Tested	**2070.00**	**5 gm**
$C_{10}H_{17}N_3O_6S$	MW : 307.32	**9333.00**	**25 gm**
(70-18-8)	Assay 98%		
	Store at 2 - 8°C		
PCT1310	**Glycine**	**1422.00**	**500 gm**
	Plant Culture Tested	**11741.00**	**5 kg**
$C_2H_5NO_2$	MW : 75.07		
(56-40-6)	Assay 99%		
	Store below 30°C		
PCT1311	**L-Histidine**	**1413.00**	**25 gm**
	Plant Culture Tested	**4541.00**	**100 gm**
$C_6H_9N_3O_2$	MW : 155.15	**22113.00**	**500 gm**
(71-00-1)	Assay 99%		
	Store below 30°C		
PCT1312	**L-Isoleucine**	**567.00**	**25 gm**
	Plant Culture Tested	**1971.00**	**100 gm**
$C_6H_{13}NO_2$	MW : 131.17	**8865.00**	**500 gm**
(73-32-5)	Assay 99%		
	Store below 30°C		
PCT1313	**L-Leucine**	**432.00**	**25 gm**
	Plant Culture Tested	**7790.00**	**500 gm**
$C_6H_{13}NO_2$	MW : 131.17		
(61-90-5)	Assay 99%		
	Store below 30°C		
PCT1315	**L-Methionine**	**540.00**	**25 gm**
	Plant Culture Tested	**2016.00**	**100 gm**
$C_5H_{11}NO_2S$	MW : 149.21	**9072.00**	**500 gm**
(63-68-3)	Assay 99.5%		
	Store below 30°C		
PCT1323	**L-Ornithine Monohydrochloride**	**855.00**	**25 gm**
	Plant Culture Tested	**2970.00**	**100 gm**
$C_5H_{12}N_2O_2.HCl$	MW :168.62	**13410.00**	**500 gm**
(3184-13-2)	Assay 99%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
PCT1316	**L-Phenylalanine**	387.00	25 gm
	Plant Culture Tested	1369.00	100 gm
$C_9H_{11}NO_2$	MW : 165.19	6183.00	500 gm
(63-91-2)	Assay 99%		
	Store below 30°C		
PCT1317	**L-Proline**	144.00	5 gm
	Plant Culture Tested	505.00	25 gm
$C_5H_9NO_2$	MW : 115.13	6570.00	500 gm
(147-85-3)	Assay 99%	12600.00	1 kg
	Store below 30°C		
PCT1318	**L-Serine**	234.00	5 gm
	Plant Culture Tested	1053.00	25 gm
$C_3H_7NO_3$	MW : 105.09	3690.00	100 gm
(56-45-1)	Assay 99%	16632.00	500 gm
	Store below 30°C		
PCT1319	**L-Threonine**	234.00	5 gm
	Plant Culture Tested	1017.00	25 gm
$C_4H_9NO_3$	MW : 119.12	7335.00	500 gm
(72-19-5)	Assay 99%		
	Store below 30°C		
PCT1320	**L-Tryptophan**	320.00	5 gm
	Plant Culture Tested	1440.00	25 gm
$C_{11}H_{12}N_2O_2$	MW : 204.23	26010.00	500 gm
(73-22-3)	Assay 98%		
	Store below 30°C		
PCT1321	**L-Tyrosine**	423.00	25 gm
	Plant Culture Tested	1440.00	100 gm
$C_9H_{11}NO_3$	MW : 181.19	6462.00	500 gm
(60-18-4)	Assay 99%		
	Store below 30°C		
PCT1322	**L-Valine**	360.00	25 gm
	(L-2-Amino-3-methylbutanoic	1279.00	100 gm
	acid) Plant Culture Tested	11543.00	1 kg
$C_5H_{11}NO_2$	MW : 117.15		
(72-18-4)	Assay 99%		
	Store below 30°C		
	BUFFERS		
PCT1701	**MES Buffer**	1215.00	25 gm
	[2-(N-Morpholino)ethane	4599.00	100 gm
	sulphonic acid]		
	Plant Culture Tested		
$C_6H_{13}NO_4S$	MW : 195.24		
(4432-31-9)	Assay 99%		
	Store below 30°C		
	CARBOHYDRATES (CARBON SOURCE)		
PCT1608	a-**Cyclodextrin**	4185.00	1 gm
	Plant Culture Tested	37800.00	10 gm
$C_{36}H_{60}O_{30}$	MW : 972.84		
(10016-20-3)	Assay 98%		
	Store below 30°C		
PCT1609	b-**Cyclodextrin**	860.00	100 gm
	Plant Culture Tested	3870.00	500 gm
$C_{42}H_{70}O_{35}$	MW : 1134.98		
(7585-39-9)	Assay 98%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
PCT1612	**Dextrose** Monohydrate	325.00	500 gm
	Plant Culture Tested		
$C_6H_{12}O_6.H_2O$	MW : 198.17		
(14431-43-7)	Assay 99.5%		
	Store below 30°C		
PCT1601	**D-(-)-Fructose**	280.00	100 gm
	Plant Culture Tested	1233.00	500 gm
$C_6H_{12}O_6$	MW : 180.16	2223.00	1 kg
(57-48-7)	Assay 99%		
	Store below 30°C		
PCT1602	**D-(+)-Galactose**	729.00	25 gm
	Plant Culture Tested	2539.00	100 gm
$C_6H_{12}O_6$	MW : 180.16	24400.00	1 kg
(59-23-4)	Assay 99%		
	Store below 30°C		
PCT1603	**D-(+)-Glucose** Anhydrous	464.00	500 gm
	Plant Culture Tested	828.00	1 kg
$C_6H_{12}O_6$	MW : 180.16		
(50-99-7)	Assay 99.5%		
	Store below 30°C		
PCT1611	**Maltodextrin**	252.00	500 gm
	Plant Culture Tested	459.00	1 kg
(9050-36-6)			
	Store below 30°C		
PCT1613	**D-(+)-Maltose** Monohydrate	338.00	100 gm
	Plant Culture Tested	1512.00	500 gm
$C_{12}H_{22}O_{11}.H_2O$	MW : 360.31	2745.00	1 kg
(6363-53-7)	Assay 99%	13073.00	5 kg
	Store below 30°C		
PCT1604	D-**Mannitol**	2745.00	500 gm
	Plant Culture Tested	4950.00	1 kg
$C_6H_{14}O_6$	MW : 182.17	15120.00	5 kg
(69-65-8)	Assay 99.5%		
	store below 30°C		
PCT1605	D-(+)-**Mannose**	1512.00	25 gm
	Plant Culture Tested	5320.00	100 gm
$C_6H_{12}O_6$	MW : 180.16	23940.00	500 gm
(3458-28-4)	Assay 98%		
	Store below 30°C		
PCT1614	D-(-)-**Ribose**	387.00	5 gm
	Plant Culture Tested	820.00	25 gm
$C_5H_{10}O_5$	MW : 150.13		
(50-69-1)	Assay 99%		
	Store at 2 - 8°C		
PCT1606	D-(-)-**Sorbitol**	1170.00	500 gm
	Plant Culture Tested	2093.00	1 kg
$C_6H_{14}O_6$	MW : 182.17		
(50-70-4)	Assay 99%		
	Store below 30°C		
PCT1607	**Sucrose**	477.00	500 gm
	Plant Culture Tested	864.00	1 kg
$C_{12}H_{22}O_{11}$	MW : 342.3	4068.00	5 kg
(57-50-1)	Assay 99%	POR	25 kg
	Store below 30°C		

Product Code	Product Name	Price	Packing
PCT1610	**D(+)-Trehalose Dihydrate**	756.00	5 gm
	Plant Culture Tested	1360.00	10 gm
$C_{12}H_{22}O_{11}.2H_2O$	MW : 378.33	2980.00	25 gm
(6138-23-4)	Assay 99%	52110.00	1 kg
	Store below 30°C		
PCT1615	**D-Xylose**	279.00	25 gm
	Plant Culture Tested	1000.00	100 gm
$C_5H_{10}O_5$	MW : 150.1	4527.00	500 gm
(58-86-6)			
	Store below 30°C		

DYES AND STAINS

Product Code	Product Name	Price	Packing
PCT2514	**Alcian Blue 8GX**	8091.00	10 gm
	Plant Culture Tested	13600.00	25 gm
$C_{56}H_{68}Cl_4CuN_{16}S_4$	MW : 1298.86		
(33864-99-2)	Assay 99.5%		
	Store below 30°C		
PCT2515	**Bromocresol Purple**	441.00	5 gm
	Plant Culture Tested	2007.00	25 gm
$C_{21}H_{16}Br_2O_5S$	MW : 540.22		
(115-400-2)	Assay 99.5%		
	Store below 30°C		
PCT2516	**Bromothymol Blue**	405.00	5 gm
	Plant Culture Tested	3006.00	50 gm
$C_{27}H_{28}Br_2O_5S$	MW : 624.38		
(76-59-5)			
	Store below 30°C		
PCT2551	**Calcofluor White M2R**	649.00	1 gm
	Plant Culture Tested	3096.00	5 gm
$C_{40}H_{42}N_{12}O_{10}S_2Na_2$	MW : 960.95	14860.00	25 gm
(4193-55-9)			
	Store below 30°C		
PCT2517	**Methylene Blue, Trihydrate**	855.00	25 gm
	Plant Culture Tested	2970.00	100 gm
$C_{16}H_{18}ClN_3S.3H_2O$	MW : 373.9		
(7220-79-3)	Assay 99.5%		
	Store below 30°C		

Enzymes

Product Code	Product Name	Price	Packing
PCT2518	**Cellulase**	2880.00	5 ku
	Plant Culture Tested	11511.00	25 ku
$C_{16}H_{18}ClN_3S.3H_2O$	MW : 373.9	24980.00	50 ku
(9012-54-8)		43700.00	100 ku
	Potency : =10mg		
	Store at 2 - 8°C		
PCT2531	**Macerozyme R-10**	11601.00	1 gm
	Source from Rhizopus species	47610.00	5 gm
	Plant Culture Tested		
(9032-75-1)	Activity : 3000 U/g solid		
	Store at 2 - 8°C		
PCT2519	**Pectinase**	230.00	5 ku
	Source from Aspergillus niger	464.00	25 ku
	Plant Culture Tested	919.00	50 ku
$C_{16}H_{18}ClN_3S.3H_2O$	MW : 373.9	1845.00	100 ku
((9032-75-1)		5553.00	300 ku
	Activity : 8000 -12000 U/g		
	Store at 2 - 8°C		
PCT2520	**Pectolyase**	7605.00	25 mg
	Plant Culture Tested	24354.00	100 mg
$C_{16}H_{18}ClN_3S.3H_2O$	MW : 373.9	POR	1 gm
(9033-35-6)			
	Activity 0.3 unit/mg solid		
	Store at 2 - 8°C		

INDICATORS

Product Code	Product Name	Price	Packing
PCT2209	**Blue Tetrazolium Chloride**	1900.00	1 gm
	Plant Culture Tested	8573.00	5 gm
$C_{40}H_{32}Cl_2N_8O_2$	MW : 727.64		
(1871-22-3)	Assay 95%		
	Store below 30°C		
PCT2201	**BCIP**	24930.00	500 mg
	(5-Bromo-4 chloro-3-indolyl phosphate disodium salt)	44910.00	1 gm
	Plant Culture Tested		
$C_8H_4BrClNO_4PNa_2$	MW : 370.43		
(102185-33-1)	Assay 98%		
	Store at 2 - 8°C		
PCT2203	**MagentaTM-Glucuro CHA salt (5-Bromo-6-chloro-3indolyl-b-D-glucuronide Cyclohexyl ammonium salt)**	11430.00	10 mg
	Plant Culture Tested		
$C_{20}H_{26}BrClN_2O_7$	MW : 521.79		
(144110-43-0)	Assay 98%		
	Store at 2 - 8°C		
PCT2208	**X-a-Gal (5-Bromo-4-chloro-3-indolyla-D-galactopyranoside)**	23771.00	100 mg
	Plant Culture Tested		
$C_{14}H_{15}BrClNO_6$	MW : 408.63		
(107021-38-5)	Assay 98%		
	Store at 2 - 8°C		
PCT2202	**X-Gal (5-Bromo-4-Chloro-3-indolyl-b[illegible]**	1845.00	100 mg
		8204.00	500 mg
	Plant Culture Tested		
$C_{14}H_{15}BrClNO_6$	MW : 408.63		
(7240-90-6)	Assay : =98%		
	Store at 2 - 8°C		
PCT2204	**X-Glucoside (5-Bromo-4-chloro-3-indolyl-b-D-glucopyranoside)**	2070.00	25 mg
		6192.00	100 mg
	Plant Culture Tested		
$C_{14}H_{15}BrClNO_6$	MW : 408.63		
(15548-60-4)	Assay 97%		
	Store at 2 - 8°C		

Product Code	Product Name	Price	Packing
PCT2205 $C_{20}H_{26}BrClN_2O_7$ (114162-64-0)	**X-Glucuronide CHA salt (5-Bromo-4-chloro-3indolyl-b-D-glucuronideCyclohexyl ammonium salt)** Plant Culture Tested MW : 521.79 Assay 98% Store at 2 - 8°C	11250.00 20930.00 30960.00	100 mg 500 mg 1 gm
PCT2206 $C_{14}H_{12}BrClNNaO_7$ (129541-41-9)	**X-Glucuronide sodium salt (5-Bromo-4-chloro-3-indolyl-b-D-glucuronide sodium salt)** Plant Culture Tested MW : 444.59 Assay 98% Store at -20°C	51300.00 93420.00	500 mg 1 gm
PCT2207 $C_{14}H_{16}BrNO_6$ (97753-82-7)	**Bluo-Gal (5-Bromo-3-indolyl-b-Dgalacto pyranoside)** Plant Culture Tested MW : 374.18 Assay 99% Store at 2 - 8°C	7570.00 27180.00	100 mg 500 mg
[redacted] $C_{19}H_{15}N_4Cl$ (298-96-4)	[redacted] (TTC) Plant Culture Tested MW : 334.8 Assay 99% Store below 30°C	[redacted] 5900.00	[redacted] 25 gm

MACRO ELEMENTS

Product Code	Product Name	Price	Packing
PCT1001 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Phosphate** Plant Culture Tested MW : 115.03 Assay98% Store below 30°C	873.00 1575.00	500 gm 1 kg
PCT1003 $(NH4)_2$ So_4 (7783-20-2)	**Ammonium Sulphate** Plant Culture Tested MW : 132.14 Assay 99% Store below 30°C	460.00 842.00 3402.00 POR	500 gm 1 kg 5 kg 25 kg
PCT1017 $CaCl_2$ (10043-52-4)	**Calcium Chloride** Anhydrous Plant Culture Tested MW : 110.98 Assay : =93% Store below 30°C	2061.00	500 gm
PCT1004 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride Dihydrate** Plant Culture Tested MW : 147.01 Assay 99% Store below 30°C	1773.00 3186.00 13717.00 POR	500 gm 1 kg 5 kg 25 kg
PCT1005 $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Plant Culture Tested MW : 236.15 Assay 99% Store below 30°C	590.00 1080.00 4860.00 21870.00	500 gm 1 kg 5 kg 25 kg
PCT1006 $Ca_3(PO_4)_2$ (7758-87-4)	**Calcium Phosphate Tribasic** Plant Culture Tested MW : 310.2 Assay : =90% Store below 30°C	473.00 860.00 3870.00	500 gm 1 kg 5 kg
PCT1007 $Mg\ (NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate Plant Culture Tested MW : 256.41 Assay 99% Store below 30°C	910.00 1647.00	500 gm 1 kg
PCT1125 $MgSO_4$ (7487-88-9)	**Magnesium Sulphate** Anhydrous Plant Culture Tested MW : 120.37 Assay 99% Store below 30°C	1134.00 2043.00	500 gm 1 kg
PCT1008 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate Plant Culture Tested MW : 246.47 Assay 99.5% Store below 30°C	684.00 1233.00 6273.00 POR	500 gm 1 kg 5 kg 25 kg
PCT1012 KCl [redacted]	**Potassium Chloride** Plant Culture Tested MW : 74.55 [redacted] Store below 30°C	500.00 8[redacted]00	500 gm 1 kg
PCT1009 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Phosphate** Plant Culture Tested MW : 136.09 Assay 99% Store below 30°C	1260.00 2304.00 11133.00 POR	500 gm 1 kg 5 kg 25 kg
PCT1010 KNO_3 (7757-79-1)	**Potassium Nitrate** Plant Culture Tested MW : 101.10 Assay 99% Store below 30°C	657.00 1301.00 6490.00 POR	500 gm 1 kg 5 kg 25 kg
PCT1018 K_2HPO_4 (7758-11-4)	**Potassium Phosphate Dibasic** Anhydrous Plant Culture Tested MW : 174.18 Assay 99% Store below 30°C	2142.00 3852.00 17330.00	500 gm 1 kg 5 kg
PCT1011 K_2SO_4 (7778-80-5)	**Potassium Sulphate** Plant Culture Tested MW : 174.26 Assay 99% Store below 30°C	936.00 1720.00	500 gm 1 kg
PCT1013 $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Phosphate** Monohydrate Plant Culture Tested MW : 137.99 Assay 98% Store below 30°C	1062.00 2070.00 8010.00 POR	500 gm 1 kg 5 kg 25 kg
PCT1014 $NaNO_3$ (7631-99-4)	**Sodium Nitrate** Plant Culture Tested MW : 84.99 Assay : =99% Store below 30°C	864.00 1549.00	500 gm 1 kg

Product Code	Product Name	Price	Packing
PCT1015 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Plant Culture Tested MW : 142.04 Assay : =99% Store below 30°C	400 1090.00	500 gm 1 kg
METABOLITES			
PCT2544 $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous Plant Culture Tested M.W.: 194.19 Store below 30°C	1360.00 3006.00	100 gm 250 gm
PCT2546 $C_7H_6O_5.H_2O$ (5995-86-8)	**Gallic Acid** Monohydrate Plant Culture Tested M.W.: 188.13 Store below 30°C	6570.00	500 gm
PCT2547 $C_{15}H_{10}O_7.2H_2O$ (6151-25-3)	**Quercetin** Dihydrate Plant Culture Tested M.W.: 338.27 Store below 30°C	3204.00 11205.00	25 gm 100 gm
PCT2548 $C_{20}H_{24}N_2O_2$ (130-95-0)	**Quinine** Plant Culture Tested M.W.: 324.42 Store below 30°C	1323.00 2655.00	10 gm 25 gm
PCT2549 $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic Acid** Plant Culture Tested M.W.: 1701.2 Store below 30°C	2039.00 4482.00 8055.00	100 gm 250 gm 500 gm
MEDIA DYES			
PCT2313	**Apple Green Colour** Plant Culture Tested Store below 30°C	4509.00	250 gm
PCT2314	**Blue Colour** Plant Culture Tested Store below 30°C	5630.00	250 gm
PCT2312	**Pea Green Colour** Plant Culture Tested Store below 30°C	5630.00	250 gm
PCT2315	**Yellow Colour** Plant Culture Tested Store below 30°C	5625.00	250 gm
MICRO ELEMENTS			
PCT1123 NH_4Cl (12125-02-9)	**Ammonium Chloride** Plant Culture Tested MW : 53.49 Assay 99% Store below 30°C	104.00 477.00 869.00	100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
PCT1119 $(NH_4)_6Mo_7O_{24}.4H_2O$ (12054-85-2)	**Ammonium Molybdate** Tetrahydrate Plant Culture Tested MW : 1235.86 Assay 99% Store below 30°C	1090.00 2520.00 11340.00	25 gm 100 gm 500 gm
PCT1102 H_3BO_3 (10043-35-3)	**Boric Acid** Plant Culture Tested MW : 61.83 Assay 99.5% Store below 30°C	945.00 1692.00	500 gm 1 kg
PCT1103 $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt Chloride** Hexahydrate Plant Culture Tested MW : 237.93 Assay 99% Store below 30°C	2250.00 10161.00	100 gm 500 gm
PCT1120 $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt Nitrate** Hexahydrate Plant Culture Tested MW : 291.03 Assay 99% Store below 30°C	2025.00 5076.00 9126.00	100 gm 250 gm 500 gm
PCT1104 $CuSO_4.5H_2O$ (7758-99-8)	**Copper (II) Sulphate** Pentahydrate Plant Culture Tested MW : 249.69 Assay 99.5% Store below 30°C	612.00 1112.00	250 gm 500 gm
PCT1105 $C_{10}H_{14}N_2Na_2O_8.2H_2O$ (6381-92-6)	**EDTA Disodium Salt** Dihydrate Plant Culture Tested MW : 372.24 Assay 99.5% Store below 30°C	378.00 1683.00 3042.00 13500.00	100 gm 500 gm 1 kg 5 kg
PCT1106 $C_{10}H_{12}N_2O_8FeNa$ (15708-41-5)	**EDTA Ferric Monosodium Salt** Plant Culture Tested MW : 367.05 Assay : 12 -14% Fe Store below 30°C	351.00 1494.00 2871.00 POR	100 gm 500 gm 1 kg 5 kg
PCT1121 $C_{18}H_{16}O_6N_2NaFe$ (16455-61-1)	**Fe-EDDHA** Ethylenediamine-N,N'-bis (2hydroxyphenylaceticacid) ferric-sodium complex Plant Culture Tested MW : 435.17 Assay : 5 - 7% Fe Store below 30°C	3060.00 5517.00 9936.00	25 gm 50 gm 100 gm
PCT1107 (1185-57-5)	**Ammonium Ferric Citrate** Plant Culture Tested Assay 17 -18.5% Fe Store below 30°C	234.00 936.00	100 gm 500 gm
PCT1108 $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate Plant Culture Tested MW : 270.3 Assay 99% Store below 30°C	225.00 500.00 900.00 1611.00	100 gm 250 gm 500 gm 1 kg
PCT1109 $C_6H_5FeO_7.H_2O$ (2338-05-8)	**Ferric Citrate** Monohydrate Plant Culture Tested MW : 262.96 Assay : 18 - 20% Fe Store below 30°C	783.00 1413.00	250 gm 500 gm

Product Code	Product Name	Price	Packing
PCT1124 $Fe_2(SO_4)_3.xH_2O$ (10028-22-5)	**Ferric Sulphate** Hydrate Plant Culture Tested MW : 399.88 (anhydrous basis) Store below 30°C	1310.00	500 gm
PCT1111 $Fe_2SO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate Plant Culture Tested MW : 278.01 Assay 99% Store below 30°C	460.00 833.00 3753.00	500 gm 1 kg 5 kg
PCT1112 $MnCl_2.4H_2O$ (13446-34-9)	**Manganese (II) Chloride** Tetrahydrate Plant Culture Tested MW : 197.91 Assay 98% Store below 30°C	1400.00	500 gm
PCT1113 $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate Plant Culture Tested MW : 169.02 Assay 98% Store below 30°C	1125.00 2025.00	500 gm 1 kg
PCT1114 MoO_3 (1313-27-5)	**Molybdenum Trioxide** Plant Culture Tested MW : 143.94 Assay 99.5% Store below 30°C	3340.00 15030.00	100 gm 500 gm
PCT1115 $NiCl_2.6H_2O$ (7791-20-0)	**Nickel (II) Chloride** Hexahydrate Plant Culture Tested MW : 237.69 Assay 98% Store below 30°C	1521.00 6156.00	100 gm 500 gm
PCT1116 KI (7681-11-0)	**Potassium Iodide** Plant Culture Tested MW : 166 Assay 99.8% Store below 30°C	3366.00 7740.00 26222.00	100 gm 250 gm 1 kg
PCT1117 $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate** Dihydrate Plant Culture Tested MW : 241.95 Assay 99.5% Store below 30°C	1872.00 9010.00	100 gm 500 gm
PCT1122 $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate Plant Culture Tested MW : 248.18 Assay 99.5% Store below 30°C	640.00	500 gm
PCT1118 $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Plant Culture Tested MW : 287.56 Assay 99% Store below 30°C	972.00 1755.00	500 gm 1 kg

MISCELLANEOUS CHEMICALS

Product Code	Product Name	Price	Packing
PCT2301 $C_{10}H_{12}O_4$ (2478-38-8)	**Acetosyringone** Plant Culture Tested MW : 196.2 Assay 98% Store at 2 - 8°C	2480.00 11160.00 50310.00	1 gm 5 gm 25 gm
PCT2526 $C_9H_8O_4$ (50-78-2)	**Acetylsalicylic Acid** Plant Culture Tested MW : 180.16 Assay 98.5% Store below 30°C	1386.00 2754.00	100 gm 250 gm
PCT2543 $C_{14}H_{18}N_4O_3$ (17804-35-2)	**Benlate** Plant Culture Tested MW : 290.323 Store below 30°C	5940.00	250 mg
PCT2528 $CaCO_3$ (471-34-1)	**Calcium Carbonate** Plant Culture Tested MW : 100.09 Assay 98% Store below 30°C	199.00 900.00 1611.00	100 gm 500 gm 1 kg
PCT2552 $C_{12}H_{10}Ca_3O_{14}.4H_2O$ (5785-44-4)	**Calcium Citrate** Tetrahydrate Plant Culture Tested MW : 570.49 Store below 30°C	1584.00	500 gm
PCT2326 $CaSiO_3$ (10101-39-0)	**Calcium Silicate** Plant Culture Tested MW : 116.16 Assay 95% Store below 30°C	7407.00 24660.00	50 gm 250 gm
PCT2529 $C_{12}H_{22}O_{11}$ (528-50-7)	**D-(+)-Cellobiose** Plant Culture Tested MW : 342.3 Assay 98% Store below 30°C	7470.00 26200.00	25 gm 100 gm
PCT2553 $C_{21}H_{25}NO_5$ (477-30-5)	**Colcemid** Plant Culture Tested MW : 371.43 Store below 30°C	10900.00 21420.00 117900.00	5 mg 10 mg 50 mg
PCT2302 $C_{22}H_{25}NO_6$ (64-86-8)	**Colchicine** Plant Culture Tested MW : 399.44 Assay 95% Store below 30°C	2907.00 27000.00	1 gm 10 gm
PCT2539 $C_{16}H_{15}N_5.2HCl$ (28718-90-3)	**DAPI Dihydrochloride** (4',6-Diamidino-2-phenylindole dihydrochloride) Plant Culture Tested MW : 350.25 Assay 98% Store at 2 - 8°C	1720.00 7209.00	5 mg 25 mg
PCT2533 C_3H_7NO (68-12-2)	**N,N-Dimethylformamide** Plant Culture Tested MW : 73.09 Store below 30°C	594.00	500 ml
PCT2303 C_2H_6OS (67-68-5)	**Dimethyl Sulphoxide (DMSO)** Plant Culture Tested MW : 78.13 Assay 99.5% Store below 30°C	1040.00 4185.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
PCT2554	**Dimethylsiloxane, Ethylene Oxide Block Copolymer** Plant Culture Tested $(C_2H_{40})_n.C_{11}H_{30}O_3Si_3$ MW : 338.66 (27306-78-1) Store below 30°C * Equivalent to Silwet L-77	370.00 900.00 3420.00	10 ml 25 ml 100 ml
PCT2324	**Ethyl Methane Sulphonate** (Methanesulphonic acid ethyl ester) (1ml = 1.21g) Plant Culture Tested $C_3H_8O_3S$ MW : 124.16 (62-50-0) Assay 99% Store below 30°C	3834.00 34542.00	10 gm 100 gm
PCT2541	**Glycerin** (glycerol) Plant Culture Tested $C_3H_8O_3$ MW : 92.09 (56-81-5) Assay 98% Store below 30°C	1386.00	500 ml
PCT2555	**Guaiacol** Plant Culture Tested $C_7H_8O_2$ MW : 124.1 (90-05-1) Store below 30°C	306.00 1161.00 2800.00	25 gm 100 gm 250 gm
PCT2532	**HEPES** Plant Culture Tested $C_8H_{18}N_2O_4S$ MW : 238.3 (7365-45-9) Assay 99% Store below 30°C	783.00 2151.00 9450.00	25 gm 100 gm 500 gm
PCT2556	**Hydroquinone** Plant Culture Tested $C_6H_6O_2$ MW : 110.11 (123.31-9) Store below 30°C	693.00 3096.00	100 gm 500 gm
PCT2321	**DL-a-Lipoic Acid** Plant Culture Tested $C_8H_{14}O_2S_2$ MW : 206.33 (1077-28-7) Assay 98% Store at 2 - 8°C	1090.00 4923.00	1 gm 5 gm
PCT2557	**Luciferin** Plant Culture Tested $C_{11}H_8N_2O_3S_2$ MW : 280.3 (2591-17-5) Store below 20°C	24930.00 59895.00 113400.00 216090.00	100 mg 250 mg 500 mg 1 gm
PCT2558	**2-Nitrophenyl-B-Galactopyranoside** Plant Culture Tested $C_{12}H_{15}NO_8$ MW : 301.3 (369-07-3) Store below 30°C	6310.00 10449.00	5 gm 25 gm
PCT2542	**Pendimethalin** Plant Culture Tested $C_{13}H_{19}N_3O_4$ MW : 281.31 (40487-42-1) Store below 30°C	3564.00	100 mg
PCT2537	**DL-Phosphinothricin** Plant Culture Tested $C_5H_{15}N_2O_4P$ MW : 198.2 (77182-82-2) Store at 2 - 8°C	8253.00 26397.00	250 mg 1 gm

Product Code	Product Name	Price	Packing
PCT2530	**PIPES** Plant Culture Tested $C_8H_{18}N_2O_6S_2$ MW : 302.4 (5625-37-6) Assay 99% Store below 30°C	2133.00 7263.00	25 gm 100 gm
PCT2538	**Pluronic F-68** Plant Culture Tested $C_3H_6OC_2H_4O)X$ MW : 8400 Avg. (9003-11-6) Store below 30°C	945.00 2997.00	25 gm 100 gm
PCT2305	**Poly(ethylene glycol) MW 4000** Plant Culture Tested $H(OCH_2CH_2)_nOH$ Av. MW : 3600 - 4400 (25322-68-3) Store below 30°C	711.00	500 gm
PCT2306	**Poly(ethylene glycol) MW 6000** Plant Culture Tested $H(OCH_2CH_2)_nOH$ Av. MW : 5000 - 7000 (25322-68-3) Store below 30°C	756.00	500 gm
PCT2316	**Poly(vinyl alcohol)** (hot water soluble) Plant Culture Tested $[-CH_2CHOH-]_n$ MW : 60,000 - 1,25,000 (9002-89-5) Store below 30°C	288.00 1152.00	100 gm 500 gm
PCT2560	**Potassium Hydroxide** Plant Culture Tested KOH MW : 56.1 (1310-58-3) Store below 30°C	711.00 1360.00 6400.00	500 gm 1 kg 5 kg
PCT2534	**Potassium Permanganate** Plant Culture Tested $KMnO_4$ MW : 158.03 (7722-64-7) Store below 30°C	1755.00 3150.00	500 gm 1 kg
PCT2559	**Oryzalin** Plant Culture Tested $C_{12}H_{18}N_4O_6S$ MW : 346.36 (19044-88-3) Store below 30°C	3852.00 16515.00 30852.00	100 mg 500 mg 1 gm
PCT2308	**Silver Thiosulphate** Plant Culture Tested (23149-52-2) Store at 2 - 8°C	783.00 2980.00	100 ml 5X100 ml
PCT2317	**Sodium Alginate** Plant Culture Tested (9005-38-3) Store below 30°C	397.00 1611.00	100 gm 500 gm
PCT2535	**Sodium Bicarbonate** Plant Culture Tested $NaHCO_3$ MW : 84.01 (144-55-8) Store below 30°C	122.00 540.00 981.00 3960.00	100 gm 500 gm 1 kg 5 kg
PCT2327	**Sodium Metasilicate** Plant Culture Tested Na_2SiO_3 MW : 122.06 (6834-92-0) Assay : =95% Store below 30°C	2017.00 40460.00	1 gm 25 gm

Product Code	Product Name	Price	Packing
PCT2536	**Trifluralin** Plant Culture Tested $C_{13}H_{16}F_3N_3O_4$ (1582-09-8) MW : 335.28 Assay 97% Store below 30°C	16061.00	100 mg
	ORGANIC ACIDS		
PCT1501	**Citric Acid** Anhydrous Plant Culture Tested $C_6H_8O_7$ (77-92-9) MW : 192.12 Assay 99.7% Store below 30°C	910.00	500 gm
PCT1505	a-**Ketoglutaric Acid** Plant Culture Tested $C_5H_6O_5$ (328-50-7) MW : 146.1 Assay 99% Store at 2 - 8°C	1090.00	25 gm
PCT1502	**L-(-)-Malic Acid** Plant Culture Tested $C_4H_6O_5$ (97-67-6) MW : 134.09 Assay 96.5% Store below 30°C	8910.00	250 gm
PCT1503	**Sodium Pyruvate** (Pyruvic acid sodium salt) Plant Culture Tested $C_3H_3O_3Na$ (113-24-6) MW : 110.04 Assay 99% Store below 30°C	684.00 2403.00	25 gm 100 gm
PCT1504	**Succinic Acid** Plant Culture Tested $C_4H_6O_4$ (110-15-6) MW : 118.09 Assay 99% Store below 30°C	842.00 3790.00	100 gm 500 gm
	ORGANIC SUPPLEMENTS		
PCT1411	**Apple Pectin** Plant Culture Tested (9000-69-5) Store below 30°C	4320.00 7776.00	500 gm 1 kg
PCT1401	**Apple Powder** (Malus sylvestris) Plant Culture Tested Store below 30°C	6102.00	250 gm
PCT1402	**Banana Powder** Plant Culture Tested Store below 30°C	2106.00	100 gm
PCT1403	**Casein Enzymic Hydrolysate** Plant Culture Tested Store below 30°C	4460.00	500 gm
PCT1414	**Coconut Water** Sterile filtered Plant Culture Tested Store at 2 - 8°C	1026.00 3600.00	100 ml 5X100 ml

Product Code	Product Name	Price	Packing
PCT1406	**Veg Peptone No.1** Plant Culture Tested Store below 30°C	3880.00	500 gm
PCT2540	**Lactalbumin Hydrolysate** Plant Culture Tested Store below 30°C	5697.00 45540.00	500 gm 5 kg
PCT1412	**Malt Extract Powder** Plant Culture Tested Store below 30°C	2322.00	500 gm
PCT1413	**Malt Extract Powder, Refined** Plant Culture Tested Store below 30°C	3861.00	500 gm
PCT1407	**Peptone From Meat** Plant Culture Tested (91079-38-8) Store below 30°C	2719.00	500 gm
PCT1408	**Pineapple Powder** Plant Culture Tested Store below 30°C	7740.00	250 gm
PCT1409	**Potato Powder** Plant Culture Tested Store below 30°C	1260.00	100 gm
PCT1410	**Tomato Powder** Plant Culture Tested Store below 30°C	423.00	250 gm
	STEROIDS/STEROLS		
PCT2521	**Brassicasterol** Plant Culture Tested $C_{28}H_{46}O$ (474-67-9) MW : 398.66 Assay 98% Store at 2 - 8°C	40410.00 70700.00	5 mg 10 mg
PCT2522	**Brassinolide** Plant Culture Tested $C_{28}H_{48}O_6$ (72962-43-7) MW : 480.68 Assay 90% Store below 30°C	33930.00 122400.00	10 mg 50 mg
PCT2550	**Epibrassinolide** Plant Culture Tested $C_{28}H_{48}O_6$ (78821-43-9) MW : 480.68 Assay: ≥85% Store below 30°C	7704.00 14310.00	5 mg 10 mg
PCT2524	b **Sitosterol** Plant Culture Tested $C_{29}H_{50}O$ (83-46-5) MW : 414.71 Assay 99% Store at -20°C	2106.00 3663.00 14670.00	10 gm 100 gm 500 gm
PCT2525	**Stigmasterol** Plant Culture Tested $C_{29}H_{48}O$ (83-48-7) MW : 412.69 Assay 95% Store below 30°C	2745.00 12312.00 55440.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
	VITAMINS		
PCT1207	**L-Ascorbic Acid**	**590.00**	**50 gm**
	(Vitamin C)	**1044.00**	**100 gm**
	Plant Culture Tested		
$C_6H_8O_6$	MW : 176.12		
(50-81-7)	Assay 99%		
	Store below 30°C		
PCT1211	**4-Aminobenzoic Acid**	**801.00**	**100 gm**
	(PABA;	**3006.00**	**500 gm**
	p-Aminobenzoic acid)		
	Plant Culture Tested		
$C_7H_7NO_2$	MW : 137.14		
(150-13-0)	Assay 99%		
	Store below 30°C		
PCT1201	**D-Biotin**	**765.00**	**1 gm**
	(Vitamin H)	**6930.00**	**10 gm**
	Plant Culture Tested	**13833.00**	**25 gm**
$C_{10}H_{16}N_2O_3S$	MW : 244.31		
(58-85-5)	Assay 98.5%		
	Store at 2 - 8°C		
PCT1202	**Calcium D-Pantothenate**	**1314.00**	**25 gm**
	(D-Pantothenic acid	**4635.00**	**100 gm**
	hemicalcium salt)		
	Plant Culture Tested		
$C_9H_{16}O_5N.^1/_2Ca$	MW : 238.27		
(137-08-6)	Assay 98%		
	Store at 2 - 8°C		
PCT1216	**Cholecalciferol**	**2277.00**	**1 gm**
	(Vitamin D3)	**20421.00**	**10 gm**
	Plant Culture Tested		
$C_{27}H_{44}O$	MW : 384.64		
(67-97-0)	Assay 97%		
	Store at 2 - 8°C		
PCT1203	**Choline Chloride**	**351.00**	**100 gm**
	Plant Culture Tested	**1575.00**	**500 gm**
$C_5H_{14}ClNO$	MW : 139.62		
(67-48-1)	Assay 99%		
	Store below 30°C		
PCT1204	**Cyanocobalamin**	**1260.00**	**250 mg**
	(Vitamin B12)	**4343.00**	**1 gm**
	Plant Culture Tested		
$C_{63}H_{88}CoN_{14}O_{14}P$	MW : 1355.37		
(68-19-9)	Assay 97%		
	Store at 2 - 8°C		
PCT1205	**Folic Acid**	**783.00**	**5 gm**
	(Vitamin M; Vitamin B9)	**1440.00**	**10 gm**
	Plant Culture Tested	**12960.00**	**100 gm**
$C_{19}H_{19}N_7O_6$	MW : 441.4		
(59-30-3)	Assay 98%		
	Store at 2 - 8°C		
PCT1206	**Hypoxanthine**	**900.00**	**5 gm**
	(6-Hydroxypurine)	**4041.00**	**25 gm**
	Plant Culture Tested	**8240.00**	**100 gm**
$C_5H_4N_4O$	MW : 136.11		
(68-94-0)	Assay 99%		
	Store below 30°C		

Product Code	Product Name	Price	Packing
PCT1208	**Inositol**	**522.00**	**25 gm**
	(meso-Inositol)	**1827.00**	**100 gm**
	Plant Culture Tested	**16470.00**	**1 kg**
$C_6H_{12}O_6$	MW : 180.16		
(87-89-8)	Assay 98%		
	Store below 30°C		
PCT1209	**Niacinamide (Nicotinamide)**	**540.00**	**100 gm**
	Plant Culture Tested		
$C_6H_6N_2O$	MW : 122.12		
(98-92-0)	Assay 99.5%		
	Store below 30°C		
PCT1210	**Niacin (Nicotinic acid)**	**221.00**	**25 gm**
	Plant Culture Tested	**540.00**	**100 gm**
$C_6H_5NO_2$	MW : 123.11		
(59-67-6)	Assay 99.5%		
	Store below 30°C		
PCT1212	**Pyridoxine hydrochloride**	**315.00**	**10 gm**
	(Vitamin B6 hydrochloride)	**707.00**	**25 gm**
	Plant Culture Tested		
$C_8H_{11}NO_3.HCl$	MW : 205.64		
(58-56-0)	Assay 99%		
	Store at 2 - 8°C		
PCT1214	**(-)-Riboflavin**	**441.00**	**10 gm**
	(Vitamin B2)	**963.00**	**25 gm**
	Plant Culture Tested		
$C_{17}H_{20}N_4O_6$	MW : 376.36		
(83-88-5)	Assay 99%		
	Store below 30°C		
PCT1215	**Thiamine Hydrochloride**	**963.00**	**25 gm**
	(Vitamin B1 hydrochloride)	**3330.00**	**100 gm**
	Plant Culture Tested	**13356.00**	**500 gm**
$C_{12}H_{17}ClN_4OS.HCl$	MW : 337.27		
(67-03-8)	Assay 99%		
	Store at 2 - 8°C		

Plant Tissue Culture

Tested Chemicals

MOLECULAR BIOLOGY CHEMICALS

MOLECULAR BIOLOGY CHEMICALS PRODUCTS

Your perfect choice for complete range of instant nucleic acid and protein purification, faster amplification and quicker detection needs in molecular research and diagnostics.

Product	Page
MB Chemicals for Multiple Applications	**481-492**
Nucleic Acid and Protein Extraction/ Purification	
I. Phenols	
ii. Detergents	
iii. Denaturants	
iv. Chaotropic Agents	
v. Reducing Agents	
Solvents	
Enzymes	
Agar	
Antibiotics	
Nucleic Acids	
Proteins and Amino Acids	
MB Chemicals for Chromatography	
MB Chemicals for Gel Electrophoresis	
Dyes and Stains	
i. Nucleic Acids	
ii. Proteins	
MB Chemicals for Density Gradient Centrifugation	
Polymers	
Chromogenic Substrates	
Substrates for ELISA and Western Blotting	
Inorganic Salts	
Sugars and Polysaccharides	
Good's Buffers	

WHY TO USE MB GRADE CHEMICALS

MOLECULAR BIOLOGY CHEMICALS PRODUCTS

For Molecular Biology research experiments highest quality chemicals are a prerequisite to ensure exact and reproducible results as traces of chemical impurities can interfere in the results or during the analysis.

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

Product Code	Product Name	Price	Packing
	MOLECULAR BIOLOGY CHEMICALS		
909860	**ACES Buffer**	**711.00**	**5 gm**
	(N-[2-Acetamido]-2-Aminoethane	**2642.00**	**25 gm**
	Sulfonic Acid)	**9450.00**	**100 gm**
	For Molecular Biology		
$C_4H_{10}N_2O_4S$	M. W.: 182.2		
(7365-82-4)	Assay : ≥ 99%		
	Store Below 30°C		
909910	**Acetamide**	**891.00**	**100 gm**
	(Amide C_2)		
	For Molecular Biology		
C_2H_5NO	M. W.: 59.07		
(60-35-5)	Assay : ≥ 99%		
	Store Below 30°C		
909960	**Acetic acid**	**1998.00**	**500 ml**
	For Molecular Biology		
$C_2H_4O_2$	M. W.: 60.05		
(64-19-7)	Assay : ≥ 99.7%		
	Store Below 30°C		
910010	**Acetone**	**873.00**	**500 ml**
	For Molecular Biology	**2988.00**	**2.5 lit**
CH_3COCH_3	M. W.: 58.08		
(67-64-1)	Assay : ≥ 99.5%		
	Store Below 30°C		
910090	**Acetonitrile**	**1197.00**	**500 ml**
	For Molecular Biology		
CH_3CN	M. W.: 41.05		
(75-05-8)	Assay : ≥ 99.9%		
	Store Below 30°C		
910140	**Acridine Orange**	**2430.00**	**10 gm**
	For Molecular Biology	**5850.00**	**25 gm**
	C. I. No. : 46005		
$C_{17}H_{20}ClN_3.HCl1/2ZnCl_2$	M. W.: 369.96		
(10127-02-3)			
	Store Below 30°C		
910200	**Acriflavine, Neutral**	**5391.00**	**100 gm**
	For Molecular Biology		
	C. I. No. : 46000		
$C_{14}H_{14}ClN_3$	M. W.: 259.73		
(8048-52-0)	Store Below 30°C		
910550	**Acrylamide 3x** cryst.	**396.00**	**25 gm**
	For molecular biology	**1040.00**	**100 gm**
	DNase, RNase, protease And	**4442.00**	**500 gm**
	Phosphate not detected	**7812.00**	**1 kg**
C_3H_5NO	M. W. : 71.08	**28062.00**	**5 kg**
(79-06-1)	Assay Min. 99.9%		
910548	**Acrylamide** for Electrophoresis	**221.00**	**25 gm**
C_3H_5NO	M. W.: 71.08	**603.00**	**100 gm**
(79-06-1)	Assay 99.0%	**1602.00**	**500 gm**
910560	**Acrylamide** for Electrophoresis	**2286.00**	**100 gm**
	(Low Conductance<5uS/cm)	**6606.00**	**500 gm**
	3x Crystallised		
C_3H_5NO	M. W.: 71.08		
(79-06-1)	Assay (By GC) 99.5%		

Product Code	Product Name	Price	Packing
910660	**Adenosine-5-Diphosphate**	**1692.00**	**1 gm**
	Disodium Salt	**8001.00**	**5 gm**
	For Molecular Biology		
$C_{10}H_{13}N_5Na_2O_{10}P_2$	M. W.: 471.16		
(16178-48-6)	Assay : ≥ 95%		
	Store at 2-8°C		
910780	**Agar Powder**	**2493.00**	**100 gm**
	For Molecular Biology	**6507.00**	**500 gm**
(9002-18-0)		**11430.00**	**1 kg**
	Store Below 30°C		
911000	**Agarose High EEO**	**1107.00**	**10 gm**
		2403.00	**25 gm**
		9000.00	**100 gm**
(9012-36-6)		**POR**	**500 gm**
This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.			
911010	**Agarose High EEO**	**1350.00**	**10 gm**
	for molecular biology	**2907.00**	**25 gm**
	DNase, RNase, Protease	**11250.00**	**100 gm**
	not detected	**POR**	**500 gm**
		POR	**1 kg**
(9012-36-6)			
This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.			
911020	**Agarose Medium EEO type II**	**1053.00**	**10 gm**
		2205.00	**25 gm**
(9012-36-6)		**8505.00**	**100 gm**
A highly purified medium EEO Agarose suitable for protein		**POR**	**500 gm**
separations by immunodiffusion & immunoelectrophoresis		**POR**	**1 kg**
techniques.			
911050	**Agarose Medium EEO type II**	**3492.00**	**10 gm**
	for molecular biology	**6984.00**	**25 gm**
	DNase, RNase, Protease	**27900.00**	**100 gm**
	not detected	**54810.00**	**500 gm**
(9012-36-6)		**POR**	**1 kg**
A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.			
911100	**Agarose Low EEO**	**981.00**	**10 gm**
	Regular grade	**2106.00**	**25 gm**
		8010.00	**100 gm**
(9012-36-6)		**POR**	**500 gm**
A highly purified low EEO Agarose suitable for routine		**POR**	**1 kg**
nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.			
911120	**Agarose Low EEO**	**1260.00**	**10 gm**
	for molecular biology	**2700.00**	**25 gm**
	DNase, RNase, Protease	**9900.00**	**100 gm**
	not detected	**POR**	**500 gm**
(9012-36-6)		**POR**	**1 kg**
A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.			

Product Code	Product Name	Price	Packing
911150	**Agarose Low EEO** **Superior grade type II** for molecular biology (9012-36-6) A very high quality low EEO, high gel strength Agarose with superior gel clarity and wider resolution range from 100bp to 25kb nucleic acid fragments, ideal for various applications like separations & purifications, PCR &RE analysis, southern & northern blotting, immunoelectrophoresis techniques, etc. Ranges of separation: 100bp To 25kb.	1400.00 2970.00 9990.00 POR POR	10 gm 25 gm 100 gm 500 gm 1 kg
911250	**Alcian Blue 8GX** For Molecular Biology C. I. No. : 74240 $C_{56}H_{68}Cl_4CuN_{16}S_4$ M. W.: 1298.86 (33864-99-2) Store Below 30°C	12790.00 24220.00	25 gm 50 gm
911400	**Amaranth** For Molecular Biology $C_{20}H_{11}N_2Na_3O_{10}S_3$ M. W.: 604.47 (915-67-3) Store Below 30°C	324.00 873.00	25 gm 100 gm
911420	**Amido black 10B** For Molecular Biology $C_{22}H_{14}N_6Na_2O_9S_2$ M. W.: 616.49 (1064-48-8) Store Below 30°C	2007.00 4806.00	25 gm 100 gm
913150	**Ammonium Acetate** for Molecular Biology CH_3COONH_4 M. W.: 77.08 (631-61-8) Assay (Acidimetric ex NH_3 Calc. on dry subs.) 99.0%	302.00 801.00	100 gm 500 gm
913350	**Ammonium Chloride** for Molecular Biology NH_4Cl M. W.: 53.49 (12125-02-9)	774.00	500 gm
913780	**Ammonium Dihydrogen Ortho Phosphate** For Molecular Biology $NH_4H_2PO_4$ M. W.: 115.03 (7722-76-1) Assay ≥ 99% Store Below 30°C	1000.00	500 gm
913450	**di-Ammonium Hydrogen Citrate** For Molecular Biology $C_6H_{14}N_2O_7$ M. W.: 226.18 (3012-65-5) Assay ≥ 99% Store Below 30°C	5500.00	500 gm
913770	**di-Ammonium Hydrogen Ortho Phosphate** For Molecular Biology $(NH_4)_2HPO_4$ M. W.: 132.06 (7783-28-0) Assay ≥ 98% Store Below 30°C	1071.00	500 gm
914110	**Ammonium Molybdate** Tetrahydrate For Molecular Biology $(NH_4)_6Mo_7O_{24}.4H_2O$ M. W.: 1235.86 (12054-85-2) Assay ≥ 99% Store Below 30°C	2350.00 10530.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
914350	**Ammonium Persulphate** for Molecular Biology $(NH_4)_2S_2O_8$ M. W.: 228.19 (7727-54-0) Assay (iodometric) 98.0%	550.00 1800.00	100 gm 500 gm
914550	**Ammonium Sulphate** for Molecular Biology $(NH_4)_2 SO_4$ M.W.: 132.14 (7783-20-2) Assay 99.5%	792.00 1566.00 13005.00	250 gm 500 gm 5 kg
914600	**Ammonium Thiocyanate** For Molecular Biology NH_4SCN M. W.: 76.12 (1762-95-4) Assay ≥ 99% Store Below 30°C	900.00	500 gm
914750	**Ampicillin Sodium Salt** For Molecular Biology $C_{16}H_{18}N_3NaO_4S$ M. W.: 371.39 (69-52-3) Assay ≥ 91% Store at 2 - 8°C	414.00 1602.00	1 gm 5 gm
914890	**Aprotinin, From Bovine Lung** For Molecular Biology $C_{284}H_{432}N_{84}O_{79}S_7$ M. W.: 6511.14 (9087-70-1) Specific activity : ≥ 3.0 PEU/mg (≥ 5400 KIU/mg) Store at 2 - 8°C	12222.00 22195.00	50 mg 100 mg
915250	**Avidin, From Egg White** For Molecular Biology M. W.: ~68,000 (1405-69-2) Activity : ≥ 10U/mg of protein Store at 2 - 8°C	2862.00 22500.00	10 mg 100 mg
915435	**2,2'-Azino-Bis (3-Ethylbenzothiazoline-6-Sulfonic Acid) Diammonium Salt** For Molecular Biology $C_{18}H_{24}N_6O_6S_4$ M. W.: 548.68 (30931-67-0) Assay : ≥ 98% Store Below 30°C	8721.00	1 gm
915740	**Barbituric Acid** For Molecular Biology $C_4H_4N_2O_3$ M. W.: 128.09 (67-52-7) Assay : ≥ 99% Store Below 30°C	1540.00 6930.00	100 gm 500 gm
915990	**BES Buffer** For Molecular Biology $C_6H_{15}NO_5S$ M. W.: 213.25 (10191-18-1) Assay : ≥ 99.5% Store Below 30°C	1404.00 4950.00	25 gm 100 gm
916200	**Bicine** Buffer For Molecular Biology $C_6H_{13}NO_4$ M. W.: 163.17 (150-25-4) Assay : ≥ 99% Store Below 30°C	945.00 3070.00 13590.00	25 gm 100 gm 500 gm
916370	**Bis-Tris** (Bis[2-hydroxyethyl]-amino-tris [hydroxymethyl] methane) For Molecular Biology $C_8H_{19}NO_5$ M. W.: 209.24 (6976-37-0) Assay : ≥ 98% Store Below 30°C	1701.00 5900.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
916850 $C_2H_5N_3O_2$ (108-19-0)	**Biuret** For Molecular Biology M. W.: 103.08 Assay : ≥ 97% Store Below 30°C	1260.00 4320.00	25 gm 100 gm
917250 (87915-38-6)	**Blue Dextran** Form Leuconostoc Mesenteroides For Molecular Biology Av. M. W.: 2,000,000 Store Below 30°C	16812.00	1 gm
917600 $Na_2B_4O_7.10H_2O$ (1303-96-4)	**Borax** Decahydrate For Molecular Biology M. W.: 381.37 Assay : ≥ 99.5% Store Below 30°C	720.00	500 gm
918000 H_3BO_3 (10043-35-3)	**Boric Acid** for Molecular Biology M. W.: 61.83 Assay (Acidimetric) 99.5%	594.00 981.00 1827.00	250 gm 500 gm 1 kg
918730 (9048-46-8)	· **Bovine Albumin** for Molecular Biology Assay (ex N) 98.0% PH 6-7	882.00 1620.00 12006.00	5 gm 10 gm 100 gm
918750 (9048-46-8)	**Bovine Serum Albumin** pH 6.5-7.5 (Nuclease and Protease Free) For Molecular Biology Assay : ≥ 98% Protein Store at 2 - 8°C	657.00 2907.00 9423.00 45720.00	5 gm 25 gm 100 gm 500 gm
919300 $C_{19}H_{10}Br_4O_5S$ (115-39-9)	**Bromo Phenol Blue** For Molecular Biology M. W.: 669.96 Store Below 30°C	423.00 1962.00	5 gm 25 gm
920000 $C_{19}H_{10}Br_4O_5S.Na$	**Bromo Phenol Blue Sodium Salt** for Moleculer Biology for Electro phoresis M. W.: 691.95	3195.00	5 gm
920030 $C_{27}H_{28}Br_2O_5S$ (76-59-5)	**Bromo Thymol Blue** For Molecular Biology M. W.: 624.38 Store Below 30°C	450.00 3330.00	5 gm 50 gm
920800 $C_4H_{10}O$ (71-36-3)	n-**Butanol** (n-Butyl Alcohol) For Molecular Biology M. W.: 74.12 Assay : ≥ 99.5% Store Below 30°C	3700.00	500 ml
920600 $C_4H_{10}O$ (78-92-2)	2-**Butanol** For Molecular Biology M. W.: 74.12 Assay : ≥ 99% Store Below 30°C	4104.00	500 ml
920900 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride Dihydrate** for Molecular Biology M. W.: 147.02 Assay 99.0%	401.00 1503.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
920920 $C_9H_{19}NO_3S$ (1135-40-6)	**CAPS Buffer** (3-[Cyclohexylamino]-1-Propanesulphonic Acid) For Molecular Biology M. W.: 221.32 Assay : ≥ 99% Store Below 30°C	1233.00 4599.00 POR POR	25 gm 100 gm 250 gm 1 kg
920960 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** Medium Viscosity (CMC) For Molecular Biology Viscosity : 400-800cP (1% In Water) Store Below 30°C	9090.00	100 gm
920970 $C_{16}H_{16}N_5NaO_7S_2$ (64485-93-4)	**Cefotaxime Sodium Salt** For Molecular Biology M. W.: 477.45 Assay : ≥ 98% Store at 2 - 8°C	1170.00 4833.00 POR POR	1 gm 5 gm 10 gm 25 gm
920990 (9004-34-6)	**Cellulose Powder** For Molecular Biology Assay : ≥ 97% Store Below 30°C	910.00	500 gm
921000 CsCl (7647-17-8)	**Cesium Chloride** for Molecular Biology M. W.: 168.36 Assay (Argentometric) 99.9-100.1%	1944.00 7245.00 33930.00	25 gm 100 gm 500 gm
921110 $C_{17}H_{38}BrN$ (8044-71-1)	**Cetrimide** For Molecular Biology M. W.: 336.4 Assay : ≥ 96% Store Below 30°C	630.00 2997.00	100 gm 500 gm
921140 $C_{20}H_{44}BrN$ (124-03-8)	**Cetyl dimethyl ethyl ammonium Bromide** For Molecular Biology M. W.: 378.47 Assay : ≥ 98% Store at 2 - 8°C	5049.00	100 gm
921160 $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N,N,N-**Trimethyl Ammonium Bromide** (CTAB) For Molecular Biology M. W.: 364.45 Assay : ≥ 99% Store Below 30°C	558.00 2637.00	100 gm 500 gm
921190 $C_{32}H_{58}N_2O_7S$ (75621-03-3)	**CHAPS** Buffer For Molecular Biology M. W.: 614.88 Assay : ≥ 98% Store Below 30°C	1935.00 8712.00 15705.00 24210.00	1 gm 5 gm 10 gm 25 gm
921200 (11139-85-8)	**Chelex®-100 Sodium Form (50-100 Mesh)** For Molecular Biology Cation Exchange Resin Av. MW.: 3500 Mesh Size : 50-100 (Dry) Store Below 30°C	26672.00	25 gm

Product Code	Product Name	Price	Packing
921300 $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2,4-**Dinitro Benzene** For Molecular Biology M. W.: 202.55 Assay : ≥ 99% Store Below 30°C	2700.00	500 gm
921400 $CHCl_3$ (67-66-3)	**Chloroform** For Molecular Biology M. W.: 119.38 Assay : ≥ 99.8% Store Below 30°C	482.00 2052.00	100 ml 500 ml
921500	**Chloroform : Iso Amyl Alcohol** 24:1 for Molecular Biology	2367.00	500 ml
922000 $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous For Molecular Biology M. W.: 192.12 Assay : ≥ 99.5% Store Below 30°C	2480.00	500 gm
922100 (9000-11-7)	**CM-Cellulose Cm 32** **(Dry Macrogranular)** For Cation Exchange For Molecular Biology Store Below 30°C	140513.00 252900.00	500 gm 1 kg
922460 $C_{47}H_{48}N_3NaO_7S_2$ (6104-58-1)	**Coomassie® Brilliant Blue G - 250** For Molecular Biology C. I. No. : 42655 M. W.: 854.02 Store Below 30°C	1485.00 6840.00	5 gm 25 gm
922510 $C_{45}H_{44}N_3NaO_7S_2$ (6104-59-2)	**Coomassie Brilliant Blue R 250** For Molecular Biology C. I. No. : 42660 M. W.: 825.97 Store Below 30°C	1746.00 2763.00 10800.00	5 gm 25 gm 100 gm
923560 $(CH_3COO)_2Cu.H_2O$ (6046-93-1)	**Copper Acetate** Monohydrate For Molecular Biology M. W.: 199.65 Assay : ≥ 98.0% Store Below 30°C	360.00 550.00 2223.00	50 gm 100 gm 500 gm
922780 $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydrate For Molecular Biology M. W.: 249.69 Assay : ≥ 99.5% Store Below 30°C	252.00 1000.00	100 gm 500 gm
923500 $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**X100 for Molecular Biology M. W.: 646.87	558.00 891.00 4356.00	50 ml 100 ml 500 ml
923600 $C_{58}H_{114}O_{26}$ (9005-64-5)	**Cween** 20 for Molecular Biology (Polyoxyethylene (20) Sorbitan Monolaurate) M.W. 1227.72	4311.00	100 ml POR 5x100 ml

Product Code	Product Name	Price	Packing
923800 $C_{16}H_{15}N_5.2HCl$ (28718-90-3)	**DAPI Dihydrochloride** (4',6-Diamidino-2-Phenylindole Dihydrochloride) For Molecular Biology M. W.: 350.25 Assay : ≥ 95% Store at 2 - 8°C	3906.00 7776.00	10 mg 25 mg
923850 (9013-34-7)	**Deae Cellulose** - 52 (Diethylaminoethyl-Cellulose) Fine Mesh For Column Chromatography For Molecular Biology Store Below 30°C	2170.00 10053.00 35001.00	5 gm 25 gm 100 gm
923900 (9015-73-0)	**Deae Dextran** For Molecular Biology Av. MW. : 500000 Store Below 30°C	11800.00 29997.00	25 gm 100 gm
924550 (9003-98-9)	**Deoxy ribonuclease I** From Bovine Pancreas For Molecular Biology E. C. No. : 3.1.21.1 MW.: ~31 kDa Activity : ≥ 400 Units/mg (Kunitz) Store at -20°C	752.00 7236.00 12402.00	3750 u 37500 u 75000 u
924685 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 5** For Molecular Biology Av.M. W.: 4000-6000	4302.00	25 gm
924690 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 6** For Molecular Biology Av.M. W.: 5500-7500	7110.00	25 gm
924695 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 10** For Molecular Biology Av.M. W.: 9000-11000	5841.00	25 gm
924700 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 20** For Molecular Biology Av.M. W.: 17000-23000	9144.00	25 gm
924705 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 40** For Molecular Biology Av.M. W.: 35000-45000	16830.00	25 gm
924710 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 60** For Molecular Biology Av.M. W.: 54000-66000	6372.00	25 gm
924715 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 70** For Molecular Biology Av.M. W.: 64000-76000	6444.00	25 gm
924720 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 110** For Molecular Biology Av.M. W.: 1,00,000 - 1,20,000	5841.00	25 gm

Product Code	Product Name	Price	Packing
924730 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 250** For Molecular Biology Av.M. W.: 2,25,000 - 2,75,000	12960.00	25 gm
924735 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲**Dextran 500** For Molecular Biology Av.M. W.: 4,50,000 - 5,50,000	7992.00	25 gm
924780 (9011-18-1)	▲**Dextran Sulphate Sodium Salt** For Molecular Biology M. W.: ~8,000	2421.00 10170.00 37350.00	5 gm 25 gm 100 gm
924900 $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous For Molecular Biology M. W. : 180.16 Assay : ≥ 99.5% Store Below 30°C	1440.00 7020.00	100 gm 500 gm
925600 CH_2Cl_2 (75-09-2)	**Dichloromethane** for Molecular Biology M. W.: 84.93 Assay (GC) 99.5%	1152.00	500 ml
926010 $C_6H_{10}O_5$ (1609-47-8)	**Diethyl Pyrocarbonate** (DEPC) For Molecular Biology M. W.: 162.14 Assay : ≥ 99%	2502.00 8856.00	25 ml 100 ml
926490	**Diluent** For DNA Extraction (For Molecular Biology) Assay : ≥ 99.8% Store Below 30°C	882.00 2170.00 19404.00	100 ml 500 ml 10x500 ml
926500 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** for Molecular Biology M. W.: 73.09	1152.00	500 ml
926590 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for Molecular Biology M. W.: 78.13 Assay 99.0%	1107.00 3906.00	100 ml 500 ml
926640 $C_{18}H_{16}BrN_5S$ (298-93-1)	3-(4,5-**Dimethyl**-2-**Thiazolyl)**-2,5-**Diphenyl**-2H-**Tetrazolium Bromide)** (MTT: Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98% Store at 2 - 8°C	640.00 3168.00 4905.00	100 mg 500 mg 1 gm
926780 $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid** For Molecular Biology M. W.: 228.12 Assay : ≥ 98% Store Below 30°C	1638.00 5715.00	25 gm 100 gm
926800 $C_{18}H_{12}N_5O_6$ (1898-66-4)	2,2-**Diphenyl**-1-**Picryl Hydrazyl** For Molecular Biology M. W.: 394.32 Assay : ≥ 85% Store at 2 - 8°C	11250.00	1 gm
928500 $C_4H_{10}O_2S_2$ (6892-68-8)	**Dithioerythreitol** (D.T.E.) For Molecular Biology M. W.: 154.24	1584.00 7110.00	1 gm 5 gm
928550 $C_4H_{10}O_2S_2$ (3483-12-3)	DL-**Dithiothreitol** (D.T.T.) for Molecular Biology M. W.: 154.24	693.00 2421.00	1 gm 5 gm
932400 $C_{21}H_{20}BrN_3$ (1239-45-8)	**Ethidium Bromide** For Molecular Biology M. W.: 394.31 Assay : ≥ 95% Store Below 30°C	860.00 3330.00	1 gm 5 gm
932450 $C_{21}H_{20}BrN_3$ (1239-45-8)	**Ethidium Bromide Solution (10mg/ml)** For Molecular Biology M. W.: 394.31 Assay : ≥ 95% Store at 2 - 8°C	2925.00	10 ml
932500 $C_{10}H_{14}N_2Na_2O_8.2H_2O$ (6381-92-6)	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** for Molecular Biology M. W.: 372.24 Assay (Complexometric) 99.5%	1305.00 2997.00 28800.00	100 gm 500 gm 5 kg
932600 $C_{14}H_{24}N_2O_{10}$ (67-42-5)	**Ethylene Glycol**-O,O-**bis (2-Amino Ethyl)** N,N,N',N'-**Tetra Acetic Acid** (E.G.T.A.) For Molecular Biology M. W.: 380.35 Assay : ≥ 99% Store Below 30°C	3330.00	10 gm
933200 $C_{37}H_{34}N_2O_{10}S_3Na_2$ (2353-45-9)	**Fast Green FCF** For Molecular Biology C. I. No. : 42053 M. W.: 808.85 Store Below 30°C	4510.00 9927.00	10 gm 25 gm
934400 $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous For Molecular Biology M. W.: 162.2 Assay : ≥ 98% Store Below 30°C	243.00 585.00 1103.00	50 mg 1 gm 5 gm
934650 (26873-85-8)	**Ficoll 400** For Molecular Biology Av. MW : 400000 Store Below 30°C	2493.00 11385.00	5 gm 25 gm
935800 (50-00-0)	**Formaldehyde** Solution for Molecular Biology Assay 36.5-38.0%	1107.00	500 ml
937530 CH_3NO (75-12-7)	**Formamide** for Molecular Biology M. W.: 45.04 Assay (GC) 99.5%	1305.00 2502.00	500 ml 1 lit
937600 $C_6H_{12}O_6$ (57-48-7)	**D-Fructose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	370.00 1220.00 2205.00	100 gm 500 gm 1 kg
937750 $C_6H_{12}O_6$ (59-23-4)	D-**Galactose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	1999.00 9559.00 18801.00	100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
937800 (9000-70-8)	**Gelatin,** Type A For Molecular Biology Assay : 70-90% Protein (Biuret) Store Below 30°C	1998.00	500 gm
937880 $C_5H_8O_2$ (111-30-8)	**Glutaraldehyde Soln.** 25% w/w For Molecular Biology M. W. : 100.12 Concentration : 24.5-30% Store at 2 - 8°C	14770.00	100 ml
939200 $C_{10}H_{17}N_3O_6S$ (70-18-8)	**L-Glutathione** Reduced For Molecular Biology M. W.: 307.32 Assay : ≥ 98% Store at 2 - 8°C	730.00 2142.00 8055.00 18702.00	1 gm 5 gm 25 gm 100 gm
940500 $C_3H_8O_3$ (56-81-5)	**Glycerol** for Molecular Biology M. W.: 92.09 Assay (GC) 99.0%	1890.00 3645.00	500 ml 1 lit
940600 $C_2H_5NO_2$ (56-40-6)	**Glycine** for Molecular Biology M. W.: 75.07 Assay (Non-aqueous) 99.0%	432.00 1413.00 2610.00 12510.00	100 gm 500 gm 1 kg 5 kg
940900 $(C_6H_{10}O_5)_n$ (9005-79-2)	**Glycogen** (From Oysters) Type II For Molecular Biology Total Sugar : ≥ 90% Store at 2-8°C	1125.00 3893.00 15561.00	1 gm 5 gm 25 gm
941100 (50-01-1)	**Guanidine Hydrochloride** for Molecular Biology	765.00 3483.00	100 gm 500 gm
941180 $CH_5N_3.CHNS$ (593-84-0)	**Guanidine Thiocyanate** (Guanidine Isothiocyanate) For Molecular Biology M. W.: 118.16 Assay : ≥ 99% Store Below 30°C	532.00 873.00 4140.00 8172.00 38350.00	25 gm 100 gm 500 gm 1 kg 5 kg
941220 $C_8H_{18}N_2O_4S$ (7365-45-9)	**HEPES** Buffer [N-(2-Hydroxyethyl)Piperazine-N'-(2-Ethanesulphonic Acid] For Molecular Biology M. W.: 238.3 Assay : ≥ 99.5% Store Below 30°C	837.00 2530.00 9243.00	25 gm 100 gm 500 gm
941390 $C_8H_{18}N_2O_4S$ (7365-45-9)	**HEPES, Low Sodium** For Molecular Biology M. W. : 238.31 Assay : ≥ 99.5% Store Below 30°C	5022.00 13212.00	25 gm 100 gm
941440 $C_8H_{17}N_2NaO_4S$ (75277-39-3)	**HEPES, Sodium Salt** For Molecular Biology M. W.: 260.29 Assay : ≥ 99% Store Below 30°C	1566.00 3700.00 12520.00	25 gm 100 gm 500 gm
941920 $C_6H_{10}ClN_3O_2.H_2O$ (5934-29-2)	**L-Histidine Hydrochloride** Monohydrate for Molecular Biology M.W : 209.63 Assay 99.0%	900.00 3006.00	25 gm 100 gm
942020 (68131-04-4)	**Humic Acid Sodium Salt** For Molecular Biology Store Below 30°C	2214.00	100 gm
942120 (7647-01-0)	**Hydrochloric Acid** Fuming 37% for Molecular Biology	702.00	500 ml
948100 $C_3H_4N_2$ (288-32-4)	**Imidazole** for Molecular Biology M. W.: 68.08 Assay (GC) 99.5%	2502.00 7560.00	100 gm 500 gm
943600 $C_{19}H_{13}ClN_5O_2$ (146-68-9)	**I. N. T. Chloride (Int Dye)** For Molecular Biology M. W.: 505.7 Assay : ≥ 95% Store at 2 - 8°C	2718.00	1 gm
949000 $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol** for Molecular Biology M. W.: 88.15 Assay (GC) 99.5%	1800.00	500 ml
949110 $C_9H_{18}O_5S$ (367-93-1)	**Isopropyl-ß-D-Thiogalactopyranoside** (Isopropyl-ß-D-Thiogalactoside; IPTG) For Molecular Biology M. W.: 238.3 Assay : ≥ 99% Store at 2 - 8°C	396.00 1800.00 3321.00 7713.00	1 gm 5 gm 10 gm 25 gm
950800 $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	**Kanamycin Sulphate** For Molecular Biology Potency : ≥ 750µg/mg M. W.: 582.58 Store at 2 - 8°C	693.00 2934.00 10279.00	1 gm 5 gm 25 gm
950870 $C_5H_6O_5$ (328-50-7)	**a- Keto Glutaric Acid** For Molecular Biology M. W.: 146.1 Assay : ≥ 99% Store at 2 - 8°C	3627.00	100 gm
951290 $C_{12}H_{22}O_{11}.H_2O$ (64044-51-5)	**Lactose** Monohydrate For Molecular Biology M. W.: 360.31 Assay : ≥ 99.5% Store Below 30°C	720.00 5571.00	500 gm 5 kg
951590 $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate For Molecular Biology M. W.: 379.33 Assay : ≥ 99% Store Below 30°C	405.00 1827.00	100 gm 500 gm
951930 $C_{37}H_{34}N_2O_9S_3Na_2$ (5141-20-8)	**Light Green SF Yellowish** For Molecular Biology C. I. No. : 42095 M. W.: 792.85 Store Below 30°C	2997.00 9000.00	25 gm 100 gm
952900 LiCl (7447-41-8)	**Lithium Chloride** For Molecular Biology M. W.: 42.39 Assay : ≥ 99% Store Below 30°C	2700.00 12600.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
953200 (12650-88-3)	***Lysozyme** (Muramidase) From Chicken Egg White Lyophilized For Molecular Biology E. C. No. : 3.2.1.17 Av. MW. : 14600 Daltons Activity : ~30,000 U/mg Upon Receipt Store at - 20°C	1090.00 5162.00 22707.00	1 gm 5 gm 25 gm
953700 (37340-57-1)	***Lyticase** From Anthrobacter Luteus For Molecular Biology Activity : ~2000 U/mg of Protein Upon Receipt Store at - 20°C	7227.00 11120.00	10000 u 20000 u
959200 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate for Molecular Biology M. W.: 214.46	603.00 2800.00	100 gm 500 gm
959300 $MgCl_2$ (7786-30-3)	**Magnesium Chloride** Anhydrous For Molecular Biology M. W.: 95.21 Assay : ≥ 98% Store Below 30°C	460.00 2043.00	100 gm 500 gm
959340 $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** for Molecular Biology M. W.: 203.30 Assay (Complexometric) 99.0%	1206.00 9801.00	500 gm 5 kg
959580 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** for Molecular Biology M. W.: 246.47 Assay (Complexometric) 99.5%	4230.00	500 gm
959600 $C_4H_4O_4$ (110-16-7)	**Maleic Acid** For Molecular Biology M. W.: 116.07 Assay : ≥ 99% Store Below 30°C	1197.00	500 gm
959590 $C_4H_6O_5$ (6915-15-7)	**DL-Malic Acid** For Molecular Biology M. W.: 134.09 Assay : ≥ 99% Store Below 30°C	792.00	500 gm
959610 $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	**D-(+)-Maltose Monohydrate** For Molecular Biology M. W.: 360.31 Assay : ≥ 95% Store Below 30°C	405.00 1800.00	100 gm 500 gm
959640 $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** Tetrahydrate For Molecular Biology M. W.: 197.91 Assay : ≥ 98% Store Below 30°C	306.00 1125.00	100 gm 500 gm
959700 $MnSO_4.H_2O$ (10034-96-5)	**Manganese (II) Sulphate** Monohydrate For Molecular Biology M. W.: 169.02 Assay : ≥ 99% Store Below 30°C	1026.00 1540.00	500 gm 1 kg

Product Code	Product Name	Price	Packing
959800 $C_6H_{14}O_6$ (69-65-8)	**D-Mannitol** For Molecular Biology M. W.: 182.17 Assay : ≥ 99% Store Below 30°C	1440.00 2592.00	500 gm 1 kg
960100 $C_6H_{12}O_6$ (3458-28-4)	D(+)**Mannose** For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	5130.00	100 gm
960150 $HgCl_2$ (7487-94-7)	**Mercuric Chloride** For Molecular Biology M. W.: 271.50 Assay : ≥ 99.5% Store Below 30°C	12006.00	250 gm
960250 $C_6H_{13}NO_4S.H_2O$ (145224-94-8)	**MES Monohydrate** (2-(N-Morpholino)Ethanesulphonic Acid Monohydrate) For Molecular Biology M. W. : 213.25 Assay : ≥ 90% Store Below 30°C	1107.00 4194.00	25 gm 100 gm
960400 CH_3OH (67-56-1)	**Methanol** For Molecular Biology M. W.: 32.04 Assay : ≥ 99.9% Store Below 30°C	1000.00	500 ml
960500 $C_7H_{10}N_2O_2$ (110-26-9)	N'N'-**Methylene**-Bis-**Acrylamide** for Molecular Biology (Bis-acrylamide) M. W.: 154.17	630.00 2003.00 9441.00	25 gm 100 gm 500 gm
961920 $C_{16}H_{18}ClN_3S.XH_2O$ (61-73-4)	**Methylene Blue** Trihydrate For Molecular Biology C. I. NO. : 52015 M. W.: 319.86 aq. Assay : ≥ 99% Store Below 30°C	630.00 2160.00	25 gm 100 gm
961070 $C_7H_{15}NO_4S$ (1132-61-2)	**MOPS** Buffer (3-(N-Morpholino) Propanesulphonic Acid) For Molecular Biology M. W. : 209.26 Assay : ≥ 99.5% Store Below 30°C	1170.00 4320.00 19530.00	25 gm 100 gm 500 gm
961120 $C_7H_{15}NO_5S$ (68399-77-9)	**MOPSO** Buffer For Molecular Biology M. W. : 225.26 Assay : ≥ 99% Store Below 30°C	1900.00	25 gm
961170 $C_{18}H_{16}BrN_5S$ (298-93-1)	**MTT** (3-(4,5-Dimethyl-2-Thiazolyl)-2,5-Diphenyl-2H-Tetrazolium Bromide); Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98% Store at 2 - 8°C	756.00 3177.00 6300.00	100 mg 500 mg 1 gm

Product Code	Product Name	Price	Packing
962680	**Nicotinamide Adenine Dinucleotide** (DPN; NAD, From Yeast) For Molecular Biology Store Below 30°C	910.00 4392.00	1 gm 5 gm
963840 $C_{21}H_{26}N_7Na_2O_{17}P_3$ (24292-60-2)	**Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt** (NADP (TPN) Disodium Salt) For Molecular Biology M. W.: 787.37 Assay : ≥ 90% Store Below 30°C	1233.00 8505.00	100 mg 1 gm
964710	**ß-Nicotinamide Adenine Dinucleotide Reduced Disodium Salt** (DPNH Disodium Salt; NADH Disodium Salt) For Molecular Biology Store Below 30°C	374.00 3303.00 14832.00	100 mg 1 gm 5 gm
965170 $C_{20}H_{18}N_2O_2$ (7385-67-3)	**Nile Red** For Molecular Biology M. W.: 318.37 Store Below 30°C	3893.00 32810.00	100 mg 1 gm
967260 $C_9H_6O_4$ (485-47-2)	**Ninhydrin** (2,2-Dihydroxy-1,3-Indanedione) For Molecular Biology M. W.: 178.14 Assay : ≥ 99% Store Below 30°C	1026.00 2260.00	10 gm 25 gm
970100 $C_{40}H_{30}Cl_2N_{10}O_6$ (298-83-9)	· **Nitro B.T.** for Microscopy and for Molecular Biology M. W.: 817.67 Assay (Argentometric, ex Cl), anhydrous) 95.0%	882.00 3870.00 6930.00	100 mgm 500 mgm 1 gm
970150 $C_6H_4NNa_2O_6P.6H_2O$ (333338-18-4)	**p-Nitrophenyl Phosphate Disodium Salt Hexahydrate** For Molecular Biology M. W.: 371.14 Assay : ≥ 98% Store at 2 - 8°C	860.00 3700.00	5 gm 25 gm
970195 (9016-45-9)	**Octylphenyl Polyethylene Glycol** {Nonidet P 40, (NP-40,4-nonylphenyl]}	882.00 4005.00	100 ml 500 ml
970210 $C_7H_8O_2.H_2O$ (6153-39-5)	**Orcinol** Monohydrate For Molecular Biology M. W.: 142.15 Assay : ≥ 98% Store Below 30°C	1202.00 2084.00 8200.00	10 gm 25 gm 100 gm
970260 $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid Dihydrate** For Molecular Biology M. W.: 126.07 Assay : ≥ 99% Store Below 30°C	1090.00	1 kg
961020 (8042-47-5)	**Paraffin Liquid For Molecular Biology** (Mineral Oil) Store Below 30°C	432.00 1909.00	100 ml 500 ml
970290	**Paraffin Wax Pellets** Congealling Point : 58 - 60°C For Molecular Biology Store Below 30°C	1193.00 4167.00	500 gm 2 kg
970300	**Paraffin Wax Pellets** Congealling Point : 60 - 62°C For Molecular Biology Store Below 30°C	1971.00 6903.00	500 gm 2 kg
970400 $HClO_4$ (7601-90-3)	**Perchloric Acid** ~60% For Molecular Biology M. W.: 100.46 Assay : 60-62% Store Below 30°C	4356.00	500 ml
970500 (9003-99-0)	**Peroxidase, Horseradish** For Molecular Biology (Rz ≥ 3.0, Salt Free) Activity : ≥ 250 Units/mg Store at 2 - 8°C	29250.00	25000 u
970650 $C_{14}H_{14}N_2SO_4$ (299-11-6)	**Phenazine Methosulphate** For Molecular Biology M. W.: 306.34 Assay : ≥ 90% Store at 2 - 8°C	9050.00	10 gm
970698 $C_6H_5.OH$ (108-95-2)	**Phenol** for Molecular Biology M. W.: 94.11 Assay (GC) 99.5%	441.00 1602.00	100 gm 500 gm
970900 $C_7H_7FO_2S$ (329-98-6)	**Phenyl Methane Sulphonyl Fluoride** (PMSF) For Molecular Biology M. W.: 174.19 Assay : ≥ 99% Store Below 30°C	801.00 3618.00 6903.00	1 gm 5 gm 10 gm
970230 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** For Molecular Biology M. W.: 98.00 Assay : ≥ 85% Store Below 30°C	4410.00	250 ml
971200 $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-N,N'-**Bis**-(2-**Ethane Sulphonic Acid**) (PIPES) For Molecular Biology M. W.: 302.37 Assay : ≥ 99.5% Store Below 30°C	5994.00 POR	100 gm 500 gm
971730 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol MW 4000** For Molecular Biology Av MW. : 3600-4400 Store Below 30°C	630.00	500 gm
971920 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol MW 6000** For Molecular Biology Av MW. : 5000-7000 Store Below 30°C	770.00	500 gm

Product Code	Product Name	Price	Packing
972110 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol MW 8000** For Molecular Biology Av MW. : 7000-9000 Store Below 30°C	914.00	500 gm
971540 $H(OCH_2CH_2)_nOH$ (25322-68-3)	**Polyethylene Glycol MW 20000** For Molecular Biology Av MW. : 16000-25000 Store Below 30°C	8811.00	500 gm
972440 $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-30 (Povidone) For Molecular Biology Water Soluble Polymer Made From N-Vinylpyrrolidone Av. MW. : 40000 Store Below 30°C	585.00 2772.00	100 gm 500 gm
961710 $(C_6H_9NO)_n$ (9003-39-8)	**Polyvinyl Pyrolidone** K-90 for Molecular Biology M.W. 360000	2800.00	100 gm
972800 $C_{22}H_{12}N_4O_{13}S_4Na_4$ (6226-79-5)	**Ponceau S Sodium Salt** Electrophoretic Stain For Molecular Biology C. I. No. : 27195 M. W. : 760.57 Store Below 30°C	1800.00	25 gm
971720 $CH_3.COOK$ (127-08-2)	**Potassium Acetate** for Molecular Biology M. W.: 98.14 Assay (Non-aqueous) 99.0%	2421.00	500 gm
971800 KCl (7447-40-7)	**Potassium Chloride** for Molecular Biology M. W.: 74.55 Assay (Argentometric) 99.5%	1260.00 10171.00	500 gm 5 kg
972100 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** for Molecular Biology M. W.: 136.09 Assay (Acidimetric) 99.5%	2403.00	500 gm
972300 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** for Molecular Biology M. W.: 174.18 Assay (Acidimetric) 99.5%	1450.00 5481.00	100 gm 500 gm
972220 KOH (1310-58-3)	**Potassium Hydroxide Pellets** For Molecular Biology M. W.: 56.11 Assay : ≥ 85% Store Below 30°C	657.00	500 gm
972260 KI (7681-11-0)	**Potassium Iodide** For Molecular Biology M. W.: 166.0 Assay : ≥ 99.8% Store Below 30°C	3155.00 6930.00	100 gm 250 gm
972350 KNO_3 (7757-79-1)	**Potassium Nitrate** For Molecular Biology M. W.: 101.1 Assay : ≥ 99% Store Below 30°C	739.00	500 gm
972430 $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium (+) Tartrate Tetrahydrate** For Molecular Biology M. W.: 282.22 Assay : ≥ 99% Store Below 30°C	1810.00	500 gm
972570 C_3H_8O (67-63-0)	2-**Propanol** for Molecular Biology M. W.: 60.10 Assay (GC) 99.5%	1737.00	500 ml
972510 $C_{27}H_{34}I_2N_4$ (25535-16-4)	**Propidium Iodide** For Molecular Biology M. W.: 668.39 Assay : ≥ 94% Store Below 30°C	2214.00 4032.00	10 mg 25 mg
972590	**Protein A Sepharose** For Molecular Biology Store at 2 - 8°C	97002.00 174600.00	500 mg 1 gm
972670 (39450-01-6)	**Proteinase K, From Pichia Pastoris** Recombinant PCR Grade For Molecular Biology M. W.: 28.93 kDa Store at 2 - 8°C	720.00 6642.00 51750.00	10 mg 100 mg 1 gm
972750 $C_{17}H_{19}ClN_2O$ (92-32-0)	**Pyronin Y** For Molecular Biology C. I. No.: 45005 M. W.: 302.80 Store Below 30°C	2556.00	5 gm
972830 $C_6H_6O_2$ (108-46-3)	**Resorcinol** (1,3-Dihydroxybenzene) For Molecular Biology M. W.: 110.11 Assay : ≥ 99% Store Below 30°C	2664.00 5211.00 19530.00	25 gm 100 gm 500 gm
972910 (9001-99-4)	**Ribonuclease-A** (RNase A) From Bovine Pancreas (DNase Free) For Molecular Biology M. W.: ~13700 Assay : ≥ 50 Units/mg E. C. No. : 3.1.27.5 Protein (Kunitz) Store at 20°C	2682.00 12150.00 22460.00	100 mg 500 mg 1gm
972990 (63231-63-0)	**Ribonucleic Acid** (RNA, From Torula Yeast) For Molecular Biology Assay : ≥ 86% Upon Receipt Store at - 20°C	1008.00 1926.00 7407.00	10 gm 25 gm 100 gm
973070 (73049-77-1)	**Ribonucleic Acid Sodium Salt** For Molecular Biology Store at 2 - 8°C	1990.00 4383.00 16623.00	10 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
973180 $C_5H_{10}O_5$ (50-69-1)	D-**Ribose** For Molecular Biology M. W.: 150.13 Assay : ≥ 99% Store at 2 - 8°C	221.00 927.00 3033.00 7146.00	1 gm 5 gm 25 gm 100 gm
	RNA See **Ribonucleic Acid**		
	RNA SEA See **Ribonucleasea, SDS**		
973230 (7791-11-9)	**Rubidium Chloride** (RbCl) For Molecular Biology M. W. : 120.92 Assay : ≥ 99.5% Store Below 30°C	4014.00 19557.00	5 gm 25 gm
973310 (8047-15-2)	**Saponin** (From Plant) For Molecular Biology Store Below 30°C	5211.00 25461.00	100 gm 500 gm
973390 $C_{15}H_{28}NO_3Na$ (137-16-6)	**Sarcosyl** For Molecular Biology M. W. : 293.38 Assay : ≥ 94% Store Below 30°C	640.00 2881.00	5 gm 25 gm
973470	**Silicon** (Anti Foaming Agent) For Molecular Biology Store Below 30°C	1540.00 3870.00	100 gm 500 gm
973550 $AgNO_3$ (7761-88-8)	**Silver Nitrate** For Molecular Biology M. W.: 169.87 Assay : ≥ 99% Store Below 30°C	4032.00 8865.00 31032.00	10 gm 25 gm 100 gm
984300 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous for Molecular Biology M. W.: 82.03 Assay (Non-aqueous) 99.0%	900.00	250 gm
984350 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate for Molecular Biology M. W.: 136.08	603.00 1161.00	250 gm 500 gm
984400 (9005-38-3)	**Sodium Alginate** For Molecular Biology Store Below 30°C	1729.00 7750.00	100 gm 500 gm
984500 NaN_3 (26628-22-8)	**Sodium Azide** For Molecular Biology M. W.: 65.01 Assay : ≥ 98% Store Below 30°C	1071.00 4500.00	100 gm 500 gm
984800 $C_2H_6AsO_2Na.3H_2O$ (6131-99-3)	**Sodium Cacodylate** Trihydrate For Molecular Biology M. W.: 214.03 Assay : ≥ 98% Store Below 30°C	22500.00	50 gm

Product Code	Product Name	Price	Packing
984840 Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) (Soda Ash) For Molecular Biology M. W.: 105.99 Assay : ≥ 99.9% Store Below 30°C	2484.00 4725.00 9091.00	100 gm 500 gm 1 kg
984900 NaCl (7647-14-5)	**Sodium Chloride** for Molecular Biology M. W.: 58.44 Assay (Argentometric after ignition) 99.9%	873.00 7470.00	500 gm 5 kg
985400 $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate** for Molecular Biology M. W.: 294.10 Assay (Non-aqueous) 99.5%	1305.00	500 gm
986000 NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Ortho Phosphate** Anhydrous Molecular Biology M.W. : 119.98 Assay 98.0%	2097.00	500 gm
986010 $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Ortho Phosphate** Monohydrate For Molecular Biology M. W.: 137.99 Assay : ≥ 99.5% Store Below 30°C	3380.00	250 gm
986110 $Na_2O_4S_2$ (7775-14-6)	**Sodium Dithionite** For Molecular Biology M. W.: 174.11 Assay : ≥ 85% Store at 2 - 8°C	3114.00	500 gm
986200 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** for Molecular Biology M. W.: 84.01 Assay (Acidimetric) 99.7%	1341.00	500 gm
986350 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho Phosphate** Anhydrous for Molecular Biology M. W.: 141.96 Assay (Acidimetric ;after drying) 99.5%	2070.00	500 gm
986400 $Na_2HPO_4.2H_2O$ (10028-24-7)	di- **Sodium Hydrogen Ortho Phosphate** Dihydrate For Molecular Biology M. W.: 177.99 Assay (Acidimetric) 99.0%	1305.00 12330.00	500 gm 5 kg
986460 NaOH (1310-73-2)	**Sodium Hydroxide** Pellets For Molecular Biology M. W.: 40.00 Assay : ≥ 98% Store Below 30°C	239.00 603.00 5400.00	100 gm 500 gm 5 kg
986680 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** For Molecular Biology M. W.: 288.38 Assay (After drying two phase titration) 99.0%	594.00 1913.00 6408.00 11412.00	25 gm 100 gm 500 gm 1 kg
986780 $NaSO_4$ (7757-82-6)	**Sodium Sulphate** Anhydrous For Molecular Biology M. W.: 142.04 Assay : ≥ 99% Store Below 30°C	666.00	1 kg

Product Code	Product Name	Price	Packing
986800 Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous For Molecular Biology M. W.: 126.04 Assay : ≥ 98% Store Below 30°C	541.00	500 gm
986870 $Na_2S_2O_3$ (7772-98-7)	**Sodium Thiosulphate** Anhydrous For Molecular Biology M. W.: 158.11 Assay : ≥ 98% Store Below 30°C	405.00	500 gm
986930 $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate For Molecular Biology M. W.: 248.18 Assay : ≥ 99% Store Below 30°C	423.00 765.00	500 gm 1 kg
987180 $C_6H_{14}O_6$ (50-70-4)	D-**Sorbitol** Molecular Biology Grade M. W.: 182.17	1584.00 2700.00 9000.00	500 gm 1 kg 5 kg
987990 $(C_6H_{10}O_5)_n$ (9005-25-8)	**Starch Hydrolysed** For Molecular Biology Store Below 30°C	2412.00 10854.00	100 gm 500 gm
987050 (9013-20-1)	**Streptavidin** For Molecular Biology Activity (Fibrinogen) :~14 Units/mg Protein Store at 2 - 8°C	11286.00	5 mg
987380 $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** For Molecular Biology M. W.: 342.30 Assay 99.5%	585.00 1045.00 4249.00 POR	500 gm 1 kg 5 kg 25 kg
987420 $C_{29}H_{24}N_6$ (4197-25-5)	**Sudan Black B** For Molecular Biology C. I. No. : 26150 M. W. : 456.54 Store Below 30°C	3160.00	25 gm
987560 $C_6H_{15}NO_6S$ (7365-44-8)	**TES** Buffer (N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) For Molecular Biology M. W. : 229.25 Assay : ≥ 99% Store Below 30°C	7650.00	100 gm
987810 $C_{22}H_{24}N_2O_8.HCl$ (64-75-5)	**Tetracycline Hydrochloride** For Molecular Biology M. W. : 480.9 Potency : ≥ 900 µg/mg Store at 2 - 8°C	855.00 3861.00	5 gm 25 gm
988900 $C_{16}H_{20}N_2$ (54827-17-7)	3,3',5,5'-**Tetramethylbenzidine** (TMB) For Molecular Biology M. W. : 240.34 Assay : ≥ 99% Store Below 30°C	2772.00 8235.00	1 gm 5 gm

Product Code	Product Name	Price	Packing
988500 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n'-**Tetramethyl Ethylene Diamine** for Electrophoresis/Molecular Biology M. W.: 116.21	1602.00	100 ml
988990 CH_2N_4 (288-94-8)	1H-**Tetrazole** For Molecular Biology M. W. : 70.05 Assay : ≥ 99% Store Below 30°C	784.00 3470.00	1 gm 5 gm
	Thiazolyl Blue See MTT;3-(4,5-Dimethyl-2-Thiazolyl)-2,5-Diphenyl-2H-Tetrazolium Bromide)		
989300 $C_6H_{13}NO_5$ (5704-04-1)	**Tricine** For Molecular Biology M. W. : 179.17 Assay : ≥ 99% Store Below 30°C	4770.00	100 gm
989490 $C_{19}H_{15}N_4Cl$ (298-96-4)	2,3,5-**Triphenyl Tetrazolium Chloride** For Molecular Biology M. W. : 334.8 Assay : ≥ 99% Store Below 30°C	1980.00 4815.00	10 gm 25 gm
998660 $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane** for Molecular Biology A 40% at 290 nm.....max 0.03 (Tris Buffer, Tris Base) DNase, RNase, protease not detected M. W.: 121.14 Assay (Acidimetric; on dried meterial) 99.8%	1107.00 4905.00 44640.00	100 gm 500 gm 5 kg
998780 $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris (Hydroxymethyl) Aminomethane Hydrochloride** for Molecular Biology (Tris HCl) DNase, RNase, protease not detected M. W.: 157.60	1602.00 7002.00	100 gm 500 gm
990000 CH_4N_2O (57-13-6)	**Urea** for Molecular Biology M. W.: 60.06 Assay 99.5%	820.00 1476.00 6660.00	500 gm 1 kg 5 kg
994000 H_2O (7732-18-5)	**Water** for Molecular Biology Grade M. W.: 18.015	3105.00	5 lit
998905 $C_{14}H_{15}BrClNO_6$ (7240-90-6)	**(X-Gal)** 5-Bromo-4-Chloro-3-Indolyl-ß-D-Galactopyranoside For Molecular Biology M. W. : 408.63 Assay : ≥ 98% Store at 2 - 8°C	1656.00 7461.00 14913.00	100 mg 500 mg 1 gm
998907 $C_{14}H_{12}BrClNNaO_7$ (129541-41-9)	**(X-Glucurono Sodium Salt)** 5-Bromo-4-Chloro-3-Indolyl-ß-D-Glucuronide Sodium Salt For Molecular Biology M. W. : 444.59 Assay : ≥ 98% Store at 20°C	9010.00 21600.00 39510.00	100 mg 500 mg 1 gm

Product Code	Product Name	Price	Packing
998908 $C_{14}H_{12}BrClNO_6$ (15548-60-4)	**(X-Glucoside)** 5-Bromo-4-Chloro-3-Indolyl-ß-D-Glucpyranoside For Molecular Biology M. W. : 408.63 Assay : ≥ 97% Store at 2 - 8°C	1944.00 9090.00 16970.00	1 mg 5 mg 10 mg
998918 (9014-63-5)	**Xylan From Beechwood** For Molecular Biology Store Below 30°C	9450.00	10 gm
998923 C_8H_{10} (1330-20-7)	**Xylene Mixture of Isomers** For Molecular Biology M. W. : 106.17 Store Below 30°C	900.00 2300.00	500 ml 2.5 lit

Product Code	Product Name	Price	Packing
999000 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** for Molecular Biology M. W.: 136.29	2502.00	500 gm
999050 $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate For Molecular Biology M. W. : 287.56 Assay : ≥ 99.5% Store Below 30°C	621.00	500 gm

Molecular Biology Grade
Reagents

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.

STAINS/READYMADE STAINING SOLUTION

Product	Page
Readymade Stains	**494- 498**
>> Stains for Gram Staining	
>> Stains for Metachromatic Staining	
>> Stains for Capsule Staining	
>> Stains for Spore Staining	
>> Blood Films Stains for Spirochaets,	
>> Protozoa and other purposes	
>> Stains for Mycobacteria Staining	
>> Stains for Acid Fast Staining	
>> Simple Stains for Bacteria	
>> Stains for Bacteria and Bovine Cells in Milk	
>> Stains for Fungi	
>> Stains for Intestinal Protozoa	
>> Stains for Negative Staining	
>> Staining kits for Haematology	
>> Staining Kit for Histology	
>> Other Stains	
>> Readymade Indicators	
>> Readymade Analytical Reagents	
>> Standard Soutions	

Readymade Stains

Stains for Gram Staining

Product Code	Product Name	Price	Packing
K032015	**Gram's Staining- Kit** (Contains All Packing 125 ml Each 840090, 840120, 840200, 840250, 840150)		1296/1kit

Gram Stains Kit (840051)
Gram - positive : violet coloured
Gram - negative : pinkish red coloured

Product Code	Product Name	Price	Packing
840090	**Gram's Crystal Violet**		194/125 ml
840120	**Gram's Decolourizer**		550/2x125 ml
840200	**Gram's Iodine** Solution		153/125 ml
840250	**Gram's Safranine** 0.5% w/v		288/125 ml
840150	**Gram's Fuchsin** Basic 0.1%		167/125 ml
K032020	**Gram's Stains- Kit** (Contains All Packing 500 ml Each 840090, 840120, 840200, 840250, 840150)		4460/1kit
840090	**Gram's Crystal Violet**		675/500 ml
840120	**Gram's Decolourizer**		2880/2x500 ml
840200	**Gram's Iodine** Solution		743/500 ml
840250	**Gram's Safranine** 0.5% w/v		725/500 ml
840150	**Gram's Fuchsin** Basic 0.1%		725/500 ml

Stains for Metachromatic Staining

Product Code	Product Name	Price	Packing
865630	**Methylene Blue** Alkaline (Loffler's)		180/125 ml 522/500 ml
K000495	**Albert's Metachromatic Stains- Kit** (contains 802370 and 802380)		343/1kit

Albert's Metachromatic Stains Kit (802390)
Metachromatic Granules - Black
Cytoplasm - Light Green

Product Code	Product Name	Price	Packing
802370	**Albert's Stain A**		162/125 ml
802380	**Albert's Stain B**		162/125 ml
K000505	**Albert's Metachromatic Stains- Kit** (contains 802370 and 802380)		1350/1kit
802370	**Albert's Stain A**		495/500 ml
802380	**Albert's Stain B**		450/500 ml
K069015	**Neisser's Metachromatic Stains-Kit** (contains 840200, 868520, and 868790)		469/1kit
840200	**Gram's Iodine Solution** Iodine content 0.33%		153/125 ml
868520	**Neisser's Stain A** Soln. (Methylene Blue)		145/125 ml
868790	**Neutral Red** pH indicator Solution		149/125 ml
K069025	**Neisser's Metachromatic Stains-Kit** (contains 840200, 868520, and 868790)		1584/ 1kit
840200	**Gram's Iodine Solution**		585/500 ml
868520	**Neisser's Stain A** Soln. (Methylene Blue)		550/500 ml
868790	**Neutral Red** pH indicator Solution		540/500 ml
K064025	**Modified Neisser's Metachromatic Stains-Kit** (1minute staining) (Contains All Packing 500 ml Each		1998/1 Kit
868520	**Neisser's Stain** A Soln. (Methylene Blue)		550/500 ml
868530	**Neisser's Stain** B Soln. (Crystal Violet)		540/500 ml
868540	**Neisser's Stain** C Soln. (Chrysoidine Y**)**		540/500 ml

Stains for Capsule Staining

Product Code	Product Name	Price	Packing
K010005	**Capsule Stains-Kit** (Contains All Packing 125 ml Each 865650 and 869200)		396/1kit

Capsule Stains Kit (814810)
Clear halos against dark background

Product Code	Product Name	Price	Packing
865650	**Methylene Blue** (Aqueous)		153/125 ml
869200	**Nigrosin Stain,** 10% w/v		149/125 ml
K010015	**Capsule Stains-Kit** (Contains All Packing 500 ml Each 865650 and 869200)		1720/1kit
865650	**Methylene Blue Alkaline** (Aqueous)		504/500 ml
869200	**Nigrosin Stain,** 10% w/v		540/500 ml

Stains for Spore Staining

Product Code	Product Name	Price	Packing
K094005	**Schaeffer & Fulton's Spore Stains-Kit** (Contains All Packing 100 ml Each 887330 and 887360)		396/ 1kit

Schaeffer & Fulton's Spore Stains Kit (887330)
Spore - Green
Vegetative Cells - Pink

Product Code	Product Name	Price Packing
887330	**Schaeffer & Fulton's Spore Stain A**	243/100 ml
887360	**Schaeffer & Fulton's Spore Stain B**	203/100 ml
K094015	**Schaeffer & Fulton's Spore Stains-Kit** (Contains All Packing 500 ml Each 887330 and 887360)	1971/ 1kit
887330	**Schaeffer & Fulton's Spore Stain A**	1215/500 ml
887360	**Schaeffer & Fulton's Spore Stain B**	990/500 ml

Blood Films Stains for Spirochaets, Protozoa and other purposes

811220	**Brilliant Cresyl Blue Solution**	140/125ml
839300	**Giemsa's Stain** Solution	334/100 ml 1350/500 ml
844050	**Haematoxylin** (Delafield's)	558/125 ml 1800/500 ml
860370	**Leishman's Stain** (Twin pack)	244/250 ml 437/500 ml
860400	**Leishman's stain** Solution with Buffer	234/250 ml

Leishman's Stains (860400)
Neutrophilic Granules - Lilac
Eosinophilic Granules - Orange
Nucleoli - Blue - Violet
Red Cells - Pink
Lymphocytes - Blue with purple nucleus

863970	**May Grunwald's** Stain	216/125 ml 792/4x125 ml
903010	**Wright 's Staining** Solution	140/125 ml 261/250 ml

Wright's Stain (903010)
1. Erythrocytes - Yellowish red
2. Polymorphonuclears - Dark purple nucleus, red-dish lilac granules, pale pink cytoplasm
3. Eosinophils - Blue nuclei, red to orange red granules, blue cytoplasm
4. Basophils - Purple to dark blue nucleus, dark purple granules
5. Lymphocytes - Dark purple nuclei, sky blue cytoplasm
6. Platelets - Violet to purple granules

K062015	**Malarial Parasite-Kit** (Contains All Packing 125 ml Each 834430 and 834440)	419/1kit

Malarial Parasite Kit (863460)
1. Nuclei - Blue
2. Neutrophilic granules - lilac
3. Eosinophilic granules - Orange
4. Red cells - pink

Product Code	Product Name	Price Packing
834430	**Field's Stain A Solution**	162/125 ml
834440	**Field's Stain B Solution**	162/125 ml
K062025	**Malarial Parasite-Kit** (Contains All Packing 500 ml Each 834430 and 834440)	900/1kit
834430	**Field's Stain A Solution**	477/500 ml
834440	**Field's Stain B Solution**	477/500 ml

Stains for Mycobacteria Staining

K027015	**Fluorescent Stains -Kit for mycobacteria** (Contains All Packing 125 ml Each 024684, 867130, 878880)	1584/1kit
807180	**Phenolic Auramine**	1125/125 ml
867130	**Mycobacteria decolourizer**	441/125 ml
878880	**Potassium Permanganate** 1.0 N	135/125 ml
K027025	**Fluorescent Stains -Kit for mycobacteria** (Contains All Packing 500 ml Each 024684, 867130, 878880)	3303/1kit
807180	**Phenolic Auramine**	4010/500 ml
867130	**Mycobacteria decolourizer**	1575/500 ml
878880	**Potassium Permanganate** 1.0 N	270/500 ml
K027030	**Fluorescent Stains Kit for mycobacteria** (Contains All Packing 1 lit Each 024684, 867130, 878880)	5544/1kit
807180	**Phenolic Auramine**	6696/1 lit
867130	**Mycobacteria decolourizer**	2682/1 lit
878880	**Potassium Permanganate** 1.0 N	486/1 lit
K063025	**MicCold Stain TB-Kit for Mycobacteria** [Kit contains 100 ml each of Carbol Fuchsin Solution, Decolourizer, Counter Stain (Loeffler's Methylene Blue)]	2570/1 Kit
K063015	**MicCold Phenol Free Stain-Kit for Mycobacteria** [Kit contains 200 ml each of Auramine - Rhodamine Solution (Phenol free), Decolourizer , (2x 200) Potassium Permanganate Solution)	10215/1 Kit
K063035	**MicCold Stain TB-Kit for Mycobacteria** [Kit contains 500 ml each of Carbol Fuchsin Solution, Decolourizer , Counter Stain (Loeffler's Methylene Blue)]	11340/1 Kit

Product Code	Product Name	Price	Packing
	Stains for Acid Fast Staining		
K132005	**ZN Acid Fast Stains-Kit** (Contains All Packing 125 ml Each 801790, 814900, 865630)		725/1kit

ZN Acid Fast Stains Kit (909810)
Acid fast organisms - Bright red
Other organisms & cellular material Blue

Product Code	Product Name	Price	Packing
801790	**Acid fast Decolourizer**		423/100 ml
814900	**Carbol Fuchsin** (ZN, Strong)		162/125 ml
865630	**Methylene Blue** (Loffler's)		180/125 ml
K132015	**ZN Acid Fast Stains-Kit** (Contains All Packing 500 ml Each 801790, 814900, 865630)		2736/1kit
801790	**Acid fast Decolourizer**		1440/500 ml
814900	**Carbol Fuchsin** (ZN, Strong)		518/500 ml
865630	**Methylene Blue** (Loffler's)		522/500 ml
	Simple Stains for Bacteria		
814920	**Carbol Fuchsin** (ZN, Dilute)		131/125 ml 369/500 ml
829620	**Eosin,** 2% w/v		144/125 ml 500/500 ml
839200	**Gentian Violet Alcoholic** Solution		144/125 ml 550/500 ml
863430	**Malachite Green,** 1% w/v		81/100 ml 396/500 ml
865650	**Methylene Blue** (Aqueous)		153/125 ml 504/500 ml
	Stains for Bacteria and Bovine Cells in Milk		
868820	**Newman's Stain,** Modified		370/100 ml 640/500 ml
	Stains for Fungi		
859280	**Lactophenol**		144/100 ml 369/500 ml
859260	**Lactophenol** Cotton Blue		180/100 ml 540/500 ml

Lactophenol Cotton Blue (859260)
Fungal spores & hyphae - Pale to dark blue

Product Code	Product Name	Price	Packing
859300	**Lactophenol Picric Acid Soln.**		162/100 ml 657/500 ml
864070	**Mayer's Mucicarmine stain**		261/100 ml 810/500 ml
875920	**Picric Acid** (Saturated, Aqueous)		225/100 ml 702/500 ml
	Stains for Intestinal Protozoa		
861390	**Lugol's** Solution		198/125 ml 702/500 ml
	Stains for Negative Staining		
819040	**Congo red (1% aqueous)** Solution		144/125 ml 513/500 ml
869200	**Nigrosin Stain, 10% w/v**		149/125 ml 585/500 ml

Nigrosin Stain,10% w/v (869200)
Capsules - Clear halos Surounding the bacterial cells.

Product Code	Product Name	Price	Packing
	Staining kits for Haematology		
819960	**C.S.F. Diluting Fluid**		108/125 ml
829100	**E.D.T.A. (di- sodium) 5%**		126/125 ml
840000	**R.B.C. Diluting Fluid** (Gower's)		432/500 ml
883010	**R.B.C. Diluting Fluid** (Hayemis)		244/500 ml
897400	**Thrombocount reagent**		1980/500 ml
902550	**W.B.C. Diluting Fluid**		230/500 ml
	Staining Kit for Histology		
824600	**Himic** (mild decalcifying solution)		927/500 ml
824603	**Himic** (strong decalcifying solution)		1350/500 ml

Product Code	Product Name	Price	Packing
	Other Stains		
810600	**Borax Carmine (Grenacher's)** Alcoholic Stain		315/125 ml 1170/500 ml
810620	**Borax Carmine (Grenacher's)** Aqueous Stain		190/125 ml 693/500 ml
834000	**FA Rhodamine Counterstain**		396/100 ml 1818/500 ml
834470	**Fixative (BFA)**,for Rapid fixing of haematological samples		2070/500 ml
834473	**Fixative (Buffered Formalin fixative)** for fixing cytological or histological samples		1917/500 ml
834475	**Fixative,** for fixing cytological of histological samples		1980/500 ml
834477	**Fixative,** for rapid fixing of haematological samples		1998/500 ml
834479	**Fixing Solution,** for fixing haemtolgical samples		1602/500 ml
840203	**Grams Iodine,** stabilized		558/125 ml 1917/500 ml
844070	**Haematoxylin** (Ehrlich)		603/125 ml 2304/500 ml
844120	**Haematoxylin** (Gill No.3)		2403/500 ml
874420	**Haematoxylin** (Harris)		549/125 ml 2205/500 ml
844140	**Haematoxylin** (Mayer)		306/100 ml 657/500 ml
865752	**M'Fadyean Stain** (Polychorme Methylene Blue)		207/125 ml 720/500 ml
883450	**Romanowsky-Giemsa (RG) Stain**		3006/500 ml
888060	**Schiff's fuchsin-sulphite reagent**		2444/500 ml
888400	**Shorr's Stain solution** for hormonal cytodiagnosis		820/500 ml
	Readymade Indicators		
806250	**Andrade's Indicator**		180/125 ml
811740	**Bromo Cresol Green Indicator Solution**		127/125 ml
811780	**Bromo Cresol Purple Indicator Solution**		117/125 ml
812000	**Bromo Phenol Blue Indicator Solution**		117/125 ml
812170	**Bromo thymol Blue Indicator Solution**		126/125 ml
865850	**Methyl Orange Indicator Solution**		131/125 ml
866040	**Methyl Red Indicator Solution**		140/125 ml
826080	**Mixed Indicator Solution (25X)** (Dimidium Bromide-Disulphine Blue Indicator)		3002/100 ml
868790	**Neutral Red pH Indicator Solution**		149/125 ml
875156	**Phenolphthalein** 0.1% w/v		140/125 ml

Product Code	Product Name	Price	Packing
875200	**Phenol Red** Indicator Solution		135/125 ml
897440	**Thymol Blue** Indicator Solution		131/125 ml
897490	**Thymolphthaleine** Indicator Solution		149/125 ml
901000	**Universal** Indicator Solution		131/125 ml 333/500 ml

Universal Indicator (901000)

	Readymade Analytical Reagents		
800102	**Acetate Buffer, pH 5.6**		1467/5x100 ml
801900	**Acid Phosphatase Reagent**		3177/5x10ml
808100	**Barium Chloride** 10% Solution w/v		144/500 ml
808700	**Barritt Reagent A**		145/100 ml
808710	**Barritt Reagent B**		90/100 ml
808810	**Benedict's Reagent Qualitative**		230/500 ml 1206/5 lit

Benedict's Qualitative Reagent (808810)

808820	**Benedict's Reagent Quantitative**		405/500 ml
813035	**Butterfield 's Phosphate Buffered Dilution Water**		243/500 ml
819960	**C.S.F. Diluting Fluid**		108/125 ml
826630	**DMACA Reagent**		756/10 ml
829100	**E.D.T.A (di-sodium)** 5%		126/125 ml
829290	**EDTA 0.02N** solution		243/500 ml
829520	**Ehrlics's Aldehyde Reagent**		144/125 ml
834200	**Fehling Solution No.1**		410/500 ml
834220	**Fehling Solution No.2**		603/500 ml
802860	**Folin & Wu's Alkaline Copper** Solution		225/500 ml
835100	**Folin & Wu's Phosphate, Molybdate** Solution		783/500 ml
835500	**Fouchet's Reagent**		185/125 ml
839077	**Gaby-Hadley Reagent A**		315/100 ml
839078	**Gaby-Hadley Reagent B**		486/100 ml
839990	**Gordon-McLeod Reagent** (Oxidase reagent)		486/100 ml

Product Code	Product Name	Price Packing
824600	**Himic (Mild Decalcifying Solution)**	**927/500 ml**
824603	**Himic (Strong Decalcifying Solution)**	**1350/500 ml**
849600	**Iodine Solution 1%**	**158/125 ml**
854500	**Kovac's Indole Reagent**	**221/100 ml**

Kovac's Indole Reagent (854500)
1) Control
2) *Escherichia coli* (ATCC 25922) +
3) *Enterobacter arrogenes* (ATCC 13048) -
*Key :- + Red ring at interface of the medium
- No red ring

866270	**Millon's Reagent**	**1233/125 ml** **4392/500 ml**
868420	a-**Naphthylamine Solution**	**486/100 ml**
868740	**Nessler's Reagent** (For Ammonia and Ammonium salt)	**306/100 ml**
868760	**Nessler's Reagent** King's (for serum urea nitrogen)	**405/100 ml**

Nessler's Reagent (868760)
1) *Proteus mirabilis* (ATCC 25933) +
2) *Escherichia coli* (ATCC 25922) -
*Key :- + Brownish yellow ppt
- No colour change

871200	**O'Meara Reagent**	**464/100 ml**
877100	**Potassium Chromate** 5% w/v	**99/125 ml**
878640	**Potassium Oxalate** 5% w/v	**117/125 ml**
879350	**PYR Reagent**	**747/10 ml**

PYR Reagent (879350)
1) *Enterococcus faecalis* (ATCC 29212)
Positive reaction red colouration around the colony
2) *Escherichia coli* (ATCC 25922)
Negative reaction no change in colour

840000	**R.B.C. Diluting Fluid (Gower's)**	**432/500 ml**
883010	**R.B.C. Diluting Fluid (Hayem's)**	**244/500 ml**
891410	**Sodium Citrate** 3.8% w/v	**100/125 ml**
902745	**Sterile Distilled Water**	**1450/5x100 ml**
893930	**Sterile Mineral Oil**	**792/100 ml**
812687	**Sterile Phosphate Buffered Saline** Solution pH 7.0	**1710/5x100 ml**

Product Code	Product Name	Price Packing
894490	**Sulphanilic Acid** 0.8% Solution	**117/100 ml**
894610	5-**Sulphosalicylic Acid** 3% Solution	**145/125 ml**
896040	**TDA Reagent**	**324/10 ml**

TDA Reagent (896040)
1) *Proteus mirabilis* (ATCC 25933)
Positive reaction dark brown colouration around the colony
2) *Escherichia coli* (ATCC 25922)
Negative reaction

897900	**o-Toluidine Reagent** (For chlorine estimation)	**221/500 ml**
030467	**o-Toluidine Reagent** (for blood glucose estimation)	**783/500 ml**
898140	**Topfer Reagent**	**158/125 ml**
902550	**W.B.C. Diluting Fluid** (Truck's)	**230/500 ml**

Standard Soutions

804560	**Ammonium Buffer** Solution	**5000/1 lit**
810745	**Boric Acid** Solution	**7830/500 ml**
812620	**Buffer Solution** pH 4.00 ± 0.02	**333/500 ml**
812690	**Buffer Solution** pH 7.00 ± 0.02	**320/500 ml**
812750	**Buffer Solution** pH 9.2 ± 0.02	**333/500 ml**
829425	**EDTA,1M** Solution	**212/500 ml**
829295	**EDTA Titran, 0.035N**	**270/500 ml**
862880	**McFarland standard set** (Each set contains 1 tube of 0.5,1,2,3,4 McFarland standard)	**864/1 No**

McFarland standard set
Increasing opacity from McFarland standard 0.5 to McFarland standard 4

1. McFarland Standard 0.5
2. McFarland Standard 1.0
3. McFarland Standard 2.0
4. McFarland Standard 3.0
5. McFarland Standard 4.0

862881	**McFarland standard set** (Each set contains 1 tube of 0.5,1,2 McFarland standard)	**747/1 No**
889415	**Silver Nitrate Solution,0.1N**	**3303/500 ml**
893240	**Sodium thiosulphate,0.1N**	**262/1 lit**
891715	**Sodium Hydroxide Standard** Solution,0.035N	**230/500 ml**
818900	**Standard Solution** for conductivity 1413 µS/cm	**4320/500 ml**
818924	**Standard Solution for conductivity** 12880 µS/cm	**4320/500 ml**
902990	**Wij's & Iodine** Solution	**2160/1 lit** **4743/2.5 lit**

LABORATORY DISINFECTANT & DETERGENT FOR MEDICAL, INDUSTRIAL, DOMESTIC

Product	Page
Laboratory Disinfectant & Detergent for Medical, Industrial, Domestic	**500-501**
>> Hand Wash Gel/Soap	
>> Environment Disinfectant	
>> Surface Disinfectant	
>> Laboratory Disinfectant	
>> Instrument Disinfectant	
Disinfectant for Laboratory Hospital Hotels and Airy/Food, Industry	**501**

Laboratory Disinfectant & Detergent for Medical, Industrial, Domestic

HAND WASH GEL/ SOAP

Product Code	Product Name	Price	Packing
DI032	HWS09 (Hand Wash Soap)	185.00 423.00	100 ml 500 ml
Description	Liquid Microbicidal Handwash Soap	2772.00	5 lit
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.		
Action	Fights germs leaving hands soft and totally clean		
Use	Domestic Medical Industrial		
DI050	HWG09 Dispenser Pump (Instant hand Sanitizer)	126.00 621.00	50ml 500ml
Description	Liquid Handrub Antiseptic with Triple Action		
Contents	Denatured Alchol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate crosspolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume		
Action	Kills 99.9% of germs in seconds without water		
Use	Domestic, Medical, Industrial		

ENVIRONMENT DISINFECTANT

Product Code	Product Name	Price	Packing
DI280	ED005	387.00 716.00 6894.00	250ml 500ml 5 lit
Description	Air and surface spray disinfectant solution for preventing cross infection		
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours		
Action	An air and surface sprayable disinfectant for preventing cross infections		
Use	Medical Industrial		
DI325	ED009	1036.00 3672.00 14000.00	1 lit 5 lit 25 lit
Description	Aerial Fumigant and		
Contents	0.01% w/v Silver Nitrate, 10.0% w/v Hydrogen peroxide		
Action	Disinfectant solution for Surface and Water Disinfection as well as for Aerial Fumigation		
Use	Medical Industrial		

SURFACE DISINFECTANT

Product Code	Product Name	Price	Packing
DI500	SD005	225.00 1071.00	500 ml 5 lit
Description	Disinfectant Cleaner for Floors & Hard Surfaces		
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.		
Use	Domestic Medical Industrial		
DI522	SD009	225.00 1224.00	500ml 5 lit
Description	Disinfectant Solution for Floors & Hard Surfaces		
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.		
Use	Domestic Medical Industrial		
DI541	SD014	1998.00 7075.00	500ml 5 lit
Description	Disinfectant for hospital, hotels, food and pharmaceutical industry		
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride PHMB 10% w/v Didecyl ammonium chloride		
Action	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface. Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing Equipments		
Use	Medical, Industrial		

Product Code	Product Name	Price	Packing
DI055	Cedepol™ also known as Teepol	288.00 1940.00	500 ml 5 lit

LABORATORY DISINFECTANT

Product Code	Product Name	Price	Packing
DI675	LD009	4518.00 6876.00	10x500ml 2x5lit
Description	Disinfectant Solution for heat sensitive Lab ware		
Contents	5 % w/v Phenol, Permitted colours.		
Action	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material		
Use	Medical Industrial		

INSTRUMENT DISINFECTANT

Product Code	Product Name	Price	Packing
DI770	ID018	1053.00 1998.00 4343.00 7497.00	500ml 1 lit 2.5 lit 5 lit
Description	Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments		
Contents	12% Enzymes (Combination of Proteases,Lipases and Amylases), Non Ionic surfactants, Preservatives		
Action	Medical:- To rapidly clean surgical instruments before sterilization Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms		
Use	Medical, Industrial		
DI774	ID045	3456.00 10782.00	1 lit 5 lit
Description	High Efficiency Rust Remover		
Contents	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).		
Action	Removal of Rust from Surgical/Medical Instruments and Surfaces.		
Use	Medical, Industrial		
DI792	ID063	666.00 3825.00	500ml 5 lit
Description	High level Surgical Instrument Sterilizing and Disinfectant Solution		
Contents	5% w/v Benzal konium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitior.		
Action	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection		
Use	Medical		
DI810	ID072	423.00 1400.00	1 lit 5 lit
Description	2.4% Glutaraldehyde Solution for High Level Disinfection		
Contents	2.45% w/v Glutaraldehyde		
Action	Surfactant free High ievel Surgical Instrument Sterilizing and Disinfectant solution		
Use	Medical		
DI819	ID090	5040.00 25020.00	1 lit 5 lit
Description	Aldehyde Free High level Disinfectant for medical devices.		
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride PHMB 10% w/v Didecyl dimethyl ammonium chloride		
Action	Medical-Sterilization of endoscopes & surgical instruments surface disinfection. Industry- As a surface disinfectant for general Purposes		
Use	Medical, Industrial		

Product Code	Product Name	Price	Packing
DI837	**ID099** microshell	595.00	500ml
Description	For high level disinfection.	4851.00	5 lit
Contents	0.55% w/v ortho-Phthalaldehyde,Permitted colours.		
Action	Glutaraldehyde free, High level Surgical		
Use	Medical		
DI065	**Criton** X100	819.00	500 ml
$C_{34}H_{62}O_{11}$	M. W.: 648.87	3501.00	2.5 lit
(9002-93-1)	Assay iodometric 98-021%	POR	25 lit
MB	**Criton** X100 for Molecular Biology See 923500		
	Criton X100 Scintillation Grade See 716990		
DI095	**Clentron** MA 01 Alkaline	320.00	500 ml
	For Industrial & Laboratory Cleaning	2421.00	5 lit
	pH 6.0-12.0	POR	25 lit
DI100	**Clentorn** MA 02 Neutral For Cleaning	460.00	500 ml
	Laboratory glassware instruments	2304.00	5 lit
	pH 7.2-7.5	POR	25 lit
DI105	**Clentorn** MA 03 Phosphate Free	522.00	500 ml
	For Specific Cleaning work in	2520.00	5 lit
	Laboratories	POR	25 lit

Product Code	Product Name	Price	Packing
DISINFECTANT FOR LABORATORY HOSPITAL, HOTELS AND AIRY/FOOD,INDUSTRY			
DI910	**DW009** (Dish Wash)	270.00	500ml
DI1800	**Iodophor Disinfectant** Bioshell	1098.00	1 lit
		4707.00	5 lit
DI1900	**Iodophor-FD**	1098.00	1 lit
		4707.00	5 lit
		POR	10x5 lit
DI2007	**Lysol** (Cresol and Soap Solution)	604.00	500 ml
(12772-68-8)	Assay (cresol) 47-53.0% v/v	4617.00	5 lit
DI2160	**Sodium Hypochlorite** Solution	162.00	500 ml
	(Approximately 4% w/v	280.00	1 lit
	available chlorine)	999.00	5 lit
		POR	25 lit
DI918	**FCL09** (Fabric Cleaner Liquid)	572.00	1 lit
DI927	**FCP09** Bioshell (Fabric Cleaner Powder)	270.00	1 kg
FW009	**FW009** (Floor Wash)	603.00	5 lit
DI963	**GC009** Bioshell (Glass Cleaner)	180.00	500ml
DI3060	**TC009** Bioshell (Toilet Cleaner)	180.00	500ml
		347.00	1 lit
DI3150	**TW009** Bioshell	180.00	500ml

Bioshell
DISINFACTANTS

Hand Wash
HWS09

BIOSHELL HAND WASH is formulated with antimicrobial agents ensuring highest level of cleansing, using it everyday protects hands from germs and helps keep them hygienically clean and refreshed. Wash hand properly with Bioshell and help keep your family healthy.

SILROX - 10™
ED009

Advanced Hydrogen Peroxide Silver Stablized Solution

Salient Features

- Eco-friendly as the breakdown products are water and oxygen
- Remains active and stable for longer periods
- Causes no irritation to skin or eyes
- Non pollutant and biodegradable

Ethyl Alcohol Hand Sanitizer
Kills 99.99% of Germs

microshell HAND SANITIZER
HWG09

general instructions to the users

The Dehydrated Media are highly hygroscopic and get deteriorated easily unless stored in a cool & dry place away from bright light.

So care must be taken in the storage of dehydrated media.

Following instructions should be followed while using dehydrated culture media.

1. Read carefully the instruction given on the label.
2. Note the batch no. and date before opening the container.
3. Before use confirm that the media is not deteriorated physically.
4. Since the media is hygroscopic in nature, please ensure that the container is tightly closed and stored in cool and dry place after use.

DISSOLVING THE MEDIA : For dissolution use clean undamaged glassware two-three times larger in volume than the final volume of media to be prepared. Water which meats the U.S.P./I.P specifications should only be used.

Place accurately weighed amount of the medium in a clean dry flask. Add part of water and swirl until dissolved then add the remaining water through the sides of the flask to make up the required volume. For complete dissolution heat the media taking care to avoid overheating or scorching.

ADJUSTMENT OF pH : After preparations the pH of the media should be in concordance with value mentioned on the label at 25°C. If required, the pH should be adjusted to the specified value by adding 1N or 0.1N HCl or NaOH solution.

STERILIZATION : Sterilization of the media is usually carried out at 121 °C for 15 minutes using an autoclave. Autoclave efficiency should be checked from time to time.

POURING OF STERILIZED MEDIA : After sterilization Agar media should be poured into petri dishes at 45-50°C. The medium should be mixed well avoiding bubble formation. Agar surface should be dried at 30-40°C in the incubator before inoculation to avoid microbial swarming.

STORAGE OF PREPARED MEDIA : Unless the medium is not used in the same day it is prepared, then it should be kept in moisture proof containers.

Agar containing media should not be stored at higher temperatures. Agar plates should be stored at 2-8°C in sealed moisture proof containers. Stability of the prepared culture media is limited and varies considerably. Never store media below 0°C as it destroys its gel strength.

DISPOSAL OF MEDIA : All specimens and cultures should be carefully handled and must not disposed without autoclaving. Cultures in vessels should be autoclaved for approximately 30 minutes at 121 °C before disposal.

STORAGE OF MICROGEN CULTURE MEDIA PRODUCTS : For obtaining desired results microgen culture media products should be stored in specified storing conditions. It is recommended to use the products in the order of Batch number/Mfg. date.

Storage temperature and shelf-life of the microgen culture media products are as follows.

(a) Dehydrated media : Dehydrated media if stored under specified conditions will have shelf-life of 2 to 5 years. Storage temperature for dehydrated media are preferably between 8 and 25°C.

(b) Selective supplements : Except Horse serum (-20°C) all other supplements are required to store at 2 - 8°C. These products have a shelf-life of 1 - 3 years.

(c) Antimicrobial susceptibility discs : These are to be stored at -20°C but working stock at 28°C Shelf-life is from 1 to 3 years.

certain precautions while using dehydrated media

Faults	Reasons
Drift in pH hydrolysis of	Overheating, incomplete mixing, prolonged sterilization, use of alkaline glass, impure water, ingredients, prolonged storage at high temperature.
Incomplete Solubility	Inadequate heating of agar media incomplete mixing.
Darkening	Overheating of the medium, excess amount of dehydrated powder, improper mixing.
Soft Gel	Agar not in solution, improper reconstitution of dehydrated medium, acid hydrolysis of agar, failure to compensate for dilution of agar by the incoclum.
Loss of Growth differentiating properties	Promoting of repeated remelting, excessive heating, incomplete mixing, failure to compensate for dilution of ingredients, disturbance in the formula by inoculum carriers, etc.
Abnormal Colour of Medium	Deteriorated, dehydrated medium, improperly washed glassware, impure water.
Contamination	Improper/Insufficient sterilization. Poor technique in adding enrichments and pouring plates.

BULK PACKS

We offer a wide range of chemicals in attractive containers

- Fast Deliveries
- Safe & Convenient to handle
- Consistent & High quality as international standards
- And all these at affordable prices.

Certificate of Analysis is available on request

Available Packs

Solids : 25 Kg. & 50 Kg.

Liquids : 25 lit., 100 lit. & 200 lit

CDH

Central Drug House (P) Ltd.

AN ISO 9001 : 2015 CERTIFIED COMPANY

Corporate Office : 7/28, Vardaan House, Ansari Road, Daryaganj
New Delhi – 110 002 (India)

Phone : +91-11-49404040 (100 Lines) Fax : 49404050

E-mail : sales@cdhfinechemical.com - (Domestic)
export@cdhfinechemical.com - (Overseas)

Mfg Unit : Plot No. D-2/CH/9, Dahej – 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch – 392130 (Gujarat)

Website : www.cdhfinechemical.com