Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

devops-build

Add additional tags

Summary

Number of instances Info

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.9.2...read more

ami-00ca570c1b6d79f36

Recents | Quick Start

Amazon Linux	macOS	Ubuntu	Windows	Red Hat	SUSE Linux
aws	Mac	ubuntu	Microsoft	Red Hat	SUSE

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Instance type Info | Get advice

Instance type

t2.micro
Family: t2   1 vCPU   1 GiB Memory   Current generation: true
On-Demand Windows base pricing: 0.017 USD per Hour
On-Demand RHEL base pricing: 0.0268 USD per Hour
On-Demand Linux base pricing: 0.0124 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0142 USD per Hour
On-Demand SUSE base pricing: 0.0124 USD per Hour

All generations

Compare instance types

Additional costs apply for AMIs with pre-installed software

```
ubuntu@ip-172-31-13-169:~$ git clone https://github.com/sriram-R-krishnan/devops-build.git
cd devops-build
Cloning into 'devops-build'...
remote: Enumerating objects: 21, done.
remote: Total 21 (delta 0), reused 0 (delta 0), pack-reused 21 (from 1)
Receiving objects: 100% (21/21), 720.09 KiB | 1.23 MiB/s, done.
ubuntu@ip-172-31-13-169:~/devops-build$
```

```
ubuntu@ip-172-31-13-169:~/devops-build$ nano nginx.conf
```

GNU nano 7.2 nginx.conf *

```
server {
    listen 80;
    server_name localhost;

    root /usr/share/nginx/html;
    index index.html;

    location / {
        try_files $uri /index.html;
    }
}
```

GNU nano 7.2 dockerfile *

```
FROM nginx:alpine

COPY nginx.conf /etc/nginx/conf.d/default.conf
COPY . /usr/share/nginx/html

EXPOSE 80

CMD ["nginx", "-g", "doemon off;"]
```

```
ubuntu@ip-172-31-13-169:~/devops-build$ nano docker-compose.yml
```

GNU nano 7.2 docker-compose.yml *

```yaml
version: '3.8'

services:
  react-app:
    image: deepesh79/dev:latest
    ports:
      - "80:80"
    restart: always
```

```
ubuntu@ip-172-31-13-169:~/devops-build$ nano build.sh
```

GNU nano 7.2 build.sh *

```bash
#!/bin/bash

set -e

IMAGE_NAME="deepesh/dev"
TAG="latest"

echo "Building Docker image..."
docker build -t $IMAGE_NAME:$TAG .

echo "Pushing image to Docker Hub..."
docker push $IMAGE_NAME:$TAG

echo "Build & Push completed successfully!"
```

```
ubuntu@ip-172-31-13-169:~/devops-build$ nano deploy.sh
```

```bash
#!/bin/bash

set -e

IMAGE_NAME="deepesh79/dev"
TAG="latest"
CONTAINER_NAME="react-app"

docker pull $IMAGE_NAME:$TAG

docker stop $CONTAINER_NAME|| true

docker rm $CONTAINER_NAME|| true

docker run -d \
--name $CONTAINER_NAME \
-P 80:80 \
--restart:always \
$IMAGE_NAME:$TAG
```

GNU nano 7.2 deploy.sh

```bash
#!/bin/bash

set -e

IMAGE_NAME="deepesh79/dev"
TAG="latest"
CONTAINER_NAME="react-app"

echo "Pulling latest image..."
docker pull $IMAGE_NAME:$TAG

echo "Stopping old container (if exists)..."
docker stop $CONTAINER_NAME || true

echo "Removing old container (if exists)..."
docker rm $CONTAINER_NAME || true
```

[Read 25 lines]

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo M-
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-