

Create a repository

# Create repository

Repository Name \*

trend-app



Short description

A short description to identify your repository. If the repository is public, this description is used to index your content on Docker Hub and in search engines, and is visible to users in search results.

## Visibility

Using 0 of 1 private repositories. [Get more](#)

Public 



Appears in Docker Hub search results

Private 



Only visible to you

Cancel

Create

```
ubuntu@ip-172-31-5-35:~/Trend$ sudo docker tag trend-app deepesh79/trend-app:latest
ubuntu@ip-172-31-5-35:~/Trend$ sudo docker push deepesh79/trend-app:latest
The push refers to repository [docker.io/deepesh79/trend-app]
e3633de05b77: Waiting
1074353eec0d: Waiting
567f84da6fbd: Waiting
da7c973d8b92: Waiting
0abf9e567266: Waiting
de54cb821236: Waiting
ebcdc69b705e: Waiting
39133d82ac7d: Waiting
25f453064fd3: Waiting
33f95a0f3229: Waiting
085c5e5aaa8e: Waiting
c532bb7ce87b: Waiting
push access denied, repository does not exist or may require authorization: server message: insufficient_scope: authorization failed
ubuntu@ip-172-31-5-35:~/Trend$
```

```
ubuntu@ip-172-31-5-35:~/Trend$ docker login -u deepesh79
```

**i** Info → *A Personal Access Token (PAT) can be used instead.  
To create a PAT, visit <https://app.docker.com/settings>*

Password:

Generate new token

# Create access token

A personal access token is similar to a password except you can have many tokens and revoke access to each one at any time. [Learn more](#) 

Access token description

deepesh2

Expiration date

None



Optional

Access permissions

Read, Write, Delete



Read, Write, Delete tokens allow you to manage your repositories.

Cancel

Generate

Password:

WARNING! Your credentials are stored unencrypted in '/home/ubuntu/.docker/config.json'.  
Configure a credential helper to remove this warning. See  
<https://docs.docker.com/go/credential-store/>

Login Succeeded

ubuntu@ip-172-31-5-35:~/Trend\$ 

```
ubuntu@ip-172-31-5-35:~/Trend$ sudo docker tag trend-app:latest deepesh79/trend-app:latest
ubuntu@ip-172-31-5-35:~/Trend$ sudo docker push deepesh79/trend-app:latest
The push refers to repository [docker.io/deepesh79/trend-app]
567f84da6fbd: Pushed
da7c973d8b92: Pushed
de54cb821236: Pushed
085c5e5aaa8e: Pushed
ebcdc69b705e: Pushed
e3633de05b77: Pushed
39133d82ac7d: Pushed
25f453064fd3: Pushed
0abf9e567266: Pushed
33f95a0f3229: Pushed
c532bb7ce87b: Pushed
1074353eec0d: Pushed
latest: digest: sha256:b244bdb145facda4b7ae4092ed20881c88043326c724597b30b0ed0d2831fab8 size: 856
ubuntu@ip-172-31-5-35:~/Trend$
```



## Tags



DOCKER SCOUT INACTIVE

[Activate](#)

This repository contains 0 tag(s).

| Tag                                                                                                     | OS                                                                                | Type  | Pulled          | Pushed   |
|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------|-----------------|----------|
|  <a href="#">latest</a> |  | Image | less than 1 day | 1 minute |

[See all](#)