


```
ubuntu@ip-172-31-5-35:~/Trend$ git --version
```

```
git version 2.43.0
```

```
ubuntu@ip-172-31-5-35:~/Trend$ 
```



New

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).

Required fields are marked with an asterisk ().*

1

General

Owner *



deepeshchandnani ▾

Repository name *

trend-app

✔ trend-app is available.

Great repository names are short and memorable. How about [upgraded-telegram](#)?

Description

0 / 250 characters

```
Reinitialized existing Git repository in /home/ubuntu/Trend/.git/  
ubuntu@ip-172-31-5-35: ~/Trend$
```



```
# OS files
```

```
.DS_Store
```

```
# Docker
```

```
*.log
```

```
# Terraform
```

```
.terraform/
```

```
*.tfstate
```

```
*.tfstate.backup
```

```
# Secrets
```

```
.env
```

```
# Jenkins
```

```
workspace/
```



```
ubuntu@ip-172-31-5-35:~/Trend$ git status
```

```
On branch main
```

```
Your branch is up to date with 'origin/main'.
```

```
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
```

```
.gitignore
```

```
dockerfile
```

```
nginx.conf
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

```
ubuntu@ip-172-31-5-35:~/Trend$
```

```
ubuntu@ip-172-31-5-35: ~/Trend$ git add .
```

```
ubuntu@ip-172-31-5-35: ~/Trend$ 
```



```
ubuntu@ip-172-31-5-35:~/Trend$ git remote add origin https://deepeshchandnani:github_pat_11AUNT5BQ0gho71Pi5cpi_IpAY4lt4IX9viWoSxHEO5zbLDXF7AWF1qMsWR13oCXrLAFW7NJ2qKXUbPtd/deepeshchandnani/trend-app.git
```

```
ubuntu@ip-172-31-5-35:~/Trend$ git commit -m "trend-app files"
[main a24e886] trend-app files
Committer: Ubuntu <ubuntu@ip-172-31-5-35.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
```

```
git config --global --edit
```

After doing this, you may fix the identity used for this commit with:

```
git commit --amend --reset-author
```

```
3 files changed, 42 insertions(+)
create mode 100644 .gitignore
create mode 100644 dockerfile
create mode 100644 nginx.conf
ubuntu@ip-172-31-5-35:~/Trend$
```

```
ubuntu@ip-172-31-5-35:~/Trend$ git push origin main
fatal: unable to access 'https://deepeshchandnani: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/deepeshchandnani/trend-app.git/': URL rejected: Port number was not a decimal number between 0 and 65535
ubuntu@ip-172-31-5-35:~/Trend$
```

```
ubuntu@ip-172-31-5-35:~/Trend$ git remote add origin https://deepshchandnani:github_pat_11AUNT5BQ0gho71Pi5cpi_IpAY41t4IX9viWoSxHE05zbLDXE7AWF1qMsWR13oCXrLAFW7NJ2qKXUbPtd@github.com/deepshchandnani/trend-app.git
ubuntu@ip-172-31-5-35:~/Trend$ git push origin main
```

```
ubuntu@ip-172-31-5-35:~/Trend$ git push origin main
Enumerating objects: 82, done.
Counting objects: 100% (82/82), done.
Delta compression using up to 2 threads
Compressing objects: 100% (80/80), done.
Writing objects: 100% (82/82), 8.58 MiB | 23.95 MiB/s, done.
Total 82 (delta 1), reused 77 (delta 1), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/deepeshchandnani/trend-app.git
 * [new branch]      main -> main
ubuntu@ip-172-31-5-35:~/Trend$
```