

Launch an instance [Info](#)

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags [Info](#)

Name

Monitoring Server

[Add additional tags](#)

▼ Summary

Number of instances | [Info](#)

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.9.2...[read more](#)
ami-00ca570c1b6d79f36

Virtual server type (instance type)

t3.micro

Security group rule ID	Type Info	Protocol Info	Port range Info	Source Info	Description - optional Info		
sgr-0b0fbe5c389af4691	SSH ▼	TCP	22	Cus... ▼	0.0.0.0/0		<button>Delete</button>
-	Custom TCP ▼	TCP	9090	An... ▼	0.0.0.0/0		<button>Delete</button>
-	Custom TCP ▼	TCP	3000	An... ▼	0.0.0.0/0		<button>Delete</button>
-	Custom TCP ▼	TCP	9115	An... ▼	0.0.0.0/0		<button>Delete</button>

Add rule

```
ubuntu@ip-172-31-1-87:~$ sudo apt update -y
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Fetched 126 kB in 0s (357 kB/s)
```



so packages can be upgraded. Run `apt list upgradable` to see them.

```
ubuntu@ip-172-31-1-87:~$ # Add Docker's official GPG key:
```

```
sudo apt update
```

```
sudo apt install ca-certificates curl
```

```
sudo install -m 0755 -d /etc/apt/keyrings
```

```
sudo curl -fsSL https://download.docker.com/linux/ubuntu/gpg -o /etc/apt/keyrings/docker.asc
```

```
sudo chmod a+r /etc/apt/keyrings/docker.asc
```

```
# Add the repository to Apt sources:
```

```
ubuntu@ip-172-31-1-87:~$ sudo apt install docker-ce docker-ce-cli containerd.io docker-buildx-plugin docker-compose-plugin
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  docker-ce-rootless-extras libslirp0 pigz slirp4netns
Suggested packages:
  cgroupfs-mount | cgroup-lite docker-model-plugin
The following NEW packages will be installed:
  containerd.io docker-buildx-plugin docker-ce docker-ce-cli docker-ce-rootless-extras docker-compose-plugin libslirp0 pigz slirp4netns
0 upgraded, 9 newly installed, 0 to remove and 68 not upgraded.
Need to get 91.3 MB of archives.
```

...all guests are running a dedicated hypervisor (qemu) binaries on this host.

```
ubuntu@ip-172-31-1-87:~$ sudo systemctl status docker
```

● docker.service - Docker Application Container Engine

Loaded: loaded (/usr/lib/systemd/system/docker.service; **enabled**; preset: **enabled**)

Active: **active (running)** since Sun 2025-12-28 16:12:42 UTC; 1min 17s ago

TriggeredBy: ● docker.socket

Docs: <https://docs.docker.com>

Main PID: 7443 (dockerd)

Tasks: 10

Memory: 99.6M (peak: 104.8M)

CPU: 409ms

CGroup: /system.slice/docker.service

| 7443 /usr/lib/systemd/system/docker.service

```
ubuntu@ip-172-31-1-87:~$ mkdir ~/prometheus
```

```
ubuntu@ip-172-31-1-87:~$ cd ~/prometheus
```

```
ubuntu@ip-172-31-1-87:~/prometheus$
```

```
ubuntu@ip-172-31-1-87:~/prometheus$ nano prometheus.yml
```

```
ubuntu@ip-172-31-1-87:~/prometheus$ nano prometheus.yml
```


scrape_configs:

```
# =====
# Prometheus Self Monitoring
# =====
- job_name: "prometheus"
  static_configs:
    - targets:
      - "localhost:9090"

# =====
# Kubernetes / EKS Worker Nodes
# (Node Exporter on port 9100)
# =====
- job_name: "eks-worker-nodes"
  static_configs:
    - targets:
      - "192.168.56.12:9100"
      - "192.168.83.173:9100"
      - "192.168.14.173:9100"
      - "192.168.30.45:9100"

# =====
# Trend Application EC2 Monitoring
# (Node Exporter on port 9100)
# =====
- job_name: "trend-app-ec2"
  static_configs:
    - targets:
      - "172.31.5.35:9100"

# =====
# Trend Application Health Check
# (Blackbox Exporter)
# =====
- job_name: "trend-app-health"
  metrics_path: /probe
  params:
    module: [http_2xx]
  static_configs:
    - targets:
      - "http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000"
  relabel_configs:
    - source_labels: [__address__]
      target_label: __param_target
    - target_label: __address__
      replacement: "172.31.1.87:9115"
```

```
  module: [http_2xx]
static_configs:
- targets:
  - "http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000"
relabel_configs:
- source_labels: [__address__]
  target_label: __param_target
- target_label: __address__
  replacement: "172.31.1.87:9115"
```

```
ubuntu@ip-172-31-1-87:~/prometheus$ sudo docker run -d -p 9090:9090 -v ~/prometheus/prometheus.yml:/etc/prometheus/prometheus.yml prom/prometheus
Unable to find image 'prom/prometheus:latest' locally
latest: Pulling from prom/prometheus
fd581fe2de26: Pull complete
2430d5ddfd0e: Pull complete
b351d2c02e9d: Pull complete
08a0c52f4aa7: Pull complete
48a0f696008d: Pull complete
9d85dc8d0609: Pull complete
d0f7326b7716: Pull complete
c5e95088860d: Pull complete
7408017f0d80: Pull complete
b8d9ef68618b: Pull complete
Digest: sha256:2b6f734e372c1b4717008f7d0a0152316aedd4d13ae17ef1e3268dbfaf68041b
Status: Downloaded newer image for prom/prometheus:latest
6f77a44fe9d0268c791cc2e3ff6054ff3fa3807401ed512b70ea3dbc312c49dc
ubuntu@ip-172-31-1-87:~/prometheus$
```

>_ Enter expression (press Shift+Enter for newlines) ⋮ Execute

📊 Table 📈 Graph 📘 Explain

< Evaluation time >

No data queried yet

+ Add query

```
ubuntu@ip-172-31-5-35:~/Trend$ sudo docker run -d \
  --name node-exporter \
  --net="host" \
  --pid="host" \
  --restart unless-stopped \
  quay.io/prometheus/node-exporter
Unable to find image 'quay.io/prometheus/node-exporter:latest' locally
latest: Pulling from prometheus/node-exporter
2427db72832c: Pull complete
9fa9226be034: Pull complete
1617e25568b2: Pull complete
Digest: sha256:337ff1d356b68d39cef853e8c6345de11ce7556bb34cda8bd205bcf2ed30b565
Status: Downloaded newer image for quay.io/prometheus/node-exporter:latest
7210a0b1343de792cfbfb19bf91a0c17a597fcd0b9f0014458bf364a87a110d4
ubuntu@ip-172-31-5-35:~/Trend$
```

```
ubuntu@ip-172-31-1-87:~/prometheus$ sudo docker run -d --name blackbox-exporter -p 9115:9115 prom/blackbox-exporter
Unable to find image 'prom/blackbox-exporter:latest' locally
latest: Pulling from prom/blackbox-exporter
0a17c6a98b51: Pull complete
bfb096735d13: Pull complete
788cf624215f: Pull complete
48a18e2b648d: Pull complete
Digest: sha256:e753ff9f3fc458d02cca5eddab5a77e1c175eee484a8925ac7d524f04366c2fc
Status: Downloaded newer image for prom/blackbox-exporter:latest
df2878bb4f2fd4b32391f9033d6261caf6e130958e479c6146a71fd9bdca98c1
ubuntu@ip-172-31-1-87:~/prometheus$
```

```
ubuntu@ip-172-31-1-87:~/prometheus$ curl http://localhost:9115
```

```
<html>
```

```
  <head><title>Blackbox Exporter</title></head>
```

```
  <body>
```

```
    <h1>Blackbox Exporter</h1>
```

```
    <p><a href="probe?target=prometheus.io&module=http_2xx">Probe prometheus.io for http_2xx</a></p>
```

```
    <p><a href="probe?target=prometheus.io&module=http_2xx&debug=true">Debug probe prometheus.io for http_2xx</a></p>
```

```
    <p><a href="metrics">Metrics</a></p>
```

```
    <p><a href="config">Configuration</a></p>
```

```
    <h2>Recent Probes</h2>
```

```
    <table border='1'><tr><th>Module</th><th>Target</th><th>Result</th><th>Debug</th><tr><td>http_2xx</td><td>http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000</td><td>Success</td><td><a href='logs?id=32'>Logs</a></td></tr><tr><td>http_2xx</td><td>http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000</td><td>Success</td><td><a href='logs?id=31'>Logs</a></td></tr><tr><td>http_2xx</td><td>http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000</td><td>Success</td><td><a href='logs?id=30'>Logs</a></td></tr><tr><td>http_2xx</td><td>http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000</td><td>Success</td><td><a href='logs?id=29'>Logs</a></td></tr><tr><td>http_2xx</td><td>http://a6150c9a4e36f40788fe8514c6cf8fbb-57
```

trend-app-health

1 / 1 up



Endpoint

<http://172.31.1.87:9115/probe>

module="http_2xx"

target="http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000"


```
ubuntu@ip-172-31-1-87:~/prometheus$ sudo docker run -d --name grafana -p 3000:3000 --restart unless-stopped grafana/grafana
Unable to find image 'grafana/grafana:latest' locally
latest: Pulling from grafana/grafana
d2772eb63bbd: Pull complete
835a6d0e4902: Pull complete
fe0fb9ad3b64: Pull complete
a2a0d06388d6: Pull complete
a7d3fdc2e5af: Pull complete
4a965f51fa32: Pull complete
f50da64eedfd: Pull complete
014e56e61396: Pull complete
c8585378023b: Pull complete
dafcd853cdea: Pull complete
Digest: sha256:2175aaa91c96733d86d31cf270d5310b278654b03f5718c59de12a865380a31f
Status: Downloaded newer image for grafana/grafana:latest
a5d9c5721aa37b6073fc78eae0cfd4a116d5e29b4faae4bdbbc8744a90696442
ubuntu@ip-172-31-1-87:~/prometheus$
```

```
ubuntu@ip-172-31-1-87:~/prometheus$ sudo docker ps | grep grafana
a5d9c5721aa3    grafana/grafana    "/run.sh"        About a minute ago    Up About a minute    0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp    grafana
ubuntu@ip-172-31-1-87:~/prometheus$
```



Welcome to Grafana

Email or username

Password



Log in

[Forgot your password?](#)



Welcome to Grafana

Email or username

admin

Password

•••••



Log in

[Forgot your password?](#)

Data sources



No data sources defined

You can also define data sources through configuration files. [Learn more](#) 



Add data source

Time series databases



Prometheus

Open source time series database & alerting

Core

Name ⓘ

prometheus

Default



e6 (Monitoring Server)

PrivateIPs: 172.31.1.87

Connection

Prometheus server URL *



`http://172.31.1.87:9090`

Delete

Save & test



Dashboards



Funnel



You haven't created any dashboards yet

+ Create dashboard

Import a dashboard

Import dashboards from files or grafana.com  .



Import dashboard

Activate Windows

Find and import dashboards for common applications at grafana.com/dashboards 

1860

Load

Import dashboard

Import dashboard from file or Grafana.com

Importing dashboard from [Grafana.com](#)

Published by	rfmoz
Updated on	2025-09-27 22:45:03

Options

Name

Node Exporter Full

Folder

 Dashboards

▼

Unique identifier (UID)

The unique identifier (UID) of a dashboard can be used for uniquely identify a dashboard between multiple Grafana installs. The UID allows having consistent URLs for accessing dashboards so changing the title of a dashboard will not break any bookmarked links to that dashboard.

rYdddIPWk

Change uid



Edit

Export ▾

Share ▾

Datasource

prometheus ▾

Job



Nodename



Instance

 GitHub Grafana Last 24 hours ▾ Refresh

1m ▾

▾ Quick CPU / Mem / Disk

Pressure ⓘ



No data

CPU Busy ⓘ



N/A

Sys Load ⓘ



N/A

RAM Used ⓘ



No data

SWAP U... ⓘ



N/A

Root FS ... ⓘ



N/A

CPU ...

N/A

RAM ...

N/A

SWAP...

N/A

RootF...

N/A

Uptime

N/A

▾ Basic CPU / Mem / Net / Disk

CPU Basic ⓘ



No data

Memory Basic ⓘ



No data

```
global:
  scrape_interval: 15s
  evaluation_interval: 15s

scrape_configs:

  # =====
  # 1. Trend Application EC2 (Node Exporter)
  # =====
  - job_name: "trend-app-ec2"
    static_configs:
      - targets:
          - "172.31.5.35:9100"

  # =====
  # 2. Trend Application URL (Blackbox)
  # =====
  - job_name: "trend-app-url"
    metrics_path: /probe
    params:
      module: [http_2xx]
    static_configs:
      - targets:
          - "http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000"
    relabel_configs:
      - source_labels: [__address__]
        target_label: __param_target
      - source_labels: [__param_target]
        target_label: instance
      - target_label: __address__
        replacement: 172.31.1.87:9115
```

```
global:
```

```
  scrape_interval: 15s
```

```
  evaluation_interval: 15s
```

```
scrape_configs:
```

```
# =====
```

```
# 1. Trend Application EC2 (Node Exporter)
```

```
# =====
```

```
- job_name: "trend-app-ec2"
```

```
  static_configs:
```

```
    - targets:
```

```
      - "172.31.5.35:9100"
```

```
# =====
```

```
# 2. Trend Application URL (Blackbox)
```

```
# =====
```

.../etc/prometheus

```
ubuntu@ip-172-31-1-87:~/prometheus$ sudo docker restart prometheus
```

```
Error response from daemon: No such container: prometheus
```

```
ubuntu@ip-172-31-1-87:~/prometheus$
```

```
ubuntu@ip-172-31-1-87:~/prometheus$ sudo docker restart quirky_rubin  
quirky_rubin  
ubuntu@ip-172-31-1-87:~/prometheus$
```

trend-app-ec2

0 / 1 up  ^

Endpoint	Labels	Last scrape	State
http://172.31.5.35:9100/metrics	instance="172.31.5.35:9100" job="trend-app-ec2" 	 10.963s ago   10.001s	DOWN

 **Error scraping target:** Get "http://172.31.5.35:9100/metrics": context deadline exceeded

trend-app-ec2

0 / 1 up ^

Endpoint	Labels	Last scrape	State
http://172.31.5.35:9100/metrics	instance="172.31.5.35:9100" job="trend-app-ec2" ^	🔄 10.963s ago 🕒 10.001s	^ DOWN

⚠️

Error scraping target: Get "http://172.31.5.35:9100/metrics": context deadline exceeded

trend-app-url

1 / 1 up ^

Endpoint	Labels	Last scrape	State
http://172.31.1.87:9115/probe	instance="http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000" module="http_2xx" target="http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000" job="trend-app-url"	🔄 2.92s ago 🕒 3ms	^ UP

 Trend-App

i-005d90f4edade8730

 Running



t3.small

 3/3 checks passed

[View alarms](#) 

-

Custom TCP ▼

TCP

9100

An... ▼

Q 0.0.0.0/0

Delete

0.0.0.0/0 X

Add rule

trend-app-ec2

1 / 1 up  ^

Endpoint

Labels

Last scrape

State

<http://172.31.5.35:9100/metrics>

instance="172.31.5.35:9100"

job="trend-app-ec2" 

 780ms ago

 21ms 

UP

trend-app-url

1 / 1 up  ^

Endpoint

Labels

Last scrape

State

<http://172.31.1.87:9115/probe>

instance="http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000" 

 7.675s ago

 6ms 

UP

module="http_2xx"

job="trend-app-url"

target="http://a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000"



Edit

Export v

Share



Datasource

prometheus v

Job

trend-app-ec2 v

Nodename

ip-172-31-5-35 v



GitHub



Grafana



Last 24 hours v



Refresh

1m v

Instance

172.31.5.35:9100 v

v Quick CPU / Mem / Disk

Pressure



CPU

0.1%

Mem

0.0%

I/O

0.0%

CPU Busy



89.8%

Sys Load



0.0%

RAM Used



60.3%

SWAP Used



N/A

Root FS Us...



95.0%

CPU C...

2

RAM T...

2 GiB

SWAP ...

0 B

RootFS...

7 GiB

Uptime

6.6 days

v Basic CPU / Mem / Net / Disk

CPU Basic



100%

80%

Memory Basic



2 GiB

1.75 GiB

1.50 GiB

New v

Import a dashboard

Import dashboards from files or [grafana.com](#)  .



Import dashboard

Find and import dashboards for common applications at grafana.com/dashboards 

7587

Load

Import dashboard

Import dashboard from file or Grafana.com

Importing dashboard from [Grafana.com](#)

Published by	sparanoid
Updated on	2018-08-19 21:52:07

Options

Name

Prometheus Blackbox Exporter

Folder

Dashboard

Unique identifier (UID)

The unique identifier (UID) of a dashboard can be used for uniquely identify a dashboard between multiple Grafana installs. The UID allows having consistent URLs for accessing dashboards so changing the title of a dashboard will not break any bookmarked links to that dashboard.

xtkCtBkiz

Change uid

prometheus

Select a Prometheus data source

Import

Cancel



Edit

Export v

Share



Interval 10s v

target

All x

x v



Last 1 hour v



Cancel

10s v

Global Probe Duration



v 172.31.1.87:9115 status

Status


UP

HTTP Status Code


200

HTTP Version

HTTP Duration



Probe Duration





Not secure

a6150c9a4e36f40788fe8514c6cf8fbb-576434722.ap-south-1.elb.amazonaws.com:3000



HOME

COLLECTION

ABOUT

CONTACT



— OUR BEST SELLERS

Latest Arrivals

SHOP NOW —

