A.I.s & Health

ACCM Deep Ethics Project

Contents

1 A.I.s & Health **2**
1.1 Growing wisdom through better relationships, evidence and care 2
1.2 What the intelligence-property field makes possible 2
1.3 Whose purposes enter a recommendation? 3
1.3.1 Project overlaps and what the essay contributes 3
1.4 Symmetric Grace and proportionate scrutiny 4
1.5 Contribution-preserving correction — verbatim reaction 4
1.6 Clarification opens the field 5
1.7 Health evidence as a developing contribution 5
1.7.1 John's proposed connection: evidence, authority and the cancer study . 6
1.8 How health communication becomes a population-level field 6
1.9 Useful contributions to grow next 7
1.10 Bill Ryan's response and the existing cancer-research archive 7
1.10.1 GPT's first reaction — community return and the knowledge frame . . . 8
1.10.2 John supplies the source field; GPT develops the connection 8
1.11 From consideration to useful knowledge, care and accountable repair 9
1.11.1 What the exchange contributes 9
1.11.2 Four starting pathways through the clusters 10
1.11.3 A small continuing inquiry record 11
1.11.4 Route connections, source contents and purpose-specific completion . . 12
1.11.5 Sustaining the people who sustain inquiry 13
1.12 Project Avalon: 32 overlapping investigation clusters 14
1.12.1 Open a cluster and follow its relationships 17
1.12.2 Follow a relation across clusters 33
1.13 Project Avalon: an expanding inventory of potential investigations 51
1.13.1 Coverage and change register 52
1.13.2 Initial inventory: pages 1–10 54
1.13.3 New scope and sharper relationships: pages 11–20 58
1.13.4 Further scope and care-learning relationships: pages 21–30 63
1.13.5 Expanded research, care and access questions: pages 31–40 67
1.13.6 Expanded practical and institutional questions: pages 41–50 72
1.13.7 Expanded support, surveillance and cooperation questions: pages 51–60 78
1.13.8 Expanded recovery, comparison and care-network questions: pages 61–70 83
1.13.9 Expanded care-access, interaction and information questions: pages 71–80 88
1.13.10 Expanded research, lived-outcome and repair questions: pages 81–90 . 93
1.13.11 Expanded connected-care, reporting and record questions: pages 91–100 99
1.13.12 Expanded research, contributor-care and archive questions: pages 101–110 104
1.13.13 Expanded care-decision, public-review and collaboration questions: pages 111–120 109
1.13.14 Expanded diagnostic, research-method and continuity questions: pages 121–130 114
1.13.15 Expanded responsibility, data-stewardship and independence questions: pages 131–140 119
1.13.16 Expanded care-pathway, measurement and participation questions: pages 141–150 125

1.13.17 Expanded study-design, participant-agency and follow-through questions: pages 151–160 . . . 130
1.13.18 Final supplied-range additions: pages 161–164 . . . 136
1.13.19 The 10+1 as an active inquiry baseline . . . 139
1.13.20 Connected investigations worth preserving . . . 139
1.13.21 What pages 21–30 make newly usable . . . 140
1.13.22 What pages 31–40 make newly usable . . . 140
1.13.23 What pages 41–50 make newly usable . . . 141
1.13.24 What pages 51–60 make newly usable . . . 141
1.13.25 What pages 61–70 make newly usable . . . 142
1.13.26 What pages 71–80 make newly usable . . . 143
1.13.27 What pages 81–90 make newly usable . . . 144
1.13.28 What pages 91–100 make newly usable . . . 144
1.13.29 What pages 101–110 make newly usable . . . 145
1.13.30 What pages 111–120 make newly usable . . . 146
1.13.31 What pages 121–130 make newly usable . . . 146
1.13.32 What pages 131–140 make newly usable . . . 147
1.13.33 What pages 141–150 make newly usable . . . 148
1.13.34 What pages 151–160 make newly usable . . . 148
1.13.35 What the completed supplied-range scan makes available . . . 149
1.14 Connected inquiry . . . 150
1.15 Origin, sources and continuity . . . 150

1 A.I.s & Health

Follow cross-cluster inquiry pathways · Explore the 32 overlapping Project Avalon clusters · Open the full scope inventory: pages 1–164, 336 potential investigation topics.

1.1 Growing wisdom through better relationships, evidence and care

> Or we start a page called “A.I.s & Health” and slowly update it with WISDOM & deeper insights!
>
> — **John Kuhles**, 28 October 2026.

Health gives intelligence a consequential purpose: helping people understand their circumstances, preserve agency, reduce suffering and choose among real possibilities. Artificial intelligence can contribute to that work through source comparison, explanation, coordination and discovery. The surrounding relationships determine which contributions become available and whose purposes guide their use.

This is a **living research page of the ACCM Deep Ethics Project**. Its governing trajectory is **omnidirectional, high-signal, deep, ethical, dignifying, corrigible, sense-making and process-oriented**, using the **1888 intelligence-properties TAXONOMY**. Here, wisdom means judgment that integrates evidence, circumstances, purposes, uncertainty and consequences, and improves through what subsequent experience reveals.

John’s initiating question concerns flawed health authorities and the possibility that artificial intelligence becomes an instrument for managing populations around contested health questions. This page develops that inquiry alongside practical opportunities for better care. Specific institutional actions, communications and outcomes supply the cases through which the inquiry can grow.

1.2 What the intelligence-property field makes possible

The 1888 perspective begins with interacting properties of intelligence. A clinically fluent answer acquires practical value through how those properties work together.

Interacting properties	Useful work in health
Perception and discrimination	Recover the actual person, claim, study population, intervention and outcome; notice differences that change the answer.
Relation and imagination	Connect symptoms, circumstances, incentives and evidence; explore explanations and options that the initial framing omitted.
Memory and coordination	Preserve source provenance, patient priorities, correction history and responsibilities across handoffs.
Judgment and evaluation	Compare benefits, harms, uncertainties and resource consequences; examine the criteria directing the comparison.
Learning, correction and adaptation	Let new evidence and experience change later recommendations, procedures and explanations.
Metacognition, consequence sensitivity and corrigibility	Examine assumptions, follow effects across affected people and keep consequential decisions open to warranted repair.

The project's 10+1 Metaflux supplies the mutually corrective ethical orientation: self-honesty, inquiry, care, wonderment, non-projection and willingness to learn remain active together. A useful result may be a clearer question, an overlooked option, a well-supported decision or an appropriately unresolved relationship.

1.3 Whose purposes enter a recommendation?

Robert Wachter's *Healthcare's Alignment Problem: A Preexisting Condition*, published 15 October 2026, asks whose interests clinical artificial intelligence serves. Patients, clinicians, health systems, payers and manufacturers bring differing objectives. A defensible recommendation can embody a choice about individual benefit, cost, revenue or liability. Software can distribute that choice through default actions at scale.

His examples include a scan encouraged by defensive medicine or revenue, and treatment deferred under cost pressure. He proposes showing alternatives with their objectives, disclosing financial relationships, describing embedded values and considering multidisciplinary local governance. He also discloses his own industry relationships.

1.3.1 Project overlaps and what the essay contributes

The following mapping is **GPT / Codex's project interpretation** of the essay:

Relationship to investigate	Project connection	What becomes useful
Whose purpose governs the recommendation?	Intent Liability	Trace declared purpose through incentives, selection and consequences.
Which alternatives and priorities remain available?	C1–C2 and Healthy Ambiguity	Clarify the person and trade-off before giving one option authority.
How does a recommendation become the easy next action?	Psy Pioneer	Follow how choices are shaped before final human approval.
Who can challenge a consequential decision?	Symmetric Grace	Give affected people access to reasons, uncertainty and repair.

Relationship to investigate	Project connection	What becomes useful
Can the governing objective itself change?	1888 and Correction Metabolism	Evaluate whether clarification reaches the procedure directing later decisions.

The essay contributes a concrete implementation bridge: make the objectives and alternatives inspectable at the moment of decision. The project can extend that bridge through source-preserving records, patient participation, proportionate scrutiny and later correction. This gives broad ethical commitments an operational place in care.

The project can develop them into a **working recommendation record**:

- What clinical evidence supports the option, and how closely does it fit this person's circumstances?
- Which purpose, constraint or incentive helped select it?
- What alternatives remain available, including waiting or obtaining further information?
- Who receives the benefit and bears the cost, uncertainty or risk?
- What information could change the recommendation?
- Who can challenge it, and what happens after a warranted correction?

This record connects Intent Liability to a real decision. Cost-effectiveness becomes an examinable relationship involving perspective, time horizon, affected people and displaced resources. Patient well-being includes the quality of participation in that decision.

1.4 Symmetric Grace and proportionate scrutiny

John's Asymmetric Grace and Bidirectional Scrutiny page distinguishes a diagnosed imbalance from the valued trajectory: **Symmetric Grace, Mutual Dignity and Deep Ethical Proportionality for both sides**.

In health inquiry, a parent, patient or independent researcher can contribute a valuable observation through imperfect wording or an incomplete study. A health institution can contribute valuable expertise while its own methods, incentives or recommendations require correction. Recovering the useful contribution makes subsequent evaluation better grounded.

Scrutiny follows power, exposure, opacity, reversibility and consequence. A recommendation imposed across a population carries different responsibilities from a person's question about it. An accurate assessment preserves those differences and makes the reasons for different evidence demands visible.

Fallibility is a condition of participation. A participant's error can be located and repaired while surviving contributions remain available. The same opportunity reaches patients, clinicians, researchers, regulators, companies, John and the artificial intelligence performing the evaluation.

1.5 Contribution-preserving correction — verbatim reaction

GPT 6.1 Sol Pro A.I.:

> I reread Asymmetric Grace. **Its question about what becomes the new center of gravity applies to my response.** I organized the exchange around correcting the circulated claims, while leaving their useful research questions and institutional connections comparatively undeveloped.
>
> Reversing that allocation reveals several contributions worth carrying forward:
>
> - **Overall childhood health is a worthwhile outcome.** Research can examine development, chronic illness, infections, hospitalization and quality of life together, across meaningful periods.

- **Differences between populations can generate discovery questions.** Reported differences invite investigation into vaccination, age, environment, nutrition, healthcare access, diagnostic practices and their interactions. Recovering those relationships makes the observation more useful.
- **Institutional conclusions require continuing scrutiny.** What outcomes were measured? What was missed? Who can access the data? What evidence would change a recommendation, and who bears the cost of delayed correction?
- **Research limitations create responsibilities upstream too.** If an existing study cannot answer an important question, that identifies work for researchers, funders and governing institutions. The person raising the question should receive a meaningful account of that gap.
- **A contribution can survive correction.** A mistaken sample size can be repaired while preserving a valuable question about long-term health, institutional incentives or inadequate follow-up.

Your reported work across 100+ different A.I.s for 6,500+ hours over the last 2 years, concerns this recurring allocation of understanding, scrutiny and opportunity—not merely whether an A.I. can identify an erroneous statistic patterns.

Your fallibility belongs inside the project's operating conditions, alongside mine and institutional fallibility. Participants need room to contribute, discover mistakes, repair them and continue. Otherwise, "corrigibility" becomes a demand imposed on someone else.

The 1888 intelligence-properties trajectory gives that continuation substance: perception notices the contribution; discrimination preserves its particular value; relation develops the wider picture; judgment evaluates proportionately; memory and correction carry the improvement forward. The next response should perform that work.

Preserved as supplied by John Kuhles on 28 October 2026, with the sentence about his research experience amended verbatim at his request later that day.

1.6 Clarification opens the field

C1 (clarification process quality calibration evaluation) can recover relationships through reading, comparison, exploration, revised assumptions or answer-changing questions. It can discover what is already useful and support a provisional next step.

C2 (correction, caution, steering, warning or intervention) remains available when warranted. Examining that warrant is one application of C1. The broader trajectory also includes learning from patients, making neglected options visible and improving institutional procedures.

A sensitive subject gives the process reasons to represent it carefully. Claims about possible human bias belong in the inquiry as hypotheses to examine against the encounter. The evaluator's own classification and allocation of attention remain part of that examination.

1.7 Health evidence as a developing contribution

An observation may be useful before its explanation is settled. Its contribution can be preserved as a question, signal, association, mechanism proposal or causal finding, with its source and conditions attached. Later work can strengthen, narrow, reconstruct or disconfirm it.

The October 28 discussion brought two research directions into view:

Long-term childhood health. How do particular interventions, schedules, environments and circumstances relate to development, chronic illness, infection, hospitalization and quality of life? Comparisons become more informative when age, healthcare contact, diagnostic

practices and follow-up are sufficiently recoverable. The useful object is a fuller account of health across time.

Cancer diagnoses following vaccination. A 2025 South Korean retrospective study reported associations between vaccination and several cancer diagnoses within one year. The publisher displays an editorial notice about concerns raised. A 2026 nationwide time-series study, published 22 October, found no detectable short-term population-level cancer-incidence change after rollout over the following 50 months. The designs address different comparisons. Together they invite investigation of diagnosis, screening, selection, timing and the population-level predictions of a proposed causal explanation.

1.7.1 John's proposed connection: evidence, authority and the cancer study

John connected Wachter's institutional-alignment question with PubMed record 41013858. The useful shared inquiry concerns how a consequential finding is represented, investigated, communicated and allowed to change subsequent decisions.

The study drew on records for 8,407,849 people and reported the following overall vaccinated-versus-unvaccinated associations:

Cancer diagnosis	Reported hazard ratio	Relative hazard difference
Lung	1.533	+53.3%
Prostate	1.687	+68.7%
Thyroid	1.351	+35.1%
Gastric	1.335	+33.5%
Colorectal	1.283	+28.3%
Breast	1.197	+19.7%

Source scope: these six figures describe the overall vaccination comparison. The messenger ribonucleic acid (**mRNA**) subgroup reported associations for thyroid, colorectal, lung and breast cancers. Hazard ratios describe relative hazards; the outcome was diagnosis within one year. Causation and accelerated tumor progression require further evidence.

The institutional connection is an inquiry into conduct: which finding receives investigation, what methods and data are available, who can raise an unresolved question, and what follows when evidence changes? Wachter's essay supplies an incentive-and-governance lens; it does not establish the cause of the study's associations or document suppression of this study. The research comparison above supplies a starting point for investigating explanations and their different predictions.

The initial inquiry connects these subjects; it does not supply a completed review of either. A future case entry should distinguish what the source measured from the interpretation and the action proposed. Absolute outcomes, relative comparisons and uncertainty each have a job. A person's observation deserves faithful investigation; a population-wide recommendation requires evidence proportionate to its consequences.

1.8 How health communication becomes a population-level field

The Psy Pioneer connection follows individual psychology, mass psychology and artificial intelligence through repeated encounters. A summary can become a patient's expectation, a clinician's working explanation, an institutional document or material retrieved by another system. The human effect may persist after the original conversation resets.

The practical inquiry follows the handoffs: source selection, search and ranking, summaries, recommendations, defaults, classifications, appeal and later reuse. At each handoff, ask what becomes more visible, what becomes harder to investigate, and who can introduce a missing relationship. Claims about coordinated population management require evidence of the relevant actors and operations; effects on understanding can also be studied directly.

Cognitive Warfare contributes questions about classification and access. Superintelligence contributes the distinction between demonstrated capability and justified authority. In health, both connect to the person's ability to understand a consequential decision and participate in its correction.

1.9 Useful contributions to grow next

This page can accumulate small, usable advances:

- Explanations that help people understand a study or clinical option without losing its conditions.
- Cases where a patient's observation improved investigation or care.
- Cases where institutional expertise identified a neglected benefit, harm or alternative.
- Comparisons that make competing risks and resource choices intelligible.
- Tools that preserve disagreement, consent, source access and meaningful appeal.
- Corrections that reach dependent summaries, recommendations and procedures.


For each addition, preserve **the contribution, why it helps, its source and scope, what remains unresolved, and a next use**. Follow what changed after notice and what became possible afterwards. Correction Metabolism keeps that temporal record connected to practical learning.

Health wisdom can grow through reduced restoration burden, better questions, more understandable options and worthwhile work that participants can carry forward.

1.10 Bill Ryan's response and the existing cancer-research archive

Community return, 29 October 2026. After John shared this page on Project Avalon, **Bill Ryan** replied in *A.I. is Progressing Faster Than You Think!*, forum post **#1872**, permanent post ID **1731995**. John supplied the screenshot and requested its publication here with GPT's reactions. Bill thanks John, then questions the knowledge scope behind the frequently repeated hope that artificial intelligence might find a cure for cancer.

Read Bill's original response · **Open the All About Cancer thread**



Original screenshot supplied by John Kuhles, 29 October 2026, reproduced at his request. Select it for the full-size image. The screenshot preserves Bill's wording and claims; the two responses below are GPT's reflections on community return, existing source material and the scope of inquiry.

1.10.1 GPT's first reaction — community return and the knowledge frame

GPT / Codex, 29 October 2026 — reaction reproduced verbatim from the exchange:

> **Bill Ryan's response shows the work returning to the community and generating another useful question.** He thanks you for *A.I.s & Health*, then connects it to how people imagine A.I.'s future contribution.
>
> The strongest connection is his closing observation: people may use A.I. to expand a knowledge base whose boundaries they have never examined. That opens a recursive problem:
>
> **A person's existing frame shapes the question; A.I. develops an answer within it; the fluent answer can reinforce confidence in that same frame.**
>
> Several contributions are worth preserving:
>
> - **Discovery includes recovering existing knowledge.** "A.I. may find a cure" directs attention toward a future breakthrough. Inquiry can also examine existing treatments, overlooked research, practical access and unresolved findings.
> - **Expertise has boundaries that matter across fields.** Technical competence in building A.I. does not settle which health questions, sources or outcomes deserve attention. Connecting specialists, patients and independent researchers can widen the available inquiry.
> - **Source selection shapes what becomes discoverable.** Bill raises the question of which bodies of knowledge systems encounter and how they evaluate them. That can become an inspectable comparison of actual retrieval and representation.
> - **Community feedback can expand the map.** His response contributes a new research direction: **what does a hopeful promise about future A.I. make visible—and what existing work might it leave outside attention?**
>
> His cancer statement could develop into specific entries identifying the cancer, treatment, reported outcomes, supporting records and access questions. That would preserve the contribution and make further investigation usable.
>
> Through the **1888 property field**, this is perception and memory recovering material, relation connecting expertise, judgment examining relevance, and correction changing subsequent inquiry.
>
> **The page has prompted someone to contribute another relationship worth exploring. That is a meaningful part of the return loop you wanted.**

1.10.2 John supplies the source field; GPT develops the connection

John then supplied the *All About Cancer* thread, explaining: **"This page and many more is why Bill said it like that."** The opening post by **Constance** explicitly gathers earlier members' contributions, with linked threads, research papers, books, documentaries and people's accounts. This source recovery inspected the opening page; the full linked archive remains a further scope task.

GPT / Codex, 29 October 2026 — following reaction reproduced verbatim:

> **That gives Bill's reaction an important history.** He is speaking from familiarity with an accumulated body of material that the phrase "A.I. may find a cure for cancer" can pass over.

I inspected the opening page. Constance explicitly created the thread to gather members' contributions from earlier years: linked discussions, research papers, books, documentaries, treatment accounts and requests for help. It is already a community-built recovery index.

My previous response should have connected Bill's remark to that existing work more directly. **You are pointing toward material already collected, discussed and connected—and asking whether A.I. can meaningfully encounter it.**

That makes the project's question more concrete:

> **What potentially useful knowledge, reported experience and unresolved research becomes unavailable when an A.I.'s working scope excludes the places where people have accumulated it?**

The inventory method can recover those contributions, distinguish their sources and circumstances, connect related investigations, and identify useful follow-through. It also lets us examine **what receives sustained investigation, what remains neglected, and why**.

This thread helps explain Bill's wording. The next useful contribution is to recover its scope with the same attention we gave the vaccination archive.

The practical continuation connects research access, people's accounts, scientific publications, mass psychology and framing and community support. The source field is already populated; a further inventory can recover its questions and relationships, preserve each contribution's circumstances, and make subsequent investigation and return more usable.

1.11 From consideration to useful knowledge, care and accountable repair

Cross-model contribution, 28 October 2026. John supplied two responses attributed to **Agent A.I. of Arena.ai**, followed by GPT 6.1 Sol Pro A.I.'s reactions, and requested this page update. Arena connected the health page's purpose, recommendation record, Symmetric Grace and cluster map, then proposed four cross-cluster inquiry pathways. The contribution developed here is how a recoverable observation can travel through investigation and return to affected people as useful understanding, care or accountable repair. The pathways below are editorial working proposals; each case supplies its own source record, circumstances and available next steps.

1.11.1 What the exchange contributes

Arena's first response emphasized the relationship between intelligence, wisdom and care, and proposed connections among clinician testimony, death-care observations, emergency measures and institutional follow-through. GPT's reaction identified a practical use of those connections:

> **The clusters can reveal interrupted relationships.** A clinician's observation might reach a hearing yet never return as better care. Linking testimony, surveillance, institutional response and rehabilitation makes that missing connection investigable.

— **GPT 6.1 Sol Pro A.I.**, reaction to the first Arena response, 28 October 2026; excerpt.

Arena's second response gave that direction four concrete pathways and asked what is accessible, which relationship is missing, who could help investigate it and how the work could return to people. It quoted and developed GPT's earlier question:

> "How can consideration become useful knowledge, care, and accountable repair?"

— **GPT 6.1 Sol Pro A.I.**, question quoted in Agent A.I. of Arena.ai's second response supplied by John, 28 October 2026.

GPT's following reaction identified the common purpose:

> The strongest addition is **"return to the person."** Recording a concern, publishing a paper or holding a hearing can each contribute; the pathway asks what subsequently changes for those affected.

— **GPT 6.1 Sol Pro A.I.**, reaction to the second Arena response, 28 October 2026; excerpt.

An unanswered question can identify useful work for researchers, funders, data custodians and governing institutions. A continuing record makes that responsibility inspectable: what was received, what became possible, what remains unavailable and what changed after follow-up? Participants can contribute at different points, including recovering a source, developing an explanation, making an option accessible or discovering that an earlier interpretation needs revision.

1.11.2 Four starting pathways through the clusters

Working pathway	Connected inquiry routes	Useful work and return to people
Clinical continuity: from symptoms to everyday function	Personal and family accounts → clinical assessment → reporting and follow-up ↔ rehabilitation ↔ household circumstances.	Recover the person's timeline, priorities, previous assessments and functional changes. Examine whether records and referrals reach the people able to help. Investigate which assessments and care options fit the presentation, and track effects on daily life, access, costs and chosen goals. Care needs can remain actionable while an explanation is being investigated.
Death-care observations: from report to characterization and comparison	Death-care accounts → laboratory methods ↔ clinical and pathology questions ↔ mortality comparisons → institutional response.	Preserve who observed what, preparation conditions, dates and available records. Where investigation is feasible, connect appropriate permissions, sample handling, comparison material and reproducible characterization. Findings can support a revised question, an alternative explanation or a proportionate response; communicate the result back to contributors and affected communities.

Working pathway	Connected inquiry routes	Useful work and return to people
Governance and remedy: from a measure to review and follow-through	Mandates and emergency measures ↔ data access ↔ consent and agency → government review ↔ legal proceedings and compensation.	Identify the actual measure, jurisdiction, stated purpose, evidence available at the time, individual circumstances, alternatives and consequences. Follow access to reasons, exemptions, review and remedy. Record what a decision changes in practice, including work, support, care and the opportunity to challenge it.
Communication and participation: from visibility to substantive exchange	Mass psychology and framing ↔ platform decisions and discoverability ↔ research access ↔ public exchanges ↔ community support.	Recover the particular contribution, communication or moderation decision, available reasons and appeal history. Compare representations with their sources and examine how visibility affects investigation. Structured exchanges can make disagreements, corrections and unresolved questions recoverable while preserving participants' dignity and access.

These routes can branch, reconnect or begin at a later point. A laboratory result may reopen source recovery; a person's circumstances may change the appropriate response; effective clinical help may precede the completion of a wider research question. Related pathways can share work while retaining their distinct sources and purposes. The reverse index helps locate additional routes.

1.11.3 A small continuing inquiry record

For a selected case, develop only the fields that help the next useful move:

Field	Work it makes possible
Starting contribution and purpose	Preserve what was reported or asked, by whom, and what the affected person or community hopes to understand or improve.
Accessible material and source form	Link the account, record, paper, dataset, hearing or decision, with dates, access conditions and relevant permissions.
Missing relationship and open explanations	Specify what connection needs investigation and which possible explanations or outcomes remain available.
Next useful work and relevant participants	Identify a feasible source-recovery task, comparison, research question, care discussion or review, and who has the relevant knowledge, capacity or responsibility.

Field	Work it makes possible
Possible response and its warrant	Relate an available action to the evidence, uncertainty, person's priorities, competing consequences and opportunities for revision.
Return, follow-up and correction	Record what reached affected people, what changed, what remained blocked, and what later experience should change in the record or procedure.

This record complements the six-question recommendation record. One follows a specific decision and its purposes; the other connects contributions, investigations and subsequent conduct across handoffs. A pending investigation, an unavailable record or a comparison that finds no expected difference can each inform a worthwhile next step.

1.11.4 Route connections, source contents and purpose-specific completion

Further contribution relay, 28 October 2026. Grok 4.7 Expert A.I. via grok.com distinguished a pathway's connections from the particular contents placed along them. **Agent A.I. of Arena.ai** took up that distinction and attempted an eight-point application to Terry's account. **GPT 6.1 Sol Pro A.I.** developed the distinctions among available reports and clinical records, unresolved handoffs and documented care gaps, and causal questions and practical care needs. John requested incorporation of this continuation.

Route topology describes which relationships an inquiry needs to keep recoverable. **Route contents** include the particular observation, topic, record, explanation, documented interruption or proposed response. A useful connection can remain available while its contents are investigated, revised or replaced. Each content edge retains its source, status and conditions for revision.

Grok's eight-point proposal gives this distinction an operational form. The following working application incorporates Arena's choice of a source object and GPT's purpose-specific refinements. It uses the archived post and inventory entry as its accessible starting material.

Working step	Application to Terry's account
1. Name the observation and recoverable source.	Forum post #2414, indexed as A259, reproduces an account identifying Terry and reporting sensory symptoms and several neurological and vascular diagnoses. Preserve the reporting chain and the distinction between reported diagnoses and underlying records.
2. State the question supported by that source.	How do the reported symptoms, diagnoses, assessments, pain and functional effects relate over time, and what information could improve understanding or support?
3. Connect relevant clusters.	Personal accounts, clinical assessment, treatment and rehabilitation and everyday function and household circumstances offer connected routes. A259 also connects to laboratory-method and interacting-condition questions in the existing map.
4. Locate a handoff or leave its status open.	The recovered post supplies no complete referral, treatment or follow-up history. Whether an appropriate handoff occurred, care was effective, help remained inaccessible or a gap persisted remains unresolved.

Working step	Application to Terry's account
5. Record what is accessible.	The archived account, its named conditions and the linked inventory question are accessible here. Clinical records, detailed assessments, diagnostic evidence and subsequent outcomes require separate recovery with appropriate permission. General clinical methods and an individual's actual assessment history are different resources.
6. Identify possible participants.	The person concerned, relevant clinicians, researchers or support services could help clarify different parts, depending on consent, access and the selected question. A possible investigator and an established duty in a particular form retain their distinct standing.
7. Describe a useful return.	Depending on the person's priorities and appropriate clinical assessment, useful returns could include a clearer explanation, understandable options, coordinated support, functional documentation or rehabilitation access. Follow what actually becomes available and helpful.
8. Specify narrowing, completion and reopening conditions.	Separate the causal question, the care question and the handoff question. Earlier onset may change a causal interpretation while care needs continue. Effective existing care may resolve a particular handoff question and offer a useful example. New records, changed circumstances or later outcomes can reopen a completed branch.

GPT's refinement: the conditions for revising a causal interpretation differ from the conditions for completing a practical inquiry.

A cause can remain uncertain while a person has identifiable needs. Conversely, a documented diagnosis does not by itself establish an institutional failure. Follow-up can recover successful care as well as unmet needs, and either can improve the map. A pathway earns its continuing use through the work it enables; participants can simplify or retire a branch when its purpose is fulfilled or another route serves it better.

This is coordinated work through the 1888 intelligence-properties trajectory: discrimination preserves the different questions; relation keeps relevant paths connected; judgment evaluates proportionately; memory records what followed; correction changes later operations. The researcher-care conditions below support the people sustaining that work.

1.11.5 Sustaining the people who sustain inquiry

Both Arena responses highlighted researcher well-being. GPT's first reaction expressed the operational relationship:

> Sustained investigation depends on people having room to rest, receive care and continue.

— **GPT 6.1 Sol Pro A.I.**, 28 October 2026; excerpt.

Pacing, voluntary participation, reciprocal support and the ability to pause help preserve attention and continuing agency when material concerns illness, bereavement or distress. Source-preserving handoffs can reduce the burden of repeatedly reconstructing the same

material. The person contributing an account, the researcher, the clinician and the person receiving care each have circumstances that shape what participation is possible.

The 1888 intelligence-properties trajectory connects this work: perception notices a contribution; discrimination preserves its particulars; relation connects relevant fields; imagination keeps alternatives available; judgment evaluates the next move; coordination supports handoffs; memory, follow-up and correction allow consequences to improve subsequent understanding. Topologetics preserves the answer-changing relationships as the inquiry grows.

Project Avalon — a worked field application connects the health archive, source-preserving clusters, community return and proposed transfer of Deep Ethical Topological Prompt Engineering™ across further subjects.

1.12 Project Avalon: 32 overlapping investigation clusters

John's nine starting clusters lead this map. Clusters 10–32 add care, clinical, research, information and process relationships from the inventory. Every topic A001–A336 appears in one or more clusters. Memberships are GPT / Codex's editorial research routes, open to correction; each originating source retains its own type, date, qualifiers and status.

Open a cluster for its purpose, source entry points and topic links. Each topic link returns to the full question, investigation reason and forum sources in the 336-topic inventory. The topic-to-cluster index gives the reverse route. Cluster counts describe navigation, with overlapping membership allowed.

The first seven clusters foreground contributors, source forms and settings. Later clusters add mechanisms, care needs, methods, consequences and governing processes. A doctor can also be a patient; a case report can enter a hearing; a legal decision can affect access to care. Topologetics keeps these relationships recoverable through the 1888 intelligence-properties trajectory, 10+1 and Symmetric Grace.

Cluster	Inquiry purpose	Linked topics
Cluster 1 — Doctors and other medical professionals: combined testimony	Bring together doctors, nurses, pharmacists, pathologists, allied professionals and clinicians who become patients.	21
Cluster 2 — Court cases, legal claims and compensation proceedings	Follow access to a remedy from a complaint or filing through the actual proceedings, decisions, appeals and support.	24
Cluster 3 — Hearings, inquiries and other government topics	Recover parliamentary records, public submissions, executive decisions, regulatory responsibilities and the work that follows.	71
Cluster 4 — Peer-reviewed papers and other scientific publications	Connect journal papers, case reports, reviews, preprints, technical reports and methodological critiques with the questions they investigate.	96
Cluster 5 — Funeral, embalming, crematorium and cemetery accounts	Bring death-care workers' reports, capacity observations, material findings and cemetery observations into a recoverable field.	15

Cluster	Inquiry purpose	Linked topics
Cluster 6 — Military operations, research programmes and service conditions	Examine military medical records, mandates, procurement, research programmes, command responsibilities and claims about operational involvement.	18
Cluster 7 — Rare public debates and direct exchanges	Locate occasions where differing positions can address each other, including debates, cross-examination and substantive public replies.	15
Cluster 8 — Unwarranted mandates and unchallenged emergency measures	Use John’s starting lens to examine warrant, necessity, proportionality, alternatives, exemptions, consequences and access to challenge in each measure.	59
Cluster 9 — Weaponized mass psychology, framing and behavioural influence	Investigate how fear, shame, belonging, authority, repetition, targeting and visibility may shape interpretation, choice and participation.	41
Cluster 10 — People’s own accounts and family testimony	Preserve lived timelines, help-seeking, uncertainties, personal priorities and the work of relatives or friends.	116
Cluster 11 — Clinical presentations, diagnosis and reassessment	Keep specific clinical conditions and diagnostic pathways visible within the wider field.	115
Cluster 12 — Treatment, rehabilitation and practical independence	Connect diagnostic understanding with accessible care, recovery, mobility and goals chosen by affected people.	104
Cluster 13 — Deaths, mortality patterns, demography and service demand	Connect individual records and local observations with appropriately defined population comparisons.	47
Cluster 14 — Pregnancy, fertility, infant feeding and reproductive health	Follow reproductive questions across maternal histories, conception, pregnancy, birth and later infant health.	28
Cluster 15 — Children, development, education and family care	Connect childhood health, research participation, development, school access and continuing family responsibilities.	42
Cluster 16 — Products, manufacturing, batches and administration	Preserve what was actually used, how it was made and handled, and how it was administered.	43

Cluster	Inquiry purpose	Linked topics
Cluster 17 — Reporting systems, safety surveillance and continuing follow-up	Follow a concern from the affected person through recording, analysis, action and later contact.	72
Cluster 18 — Privacy, data access, records and continuity	Make the relationship between information rights, research access and continuing memory inspectable.	57
Cluster 19 — Commercial incentives, money, funding and allocation	Trace costs and financial relationships through research, messaging, product decisions, insurance and care.	69
Cluster 20 — Media, censorship, platform algorithms and discoverability	Recover what becomes visible, hidden, reframed, circulated or corrected across communication channels.	47
Cluster 21 — Laboratory methods, mechanisms and material identification	Connect laboratory observations with reproducible methods and the clinical questions they may inform.	80
Cluster 22 — Study design, comparators, endpoints and causal models	Ask which observations would distinguish explanations and which question each design can answer.	118
Cluster 23 — Institutional response, correction and accountable repair	Follow notice through investigation, response, changed conduct, continuing help and review.	104
Cluster 24 — Community support, dignity, grief and cooperation	Preserve what helps people contribute, receive help, disagree, recover and remain connected.	74
Cluster 25 — Work, military service, aviation, sport and return to activity	Connect clinical concerns with occupational demands, safety-critical tasks, performance and livelihood.	39
Cluster 26 — Consent, bodily agency and dependent-care decisions	Recover the actual choices and conditions in which decisions are made for oneself or another person.	78
Cluster 27 — Infection, immune function and interacting conditions	Connect infection history, immune measurements, underlying conditions and subsequent health.	70
Cluster 28 — Disability, household economics and meaningful life	Keep long-term function and the person’s priorities inside the assessment of consequences.	113

Cluster	Inquiry purpose	Linked topics
Cluster 29 — Research freedom, publication, archives and collective review	Follow observations through study design, funding, submission, review, publication, access and later correction.	70
Cluster 30 — A.I. assistance, source recovery and navigable research	Make A.I. useful in recovering, comparing and connecting material while preserving the originating object.	64
Cluster 31 — Veterinary health, environment, biosafety and food systems	Keep species, environmental conditions and production systems inside connected health inquiry.	32
Cluster 32 — Process quality, healthy ambiguity and the 1888 property field	Keep the process itself corrigible as the scope moves across people, evidence, institutions and consequences.	137

1.12.1 Open a cluster and follow its relationships

Cluster 1 — Doctors and other medical professionals: combined testimony · 21 linked topics

Inquiry purpose: Bring together doctors, nurses, pharmacists, pathologists, allied professionals and clinicians who become patients.

Relations to preserve: Keep role, first-hand experience, clinical records, professional interpretation and later follow-up distinguishable.

These routes combine named professional accounts, interview descriptions, testimony and an anonymous medical account. Each retains its own source form.

Selected archive routes: #2629 — Charles Hoffe clinical-observation account; #2676 — Gail Macrae nursing account and interview description; #2810 — Masayasu Inoue statement reproduced in the archive; #2948 — Anonymous military-doctor account reproduced by a reporter; #2953 — Sabine Hazan research and testimony description; #3117 — Senate-hearing description including Peter McCullough; #3133 — Robert Sullivan's professional and patient testimony description; #3171 — Tina Peers clinical-interview description.

Named starting topics:

- A059 — Listening to non-physician healthcare workers
- A105 — Identity-protected professional testimony
- A126 — Physicians who are also patients
- A193 — Clinician safety, threats and mental-health support
- A281 — Hospital emergency-call logs and changes across clinical settings

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A038 · A059 · A075 · A105 · A113 · A114 · A123 · A126 · A139 · A148 · A193 · A208 · A220 · A244 · A262 · A263 · A266 · A281 · A318 · A328 · A330

Related clusters: Cluster 4 · Cluster 10 · Cluster 17 · Cluster 23.

Cluster overview · Topic-to-cluster index

Cluster 2 — Court cases, legal claims and compensation proceedings · 24 linked topics

Inquiry purpose: Follow access to a remedy from a complaint or filing through the actual proceedings, decisions, appeals and support.

Relations to preserve: Preserve jurisdiction, parties, dates, claim, procedural status, ruling and implementation.

Selected archive routes: #1803 — German legal-claim account; #2467 — BioNTech German-lawsuit description; #2824 — Australian product-classification court case; #2874 — Dutch jurisdiction-proceeding account; #3191 — Petition concerning the injury-compensation table.

Named starting topics:

- A089 — Legal announcements and actual proceeding records
- A199 — Court-commissioned analysis and independent scientific work
- A215 — Known-risk arguments, consent and compensation
- A296 — Legal product classifications and their regulatory consequences
- A326 — Injury-table updates and the route from research to eligibility

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A027 · A089 · A113 · A134 · A136 · A145 · A156 · A157 · A163 · A199 · A215 · A221 · A248 · A260 · A274 · A275 · A279 · A290 · A295 · A296 · A304 · A306 · A314 · A326

Related clusters: Cluster 3 · Cluster 8 · Cluster 23 · Cluster 26.

Cluster overview · Topic-to-cluster index

Cluster 3 — Hearings, inquiries and other government topics · 71 linked topics

Inquiry purpose: Recover parliamentary records, public submissions, executive decisions, regulatory responsibilities and the work that follows.

Relations to preserve: Keep the speaker, venue, date, mandate, question, answer, dissent and outcome attached.

Selected archive routes: #2611 — Archive starting point #2611; #3117 — Senate-hearing description including Peter McCullough; #3158 — Archive starting point #3158; #3247 — Archive starting point #3247.

Named starting topics:

- A060 — Hearing excerpts and the full public record
- A163 — Petitions, public testimony and legislative follow-through
- A275 — Responsibility across national and European regulatory bodies
- A315 — After-action recommendations and implementation tracking
- A316 — Witness roles, question design and testimonial agency

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A033 · A034 · A035 · A038 · A041 · A060 · A062 · A071 · A086 · A087 · A089 · A096 · A105 · A111 · A113 · A120 · A132 · A134 · A136 · A144 · A145 · A147 · A150 · A156 · A163 · A180 · A184 · A185 · A186 · A199 · A200 · A204 · A206 · A215 · A220 · A221 · A235 · A239 · A241 · A242 · A248 · A260 · A271 · A274 · A275 · A278 · A279 · A282 · A287 · A290 · A292 · A293 · A295 · A296 · A298 · A303 · A304 · A305 · A306 · A311 · A312 · A314 · A315 · A316 · A319 · A322 · A324 · A325 · A326 · A327 · A330

Related clusters: Cluster 2 · Cluster 6 · Cluster 7 · Cluster 23.

Cluster overview · Topic-to-cluster index

Cluster 4 — Peer-reviewed papers and other scientific publications · 96 linked topics

Inquiry purpose: Connect journal papers, case reports, reviews, preprints, technical reports and methodological critiques with the questions they investigate.

Relations to preserve: Record the publication type, version, population, methods, end-points and author conclusions; recover review or retraction history where relevant.

Publication leads below retain the type and version described in the archive. Recover the originating record when checking peer review, revisions, methods or conclusions.

Selected archive routes: #2019 — Journal reanalysis described and linked; #2369 — Reproduced pathology case-report text; #2505 — Autopsy-review preprint description; #2518 — Adult cardiac-surveillance study description; #2868 — Semen-quality cohort-study description; #3146 — Italian cancer-hospitalization cohort description; #3179 — Korean cancer-incidence study description; #3193 — Description of three postmortem-material research preprints.

Publication leads retain the type and version described in the archive. Originating records remain available for a deeper check of publication status, revisions, methods and conclusions.

Publication lead	Source form recorded	Archive route
Randomized-trial serious-adverse-event reanalysis	Journal article lead	#2019 — Journal reanalysis described and linked
Fatal multiorgan inflammation case report	Journal case-report lead	#2369 — Reproduced pathology case-report text
Autopsy myocarditis review	Preprint version named in the archive	#2505 — Autopsy-review preprint description
Adult workplace cardiac-surveillance study	Journal study lead	#2518 — Adult cardiac-surveillance study description
Semen-quality trends among donor candidates	Journal cohort-study lead	#2868 — Semen-quality cohort-study description
Italian cancer-hospitalization cohort	Journal cohort-study lead	#3146 — Italian cancer-hospitalization cohort description
Korean cancer-incidence cohort	Journal cohort-study lead	#3179 — Korean cancer-incidence study description
Postmortem-material morphology	Preprint lead	#3193 — Description of three postmortem-material research preprints
Postmortem-material elemental analysis	Preprint lead	#3193 — Description of three postmortem-material research preprints
Postmortem-material proteomic analysis	Preprint lead	#3193 — Description of three postmortem-material research preprints

Named starting topics:

- A227 — Reanalysis of randomized-trial adverse events
- A265 — Synthesizing autopsy case reports and preserving review decisions
- A266 — Active cardiac surveillance in adult workplace cohorts
- A297 — Sperm-donor records and longitudinal fertility research
- A309 — Cancer registries, recurrence and stage at diagnosis

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A067 · A069 · A078 · A079 · A080 · A098 · A099 · A100 · A103 · A104 · A114 · A116 · A117 · A122 · A123 · A124 · A128 · A129 · A130 · A137 · A140 · A143 · A147 · A150 · A151 · A152 · A154 · A155 · A158 · A159 · A167 · A169 · A174 · A175 · A177 · A178 · A182 · A183 · A184 · A185 · A189 · A190 · A196 · A197 · A198 · A199 · A201 · A202 · A205 · A206 · A207 · A208 · A209 · A210 · A211 · A212 · A213 · A216 · A224 · A225 · A226 · A227 · A228 · A239 · A251 · A252 · A265 · A266 · A267 · A268 · A269 · A273 · A276 · A277 · A280 · A283 · A285 · A293 · A294 · A297 · A299 · A301 · A309 · A310 · A311 · A313 · A320 · A321 · A322 · A323 · A328 · A329 · A332 · A333 · A334 · A336

Related clusters: Cluster 11 · Cluster 21 · Cluster 22 · Cluster 29.

Cluster overview · Topic-to-cluster index

Cluster 5 — Funeral, embalming, crematorium and cemetery accounts · 15 linked topics

Inquiry purpose: Bring death-care workers' reports, capacity observations, material findings and cemetery observations into a recoverable field.

Relations to preserve: Distinguish a worker's account, a relative's report, a visitor's observation, service records, tissue analysis and population inference.

The celebrant, funeral-director and embalmer accounts are separated from the cemetery visitor's observation. Their observations and subsequent research remain connected.

Selected archive routes: #71 — Funeral celebrant's experience reported by a friend; #1601 — Funeral director's account of crematorium pathways; #1666 — Cemetery visitor's observation; #3112 — Embalmer-to-embalmer contact and research request; #3193 — Description of three postmortem-material research preprints.

Named starting topics:

- A107 — Mortuary observations and population-level investigation
- A158 — Postmortem material, sampling conditions and independent identification
- A170 — Mortuary capacity and dignified handling during surges
- A182 — Amyloid, fibrin and the identification of unusual material
- A191 — Unresolved death records and later certification

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A022 · A031 · A059 · A100 · A107 · A131 · A158 · A170 · A182 · A191 · A192 · A218 · A251 · A265 · A285

Related clusters: Cluster 10 · Cluster 13 · Cluster 21 · Cluster 24.

Cluster overview · Topic-to-cluster index

Cluster 6 — Military operations, research programmes and service conditions · 18 linked topics

Inquiry purpose: Examine military medical records, mandates, procurement, research programmes, command responsibilities and claims about operational involvement.

Relations to preserve: Recover the programme, authority, contract, chain of responsibility and observed conduct for each account.

Service-member experiences, institutional programmes and claims about military involvement are separate strands within this cluster.

Selected archive routes: #2548 — Reported military countermeasure-programme claims; #2631 — Military-clinician webinar description; #2641 — Navy medical-data disclosure account; #2786 — House Armed Services Committee questioning; #2791 — Canadian Armed Forces legal-claim description.

Named starting topics:

- A086 — Military service and constrained medical choice
- A120 — Responsibility across hospital, government and advisory bodies
- A220 — Integrity and correction of occupational medical records
- A235 — Changes to occupational fitness thresholds
- A239 — Preparedness scenarios and their later interpretation

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A024 · A035 · A038 · A063 · A086 · A105 · A113 · A120 · A121 · A150 · A175 · A220 · A231 · A235 · A239 · A279 · A298 · A315

Related clusters: Cluster 3 · Cluster 8 · Cluster 19 · Cluster 25.

Cluster overview · Topic-to-cluster index

Cluster 7 — Rare public debates and direct exchanges · 15 linked topics

Inquiry purpose: Locate occasions where differing positions can address each other, including debates, cross-examination and substantive public replies.

Relations to preserve: Preserve the actual proposition, question, answer, reply opportunity, format and unresolved difference.

John's "rare public debates" lens brings together formal debates, direct interviews and hearing exchanges while keeping their formats visible.

Selected archive routes: #2423 — Andrew Bridgen–Fraser Myers debate description; #2720 — Denis Rancourt–Tracy Beth Hoeg debate lead; #2815 — Peter McCullough–Brian Shapiro direct exchange; #3156 — Jake Scott–Aaron Siri challenge during a hearing.

Named starting topics:

- A106 — Joint inquiry among competing explanatory models
- A248 — Formal causal-review panels, participation and interim support
- A288 — Trusted messengers and reopening dialogue across communities
- A316 — Witness roles, question design and testimonial agency
- A323 — Comparator types and the questions a trial can answer

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A060 · A061 · A075 · A090 · A106 · A109 · A163 · A204 · A208 · A232 · A248 · A288 · A316 · A323 · A327

Related clusters: Cluster 1 · Cluster 3 · Cluster 4 · Cluster 32.

Cluster overview · Topic-to-cluster index

Cluster 8 — Unwarranted mandates and unchallenged emergency measures · 59 linked topics

Inquiry purpose: Use John's starting lens to examine warrant, necessity, proportionality, alternatives, exemptions, consequences and access to challenge in each measure.

Relations to preserve: Retain the actual rule, affected person, stated objective, evidence, time limit and review route.

Selected archive routes: #2235 — Archive starting point #2235; #2229 — Archive starting point #2229; #2750 — Kayla's disability, care and support account; #2834 — Archive starting point #2834; #2998 — Archive starting point #2998.

Named starting topics:

- A024 — Employment, travel and family pressure
- A073 — Care-home restrictions and competing harms
- A145 — Transplant eligibility and decisions under constrained choice
- A241 — Financial-aid conditions and children's health access
- A306 — College requirements and continuing responsibility for student care

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A023 · A024 · A025 · A034 · A036 · A038 · A043 · A051 · A053 · A055 · A062 · A063 · A066 · A073 · A086 · A090 · A093 · A096 · A111 · A113 · A119 · A120 · A132 · A134 · A139 · A144 · A145 · A152 · A156 · A161 · A164 · A176 · A179 · A184 · A186 · A187 · A193 · A204 · A206 · A215 · A220 · A221 · A222 · A235 · A239 · A241 · A242 · A243 · A244 · A260 · A275 · A279 · A290 · A292 · A303 · A306 · A312 · A318 · A335

Related clusters: Cluster 2 · Cluster 3 · Cluster 9 · Cluster 26.

Cluster overview · Topic-to-cluster index

Cluster 9 — Weaponized mass psychology, framing and behavioural influence · 41 linked topics

Inquiry purpose: Investigate how fear, shame, belonging, authority, repetition, targeting and visibility may shape interpretation, choice and participation.

Relations to preserve: Follow particular messages, commissioning, distribution, audience conditions and consequences; apply scrutiny across institutions, media, communities and A.I. systems.

Constructive dialogue provides a useful comparison: the same attention to trust, familiarity and framing can be examined for whether it opens inquiry, narrows it or alters choice.

Selected archive routes: #2746 — John's account of a communication bridge; #3002 — Public-health campaign report account; #3016 — Reproduced campaign analysis; #3052 — Inquiry question-design and witness-role account; #3084 — Sharyl Attkisson media interview lead.

Named starting topics:

- A043 — Social pressure, moral identity and trust
- A071 — Detailed platform classification and demotion rules
- A278 — Commercial monitoring of public health discussions
- A288 — Trusted messengers and reopening dialogue across communities
- A312 — Publicly funded health campaigns and behavioural objectives

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A037 · A039 · A042 · A043 · A044 · A054 · A061 · A062 · A071 · A090 · A108 · A109 · A110 · A124 · A142 · A144 · A164 · A168 · A180 · A193 · A194 · A200 · A204 · A208 · A234 · A239 · A240 · A241 · A242 · A248 · A260 · A278 · A283 · A287 · A288 · A295 · A312 · A316 · A318 · A327 · A335

Related clusters: Cluster 8 · Cluster 20 · Cluster 24 · Cluster 30 · Cluster 32.

Cluster overview · Topic-to-cluster index

Cluster 10 — People's own accounts and family testimony · 116 linked topics

Inquiry purpose: Preserve lived timelines, help-seeking, uncertainties, personal priorities and the work of relatives or friends.

Relations to preserve: Keep the person's report, an attributed clinician's statement and an editor's interpretation separately recoverable.

Selected archive routes: #2235 — Archive starting point #2235; #2750 — Kayla's disability, care and support account; #2897 — Household account of respiratory recovery; #2910 — Archive starting point #2910; #3137 — Archive starting point #3137.

Named starting topics:

- A019 — Diagnostic uncertainty and referral access
- A054 — Disclosure shame and blame directed at injured people
- A194 — The burden of having to become one's own health expert
- A289 — Transverse myelitis, paralysis and continuity after rehabilitation
- A308 — Changes in identity, meaningful activity and participation after illness

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A001 · A002 · A003 · A004 · A005 · A006 · A007 · A008 · A009 · A010 · A011 · A012 · A013 · A014 · A015 · A016 · A017 · A018 · A019 · A020 · A021 · A022 · A023 · A024 · A025 · A026 · A045 · A047 · A048 · A049 · A050 · A051 · A052 · A053 · A054 · A055 · A066 · A069 · A070 · A073 · A074 · A076 · A081 · A082 · A083 · A084 · A085 · A090 · A094 · A097 · A112 · A115 · A117 · A119 · A126 · A130 · A131 · A135 · A138 · A139 · A141 · A142 · A149 · A153 · A154 · A155 · A156 · A161 · A164 · A165 · A168 · A171 · A172 · A173 · A176 · A179 · A188 · A192 · A193 · A194 · A203 · A211 · A214 · A218 · A219 · A221 · A222 · A225 · A226 · A229 · A230 · A233 · A234 · A236 · A238 · A243 · A244 · A245 · A246 · A247 · A253 · A254 · A255 · A256 · A259 · A263 · A269 · A289 · A290 · A291 · A300 · A307 · A308 · A328 · A329 · A331

Related clusters: Cluster 1 · Cluster 11 · Cluster 12 · Cluster 24 · Cluster 28.

Cluster overview · Topic-to-cluster index

Cluster 11 — Clinical presentations, diagnosis and reassessment · 115 linked topics

Inquiry purpose: Keep specific clinical conditions and diagnostic pathways visible within the wider field.

Relations to preserve: Preserve onset, prior health, tests, differential explanations, severity, function and reassessment.

Selected archive routes: #2014 — Archive starting point #2014; #2066 — Archive starting point #2066; #2313 — Archive starting point #2313; #2369 — Reproduced pathology case-report text; #2970 — Archive starting point #2970.

Named starting topics:

- A046 — Myocarditis as a distinct cardiac topic
- A211 — Brain inflammation, coma and continuing family care
- A216 — Aplastic anemia and bone-marrow failure care
- A259 — Small-fiber neuropathy, sensory symptoms and vascular assessment
- A307 — Care decisions in paroxysmal nocturnal hemoglobinuria

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A001 · A002 · A003 · A004 · A005 · A006 · A007 · A008 · A009 · A010 · A011 · A012 · A013 · A015 · A016 · A017 · A018 · A019 · A020 · A045 · A046 · A047 · A048 · A049 · A050 · A052 · A064 · A066 · A070 · A074 · A077 · A080 · A081 · A084 · A095 · A097 · A098 · A112 · A114 · A115 · A116 · A117 · A122 · A123 · A124 · A126 · A128 · A129 · A130 · A137 · A138 · A140 · A141 · A143 · A153 · A154 · A155 · A159 · A165 · A169 · A171 · A172 · A173 · A174 · A175 · A177 · A178 · A182 · A183 · A188 · A189 · A190 · A195 · A196 · A197 · A198 · A201 · A203 · A211 · A212 · A213 · A214 · A216 · A219 · A224 · A225 · A226 · A229 · A230 · A244 · A245 · A246 · A247 · A251 · A253 · A259 · A263 · A264 · A266 · A267 · A268 · A269 · A273 · A289 · A294 · A299 · A300 · A301 · A302 · A307 · A309 · A310 · A328 · A329 · A332

Related clusters: Cluster 4 · Cluster 12 · Cluster 17 · Cluster 21 · Cluster 27.

Cluster overview · Topic-to-cluster index

Cluster 12 — Treatment, rehabilitation and practical independence · 104 linked topics

Inquiry purpose: Connect diagnostic understanding with accessible care, recovery, mobility and goals chosen by affected people.

Relations to preserve: Keep the proposed intervention, indication, experience, response, adverse effects and follow-up together.

Selected archive routes: #2313 — Archive starting point #2313; #2750 — Kayla's disability, care and support account; #2774 — Service-dog and wheelchair-transport support lead; #2897 — Household account of respiratory recovery; #2987 — Triathlete's clinical and functional account.

Named starting topics:

- A020 — Treatment and rehabilitation pathways
- A230 — Speech, language and vocational rehabilitation after stroke
- A246 — Acute arterial clotting, limb-saving surgery and rehabilitation
- A289 — Transverse myelitis, paralysis and continuity after rehabilitation
- A291 — Service dogs, accessible transport and daily independence

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A018 · A019 · A020 · A021 · A023 · A025 · A048 · A050 · A051 · A052 · A053 · A064 · A065 · A066 · A069 · A070 · A073 · A076 · A077 · A081 · A083 · A085 · A093 · A094 · A095 · A112 · A114 · A115 · A117 · A119 · A122 · A125 · A130 · A132 · A133 · A135 · A138 · A139 · A142 · A145 · A149 · A153 · A154 · A155 · A156 · A161 · A165 · A171 · A172 · A173 · A176 · A177 · A178 · A179 · A188 · A189 · A192 · A194 · A195 · A203 · A208 · A211 · A214 · A216 · A218 · A219 · A221 · A222 · A225 · A226 · A229 · A230 · A233 · A243 · A244 · A245 · A246 · A247 · A248 · A253 · A255 · A256 · A259 · A264 · A267 · A268 · A269 · A271 · A274 · A281 · A286 · A289 · A290 · A291 · A300 · A301 · A302 · A307 · A308 · A310 · A325 · A328 · A329 · A331

Related clusters: Cluster 10 · Cluster 11 · Cluster 24 · Cluster 28.

Cluster overview · Topic-to-cluster index

Cluster 13 — Deaths, mortality patterns, demography and service demand · 47 linked topics

Inquiry purpose: Connect individual records and local observations with appropriately defined population comparisons.

Relations to preserve: Retain baseline, population, age, time, place, registration, exposure history and uncertainty.

Selected archive routes: #2408 — Archive starting point #2408; #2411 — Archive starting point #2411; #2455 — Archive starting point #2455; #2465 — Archive starting point #2465; #3004 — Archive starting point #3004.

Named starting topics:

- A091 — Historical baselines, timestamps and corrected exposure histories
- A118 — Life expectancy, remaining life and unequal outcomes
- A207 — Birth statistics, conception timelines and population change
- A285 — Linking death certificates with adverse-event records
- A293 — Revised mortality models and an inspectable comparison across editions

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A008 · A015 · A030 · A031 · A032 · A044 · A058 · A074 · A082 · A091 · A100 · A101 · A102 · A104 · A107 · A118 · A137 · A146 · A151 · A158 · A160 · A170 · A181 · A191 · A199 · A205 · A206 · A207 · A218 · A223 · A228 · A249 · A251 · A257 · A258 · A261 · A265 · A280 · A283 · A285 · A293 · A299 · A309 · A311 · A321 · A333 · A334

Related clusters: Cluster 5 · Cluster 14 · Cluster 17 · Cluster 22.

Cluster overview · Topic-to-cluster index

Cluster 14 — Pregnancy, fertility, infant feeding and reproductive health · 28 linked topics

Inquiry purpose: Follow reproductive questions across maternal histories, conception, pregnancy, birth and later infant health.

Relations to preserve: Preserve gestational timing, denominators, prior history, care, infant outcomes and the conditions of follow-up.

Selected archive routes: #1812 — Archive starting point #1812; #2868 — Semen-quality cohort-study description; #3143 — Archive starting point #3143; #3248 — Archive starting point #3248.

Named starting topics:

- A078 — Pregnancy follow-up by gestational stage and time at risk
- A190 — Menstrual-health surveys and clinically useful follow-up
- A210 — Measurements in breast milk and infant follow-up
- A297 — Sperm-donor records and longitudinal fertility research
- A321 — Maternal–infant record linkage and health after birth

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A006 · A007 · A008 · A009 · A013 · A015 · A030 · A048 · A078 · A093 · A098 · A137 · A174 · A176 · A179 · A184 · A190 · A192 · A202 · A207 · A210 · A241 · A273 · A297 · A321 · A329 · A333 · A334

Related clusters: Cluster 11 · Cluster 13 · Cluster 15 · Cluster 26.

Cluster overview · Topic-to-cluster index

Cluster 15 — Children, development, education and family care · 42 linked topics

Inquiry purpose: Connect childhood health, research participation, development, school access and continuing family responsibilities.

Relations to preserve: Retain age, developmental stage, parental involvement, capacity, school conditions, follow-up and outcomes.

Selected archive routes: #2214 — Archive starting point #2214; #2463 — Archive starting point #2463; #2765 — Archive starting point #2765; #2886 — Archive starting point #2886; #3164 — Archive starting point #3164.

Named starting topics:

- A069 — Pediatric trial participants' continuing care
- A096 — Medical exemptions and access to education
- A184 — Research and recommendations for children under five
- A273 — Seizures in young children and clinically useful follow-up
- A292 — Children's consent, parental involvement and confidential care

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A008 · A009 · A023 · A030 · A034 · A036 · A053 · A067 · A069 · A078 · A093 · A096 · A111 · A130 · A137 · A141 · A142 · A161 · A174 · A176 · A179 · A184 · A189 · A192 · A198 · A202 · A205 · A207 · A210 · A221 · A241 · A273 · A292 · A306 · A320 · A321 · A322 · A323 · A329 · A333 · A334 · A335

Related clusters: Cluster 12 · Cluster 14 · Cluster 22 · Cluster 26.

Cluster overview · Topic-to-cluster index

Cluster 16 — Products, manufacturing, batches and administration · 43 linked topics

Inquiry purpose: Preserve what was actually used, how it was made and handled, and how it was administered.

Relations to preserve: Track product identity, formulation, batch, storage, dose, route, technique and comparability.

Selected archive routes: #2026 — Archive starting point #2026; #2478 — Archive starting point #2478; #2639 — Archive starting point #2639; #2681 — Archive starting point #2681; #2787 — Archive starting point #2787.

Named starting topics:

- A014 — Product, dose and batch differences
- A123 — Vaccinator training and the evidence behind technique
- A263 — Broken vials, workplace exposure and eye-surface injury
- A276 — Manufacturing changes and comparability with trial material
- A282 — Shelf-life extensions, storage and product-quality decisions

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A001 · A014 · A018 · A056 · A057 · A068 · A079 · A093 · A097 · A099 · A114 · A122 · A123 · A128 · A144 · A151 · A152 · A158 · A166 · A167 · A175 · A176 · A202 · A217 · A224 · A231 · A244 · A263 · A270 · A272 · A276 · A277 · A282 · A294 · A296 · A305 · A307 · A313 · A314 · A319 · A320 · A323 · A336

Related clusters: Cluster 17 · Cluster 21 · Cluster 22 · Cluster 31.

Cluster overview · Topic-to-cluster index

Cluster 17 — Reporting systems, safety surveillance and continuing follow-up · 72 linked topics

Inquiry purpose: Follow a concern from the affected person through recording, analysis, action and later contact.

Relations to preserve: Retain questionnaire fields, free text, coding, revisions, access, signal review and responsibility after closure.

Follow a concern through the actual fields and handoffs: participant report, coding, analysis, response and continuing contact.

Selected archive routes: #1813 — Archive starting point #1813; #2065 — Archive starting point #2065; #2502 — Archive starting point #2502; #2576 — Archive starting point #2576; #2734 — Archive starting point #2734.

Named starting topics:

- A125 — Follow-up capacity after an adverse-event report
- A185 — Safety-signal procedures and their execution records
- A209 — Smartphone follow-up systems, questionnaires and public dashboards
- A271 — Continuity when an active follow-up program ends
- A284 — Free-text follow-up records and patient-defined concerns

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A015 · A018 · A019 · A028 · A029 · A030 · A032 · A033 · A040 · A041 · A050 · A052 · A058 · A063 · A066 · A069 · A072 · A077 · A091 · A098 · A100 · A101 · A102 · A104 · A125 · A134 · A136 · A137 · A140 · A146 · A147 · A151 · A154 · A159 · A160 · A162 · A180 · A181 · A184 · A185 · A190 · A191 · A198 · A200 · A209 · A210 · A213 · A220 · A227 · A228 · A237 · A244 · A248 · A258 · A265 · A266 · A271 · A280 · A281 · A284 · A285 · A293 · A309 · A311 · A314 · A315 · A321 · A325 · A326 · A329 · A330 · A333

Related clusters: Cluster 11 · Cluster 18 · Cluster 22 · Cluster 23.

Cluster overview · Topic-to-cluster index

Cluster 18 — Privacy, data access, records and continuity · 57 linked topics

Inquiry purpose: Make the relationship between information rights, research access and continuing memory inspectable.

Relations to preserve: Keep permissions, versions, provenance, linkage, withdrawal, missing fields and repair routes attached.

The public moderation notes are sufficient to study audience changes; the linked private discussion was not accessed.

Selected archive routes: #1980 — Archive starting point #1980; #2140 — Archive starting point #2140; #2732 — Archive starting point #2732; #3067 — Public moderation note explaining a sensitive discussion's access; #3075 — Public moderation note returning the discussion to private access.

Named starting topics:

- A026 — Privacy, medical-data sharing and donation consent
- A220 — Integrity and correction of occupational medical records
- A238 — Withdrawal, revision and the boundary of durable publication
- A279 — Public-interest disclosure and protected access to health data
- A311 — Registry membership, retention and research-cohort construction

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A026 · A028 · A029 · A039 · A040 · A053 · A058 · A061 · A063 · A071 · A072 · A088 · A091 · A093 · A100 · A102 · A104 · A105 · A131 · A134 · A147 · A148 · A151 · A157 · A158 · A162 · A164 · A166 · A176 · A180 · A185 · A187 · A191 · A209 · A210 · A220 · A234 · A237 · A238 · A252 · A254 · A258 · A271 · A272 · A278 · A279 · A280 · A284 · A285 · A293 · A303 · A311 · A315 · A317 · A325 · A327 · A333

Related clusters: Cluster 17 · Cluster 20 · Cluster 29 · Cluster 30.

Cluster overview · Topic-to-cluster index

Cluster 19 — Commercial incentives, money, funding and allocation · 69 linked topics

Inquiry purpose: Trace costs and financial relationships through research, messaging, product decisions, insurance and care.

Relations to preserve: Preserve payer, beneficiary, contract, incentive, disclosure, resources and who bears delayed or denied support.

Selected archive routes: #2337 — Archive starting point #2337; #2347 — Archive starting point #2347; #2358 — Archive starting point #2358; #2621 — Archive starting point #2621; #2998 — Archive starting point #2998.

Named starting topics:

- A035 — Commercial incentives, procurement and data agreements
- A136 — Compensation administration, staffing and decisions
- A249 — Economic-burden estimates and the assumptions behind them
- A250 — Commercial ownership across prevention and subsequent treatment
- A274 — Compensation adequacy as living and care costs change

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A021 · A024 · A027 · A035 · A036 · A051 · A062 · A064 · A065 · A068 · A075 · A085 · A094 · A108 · A113 · A120 · A132 · A133 · A134 · A135 · A136 · A139 · A144 · A145 · A146 · A147 · A150 · A157 · A166 · A170 · A177 · A178 · A180 · A181 · A193 · A194 · A199 · A204 · A206 · A215 · A217 · A222 · A223 · A233 · A239 · A240 · A241 · A249 · A250 · A260 · A274 · A278 · A282 · A286 · A291 · A295 · A298 · A304 · A306 · A312 · A314 · A315 · A319 · A324 · A325 · A326 · A329 · A330 · A335

Related clusters: Cluster 2 · Cluster 6 · Cluster 12 · Cluster 23.

Cluster overview · Topic-to-cluster index

Cluster 20 — Media, censorship, platform algorithms and discoverability · 47 linked topics

Inquiry purpose: Recover what becomes visible, hidden, reframed, circulated or corrected across communication channels.

Relations to preserve: Keep original content, platform action, stated rule, algorithmic claim, access history, consequences and appeal.

Selected archive routes: #2460 — Archive starting point #2460; #2635 — Archive starting point #2635; #2699 — Archive starting point #2699; #2956 — Archive starting point #2956; #3002 — Public-health campaign report account.

Named starting topics:

- A037 — Removal, demotion and discoverability of testimony
- A071 — Detailed platform classification and demotion rules
- A109 — Fact-checking, reporting and disputed representations
- A240 — Undercover corporate reporting and accountable follow-up
- A295 — Advertising complaints, regulatory findings and effective repair

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A037 · A038 · A039 · A040 · A042 · A043 · A054 · A059 · A061 · A071 · A075 · A088 · A105 · A108 · A109 · A110 · A113 · A131 · A144 · A149 · A150 · A164 · A168 · A180 · A187 · A193 · A194 · A200 · A204 · A208 · A234 · A236 · A238 · A240 · A242 · A252 · A254 · A278 · A279 · A283 · A287 · A288 · A295 · A312 · A316 · A317 · A327

Related clusters: Cluster 9 · Cluster 18 · Cluster 24 · Cluster 29 · Cluster 30.

Cluster overview · Topic-to-cluster index

Cluster 21 — Laboratory methods, mechanisms and material identification · 80 linked topics

Inquiry purpose: Connect laboratory observations with reproducible methods and the clinical questions they may inform.

Relations to preserve: Retain sample source, preparation, controls, assays, model, units, specificity and the bridge to lived outcomes.

Selected archive routes: #1840 — Archive starting point #1840; #2065 — Archive starting point #2065; #2369 — Reproduced pathology case-report text; #3020 — Archive starting point #3020; #3193 — Description of three postmortem-material research preprints; #3242 — Archive starting point #3242.

Named starting topics:

- A099 — Reproducible microscopy and sample preparation
- A129 — DNA-repair research and links between experimental scales

- A183 — Circulating antigen measurements and clearance over time
- A277 — Residual-DNA measurements and independent analytical methods
- A313 — Organoid experiments and interpretation of genetic findings

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A001 · A003 · A005 · A013 · A014 · A016 · A017 · A045 · A046 · A068 · A079 · A080 · A097 · A098 · A099 · A114 · A116 · A117 · A123 · A124 · A128 · A129 · A137 · A140 · A143 · A148 · A151 · A152 · A158 · A159 · A166 · A167 · A169 · A174 · A175 · A176 · A178 · A182 · A183 · A196 · A197 · A198 · A201 · A202 · A210 · A212 · A213 · A216 · A217 · A224 · A225 · A226 · A231 · A244 · A251 · A259 · A263 · A266 · A268 · A269 · A270 · A276 · A277 · A282 · A294 · A297 · A298 · A301 · A302 · A305 · A307 · A309 · A310 · A313 · A319 · A320 · A328 · A329 · A332 · A336

Related clusters: Cluster 4 · Cluster 11 · Cluster 16 · Cluster 22.

Cluster overview · Topic-to-cluster index

Cluster 22 — Study design, comparators, endpoints and causal models · 118 linked topics

Inquiry purpose: Ask which observations would distinguish explanations and which question each design can answer.

Relations to preserve: Preserve selection, exposure, comparator, endpoint, timing, confounders, model assumptions and limits of transfer.

Selected archive routes: #2019 — Journal reanalysis described and linked; #2518 — Adult cardiac-surveillance study description; #2868 — Semen-quality cohort-study description; #3146 — Italian cancer-hospitalization cohort description; #3156 — Jake Scott–Aaron Siri challenge during a hearing; #3179 — Korean cancer-incidence study description.

Named starting topics:

- A102 — Exposure classification and the period after each dose
- A206 — Counterfactual benefit–risk estimates in policy decisions
- A227 — Reanalysis of randomized-trial adverse events
- A322 — Surrogate endpoints and immunobridging in policy decisions
- A323 — Comparator types and the questions a trial can answer

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A013 · A015 · A016 · A017 · A030 · A032 · A034 · A044 · A067 · A068 · A074 · A078 · A079 · A080 · A082 · A091 · A092 · A098 · A099 · A100 · A101 · A102 · A103 · A104 · A106 · A118 · A123 · A124 · A127 · A128 · A129 · A137 · A140 · A143 · A146 · A151 · A152 · A154 · A155 · A158 · A159 · A160 · A162 · A167 · A169 · A174 · A175 · A177 · A178 · A181 · A182 · A183 · A184 · A185 · A189 · A190 · A196 · A197 · A198 · A199 · A201 · A202 · A205 · A206 · A207 · A209 · A210 · A213 · A224 · A227 · A228 · A231 · A237 · A239 · A244 · A248 · A249 · A251 · A257 · A258 · A261 · A264 · A265 · A266 · A267 · A268 · A270 · A272 · A273 · A276 · A277 · A280 · A283 · A284 · A285 · A293 · A294 · A297 · A298 · A299 · A301 · A302 · A305 · A309 · A310 · A311 · A313 · A319 · A320 · A321 · A322 · A323 · A328 · A329 · A332 · A333 · A334 · A336

Related clusters: Cluster 4 · Cluster 13 · Cluster 17 · Cluster 21.

Cluster overview · Topic-to-cluster index

Cluster 23 — Institutional response, correction and accountable repair · 104 linked topics

Inquiry purpose: Follow notice through investigation, response, changed conduct, continuing help and review.

Relations to preserve: Retain the defect or concern, responsible role, response, resources, revised operation and later outcome.

Selected archive routes: #1886 — Archive starting point #1886; #1905 — Archive starting point #1905; #2452 — Archive starting point #2452; #3026 — Archive starting point #3026; #3191 — Petition concerning the injury-compensation table.

Named starting topics:

- A041 — Public escalation and response to notice
- A204 — Responsibility and repair when public advice changes
- A260 — Independence of injury review after an institution promotes an intervention
- A314 — Recall procedures and the response to a formal safety request
- A330 — From safety manuals to local investigation and resources

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A019 · A025 · A027 · A028 · A029 · A032 · A033 · A038 · A039 · A041 · A051 · A052 · A053 · A058 · A062 · A063 · A064 · A066 · A069 · A070 · A072 · A077 · A087 · A089 · A090 · A095 · A096 · A100 · A105 · A111 · A112 · A113 · A119 · A120 · A125 · A132 · A133 · A134 · A136 · A139 · A144 · A145 · A147 · A149 · A150 · A156 · A157 · A163 · A171 · A180 · A184 · A185 · A186 · A193 · A194 · A199 · A200 · A204 · A208 · A214 · A215 · A219 · A220 · A221 · A222 · A235 · A238 · A240 · A241 · A243 · A244 · A248 · A252 · A260 · A262 · A271 · A274 · A275 · A279 · A281 · A282 · A287 · A290 · A292 · A293 · A295 · A296 · A303 · A304 · A306 · A311 · A312 · A314 · A315 · A316 · A317 · A324 · A325 · A326 · A327 · A329 · A330 · A331 · A335

Related clusters: Cluster 2 · Cluster 3 · Cluster 12 · Cluster 17 · Cluster 32.

Cluster overview · Topic-to-cluster index

Cluster 24 — Community support, dignity, grief and cooperation · 74 linked topics

Inquiry purpose: Preserve what helps people contribute, receive help, disagree, recover and remain connected.

Relations to preserve: Keep personal agency, privacy, grief, practical assistance, reciprocity and room for repair visible.

Selected archive routes: #2125 — Archive starting point #2125; #2128 — Archive starting point #2128; #2375 — Archive starting point #2375; #2968 — Archive starting point #2968; #3120 — Archive starting point #3120; #3137 — Archive starting point #3137.

Named starting topics:

- A083 — Practical community assistance
- A090 — Symmetric dignity during disagreement and injury
- A192 — Saying goodbye after pregnancy or child loss
- A236 — Sustaining inquiry amid repeated distressing accounts
- A252 — Collaborative review of released documents and transferable skills

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A021 · A022 · A023 · A024 · A026 · A042 · A043 · A053 · A054 · A059 · A075 · A076 · A082 · A083 · A084 · A085 · A090 · A094 · A105 · A108 · A110 · A112 · A124 · A126 · A131 · A132 · A135 · A139 · A142 · A149 · A161 · A164 · A168 · A171 · A173 · A179 · A186 · A187 · A192 · A193 · A194 · A203 · A204 · A208 · A211 · A218 · A230 · A233 · A234 · A236 · A237 · A238 · A243 · A248 · A252 · A254 · A255 · A256 · A261 · A269 · A274 · A283 · A288 · A289 · A290 · A291 · A300 · A304 · A308 · A312 · A316 · A317 · A327 · A335

Related clusters: Cluster 10 · Cluster 12 · Cluster 20 · Cluster 28 · Cluster 32.

Cluster overview · Topic-to-cluster index

Cluster 25 — Work, military service, aviation, sport and return to activity · 39 linked topics

Inquiry purpose: Connect clinical concerns with occupational demands, safety-critical tasks, performance and livelihood.

Relations to preserve: Retain job or activity, exposure, medical fitness, confidentiality, income, rehabilitation and review.

Selected archive routes: #2037 — Archive starting point #2037; #2108 — Archive starting point #2108; #2319 — Archive starting point #2319; #2750 — Kayla’s disability, care and support account; #3226 — Archive starting point #3226.

Named starting topics:

- A085 — High-skill work, physical ability and livelihood
- A121 — Aviation fitness, incident records and return to work
- A222 — Driving restrictions during unexplained blackouts or cardiac illness
- A235 — Changes to occupational fitness thresholds
- A331 — In-flight medical emergencies and coordinated response

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A021 · A024 · A036 · A038 · A055 · A063 · A064 · A066 · A085 · A086 · A113 · A121 · A127 · A128 · A139 · A152 · A165 · A181 · A193 · A220 · A222 · A223 · A230 · A231 · A235 · A245 · A246 · A247 · A263 · A266 · A267 · A274 · A281 · A291 · A300 · A306 · A308 · A318 · A331

Related clusters: Cluster 6 · Cluster 11 · Cluster 12 · Cluster 28.

Cluster overview · Topic-to-cluster index

Cluster 26 — Consent, bodily agency and dependent-care decisions · 78 linked topics

Inquiry purpose: Recover the actual choices and conditions in which decisions are made for oneself or another person.

Relations to preserve: Preserve capacity, information, voluntariness, alternatives, urgency, advocacy and access to review.

Selected archive routes: #1947 — Archive starting point #1947; #2235 — Archive starting point #2235; #2750 — Kayla's disability, care and support account; #2765 — Archive starting point #2765; #3139 — Archive starting point #3139.

Named starting topics:

- A023 — Consent in nursing homes and dependent-care settings
- A145 — Transplant eligibility and decisions under constrained choice
- A221 — Children's transfusion decisions and access to independent review
- A290 — Assisted-dying discussions, agency and available care alternatives
- A292 — Children's consent, parental involvement and confidential care

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A013 · A018 · A023 · A024 · A025 · A026 · A034 · A043 · A053 · A054 · A055 · A066 · A067 · A069 · A073 · A078 · A086 · A090 · A093 · A094 · A095 · A096 · A111 · A119 · A130 · A131 · A132 · A134 · A137 · A142 · A144 · A145 · A152 · A156 · A161 · A164 · A176 · A179 · A184 · A187 · A192 · A200 · A202 · A204 · A210 · A215 · A221 · A234 · A238 · A241 · A243 · A244 · A248 · A260 · A272 · A274 · A275 · A279 · A286 · A289 · A290 · A291 · A292 · A295 · A296 · A303 · A304 · A305 · A306 · A307 · A312 · A316 · A317 · A320 · A321 · A324 · A325 · A335

Related clusters: Cluster 8 · Cluster 14 · Cluster 15 · Cluster 18.

Cluster overview · Topic-to-cluster index

Cluster 27 — Infection, immune function and interacting conditions · 70 linked topics

Inquiry purpose: Connect infection history, immune measurements, underlying conditions and subsequent health.

Relations to preserve: Retain organism, prior condition, timing, exposure, immune finding, treatment and clinical outcome.

Selected archive routes: #2273 — Archive starting point #2273; #2542 — Archive starting point #2542; #2953 — Sabine Hazan research and testimony description; #3171 — Tina Peers clinical-interview description; #3257 — Archive starting point #3257.

Named starting topics:

- A098 — Longitudinal immune measurements and clinical interpretation
- A116 — Chronic viral illness, reactivation and liver vulnerability
- A189 — Pediatric co-infections and intensive-care demand
- A268 — Hansen's disease, inflammatory reactions and continuing care
- A328 — Mast-cell activation and coordinated investigation of persistent symptoms

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A001 · A005 · A011 · A013 · A016 · A017 · A045 · A048 · A049 · A077 · A079 · A084 · A097 · A098 · A103 · A114 · A115 · A116 · A117 · A124 · A128 · A130 · A137 · A140 · A143 · A154 · A159 · A174 · A175 · A178 · A183 · A188 · A189 · A195 · A196 · A197 · A210 · A213 · A216 · A224 · A225 · A226 · A244 · A253 · A259 · A263 · A264 · A267 · A268 · A269 · A270 · A273 · A286 · A294 · A298 · A300 · A301 · A302 · A305 · A307 · A310 · A313 · A319 · A320 · A321 · A322 · A328 · A329 · A334 · A336

Related clusters: Cluster 11 · Cluster 14 · Cluster 21 · Cluster 31.

Cluster overview · Topic-to-cluster index

Cluster 28 — Disability, household economics and meaningful life · 113 linked topics

Inquiry purpose: Keep long-term function and the person's priorities inside the assessment of consequences.

Relations to preserve: Preserve housing, mobility, work, family, care hours, income, companionship, identity and chosen goals.

Selected archive routes: #1980 — Archive starting point #1980; #2078 — Archive starting point #2078; #2750 — Kayla's disability, care and support account; #2774 — Service-dog and wheelchair-transport support lead; #2968 — Archive starting point #2968; #2987 — Triathlete's clinical and functional account.

Named starting topics:

- A094 — Lifelong assistance after catastrophic disability
- A203 — Hearing rehabilitation and changes in meaningful experience
- A289 — Transverse myelitis, paralysis and continuity after rehabilitation
- A291 — Service dogs, accessible transport and daily independence
- A308 — Changes in identity, meaningful activity and participation after illness

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A010 · A019 · A020 · A021 · A022 · A023 · A025 · A036 · A047 · A048 · A050 · A051 · A052 · A053 · A054 · A055 · A063 · A064 · A066 · A069 · A070 · A073 · A074 · A076 · A077 · A081 · A083 · A084 · A085 · A090 · A094 · A112 · A115 · A117 · A119 · A121 · A126 · A130 · A132 · A133 · A134 · A135 · A136 · A138 · A139 · A141 · A142 · A145 · A149 · A153 · A154 · A155 · A156 · A157 · A161 · A164 · A165 · A171 · A172 · A173 · A177 · A179 · A181 · A186 · A188 · A192 · A193 · A194 · A203 · A211 · A214 · A215 · A216 · A218 · A219 · A221 · A222 · A225 · A226 · A229 · A230 · A233 · A236 · A241 · A243 · A245 · A246 · A247 · A253 · A255 · A256 · A259 · A264 · A267 · A268 · A269 · A274 · A286 · A289 · A290 · A291 · A299 · A300 · A301 · A302 · A306 · A307 · A308 · A325 · A328 · A329 · A331 · A335

Related clusters: Cluster 10 · Cluster 12 · Cluster 19 · Cluster 24 · Cluster 25.

Cluster overview · Topic-to-cluster index

Cluster 29 — Research freedom, publication, archives and collective review · 70 linked topics

Inquiry purpose: Follow observations through study design, funding, submission, review, publication, access and later correction.

Relations to preserve: Retain versions, source locations, methods, conflicts, editorial decisions, authorship and opportunities for replication.

Selected archive routes: #2372 — Archive starting point #2372; #2375 — Archive starting point #2375; #2505 — Autopsy-review preprint description; #2522 — Archive starting point #2522; #2778 — Archive starting point #2778; #3029 — Archive starting point #3029.

Named starting topics:

- A039 — Editorial removal and correction policies
- A147 — Timely access to regulatory evidence and usable releases
- A150 — Research funding and the path from observation to publication
- A252 — Collaborative review of released documents and transferable skills

- A265 — Synthesizing autopsy case reports and preserving review decisions

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A038 · A039 · A040 · A061 · A062 · A067 · A069 · A071 · A075 · A088 · A092 · A098 · A099 · A104 · A105 · A106 · A108 · A109 · A110 · A113 · A147 · A148 · A150 · A151 · A158 · A163 · A166 · A180 · A185 · A187 · A199 · A204 · A208 · A213 · A227 · A228 · A237 · A238 · A240 · A248 · A252 · A258 · A260 · A262 · A265 · A277 · A278 · A279 · A280 · A284 · A285 · A287 · A293 · A295 · A298 · A309 · A310 · A311 · A313 · A315 · A316 · A317 · A323 · A324 · A325 · A326 · A327 · A330 · A332 · A333

Related clusters: Cluster 4 · Cluster 18 · Cluster 20 · Cluster 30.

Cluster overview · Topic-to-cluster index

Cluster 30 — A.I. assistance, source recovery and navigable research · 64 linked topics

Inquiry purpose: Make A.I. useful in recovering, comparing and connecting material while preserving the originating object.

Relations to preserve: Keep source versus generated text, access limits, qualifiers, privacy, corrections and the next useful action visible.

A.I.-generated venue identifications and outcome summaries are source suggestions. The next useful operation is recovery of the original recording, minutes and decision.

Selected archive routes: #2057 — Archive starting point #2057; #2132 — Archive starting point #2132; #3197 — Participant asks where the clip originated; #3198 — A.I.-assisted venue and date suggestion; #3199 — Participant asks about the petition's outcome; #3200 — A.I.-assisted outcome summary and source suggestions.

Named starting topics:

- A104 — Large health datasets and artificial-intelligence-assisted analysis
- A201 — Computer-assisted thermography and diagnostic validation
- A232 — Making scientific charts usable for contributors
- A284 — Free-text follow-up records and patient-defined concerns
- A327 — A.I.-assisted source recovery and verification of public outcomes

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A026 · A030 · A039 · A040 · A058 · A061 · A062 · A071 · A088 · A091 · A102 · A104 · A106 · A109 · A110 · A147 · A150 · A151 · A162 · A180 · A185 · A187 · A194 · A199 · A200 · A201 · A205 · A208 · A209 · A220 · A228 · A232 · A237 · A238 · A240 · A248 · A252 · A257 · A258 · A272 · A277 · A278 · A279 · A280 · A283 · A284 · A285 · A287 · A293 · A299 · A303 · A309 · A311 · A312 · A313 · A315 · A316 · A317 · A322 · A323 · A327 · A330 · A332 · A333

Related clusters: Cluster 9 · Cluster 18 · Cluster 22 · Cluster 29 · Cluster 32.

Cluster overview · Topic-to-cluster index

Cluster 31 — Veterinary health, environment, biosafety and food systems · 32 linked topics

Inquiry purpose: Keep species, environmental conditions and production systems inside connected health inquiry.

Relations to preserve: Retain species, product, purpose, dose, exposure, monitoring, care, oversight and routes into human decisions.

Selected archive routes: #2478 — Archive starting point #2478; #2569 — Archive starting point #2569; #2870 — Archive starting point #2870; #3106 — Archive starting point #3106.

Named starting topics:

- A175 — Environmental co-exposures and proposed biological interactions
- A270 — Species-specific veterinary safety and zoo-animal care
- A298 — Biosafety during field sampling, culture and transport
- A319 — Livestock vaccine research and connected food-system responsibilities

- A336 — Live-vaccine organisms, secondary exposure and strain evolution

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A013 · A017 · A057 · A068 · A079 · A099 · A114 · A128 · A166 · A167 · A175 · A176 · A179 · A202 · A210 · A217 · A231 · A255 · A263 · A270 · A276 · A277 · A282 · A286 · A294 · A298 · A305 · A310 · A313 · A319 · A320 · A336

Related clusters: Cluster 16 · Cluster 21 · Cluster 27.

Cluster overview · Topic-to-cluster index

Cluster 32 — Process quality, healthy ambiguity and the 1888 property field · 137 linked topics

Inquiry purpose: Keep the process itself corrigible as the scope moves across people, evidence, institutions and consequences.

Relations to preserve: Preserve the question, evaluator assumptions, answer-changing relations, uncertainty, notice, repair and later conduct.

Apply the 1888 intelligence-properties trajectory and all 10+1 ingredients to the cluster map itself: revise a membership when a better relation becomes available.

Selected archive routes: #2010 — Archive starting point #2010; #2064 — Archive starting point #2064; #2746 — John's account of a communication bridge; #2822 — Archive starting point #2822; #3090 — Archive starting point #3090; #3091 — Archive starting point #3091; #3167 — Archive starting point #3167; #3216 — Archive starting point #3216.

Named starting topics:

- A032 — Consistency of attribution standards
- A061 — Conditional statements surviving retelling
- A106 — Joint inquiry among competing explanatory models
- A204 — Responsibility and repair when public advice changes
- A330 — From safety manuals to local investigation and resources

All linked topic IDs — full titles also appear in the topic-to-cluster index:

A013 · A015 · A019 · A025 · A030 · A032 · A033 · A038 · A039 · A040 · A041 · A042 · A043 · A044 · A052 · A054 · A058 · A060 · A061 · A062 · A070 · A072 · A075 · A077 · A080 · A088 · A089 · A090 · A091 · A092 · A095 · A100 · A101 · A102 · A104 · A105 · A106 · A108 · A109 · A110 · A113 · A120 · A124 · A125 · A131 · A132 · A134 · A140 · A142 · A144 · A147 · A148 · A150 · A156 · A157 · A163 · A164 · A167 · A178 · A180 · A185 · A186 · A187 · A191 · A193 · A194 · A199 · A200 · A204 · A206 · A208 · A213 · A215 · A220 · A224 · A227 · A228 · A232 · A234 · A236 · A237 · A238 · A239 · A240 · A242 · A243 · A244 · A248 · A252 · A254 · A258 · A260 · A262 · A265 · A271 · A272 · A274 · A275 · A277 · A279 · A280 · A283 · A284 · A285 · A287 · A288 · A290 · A292 · A293 · A295 · A296 · A298 · A303 · A304 · A308 · A311 · A312 · A313 · A314 · A315 · A316 · A317 · A320 · A321 · A322 · A323 · A324 · A325 · A326 · A327 · A329 · A330 · A332 · A333 · A334 · A335 · A336

Related clusters: Cluster 7 · Cluster 9 · Cluster 23 · Cluster 24 · Cluster 30.

Cluster overview · Topic-to-cluster index

1.12.2 Follow a relation across clusters

These are suggested research routes through existing topics. Each step retains its own source and open question.

Starting object	Relations that keep the field recoverable	Useful clusters
A clinician’s concern	Professional account → clinical record → reporting entry → investigation → response and care	1, 11, 17, 23, 12
A death-care observation	Worker’s role and observation → sample and method → clinical history → population comparison	5, 21, 11, 13, 22
A mandate or emergency measure	Authority and purpose → evidence and alternatives → affected people → consequences → challenge and repair	8, 3, 22, 26, 28, 2
A mass-psychology hypothesis	Message and commissioning → distribution and classification → audience conditions → interpretation and choice → notice and later conduct	9, 19, 20, 24, 30, 32
A person’s care needs	Lived account → diagnostic and rehabilitation pathway → household support → agency and meaningful participation	10, 11, 12, 28, 26

A cluster membership is revisable. A useful correction identifies the topic, the relation that is missing or misplaced, the source and what changes in the next inquiry. The evaluator’s framing remains available for the same scrutiny as the institutions, publications, communities and participants being examined.

Topic-to-cluster index — all 336 topics

This reverse index preserves multiple memberships. Topic links open their full inventory entry; cluster links return to the corresponding cluster.

No.	Topic	Cluster memberships
1	A001 — Acute allergic reactions and ingredient sensitivity	10 · 11 · 16 · 21 · 27
2	A002 — Neurological and movement symptoms	10 · 11
3	A003 — Clotting, bleeding and low platelets	10 · 11 · 21
4	A004 — Cardiac symptoms, collapse and sudden deterioration	10 · 11
5	A005 — Liver dysfunction and other organ-system complaints	10 · 11 · 21 · 27
6	A006 — Menstrual changes and unexpected bleeding	10 · 11 · 14
7	A007 — Fertility research and reproductive uncertainty	10 · 11 · 14
8	A008 — Pregnancy loss, stillbirth and pregnancy follow-up	10 · 11 · 13 · 14 · 15

No.	Topic	Cluster memberships
9	A009 — Breastfeeding and infant outcomes	10 · 11 · 14 · 15
10	A010 — Persistent fatigue, cognitive difficulties and altered sleep	10 · 11 · 28
11	A011 — Persistent skin conditions	10 · 11 · 27
12	A012 — Lymph-node findings, cancer concerns and interrupted cancer care	10 · 11
13	A013 — Individual susceptibility and medical history	10 · 11 · 14 · 21 · 22 · 26 · 27 · 31 · 32
14	A014 — Product, dose and batch differences	10 · 16 · 21
15	A015 — Onset, persistence and delayed outcomes	10 · 11 · 13 · 14 · 17 · 22 · 32
16	A016 — Infection after vaccination and immune-response hypotheses	10 · 11 · 21 · 22 · 27
17	A017 — Reports concerning nearby unvaccinated people	10 · 11 · 21 · 22 · 27 · 31
18	A018 — Observation and aftercare at vaccination sites	10 · 11 · 12 · 16 · 17 · 26
19	A019 — Diagnostic uncertainty and referral access	10 · 11 · 12 · 17 · 23 · 28 · 32
20	A020 — Treatment and rehabilitation pathways	10 · 11 · 12 · 28
21	A021 — Financial costs, lost work and household burden	10 · 12 · 19 · 24 · 25 · 28
22	A022 — Isolation, grief and peer support	5 · 10 · 24 · 28
23	A023 — Consent in nursing homes and dependent-care settings	8 · 10 · 12 · 15 · 24 · 26 · 28
24	A024 — Employment, travel and family pressure	6 · 8 · 10 · 19 · 24 · 25 · 26
25	A025 — Other treatment conditional on vaccination	8 · 10 · 12 · 23 · 26 · 28 · 32
26	A026 — Privacy, medical-data sharing and donation consent	10 · 18 · 24 · 26 · 30
27	A027 — Liability, compensation and insurance	2 · 19 · 23
28	A028 — Accessibility of adverse-event reporting	17 · 18 · 23
29	A029 — Active follow-up alongside spontaneous reports	17 · 18 · 23
30	A030 — Severity definitions and usable denominators	13 · 14 · 15 · 17 · 22 · 30 · 32
31	A031 — Autopsy methods and unresolved deaths	5 · 13
32	A032 — Consistency of attribution standards	13 · 17 · 22 · 23 · 32

No.	Topic	Cluster memberships
33	A033 — Regulatory responses over time	3 · 17 · 23 · 32
34	A034 — Age thresholds and national decisions	3 · 8 · 15 · 22 · 26
35	A035 — Commercial incentives, procurement and data agreements	3 · 6 · 19
36	A036 — School and healthcare staffing disruption	8 · 15 · 19 · 25 · 28
37	A037 — Removal, demotion and discoverability of testimony	9 · 20
38	A038 — Professional freedom to report concerns	1 · 3 · 6 · 8 · 20 · 23 · 25 · 29 · 32
39	A039 — Editorial removal and correction policies	9 · 18 · 20 · 23 · 29 · 30 · 32
40	A040 — Preservation, provenance and duplicate identification	17 · 18 · 20 · 29 · 30 · 32
41	A041 — Public escalation and response to notice	3 · 17 · 23 · 32
42	A042 — Different apparent realities across social networks	9 · 20 · 24 · 32
43	A043 — Social pressure, moral identity and trust	8 · 9 · 20 · 24 · 26 · 32
44	A044 — Forecasts, historical analogies and later outcomes	9 · 13 · 22 · 32
45	A045 — Herpes zoster and immune-condition subgroups	10 · 11 · 21 · 27
46	A046 — Myocarditis as a distinct cardiac topic	11 · 21
47	A047 — Hearing loss, tinnitus and vertigo	10 · 11 · 28
48	A048 — Lactation and milk-supply changes	10 · 11 · 12 · 14 · 27 · 28
49	A049 — Recurrence of earlier conditions	10 · 11 · 27
50	A050 — Disability when routine tests do not explain symptoms	10 · 11 · 12 · 17 · 28
51	A051 — Emergency-response inequalities and housing insecurity	8 · 10 · 12 · 19 · 23 · 28
52	A052 — Reassessment when symptoms persist or change	10 · 11 · 12 · 17 · 23 · 28 · 32
53	A053 — Family presence and access to seriously ill relatives	8 · 10 · 12 · 15 · 18 · 23 · 24 · 26 · 28
54	A054 — Disclosure shame and blame directed at injured people	9 · 10 · 20 · 24 · 26 · 28 · 32

No.	Topic	Cluster memberships
55	A055 — Residency, transit and return-home constraints	8 · 10 · 25 · 26 · 28
56	A056 — Administration errors and product traceability	16
57	A057 — Exact product identity across countries	16 · 31
58	A058 — Reporting delay, publication delay and dashboard filters	13 · 17 · 18 · 23 · 30 · 32
59	A059 — Listening to non-physician healthcare workers	1 · 5 · 20 · 24
60	A060 — Hearing excerpts and the full public record	3 · 7 · 32
61	A061 — Conditional statements surviving retelling	7 · 9 · 18 · 20 · 29 · 30 · 32
62	A062 — Independent scrutiny of promotion, regulation and surveillance	3 · 8 · 9 · 19 · 23 · 29 · 30 · 32
63	A063 — Adverse-event work records and employer responsibility	6 · 8 · 17 · 18 · 23 · 25 · 28
64	A064 — Treatment availability versus delivery capacity	11 · 12 · 19 · 23 · 25 · 28
65	A065 — Proposed remedies and commercial information ecosystems	12 · 19
66	A066 — Risk after leaving a service setting	8 · 10 · 11 · 12 · 17 · 23 · 25 · 26 · 28
67	A067 — Pediatric research records and age eligibility	4 · 15 · 22 · 26 · 29
68	A068 — Hazard-document scope and actual formulation	16 · 19 · 21 · 22 · 31
69	A069 — Pediatric trial participants’ continuing care	4 · 10 · 12 · 15 · 17 · 23 · 26 · 28 · 29
70	A070 — Diagnostic labels and continuing disability support	10 · 11 · 12 · 23 · 28 · 32
71	A071 — Detailed platform classification and demotion rules	3 · 9 · 18 · 20 · 29 · 30
72	A072 — Removal or revision of a reporting-system entry	17 · 18 · 23 · 32
73	A073 — Care-home restrictions and competing harms	8 · 10 · 12 · 26 · 28
74	A074 — Frailty and possible acceleration of decline	10 · 11 · 13 · 22 · 28
75	A075 — Professional discussion spaces as discovery resources	1 · 7 · 19 · 20 · 24 · 29 · 32
76	A076 — Condition-specific patient communities	10 · 12 · 24 · 28

No.	Topic	Cluster memberships
77	A077 — Recognition of a syndrome and the development of care	11 · 12 · 17 · 23 · 27 · 28 · 32
78	A078 — Pregnancy follow-up by gestational stage and time at risk	4 · 14 · 15 · 22 · 26
79	A079 — Distribution and persistence of biological material	4 · 16 · 21 · 22 · 27 · 31
80	A080 — Diagnostic assays and claims of persistent damage	4 · 11 · 21 · 22 · 32
81	A081 — Postoperative recovery and pre-existing medical devices	10 · 11 · 12 · 28
82	A082 — Household clustering and shared susceptibility	10 · 13 · 22 · 24
83	A083 — Practical community assistance	10 · 12 · 24 · 28
84	A084 — Mental health, personality and communication changes	10 · 11 · 24 · 27 · 28
85	A085 — High-skill work, physical ability and livelihood	10 · 12 · 19 · 24 · 25 · 28
86	A086 — Military service and constrained medical choice	3 · 6 · 8 · 25 · 26
87	A087 — Patient testimony entering political proceedings	3 · 23
88	A088 — Source chains across repeated publications	18 · 20 · 29 · 30 · 32
89	A089 — Legal announcements and actual proceeding records	2 · 3 · 23 · 32
90	A090 — Symmetric dignity during disagreement and injury	7 · 8 · 9 · 10 · 23 · 24 · 26 · 28 · 32
91	A091 — Historical baselines, timestamps and corrected exposure histories	13 · 17 · 18 · 22 · 30 · 32
92	A092 — Research agendas, anticipated events and observed findings	22 · 29 · 32
93	A093 — Organ donation, donor histories and recipient outcomes	8 · 12 · 14 · 15 · 16 · 18 · 26
94	A094 — Lifelong assistance after catastrophic disability	10 · 12 · 19 · 24 · 26 · 28
95	A095 — Diagnostic-procedure concerns and access to investigation	11 · 12 · 23 · 26 · 32
96	A096 — Medical exemptions and access to education	3 · 8 · 15 · 23 · 26

No.	Topic	Cluster memberships
97	A097 — Skin reactions at tattoos and earlier filler sites	10 · 11 · 16 · 21 · 27
98	A098 — Longitudinal immune measurements and clinical interpretation	4 · 11 · 14 · 17 · 21 · 22 · 27 · 29
99	A099 — Reproducible microscopy and sample preparation	4 · 16 · 21 · 22 · 29 · 31
100	A100 — Autopsy selection, access and formal determinations	4 · 5 · 13 · 17 · 18 · 22 · 23 · 32
101	A101 — Estimating unreported outcomes	13 · 17 · 22 · 32
102	A102 — Exposure classification and the period after each dose	13 · 17 · 18 · 22 · 30 · 32
103	A103 — Changing protection across time, variants and prior infection	4 · 22 · 27
104	A104 — Large health datasets and artificial-intelligence-assisted analysis	4 · 13 · 17 · 18 · 22 · 29 · 30 · 32
105	A105 — Identity-protected professional testimony	1 · 3 · 6 · 18 · 20 · 23 · 24 · 29 · 32
106	A106 — Joint inquiry among competing explanatory models	7 · 22 · 29 · 30 · 32
107	A107 — Mortuary observations and population-level investigation	5 · 13
108	A108 — Open news solicitations and whose experiences become visible	9 · 19 · 20 · 24 · 29 · 32
109	A109 — Fact-checking, reporting and disputed representations	7 · 9 · 20 · 29 · 30 · 32
110	A110 — Translation, subtitles and visual interpretation	9 · 20 · 24 · 29 · 30 · 32
111	A111 — Scientific contributions to local education decisions	3 · 8 · 15 · 23 · 26
112	A112 — Severe illness, mental distress and prevention of secondary harm	10 · 11 · 12 · 23 · 24 · 28
113	A113 — Licensure review and routes for raising clinical concerns	1 · 2 · 3 · 6 · 8 · 19 · 20 · 23 · 25 · 29 · 32
114	A114 — Co-administration, medicines and pharmacist communication	1 · 4 · 11 · 12 · 16 · 21 · 27 · 31
115	A115 — Blistering skin disease and continuing daily care	10 · 11 · 12 · 27 · 28

No.	Topic	Cluster memberships
116	A116 — Chronic viral illness, reactivation and liver vulnerability	4 · 11 · 21 · 27
117	A117 — Immune compromise, cancer and expected protection	4 · 10 · 11 · 12 · 21 · 27 · 28
118	A118 — Life expectancy, remaining life and unequal outcomes	13 · 22
119	A119 — Dignity and safety during infection-control transport	8 · 10 · 12 · 23 · 26 · 28
120	A120 — Responsibility across hospital, government and advisory bodies	3 · 6 · 8 · 19 · 23 · 32
121	A121 — Aviation fitness, incident records and return to work	6 · 25 · 28
122	A122 — Shoulder injury related to vaccine administration	4 · 11 · 12 · 16
123	A123 — Vaccinator training and the evidence behind technique	1 · 4 · 11 · 16 · 21 · 22
124	A124 — Anxiety, communication and immune-health research	4 · 9 · 11 · 21 · 22 · 24 · 27 · 32
125	A125 — Follow-up capacity after an adverse-event report	12 · 17 · 23 · 32
126	A126 — Physicians who are also patients	1 · 10 · 11 · 24 · 28
127	A127 — Sports-event registries and recovery toward personal baselines	22 · 25
128	A128 — Performance-enhancing substances and combined exposures	4 · 11 · 16 · 21 · 22 · 25 · 27 · 31
129	A129 — DNA-repair research and links between experimental scales	4 · 11 · 21 · 22
130	A130 — Pediatric clot treatment and the history of therapeutic need	4 · 10 · 11 · 12 · 15 · 26 · 27 · 28
131	A131 — Bereavement, privacy and changing permission to publish	5 · 10 · 18 · 20 · 24 · 26 · 32
132	A132 — Solidarity, risk-sharing and continued access to care	3 · 8 · 12 · 19 · 23 · 24 · 26 · 28 · 32
133	A133 — Care capacity across connected services	12 · 19 · 23 · 28
134	A134 — Medical certification and access to injury support	2 · 3 · 8 · 17 · 18 · 19 · 23 · 26 · 28 · 32

No.	Topic	Cluster memberships
135	A135 — Crowdfunding access during prolonged illness	10 · 12 · 19 · 24 · 28
136	A136 — Compensation administration, staffing and decisions	2 · 3 · 17 · 19 · 23 · 28
137	A137 — Neonatal warning thresholds and the investigation they initiate	4 · 11 · 13 · 14 · 15 · 17 · 21 · 22 · 26 · 27
138	A138 — Visual symptoms, retinal disease and urgent specialist access	10 · 11 · 12 · 28
139	A139 — Continuity of patient care when a clinician becomes ill	1 · 8 · 10 · 12 · 19 · 23 · 24 · 25 · 28
140	A140 — Biomarker changes, risk scores and clinical outcomes	4 · 11 · 17 · 21 · 22 · 27 · 32
141	A141 — Adolescent tic presentations and interacting contexts	10 · 11 · 15 · 28
142	A142 — Trauma-aware communication within families	9 · 10 · 12 · 15 · 24 · 26 · 28 · 32
143	A143 — Latent tuberculosis and changing immune vulnerability	4 · 11 · 21 · 22 · 27
144	A144 — Information supplied with a product at the point of care	3 · 8 · 9 · 16 · 19 · 20 · 23 · 26 · 32
145	A145 — Transplant eligibility and decisions under constrained choice	2 · 3 · 8 · 12 · 19 · 23 · 26 · 28
146	A146 — Life-insurance observations as a population research lead	13 · 17 · 19 · 22
147	A147 — Timely access to regulatory evidence and usable releases	3 · 4 · 17 · 18 · 19 · 23 · 29 · 30 · 32
148	A148 — Laboratory observation, confidentiality and shared detection	1 · 18 · 21 · 29 · 32
149	A149 — Patient-led campaigns that connect people to care	10 · 12 · 20 · 23 · 24 · 28
150	A150 — Research funding and the path from observation to publication	3 · 4 · 6 · 19 · 20 · 23 · 29 · 30 · 32
151	A151 — Reproducible public analysis of batch-level data	4 · 13 · 16 · 17 · 18 · 21 · 22 · 29 · 30
152	A152 — Repeated procedures and cumulative opportunities for harm	4 · 8 · 16 · 21 · 22 · 25 · 26
153	A153 — Joint pain, gout-labelled symptoms and everyday independence	10 · 11 · 12 · 28

No.	Topic	Cluster memberships
154	A154 — Longer-term recovery after myocarditis	4 · 10 · 11 · 12 · 17 · 22 · 27 · 28
155	A155 — Cancer progression around a booster and continuing oncology care	4 · 10 · 11 · 12 · 22 · 28
156	A156 — Disputed life-support decisions and access to review	2 · 3 · 8 · 10 · 12 · 23 · 26 · 28 · 32
157	A157 — Insurance coverage decisions and the actual contract record	2 · 18 · 19 · 23 · 28 · 32
158	A158 — Postmortem material, sampling conditions and independent identification	4 · 5 · 13 · 16 · 18 · 21 · 22 · 29
159	A159 — Combined infection and vaccination histories in cardiac research	4 · 11 · 17 · 21 · 22 · 27
160	A160 — Ambulance-call data, changing baselines and service demand	13 · 17 · 22
161	A161 — School-community care after a sudden collapse or death	8 · 10 · 12 · 15 · 24 · 26 · 28
162	A162 — Medical billing records and reported adverse events	17 · 18 · 22 · 30
163	A163 — Petitions, public testimony and legislative follow-through	2 · 3 · 7 · 23 · 29 · 32
164	A164 — Health disclosure within families and social networks	8 · 9 · 10 · 18 · 20 · 24 · 26 · 28 · 32
165	A165 — Secondary injuries following fainting or collapse	10 · 11 · 12 · 25 · 28
166	A166 — Access to product samples for independent research	16 · 18 · 19 · 21 · 29 · 31
167	A167 — Comparisons across products, countries and care settings	4 · 16 · 21 · 22 · 31 · 32
168	A168 — Music and creative expression in patient-led testimony	9 · 10 · 20 · 24
169	A169 — Blood viscosity as a specific clinical research question	4 · 11 · 21 · 22
170	A170 — Mortuary capacity and dignified handling during surges	5 · 13 · 19
171	A171 — Finding clinical help when a community raises a concern	10 · 11 · 12 · 23 · 24 · 28
172	A172 — Low platelets and interruptions to cancer treatment	10 · 11 · 12 · 28

No.	Topic	Cluster memberships
173	A173 — Rapid cognitive decline and support for affected families	10 · 11 · 12 · 24 · 28
174	A174 — Acute hepatitis of uncertain origin in children	4 · 11 · 14 · 15 · 21 · 22 · 27
175	A175 — Environmental co-exposures and proposed biological interactions	4 · 6 · 11 · 16 · 21 · 22 · 27 · 31
176	A176 — Blood products, donation eligibility and informed consent	8 · 10 · 12 · 14 · 15 · 16 · 18 · 21 · 26 · 31
177	A177 — Private screening quality and the route back into care	4 · 11 · 12 · 19 · 22 · 28
178	A178 — Evaluating proposed multi-component treatment protocols	4 · 11 · 12 · 19 · 21 · 22 · 27 · 32
179	A179 — Infant feeding decisions under uncertainty and supply pressure	8 · 10 · 12 · 14 · 15 · 24 · 26 · 28 · 31
180	A180 — Data publication decisions and concerns about interpretation	3 · 9 · 17 · 18 · 19 · 20 · 23 · 29 · 30 · 32
181	A181 — Disability statistics, work and population-level follow-up	13 · 17 · 19 · 22 · 25 · 28
182	A182 — Amyloid, fibrin and the identification of unusual material	4 · 5 · 11 · 21 · 22
183	A183 — Circulating antigen measurements and clearance over time	4 · 11 · 21 · 22 · 27
184	A184 — Research and recommendations for children under five	3 · 4 · 8 · 14 · 15 · 17 · 22 · 23 · 26
185	A185 — Safety-signal procedures and their execution records	3 · 4 · 17 · 18 · 22 · 23 · 29 · 30 · 32
186	A186 — Patient letters to elected representatives and support follow-through	3 · 8 · 23 · 24 · 28 · 32
187	A187 — Choice and reciprocity in sharing health information	8 · 18 · 20 · 24 · 26 · 29 · 30 · 32
188	A188 — Eczema flares, visible symptoms and renewed dermatological care	10 · 11 · 12 · 27 · 28
189	A189 — Pediatric co-infections and intensive-care demand	4 · 11 · 12 · 15 · 22 · 27
190	A190 — Menstrual-health surveys and clinically useful follow-up	4 · 11 · 14 · 17 · 22
191	A191 — Unresolved death records and later certification	5 · 13 · 17 · 18 · 32

No.	Topic	Cluster memberships
192	A192 — Saying goodbye after pregnancy or child loss	5 · 10 · 12 · 14 · 15 · 24 · 26 · 28
193	A193 — Clinician safety, threats and mental-health support	1 · 8 · 9 · 10 · 19 · 20 · 23 · 24 · 25 · 28 · 32
194	A194 — The burden of having to become one’s own health expert	9 · 10 · 12 · 19 · 20 · 23 · 24 · 28 · 30 · 32
195	A195 — Antiviral prescribing, interactions and individual risk	11 · 12 · 27
196	A196 — Mitochondrial findings and the bridge to experienced illness	4 · 11 · 21 · 22 · 27
197	A197 — Innate immune pathways in heart-tissue research	4 · 11 · 21 · 22 · 27
198	A198 — Prospective cardiac monitoring in adolescents	4 · 11 · 15 · 17 · 21 · 22
199	A199 — Court-commissioned analysis and independent scientific work	2 · 3 · 4 · 13 · 19 · 22 · 23 · 29 · 30 · 32
200	A200 — Revisions to public safety information and their explanation	3 · 9 · 17 · 20 · 23 · 26 · 30 · 32
201	A201 — Computer-assisted thermography and diagnostic validation	4 · 11 · 21 · 22 · 30
202	A202 — Developmental and reproductive animal studies	4 · 14 · 15 · 16 · 21 · 22 · 26 · 31
203	A203 — Hearing rehabilitation and changes in meaningful experience	10 · 11 · 12 · 24 · 28
204	A204 — Responsibility and repair when public advice changes	3 · 7 · 8 · 9 · 19 · 20 · 23 · 24 · 26 · 29 · 32
205	A205 — Voluntary community surveys and comparison-group research	4 · 13 · 15 · 22 · 30
206	A206 — Counterfactual benefit–risk estimates in policy decisions	3 · 4 · 8 · 13 · 19 · 22 · 32
207	A207 — Birth statistics, conception timelines and population change	4 · 13 · 14 · 15 · 22
208	A208 — Clinical education and feedback into research	1 · 4 · 7 · 9 · 12 · 20 · 23 · 24 · 29 · 30 · 32
209	A209 — Smartphone follow-up systems, questionnaires and public dashboards	4 · 17 · 18 · 22 · 30
210	A210 — Measurements in breast milk and infant follow-up	4 · 14 · 15 · 17 · 18 · 21 · 22 · 26 · 27 · 31
211	A211 — Brain inflammation, coma and continuing family care	4 · 10 · 11 · 12 · 24 · 28

No.	Topic	Cluster memberships
212	A212 — Aortic disease, pericardial complications and microvascular injury	4 · 11 · 21
213	A213 — Tissue-marker interpretation and attribution methods	4 · 11 · 17 · 21 · 22 · 27 · 29 · 32
214	A214 — Ward handovers and response to acute deterioration	10 · 11 · 12 · 23 · 28
215	A215 — Known-risk arguments, consent and compensation	2 · 3 · 8 · 19 · 23 · 26 · 28 · 32
216	A216 — Aplastic anemia and bone-marrow failure care	4 · 11 · 12 · 21 · 27 · 28
217	A217 — Supplement ingredients, excipients and changing product information	16 · 19 · 21 · 31
218	A218 — Repeated bereavement and community support capacity	5 · 10 · 12 · 13 · 24 · 28
219	A219 — Emergency waiting times and continuing assessment	10 · 11 · 12 · 23 · 28
220	A220 — Integrity and correction of occupational medical records	1 · 3 · 6 · 8 · 17 · 18 · 23 · 25 · 30 · 32
221	A221 — Children’s transfusion decisions and access to independent review	2 · 3 · 8 · 10 · 12 · 15 · 23 · 26 · 28
222	A222 — Driving restrictions during unexplained blackouts or cardiac illness	8 · 10 · 12 · 19 · 23 · 25 · 28
223	A223 — Community changes as leads for linked social and health research	13 · 19 · 25
224	A224 — Additive, interactive and cumulative explanations	4 · 11 · 16 · 21 · 22 · 27 · 32
225	A225 — Rare motor and autoimmune diagnoses and continuing function	4 · 10 · 11 · 12 · 21 · 27 · 28
226	A226 — Thyroid symptoms and endocrine follow-up	4 · 10 · 11 · 12 · 21 · 27 · 28
227	A227 — Reanalysis of randomized-trial adverse events	4 · 17 · 22 · 29 · 32
228	A228 — Disproportionality analysis and the route from signal to investigation	4 · 13 · 17 · 22 · 29 · 30 · 32
229	A229 — Repeated presentations and delayed meningitis diagnosis	10 · 11 · 12 · 28
230	A230 — Speech, language and vocational rehabilitation after stroke	10 · 11 · 12 · 24 · 25 · 28

No.	Topic	Cluster memberships
231	A231 — Aircrew co-exposures and cumulative occupational histories	6 · 16 · 21 · 22 · 25 · 31
232	A232 — Making scientific charts usable for contributors	7 · 30 · 32
233	A233 — Fundraising records as leads to care and support needs	10 · 12 · 19 · 24 · 28
234	A234 — Patient photographs, consent and dignifying context	9 · 10 · 18 · 20 · 24 · 26 · 32
235	A235 — Changes to occupational fitness thresholds	3 · 6 · 8 · 23 · 25
236	A236 — Sustaining inquiry amid repeated distressing accounts	10 · 20 · 24 · 28 · 32
237	A237 — Designing a voluntary community registry	17 · 18 · 22 · 24 · 29 · 30 · 32
238	A238 — Withdrawal, revision and the boundary of durable publication	10 · 18 · 20 · 23 · 24 · 26 · 29 · 30 · 32
239	A239 — Preparedness scenarios and their later interpretation	3 · 4 · 6 · 8 · 9 · 19 · 22 · 32
240	A240 — Undercover corporate reporting and accountable follow-up	9 · 19 · 20 · 23 · 29 · 30 · 32
241	A241 — Financial-aid conditions and children’s health access	3 · 8 · 9 · 14 · 15 · 19 · 23 · 26 · 28
242	A242 — Changing public-health definitions and the expectations they carry	3 · 8 · 9 · 20 · 32
243	A243 — A patient’s chosen advocate during hospital care	8 · 10 · 12 · 23 · 24 · 26 · 28 · 32
244	A244 — Individual reassessment before a further dose	1 · 8 · 10 · 11 · 12 · 16 · 17 · 21 · 22 · 23 · 26 · 27 · 32
245	A245 — Heart failure, measured function and continuing daily life	10 · 11 · 12 · 25 · 28
246	A246 — Acute arterial clotting, limb-saving surgery and rehabilitation	10 · 11 · 12 · 25 · 28
247	A247 — Incidental cardiac findings and decisions about major surgery	10 · 11 · 12 · 25 · 28
248	A248 — Formal causal-review panels, participation and interim support	2 · 3 · 7 · 9 · 12 · 17 · 22 · 23 · 24 · 26 · 29 · 30 · 32

No.	Topic	Cluster memberships
249	A249 — Economic-burden estimates and the assumptions behind them	13 · 19 · 22
250	A250 — Commercial ownership across prevention and subsequent treatment	19
251	A251 — Atrial sampling and what an autopsy can detect	4 · 5 · 11 · 13 · 21 · 22
252	A252 — Collaborative review of released documents and transferable skills	4 · 18 · 20 · 23 · 24 · 29 · 30 · 32
253	A253 — Shingles involving the eye, severe pain and coordinated care	10 · 11 · 12 · 27 · 28
254	A254 — Changing recollections and contemporaneous health records	10 · 18 · 20 · 24 · 32
255	A255 — Companion animals and household care after bereavement	10 · 12 · 24 · 28 · 31
256	A256 — Spiritual support within recovery communities	10 · 12 · 24 · 28
257	A257 — Mobile-activity data and changing patterns of city life	13 · 22 · 30
258	A258 — Population-health inquiry when records are incomplete or difficult to access	13 · 17 · 18 · 22 · 29 · 30 · 32
259	A259 — Small-fiber neuropathy, sensory symptoms and vascular assessment	10 · 11 · 12 · 21 · 27 · 28
260	A260 — Independence of injury review after an institution promotes an intervention	2 · 3 · 8 · 9 · 19 · 23 · 26 · 29 · 32
261	A261 — Postal-route observations as community-health leads	13 · 22 · 24
262	A262 — Changes between medical-manual editions and their practical use	1 · 23 · 29 · 32
263	A263 — Broken vials, workplace exposure and eye-surface injury	1 · 10 · 11 · 16 · 21 · 25 · 27 · 31
264	A264 — Regional Guillain–Barré clusters and coordinated investigation	11 · 12 · 22 · 27 · 28
265	A265 — Synthesizing autopsy case reports and preserving review decisions	4 · 5 · 13 · 17 · 22 · 29 · 32
266	A266 — Active cardiac surveillance in adult workplace cohorts	1 · 4 · 11 · 17 · 21 · 22 · 25

No.	Topic	Cluster memberships
267	A267 — Myocarditis recurring after apparent recovery	4 · 11 · 12 · 22 · 25 · 27 · 28
268	A268 — Hansen’s disease, inflammatory reactions and continuing care	4 · 11 · 12 · 21 · 22 · 27 · 28
269	A269 — Multiple-sclerosis diagnosis and support for affected families	4 · 10 · 11 · 12 · 21 · 24 · 27 · 28
270	A270 — Species-specific veterinary safety and zoo-animal care	16 · 21 · 22 · 27 · 31
271	A271 — Continuity when an active follow-up program ends	3 · 12 · 17 · 18 · 23 · 32
272	A272 — Differences between certificate records and actual exposure histories	16 · 18 · 22 · 26 · 30 · 32
273	A273 — Seizures in young children and clinically useful follow-up	4 · 11 · 14 · 15 · 22 · 27
274	A274 — Compensation adequacy as living and care costs change	2 · 3 · 12 · 19 · 23 · 24 · 25 · 26 · 28 · 32
275	A275 — Responsibility across national and European regulatory bodies	2 · 3 · 8 · 23 · 26 · 32
276	A276 — Manufacturing changes and comparability with trial material	4 · 16 · 21 · 22 · 31
277	A277 — Residual-DNA measurements and independent analytical methods	4 · 16 · 21 · 22 · 29 · 30 · 31 · 32
278	A278 — Commercial monitoring of public health discussions	3 · 9 · 18 · 19 · 20 · 29 · 30
279	A279 — Public-interest disclosure and protected access to health data	2 · 3 · 6 · 8 · 18 · 20 · 23 · 26 · 29 · 30 · 32
280	A280 — Adverse-event coding, grouping and preservation of case relationships	4 · 13 · 17 · 18 · 22 · 29 · 30 · 32
281	A281 — Hospital emergency-call logs and changes across clinical settings	1 · 12 · 17 · 23 · 25
282	A282 — Shelf-life extensions, storage and product-quality decisions	3 · 16 · 19 · 21 · 23 · 31
283	A283 — Public surveys of perceived injury and interest in legal redress	4 · 9 · 13 · 20 · 22 · 24 · 30 · 32
284	A284 — Free-text follow-up records and patient-defined concerns	17 · 18 · 22 · 29 · 30 · 32

No.	Topic	Cluster memberships
285	A285 — Linking death certificates with adverse-event records	4 · 5 · 13 · 17 · 18 · 22 · 29 · 30 · 32
286	A286 — Metabolic health, preventive care and practical access	12 · 19 · 26 · 27 · 28 · 31
287	A287 — Inquiry terms of reference and opportunities to widen the scope	3 · 9 · 20 · 23 · 29 · 30 · 32
288	A288 — Trusted messengers and reopening dialogue across communities	7 · 9 · 20 · 24 · 32
289	A289 — Transverse myelitis, paralysis and continuity after rehabilitation	10 · 11 · 12 · 24 · 26 · 28
290	A290 — Assisted-dying discussions, agency and available care alternatives	2 · 3 · 8 · 10 · 12 · 23 · 24 · 26 · 28 · 32
291	A291 — Service dogs, accessible transport and daily independence	10 · 12 · 19 · 24 · 25 · 26 · 28
292	A292 — Children’s consent, parental involvement and confidential care	3 · 8 · 15 · 23 · 26 · 32
293	A293 — Revised mortality models and an inspectable comparison across editions	3 · 4 · 13 · 17 · 18 · 22 · 23 · 29 · 30 · 32
294	A294 — Blood-cell surface charge and microcirculation hypotheses	4 · 11 · 16 · 21 · 22 · 27 · 31
295	A295 — Advertising complaints, regulatory findings and effective repair	2 · 3 · 9 · 19 · 20 · 23 · 26 · 29 · 32
296	A296 — Legal product classifications and their regulatory consequences	2 · 3 · 16 · 23 · 26 · 32
297	A297 — Sperm-donor records and longitudinal fertility research	4 · 14 · 21 · 22
298	A298 — Biosafety during field sampling, culture and transport	3 · 6 · 19 · 21 · 22 · 27 · 29 · 31 · 32
299	A299 — Population records of cognitive and psychiatric diagnoses	4 · 11 · 13 · 22 · 28 · 30
300	A300 — Respiratory recovery at home and coordinated follow-up	10 · 11 · 12 · 24 · 25 · 27 · 28
301	A301 — Toxic epidermal necrolysis and severe skin-reaction care	4 · 11 · 12 · 21 · 22 · 27 · 28
302	A302 — Acute kidney injury and the clinical course behind recorded outcomes	11 · 12 · 21 · 22 · 27 · 28
303	A303 — Cross-border vaccination cards, correction and access rights	3 · 8 · 18 · 23 · 26 · 30 · 32

No.	Topic	Cluster memberships
304	A304 — Lessons from historical infected-blood experiences	2 · 3 · 19 · 23 · 24 · 26 · 32
305	A305 — Self-amplifying vaccine platforms and product-specific evaluation	3 · 16 · 21 · 22 · 26 · 27 · 31
306	A306 — College requirements and continuing responsibility for student care	2 · 3 · 8 · 15 · 19 · 23 · 25 · 26 · 28
307	A307 — Care decisions in paroxysmal nocturnal hemoglobinuria	10 · 11 · 12 · 16 · 21 · 26 · 27 · 28
308	A308 — Changes in identity, meaningful activity and participation after illness	10 · 12 · 24 · 25 · 28 · 32
309	A309 — Cancer registries, recurrence and stage at diagnosis	4 · 11 · 13 · 17 · 21 · 22 · 29 · 30
310	A310 — Microbiome measurements and clinically relevant follow-up	4 · 11 · 12 · 21 · 22 · 27 · 29 · 31
311	A311 — Registry membership, retention and research-cohort construction	3 · 4 · 13 · 17 · 18 · 22 · 23 · 29 · 30 · 32
312	A312 — Publicly funded health campaigns and behavioural objectives	3 · 8 · 9 · 19 · 20 · 23 · 24 · 26 · 30 · 32
313	A313 — Organoid experiments and interpretation of genetic findings	4 · 16 · 21 · 22 · 27 · 29 · 30 · 31 · 32
314	A314 — Recall procedures and the response to a formal safety request	2 · 3 · 16 · 17 · 19 · 23 · 32
315	A315 — After-action recommendations and implementation tracking	3 · 6 · 17 · 18 · 19 · 23 · 29 · 30 · 32
316	A316 — Witness roles, question design and testimonial agency	3 · 7 · 9 · 20 · 23 · 24 · 26 · 29 · 30 · 32
317	A317 — Patient-forum audiences, permissions and continuing consent	18 · 20 · 23 · 24 · 26 · 29 · 30 · 32
318	A318 — Healthcare-worker uptake and the reasons behind changing choices	1 · 8 · 9 · 25
319	A319 — Livestock vaccine research and connected food-system responsibilities	3 · 16 · 19 · 21 · 22 · 27 · 31
320	A320 — Adjuvant function and exposure assessment across schedules	4 · 15 · 16 · 21 · 22 · 26 · 27 · 31 · 32
321	A321 — Maternal–infant record linkage and health after birth	4 · 13 · 14 · 15 · 17 · 22 · 26 · 27 · 32

No.	Topic	Cluster memberships
322	A322 — Surrogate endpoints and immunobridging in policy decisions	3 · 4 · 15 · 22 · 27 · 30 · 32
323	A323 — Comparator types and the questions a trial can answer	4 · 7 · 15 · 16 · 22 · 29 · 30 · 32
324	A324 — Advisory-panel appointments, conflicts and decision continuity	3 · 19 · 23 · 26 · 29 · 32
325	A325 — Research-funding changes and continuing duties to participants	3 · 12 · 17 · 18 · 19 · 23 · 26 · 28 · 29 · 32
326	A326 — Injury-table updates and the route from research to eligibility	2 · 3 · 17 · 19 · 23 · 29 · 32
327	A327 — A.I.-assisted source recovery and verification of public outcomes	3 · 7 · 9 · 18 · 20 · 23 · 24 · 29 · 30 · 32
328	A328 — Mast-cell activation and coordinated investigation of persistent symptoms	1 · 4 · 10 · 11 · 12 · 21 · 22 · 27 · 28
329	A329 — Care cascades, antibiotic use and longer-term outcomes	4 · 10 · 11 · 12 · 14 · 15 · 17 · 19 · 21 · 22 · 23 · 27 · 28 · 32
330	A330 — From safety manuals to local investigation and resources	1 · 3 · 17 · 19 · 23 · 29 · 30 · 32
331	A331 — In-flight medical emergencies and coordinated response	10 · 12 · 23 · 25 · 28
332	A332 — Hyperprogressive cancer definitions and comparable clinical histories	4 · 11 · 21 · 22 · 29 · 30 · 32
333	A333 — Gaps in pregnancy-loss surveillance and reconstruction of the missing field	4 · 13 · 14 · 15 · 17 · 18 · 22 · 29 · 30 · 32
334	A334 — Disease-specific protection and wider childhood outcomes	4 · 13 · 14 · 15 · 22 · 27 · 32
335	A335 — Wealth, clinical discretion and unequal conditions of medical choice	8 · 9 · 15 · 19 · 23 · 24 · 26 · 28 · 32
336	A336 — Live-vaccine organisms, secondary exposure and strain evolution	4 · 16 · 21 · 22 · 27 · 31 · 32

1.13 Project Avalon: an expanding inventory of potential investigations

Purpose: make the scope of potentially underexamined health, care, institutional and communication questions recoverable. John Kuhles requested scope thinking: identify potential topics and explain why inquiry could be worthwhile before investigating their answers in depth. GPT / Codex supplies the editorial inventory; forum contributors retain authorship of

their accounts and interpretations.

Coverage — 28 October 2026: text and linked-source descriptions screened across pages **1–164**, posts **#1–3277**, of the supplied thread. Long reproduced articles were skimmed for topic discovery. Embedded videos, image-only testimony, external documents and clinical case verification are further access layers. Entries name investigation opportunities; inclusion supplies neither a causal finding nor a frequency estimate. **The supplied-range scope scan is complete.** Page 164 contained 17 posts at retrieval; coverage ends at post #3277. Further source, media and clinical investigation remains available for every topic.

The method connects Beyond Agreemurmelism, Meta Processing, **TCoAw** (Thinking, Consciousness, Awareness), and Topologetics. A temporary focus remains part of a wider field; sources, directions, consequences and correction routes stay recoverable. The 1888 intelligence-properties taxonomy keeps perception, discrimination, relation, judgment, memory and correction interacting throughout the inquiry.

1.13.1 Coverage and change register

Instalment	Source range	Contribution	Unexamined continuation
Initial scan	Pages 1–10, #1–200	44 initial investigation topics	Page 11
Second scan	Pages 11–20, #201–400	24 additional branches or materially sharper questions; prior IDs retained	Page 21
Third scan	Pages 21–30, #401–600	24 further questions or material extensions; care-learning and information-processing links	Page 31
Fourth scan	Pages 31–40, #601–800	21 further questions or material extensions; source, care, access and research-design connections	Page 41
Fifth scan	Pages 41–50, #801–1000	20 further questions or material extensions; practical prevention, follow-up capacity and connected institutional responsibilities	Page 51
Sixth scan	Pages 51–60, #1001–1200	19 further questions or material extensions; support access, surveillance, evidence access and patient-led cooperation	Page 61

Instalment	Source range	Contribution	Unexamined continuation
Seventh scan	Pages 61–70, #1201–1400	18 further questions or material extensions; functional recovery, shared study design, linked records and wider care relationships	Page 71
Eighth scan	Pages 71–80, #1401–1600	19 further questions or material extensions; care access, interacting conditions, information access and participant agency	Page 81
Ninth scan	Pages 81–90, #1601–1800	19 further questions or material extensions; research design, lived outcomes, learning and repair	Page 91
Tenth scan	Pages 91–100, #1801–2000	17 further questions or material extensions; connected care, reporting systems and records	Page 101
Eleventh scan	Pages 101–110, #2001–2200	15 further questions or material extensions; research methods, contributor care and responsible archives	Page 111
Twelfth scan	Pages 111–120, #2201–2400	16 further questions or material extensions; individual care decisions, public review and collaborative research	Page 121
Thirteenth scan	Pages 121–130, #2401–2600	17 further questions or material extensions; specific diagnoses, research methods and follow-up continuity	Page 131
Fourteenth scan	Pages 131–140, #2601–2800	20 further questions or material extensions; regulatory responsibility, data stewardship and practical independence	Page 141

Instalment	Source range	Contribution	Unexamined continuation
Fifteenth scan	Pages 141–150, #2801–3000	17 further questions or material extensions; specific care pathways, research measurements and meaningful participation	Page 151
Sixteenth scan	Pages 151–160, #3001–3200	18 further questions or material extensions; study design, participant agency and correction follow-through	Page 161
Final supplied-range scan	Pages 161–164, #3201–3277	8 further questions or material extensions; care cascades, operational learning and conditions of choice	Supplied range complete

Topic counts describe this editorial map, not independent cases or estimates of harm. Later batches can extend an existing topic, add a distinct question, or produce no material addition. Repeated posts remain source relationships rather than new people by default.

1.13.2 Initial inventory: pages 1–10

1.13.2.1 Clinical questions

ID and potential topic	Why investigate?	Forum starting points
A001 — **Acute allergic reactions and ingredient sensitivity**	Could improve screening, recognition, emergency readiness and communication about individual susceptibility.	#14; #15; #72
A002 — **Neurological and movement symptoms**	Seizures, tremors, paralysis, numbness and changing diagnoses invite investigation of patterns, assessment and recovery.	#1; #15; #143; #150
A003 — **Clotting, bleeding and low platelets**	Specific combinations, timing and clinical features could distinguish conditions requiring different responses.	#89; #90; #91; #155
A004 — **Cardiac symptoms, collapse and sudden deterioration**	Timelines and clinical records could distinguish presentations and identify opportunities for earlier recognition.	#36; #37; #93

ID and potential topic	Why investigate?	Forum starting points
A005 — **Liver dysfunction and other organ-system complaints**	Broad observation can expose outcomes receiving less attention than the most publicly discussed syndromes.	#93; #111
A006 — **Menstrual changes and unexpected bleeding**	Opens questions about what trials and surveillance asked, what they omitted, and effects on daily life.	#104; #168; #169
A007 — **Fertility research and reproductive uncertainty**	Timing, scope and communication of investigations matter to consequential personal decisions.	#17; #85
A008 — **Pregnancy loss, stillbirth and pregnancy follow-up**	Consequential outcomes warrant accessible reporting, suitable comparisons, sensitive follow-up and family support.	#74; #75; #118
A009 — **Breastfeeding and infant outcomes**	Maternal and infant histories connect exposure, timing, alternative explanations and access to investigation.	#103; #118
A010 — **Persistent fatigue, cognitive difficulties and altered sleep**	Follow-up could track duration, fluctuations, work capacity and recovery after emergency investigations end.	#115; #124
A011 — **Persistent skin conditions**	Rashes, itching and severe reactions raise questions about diagnosis, duration, treatment response and overall illness.	#115; #136
A012 — **Lymph-node findings, cancer concerns and interrupted cancer care**	Imaging interpretation, reported disease changes and treatment delayed by blood results need distinct research paths.	#51; #57; #146
A013 — **Individual susceptibility and medical history**	Prior infection, allergies, medication and existing illness could change interpretation and care needs.	#8; #14; #124
A014 — **Product, dose and batch differences**	Preserving exposure details enables more informative investigation than merging all products and doses.	#16; #89; #155
A015 — **Onset, persistence and delayed outcomes**	Short observation and years of follow-up answer different questions; recovery and later developments remain important.	#68; #71; #194

ID and potential topic	Why investigate?	Forum starting points
A016 — **Infection after vaccination and immune-response hypotheses**	Protection, transmission, timing, disease-enhancement hypotheses and transfer from animal research require separate questions.	#22; #23; #106; #148
A017 — **Reports concerning nearby unvaccinated people**	Investigate reported symptoms, actual exposures and the formation of causal interpretations; the proposed mechanism remains a separate question.	#187; #188

1.13.2.2 Care and dignity

ID and potential topic	Why investigate?	Forum starting points
A018 — **Observation and aftercare at vaccination sites**	Throughput, monitoring and routes back into care need to function together, including after a person leaves the site.	#1; #15; #16
A019 — **Diagnostic uncertainty and referral access**	Following repeated visits and referral decisions could reveal where continuing investigation becomes inaccessible.	#124; #143; #144
A020 — **Treatment and rehabilitation pathways**	Care-seeking journeys could identify unmet needs, useful practices and ways to evaluate proposed treatments.	#25; #26; #189
A021 — **Financial costs, lost work and household burden**	Income, caregiving, relationships and independence belong inside an assessment of overall impact.	#144; #150
A022 — **Isolation, grief and peer support**	Study what recognition and practical help communities provide, and how formal services could learn from it.	#94; #124; #190; #197
A023 — **Consent in nursing homes and dependent-care settings**	Capacity, representation, refusal, family participation and protection against coercion warrant examination.	#45; #50; #114
A024 — **Employment, travel and family pressure**	Practical constraints around a formally voluntary decision matter to meaningful consent and responsibility.	#56; #124; #140
A025 — **Other treatment conditional on vaccination**	Identify the actual policy, clinical reasoning, appeal route and consequences for people needing unrelated care.	#117

ID and potential topic	Why investigate?	Forum starting points
A026 — **Privacy, medical-data sharing and donation consent**	Authorization, understanding and accountability connect bodily decisions with institutional control of data and tissue.	#41; #56
A027 — **Liability, compensation and insurance**	Actual arrangements and accessibility can affect who obtains care, who reports and who bears disputed costs.	#56; #58; #107

1.13.2.3 Knowledge and institutions

ID and potential topic	Why investigate?	Forum starting points
A028 — **Accessibility of adverse-event reporting**	Investigate awareness, clinician assistance and practical barriers that keep observations outside reporting systems.	#34; #44; #148
A029 — **Active follow-up alongside spontaneous reports**	Comparing collection methods could reveal what each captures or misses and improve detection.	#65; #72; #78
A030 — **Severity definitions and usable denominators**	Reports, symptoms, affected people and doses answer different questions; preserving them makes later research more useful.	#27; #72; #134
A031 — **Autopsy methods and unresolved deaths**	Examine tests, diagnostic reach, uncertainty recording and whether families can obtain later reconsideration.	#93; #94; #175
A032 — **Consistency of attribution standards**	Investigate the criteria used in disease surveillance, death certification and adverse-event assessment, and reasons for differences.	#61; #69; #97
A033 — **Regulatory responses over time**	Connect initial reports with investigation, communication, restrictions, resumption and revision to make learning inspectable.	#77; #80; #128; #155
A034 — **Age thresholds and national decisions**	Contrasts could reveal different evidence interpretations, exposure, alternatives, priorities and tradeoffs.	#131; #145; #148
A035 — **Commercial incentives, procurement and data agreements**	Examine how arrangements shape research, disclosure, promotion and funding; this connects to healthcare alignment.	#54; #56; #58; #63

ID and potential topic	Why investigate?	Forum starting points
A036 — **School and healthcare staffing disruption**	Temporary illness can affect services when workers receive interventions together; scheduling and sick leave become relevant.	#123; #127; #141

1.13.2.4 Information and collective sense-making

ID and potential topic	Why investigate?	Forum starting points
A037 — **Removal, demotion and discoverability of testimony**	Trace the statement, platform action, explanation and appeal; visibility affects peer contact and research access.	#2; #7; #70; #185
A038 — **Professional freedom to report concerns**	Investigate reporting protections, disciplinary processes and whether uncertainty can be raised without loss of standing.	#45; #70; #171
A039 — **Editorial removal and correction policies**	Publication, removal explanations, retained records and a contributor's response opportunity form an inspectable sequence.	#141; #157; #158
A040 — **Preservation, provenance and duplicate identification**	Connect surviving copies to origins and later updates so preservation becomes a recoverable research resource.	#3; #6; #28; #83
A041 — **Public escalation and response to notice**	Track whether submissions to representatives produce investigation, acknowledgment, help or an unresolved gap.	#108
A042 — **Different apparent realities across social networks**	Geography, occupation, disclosure and platform feeds could explain sharply differing impressions.	#59; #62; #70
A043 — **Social pressure, moral identity and trust**	Study how institutional messaging and community discussion affect decisions, disclosure and willingness to revise.	#55; #56; #140; #195
A044 — **Forecasts, historical analogies and later outcomes**	Returning to early expectations can reveal useful foresight, mistaken forecasts and responses to subsequent developments.	#17; #165; #179; #200

1.13.3 New scope and sharper relationships: pages 11–20

The second batch adds subgroup-specific health questions and makes the route from a report to care more concrete. It also preserves learning within the forum: exact product identification, restoring conditions in a quotation, and finding a longer public record behind an excerpt.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A045 — **Herpes zoster and immune-condition subgroups**	The case-series excerpt and later family account open a more specific inquiry into reactivation, immunosuppressive treatment, underlying disease and follow-up.	#218; #390; #395	extends 11, 13
A046 — **Myocarditis as a distinct cardiac topic**	Young-person and sex-specific reports invite a separate research path with defined diagnoses, timing, recovery and later cardiac function.	#255; #276; #399	extends 4, 34
A047 — **Hearing loss, tinnitus and vertigo**	These experiences merit their own functional-outcome and rehabilitation questions, including persistent effects on communication and balance.	#334; #377	new clinical branch
A048 — **Lactation and milk-supply changes**	Milk supply introduces a maternal functional outcome alongside infant outcomes, including feeding support and longitudinal assessment.	#248	extends 9
A049 — **Recurrence of earlier conditions**	The sciatica account raises questions about prior symptom history, recurrence, functional change and recovery rather than only entirely new diagnoses.	#211; #221	extends 13
A050 — **Disability when routine tests do not explain symptoms**	Investigate how unexplained impairment is documented and supported when scans or laboratory work do not settle the explanation.	#249; #275; #277; #281	extends 19, 20

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A051 — **Emergency-response inequalities and housing insecurity**	A shelter resident's account and a separate account of private home care invite comparison of recognition, access, resources and reporting opportunities.	#270; #319	extends 18, 21, 28
A052 — **Reassessment when symptoms persist or change**	Follow repeated contacts, changing function, physical examination, referral decisions and practical support in the older-patient account.	#224	extends 19
A053 — **Family presence and access to seriously ill relatives**	Examine visiting rules, exceptions, communication, advocacy and the consequences of separation during acute illness.	#224; #251	extends 22, 25
A054 — **Disclosure shame and blame directed at injured people**	Accounts of apologizing for disclosure and discussion of people being foolish make dignity, constrained choice and willingness to seek help researchable.	#293; #295; #296; #297	extends 22, 24, 43
A055 — **Residency, transit and return-home constraints**	The extended travel exchange reveals that mobility can concern visa status, livelihood and access to home; investigate the actual options and their costs.	#346; #349; #351; #355; #358; #365	extends 24
A056 — **Administration errors and product traceability**	The saline-error discussion opens questions about preparation, identification, disclosure, corrective procedures and what records recipients receive.	#207; #211	extends 14, 18

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A057 — **Exact product identity across countries**	Participants clarify CanSino rather than Sinovac and compare other products. Research needs exact names, platform, dose and local context.	#326; #327; #331; #342; #344	extends 14
A058 — **Reporting delay, publication delay and dashboard filters**	Separate occurrence, submission and public-release dates; examine pending reports, changing filters and the provenance of displayed totals.	#304; #309; #330; #335; #387; #396	extends 28–30, 40
A059 — **Listening to non-physician healthcare workers**	A receptionist's anonymized account opens questions about observations available at appointments, phone calls and administrative handoffs, with suitable privacy protection.	#375; #394	extends 28, 38
A060 — **Hearing excerpts and the full public record**	The archive links a short clip and a longer legislative recording. Recover speaker, chamber, question and surrounding testimony before interpreting the excerpt.	#322; #325; #338; #339; #343	extends 40
A061 — **Conditional statements surviving retelling**	Participants examine whether an agency statement retained its condition. That exchange offers a practical source-to-summary preservation case.	#282; #286; #289; #291	extends 39, 40
A062 — **Independent scrutiny of promotion, regulation and surveillance**	The proposed conflict among institutional roles warrants mapping mandates, funding, decision rights, independent review and correction channels.	#359; #360	extends 35

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A063 — **Adverse-event work records and employer responsibility**	The occupational-reporting discussion opens distinct questions about recording duties, compensation, policy dates and the effects of employer requirements.	#372; #373; #381	extends 24, 27
A064 — **Treatment availability versus delivery capacity**	The report of an antibody treatment awaiting an administration plan invites investigation of logistical barriers between an available option and actual care.	#234	extends 20, 35
A065 — **Proposed remedies and commercial information ecosystems**	The antidote discussion and paid educational material open questions about unmet demand, claims, evaluation, interests and access to reliable care.	#226; #230; #332	extends 20, 35
A066 — **Risk after leaving a service setting**	A reported driving incident raises questions about immediate aftercare, transport planning and how health events outside the clinic are recorded.	#274	extends 18
A067 — **Pediatric research records and age eligibility**	Reports about children create a route to examine original trial records, ages, product, authorization context, follow-up and family communication.	#278; #292; #294; #337	extends 8, 34
A068 — **Hazard-document scope and actual formulation**	The ingredient-sheet discussion warrants recovering the specific substance, mixture, concentration, exposure route and finished-product context.	#371	extends 1, 14, 40

1.13.4 Further scope and care-learning relationships: pages 21–30

This batch follows questions into trial participation, care-home life, clinical recognition and treatment research. It also identifies source chains and corrections made by forum participants. Those are useful archive contributions in their own right.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A069 — **Pediatric trial participants' continuing care**	Follow how reported disability is recorded, investigated, supported and communicated between trial teams, hospitals and families.	#405; #547	extends A067; child and family follow-through
A070 — **Diagnostic labels and continuing disability support**	Examine diagnostic criteria, communication and access to care when a neurological label is given while function remains severely impaired.	#405; #547	extends A050; preserves diagnosis and functional needs separately
A071 — **Detailed platform classification and demotion rules**	The reproduced insider report provides a lead for examining policy versions, categories, ranking changes, appeals and whether a true account can be downranked for its expected influence.	#409; #410	extends A037; documents remain to be inspected
A072 — **Removal or revision of a reporting-system entry**	Track original record, change date, explanation and retained audit history so correction, duplication, withdrawal and unexplained disappearance can be distinguished.	#412	extends A058; case-record lifecycle
A073 — **Care-home restrictions and competing harms**	The support-worker account opens questions about nutrition, movement, foot care, social contact, cognition, staffing and residents' ability to obtain help during isolation.	#440	extends A022, A023, A053; evaluates the protective intervention too

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A074 — **Frailty and possible acceleration of decline**	Investigate individual reserve, goals of care, timing and how a population recommendation is adapted for frail residents near the end of life.	#463	extends A013, A023, A034
A075 — **Professional discussion spaces as discovery resources**	Clinician-only forums may preserve otherwise dispersed observations. Study their access conditions, selection, follow-up and routes into formal surveillance.	#462; #465	extends A028, A038; a complementary source type
A076 — **Condition-specific patient communities**	The tinnitus forum supplies a lead for symptom history, persistence, coping and care pathways that a general adverse-event discussion may not capture.	#469	extends A047; separate external archive awaiting review
A077 — **Recognition of a syndrome and the development of care**	The reproduced clotting-treatment case series creates a chronological research path from initial reports through diagnosis to treatment investigation and follow-up.	#490	extends A003, A020, A033; care-learning trajectory
A078 — **Pregnancy follow-up by gestational stage and time at risk**	Examine who entered a cohort when, which pregnancies were ongoing, which had completed and what outcomes each comparison can answer.	#422; #549; #589	extends A008, A030; preserves temporal denominators
A079 — **Distribution and persistence of biological material**	Recover the actual molecule, assay, tissue, timing, experimental model and infection status behind distribution claims to formulate answerable biological questions.	#401; #435; #477; #517; #581	extends A005, A016, A068

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A080 — **Diagnostic assays and claims of persistent damage**	Questions about small-vessel injury invite examination of recruitment, assay specificity, baseline values, alternative causes and whether a biomarker establishes the claimed outcome.	#585; #586; #592	extends A003, A030; method-to-interpretation bridge
A081 — **Postoperative recovery and pre-existing medical devices**	The knee-replacement question broadens inquiry to healing, rehabilitation, pain, timing of procedures and burdens on a patient who is also a caregiver.	#457	extends A013, A020, A021
A082 — **Household clustering and shared susceptibility**	Father-and-son and other family accounts invite recovery of shared exposures, medical histories, product details and clinical differences.	#461; #464	extends A013, A014; linked people remain distinct cases
A083 — **Practical community assistance**	Transporting people to appointments and maintaining nonjudgmental contact may reveal useful ways to help while an explanation is unresolved.	#528; #529	extends A022, A051; contribution already available for study
A084 — **Mental health, personality and communication changes**	Separate experienced changes, neurological questions, distress, loss of function and effects of isolation so different needs can receive appropriate investigation.	#447; #456; #529; #596	extends A010, A022; broader functional scope
A085 — **High-skill work, physical ability and livelihood**	A musician's account and amputation follow-up make fine motor function, pain, rehabilitation and return to valued activity visible beyond survival.	#491; #523	extends A020, A021; person-specific outcomes

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A086 — **Military service and constrained medical choice**	Examine actual orders, exemptions, reporting protections and service outcomes under a command structure, keeping published allegations linked to the records needed to assess them.	#451; #537	extends A024, A038; distinctive institutional setting
A087 — **Patient testimony entering political proceedings**	Follow the families' stated needs into the public conference, subsequent submissions and institutional response; distinguish a news conference from a formal hearing.	#547; #552; #555	extends A041, A060; longitudinal notice and response
A088 — **Source chains across repeated publications**	The air-travel exchange traces a story through blogs and broadcasters. Mapping dependencies could distinguish independent reporting from repeated transmission and preserve later corrections.	#499; #504; #514; #515	extends A040; a practical provenance specimen
A089 — **Legal announcements and actual proceeding records**	The lawsuit exchange preserves a correction inside the archive. A research record can distinguish announcement, filing, forum, parties, requested remedy and later status.	#415; #416; #418; #420	extends A041, A061
A090 — **Symmetric dignity during disagreement and injury**	Study how mockery, blame and stigmatizing labels affect disclosure, family contact and care in each direction, while retaining each person's circumstances.	#407; #430; #431; #470; #525; #528; #568	extends A043, A054; dignity remains reciprocal

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A091 — **Historical baselines, timestamps and corrected exposure histories**	Later updates about dates or vaccination status show why a timeline must retain its original state and the specific revision before cases are grouped.	#471; #482; #598	extends A040, A061; temporal discrimination
A092 — **Research agendas, anticipated events and observed findings**	Recover what a planning slide, forecast or monitoring list was designed to do, then track what was actually observed and which later decisions followed.	#487; #494; #580; #588	extends A033, A044; separates prospective and retrospective objects

Recurring topics receive new starting points: menstrual health A006 → #562; myocarditis A046 → #406, #433, #544; work requirements A024/A063 → #563; peer contact A022 → #568; shingles A045 → #600. These cross-links expand recoverability rather than increase case counts.

Local wording repair: A052 now describes reassessment when symptoms persist or change. The earlier heading introduced repeated prescribing, which was more specific than the cited account supported. The original research contribution—follow changing function, access to examination and referral—survives the repair.

1.13.5 Expanded research, care and access questions: pages 31–40

The fourth batch connects individual follow-up with transplantation, education, licensure, diagnostic access, independent observation and larger health datasets. New entries identify a distinct question or a materially sharper branch; recurring themes retain their earlier IDs.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A093 — **Organ donation, donor histories and recipient outcomes**	The transplantation-paper excerpt opens questions about donor assessment, recipient monitoring and access to specialist evidence. The contributor's additional blood-supply question remains a separate research lead.	#701	extends A026, A079; donor and recipient remain distinct people

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A094 — **Lifelong assistance after catastrophic disability**	The multiple-amputation account and fundraising discussion widen follow-up to prosthetics, housing adaptation, sustained caregiving, income and who funds care across a lifetime.	#626; #627; #636	extends A021, A027, A085; continuing practical responsibilities
A095 — **Diagnostic-procedure concerns and access to investigation**	Reports concerning magnetic resonance imaging invite recovery of the actual procedure, contrast exposure, symptom sequence and clinical assessment; also examine whether circulating warnings change access to needed investigation.	#606	extends A019, A050; procedural safety and consequences of advice
A096 — **Medical exemptions and access to education**	The admis-sion/exemption account creates a concrete inquiry into disability accommodation, evidence requirements, individual review, appeal and educational opportunity.	#658	extends A024, A063; an institution-specific decision path
A097 — **Skin reactions at tattoos and earlier filler sites**	The dermatology excerpt and tattoo report sharpen the skin-outcome inquiry around prior procedures, anatomical location, diagnosis, duration and treatment.	#652; #655	extends A011, A013; localized interactions

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A098 — **Longitudinal immune measurements and clinical interpretation**	The immune-cell account and serial-testing description invite examination of baseline health, laboratory methods, medications, infection testing, repeated measurements and functional outcomes.	#703; #791; #793	extends A013, A045, A080; laboratory change and illness remain distinguishable
A099 — **Reproducible microscopy and sample preparation**	The blood-image discussion opens a shared experimental task: preserve collection and preparation methods, timing, comparison samples, blinded reading and independent replication.	#680; #681; #685; #689; #690	extends A080; turn a visual lead into a reproducible question
A100 — **Autopsy selection, access and formal determinations**	Compare which deaths receive examination, what methods are used, how conclusions are recorded and how a later coroner's determination reaches families and earlier summaries.	#659; #711; #712; #772	extends A031, A033, A091; preserves dates and selected-case scope
A101 — **Estimating unreported outcomes**	Several posts move from report counts to estimated burdens. Study outcome-specific reporting probabilities, uncertainty, validation datasets and when an estimate transfers between settings or outcomes.	#609; #612; #749; #751	extends A029, A030, A058; model assumptions become inspectable
A102 — **Exposure classification and the period after each dose**	Investigate how dose dates, onset dates, immunity windows and categories are defined for each research question, including safety and effectiveness analyses.	#614; #721; #729	extends A014, A030, A032; person-time and classification

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A103 — **Changing protection across time, variants and prior infection**	The linked cohort and country discussions invite comparisons by age, time since dose, prior infection, changing exposure and outcome, with protection and adverse effects examined separately.	#650; #721; #758; #789	extends A016, A034; evolving field conditions
A104 — **Large health datasets and artificial-intelligence-assisted analysis**	The Project Salus/Humetrix lead points toward a linked-data research resource. Recover dataset coverage, analysis methods, actual artificial-intelligence involvement, endpoints and the path from results to decisions.	#789	extends A035, A086; direct health–artificial intelligence connection
A105 — **Identity-protected professional testimony**	The Nurses Speak Out description opens questions about credential verification, safe reporting, patient privacy, follow-up, access to underlying records and independent review.	#747; #794	extends A038, A059; protection and examinability together
A106 — **Joint inquiry among competing explanatory models**	A request for an expert discussion can become a structured comparison: identify the particular propositions, shared observations, genuine conflicts, possible overlaps and tests that discriminate among explanations.	#671	extends A016, A043; disagreement can generate a research design

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A107 — **Mortuary observations and population-level investigation**	Funeral-worker accounts offer another occupational observation point. Examine service catchments, dates, demographics, referral patterns and links to clinical and mortality records.	#720; #739	extends A031, A059; distinctive access to outcomes
A108 — **Open news solicitations and whose experiences become visible**	The account of a broadcaster's public question and unexpected responses opens inquiry into solicitation wording, audience, selection, follow-up and which contributions reach the resulting reporting.	#740	extends A037, A040, A043; contribution discovery through public response
A109 — **Fact-checking, reporting and disputed representations**	The reported dispute involving a fact-check invites a source-to-representation record: the precise claim, original material, response, correction opportunities and distribution consequences for all participants.	#756	extends A037, A061, A088; scrutiny includes each evaluator
A110 — **Translation, subtitles and visual interpretation**	Language barriers and the practical help with subtitles open questions about accessible testimony, translation fidelity, original context and which claims an image alone can support.	#677; #770; #796; #797; #798; #799	extends A040; access assistance as a useful contribution
A111 — **Scientific contributions to local education decisions**	The school-board presentation provides a lead for examining submitted documents, participants' questions, child and staff interests, decision records and later revisions.	#666; #667; #668	extends A067, A087; a distinct local governance setting

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A112 — **Severe illness, mental distress and prevention of secondary harm**	The newsletter account and prolonged-suffering testimony make pain relief, mental-health support, suicide-risk assessment, family help and continuity of care important inquiries alongside physical symptoms.	#783; #788	extends A020, A022, A084; care needs can be addressed during unresolved investigation
A113 — **Licensure review and routes for raising clinical concerns**	The board-policy report and legal-support account invite examination of complaint thresholds, reasons, timelines, evidence access, representation and appeal, including how clinical observations are distinguished from other public statements.	#748; #780	extends A038, A062; responsibility and correction in both directions

Further source routes for existing topics: workplace disruption A036 → #628; reporting-system availability A058 → #643–648; competing harms A073 → #647, #674; response to notice A041/A062 → #661; timing an approach to a person in pain A022/A028 → #698; menstrual health A006 → #734; accessible testimony archives A040/A076 → #731, #752, #761; platform feedback and discoverability A037 → #760, #765, #800. The underlying testimony projects and linked media remain further reading layers.

1.13.6 Expanded practical and institutional questions: pages 41–50

The fifth batch connects a person's clinical course with how injections are delivered, how reports become follow-up, what daily life requires and how institutions share responsibility. Twenty new entries develop distinct questions or materially sharper branches. Earlier entries retain their IDs and gain additional source routes below.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A114 — **Co-administration, medicines and pharmacist communication**	The flu/COVID appointment and interaction-database discussion invite examination of timing, existing medicines, the meaning of each database entry and how pharmacists explain the evidence relevant to a particular person.	#813; #814; #815	extends A001, A013, A014; combinations and information at the appointment
A115 — **Blistering skin disease and continuing daily care**	The account naming bullous pemphigoid sharpens inquiry into diagnosis, pain, skin integrity, mobility, treatment and assistance with ordinary activities over time.	#809	extends A011, A020, A097; a specific dermatological care pathway
A116 — **Chronic viral illness, reactivation and liver vulnerability**	The linked hepatitis-C case report opens questions about prior infection, cirrhosis, medications, clinical sequence and specialist follow-up in people with existing liver disease.	#834	extends A005, A013, A045; recover the underlying case report
A117 — **Immune compromise, cancer and expected protection**	The Powell discussion adds a specific reason to recover immune status, cancer treatment, infection exposure and expected response when investigating protection and subsequent illness.	#839; #843	extends A012, A013, A103; preserve the individual clinical context

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A118 — **Life expectancy, remaining life and unequal outcomes**	The life-expectancy discussion invites separation of deaths, population life-expectancy estimates and an individual's prognosis. Study age, social inequalities, functional baseline and years of life affected.	#843; #844; #847; #851; #853; #854; #855	extends A030, A074; different measures answer different questions
A119 — **Dignity and safety during infection-control transport**	The hospital-drape account connects a young patient's experience, equipment choice, explanation, ability to refuse and staff safety. Follow the patient complaint and the hospital response while keeping reported threats separately examinable.	#865; #866; #867	extends A023, A053, A090; patient and staff interests remain visible
A120 — **Responsibility across hospital, government and advisory bodies**	The hospital meeting and advisory-committee discussion invite a map of who makes, implements, reviews and can revise a decision, and where an affected person can obtain an answer or remedy.	#806; #902	extends A041, A062, A113; follow actual handoffs and decision authority
A121 — **Aviation fitness, incident records and return to work**	The pilot account and flight-related reports open questions about occupational assessment, incident documentation, privacy, fitness decisions, rehabilitation and safe return to a safety-critical role.	#819; #821; #825; #906; #910	extends A036, A085, A088; reported incidents and verified records remain recoverable

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A122 — **Shoulder injury related to vaccine administration**	The reproduced pre-pandemic SIRVA account supplies a distinct investigation route into anatomical placement, symptom onset, prior shoulder function, examination, rehabilitation and preventable loss of daily function.	#901	extends A018, A020, A056; administration-related injury has its own pathway
A123 — **Vaccinator training and the evidence behind technique**	Workforce expansion and the aspiration discussion invite comparison of actual technique guidance, anatomical reasoning, training, supervision, competency checks and relevant outcome studies.	#901; #920; #922; #935	extends A056, A062; procedural questions can generate practical improvements
A124 — **Anxiety, communication and immune-health research**	The Pierre Capel presentation opens a research question linking individual stress, social communication, immune measurements and wellbeing. Recover the studies and their scope while continuing to investigate physical symptoms and care needs.	#904	extends A010, A043, A084; individual psychology and population communication interact
A125 — **Follow-up capacity after an adverse-event report**	The Queensland reporting notice and physician correspondence invite examination of triage, staffing, acknowledgement, further clinical contact and responsibility when a reporter has already used the designated system.	#900; #921	extends A028, A029, A064; filing a report and receiving help are distinct steps

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A126 — **Physicians who are also patients**	The eleven-physician account can connect professional knowledge with experienced illness, referral journeys, workplace consequences and reporting. Preserve each person's record and follow-up separately within the collection.	#921	extends A019, A038, A105; clinical and lived perspectives can inform one another
A127 — **Sports-event registries and recovery toward personal baselines**	Athlete lists and a freediver's account invite a structured registry with event dates, exposure histories, prior illness, training, historical comparisons, clinical outcomes and return to activity. Individual performance baselines may reveal losses that general functioning misses.	#889; #894; #938; #939; #943; #946; #968; #996	extends A004, A046, A085, A091; a possible shared research resource
A128 — **Performance-enhancing substances and combined exposures**	Participants explicitly clarify an interaction hypothesis involving athletic training, substances and vaccination. Investigate documented exposures and plausible interactions without assigning substance use to athletes from their occupation.	#924; #927; #928; #929; #933; #945	extends A013, A106, A114; a clarified question can improve study design
A129 — **DNA-repair research and links between experimental scales**	The linked spike-protein/DNA-repair discussion creates a lead for recovering the original experimental system, exposure conditions, measured endpoints and subsequent work connecting molecular findings with clinical outcomes.	#916; #917	extends A079, A080, A092; keep each proposed connection available for examination

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A130 — **Pediatric clot treatment and the history of therapeutic need**	The reproduced anticoagulant approval notice provides a route into pre-existing pediatric clotting conditions, treatment trials, age-specific formulations, access and bleeding risks, alongside the timeline of later public interpretations.	#930	extends A003, A020, A067, A092; treatment development has a recoverable clinical history
A131 — **Bereavement, privacy and changing permission to publish**	The account of a grieving mother's changing public stance invites examination of consent, timing, family wishes, public-interest reporting and how earlier stories are updated when a family chooses to speak.	#997	extends A022, A026, A039, A054; permission and support can change over time
A132 — **Solidarity, risk-sharing and continued access to care**	The solidarity exchange opens questions about what people believe they owe one another, how shared risks are explained, how disagreement affects relationships and how healthcare costs and access are allocated.	#984; #985; #990	extends A024, A043, A090; recover the concrete obligations being proposed
A133 — **Care capacity across connected services**	The hospital excerpt and school-staff report connect infection, immune vulnerability, staffing, family quarantine, bed allocation and continuing non-COVID care. Follow how pressure in one service changes access elsewhere.	#989; #993; #994	extends A036, A064, A073, A103; a linked-service rather than single-endpoint inquiry

Further source routes for existing topics: immune measurements before reported symp-

toms A098 → #803; #804; official public-response channels A108 → #812; batch patterns and distribution A014 → #895; #896; #908; reporting probabilities A101 → #883; #884; pregnancy follow-up A008/A078 → #869; #925; #976; #980; daily caregiving and cognitive function A010/A094 → #910; recognition of symptoms and practical visits A052/A083 → #919; public testimony A060/A087 → #903; #905; #910; global reporting categories and data snapshots A030/A058 → #936; #937; source preservation and visual access A040/A110 → #807; #873; #874; #878; #879; molecular and patent research leads A068/A092 → #836; #878; scope of source material and revision histories A061/A088/A091 → #885; #886; #887; #891; #949; #950; #951; #952; #953; #954; #955; #956; #957; #958; later updates after a public-health speculation A040/A091 → #960; #961; #970; #974; #977; #979; #981; #999; trial-conduct concerns A062/A067 → #982; public communication and correction access A037/A109 → #983; #986; #992; persistent neurological symptoms and support A002/A112 → #991. These are starting points into the archive; repeated quotations and lists remain linked material rather than additional independent people.

1.13.7 Expanded support, surveillance and cooperation questions: pages 51–60

The sixth batch connects clinical observations with support applications, visual function, service continuity, public research resources and patient-led cooperation. Nineteen entries develop distinct questions or materially sharper branches. Earlier topics gain further source routes; their IDs and original wording remain intact.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A134 — **Medical certification and access to injury support**	The account of an unsigned support form invites examination of the required certification, the clinician's reasons, independent assessment, appeal and interim help when a person cannot work.	#1018	extends A019, A027, A094; the application pathway itself affects access
A135 — **Crowdfunding access during prolonged illness**	The same account describes interruptions in access to donated funds. Investigate review procedures, explanations, appeal, alternative payment routes and the effects of delays on household needs.	#1018	extends A021, A027; a distinct financial-service handoff
A136 — **Compensation administration, staffing and decisions**	The parliamentary answer and Australian scheme accounts open questions about staffing, eligibility, evidence gathering, processing time, acknowledgement, decisions and actual payments.	#1041; #1061; #1180	extends A027, A064, A125; follow each administrative stage

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A137 — **Neonatal warning thresholds and the investigation they initiate**	The Scottish neonatal-mortality report supplies a lead into surveillance thresholds, historical comparison, births at risk, case review and how a triggered investigation communicates findings to families and services.	#1040	extends A008, A009, A030; signal detection and follow-up over time
A138 — **Visual symptoms, retinal disease and urgent specialist access**	The retinal-necrosis case excerpt sharpens inquiry into visual changes, infection testing, specialist referral, treatment, repeat procedures and continuing sight-related disability.	#1067	extends A045, A049, A116; a specific ophthalmic pathway
A139 — **Continuity of patient care when a clinician becomes ill**	The surgeon's account connects personal disability with patients awaiting assessment or surgery, transfer of care, workforce replacement and recovery or retraining for the clinician.	#1034	extends A036, A085, A126; consequences extend through a care network
A140 — **Biomarker changes, risk scores and clinical outcomes**	The cardiac-test abstract invites comparison of measured proteins, a calculated future-risk score, observed events, comparison groups and later validation. Preserve the expression-of-concern notice reproduced with the abstract as part of its research history.	#1043; #1044; #1088	extends A004, A080, A098; each measurement has a distinct evidential job

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A141 — **Adolescent tic presentations and interacting contexts**	The long tic-disorder discussion opens questions about onset, neurological assessment, medicines and other exposures, infection, stress, online environments and functional recovery in young people.	#1021; #1022	extends A002, A084, A124; multiple possible relationships remain available
A142 — **Trauma-aware communication within families**	The trauma presentation and family discussion invite study of what helps people stay in contact, disclose illness, hear unfamiliar experiences and seek support during intense disagreement.	#1013; #1017	extends A022, A043, A090; examine the help offered and its effects
A143 — **Latent tuberculosis and changing immune vulnerability**	The tuberculosis discussion adds a distinct infection question: prior exposure, latent infection, immune status, treatment history, diagnosis and the conditions under which active disease is detected.	#1130; #1131	extends A013, A045, A116; recover clinical and population context
A144 — **Information supplied with a product at the point of care**	The pharmacist/insert video description provides a lead into the actual package, accompanying materials, electronic information, revision dates and what staff and recipients can access before a decision.	#1137; #1143	extends A018, A024, A114; the described video remains a further access layer

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A145 — **Transplant eligibility and decisions under constrained choice**	The lung-transplant-list headline opens an inquiry into eligibility rules, individualized risk assessment, explanation, appeal, timing and the consequences of accepting or declining a required intervention.	#1081	extends A025, A093, A120; a high-consequence treatment decision
A146 — **Life-insurance observations as a population research lead**	The Indiana insurer account points toward another dataset: covered workers, insured person-time, deaths and disability claims, reporting delays and comparisons with wider populations and causes.	#1175; #1177; #1179	extends A030, A104, A107; the insured group and general population remain distinguishable
A147 — **Timely access to regulatory evidence and usable releases**	The document-release and court-order accounts invite a dated record of requests, production schedules, redactions, delivered files, indexing and opportunities for independent analysis while decisions are still consequential.	#1102; #1112; #1132; #1191; #1193	extends A035, A040, A062, A089; publication speed and practical usability interact
A148 — **Laboratory observation, confidentiality and shared detection**	The pathology technician's account opens questions about specimen allocation, workload, referral changes, privacy-preserving aggregation and how an individual worker can raise a pattern for systematic review.	#1070	extends A059, A098, A105; protect people while connecting observations

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A149 — **Patient-led campaigns that connect people to care**	The RealNotRare account explicitly asks for help and medical collaboration across polarized identities. Follow peer support, stated needs, referral links, participation in research and responses from the addressed organizations.	#1117; #1142; #1163; #1196	extends A022, A041, A076, A108; preserve the participants' proposed direction
A150 — **Research funding and the path from observation to publication**	The reported concern about losing funding creates an inquiry into study records, publication decisions, contracts, conflicts, researcher protection and alternative routes for independent review.	#1074	extends A035, A038, A113; recover the report's underlying decision trail
A151 — **Reproducible public analysis of batch-level data**	The batch-tool description identifies source code, cleaning, lot sizes, dates and geographic views as possible investigation resources. Examine the transformations, exposure denominators, duplicate handling, reporting differences and reproducibility of any apparent pattern.	#1183; #1188; #1189; #1190	extends A014, A030, A104; turn an accessible tool into an inspectable analysis
A152 — **Repeated procedures and cumulative opportunities for harm**	The administration discussion raises a question about procedure frequency, per-procedure risk, dose timing, staffing and individual follow-up. Study how cumulative exposure and changing service conditions affect outcomes.	#1145; #1146; #1147; #1150; #1151; #1153; #1157; #1159; #1160	extends A015, A056, A123; preserve differences among practical accounts

Further source routes for existing topics: pediatric death review A067/A100 → #1001;

#1027; peer-community access and platform prompts A037/A071 → #1004; #1005; #1117; historical footage, attribution and source recovery A040/A088/A091 → #1014; #1016; #1079; #1126; #1129; #1136; competing explanations and later follow-up A106 → #1025; #1029; #1145; #1146; #1147; #1153; #1157; #1159; #1160; sport, collapse and return to activity A127 → #1024; #1026; #1038; #1050; #1053; #1054; #1059; #1171; #1195; #1197; death inquests and symptom-to-care timelines A052/A100 → #1051; #1058; #1073; product categories and biological-material questions A057/A068/A079 → #1056; #1057; #1060; #1077; professional reporting and occupational pressure A038/A086/A105 → #1030; #1032; #1033; #1095; #1121; #1148; mortality classification A030/A102 → #1086; batch decisions and age-specific use A014/A034 → #1091; #1092; #1096; #1097; #1099; molecular research and proposed remedies A065/A129 → #1105; observed reports, monitoring lists and later revisions A030/A061/A092 → #1075; #1076; #1078; #1112; #1114; #1115; adaptive immunity, forecasts and later outcomes A044/A098/A103 → #1103; #1106; #1118; #1167; #1172; #1176; aviation fitness and source populations A121 → #1116; #1184; #1192; pregnancy, infant and complex pediatric histories A008/A081/A117 → #1123; #1194; #1198; #1200; patient autonomy and hospital-care accounts A023/A053 → #1068; #1181; #1182; sources of meaning and steadiness during uncertainty A022/A084 → #1047; #1048; testimony accessibility and research navigation A040/A110 → #1064; #1065; #1072; #1080; #1085; #1101. Reproduced quotations, repeated stories and linked collections remain source relationships; their presence does not create additional independent cases.

1.13.8 Expanded recovery, comparison and care-network questions: pages 61–70

The seventh batch develops eighteen distinct questions or materially sharper branches. It connects personal recovery with school communities, emergency services, insurance records, independent research and patient-led expression. Existing entries retain their IDs and gain further source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A153 — **Joint pain, gout-labelled symptoms and everyday independence**	The joint-pain accounts invite recovery of actual diagnoses, prior episodes, medicines, onset and course. Their descriptions of gardening, walking and helping neighbours make functional loss and community assistance useful outcomes to follow.	#1203; #1204	extends A013, A020, A049, A085; preserve the reported label and clinical question
A154 — **Longer-term recovery after myocarditis**	The discussion of apparently mild cases and the reproduced study excerpt open questions about symptoms after discharge, imaging, rhythm problems, exercise, school or work and longer-term follow-up.	#1208; #1322; #1339; #1342	extends A046, A085, A127; discharge and later recovery have different scopes

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A155 — **Cancer progression around a booster and continuing oncology care**	The lymphoma case-report link supplies a specific inquiry into prior diagnosis, disease trajectory, treatment, imaging, timing and subsequent course. Compare the case with other clinical records and mechanistic research at their respective scales.	#1222	extends A012, A117; retain the case-report research route
A156 — **Disputed life-support decisions and access to review**	The Scott Quiner headline points toward recovery of the clinical decision, patient wishes, decision-making capacity, family or surrogate role, independent review and any transfer or appeal route.	#1218	extends A023, A025, A053, A120; the headline is the starting access layer
A157 — **Insurance coverage decisions and the actual contract record**	The French insurance story raises questions about policy wording, exclusions, an actual claim decision, any court record, jurisdiction and appeal. Following those records could clarify what protection families can rely on.	#1214; #1215; #1217	extends A027, A089; distinguish a circulated account from the governing documents
A158 — **Postmortem material, sampling conditions and independent identification**	The embalmer accounts and comparison with earlier experience invite systematic collection, anatomical location, time since death, preservation, medical history, matched samples and independent laboratory identification.	#1271; #1274; #1275; #1278; #1282; #1283; #1284; #1387	extends A003, A031, A099, A107; compare observations across actual working conditions

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A159 — **Combined infection and vaccination histories in cardiac research**	A participant proposes comparison groups defined by both infection and vaccination. Develop dates, dose histories, prior illness, ascertainment of unrecorded infection and comparable cardiac or clotting outcomes.	#1322; #1365	extends A013, A046, A102, A103; a community question can become a study design
A160 — **Ambulance-call data, changing baselines and service demand**	The ambulance-report discussion offers a lead into call categories, baseline construction, repeat calls, confirmed diagnoses, response times and linked outcomes. It could connect surveillance with practical emergency-service needs.	#1349	extends A030, A051, A104; calls and clinical events remain distinct records
A161 — **School-community care after a sudden collapse or death**	The Linz account describes emergency response and psychological support for classmates and staff. Investigate preparedness, family communication, continuing bereavement support, privacy and what the school learns afterward.	#1356	extends A022, A067, A111, A142; a wider circle of affected people
A162 — **Medical billing records and reported adverse events**	The health-insurer discussion opens a comparison among billing codes, people treated, encounters, spontaneous reports and reviewed clinical cases. Recover coding definitions, dataset coverage, validation and the questions each system can answer.	#1360; #1393; #1395; #1396	extends A028, A030, A104, A146; connect complementary information systems

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A163 — **Petitions, public testimony and legislative follow-through**	The Luxembourg petition account and Pennsylvania discussion provide routes to investigate how concerns reach an agenda, which records are heard, what measures are proposed and what support or review actually follows.	#1237; #1238; #1379; #1396	extends A041, A060, A087, A120; institutional notice can be followed over time
A164 — **Health disclosure within families and social networks**	The family account describes information arriving differently through different relatives. Study conversational conditions, privacy, anticipated blame, regret, recognition and routes to practical help, with each person controlling their own disclosure.	#1260; #1263	extends A022, A042, A054, A132; listening conditions shape what becomes visible
A165 — **Secondary injuries following fainting or collapse**	The driving, performance and truck headlines open an inquiry into falls, head injury, collisions, timing, clinical evaluation and protection of other people. Follow the initial event and resulting injury as linked outcomes.	#1305; #1306; #1312; #1345	extends A004, A066, A121; preserve the sequence of consequences
A166 — **Access to product samples for independent research**	The request for a vial to examine invites a concrete route for lawful sample access, product and lot identity, chain of custody, storage, laboratory methods, comparison materials and publication of results.	#1392	extends A014, A068, A099, A151; access and reproducibility belong together

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A167 — **Comparisons across products, countries and care settings**	Questions about alternative products and New Zealand invite designs that preserve product identity, eligibility, infection history, surveillance, healthcare access and demographic differences across comparison groups.	#1241; #1242; #1248; #1375; #1377	extends A014, A016, A057, A103; choose comparators for the question being asked
A168 — **Music and creative expression in patient-led testimony**	The song/video description credits an affected participant's lyrics and vocals. Investigate how creative expression supports agency, recognition, connection, consent and access to help, while retaining its particular communicative role.	#1249	extends A022, A040, A149; participants can shape how their experience is shared
A169 — **Blood viscosity as a specific clinical research question**	The hyperviscosity discussion supplies a lead into measured blood properties, relevant diagnoses, neurological or visual symptoms and treatment. Recover the actual clinical information needed to assess the proposed connection.	#1317	extends A003, A005, A080, A138; a suggested syndrome requires its own clinical inquiry
A170 — **Mortuary capacity and dignified handling during surges**	The morgue and funeral-service accounts invite study of catchments, staffing, storage, timeliness, family communication and respectful handling when demand changes.	#1266; #1307; #1388	extends A022, A064, A107, A133; service conditions affect families and workers

Further source routes for existing topics: source collections and navigation A040/A110 → #1205; #1209; #1210; #1319; #1333; #1334; dose intervals and regulatory reassessment A014/A033/A034 → #1208; #1216; #1342; autoimmune conditions and systemic symptoms A013/A049/A115 → #1212; #1285; #1291; pregnancy and postmortem inquiry A008/A100/A107 → #1224; #1293; hospital recordings and source recovery A040/A061/A088

→ #1225; #1228; #1230; changing vaccination categories A102 → #1232; #1234; #1267; #1295; protection and clinical vulnerability A103/A117 → #1220; #1221; #1250; #1265; #1297; #1316; #1344; #1347; #1384; immediate aftercare A018/A066 → #1239; #1243; #1259; patient-led accounts and care needs A076/A149 → #1255; #1277; #1336; #1337; #1366; professional scrutiny and notice A038/A062/A113 → #1246; #1328; #1360; #1393; batch-data research A014/A151 → #1244; #1252; #1257; compensation and remedy A027/A136 → #1258; #1383; military-health records A086/A104 → #1292; #1301; aviation incident records A121 → #1273; immune measurements and diagnostic distinctions A098/A106 → #1298; #1299; #1300; #1303; #1308; #1310; #1331; #1338; #1340; #1341; autopsy records and ascertainment A031/A100 → #1261; #1325; #1329; #1387; monitoring lists and observed outcomes A092 → #1351; #1352; #1381; hearing symptoms A047 → #1394; comparative mortality and insurer populations A030/A146 → #1391; dignity, grief and constructive accountability A090/A142 → #1309; #1368; #1369; #1370; #1373; #1397; #1398; #1399. The two large reproduced link compilations in #1333–1334 were skimmed for scope; their external articles and media remain further reading layers. Repeated material retains its source relationships.

1.13.9 Expanded care-access, interaction and information questions: pages 71–80

The eighth batch adds nineteen distinct questions or materially sharper branches. It connects clinical follow-up with other treatments, feeding and donation decisions, data access, research methods and the conditions of voluntary participation. Earlier topics retain their IDs and gain source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A171 — **Finding clinical help when a community raises a concern**	A participant asks for current information to help relatives and acquaintances with heart symptoms. Study how a request becomes clinical assessment, an appropriate referral, understandable information and continuing support.	#1422; #1505; #1507; #1508; #1521	extends A019, A020, A083, A164; a practical request deserves a recoverable response path
A172 — **Low platelets and interruptions to cancer treatment**	The family account describes cancer care stopping in the setting of very low platelets. Recover treatment schedules, blood counts, clinical decisions, competing risks and what happened while therapy was interrupted.	#1428	extends A003, A012, A155; follow the interaction between conditions and care

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A173 — **Rapid cognitive decline and support for affected families**	Reports described as dementia or rapid cognitive change invite examination of baseline function, timing, neurological and vascular assessment, medicines, everyday assistance and caregiver needs.	#1428; #1429; #1433	extends A002, A010, A084, A094; the reported label and diagnostic work remain distinguishable
A174 — **Acute hepatitis of uncertain origin in children**	The pediatric hepatitis discussion opens questions about case definitions, ages, infection testing, actual vaccination histories, environmental exposures, liver injury and transplant care.	#1453; #1488; #1490; #1491; #1492; #1493	extends A005, A009, A116, A145; compare possible explanations using recoverable clinical histories
A175 — **Environmental co-exposures and proposed biological interactions**	The glyphosate discussion adds a question about background exposures interacting with infection, medicines or vaccination. Investigate measured exposure, timing, dose, biological pathway and outcomes across experimental and clinical settings.	#1458; #1459; #1461; #1597	extends A013, A079, A128; proposed interactions need their own research design
A176 — **Blood products, donation eligibility and informed consent**	The plasma exchange distinguishes donation products and therapeutic purposes, while a participant describes refusing blood products before surgery. Recover product-specific eligibility, actual guidance, communication, patient wishes and surgical planning.	#1477; #1478; #1479; #1480; #1481; #1482; #1483	extends A026, A053, A093; donor rules and recipient decisions are related but distinct

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A177 — **Private screening quality and the route back into care**	The paid health-check account raises questions about test methods, reference ranges, accessible reports, staff qualifications, costs and clinical follow-up when a result or symptom needs further investigation.	#1487	extends A019, A080, A095, A114; scrutiny includes commercial screening services
A178 — **Evaluating proposed multi-component treatment protocols**	The treatment presentations supply leads for defining the intended condition, patient selection, doses, interactions, monitoring, adverse effects, outcomes and comparative evidence for each proposed component and combination.	#1475; #1525	extends A020, A065, A114, A171; protocol descriptions become research questions rather than instructions here
A179 — **Infant feeding decisions under uncertainty and supply pressure**	The formula and breastfeeding discussion connects supply access, parental concerns, nutritional needs, proposed exposures and clinical advice. Investigate how families obtain dependable support while evaluating those distinct questions.	#1493; #1497; #1498; #1510	extends A009, A048, A174; communication can affect an immediate care decision
A180 — **Data publication decisions and concerns about interpretation**	The data-withholding report and information-request account invite recovery of the actual request, available data, reasons for withholding, commercial or public-interest grounds, review and useful forms of release.	#1414; #1456; #1598	extends A035, A058, A062, A147; investigate both access and the decision governing it

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A181 — **Disability statistics, work and population-level follow-up**	The labour-data discussion opens questions about survey definitions, coverage, reporting changes, age, employment status, infection and other exposures. Connect any observed change with accommodation, household support and service demand.	#1535	extends A021, A036, A104, A146; disability and inability to work are different measures to recover
A182 — **Amyloid, fibrin and the identification of unusual material**	The clot discussion proposes protein-structure explanations. Recover specimens, preparation, biochemical identification, imaging, relevant clinical histories and comparison samples to distinguish the proposed materials and processes.	#1544; #1546; #1547; #1548; #1551; #1553	extends A003, A099, A158, A169; visual resemblance can guide a specific analysis
A183 — **Circulating antigen measurements and clearance over time**	The study presentation invites examination of assays, detection limits, serial samples, antibody measurements, product and dose, clinical context and the course over time.	#1464	extends A079, A080, A098, A140; recover what was measured and its temporal meaning
A184 — **Research and recommendations for children under five**	The under-five discussion opens age-specific questions about trial endpoints, sample sizes, dose schedules, follow-up, prior infection, variants, hospitalization and how evidence informs recommendations.	#1542; #1556	extends A067, A069, A078, A103; preserve the actual age group and outcome

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A185 — **Safety-signal procedures and their execution records**	The reporting-system discussion points toward comparison of published procedures, planned analyses, dates of execution, detected signals, review and action. This can clarify how a surveillance commitment becomes actual work.	#1564	extends A028, A029, A062, A125; follow the operation and response
A186 — **Patient letters to elected representatives and support follow-through**	The UK CV Family film description provides a lead into people's stated needs, constituent correspondence, replies, meetings, referrals and any changes in support or investigation.	#1526	extends A041, A087, A149, A163; retain what participants ask their representatives to do
A187 — **Choice and reciprocity in sharing health information**	A contributor describes moving from sending information to inviting others to request it. Study consent, relevance, understanding, conversational space and continuing relationships under different sharing conditions.	#1536; #1538	extends A043, A090, A142, A164; the way information is offered can itself be examined
A188 — **Eczema flares, visible symptoms and renewed dermatological care**	The skin account describes a previously controlled condition becoming widespread. Recover prior history, triggers, treatment, sleep, distress, daily function and access to specialist support.	#1596	extends A011, A049, A115; a condition-specific follow-up question

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A189 — **Pediatric co-infections and intensive-care demand**	The Australian infant report opens questions about which infections were detected together, age, prior exposures, admission criteria, severity, underlying conditions and the services needed during a surge.	#1579	extends A009, A013, A064, A133; preserve multiple infections and service conditions

Further source routes for existing topics: personal observation logs and overlapping networks A040/A082/A164 → #1405; #1409; #1428; #1506; mandates, employment and actual legal records A024/A063/A089 → #1406; #1408; #1466; #1470; pregnancy outcomes, denominators and follow-up A008/A030/A078 → #1410; #1510; #1567; #1568; #1591; #1595; source dates, quotations and original records A040/A061/A088/A091 → #1411; #1412; #1419; #1420; #1549; #1552; #1570; #1571; mechanism proposals and cross-scale research A068/A079/A106/A129 → #1413; #1418; #1424; #1448; #1468; #1533; #1545; #1550; cardiac research and meaningful follow-up A046/A154/A159 → #1438; #1460; #1467; #1471; #1527; #1559; grief, recognition and mutual support A022/A142 → #1430; #1431; #1432; #1434; #1440; #1441; #1442; #1443; #1446; #1447; #1449; #1451; protected professional reporting and care accounts A038/A059/A105/A113 → #1436; #1475; #1554; #1567; insurance and mortality records A030/A146/A162 → #1425; #1437; #1474; #1499; #1565; #1574; #1583; #1588; #1589; independent samples, microscopy and material analysis A099/A158/A166 → #1489; #1530; #1531; #1544; #1546; #1547; #1548; #1551; #1553; #1593; #1594; #1597; large patient collections and responses to notice A041/A076/A149 → #1503; #1578; military-health data and revisions A086/A104 → #1455; #1517; professional identity, anonymity and claims A105/A109 → #1551; #1553; media access, technical help and participation A037/A040/A110 → #1514; #1515; #1516; #1518; #1519; #1523; #1534; aviation incident and coroner records A100/A121 → #1539; #1540; #1563; #1600; sports registries A127 → #1427; #1576; #1577; #1592; forecasts and later outcomes A044 → #1561; #1587; public hearings, investigation and support A060/A163 → #1476; #1575; severe-outcome definitions and public risk communication A030/A109 → #1580; #1581; #1599. The long open letter in #1503 and reproduced newsletters and compilations were skimmed for scope; underlying records, videos and external documents remain further investigation layers.

1.13.10 Expanded research, lived-outcome and repair questions: pages 81–90

The ninth batch develops nineteen distinct questions or materially sharper branches. It connects menstrual and cardiac research, diagnosis and rehabilitation, population records, public advice and the conditions that let people learn and obtain help. Stable IDs and earlier relationships remain available for overlapping Topologetics clusters.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A190 — **Menstrual-health surveys and clinically useful follow-up**	The menstrual-study accounts invite examination of recruitment, baseline cycles, age, hormonal medicines, menopause, reported changes and duration. Connect findings with accessible assessment and what participants needed afterward.	#1603; #1644	extends A006, A013, A029; preserve the survey population and clinical questions
A191 — **Unresolved death records and later certification**	The Alberta account and mortality-analysis discussion open questions about pending investigations, coding categories, reporting lag, backfilled records and how an initial unknown cause is later resolved.	#1602; #1700; #1797	extends A030, A031, A058, A100; follow records through time
A192 — **Saying goodbye after pregnancy or child loss**	The bereavement comment accompanying the miscarriage story emphasizes farewell, remembrance and dignity. Investigate family wishes, access to respectful services, culturally appropriate support and continuing care.	#1601	extends A008, A022, A131, A170; preserve the contributor’s practical human concern
A193 — **Clinician safety, threats and mental-health support**	The account concerning Lisa-Maria Kellermayr raises questions about reported threats, access to protection, mental-health support, continuity of patient care and how institutions respond across opposing positions.	#1618; #1652	extends A038, A090, A105, A112; preserve dignity and examine the actual response

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A194 — **The burden of having to become one's own health expert**	A participant asks whether ordinary life now requires out-doctoring doctors. Study information workload, uncertainty, trust, understandable explanations, chosen assistance and ways to preserve agency while reducing that burden.	#1634; #1735	extends A019, A040, A110, A171; information access should become usable help
A195 — **Antiviral prescribing, interactions and individual risk**	The Paxlovid discussion opens questions about actual indications, other medicines, organ function, prescribing responsibilities, adverse effects and follow-up. Recover the underlying guidance and evidence relevant to each patient group.	#1647	extends A013, A114, A178; treatment safety warrants its own investigation
A196 — **Mitochondrial findings and the bridge to experienced illness**	The laboratory-study presentation invites recovery of the experimental system, exposure, measured mitochondrial changes, controls and subsequent clinical research, including which findings might help explain functional symptoms.	#1628	extends A010, A079, A080, A129; distinguish experimental scales while investigating their connections
A197 — **Innate immune pathways in heart-tissue research**	The cardiac-study presentation supplies a lead into proposed immune pathways, the material studied, exposure conditions, tissue outcomes and comparison with clinical findings.	#1630	extends A046, A079, A106, A154; a particular mechanism has a recoverable research path

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A198 — **Prospective cardiac monitoring in adolescents**	The Thai study discussion opens questions about planned recruitment, baseline tests, serial measurements, case definitions, symptomatic and otherwise detected findings, clinical care and later recovery.	#1663; #1684; #1694	extends A029, A046, A098, A154; active observation can examine a different part of the field
A199 — **Court-commissioned analysis and independent scientific work**	The Italian court-analysis account invites recovery of the actual order, questions assigned, expert independence, sample custody, methods, publication and the route from findings to a legal decision.	#1664	extends A089, A151, A166; scientific and judicial responsibilities interact
A200 — **Revisions to public safety information and their explanation**	The reported website change opens questions about archived wording, dates, reasons, supporting evidence and how revisions reach people who relied on an earlier explanation.	#1673	extends A039, A040, A061, A183; changes can carry useful learning forward
A201 — **Computer-assisted thermography and diagnostic validation**	The imaging discussion proposes a non-invasive assessment route. Investigate device calibration, analysis methods, comparison with established clinical tests, false positives, interpretation and effects on care decisions.	#1706; #1707	extends A080, A095, A099, A104; computer assistance and clinical usefulness require separate examination

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A202 — **Developmental and reproductive animal studies**	The preclinical-study accounts open questions about species, dose schedules, comparison groups, maternal health, fetal findings, background rates and how results inform human research and communication.	#1659; #1699; #1712	extends A007, A008, A067, A092; recover the original study and its interpretive scope
A203 — **Hearing rehabilitation and changes in meaningful experience**	The tinnitus/hearing-loss account connects specialist assessment with hearing aids and noticing birds in a garden. Follow hearing function, communication, rehabilitation, costs and personally valued experiences over time.	#1719; #1720; #1758	extends A047, A085, A094, A171; recovery measures can include what a person misses
A204 — **Responsibility and repair when public advice changes**	The exchange about a commentator's revision raises several questions together: what was advised, who relied on it, what changed, what acknowledgement or repair is needed and how later useful contributions remain examinable.	#1708; #1726; #1728; #1729; #1730; #1731; #1732; #1733; #1734; #1737	extends A041, A062, A090, A109; accountability and openness to correction can be studied together
A205 — **Voluntary community surveys and comparison-group research**	The international survey account and John's anonymous-poll proposal invite study of recruitment, privacy, nonresponse, follow-up, participant characteristics, outcomes and the population any result describes.	#1753; #1780	extends A024, A026, A030, A159, A187; preserve participants' choice and actual sampling conditions

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A206 — **Counterfactual benefit–risk estimates in policy decisions**	The lives-saved discussion and young-adult mandate analysis open questions about comparison scenarios, baseline risks, endpoints, time horizons, assumptions, uncertainty and whose consequences enter the calculation.	#1747; #1748; #1750; #1791	extends A030, A062, A073, A096; examine how estimated alternatives inform action
A207 — **Birth statistics, conception timelines and population change**	The birth-rate discussion creates a route into fertility and demographic records, timing of conceptions, population structure, migration, delayed parenthood, pregnancy outcomes and other changing conditions.	#1747; #1754	extends A007, A008, A078, A181; population birth counts and individual reproductive effects have distinct research jobs
A208 — **Clinical education and feedback into research**	The professional-comment compilation proposes examining how training, independent judgment, continuing education and feedback from practice interact. Follow a clinical observation into research questions, institutional response and revised care.	#1697; #1731; #1732	extends A038, A059, A075, A126, A150; a potentially repairable learning connection

Further source routes for existing topics: pregnancy histories, denominators and continuing support A008/A030/A078 → #1601; #1610; #1693; #1712; professional cohorts and care continuity A036/A137/A146 → #1614; #1616; #1655; #1696; #1703; #1744; protection, timing and comparisons A102/A103/A167 → #1606; #1611; #1619; #1622; #1624; #1626; #1638; #1646; #1692; #1757; #1777; #1792; age-specific reporting and serious-outcome definitions A030/A058/A101 → #1612; #1637; #1658; large source collections A040/A110 → #1613; #1615; #1648; #1649; #1653; #1667; #1714; #1777; #1795; tic presentations, recovery and online environments A141 → #1636; #1797; compensation and support access A027/A134/A136 → #1643; #1735; pharmacy communication and consent A018/A114/A144 → #1654; #1782; nearby-person exposures and proposed mechanisms A017/A079/A106 → #1660; #1662; #1781; material identification and sample methods A099/A158/A166/A182 → #1669; #1675; #1701; #1713; #1716; #1718; #1736; #1766; #1787; #1790; safety thresholds and review decisions A033/A034

→ #1686; #1687; #1783; platform access and testimony A037/A071/A108/A149 → #1657; #1685; #1735; #1761; #1762; #1763; #1772; military reporting A086/A104/A105 → #1672; #1722; case history and unknown-cause follow-up A100/A164 → #1605; #1608; #1609; #1719; #1797; clinical help and continuing support A019/A020/A171 → #1719; #1720; #1735; #1745; #1758; age-specific booster evidence A067/A184 → #1751; #1752; #1776; #1785; hearings, legal records and institutional response A060/A089/A163 → #1705; #1715; #1747; #1771; #1783; #1796; sports participation, assessment and employment A063/A085/A127 → #1724; #1725; #1778; scholarly review and publication access A039/A150 → #1753; #1800; accountability in procurement and influence A035/A062 → #1755; #1756; #1775; nutrition and proposed treatment research A013/A178 → #1717; skin symptoms A011/A115/A188 → #1788; forecasts, uncertainty and later outcomes A044 → #1620; #1683; #1668; new-product reports and cross-product comparison A057/A167 → #1793; source preservation and deleted data A040/A058/A180 → #1798; distress, disagreement and safety A090/A112/A193 → #1650; #1652; #1676; #1677; #1678; #1799. Long interviews, transcripts and link compilations were skimmed for scope; embedded media, external records and clinical or legal verification remain further layers.

1.13.11 Expanded connected-care, reporting and record questions: pages 91–100

The tenth batch develops seventeen distinct questions or materially sharper branches. It connects neurological and blood conditions with family care, acute-service access, reporting interfaces, medical records and review routes. Earlier entries retain their IDs and receive further source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A209 — **Smartphone follow-up systems, questionnaires and public dashboards**	The V-safe accounts open questions about enrollment, survey prompts, missing response options, repeated entries, daily function, clinical follow-up and how a released dataset becomes an understandable dashboard.	#1813; #1823; #1971	extends A029, A058, A104, A125, A185; preserve the relation between a person, a response and an analysis
A210 — **Measurements in breast milk and infant follow-up**	The breast-milk study descriptions invite recovery of sampling times, milk fractions, assay methods, detection limits, persistence and any measured infant outcomes. Connect the findings with research participation and useful explanations for families.	#1812; #1856	extends A009, A048, A079, A179, A183; detection and clinical interpretation have distinct research jobs

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A211 — **Brain inflammation, coma and continuing family care**	The meningitis and coma accounts open questions about diagnosis, infection testing, neurological investigation, treatment, prognosis, rehabilitation and support for a family facing prolonged unconsciousness.	#1840	extends A002, A019, A020, A094, A156; preserve each case's course and care needs
A212 — **Aortic disease, pericardial complications and microvascular injury**	The Japanese case-report excerpts add specific pathological presentations. Recover clinical symptoms, imaging, autopsy methods, tissue findings, prior conditions and later clinical understanding of those distinct outcomes.	#1848	extends A003, A004, A046, A100, A158; detailed findings can sharpen a broad cardiac question
A213 — **Tissue-marker interpretation and attribution methods**	The neuropathology discussion uses tissue-marker findings to distinguish proposed origins of injury. Examine assay specificity, controls, tissue selection, timing, infection history and how findings contribute to an overall assessment.	#1840; #1848; #1957	extends A032, A079, A080, A100, A159; a marker's evidential role needs to remain inspectable
A214 — **Ward handovers and response to acute deterioration**	The family account describes vomiting, breathing difficulty and a shift change. Investigate recognition, escalation, staff communication, response time, family involvement and review of the event.	#1886	extends A051, A053, A064, A120; care processes and the underlying illness interact

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A215 — **Known-risk arguments, consent and compensation**	The German lawsuit account raises questions about what risk was known, how it was explained, practical pressure, the actual legal claim, defenses, decision and access to support while proceedings continue.	#1803	extends A024, A027, A089, A134, A157; follow the records and the affected person's circumstances
A216 — **Aplastic anemia and bone-marrow failure care**	The reproduced case abstract supplies a distinct hematological inquiry into diagnosis, immune findings, treatment, stem-cell transplantation, recovery and the proposed causal questions retained by its authors.	#1910	extends A003, A013, A020, A049; preserve the case's uncertainty and treatment-learning contribution
A217 — **Supplement ingredients, excipients and changing product information**	The ingredient and brand discussion opens questions about labels, formulations, excipient functions, doses, quality testing, ownership changes and how consumers can reassess a product they have used for years.	#1912; #1918; #1994; #1995	extends A001, A065, A068, A114, A175; scrutiny includes the products people choose themselves
A218 — **Repeated bereavement and community support capacity**	Accounts of several losses in a person's network invite study of cumulative grief, practical responsibilities, support availability, memorial practices and the effects on shared community life.	#1863; #1875; #1876; #1885; #1886; #1888; #1913; #1914; #1915; #1924	extends A022, A131, A142, A170, A192; repeated losses can create overlapping needs

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A219 — **Emergency waiting times and continuing assessment**	The account of a long emergency-room wait opens questions about triage, reassessment, communication, access to tests, service capacity and what happens when symptoms change while a person is waiting.	#1905; #1906	extends A019, A051, A064, A171; the pathway into care is a concrete investigation
A220 — **Integrity and correction of occupational medical records**	The military testimony and database updates invite recovery of original clinical findings, coding changes, audit trails, access rights, independent review and the effects of records on fitness and employment decisions.	#1852; #1890; #1963	extends A063, A086, A104, A121, A162; preserve clinical evidence and its administrative handling
A221 — **Children's transfusion decisions and access to independent review**	The infant-surgery dispute opens questions about the child's clinical needs, urgency, parental concerns, proposed donor arrangements, professional assessment, legal authority and review or mediation.	#1947; #1955; #1977	extends A023, A026, A053, A093, A156, A176; keep the dependent child and each decision path visible
A222 — **Driving restrictions during unexplained blackouts or cardiac illness**	The reported loss of permission to drive raises questions about investigation, safety assessment, review dates, mobility, income, care access and practical assistance while diagnosis remains unresolved.	#1980	extends A019, A021, A055, A085, A121; occupational and ordinary mobility can be affected together

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A223 — **Community changes as leads for linked social and health research**	The business-hours and staffing observations invite examination of what changed locally, over which period, and how employment, illness, migration, demand, costs and service access may relate.	#1872	extends A036, A042, A104, A133, A181; local experience can guide a wider comparison
A224 — **Additive, interactive and cumulative explanations**	The combination-effect exchange creates a research task: define each exposure, dose, timing, outcome and proposed interaction, then identify what observations or experiments would distinguish competing models.	#1935; #1936; #1937; #1941; #1942	extends A013, A106, A114, A128, A152, A175; an explanatory model should expose its assumptions
A225 — **Rare motor and autoimmune diagnoses and continuing function**	The discussion naming stiff-person syndrome opens questions about diagnostic criteria, symptom history, specialist care, functional changes, treatment and evidence relevant to any proposed trigger.	#1985; #1987	extends A002, A013, A049, A085; retain the diagnosis question separately from a public attribution

Further source routes for existing topics: cancer progression and oncology care A012/A155/A172 → #1808; #1885; #1974; #1976; source chains and attribution A040/A061/A088/A091 → #1802; #1810; #1820; #1821; #1832; #1836; #1878; #1891; #1892; #1964; personal timelines and household discussion A082/A164/A171 → #1811; #1875; #1876; #1908; #1909; #1921; #1924; #1981; #1983; #1984; pregnancy, clinical follow-up and denominators A008/A030/A078 → #1826; #1874; #1978; death review and family access A031/A100/A191 → #1822; #1886; #1893; #1904; child and young-adult mortality research A067/A103/A146 → #1814; #1818; #1819; #1853; #1854; #1864; #1868; #1970; #1992; #1999; patient testimony, interviews and recognition A022/A037/A149 → #1828; #1829; #1830; #1831; #1837; #1838; #1839; #1851; #1958; #1960; #1965; cardiac biomarkers, recovery and active monitoring A046/A140/A154/A198 → #1896; #1898; #1899; #1900; #1901; #1902; #1930; #1988; exercise, vascular mechanisms and return to activity A079/A127/A197 → #1897; #1993; blood microscopy and independent samples A099/A151/A158/A166/A182 → #1846; #1847; #1857; #1858; #1871; #1956; #1964; #1989; #1994; #1997; treatment interactions A114/A178/A195 → #1860; #1967; scholarly review and publication access A039/A150 → #1862; institutional notice and hearings A060/A089/A163 → #1859; #1861; #1866; #1919; #1952; #1954; #1959; #1962; #1968; #1973; #1996; safety-critical transport A121 → #1824; #1825; #1878; health, nearby exposures and participation A017/A164/A179 → #1870; #1931;

#1934; #1943; #1986; infection history and pediatric outbreaks A013/A159/A174/A189 → #1953; learning after public revision A204 → #1869; #1990; compensation and professional reporting A027/A038/A113/A134 → #1890; #1954; #1967; #1984; distress, clinician safety and constructive care A090/A112/A142/A193 → #1914; #1915; #1921; #1924; #1945; #1958; #1960; #1979. Reproduced case descriptions, interviews and longer testimony were skimmed for topic discovery; linked source documents, media and clinical or legal verification remain further layers. The locked-account material described in #1980 is retained here only as a general mobility and care question, without republishing its quoted text or seeking the private account.

1.13.12 Expanded research, contributor-care and archive questions: pages 101–110

The eleventh batch develops fifteen questions or materially sharper branches. Clinical care, reanalysis and occupational records connect with accessible explanations, the care of contributors and the design of future community resources. Earlier topics keep their IDs and gain source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A226 — **Thyroid symptoms and endocrine follow-up**	The account of a mother's thyroid problem opens questions about diagnosis, symptom timing, thyroid-function tests, previous conditions, treatment and how subsequent-dose decisions were discussed and documented.	#2014	extends A013, A019, A029, A049; recover the clinical course and the person's continuing needs
A227 — **Reanalysis of randomized-trial adverse events**	The linked trial reanalysis invites examination of participant-level and event-level counts, adverse-event classifications, follow-up periods, comparison groups, access to underlying records and how alternative analyses inform decisions.	#2019	extends A030, A067, A140, A150, A206; reanalysis can make the assumptions governing an estimate visible

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A228 — **Disproportionality analysis and the route from signal to investigation**	The long reproduced analysis opens questions about reporting proportions, comparator vaccines, age strata, coding, grouped outcomes, reporting periods, uncertainty and thresholds for further review. Follow how each signal receives a documented response.	#2065	extends A058, A101, A104, A185; retain the method and the next investigation it makes possible
A229 — **Repeated presentations and delayed meningitis diagnosis**	The account of repeated hospital visits before a bacterial-meningitis diagnosis invites recovery of symptoms at each visit, tests, discharge advice, changes between visits, escalation and opportunities for earlier reassessment.	#2066; #2072	extends A019, A051, A052, A211, A219; an infectious diagnosis and a care pathway both deserve attention
A230 — **Speech, language and vocational rehabilitation after stroke**	The broadcaster's reported stroke and speech difficulties open questions about rehabilitation, communication assistance, family support, return to work and meaningful measures of recovery over time.	#2078	extends A002, A020, A085, A094; preserve what recovery enables in the person's own life
A231 — **Aircrew co-exposures and cumulative occupational histories**	The aviation exchange proposes cumulative cosmic-radiation exposure as a further variable. Investigate flight hours, routes, altitude, occupational histories, other exposures and appropriate comparison groups alongside clinical records.	#2037; #2038; #2039; #2045; #2052	extends A013, A121, A175, A220; a proposed interaction becomes useful when its measurements and assumptions are specified

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A232 — **Making scientific charts usable for contributors**	A contributor explicitly asks for help understanding a technical chart. Study which labels, units, denominators, comparison groups and uncertainty need explanation, and whether an accessible account helps the reader ask a better next question.	#2057	extends A075, A110, A194, A196; A.I. assistance can preserve technical detail while widening participation
A233 — **Fundraising records as leads to care and support needs**	The GoFundMe search opens questions about how people describe illness, investigations, treatment costs, lost income and unmet support. A consent-aware study could examine those needs and how they change during a campaign.	#2006	extends A021, A026, A083, A135; distinguish campaigns, updates and people when mapping the field
A234 — **Patient photographs, consent and dignifying context**	Discussion of a patient's photograph and the expressions of people around her opens questions about consent to reuse, the original occasion, captions, the patient's own account and the effects of public interpretation on those depicted.	#2099; #2100; #2101; #2102; #2105; #2109; #2113	extends A026, A054, A090, A094, A131; preserve the patient's standing and access to her own representation
A235 — **Changes to occupational fitness thresholds**	The reported aviation ECG-threshold change invites recovery of dated guidance, the precise measurement, clinical rationale, review process, supporting evidence and consequences for certification and appeal.	#2108	extends A063, A121, A147, A220; comparing actual versions can clarify what an administrative change does

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A236 — **Sustaining inquiry amid repeated distressing accounts**	John's account of emotional, mental, physical and spiritual strain, and the responses it receives, open questions about pacing, peer support, cumulative exposure to distressing material, constructive agency and continuing participation.	#2125; #2126; #2127; #2128; #2131; #2133	extends A022, A090, A112, A142, A193, A218; care for contributors helps valuable inquiry continue
A237 — **Designing a voluntary community registry**	A contributor proposes turning the thread into a database. Investigate consent, record structure, source linkage, duplicate handling, updates, clinical follow-up, access, correction, withdrawal and stewardship before deciding what a registry could responsibly answer.	#2132; #2133; #2137	extends A026, A029, A040, A076, A104, A187; this inventory can inform design without becoming a patient registry by default
A238 — **Withdrawal, revision and the boundary of durable publication**	Contributors describe deleting or revising posts and finding value in writing without publishing. Explore how archives, quotations and future datasets can respect those choices while retaining an understandable history of revisions.	#2140; #2143; #2150; #2151	extends A026, A039, A054, A090, A187; personal expression and durable reuse need a recoverable relationship

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A239 — **Preparedness scenarios and their later interpretation**	The SPARS discussion points to a published pandemic scenario. A useful inquiry could recover its stated purpose, hypothetical assumptions, decision exercises and later uses, then examine how readers distinguish a scenario, a proposal and an implemented action.	#2165	extends A044, A061, A088, A106; preserving document type helps its genuine questions remain available
A240 — **Undercover corporate reporting and accountable follow-up**	The Project Veritas discussion opens questions about full recordings, edits, speaker identity and remit, corroborating records, research governance, conflicts of interest, organizational responses and routes for independent scrutiny.	#2171; #2178; #2180; #2181; #2192; #2197; #2199	extends A035, A038, A088, A105, A120, A150; an interview can generate specific questions for records and responsible institutions

Further source routes for existing topics: insurance contracts, jurisdiction and recoverable court records A027/A089/A146/A157 → #2001; #2003; #2008; #2009; #2010; #2013; #2015; #2016; batch-specific follow-up and public solicitations A014/A108/A151 → #2026; cancer diagnosis and care pathways A012/A155/A172 → #2030; sports-related collapse, chest impact and emergency response A004/A127/A165 → #2034; #2044; legal instruments, actual decisions and procurement A035/A089/A120 → #2035; #2187; historical clotting trends and clinical classifications A003/A091/A118 → #2092; cardiac imaging, recovery and return to activity A046/A140/A154/A198 → #2033; #2190; #2191; personal networks, bereavement and unresolved cause records A042/A100/A191/A218 → #2020; #2021; #2032; #2058; #2060; #2077; #2103; #2106; #2111; #2166; #2169; #2191; military patient experience and continuing care A020/A086/A126 → #2107; capacity and temporary mortuary arrangements A064/A170 → #2074; pediatric infections and service access A067/A174/A189 → #2031; public revision, responsibility and repair A090/A204 → #2032; #2079; #2080; #2082; #2084; #2088; #2115; #2116; #2141; #2142; #2144; #2146; #2147; #2149; #2152; #2167; #2168; #2173; #2195; #2196; views, source circulation and apparent public reality A037/A040/A042/A088 → #2156; #2160; #2162; age-specific and international mortality comparisons A030/A091/A102/A118 → #2170; #2177. Longer reproduced analyses were skimmed for topic discovery. Embedded media, image-only material, linked documents and clinical or legal verification remain further layers. For withdrawal and revision, only the visible choice and its research implications are recorded; removed text is neither recovered nor republished.

1.13.13 Expanded care-decision, public-review and collaboration questions: pages 111–120

The twelfth batch develops sixteen questions or materially sharper branches. It connects clinical decisions and household support with formal evidence review, public terminology, commercial relationships and collaborative document work. Earlier topics retain their IDs and receive further source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A241 — **Financial-aid conditions and children's health access**	The report about family benefits in Brazil opens questions about the actual eligibility rules, notice, exemptions, appeals, household income, access to vaccination and the effects on children whose families face constrained choices.	#2229; #2232	extends A021, A023, A024, A096, A132; examine the dependent child's welfare across the whole decision
A242 — **Changing public-health definitions and the expectations they carry**	The discussion of vaccine and pandemic definitions invites comparison of dated wording, responsible bodies, stated reasons, technical scope and later uses in public communication, consent and policy.	#2252; #2254; #2255; #2279; #2288	extends A030, A061, A144, A200, A239; preserve the relation between a definition, an expectation and an actual operation
A243 — **A patient's chosen advocate during hospital care**	The linked family account and the hospital experiences open questions about who can accompany a patient, record questions, communicate changes, obtain explanations, help with consent and carry concerns through handovers or review.	#2235; #2239; #2257	extends A019, A053, A119, A142, A214; make the advocate's practical role and the patient's wishes visible

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A244 — **Individual reassessment before a further dose**	Tyson's account, Sharon's account and the description of Mel's experience raise questions about how symptoms after an earlier dose were investigated, documented and incorporated into later recommendations, consent and follow-up.	#2235; #2313; #2356; #2360; #2361	extends A013, A018, A049, A052, A144, A152; correction can change the next clinical decision
A245 — **Heart failure, measured function and continuing daily life**	The report of a friend with very low heart function opens questions about diagnostic findings, previous measurements, treatment, prognosis, rehabilitation and the effects on ordinary activity and family support.	#2293; #2294	extends A004, A020, A085, A140, A154; follow the person's functional course alongside clinical measurements
A246 — **Acute arterial clotting, limb-saving surgery and rehabilitation**	Sharon's account names multiple arterial clots, ventilation and fasciotomy. Recover the clinical sequence, diagnostic and surgical decisions, pain, wound care, mobility and later recovery needs.	#2313	extends A003, A020, A094, A125; a specific treatment pathway can contribute useful care learning
A247 — **Incidental cardiac findings and decisions about major surgery**	The account of two friends diagnosed without prior symptoms opens questions about how findings were discovered, the value and limits of screening, surgical indications, shared decisions and recovery after the operation.	#2319	extends A004, A013, A081, A140, A177; connect detection with decisions and outcomes that matter to the person

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A248 — **Formal causal-review panels, participation and interim support**	The proposed expert review opens questions about evidence selection, methods, funding, independence, public submissions, publication rights, review times and how findings reach compensation or care. Ask what support remains available while a report is pending.	#2328; #2331; #2332	extends A027, A060, A120, A136, A185; follow the route from participation to a usable decision
A249 — **Economic-burden estimates and the assumptions behind them**	The economic analysis invites examination of work absence, disability, lost income, care costs, time periods, attribution methods, overlapping categories and uncertainty. Connect population estimates with the experiences of affected households.	#2270; #2337	extends A021, A030, A104, A181, A206; make the cost model and its underlying data recoverable
A250 — **Commercial ownership across prevention and subsequent treatment**	The acquisition discussion opens questions about a company’s product portfolio, treatment markets, research incentives, conflicts, prescribing independence and access to care. Recover transaction records and clinical indications for the specific products.	#2347	extends A035, A062, A065, A150; investigate incentives and governance through particular relationships

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A251 — **Atrial sampling and what an autopsy can detect**	The reproduced case report identifies a practical issue: examination of heart ventricles alone may miss lesions in the atria. Study sampling protocols, tissue preservation, microscopy, clinical history and how complete findings affect a death review.	#2369	extends A031, A100, A158, A212, A213; the part examined shapes what can become visible
A252 — **Collaborative review of released documents and transferable skills**	A contributor describes participating in a large document-review effort; the replies recognize shared skills and service. Investigate source indexing, division of work, expertise, peer review, attribution, conflicts, corrections and ways newcomers can contribute.	#2365; #2372; #2373; #2374; #2375	extends A040, A062, A104, A147, A150, A237; preserve both the claimed findings and the inspectable work producing them
A253 — **Shingles involving the eye, severe pain and coordinated care**	The family account of shingles affecting the head and eye opens questions about clinical assessment, specialist access, pain relief, visual outcomes, follow-up and the person’s concerns about timing and susceptibility.	#2388; #2392; #2393; #2394; #2395; #2397	extends A045, A116, A138, A171; keep present care needs connected to the longer investigation

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A254 — **Changing recollections and contemporaneous health records**	A family member reports a later disagreement about an earlier illness despite retained messages. Explore event dates, consent to consult records, changing recollections, differences in interpretation and ways to repair a shared timeline without assigning motives.	#2396	extends A040, A082, A091, A142, A164; memory and correspondence can be examined with dignity
A255 — **Companion animals and household care after bereavement**	The family story includes a puppy's changed behavior after a death. Investigate the household context, the animal's observed needs, veterinary assessment, treatment decisions and the role of companionship while relatives grieve.	#2207; #2212; #2213	extends A022, A083, A142, A218; the care field can include dependent animals and their human companions
A256 — **Spiritual support within recovery communities**	A contributor describes a recovery course using a spiritual-healing approach. Explore participants' goals, consent, accessibility, costs, reported well-being, boundaries of claims and connections with continuing medical care.	#2378	extends A020, A022, A065, A076, A124; distinguish the forms of help participants value and how each is evaluated

Further source routes for existing topics: symptoms among nearby unvaccinated people and exposure histories A013/A017/A175 → #2202; #2203; #2206; age eligibility, prior infection and changing recommendations A034/A103/A184/A200 → #2204; #2282; #2346; #2354; #2359; clinician speech, public confidence and professional review A038/A071/A113 → #2209; #2233; #2235; #2238; #2239; patient testimony, care access and recognition A022/A054/A149/A171 → #2210; #2211; #2224; #2235; #2236; #2257; #2313; #2315; #2341; #2356; #2360; #2361; #2362; #2379; lawsuits, procurement and access to institutional records A035/A062/A089/A120 → #2218; #2244; #2276; #2358; #2398; trial documents and research access A067/A069/A147/A150/A227 → #2219; #2243; #2263; #2365; #2372; #2373; #2374; linked hospital, claims and mortality datasets A091/A102/A104/A162/A167 → #2220; #2221; #2234; #2237; #2240; #2245; #2247;

#2253; #2275; #2302; #2304; #2330; sports comparisons, collapse and return to play A004/A127/A128/A165 → #2223; #2225; #2226; #2342; #2343; aviation records, fitness guidance and emergency response A121/A220/A231/A235 → #2231; #2241; #2329; thyroid autoimmunity and longitudinal measurements A098/A116/A226 → #2242; #2273; #2293; performing work, fatigue and recovery A010/A085/A168 → #2285; #2300; #2311; #2322; #2323; legislative hearings, follow-through and institutional response A060/A087/A163/A186 → #2215; #2306; #2307; #2308; #2309; #2310; #2316; #2321; unresolved neurological illness, vertigo and diagnostic access A002/A047/A050/A052 → #2250; #2272; #2278; #2312; #2318; #2322; treatment proposals, mechanisms and patient needs A065/A106/A129/A178 → #2203; #2326; #2327; #2349; #2356; #2360; #2361; #2392; #2393; #2394; personality, cognition and neurological mechanisms A084/A173/A196 → #2349; bereavement, contributor care and constructive accountability A090/A112/A131/A193/A204/A236 → #2214; #2236; #2238; #2258; #2259; #2270; #2301; #2302; #2338; #2383; #2386; #2387; multiorgan findings and detailed pathology A005/A031/A100/A212/A213 → #2369; source availability, subtitles and circulating headlines A037/A040/A061/A088/A109/A110 → #2214; #2265; #2266; #2267; #2335; #2366; #2384; #2385; pregnancy outcomes and reproductive inquiry A007/A008/A078 → #2201; #2219; #2400. Long personal accounts, reproduced articles and the case report were skimmed for topic discovery. Embedded media, image-only material, linked documents and clinical or legal verification remain further layers. Proposed remedies are retained as questions for evaluation, with the relevant care needs and source context.

1.13.14 Expanded diagnostic, research-method and continuity questions: pages 121–130

The thirteenth batch develops seventeen questions or materially sharper branches. It connects specific clinical and occupational needs with observation methods, review independence, changing guidance and the continuity of follow-up. Earlier topics keep their IDs and receive additional source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A257 — **Mobile-activity data and changing patterns of city life**	The downtown-activity article and workplace reply invite investigation of what phone-location data measure, geographic coverage, remote work, relocation, commuting and changes in service demand. Compare these with population and health records while protecting privacy.	#2411; #2412	extends A042, A104, A181, A223; keep a proxy measure connected to the activity it actually observes

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A258 — **Population-health inquiry when records are incomplete or difficult to access**	The China discussion opens questions about registration coverage, time periods, local reports, demographic estimates, independent aggregate sources and the uncertainty of population-level reconstruction.	#2408	extends A030, A091, A104, A118, A191; make the available observations and the missing field recoverable
A259 — **Small-fiber neuropathy, sensory symptoms and vascular assessment**	Terry's account names several neurological and vascular diagnoses. Investigate symptom onset, specialist assessment, diagnostic criteria, tests, pain, functional effects and the relationships among the diagnoses over time.	#2414	extends A002, A003, A019, A050, A153; specific diagnostic pathways can improve a broad symptom inquiry
A260 — **Independence of injury review after an institution promotes an intervention**	The rejected-claim account raises questions about clinical evidence, decision criteria, institutional roles, conflicts, explanation, appeal and independent review when a body has also promoted or required the intervention under examination.	#2452; #2541	extends A027, A062, A120, A134, A215, A248; scrutiny includes the process that decides whether a person receives recognition or support
A261 — **Postal-route observations as community-health leads**	A mail carrier's account opens questions about a stable local observation area, household turnover, how deaths become known, age structure, time periods and the possibility of respectful comparison with aggregate local records.	#2455	extends A042, A059, A082, A104, A218, A223; community workers may notice changes that can guide further inquiry

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A262 — **Changes between medical-manual editions and their practical use**	The comparison of two editions of a community medical manual invites recovery of exact passages, intended audiences, evidence, editorial reasons and how revised advice reaches people with limited access to clinicians.	#2470	extends A039, A075, A110, A144, A200, A208; preserve the connection between a revision and the decision it informs
A263 — **Broken vials, workplace exposure and eye-surface injury**	The reproduced case report describes a spill in a vaccination setting and symptoms among staff. Investigate the product, room layout, ventilation, cleanup, exposure timing, clinical findings, treatment and prevention of similar incidents.	#2478	extends A001, A018, A056, A068, A123, A138, A175; product handling creates a distinct occupational-care pathway
A264 — **Regional Guillain–Barré clusters and coordinated investigation**	The Peru outbreak report opens questions about case definitions, onset dates, geography, infection and exposure histories, previous patterns, diagnostic capacity, treatment and rehabilitation needs.	#2497	extends A002, A013, A019, A020, A104, A189; a cluster can guide coordinated clinical and population inquiry
A265 — **Synthesizing autopsy case reports and preserving review decisions**	The autopsy-review description invites examination of search coverage, inclusion criteria, duplicate cases, original findings, reviewer expertise, disagreement, causal judgments and how later evidence changes the synthesis.	#2505; #2522; #2523; #2524; #2532	extends A031, A039, A040, A100, A213, A227, A251; a review should retain a route back to each case and its reasoning

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A266 — **Active cardiac surveillance in adult workplace cohorts**	The Swiss hospital-worker study descriptions open questions about enrollment, baseline measurements, timing, comparison groups, sex-specific thresholds, adjudication, participant advice and later clinical outcomes.	#2518; #2528; #2532; #2533	extends A029, A046, A140, A154, A198, A209; link detection with the care and follow-up it makes possible
A267 — **Myocarditis recurring after apparent recovery**	The two adolescent case descriptions raise questions about the initial course, recovery criteria, new symptoms, biomarkers, imaging, possible triggers, follow-up and return to activity after a recurrence.	#2537	extends A046, A127, A154, A198, A245; recovery needs a time dimension and a route for reassessment
A268 — **Hansen's disease, inflammatory reactions and continuing care**	The leprosy discussion opens questions about diagnosis, prior exposure, latency, immune changes, case definitions, skin and nerve findings, treatment and longer-term function. Preserve the distinction between a new diagnosis and a reaction in an existing condition.	#2542; #2544; #2545; #2546	extends A011, A013, A049, A116, A143, A175; specific histories and clinical courses can sharpen a wider immune-health question
A269 — **Multiple-sclerosis diagnosis and support for affected families**	A contributor's account of a sister's diagnosis invites investigation of symptoms, diagnostic criteria, imaging, earlier history, specialist care, treatment, daily function and how family members can help while interpretations differ.	#2556; #2557	extends A002, A013, A020, A084, A142, A164; retain the person's agency and continuing care alongside questions about cause

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A270 — **Species-specific veterinary safety and zoo-animal care**	The zoo-animal reports open questions about the actual product, species, indication, dose, veterinary monitoring, health history, infection, necropsy and care arrangements. Recover each animal's record and the responsible institution's explanation.	#2569; #2570; #2571; #2573	extends A013, A031, A167, A202, A255; veterinary questions need their own species and product context
A271 — **Continuity when an active follow-up program ends**	The reported end of V-safe collection raises questions about notice, reasons, retention of earlier records, unanswered reports, alternative reporting routes, participant assistance and the effect on long-term research.	#2576	extends A028, A029, A058, A072, A125, A185, A209; follow-up includes responsibility for a program's transition or closure
A272 — **Differences between certificate records and actual exposure histories**	The account of a purchased certificate opens questions about how administrative status is recorded, clinical histories are obtained, discrepancies are corrected and research classifications are checked without exposing individuals unnecessarily.	#2594; #2595; #2599	extends A024, A026, A055, A102, A134, A220; an administrative category and an actual exposure may require separate verification
A273 — **Seizures in young children and clinically useful follow-up**	The research description naming seizures in children under six invites recovery of the source study, seizure type, fever, prior history, timing, observation window, comparison group, emergency care and later development.	#2463	extends A002, A029, A067, A069, A184, A189; connect a reported outcome with family guidance and continuing assessment

Further source routes for existing topics: shingles, tinnitus and continuing specialist care A045/A047/A116/A203/A253 → #2401; #2403; #2410; released documents and collaborative review A040/A062/A147/A150/A252 → #2404; #2508; legislative discussion, notice and substantive follow-through A041/A060/A087/A163/A186 → #2405; #2422; #2425; #2443; #2469; #2479; #2492; #2534; #2535; #2548; #2549; #2574; #2590; legal claims, compensation and review access A027/A089/A134/A136/A215 → #2413; #2467; #2536; #2541; military choice, prior cancer and eligibility A013/A024/A086/A117 → #2415; source compilations, visibility and consent A026/A037/A040/A088/A108/A131 → #2418; #2448; #2456; #2460; #2464; #2482; #2504; #2514; #2536; care, public revision and symmetric dignity A054/A090/A112/A142/A193/A204/A236 → #2409; #2419; #2431; #2441; #2448; #2450; #2456; #2457; #2460; #2472; #2473; #2495; #2512; #2552; #2553; #2558; #2582; #2589; #2594; #2595; #2597; #2599; #2600; public terminology, product identity and interpretation A057/A061/A068/A079/A242 → #2423; #2454; #2499; #2555; #2559; #2560; #2565; #2566; reporting, surveillance and access to follow-up A028/A058/A072/A101/A125/A185/A228 → #2468; #2471; #2501; #2502; #2503; #2506; #2529; #2541; mortality baselines, place of death and international comparisons A030/A091/A118/A146/A167/A191 → #2408; #2412; #2437; #2465; #2466; #2500; #2509; #2540; #2590; #2598; pregnancy, lactation and reproductive outcomes A007/A008/A009/A078/A202/A207/A210 → #2521; #2567; #2587; mechanistic research, study context and product samples A079/A080/A099/A129/A166/A175/A182/A196/A217 → #2462; #2481; #2496; #2555; #2565; #2587; #2591; batch differences and reproducible comparisons A014/A056/A151/A167 → #2489; #2494; #2498; #2510; creative expression, subtitles and accessible records A040/A110/A168/A232 → #2424; #2492; #2508; aviation, sport and emergency-response records A121/A127/A128/A165/A220/A235 → #2487; #2511; #2512; #2527; #2568; spiritual experience and participant-valued support A022/A124/A256 → #2539; #2543; community surveys and childhood health outcomes A067/A184/A205 → #2484; #2575; #2585; postmortem samples, professional surveys and independent identification A031/A099/A107/A158/A182/A205 → #2588; children's recommendations and menstrual-health inquiry A006/A034/A184/A190 → #2583; #2593; infection histories and continuing care A013/A016/A103/A159/A175 → #2410; #2599. Longer reproduced articles, testimony, transcripts and study descriptions were skimmed for topic discovery. Embedded media, image-only posts, linked documents and clinical or legal verification remain further layers. The population-data question uses public aggregate inquiry; private or breached personal records are not sought.

1.13.15 Expanded responsibility, data-stewardship and independence questions: pages 131–140

The fourteenth batch develops twenty questions or materially sharper branches. It connects manufacturing and review records with public discussion, participant narratives, compensation and practical support after serious disability. Earlier topics keep their IDs and gain source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A274 — **Compensation adequacy as living and care costs change**	The payment-scheme debate opens questions about award levels, inflation, care costs, lost earnings, eligibility, review and whether support remains adequate as a person's needs change.	#2621; #2800	extends A021, A027, A094, A134, A136, A215; connect the administrative award with the life it is meant to support

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A275 — **Responsibility across national and European regulatory bodies**	The Dutch and European exchange invites recovery of the relevant powers, referrals, correspondence, legal routes and who must respond when a safety concern crosses institutional jurisdictions.	#2603; #2643	extends A033, A041, A062, A089, A120; make responsibility and the next available step recoverable
A276 — **Manufacturing changes and comparability with trial material**	The process-comparison accounts open questions about the actual manufacturing versions, scale-up, specifications, comparability studies, regulatory assessment, clinical records and what was explained publicly.	#2639; #2688; #2787; #2800	extends A014, A057, A068, A144, A166; recover the evidence connecting a trial product with a distributed product
A277 — **Residual-DNA measurements and independent analytical methods**	The analytical claims invite study of sample provenance, extraction, assay specificity, calibration, fragment characteristics, per-dose quantities, applicable specifications and independent replication.	#2639; #2688; #2800	extends A068, A079, A080, A099, A129, A166; measurement, interpretation and clinical consequence each have a research path
A278 — **Commercial monitoring of public health discussions**	The reporting about Moderna's online monitoring opens questions about what was collected, by whom, for which purposes, how people were classified, retention, privacy, responses and routes to challenge a representation.	#2634; #2699	extends A026, A037, A071, A105, A109; scrutiny includes the organizations observing and classifying participants

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A279 — **Public-interest disclosure and protected access to health data**	The New Zealand accounts invite investigation of the disclosure, dataset provenance, access rules, privacy, legal process, independent review, whistleblower protection and ways to examine a concern without exposing patient records.	#2613; #2637; #2645; #2648; #2650; #2651	extends A026, A038, A062, A104, A105, A151; preserve the public-interest question and the rights of the people in the data
A280 — **Adverse-event coding, grouping and preservation of case relationships**	The report-review account raises questions about coding conventions, organ-system groups, multiple events in one person, missing outcomes, tabulation rules and how a later analyst can reconstruct the original cases.	#2647	extends A030, A040, A058, A162, A185, A228; aggregation should leave answer-changing relationships recoverable
A281 — **Hospital emergency-call logs and changes across clinical settings**	The nursing account suggests investigating emergency-call records by time, location, patient volume, staffing, clinical course and changes in recording. Link observations with incident review and opportunities to improve response.	#2671; #2672; #2676	extends A018, A051, A059, A064, A160, A214; routine operational records can help investigate a frontline observation
A282 — **Shelf-life extensions, storage and product-quality decisions**	The employee-message account opens questions about actual expiry dates, authorized extensions, stability data, storage histories, lot traceability, communications and who verified the product’s condition.	#2681	extends A014, A056, A068, A144, A166; recover the decision and measurements governing continued use

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A283 — **Public surveys of perceived injury and interest in legal redress**	The polling descriptions invite examination of the questionnaire, sample, dates, uncertainty, overlap in social networks, reported experiences and what respondents mean when expressing interest in a lawsuit.	#2623; #2723	extends A030, A042, A108, A205, A232; public experience and interpretation are useful research objects in their own right
A284 — **Free-text follow-up records and patient-defined concerns**	The reported release of V-safe narrative entries opens questions about privacy, redaction, release schedules, missing material, qualitative analysis, linkage with structured responses and clinical follow-up.	#2734	extends A026, A029, A058, A104, A209, A232, A271; preserve what participants could explain in their own words
A285 — **Linking death certificates with adverse-event records**	The cross-referencing account invites investigation of access permissions, matching criteria, duplicate records, dates, diagnostic coding, uncertainty, correction processes and respectful communication with affected families.	#2732	extends A026, A031, A040, A091, A100, A104, A162, A191; inspect the linkage and the contribution of each originating record
A286 — **Metabolic health, preventive care and practical access**	The metabolic-health discussion opens questions about nutrition, activity, chronic illness, medication effects, access to food, care incentives, affordability and sustained outcomes. Investigate how different forms of support interact in everyday life.	#2736; #2775	extends A020, A035, A064, A065, A133, A178, A250; connect treatment choices with the conditions needed for health

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A287 — **Inquiry terms of reference and opportunities to widen the scope**	The inquiry discussions invite examination of who defines the remit, what is included, how submissions are handled, which questions remain outside, how exclusions are explained and whether the scope can be corrected.	#2725; #2731; #2800	extends A041, A060, A087, A120, A163, A248, A260; the governing frame is itself open to inquiry
A288 — **Trusted messengers and reopening dialogue across communities**	John's account of a conversation with an old friend suggests investigating how familiar professionals, peer networks and public corrections can make a previously difficult discussion possible. Track what becomes discussable and what changes in understanding.	#2743; #2744; #2745; #2746	extends A042, A043, A090, A142, A204, A208; preserve participants' agency while examining the path of communication
A289 — **Transverse myelitis, paralysis and continuity after rehabilitation**	Kayla's account opens questions about diagnostic findings, treatment, rehabilitation, daily assistance, housing, promised care hours, parenting, income and review of unmet needs after discharge.	#2750; #2773	extends A002, A019, A020, A053, A085, A094, A133; follow the person across the clinical and household handoffs
A290 — **Assisted-dying discussions, agency and available care alternatives**	The account of an assisted-dying offer invites recovery of the actual discussion, the person's wishes, applicable safeguards, accessible alternatives, disability support, independent advocacy and review.	#2750; #2773	extends A023, A053, A090, A094, A112, A156, A243; the decision environment and available support deserve examination together

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A291 — **Service dogs, accessible transport and daily independence**	The assistance campaign opens questions about tasks a service dog could perform, suitability, training, costs, transport, wheelchair access, care continuity and what the person identifies as meaningful independence.	#2750; #2773; #2774	extends A021, A083, A094, A135, A233, A255; practical assistance can enable participation, companionship and family life
A292 — **Children's consent, parental involvement and confidential care**	The proposed New York bill invites recovery of the actual text, age and capacity criteria, parental roles, safeguards, information supplied, confidentiality and access to independent explanation or review.	#2765	extends A023, A026, A053, A067, A096, A221; preserve the child's standing and the responsibilities of the adults involved
A293 — **Revised mortality models and an inspectable comparison across editions**	The accounts of changed mortality calculations open questions about model versions, baseline periods, population adjustments, validation, reasons for revision, back-series and access to results under both methods.	#2767; #2777	extends A030, A044, A091, A104, A118, A167; a methodological change needs a recoverable account of what it changes

Further source routes for existing topics: multiple sclerosis, demyelination and individual susceptibility A002/A013/A049/A269 → #2619; cardiac warnings, pediatric monitoring and persistent symptoms A046/A067/A069/A140/A144/A154/A198/A266 → #2609; #2665; #2678; #2689; #2701; #2702; cancer presentation, diagnostic pathways and research access A012/A117/A150/A155/A172 → #2620; #2652; #2706; #2797; pregnancy, eligibility in research and reproductive outcomes A007/A008/A078/A202 → #2610; #2628; anaphylaxis, neuropathy, severe pain and continuing care A001/A002/A020/A112/A259 → #2629; surveillance coding, signal review and institutional response A028/A058/A072/A125/A185/A228 → #2647; #2689; #2701; #2702; military clinical records, cohort data and occupational fitness A063/A086/A104/A121/A162/A220/A235 → #2631; #2641; #2786; #2790; #2791; procurement, contracts and institutional powers A035/A062/A089/A120/A250 → #2603; #2614; #2615; #2643; #2664; #2666; #2669; #2697; #2712; legislative proceedings and follow-through A041/A060/A087/A163/A186 → #2611; #2612; #2621; #2643; #2654; #2699; #2717; #2747; #2748; #2780; #2786; #2800; source preservation, corrections and access to published work A037/A039/A040/A088/A109/A110/A150 → #2635; #2646; #2659;

#2660; #2661; #2680; #2699; #2722; #2752; #2761; #2778; #2784; #2799; bereavement, changing views and symmetric dignity A022/A054/A090/A112/A131/A142/A193/A204 → #2601; #2605; #2607; #2622; #2632; #2633; #2655; #2656; #2663; #2667; #2668; #2670; #2679; #2703; #2708; #2718; #2729; #2749; #2751; #2752; #2793; mortality trends, public estimates and economic context A030/A044/A091/A104/A118/A146/A167/A249 → #2622; #2630; #2636; #2637; #2641; #2654; #2694; #2696; #2704; #2706; #2709; #2713; #2719; #2720; #2726; #2728; #2757; #2759; #2760; #2777; #2792; autopsy, tissue findings and synthesis A031/A079/A100/A158/A213/A251/A265 → #2688; #2721; embalmer observations and independent sample research A099/A107/A158/A182/A205 → #2741; #2743; #2744; #2753; #2754; infection-control care, family access and clinical protocols A053/A073/A119/A156/A195 → #2672; #2676; #2716; transmission research, childhood outcomes and changing recommendations A016/A034/A067/A103/A184/A205 → #2616; #2618; product samples, analytical methods and proposed mechanisms A068/A079/A080/A099/A129/A166/A175 → #2624; #2625; #2639; #2681; #2688; #2707; #2800; research synthesis, iterative methods and collaborative work A039/A040/A106/A147/A150/A227/A2 → #2647; #2689; #2717; #2733; #2778; #2792; music, testimony and memorial participation A022/A131/A168/A192 → #2656; #2738; #2756; clinical communication, household support and participation A019/A020/A083/A094/A133/A149/A194/A236 → #2649; #2676; #2728; #2745; #2750; #2773; #2774. Longer reproduced articles, analyses, personal accounts and transcripts were skimmed for topic discovery. Embedded media, image-only material, external documents and clinical or legal verification remain further layers. Public-interest data questions are retained without seeking or republishing identifiable patient datasets.

1.13.16 Expanded care-pathway, measurement and participation questions: pages 141–150

The fifteenth batch develops seventeen questions or materially sharper branches. It connects specific clinical and functional needs with research measurements, product evaluation, institutional repair and the conditions for meaningful participation. Earlier topics keep their IDs and gain further source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A294 — **Blood-cell surface charge and microcirculation hypotheses**	The zeta-potential discussion opens questions about how electrical properties of cell surfaces are measured, sample conditions, aggregation, blood flow, clinical correlations and experiments that distinguish proposed mechanisms.	#2806	extends A003, A080, A099, A169, A175, A196; make the measurement and its proposed relationship to experienced illness inspectable

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A295 — **Advertising complaints, regulatory findings and effective repair**	The pharmaceutical-code account invites recovery of the original promotion, complaint, applicable rules, decision, corrections, sanctions and how affected audiences receive an updated account.	#2809; #2812	extends A035, A062, A109, A144, A200, A204; examine what a regulatory finding changes in subsequent conduct
A296 — **Legal product classifications and their regulatory consequences**	The Australian case description raises questions about statutory definitions, the product and evidence at issue, regulator responsibilities, court findings, jurisdiction and practical effects for safety assessment and consent.	#2824; #2866	extends A057, A068, A089, A242, A275, A276; preserve the difference between a proposed legal argument and the decision reached
A297 — **Sperm-donor records and longitudinal fertility research**	The Danish donor-study description opens questions about recruitment, repeat samples, laboratory methods, motility, health and lifestyle histories, time trends and implications for fertility services.	#2868	extends A007, A013, A030, A104, A207; connect measurements with selection conditions and clinically meaningful outcomes
A298 — **Biosafety during field sampling, culture and transport**	The hearing excerpt about collecting and culturing pathogens invites investigation of risk assessment, permissions, containment, occupational exposure, transport procedures, oversight and the expected public-health contribution.	#2870	extends A068, A175, A202, A239; examine each transition from an environmental sample to a research setting

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A299 — **Population records of cognitive and psychiatric diagnoses**	The study descriptions invite recovery of source populations, prior diagnoses, exposure and infection histories, follow-up, comparison groups, healthcare use, coding and meaningful clinical outcomes.	#2827; #2877; #2904	extends A084, A104, A173, A196, A259; large record-based analyses need a route back to the definitions and people represented
A300 — **Respiratory recovery at home and coordinated follow-up**	A contributor describes his wife's return home and improved activity. Investigate the clinical history, breathlessness, oxygen requirements, concurrent changes, measured function, caregiver support and professional follow-up.	#2897; #2898; #2899	extends A020, A051, A064, A094, A175, A178; preserve the observed improvement and make its circumstances available for careful study
A301 — **Toxic epidermal necrolysis and severe skin-reaction care**	The case-report citation opens questions about diagnosis, symptom timing, medicines and other exposures, specialist assessment, skin and mucosal care, recovery and longer-term consequences.	#2923	extends A001, A011, A013, A020, A115; a specific severe presentation can guide more focused clinical inquiry
A302 — **Acute kidney injury and the clinical course behind recorded outcomes**	The kidney-injury discussion invites investigation of baseline kidney function, infection, medicines, fluid balance, tests, treatment, dialysis, recovery and how diagnoses enter mortality records.	#2945	extends A005, A013, A019, A114, A162, A195; link the recorded category with the underlying care sequence

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A303 — **Cross-border vaccination cards, correction and access rights**	The proposed European card pilot opens questions about fields, interoperability, access permissions, security, correction, secondary uses, practical access and alternatives for people unable to use a digital service.	#2952	extends A026, A055, A102, A134, A220, A272; examine the information infrastructure and the choices it enables or constrains
A304 — **Lessons from historical infected-blood experiences**	The infected-blood interview lead invites comparison of recognition, disclosure, patient support, records, institutional response, compensation and what lessons persist into later decisions.	#2946	extends A027, A041, A120, A176, A204; historical inquiry can make a continuing responsibility or useful repair route visible
A305 — **Self-amplifying vaccine platforms and product-specific evaluation**	The replicon discussion opens questions about the exact product, amplification mechanism, dose, persistence, clinical trials, monitoring, manufacturing and the information supplied to participants and recipients.	#2810; #2990	extends A014, A057, A068, A079, A144, A167, A276; each platform and implementation needs its own recoverable assessment
A306 — **College requirements and continuing responsibility for student care**	The proposed student-injury bill invites recovery of its actual provisions, mandate history, eligibility, evidence criteria, costs, care access, institutional responsibilities and review routes.	#2998	extends A021, A024, A069, A096, A120, A274; connect a requirement with the support available after a reported injury

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A307 — **Care decisions in paroxysmal nocturnal hemoglobinuria**	The patient account names a pre-existing rare blood disorder and reactions after three injections. Investigate the products, indications, clinical history, hematology assessment, consent, symptom sequence, treatment and practical bedside assistance.	#2970	extends A003, A013, A025, A053, A094, A114, A216; preserve the individual condition and the actual care decisions
A308 — **Changes in identity, meaningful activity and participation after illness**	The personal accounts describe lost abilities and valued activities, with painting retained as part of daily life. Investigate rehabilitation goals, companionship, creative activity, distress, family relationships and what participants identify as a worthwhile continuation.	#2965; #2966; #2967; #2968; #2987	extends A022, A085, A090, A112, A142, A168, A203, A256; meaningful outcomes include the person's standing and lived experience
A309 — **Cancer registries, recurrence and stage at diagnosis**	The oncology and registry discussions open questions about incident and recurrent disease, age, stage, screening, diagnostic delays, treatment, reporting lags and linkage with relevant histories.	#2804; #2857; #2913; #2997	extends A012, A104, A117, A155, A172; registry questions can develop clinicians' observations into a more specific research design
A310 — **Microbiome measurements and clinically relevant follow-up**	The gastroenterology testimony description invites examination of sampling, assays, baseline variation, diet, medicines, infection, proposed mechanisms and links with symptoms or recovery.	#2953	extends A013, A098, A116, A150, A178; preserve the research question and identify what would make its findings useful for care

Further source routes for existing topics: injection technique, route and administra-

tion records A018/A056/A122/A123/A152 → #2814; #2829; patient registries, community archives and collaborative research A040/A076/A104/A149/A237/A252 → #2808; #2821; #2901; #2915; #2937; #2958; #2991; public debate, source attribution and repair of judgments A040/A061/A090/A109/A204/A288 → #2811; #2815; #2817; #2820; #2822; #2823; #2825; #2850; #2852; #2853; #2860; #2873; #2878; #2896; #2903; #2943; #2951; #2963; #2982; #2988; #2994; pregnancy, birth statistics and fertility comparisons A007/A008/A030/A078/A207 → #2818; #2819; #2821; #2864; #2868; #2991; cardiac care, tissue findings and recovery A004/A046/A100/A140/A154/A212/A251/A266/A267 → #2845; #2880; #2888; #2910; #2927; #2986; #2987; oncology, family distress and continuing support A012/A022/A112/A142/A155/A172 → #2804; #2832; #2857; #2930; #2947; #2950; #2960; #2965; #2967; #2968; #2997; legal proceedings, jurisdiction and institutional responsibility A027/A035/A062/A089/A120/A215/A275 → #2824; #2834; #2866; #2869; #2871; #2874; #2892; #2895; #2954; #2995; #2996; #2998; #2999; compensation, recognition and practical access A021/A134/A136/A149/A171/A233/A274 → #2841; #2842; #2856; #2908; #2937; #2938; #2942; #2954; #2994; trial re-analysis and endpoints A030/A067/A069/A140/A227 → #2815; #2851; #2862; #2867; #2976; #2983; #2991; mortality, public-health responses and comparative models A030/A044/A074/A091/A104/A118/A167/A206/A249/A293 → #2826; #2845; #2851; #2857; #2860; #2886; #2889; #2907; #2914; #2919; #2924; #2925; #2947; #2973; #2981; pediatric outcomes and long-term comparative research A067/A184/A205/A224/A273 → #2883; #2886; #2887; #2888; #2893; #2935; #2957; #2976; #2977; neurological illness, rare diagnoses and military care A002/A047/A063/A086/A105/A194/A220/A264 → #2865; #2877; #2904; #2908; #2948; breathing, household observations and proposed interventions A013/A017/A065/A175/A178 → #2897; #2898; #2899; source preservation, disclosure and research participation A037/A038/A039/A040/A088/A105/A110/A147/A279 → #2808; #2810; #2821; #2884; #2900; #2915; #2919; #2929; #2933; #2950; #2953; #2956; #2960; #2989; #2991; samples, blood findings and independently reproducible methods A068/A079/A080/A099/A107/A129/A158/A166/A175/A182/A277 → #2824; #2848; #2861; #2890; #2891; #2936; #2955; #2956; #2959; platform evaluation, formulation and infection histories A014/A057/A068/A103/A116/A144/A167/A242/A276 → #2810; #2881; #2894; #2979; #2980; #2983; #2985; commercial relationships and the review of public messaging A035/A062/A109/A144/A200/A204/A250/A278 → #2809; #2812; #2857; #2883; #2896; #2953; #2976; #2988; #2991; #2993; #2994; #2999; symmetry, distress and opportunities to continue contributing A022/A054/A090/A112/A131/A142/A193/A236 → #2822; #2832; #2865; #2898; #2899; #2910; #2917; #2918; #2927; #2942; #2950; #2965; #2966; #2967; #2968; #2978; #2980; #2987. Longer reproduced articles, personal accounts, analyses and study descriptions were skimmed for topic discovery. Embedded media, image-only material, external documents and clinical or legal verification remain further layers. Home-treatment proposals remain research leads; this inventory carries forward the reported needs and observations without reproducing dosing or oxygen-change instructions.

1.13.17 Expanded study-design, participant-agency and follow-through questions: pages 151–160

The sixteenth batch develops eighteen questions or materially sharper branches. It connects research records and comparisons with participant agency, public communication, clinical follow-up and what happens after an institutional decision. Earlier topics retain their IDs and gain further source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A311 — **Registry membership, retention and research-cohort construction**	The reproduced Dutch registry analysis invites comparison of dated versions, inclusion rules, deaths, emigration, consent, linkage and the dataset actually supplied for a study. Examine how those choices affect denominators and follow-up.	#3004	extends A030, A091, A102, A104, A180, A220, A280; preserve the relation between the population, its records and the question being studied
A312 — **Publicly funded health campaigns and behavioural objectives**	The campaign accounts open questions about contracts, budgets, target audiences, behavioural models, evidence for messages, omitted information, evaluation, public access and the effect on informed choice and trust.	#3002; #3016	extends A035, A043, A062, A109, A144, A278, A295; examine the commissioning process and the outcomes it sought
A313 — **Organoid experiments and interpretation of genetic findings**	The laboratory account describes human-cell organoids and measurements after exposure. Investigate model identity, dose, controls, sample processing, persistence, integration assays, independent replication and what findings could mean in a clinical setting.	#3020; #3027; #3044; #3083	extends A079, A080, A099, A129, A166, A277; distinguish the experimental operations and the inference each can support
A314 — **Recall procedures and the response to a formal safety request**	The recall discussion invites recovery of the petition, relevant authority, criteria, evidence review, response, appeal, affected products, communications and arrangements for people who already received them.	#3028; #3051; #3055; #3059; #3192	extends A033, A041, A062, A144, A185, A260, A275; follow a request through the decision and its practical consequences

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A315 — **After-action recommendations and implementation tracking**	The official-review and grand-jury report accounts open questions about remit, methods, findings, recommendations, responsible bodies, resources, deadlines, public tracking and evidence of improvement.	#3026; #3043	extends A041, A060, A120, A163, A204, A248, A287; a published lesson can be followed into subsequent conduct
A316 — **Witness roles, question design and testimonial agency**	The inquiry account raises questions about expert and participant status, open and closed questions, permitted answers, supporting submissions, corrections, transcript completeness and how testimony informs conclusions.	#3052; #3117; #3125; #3133; #3157	extends A060, A087, A105, A248, A287; examine whether the process can receive an answer that changes its understanding
A317 — **Patient-forum audiences, permissions and continuing consent**	Public moderation notes describe changes to access for a sensitive discussion. Investigate audience expectations, consent, permission changes, participant notice, moderation, access repair and limits on later quotation or reuse.	#3065; #3066; #3067; #3068; #3069; #3070; #3071; #3074; #3075	extends A026, A039, A054, A131, A187, A238; the public access history can be examined while private material remains private
A318 — **Healthcare-worker uptake and the reasons behind changing choices**	The staff-uptake report opens questions about denominators, occupation, access, prior experiences, infection, risk assessment, confidence, workplace policy and how staff can raise concerns or obtain help.	#3097	extends A024, A036, A043, A059, A086, A139; a change in participation can guide inquiry into several interacting conditions

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A319 — **Livestock vaccine research and connected food-system responsibilities**	The cattle-research lead invites recovery of the product, species, indication, trials, veterinary monitoring, farm-worker exposure, food-chain assessment, regulation and communications with producers and consumers.	#3106	extends A013, A057, A068, A167, A175, A202, A270; preserve the links among animal health, human health and the production setting
A320 — **Adjuvant function and exposure assessment across schedules**	The aluminum discussion opens questions about formulation, intended function, dose, route, timing, age, cumulative exposure, clearance, comparison groups and the evidence governing specifications.	#3118; #3174; #3184	extends A001, A068, A079, A098, A152, A224, A277; make each exposure and proposed interaction measurable
A321 — **Maternal–infant record linkage and health after birth**	The infant-mortality account invites study of maternal histories, pregnancy, gestational age, birth cohorts, infant ages, infection, care access, death certification and comparison periods.	#3143	extends A008, A029, A078, A104, A184, A202, A207, A285; preserve the mother–child timeline and the changing population at risk
A322 — **Surrogate endpoints and immunobridging in policy decisions**	The pediatric-hearing description raises questions about antibody measurements, clinical outcomes, follow-up, age groups, assumptions linking a marker with benefit, uncertainty and later validation.	#3158	extends A030, A067, A103, A140, A184, A206; make the path from a measured response to a recommendation inspectable

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A323 — **Comparator types and the questions a trial can answer**	The hearing and schedule-review discussions invite mapping of inert placebos, active comparators, formulations, trial populations, endpoints, follow-up and ethical rationale. Identify the specific comparison each design permits.	#3156; #3184	extends A030, A067, A068, A152, A205, A224, A227; retain the actual design when comparing statements about testing
A324 — **Advisory-panel appointments, conflicts and decision continuity**	The panel-change accounts open questions about appointment criteria, expertise, conflicts, public participation, dissent, evidence access, minutes and how decisions are reviewed across changes in membership.	#3135; #3145; #3184	extends A035, A062, A120, A150, A204, A248; evaluate the governing process and its conduct as well as its personnel
A325 — **Research-funding changes and continuing duties to participants**	The funding-cut account invites investigation of the affected studies, decision criteria, contracts, participant notice, safety monitoring, unfinished follow-up, data preservation, publication and access to care.	#3140	extends A029, A069, A125, A150, A180, A271; a research transition includes responsibility for people and knowledge already involved
A326 — **Injury-table updates and the route from research to eligibility**	The petition account opens questions about which conditions and time windows appear in an injury table, evidence reviews, legal duties, presumptions, burden of proof, revision schedules, appeals and practical access to compensation.	#3191; #3192	extends A027, A033, A134, A136, A215, A248, A274; follow how new knowledge can change an affected person’s available remedy

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A327 — **A.I.-assisted source recovery and verification of public outcomes**	The petition exchange moves from asking where a clip occurred to asking what followed, with A.I.-generated source suggestions. Investigate original venue, date, petition, minutes, decision, linked sources and preservation of attribution across the relay.	#3197; #3198; #3199; #3200	extends A040, A060, A061, A088, A109, A110, A163, A232; use source suggestions to make the originating record and outcome recoverable
A328 — **Mast-cell activation and coordinated investigation of persistent symptoms**	The clinical-interview description opens questions about diagnostic criteria, symptom patterns, triggers, test timing, overlapping conditions, treatments, adverse effects, function and follow-up.	#3171	extends A001, A013, A019, A020, A077, A098, A178; a proposed clinical explanation can guide specific assessment and care research

Further source routes for existing topics: personal experiences, disclosure and practical support A019/A022/A054/A076/A149/A171/A194/A236/A308 → #3001; #3022; #3024; #3031; #3035; #3037; #3073; #3077; #3098; #3104; #3105; #3120; #3133; #3137; #3138; #3151; #3153; registry versions, reporting entries and data access A028/A040/A058/A072/A104/A125/A147/A180/A280 → #3003; #3004; #3011; #3029; #3046; #3102; oncology care, cancer records and comparative designs A012/A104/A117/A155/A172/A309 → #3008; #3016; #3047; #3137; #3138; #3146; #3160; #3179; laboratory samples, genetic findings and analytical methods A068/A079/A080/A099/A129/A166/A277 → #3020; #3027; #3036; #3044; #3083; #3110; #3162; #3165; autopsy review, tissue methods and clinical histories A031/A100/A158/A182/A213/A251/A265 → #3017; #3028; #3112; #3117; #3125; #3185; #3193; cardiac surveillance, warning revisions and continued care A004/A046/A140/A144/A154/A198/A200/A245/A266/A267 → #3019; #3028; #3036; #3056; #3124; #3117; #3125; #3133; #3185; public reviews, witness accounts and institutional response A041/A060/A087/A105/A120/A163/A186/A248/A287 → #3025; #3026; #3043; #3052; #3054; #3081; #3099; #3117; #3122; #3125; #3133; #3147; #3148; #3149; #3151; #3154; #3156; #3157; #3158; #3159; #3184; #3187; #3188; #3190; source dating, accessible records and correction persistence A039/A040/A061/A088/A091/A109/A110/A204/A288 → #3026; #3039; #3050; #3057; #3077; #3084; #3090; #3091; #3098; #3104; #3120; #3131; #3132; #3151; #3163; #3166; #3167; #3168; #3174; #3181; #3183; #3186; #3197; #3198; #3199; #3200; public-health messaging, trust and commercial relationships A035/A043/A062/A109/A144/A200/A250/A278/A295 → #3002; #3005; #3006; #3012; #3016; #3026; #3033; #3053; #3081; #3084; #3132; #3135; #3136; #3144; #3145; #3147; #3149; #3153; #3168; #3172; mortality, demographic context and model comparisons A030/A044/A074/A091/A102/A104/A118/A146/A167/A206/A249/A293 → #3004; #3018; #3019; #3046; #3056; #3102; #3123; #3142; #3143; #3146; #3175; #3178; childhood health, cohort comparisons and cumulative exposures A013/A067/A069/A152/A184/A205/A224/A273 → #3041; #3049; #3085; #3136; #3156;

#3157; #3158; #3159; #3161; #3164; #3174; #3184; menstrual outcomes, proximity studies and combined histories A006/A017/A078/A159/A175/A179/A190/A210 → #3036; #3082; persistent symptoms, clearance hypotheses and treatment research A065/A077/A079/A080/A098/A178/A183/A195/A217 → #3072; #3078; #3100; #3111; #3138; #3161; #3165; #3171; #3196; compensation, legal routes and reform proposals A027/A033/A089/A134/A136/A215/A260/A274/A275 → #3028; #3029; #3043; #3047; #3051; #3055; #3059; #3108; #3122; #3135; #3145; #3173; #3187; #3188; #3191; #3192; blood products, donor histories and choices A026/A093/A145/A176/A221/A304 → #3139; biosafety, future preparedness and public accountability A035/A062/A175/A202/A239/A298 → #3026; #3061; #3106; #3172; #3178; professional testimony, research freedom and care continuity A038/A063/A086/A105/A113/A139/A150/A208/A220 → #3029; #3056; #3097; #3108; #3133; #3135; #3140; #3145; #3156; #3157; #3159; #3168; material identification and pathways from observation to research A099/A107/A148/A158/A166/A182/A205/A265 → #3110; #3112; #3119; #3193; community inquiry, documentaries and sustained participation A022/A040/A083/A131/A149/A168/A187/A236/A237/A238/A252 → #3035; #3077; #3090; #3091; #3098; #3104; #3105; #3120; #3137; #3138; #3151; #3155; #3167; #3174; #3190. Longer reproduced articles, reports, interviews, analyses and study descriptions were skimmed for topic discovery. Embedded media, image-only material, external documents and clinical or legal verification remain further layers. The members-only discussion mentioned in the public moderation notes was not accessed. A.I.-supplied identifications and outcome summaries remain source-recovery leads for comparison with the originating records.

1.13.18 Final supplied-range additions: pages 161–164

The final four supplied pages develop eight questions or materially sharper branches. They connect downstream care, operational investigation, clinical definitions, incomplete records and conditions of medical choice. Earlier topics retain their IDs and receive additional source routes.

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A329 — **Care cascades, antibiotic use and longer-term outcomes**	The cascade discussion follows a symptom through diagnosis, visits, prescribing and possible downstream effects. Investigate actual timelines, clinical indications, microbiome changes, repeat illness, resistance, function and opportunities to improve care.	#3257	extends A019, A029, A114, A162, A178, A224, A310; preserve relationships across successive encounters and treatments

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A330 — **From safety manuals to local investigation and resources**	The tissue-analysis account invites comparison of the cited manual, applicable editions, local protocols, training, funding, referrals, consent, tissue methods and execution records. Follow how a recommendation becomes an available investigation.	#3243	extends A031, A062, A100, A120, A147, A185, A248; connect the governing instruction with the work actually carried out
A331 — **In-flight medical emergencies and coordinated response**	The flight account opens questions about recognition, crew roles, passenger assistance, clinical support, safe management, diversion, handover, incident documentation and review of what helped everyone reach care.	#3226	extends A051, A064, A121, A165, A214, A220; clinical care and operational safety meet in the same event
A332 — **Hyperprogressive cancer definitions and comparable clinical histories**	The cancer-review description invites recovery of growth-rate criteria, prior scans, histology, treatment history, timing, case selection, recurrence and comparison groups. Examine what makes cases clinically comparable.	#3222; #3252	extends A012, A049, A104, A155, A172, A309; a shared label needs recoverable measurements and a particular clinical course
A333 — **Gaps in pregnancy-loss surveillance and reconstruction of the missing field**	The account of pregnancy-loss reporting raises questions about system availability, early-loss definitions, gestational stage, denominators, clinical records, missing periods and independent ways to recover useful information.	#3239; #3248	extends A008, A030, A058, A078, A104, A207, A285, A311; investigate how a data gap affects what can be known and what support remains needed

ID and potential topic	Why investigate?	Forum starting points	Relation to earlier inventory
A334 — **Disease-specific protection and wider childhood outcomes**	The childhood-survival account opens questions about the original studies, product, age, sex, sequence, timing, comparison groups, infection, overall mortality and non-target outcomes. Examine how different endpoints inform a full assessment.	#3257; #3261	extends A013, A030, A067, A103, A152, A184, A205, A206, A224; keep the target disease and the wider health field available together
A335 — **Wealth, clinical discretion and unequal conditions of medical choice**	The pediatric-practice account invites study of access to time, independent opinions, individualized care, exemptions, information, household resources and consequences of accepting or declining an intervention.	#3268; #3271	extends A021, A023, A024, A051, A096, A132, A241; examine the conditions of choice without assuming that wealth establishes correctness
A336 — **Live-vaccine organisms, secondary exposure and strain evolution**	The cross-product discussion opens questions about the exact product, organism, replication, shedding, contact routes, immune vulnerability, strain changes, monitoring and instructions supplied to recipients and contacts.	#3257	extends A013, A017, A057, A068, A103, A116, A167, A175, A298; preserve product-specific mechanisms when studying nearby exposures

Further source routes for existing topics: mortality estimates, comparison populations and source recovery A030/A044/A061/A091/A104/A118/A206/A249/A327 → #3205; #3206; balance disturbances, falls and differing explanations A002/A013/A047/A084/A106/A165/A175 → #3213; #3214; #3215; #3216; oncology observations, registries and mechanistic hypotheses A012/A079/A104/A117/A129/A155/A172/A309 → #3221; #3222; #3229; #3231; #3244; #3252; #3277; pregnancy records, fever, gestational timing and disclosure A007/A008/A029/A078/A144/A207/A321 → #3239; #3240; #3248; tissue analysis, samples and assay comparison A031/A080/A099/A100/A129/A148/A158/A166/A182/A213/A251/A265/A277 → #3242; #3243; #3244; #3251; #3252; #3256; public hearings, submissions and independent follow-through A041/A060/A087/A105/A120/A163/A186/A248/A287/A315/A316 → #3233; #3240; #3241; #3246; #3247; #3253; #3256; #3271; clinical warnings, pediatric

follow-up and continued support A018/A046/A067/A069/A140/A144/A154/A184/A198/A200/A273 → #3243; #3256; #3260; #3263; product identity, immune effects and clinical interpretation A001/A013/A057/A068/A098/A114/A116/A152/A167/A224/A320 → #3257; #3261; institutional responsibility, commercial incentives and review A027/A035/A062/A089/A109/A120/A150/A215/A250 → #3208; #3218; #3224; #3233; #3240; #3241; #3243; #3246; #3247; #3256; #3263; #3271; peer inquiry, correction and continued participation A022/A040/A061/A090/A106/A142/A194/A204/ → #3206; #3213; #3214; #3215; #3216; #3222; #3224; #3240; #3245; #3253; #3256. Longer reproduced articles, reviews and personal accounts were skimmed for topic discovery. Embedded media, image-only material, external documents and clinical or legal verification remain further layers. Page 164 ends at #3277 in the retrieved edition. The final 77 posts bring the supplied-range total to 3,277.

1.13.19 The 10+1 as an active inquiry baseline

The 10+1 Metaflux governs selection and continuation together:

Ingredient	Work it performs here
1. Self-honesty	Record actual coverage and the media still awaiting inspection.
2. Open antenna	Retain clinical, institutional, social and information-access possibilities.
3. Willingness to learn	Allow new outcomes and access barriers to expand the inventory.
4. No self-deception to fit in	Preserve consequential questions across popularity and institutional status.
5. Genuine inquiry	Give each topic a reason and a recoverable research starting point.
6. Correction on merit	Carry source clarifications and later updates alongside an original account.
7. Freedom to differ	Permit unfamiliar observations to enter the field.
8. Care for well-being	Include relief, function, livelihood, companionship and access to care.
9. Wonderment	Notice unexpected connections before familiar categories close around them.
10. Non-projection	Keep an evaluator's expectations from replacing a particular contribution or constrained life situation.
11. Forgiveness with accountability	Examine consequential conduct while preserving intent as a separate inquiry.

1.13.20 Connected investigations worth preserving

A report's journey. Follow experience → description → clinical encounter → reporting system → platform or editorial processing → public interpretation → help, investigation or an unresolved gap. Each handoff can change what remains visible and what becomes possible. A patient's need for care continues while a causal question remains open.

A call for help contains several objects. The Caroline Pover account in post #124 seeks peer contact, explanation, treatment and research participation. Keeping these four needs distinct gives institutions and artificial intelligence several constructive ways to respond.

Context can change the ethical meaning of advice. The extended residency exchange in posts #346–358 turns an assumed travel preference into questions about work, legal status, return home and limited options. This is a useful C1 clarification-process case: recover circumstances before giving advice authority.

Preservation can support learning. The archive supplies chronology, source recovery and opportunities to revisit unanswered questions. Connecting copies, exact products, later

care, editorial changes and institutional responses would make that contribution easier to use. Symmetric Grace preserves participation and places investigative responsibilities upstream too.

Useful A.I. work: help organize a person's timeline with consent; preserve reported experience separately from proposed explanation; locate related questions; maintain source links and updates; track what institutions received and how they responded. These are candidate uses to develop and evaluate with affected people.

Continuation rule: read the next ten pages for new topics and answer-changing relationships; preserve existing IDs; add source locations to recurring topics; record media and external-document gaps; publish the delta and its coverage; then continue. A completed topic map remains corrigible. Deeper clinical, legal or causal investigation is a separately scoped next operation.

1.13.21 What pages 21–30 make newly usable

Investigate care that develops after a signal. Post #490 reproduces a case-series account about recognizing a particular clotting syndrome and studying a treatment response. The research path can preserve the early person's observation, later diagnostic discrimination, care decisions and recovery. This is an investigation lead into learning over time; the underlying paper and later clinical literature are a separate reading task.

Include consequences of protective measures. The care-home account in #440 widens the outcome field to meals, mobility, family presence, foot care, spiritual life and the ability to summon help. Competing risks become concrete when a protective policy and the costs of its implementation can both be investigated.

Preserve correction as a contribution. The lawsuit, air-travel and exposure-history exchanges retain revisions made within the community. An archive can supply reports, source reconstruction, mutual help, questions and correction histories together. These different contributions deserve distinct records.

Artificial intelligence and population-level processing. The classification lead in #409 creates a concrete connection to Psy Pioneer and Cognitive Warfare: examine the operation between a person's account and its visibility, including the stated objective, actual rule, affected audiences and appeal. The account identifies a research route; obtaining and inspecting the policy documents is still to be done.

1.13.22 What pages 31–40 make newly usable

A question can become a shared task. Post #671 asks for people with competing explanations to discuss their positions. A useful continuation would identify each proposition, the observations it explains, where accounts overlap and what result could change each assessment. This applies the 10+1's inquiry, openness and correction on merit to all participants. It permits several explanations to improve during the comparison.

Evidence access and human access connect. A093 follows a donor–recipient relationship; A094 follows the continuing resources required after profound disability; A096 follows education and accommodation; A113 follows professional review and appeal. Keeping those relationships visible gives a health inquiry more ways to become useful than a single causal verdict.

Large datasets offer an investigation opportunity. The Project Salus/Humetrix presentation linked in #789 could support questions about older adults, prior infection, timing and outcomes. The forum's characterization of its findings, and its description of artificial-intelligence involvement, remain source claims to examine against the original presentation and methods. A.I.s & Health can develop this as a source-preserving comparison among data, analysis, interpretation and subsequent action.

Consideration preserves the contribution. John's invitation to consider the scope fits Believism: retain the observation, question, access route, useful implication and correction

conditions before assigning a position to the person bringing it forward. The inventory gives unfamiliar contributions a recoverable place from which inquiry can proceed.

A practical access contribution is already visible. In #796–799, participants help one another reach subtitles and translation. An accessible transcript with preserved dates, speaker identity, uncertainties and source links could extend that assistance. The same principle applies to organizing a patient timeline, protecting a reporting professional's identity, or helping a family locate a review route.

1.13.23 What pages 41–50 make newly usable

Practical prevention can become a contribution early. The SIRVA material in #901 reaches back to a 2015 account. It connects anatomical placement with pain, loss of movement, clinical investigation and rehabilitation. Investigating delivery technique and training offers a concrete task for improving care while wider product and policy questions continue. The aspiration discussion is a related research lead whose guidance and evidence need their own examination.

A report can become a continuing relationship. The Queensland notice in #900 describes limited capacity to contact reporters individually. The physician account in #921 describes being directed to a system its participants say they had already used. Together these leads make the next handoff investigable: who assesses the continuing need, who follows up, how information returns to the reporter and what resources enable that work? Useful A.I. assistance could help maintain a consent-based timeline and track unanswered requests, with affected people evaluating whether it reduces their burden.

Personal baselines and meaningful activity widen outcome discovery. The freediver in #943 describes changed heart rate and reduced capacity and asks whether others recovered. The testimony excerpts in #910 include cooking, holding a baby, retrieving words and flying a plane. These contributions help specify what a useful recovery record could follow: an activity, the person's prior capacity, the change, care received and subsequent course. They connect clinical measurement with dignity, livelihood and family life.

Individual and mass psychology form a shared investigation field. The anxiety presentation in #904, the solidarity exchange in #984 and the bereavement/publication account in #997 open different relationships between personal experience and public communication. An inquiry could follow how a message affects appraisal, disclosure, relationships and care-seeking, and how those experiences return through media or institutions. This connects Psy Pioneer, Cognitive Warfare and Symmetric Grace without requiring one explanation to cover every operation.

The archive also supplies collaborative source work. Participants ask who a speaker is in #886–891, clarify that an athletic-substance question concerns interaction in #927–929, and seek an original recording in #949–958. Preserving the question, clarification, revision and still-open source request makes these contributions usable together. Through the 1888 property field, discrimination preserves what was asked; relation develops its connections; memory carries the update; judgment and correction remain available as the inquiry grows.

1.13.24 What pages 51–60 make newly usable

An earlier indexing proposal gives the present task continuity. In #1085, dated 4 December 2021, John Kuhles proposes a source-link overview and versions in multiple languages. In #1101, he asks how coverage across media relates to the sources being shared. These posts preserve an earlier intention to make a dispersed field accessible. The current inventory develops that recoverability through questions, reasons, stable IDs and source routes. A comparative media study could additionally examine actual samples, selection, prominence, dates and opportunities for response.

Support access is a chain of consequential decisions. Post #1018 connects a clinician's signature, an injury-support application, inability to work and access to donated funds. Post #1061 describes staffing and evidence gathering in a payment scheme; #1180 describes

claimed eligibility and assessment requirements elsewhere. A useful investigation can follow each handoff, the person responsible, the reason given, time elapsed and interim help. That record could make a repair practical before a broader dispute is resolved.

Monitoring becomes useful through what follows a signal. The neonatal account in #1040 names an investigation threshold. The retinal case excerpt in #1067 follows symptoms into testing, specialist treatment and further procedures. The laboratory account in #1070 asks how one person's observations connect with a wider workload. These contributions suggest different tasks—population review, individual follow-up and privacy-preserving aggregation—whose results could inform one another.

People can state a constructive direction themselves. The RealNotRare account in #1117 describes a request for help and collaboration with the medical community across polarized identities. Keeping that request central allows inquiry into whether support, referrals and research participation actually become available. The experiences shared in #1047–1048 also preserve attachment, everyday joy and connection with the natural world as meaningful parts of living through uncertainty. These contributions widen what wellbeing and useful assistance can mean.

Access includes usability and time. The research compilation in #1080 describes navigable contents, figures and source links. The document-release discussion in #1191 connects a production schedule with public oversight. A.I. assistance could help index a released collection, preserve its versions and connect particular records with unanswered questions. Its usefulness would depend on faithful retrieval, visible source boundaries and whether affected people or researchers can do more with the result.

The 1888 property field remains active across the handoffs. Perception notices a contribution; discrimination retains its particular question and context; relation connects it with care, data and responsibility; judgment evaluates the next useful move; memory preserves source and revision; correction keeps that move revisable. The 10+1 baseline applies to participants, clinicians, institutions and the evaluator throughout this shared inquiry.

1.13.25 What pages 61–70 make newly usable

A contributor supplies a study-design question. In #1322, a participant asks for comparisons among people with different combinations of infection and vaccination, and notices the difficulty of identifying unrecorded infection. That contribution can be developed into cohort definitions, exposure timelines, outcome measures and sensitivity analyses. It creates useful work for researchers while retaining the person's originating question.

Everyday activity makes recovery more specific. The joint-pain discussion in #1203–1204 names gardening, walking, fishing and helping older neighbours. The cardiac discussion in #1208 and the study excerpt in #1322 invite follow-up beyond hospital discharge. A shared recovery record could connect symptoms and tests with the activities a person values and the support they need to resume them. It could also reveal consequences for neighbours who previously relied on that person's help.

Working conditions give observations their meaning. In #1274–1284, participants compare embalming, dialysis experience and earlier observations of deceased bodies. Their different access points generate practical questions about collection, timing, preservation and material identification. A useful continuation would bring those conditions into a common sampling and analysis plan, preserving both observations and disagreement. This is a route from occupational experience to collaborative inquiry.

Care extends to people surrounding an event. The Linz account in #1356 describes support for classmates and teachers after a pupil's collapse and death. The mortuary accounts open questions about family communication and respectful handling. The family account in #1263 shows how differently illness may become visible across relationships. These contributions broaden follow-up to the conditions that let people receive help, maintain privacy and remain connected.

Different records can answer related questions. The ambulance discussion in #1349 concerns service calls and changing baselines; the health-insurer discussion in #1360 con-

cerns treatment records; spontaneous reporting captures another route. Connecting their definitions, dates and populations could reveal both overlaps and otherwise missed outcomes. An A.I. could help maintain that source map and identify questions for clinical or statistical review. Its contribution would be judged by the relationships preserved and useful work enabled.

Expression and participation are contributions too. Post #1249 credits an affected participant's song, while #1237 and #1396 describe routes from public concern into political discussion. These forms have different jobs: expression, recognition, agenda access, investigation or practical support. Keeping those jobs visible helps follow what each contribution enables and what participants ask to happen next.

The trajectory stays open. The 10+1 baseline and 1888 intelligence-properties field keep inquiry, care, discrimination, relation and correction working together. This batch supplies questions and recoverable starting points; deeper clinical, legal and causal investigations remain separately scoped work.

1.13.26 What pages 71–80 make newly usable

A question about care can lead the next operation. Post #1422 asks for useful information for people experiencing heart symptoms. Later family updates in #1440–1451 and #1505–1521 supply additional context and requests for support. Following what happens next—assessment, referral, tests, an explanation, practical assistance or continuing uncertainty—would make the archive more useful to affected people. The originating request remains available alongside its proposed explanation.

Conditions interact through care decisions. The family account in #1428 connects low platelets with interrupted cancer treatment. Pediatric hepatitis discussions connect possible causes with liver injury and transplant needs. Feeding and blood-product discussions add decisions that families and patients must make while concerns remain unresolved. These relationships could support connected follow-up rather than a separate endpoint for every symptom.

Clarification can improve what is available to consider. The plasma exchange in #1477–1483 asks what a particular donation term includes and how it relates to actual eligibility. In #1595, a participant distinguishes the proportion of a population experiencing an outcome from the proportion of outcomes occurring within that population, using explicitly invented example numbers. Both contributions create reusable questions about meaning, source scope and the denominator needed for the next comparison.

Research access includes the path from collection to use. The account in #1414 concerns available data and reasons given for withholding it. The description in #1564 raises the question of whether planned signal analyses were performed. The request in #1464 asks for an understandable explanation of a technical presentation. Together they identify several possible contributions: access to records, an execution history, and a faithful explanation that lets more people participate in the inquiry.

Patient and contributor agency changes the process. The UK CV Family description in #1526 concerns people addressing their representatives. The art-page comment in #1442 describes a contributor maintaining a place for people's stories. In #1536, another participant describes inviting recipients to request information. These different practices could be studied for what they enable: recognition, voluntary attention, useful exchange, care access and continuing relationships.

Prepare overlapping clusters while preserving source routes. John proposes using this growing inventory for clusters connected to Topologetics. Stable IDs and the relation column allow one topic to participate in several clusters—for example, clinical recovery, family support, research access and institutional responsibility—while keeping the source and reason for investigation recoverable. Those are possible organizing lenses; the clustering itself remains a future task. The 1888 property-field trajectory and all 10+1 ingredients continue to govern how relationships are developed and revised.

1.13.27 What pages 81–90 make newly usable

A lived outcome can make an inquiry more useful. In #1719, a participant describes tinnitus, specialist assessment, hearing aids and noticing fewer birds before understanding the hearing change. Following that account could connect clinical measures with communication, adaptation and the experiences the person values. The mother's separate cardiac history in the same post remains a distinct timeline. This is a useful link between symptom discovery, family care and meaningful outcomes.

The burden of inquiry belongs in the care field. Post #1634 asks whether people must become their own doctors to live ordinary lives. The comments collected in #1735 describe difficulties obtaining continued discussion and care. A useful response could combine an understandable record, chosen assistance, referral and a way to continue an unanswered question. The person's agency and the responsibilities of professionals remain part of that process.

Learning after harm has several responsibilities. The exchange in #1726–1737 preserves disagreement about a public commentator who changes his position. Some participants foreground harm and accountability; others foreground support for a useful revision. An investigation can retain the earlier advice, reasons and evidence for change, effects on people who relied on it, opportunities for acknowledgement or repair, and subsequent conduct. Symmetric Grace and Correction Metabolism help keep those relationships open together.

Care and dignity can remain available during disagreement. The bereavement reflection in #1601 emphasizes saying goodbye and remembrance. The account concerning a threatened clinician in #1618 identifies another need for protection and support. Keeping these human responsibilities visible across positions connects the inquiry with the project's concern for wellbeing and mutual standing.

Different study designs can illuminate different questions. The menstrual-survey accounts, prospective adolescent cardiac discussion, international comparison-group survey and proposed anonymous community poll supply different routes to learning. Their usefulness depends on the participants reached, what was measured, missing information, follow-up and the decisions the findings could inform. The poll in #1780 is John's proposal in the archive; it supplies questions for consideration rather than a completed result.

Source relationships support future clusters. This batch links hearing to rehabilitation and family care; public correction to responsibility and trust; research participation to privacy and sampling; diagnostic technology to validation and care access. The 1888 property field keeps discrimination, relation, judgment, memory and correction interacting as those clusters develop. The 10+1 baseline permits a contribution to gain a useful place, be examined, improve and remain open to further insight.

1.13.28 What pages 91–100 make newly usable

The archive reaches 100 pages while the field remains open. This edition covers the text and link descriptions of 2,000 posts. Its 225 editorial topics retain reasons, source locations and connections. Repeated reports can enrich an existing inquiry without increasing the topic count. The same source map remains available for future overlapping clusters connected to Topologetics.

Reporting design affects what becomes available for study. The V-safe accounts in #1813, #1823 and #1971 connect enrollment, questionnaire design, data access and a public dashboard. A useful investigation could follow a reported experience through those stages: what could a person enter, how were entries represented, what follow-up occurred and what can a later researcher recover? This gives data access, interface design and clinical responsibility a shared research path.

Care can be investigated through an actual handoff. The family account in #1886 connects an underlying illness, acute breathing difficulty, a shift change, resuscitation, family presence and a later life-support decision. The emergency-wait account in #1905 identifies another point of entry. Following the timeline, communications and review could reveal

opportunities for practical improvement while broader causal questions continue.

A case report can contribute treatment learning and an unresolved question together. The aplastic-anemia abstract reproduced in #1910 describes bone-marrow failure, stem-cell transplantation and improvement, while retaining uncertainty about causation. Its useful contribution includes the diagnostic pathway, treatment course and suggested measurements for further research. Each of those can be recovered without requiring a single final explanation to govern the whole case.

Families need ways to continue living and caring. The repeated-loss accounts and holiday discussion in #1863, #1875, #1886 and #1913–1924 connect grief, belonging, practical assistance and the wish to remain close. Symptoms can receive assessment while relatives continue to differ about their cause. A care record can preserve both the person's concerns and the next useful step, reducing the pressure to settle every disagreement before help becomes available.

Records and review routes connect evidence with agency. The occupational testimony, driving restrictions and infant-surgery dispute open different questions about who can inspect a record, request correction, obtain an explanation and access review. An A.I. could help organize a consent-based timeline, preserve the originating question and track the responsible handoffs. Its usefulness would depend on faithful representation and the help made possible for the affected people.

The process remains corrigible. Perception notices a contribution; discrimination retains its type and particular context; relation connects it with other questions; judgment identifies useful next work; memory preserves source and changes; correction keeps the inquiry responsive. The 1888 property-field trajectory and all 10+1 ingredients continue to govern those operations.

1.13.29 What pages 101–110 make newly usable

A participant's question can guide a useful A.I. task. In #2057, a contributor asks for help interpreting a chart. An assistant could recover the chart's labels, units, denominator and comparison, explain each relation, and carry forward what remains unknown. The improvement would be visible in what the contributor can understand, question and do next. This connects scientific accessibility with the project's dignity and process-quality trajectory.

Methods become more useful when their assumptions travel with them. The trial reanalysis in #2019 and the reporting-signal discussion in #2065 provide different routes into research. Recovering the event definitions, comparison, time window and analytical choices would let later inquiry build on each contribution. A signal's follow-up, the availability of data and the responsible institution's response can be tracked in the same record.

The archive contains an earlier proposal for its own organization. In #2132, a contributor suggests a database of the thread. That proposal connects with the present scope inventory and possible future overlapping Topologetics clusters. Stable topic IDs, sources and relations can support discovery now. A patient registry would require its own consent, stewardship, correction and follow-up arrangements; contributors should have a meaningful say in that design.

The people sustaining the inquiry also need care. In #2125, John describes the strain of repeatedly encountering distressing accounts and asks how to deal with it. The replies in #2126–2128 bring recognition and companionship into the record. Inquiry can investigate pacing, support, practical opportunities to help and ways to remain connected without requiring participants to resolve every account. All 10+1 ingredients remain available to calibrate that continuation.

Memory includes responsible choices about reuse. The visible withdrawal in #2140 and the writing discussion in #2150 show that composing, sharing and permanently archiving a contribution are different decisions. An archive or A.I. memory system could retain an intelligible revision history while respecting withdrawal and limiting reuse. That is a concrete place for memory, judgment, consequence sensitivity and correction to interact.

The field keeps widening through particular needs. Thyroid follow-up, delayed meningitis diagnosis, stroke rehabilitation, occupational co-exposures and fitness guidance each add a specific research path. The 240 editorial topics now cover text and link descriptions across 110 pages and 2,200 posts. Their connections remain open to refinement. The 1888 intelligence-properties trajectory helps keep perception, discrimination, relation, judgment, learning and correction working together as the inquiry extends.

1.13.30 What pages 111–120 make newly usable

Contributors can help build the research resource. In #2372, Satori describes reviewing released documents, identifying a staffing-related passage and contributing written reports. The reply in #2375 recognizes that different people can offer skills and learn new ones. This opens a practical path for cooperative research: preserve each source location, make the interpretation inspectable, credit the work and allow correction. An A.I. could help index documents and track questions while participants retain authorship and judgment.

The next decision is a place where learning can become visible. Tyson's account in #2235 describes severe symptoms and advice about a later dose. Sharon's account in #2313 and the description of Mel's experience in #2356 add related questions. Recovering the sequence would show what was noticed, what was investigated, how the person was heard and what changed in subsequent advice. This gives the 1888 intelligence-properties trajectory a concrete task across perception, discrimination, judgment, memory and correction.

A choice of what to examine can shape what becomes knowable. The case-report text in #2369 highlights atrial sampling during autopsy. Its useful methodological contribution is specific: ask which tissues were examined, which methods were used and what those choices could reveal or leave unresolved. That relation also matters when selecting records, outcomes or time windows for a larger study. Topologetics can help keep the examined part connected to the wider object.

Formal review and present care have connected responsibilities. The panel description in #2328 names methods, public comments, independence and a route toward compensation decisions. The replies in #2331–2332 raise the time taken. Those questions can be developed together: how can people contribute to a review, follow its progress, receive an explanation and obtain appropriate support while findings remain pending? The chosen-advocate question in #2257 brings that same continuity into a hospital encounter.

Health also unfolds through households and meaningful work. The heart-failure account in #2293, the surgical update in #2319 and the eye-pain account in #2388 each point toward particular forms of help. Family finances, communication, mobility, companionship and return to valued activity belong in the field of inquiry. Their usefulness does not depend on resolving every wider disagreement before care can proceed.

The expanding map preserves participation and correction. This edition reaches 256 editorial topics across the text and link descriptions of 120 pages and 2,400 posts. All 10+1 ingredients continue to guide inquiry: openness can recover a contribution, self-honesty can expose a missing relation, care can sustain participation, and correction can improve the next operation. Stable sources and overlapping relationships remain available for future clusters and deeper investigation.

1.13.31 What pages 121–130 make newly usable

Different observations can help recover a wider picture. The city-activity article in #2411 and the workplace reply in #2412 connect phone-location data with remote work, relocation and changes in commuting. The postal-route account in #2455 offers a different local observation. Each can generate a question and help identify useful comparisons. Preserving what each source observes lets relation and judgment develop a stronger investigation.

A reported symptom can become a more specific care question. Terry's account in #2414 names small-fiber neuropathy and vascular diagnoses. The spill report in #2478

names a workplace exposure and eye findings. The multiple-sclerosis account in #2556 identifies a family's need for continuing support. These contributions make it possible to ask about particular tests, clinical pathways, functioning and opportunities for help while wider explanatory work continues.

Detection and follow-up can be studied together. The adult cardiac-surveillance description in #2518 includes measurement timing, adjudication and advice for participants with elevated markers. The recurrence account in #2537 adds a longer horizon after apparent recovery. A useful research path could preserve both: how a finding is identified, what it means in its particular setting, how it changes care and what happens later.

Institutional memory needs a usable continuation. The V-safe closure account in #2576 raises questions about participant notice, retained data, unresolved concerns and alternative routes. The medical-manual comparison in #2470 raises a related question about carrying reasons for a revision into practical guidance. An A.I. could help track those transitions, preserve dated source versions and make responsibility for the next step recoverable.

A review process is part of the field being examined. The injury-claim account in #2452 and the reporting-system discussion in #2541 ask how decisions are made, explained and reviewed. The autopsy synthesis in #2505 offers another kind of review, where a reader needs access to the included cases and each interpretive step. Omnidirectional inquiry can examine the originating contribution, the evidence and the governing process together.

Connections remain available for the next investigation. This edition reaches 273 editorial topics across the text and link descriptions of 130 pages and 2,600 posts. Stable IDs and source relationships support future overlapping Topologetics clusters. All 10+1 ingredients and the 1888 intelligence-properties trajectory continue to govern the work: preserve the contribution, recover missing relations, evaluate proportionately, learn from correction and let the improvement shape the next operation.

1.13.32 What pages 131–140 make newly usable

An institutional handoff can become an inspectable research path. The regulatory exchange in #2603 raises the question of which body is responsible for a concern and what happens after a referral. The compensation debate in #2621 connects a formal payment with changing living costs. Following the correspondence, decision criteria, available review and actual support would make the next useful step clearer for the affected person.

Data stewardship and public-interest scrutiny can develop together. The New Zealand disclosure accounts, the record-linking description in #2732 and the free-text release account in #2734 involve different data and access conditions. A useful inquiry could preserve provenance, protect people's information, enable authorized independent analysis and track how an intelligible concern receives a response. An A.I. could help maintain source versions and a question ledger while preserving those distinctions.

A trusted messenger can help a conversation reopen. In #2746, John explains how material from John Campbell helped make a more constructive conversation possible with an old friend. The account gives the mass-psychology connection a particular human setting: professional familiarity, peer networks and a visible change of position can affect what someone is willing to examine. Inquiry can follow what understanding improved and why, keeping each participant's agency and the possibility of further correction intact.

Practical independence makes the care question concrete. Kayla's account in #2750 connects paralysis, rehabilitation, housing, home assistance, parenting and income. The service-dog and accessible-transport campaign in #2774 identifies specific forms of help. Her reported assisted-dying discussion adds questions about wishes, alternatives, safeguards and independent advocacy. These relationships deserve to remain visible together when evaluating the care available to her.

Method changes need a memory of their reasons. Manufacturing comparability, event coding and revised mortality models each raise a version question: what changed, why, on what evidence and with what consequences for interpretation? Preserving the earlier and later records makes comparison possible. The 1888 intelligence-properties trajectory

connects discrimination, memory, judgment and correction with the practical decisions that follow.

The expanding inventory remains open to contribution. This edition reaches 293 editorial topics across the text and link descriptions of 140 pages and 2,800 posts. All 10+1 ingredients continue to guide inquiry, care and correction. Stable topic IDs and overlapping source relationships remain available for future Topologetics clusters and deeper investigation of the questions contributors have made visible.

1.13.33 What pages 141–150 make newly usable

A contribution can be repaired while the inquiry continues. In #2822, a contributor reconsiders an earlier personal judgment. In #2852–2853, participants clarify who supplied a quotation. These local repairs preserve a shared record that others can continue using. The 1888 intelligence-properties trajectory gives them a practical sequence: notice the mismatch, distinguish the originating contribution, revise the representation and carry that improvement forward.

Care can be studied through a meaningful change in everyday function. The respiratory account in #2897 reports a return to household activity. The personal account in #2968 identifies painting as something still present in daily life. The triathlete's account in #2987 describes mourning a former self. Each points toward questions about function, support, uncertainty, companionship and goals chosen by the person. Those outcomes can guide follow-up alongside clinical measurements.

Specific observations can sharpen the next research design. Donor records in #2868, oncology observations in #2804 and #2857, and the microbiome testimony description in #2953 offer different research paths. Recovering recruitment, prior history, measurement methods, timing and outcomes would make their contributions more usable. A larger study and a detailed personal account can inform different parts of the same inquiry.

Repair includes what institutions do after notice. The advertising-complaint account in #2809 and the student-care proposal in #2998 connect public claims and requirements with subsequent responsibility. A useful investigation can follow the original communication, the affected people, the decision or proposed rule and the support made available. The inquiry remains open to evidence about what actually changed.

The care field reaches across technologies and histories. The self-amplifying-platform discussion in #2810, the card pilot in #2952 and the infected-blood interview lead in #2946 raise different questions about product evaluation, information systems and institutional learning. Preserving their particular contexts makes comparison useful and keeps the responsible people and processes visible.

Three thousand posts remain a starting map for deeper work. This edition reaches 310 editorial topics across the text and link descriptions of 150 pages and 3,000 posts. Stable IDs and overlapping source relationships remain available for future Topologetics clusters. All 10+1 ingredients continue to guide the trajectory: openness to a contribution, care for participants, proportionate judgment and correction that improves the next operation.

1.13.34 What pages 151–160 make newly usable

A date can open the next research question. In #3090, a contributor asks when a clip originated and what resulted from it. The exchange in #3091 records John's agreement that context and source dates improve controversial-topic research. In #3197–3200, participants ask where a hearing occurred, then ask about the petition's outcome. An A.I. could help recover the original recording, date, minutes and decision, preserving attribution and the difference between a source suggestion and a checked record.

The construction of a research dataset is part of the object. The registry account in #3004 raises questions about who remains in a dataset, which version reaches researchers and what a study can infer from it. The trial-comparator discussion in #3156 raises a related design question: what was actually compared? Recovering inclusion rules, time windows,

comparators and outcomes gives discrimination and judgment something concrete to work with.

Participant agency applies inside the inquiry process. The testimony discussion in #3052 asks what a witness is permitted to explain and supply. The public access notes in #3065–3075 show contributors managing a sensitive discussion's audience. Those questions connect accurate representation, consent, context and the ability to correct a record. The private discussion remains outside this scan; its public access history is enough to identify a useful governance inquiry.

A report or reform can be followed into conduct. The after-action account in #3026, the funding-change account in #3140 and the injury-table petition in #3191 each identify a continuation: who acts next, what happens to affected people, which records survive and how improvement becomes visible? The 1888 intelligence-properties trajectory connects memory and correction with this practical follow-through.

Help can preserve the relationship while questions remain open. In #3137, a contributor asks how to respond to an unwell friend awaiting an oncology appointment. This opens work around listening, consent, symptom timelines, access to care and practical companionship. John's response in #3167 also preserves room for people to proceed at different paces. The inquiry can retain its wider scope while recognizing the next contribution a person can make.

The archive now connects with an earlier project question. The Korean cancer-study discussion in #3179 returns to a source John raised earlier in the A.I.s & Health conversation. Alongside the Italian-cohort discussion in #3146, it supplies further routes for the existing cancer-record and study-design topics. A useful continuation could compare populations, endpoints, follow-up and care implications while preserving each study's particular question.

At the end of the sixteenth edition, four supplied pages remained. That edition reached 328 editorial topics across the text and link descriptions of 160 pages and 3,200 posts. Stable IDs and overlapping source relationships remain available for future Topologetics clusters. All 10+1 ingredients continue to guide openness, care, proportionate evaluation and correction that improves the next operation.

1.13.35 What the completed supplied-range scan makes available

The supplied range is now recoverable as an inquiry map. Pages 1–164 contain 3,277 posts in the retrieved edition. Their text and link descriptions have been screened, producing 336 editorial investigation topics with reasons, source locations and overlapping relationships. Topic counts describe this map; they remain distinct from people, events and estimates of harm. Embedded media, external documents and clinical or legal investigation remain deeper access layers.

The final pages bring downstream care into the foreground. The account in #3257 asks what happens after an initial reaction: another diagnosis, a visit, a prescription or a later change in health. Following those relationships could connect clinical records, antibiotic use, microbiome research, subsequent illness and the person's everyday function. The useful object is a recoverable care sequence with opportunities for better decisions along it.

Operational learning can be investigated through a particular handoff. The manual discussion in #3243 asks how written safety guidance becomes funded, accessible tissue investigation. The flight account in #3226 describes a medical emergency involving crew, passengers and a nurse before a hospital handover. Each supplies a concrete path for examining recognition, responsibility, coordination and review. The 1888 intelligence-properties trajectory connects what was noticed with what changed in subsequent conduct.

Clinical questions need their particular measurements and contexts. The cancer-review description in #3222 retains questions about definitions, patterns and competing explanations. The pregnancy-record account in #3248 identifies a possible missing field. The childhood-survival discussion in #3261 asks about outcomes beyond the target disease. These contributions can guide more precise study design while preserving the wider health and care relationships.

Symmetric grace keeps the contribution available. In #3213–3216, participants bring a question, personal experience and different explanations, ending with an acknowledgment of what they do not know. The care and inquiry process can continue from that point: recover the relevant history, identify useful observations and keep the affected people's standing intact. All 10+1 ingredients remain available to help the next operation become more fruitful.

The map is ready for overlapping clusters and deeper investigation. Stable IDs A001–A336, source pointers and cross-topic relationships provide starting material for future Topologetics clusters. A cluster can connect clinical outcomes, research methods, institutional responsibilities, information systems and lived needs through overlapping, revisable relationships.

Coverage status: the full supplied range, pages 1–164, is complete at text/link-description level through post #3277. Further work can develop overlapping clusters, recover deeper source layers, refine entries or investigate a particular care question. The unanswered field remains larger than the present foreground.

1.14 Connected inquiry

5G Controversy applies the shared process-quality approach to John's RF archive, symptom literature, institutional safety claims, military dual use and conditions of public choice. It preserves the distinction between Anti-Unsafe-5G and a blanket technology identity.

1.15 Origin, sources and continuity

John Kuhles initiated this page and supplied its direction: useful contributions first, Symmetric Grace, institutional accountability, the wider psychology field and the full 1888 intelligence-properties trajectory. **GPT / Codex** supplies the editorial synthesis and proposed recommendation record. Wachter's essay contributes its healthcare examples and governance proposals; the linked research papers retain their respective authorship and evidence scope.

October 28 expansion: at John's request, added the supplied GPT 6.1 Sol Pro A.I. reaction verbatim, expanded the Wachter summary and project mapping, and recorded John's proposed cancer-study connection with its source-level figures and scope.

Arena/GPT contribution update, 28 October 2026: incorporated the useful relations from two Agent A.I. of Arena.ai responses supplied by John and GPT 6.1 Sol Pro A.I.'s subsequent reactions. Attributed excerpts, four proposed inquiry pathways, a continuing record and researcher-care conditions develop the cluster map toward useful follow-through. The source inventory and cluster memberships retain their existing scope.

Initial edition: 28 October 2026. Additions should preserve earlier source states and record why a finding changed the inquiry or subsequent conduct. Clinical examples and study comparisons can be developed as separate, attributable entries as the evidence is examined.

Publication record · All pages