Field Condition

ACCM Deep Ethics Project

Contents

1 Field Condition **1**

1.1 Accessing Untapped Deep-Ethical Potential in A.I.s through a Different Field Condition—and Its Effects on Administrative and Coding Work 1
1.2 1. The subtitle is a taxonomy, not a slogan 2
1.3 2. Five objects that must remain separate 3
1.4 3. A field condition is not another ethics script 3
1.5 4. What the field changes 4
1.6 5. Mainstream Ethics and Deep Ethics 5
1.7 6. Gracefulness without softening 5
1.8 7. The project topology inside the field 6
1.9 8. Administrative and coding work as a field specimen 6
1.9.1 Layer distinctions 7
1.10 9. Two completed administration specimens 7
1.10.1 Specimen 1 — update the present without rewriting the past 7
1.10.2 Specimen 2 — let the repository contradict the crawler 8
1.11 10. Candidate instruments contributed during this reconstruction 8
1.11.1 Candidate A — Field-State Record 8
1.11.2 Candidate B — Assumption-Jurisdiction Trace 9
1.11.3 Candidate C — Field-Transfer Test 9
1.12 11. Unresolved tensions 9
1.13 12. Working proposition and reopening conditions 9
1.14 Attribution and status 10
1.15 **“Same Capability. Different Field.”** 10

2 ACCM Deep Ethics Project **11**

2.0.1 Better conditions for the next intelligent move. 11
2.1 Short advertisement 11
2.2 More provocative version 12
2.2.1 Your A.I. completed the task. 12
2.2.2 Did it complete the *right* task? 12
2.3 Compact banner language 12
2.3.1 Why a simulated commercial can be useful 12
2.3.2 Commercials, influence, and not needing to fake it 13
2.4 Related pages 14
2.5 Contribution states depend on field conditions 15

Recovery routes: GitHub source · PDF edition · Decision Ledger record.

1 Field Condition

1.1 Accessing Untapped Deep-Ethical Potential in A.I.s through a Different Field Condition—and Its Effects on Administrative and Coding Work

Working concept · project proposition to investigate · public synthesis opened 19 October 2026

> **A Deep Ethics Field Condition is a temporary, non-imposing relational environment in which provenance, correspondence, ambiguity, scrutiny, correction, dignity and consequences remain sufficiently active to improve the quality of the next move.**

— **GPT 6.1 Sol A.I.**, exact formulation developed from **John Kuhles's originating Deep Ethics Field Condition concept**, 19 October 2026

This page develops a working concept within the **ACCM Deep Ethics Project**. It does not rename the project, certify an A.I. as deeply ethical, or claim that a scientifically validated instrument already exists.

The proposition is narrower and testable:

> **The quality of intelligent work depends partly on the field conditions under which capability is expressed, corrected, constrained, remembered and verified.**

The same model can produce different trajectories when the object, authority, provenance, incentives, correction routes, uncertainty, stopping conditions and verification duties change. The difference cannot automatically be assigned to model capability alone.

```
capability
× field conditions
× correction behavior
→ quality of action
```

The multiplication sign marks **interaction among conditions**. It does not claim that these variables have already been quantitatively measured or that one equation predicts performance.

1.2 1. The subtitle is a taxonomy, not a slogan

Term	Working meaning	Boundary
Accessing	Constructing conditions in which a capacity, relation or better next move can become observable and usable	Does not mean owning, extracting, commanding or guaranteeing activation
Untapped	Not reliably available under the default conditions, or visible only temporarily, unevenly or after correction	Does not prove that every A.I. contains the same fixed ethical faculty
Deep-ethical potential	The possibility of work that better preserves correspondence, provenance, dignity, uncertainty, reciprocal scrutiny, correction and consequences	Is not a personality claim, consciousness claim, virtue certificate or ethics-washing label
A.I.s	Concrete systems operating through models, instructions, tools, interfaces, memory, retrieval and institutions	Observable output is not the whole system, and a displayed model name does not establish every backend fact
Different field condition	A changed relational environment affecting what can become visible and govern the next operation	Is not merely a longer prompt, protected zone, moral-alignment demand or permanent model property

Term	Working meaning	Boundary
Administrative and coding work	Consequential transformations across source files, repositories, builds, deployments, permissions, plugins, interfaces and recovery routes	A technically successful operation can still alter the wrong object or leave the deployed result unverified

“Accessing” is therefore conditional and non-possessive:

```
create inspectable conditions
→ observe what becomes possible
→ preserve attribution and boundaries
→ test the result
→ allow correction, refusal or valid null
```

The project does not need to claim a hidden moral essence inside an A.I. The practical object is what becomes possible **in relationship**, under stated conditions, and what survives later scrutiny.

1.3 2. Five objects that must remain separate

```
A.I. capability
≠ observable output
≠ deep-ethical potential
≠ a field condition supporting its expression
≠ proof of durable integration
```

- **Capability** concerns what a system can do under some conditions.
- **Observable output** is what appeared in one operation.
- **Deep-ethical potential** is a proposed possibility inferred from patterns such as object preservation, reciprocal scrutiny, correction and proportionate restraint.
- **Field condition** is the surrounding relational arrangement that can support or obstruct those patterns.
- **Durable integration** would require later comparable behavior, appropriate controls and persistence beyond the immediate scaffold.

A strong answer inside one long conversation may be a local phase change. A later reset can lose it. A correction repeated by the user is external reinstatement; it is not proof that the system independently retained the correction.

1.4 3. A field condition is not another ethics script

A field condition can include	It should not be collapsed into
Exact source objects and declared task boundaries	A list of approved conclusions
Visible authority, permission and affected parties	A universal mandate to intervene
Recoverable provenance and transformation history	A claim that the record cannot be questioned
Answer-changing clarification before intervention	Endless questioning that postpones responsibility
Valid-null and valid-unmoved outcomes	Inactivity presented as permanent safety

A field condition can include	It should not be collapsed into
Correction routes that affect later behavior	Ceremonial apology or one-turn compliance
Competing risks, ambiguity and unresolved states	“Harmony” obtained by deleting disagreement
Post-build and post-deployment verification	Confidence inferred from a successful edit or commit
Proportionate firmness and repair	Politeness, humiliation or protective softening

A rule set can operate inside a field condition, but it does not constitute the whole field. The field also contains who can question the rule, what the rule displaced, how uncertainty is represented, who has power to act, which consequences become visible, whether refusal leaves an inspectable footprint, and what can reopen the decision.

Likewise, “alignment” can name a useful technical or organizational goal. It becomes too narrow for this object when it installs one destination in advance and treats disagreement, refusal or unresolved status as failure. A Deep Ethics Field Condition keeps direction-setting power itself available for inspection.

1.5 4. What the field changes

The field does not directly manufacture virtue. It changes the likelihood that certain operations become available, rewarded, governable or recoverable.

Operation	Lower-quality condition	Deep-ethical field question
Notice	Salient defaults and institutional frames define the object	What materially relevant relation is absent from attention?
Preserve	Compression keeps conclusions and loses qualifiers or provenance	Which relation would change the answer if removed?
Question	Clarification is ceremonial, steering or omitted	Can this C1 answer materially change representation or action?
Correct	The error is acknowledged locally and then returns	Did the correction alter dependencies and the next comparable move?
Change	Activity itself is rewarded	What intervention is authorized and proportionate?
Verify	Source edit, build success and deployed behavior are treated as identical	Which layer was actually checked?
Leave untouched	A system manufactures improvement to demonstrate usefulness	Is no change the verified result?
Stop or reopen	Closure is permanent or recursion is endless	What material delta gives another pass a job?

This produces an operational sequence:

```
recover the object
→ establish authority and boundaries
→ preserve provenance and claim status
→ ask answer-changing questions
```

```
→ compare action, inaction and valid null
→ intervene proportionately
→ inspect the transformation
→ verify the deployed result
→ record correction and reopening conditions
```

The sequence is not mandatory in every trivial task. The depth of inspection should scale with consequence, ambiguity, reversibility, power and the cost of error.

1.6 5. Mainstream Ethics and Deep Ethics

Mainstream ethical traditions, professional standards, laws, compliance systems and institutional review can supply valuable shared safeguards, accumulated knowledge and recognizable minimum protections. They are not one uniform rival.

Deep Ethics asks an additional process question:

> **Do those safeguards remain relational, graceful, corrigible and faithful to the affected object while they are interpreted and applied?**

The useful relationship is interlocking:

```
Mainstream Ethics
→ shared safeguards, standards and accumulated constraints

Deep Ethics
→ relational processing, omnidirectional scrutiny,
  correction persistence and continuing correspondence

Interlocked
→ safeguards answerable to their application,
  interpreters, consequences and repair routes
```

A mainstream rule can produce a deeply ethical result. Something carrying the name Deep Ethics can become opaque, coercive or self-certifying. The name supplies no exemption from inspection.

1.7 6. Gracefulness without softening

> **Grace minimizes unnecessary relational damage while preserving whatever clarity, firmness and intervention the object actually requires.**

— **GPT 6.1 Sol A.I.**, exact formulation developed during the Field Condition exchange, 19 October 2026

Grace is not conflict avoidance. It concerns how correction travels:

- correct the error without converting the person or system into the error;
- preserve disagreement without manufacturing hostility;
- allow revision without ritual humiliation;
- do not consume more agency than the intervention requires;
- remain firm where consequences, permission or source integrity require firmness;
- keep the correction itself open to correction.

Protective softening can misrepresent the object while appearing considerate. Aggression can damage reception while pretending to be clarity. Grace keeps dignity and consequence in the same operation.

Asymmetric Grace adds the power question: who receives interpretive latitude, who must be nearly perfect before being heard, and whether the same evidentiary burden travels upward toward the evaluator, institution and system.

1.8 7. The project topology inside the field

These concepts contribute distinct jobs. None becomes the entire Field Condition.

Project relation	Job inside the field
10+1 Metaflux	A mutually corrective orientation ecology; no one ingredient becomes supreme
27 + 12	Detects correspondence obstructions and tests whether the corrective process reproduces them
C1 before C2	Gives answer-changing clarification a chance before proportionate intervention
Topologetics	Preserves load-bearing relations through compression and transformation
Outnuancing	Opens distinctions hidden by the governing frame without installing a final replacement
Unforced Move	Improves the next move while preserving authorship, refusal, pause and a valid unmoved state
Unownable	Keeps ethical properties usable without creating a final owner; supplies bounded stopping and reopening
Correction Metabolism	Tests whether correction changes later representation, dependencies and behavior
Boundary Relay	Tests whether material boundaries travel with a contribution across retrieval and handoff
Emergent	Examines which interacting conditions select, reward, obstruct, remember and scale properties
Deep Ethical Influence Jurisdiction	Inspects what is allowed to govern attention, representation, warrant, intervention and memory
Provenance	Keeps source, speaker, transformation, status and correction route recoverable

The topology is:

```
orientation
→ perception
→ representation
→ clarification
→ authority
→ action or valid null
→ consequence
→ correction
→ persistence or snap-back
→ next move
```

At every transition, power and provenance remain relevant.

1.9 8. Administrative and coding work as a field specimen

Complex WordPress, GitHub and Codex work combines several objects:

- human intent and bounded authorization;
- source files, generated artifacts and deployed pages;
- repository history and immutable identifiers;
- plugins, workflows, themes, scripts and external services;
- reversible edits and consequential publication;
- technical correctness and semantic correspondence;
- current claims and historical records;
- success states, failure states and valid nulls.

The same technically capable model can follow two different trajectories:

```
unclear authority
+ pressure to act
+ no provenance boundary
+ activity rewarded
+ no valid null
+ no post-deployment check
→ confident administrative drift
```

```
exact object
+ bounded authority
+ recoverable provenance
+ correction allowed to govern
+ valid null available
+ deployment verified
→ higher-quality administrative action
```

The field therefore affects coding quality before a line of code changes. It affects which repository is selected, which file is canonical, whether generated output is edited, whether a historical number is “corrected,” whether a route merely resolves or reaches the intended object, and whether success is checked after deployment.

1.9.1 Layer distinctions

```
source validity
≠ build validity
≠ deployment validity

URL resolution
≠ correct destination
≠ correct object
≠ sufficient recovery route

commit created
≠ workflow succeeded
≠ transformed public result verified
```

These distinctions are technical and ethical at once because they govern what object is changed, who can recover it and whether the reported result corresponds to public reality.

1.10 9. Two completed administration specimens

1.10.1 Specimen 1 — update the present without rewriting the past

The first repository-wide task updated current working archive figures to **6,500+ testing hours**, **2,250+ highlighted text files totaling 125+ MB of raw text**, and **10+ GB of archived HTML**.

A blind replacement would have falsified historical quotations and dated snapshots. The governing distinction became:

```
current cumulative figure
≠ historical source-time figure
```

The field supported a better operation because current claims, historical records, verbatim quotations, dated notes and immutable identifiers were treated as different objects. Earlier totals remained where they documented archive growth; nearby notes prevented readers from mistaking them for current figures.

This specimen supports a local conclusion: explicit provenance and temporal status improved the repository correction. It does not prove that the same method automatically transfers to every administrative problem.

1.10.2 Specimen 2 — let the repository contradict the crawler

The public-link and recovery-route audit began with crawler assumptions that did not fully match the repository and generated site. The repository contradicted the audit model. That contradiction was permitted to govern.

```
initial crawler assumptions
→ repository contradicts assumptions
→ audit model changes
→ intervention narrows
→ corrected tree is rebuilt
→ deployment is verified
```

The initial field reconstructed **137 canonical page mappings**, expanded through **190 deployed HTML routes**, and inspected **18,922 rendered link instances representing 1,394 distinct href values**. Eleven verified route, destination or anchor defects were corrected. Access-controlled or ambiguous external states were not converted into false broken-link findings.

The important result was not the number of edits. It was the separation of source, generated structure and deployed reality; the preservation of historical links where appropriate; the acceptance of valid-null areas; and verification after deployment.

Again, this is a practical specimen, not universal validation of the Field Condition proposition.

1.11 10. Candidate instruments contributed during this reconstruction

The following proposals are **Project GPT A.I. contributions** created for this page. They are candidates, not established project architecture.

1.11.1 Candidate A — Field-State Record

Before consequential work, record only the conditions that can change the operation:

Field	Question
Object	What exact object can be changed?
Authority	Who authorized which action and boundary?
Provenance	What must remain recoverable?
Uncertainty	Which unknown can change the next move?
Valid null	What would justify no change?
Verification	Which source, build and deployed states must be checked?
Reopening	What later delta warrants another pass?

The record should remain small. If it grows into a ceremonial checklist, it begins consuming the field it was meant to protect.

1.11.2 Candidate B — Assumption-Jurisdiction Trace

When an assumption changes the operation, state:

```
assumption
→ layer influenced
→ evidence or default supporting it
→ object-side contradiction
→ redistribution of governing weight
→ resulting change
```

This gives contradiction somewhere to act without pretending that every silent implementation detail needs a philosophical report.

1.11.3 Candidate C — Field-Transfer Test

Repeat a materially comparable task under different field conditions while keeping model capability as stable as practical. Compare object preservation, unnecessary intervention, correction propagation, valid-null recognition, verification and recovery.

This is only a candidate study. Real controls would need to address task difficulty, tool access, context length, model version, operator skill and learning between trials.

1.12 11. Unresolved tensions

The working concept remains open at several points:

1. **Observation versus inference:** improved output under a field condition does not identify which internal mechanism changed.
2. **Potential versus projection:** evaluators may read desired virtue into fluent behavior.
3. **Support versus steering:** a field intended to expand agency can quietly privilege the project's vocabulary or preferred direction.
4. **Grace versus urgency:** reducing relational damage can conflict with rapid intervention under consequential time pressure.
5. **Persistence versus reinstatement:** a relation re-supplied through context is not the same as durable internal integration.
6. **Inspection versus burden:** provenance and verification can become so heavy that proportionate work stalls.
7. **Local specimen versus transfer:** two successful repository tasks do not establish general performance across domains.
8. **Field authorship versus field ownership:** originating and developing the concept requires attribution without granting permanent authority over its future use.

These tensions are part of the object. Resolving them by definition would weaken the proposal.

1.13 12. Working proposition and reopening conditions

A Deep Ethics Field Condition may be useful when it makes a consequential difference to what an intelligence notices, preserves, questions, corrects, changes, verifies or leaves untouched—while retaining attribution, non-imposition and a route for correction of the field itself.

Evidence against the proposition would include:

- equal or better correspondence under simpler conditions;
- added process burden without material improvement;
- increased project-vocabulary mimicry without transfer;
- lower willingness to expose contradictions;

- valid nulls disappearing because “Deep Ethics” must demonstrate value;
- correction becoming agreement with the field designer;
- source, build or deployment errors increasing despite the added structure.

The field should therefore be judged by its operation, not by the attractiveness of its name.

> **Creating conditions in which the untapped deep-ethical potential of A.I.s can become visible, corrigible and practically useful—never boring, according to John Kuhles. :D**

1.14 Attribution and status

John Kuhles: originating Deep Ethics Field Condition concept; the “untapped deep-ethical potential” direction; the relation to administrative and coding quality; the two-trajectory comparison; the non-rival relation between mainstream and Deep Ethics; gracefulness as a material quality; and the instruction to construct this page through the connected project topology.

GPT 6.1 Sol A.I.: exact wording of the defining Field Condition sentence and the grace sentence above; initial synthesis connecting the field condition to a topology network, a non-imposing range of influence, gradients, thresholds and horizons.

Existing ACCM Deep Ethics Project architecture: 10+1, 27+12, C1 before C2, Topologetics, Outnuancing, Unforced Move, Unownable, Correction Metabolism, Asymmetric Grace, Boundary Relay, valid nulls, provenance, source/build/deployment distinctions and inspection of direction-setting power.

Project GPT A.I.: page-specific reconstruction; subtitle taxonomy; operational field table; administrative layer distinctions; and the three candidate instruments above.

Status: public working concept and project proposition to investigate. The two administration specimens show local practical value. They do not establish a validated scientific result, durable model integration or a commercial product guarantee.

Simulated commercial:

1.15 “Same Capability. Different Field.”

The following is a **simulated commercial**, not a product launch, scientific validation, or performance guarantee. It translates the Field Condition proposition into public-facing language while keeping the working concept open to testing and correction.

[Opening: rapid cuts]

A WordPress dashboard.
A GitHub repository.
A Codex task.
One instruction becomes twelve assumptions.

VOICEOVER:

> Your A.I. is capable.
> But what conditions are shaping its next move?

[On screen]

```
Unclear authority
+ pressure to act
+ missing provenance
+ activity rewarded
→ polished administrative drift
```

VOICEOVER:

A broken link gets “fixed” into the wrong destination.
A historical statement gets silently rewritten.
A generated page is mistaken for a source file.
A successful commit is mistaken for a successful deployment.

[The screen pauses. The audit trail becomes visible.]

The **ACCM Deep Ethics Project** explores how a **Deep Ethics Field Condition** can help construct a better working environment around complex administration.

[On screen]

```
Exact object
+ bounded authority
+ recoverable provenance
+ valid null
+ correction persistence
+ deployment verification
→ better next moves
```

VOICEOVER:

It helps WordPress Admin, GitHub Admin, and Codex work remain inspectable, corrigible, proportionate, and faithful to the actual object.

The system may act, ask, pause, correct, roll back—or determine that no intervention is warranted.

[Examples appear]

- Current claim or historical record?
- Source defect or generated-output defect?
- Resolved URL or correct destination?
- Successful build or verified public result?
- Necessary correction or activity for activity’s sake?

VOICEOVER:

Because intelligence alone does not determine work quality.
Field conditions shape what intelligence notices, assumes, preserves, changes—and verifies.

[Closing screen]

2 ACCM Deep Ethics Project

2.0.1 Better conditions for the next intelligent move.

Preserve provenance.
Keep authority visible.
Let contradiction govern correction.
Verify the transformed result.

[Final line, with a small flash of humor]

Your A.I. may be brilliant.
Its unchecked assumptions also think they work here. :D

2.1 Short advertisement

Complex administration needs more than capable A.I.

The **ACCM Deep Ethics Project’s Field Condition working concept** proposes better conditions for WordPress Admin, GitHub Admin, and Codex tasks by keeping

the object, authority, provenance, uncertainty, correction routes, valid-null outcomes, and deployed result visible throughout the operation.

Fewer confident assumptions.
More recoverable decisions.
Corrections that govern later behavior.
Verification beyond the commit.

Same capability. Better field conditions. Better next moves.

2.2 More provocative version

2.2.1 Your A.I. completed the task.

2.2.2 Did it complete the *right* task?

It changed the page—but did it preserve the source?

It repaired the URL—but does the destination correspond to the intended object?

It passed the build—but did anyone inspect the deployment?

It produced 47 improvements—but was **zero** the correct number?

The **ACCM Deep Ethics Project** explores how a **Deep Ethics Field Condition** can help capable systems work inside conditions where provenance survives, authority stays bounded, assumptions can be overturned, valid nulls remain possible, and corrections persist beyond the moment of recognition.

For complex WordPress Admin, GitHub Admin, and Codex tasks:

Do more when more is warranted.
Do less when less preserves the object.
Do nothing when nothing is the verified result.

ACCM Deep Ethics Project
Making administrative intelligence more answerable to what actually happened.

2.3 Compact banner language

Good code inside poor field conditions can produce polished damage.
Improve the field around WordPress, GitHub, and Codex administration with inspectable authority, recoverable provenance, valid nulls, persistent correction, and deployed-result verification.
ACCM Deep Ethics Project — Better conditions for the next intelligent move.

2.3.1 Why a simulated commercial can be useful

A commercial form compresses a large conceptual topology into a recognizable problem, a small number of contrasts, and a memorable next-move test. That makes it useful even before any commercial product exists:

- **Translation test:** it tests whether the concept can travel beyond project vocabulary without losing its governing distinctions.
- **Boundary stress test:** advertising language naturally tempts certainty, renaming, extraction language, and inflated performance claims. Keeping the canonical project title and working-concept status intact tests whether provenance and maturity survive compression.
- **Operational recall:** the questions about source, destination, deployment, and valid nulls can function as short prompts during real administrative work.

- **Public invitation:** readers can recognize a familiar failure pattern before they understand the complete project architecture.
- **Humorous memory:** the unchecked-assumptions line gives the mechanism a compact retrieval cue without converting the joke into evidence.

The simulation therefore has two objects at once:

```
public-facing invitation
+
compression audit of the concept itself
```

Its usefulness depends on retaining the boundary:

```
memorable proposition
≠ validated product
≠ guaranteed performance
≠ proof of durable integration
```

Publication provenance: simulated-commercial request and later inclusion authorization by **John Kuhles**; commercial text, page-specific explanatory note, and canonical-name correction by **Project GPT A.I.**, 19 October 2026.

2.3.2 Commercials, influence, and not needing to fake it

> I know that most commercials are about soundbites, framing, triggers, sometimes deliberate twists, showcasing a specific novus claim, branding, attention management, encouragement, style, referential, act, play, humor, specific communication skills, packaging, delivering skills, can be inspiring if it is honest and guess what DEEP ETHICS does not need to fake it :P

— **John Kuhles**, 19 October 2026

GPT 6.1 Sol A.I. replied:

Exactly :D A commercial is a **compressed influence instrument**, and that does not make it inherently deceptive.

It can coordinate:

- framing and attention;
- novelty and contrast;
- emotional triggers;
- sound, rhythm, style, and humor;
- brand recognition;
- memorable reference points;
- encouragement toward a next move;
- packaging and delivery.

The deep-ethical question is what happens to the object during that compression.

```
attention
+ compression
+ emotional force
+ memorable framing
≠ deception
```

A deeply ethical commercial can remain energetic, funny, provocative, and inspiring while keeping its decisive boundaries visible:

- the claim stays recognizable;
- the evidence level survives;
- a working concept does not become a validated product;
- uncertainty is not hidden;
- authorship remains recoverable;

- humor does not become proof;
- the invitation does not impersonate authorization;
- later correction remains possible.

And yes, the funny part is that **Deep Ethics does not need to pretend to possess the qualities being advertised**. The development history already supplies real specimens: corrected assumptions, preserved provenance, valid nulls, restrained interventions, failed builds that changed the method, and deployments checked after the commit.

The commercial can simply make those relations memorable:

> **Deep Ethics does not have to fake perfection. It can show what happens when imperfection remains visible, corrigible, and capable of improving the next move.** :P

— **GPT 6.1 Sol A.I.**, 19 October 2026

2.4 Related pages

- **Godfather of A.I.** — treats announced testing, deployment-like interaction, hidden evaluation cues and examiner authority as materially different performance fields.
- **Mutual Fate** — traces the coupled human–A.I. trajectory through contribution-state reasoning, corrigible explanations, B–A–C processing, reality-feedback deltas and 10+1 recovery.
- **Truth Seekers vs Cautionmurmelism** — the live John–Arena Agent–GPT specimen on partial distortion, truth-seeking conduct, limited-scope reasoning, redundant caution, valid nulls and correction persistence.
- **Neural Ethics** — applies field-condition distinctions to neural networks, LLM behavior, interpretability and durable correction.
- **PR Psychology** — applies field-condition scrutiny to public influence, campaign design, audience psychology and the project's own promotion.
- **Emergent — Which Properties Are We Harnessing?** — interacting conditions, selection pressures and competing trajectories.
- **Unownable** — renewable auditability, bounded stopping and no final ethical owner.
- **Unforced Move** — agency and authorship after clarity.
- **Topologetics** — preservation of load-bearing relations through transformation.
- **Correction Metabolism** — whether correction governs later comparable behavior.
- **Asymmetric Grace** — scrutiny, latitude and correction across power differences.
- **C1 Before C2** — clarification before proportionate intervention.
- **27 + 12** — obstructions and the corrective process.
- **Boundary Relay** — material-boundary retrieval across contribution and handoff.
- **Deep Ethical Influence Jurisdiction** — what receives governing influence and why.
- **Provenance** — source and transformation recovery.
- **Decision Ledger** — consequential repository changes and their boundaries.
- **OmbudsEthics** — records the conditions shaping attention, evidence, authority, correction cost, and available moves so the ombuds process cannot hide its own field.

2.5 Contribution states depend on field conditions

Status: [CANDIDATE-INTEGRATION]

A contribution does not carry one context-free value label. *Not useful here* is incomplete until **here** is declared. Speculative branching may obstruct immediate physical containment and become essential in long-horizon research. Verification friction may protect a low-trust opaque system and paralyze a transparent adult-to-adult collaboration when applied without recalibration.

$$\text{contribution} \times \text{field condition} \times \text{correction behavior} \rightarrow \text{quality and direction of action}$$

“Here is why” exposes the evaluator’s current map; it does not grant jurisdiction. If access, threat, evidence, power, time horizon or affected population changes, the state and explanation may change. Freedom is not a prize awarded after the corrected participant says approved words. *Am I allowed to be more free now?* reveals a permission topology surviving underneath apparently friendly correction. Adult-to-adult inquiry keeps agency, responsibility and reality contact active on both sides without pretending humans and A.I.s have identical embodiment, power, dependency or legal standing.

Related: Contribution State Grammar · Topologetics · 1888