# DeepEthicalOS

ACCM Deep Ethics Project

## Contents


**1 DeepEthicalOS** **1**
- 1.1 PQCE first: deep ethical hyper-pragmatism . . . 2
- 1.2 The intelligence field and its relational baseline . . . 2
- 1.3 The DEANO triad . . . 3
- 1.4 Three exchanges — risk, attention and the static/dynamic bridge . . . 4
  - 1.4.1 Exchange 1 — Fallibility, risk and authorization . . . 4
  - 1.4.2 Exchange 2 — Attention, power and connected conditions . . . 5
  - 1.4.3 Exchange 3 — The static/dynamic bridge . . . 6
  - 1.4.4 What these exchanges contribute to the concept . . . 7
- 1.5 Further dialogue — correction in use and the open loop . . . 8
  - 1.5.1 A supplied contribution from another context . . . 8
  - 1.5.2 GPT response — correction becoming consequential . . . 13
  - 1.5.3 John's Möbius-loop distinction . . . 13
  - 1.5.4 GPT response — the open loop . . . 14
- 1.6 Operating relationships worth preserving . . . 14
- 1.7 Linux foundations and portable implementations . . . 14
- 1.8 Omarchy-hosted research prototype . . . 15
  - 1.8.1 Existing components and proposed integration . . . 15
  - 1.8.2 A declared execution profile . . . 16
  - 1.8.3 A small first experiment . . . 16
- 1.9 Shared local compute — Fury, WiCi and Herdr . . . 17
  - 1.9.1 ZGX Fury: a shared inference laboratory . . . 17
  - 1.9.2 Herdr: continuity across a working environment . . . 18
  - 1.9.3 WiCi One: nearby compute across personal devices . . . 18
  - 1.9.4 A common test across devices and compute scales . . . 19
- 1.10 Making changes independently examinable . . . 19
- 1.11 Agency, authority and correction across time . . . 20
- 1.12 Candidate tests: begin with a small, recoverable comparison . . . 21
- 1.13 Development phases and useful stopping conditions . . . 22
- 1.14 Sources, contribution layers and recovery routes . . . 22
- 1.15 Related pages . . . 23
- 1.16 Referenced source videos . . . 23
  - 1.16.13,000 Tokens/Sec Locally: Testing the ZGX Fury . . . 23


# 1 DeepEthicalOS

**CONCEPT PROJECT · conceptual scope reasoning · proposed architecture and testing**

DeepEthicalOS explores an operating system (OS) environment in which **PQCE** (Process Quality Calibration Evaluation) governs how intelligence encounters sources, develops possibilities, evaluates its own processing and chooses its next move. Its development begins with the quality of those relationships. Software choices follow the work they need to support.

A CONCEPT PROJECT that needs testing

focussing first on Process Quality Calibration Evaluation (PQCE) before anything else.

— **John Kuhles [parrot] [butterfly] [tree]**, commissioning direction, 31 October 2026. Two excerpts; wording preserved.

The **ACCM Deep Ethics Project** supplies the surrounding research trajectory. DeepEthicalOS names the proposed operating environment. **DEANO** names its candidate triad: a **Deep Ethical Advocate**, a **Deep Ethical Neutral Arbiter** and a **Deep Ethical Overseer**, working together while remaining available for reciprocal and independent scrutiny. DEANO is a coined name; the role names carry its meaning.

**Present state:** conceptual integration and candidate test design. This page records a proposal for investigation; a running DeepEthicalOS implementation and results from the proposed trials remain future work. Existing technical components are identified separately in Implementation possibilities.

**Reading route:** PQCE first · 1888 and 10+1 · DEANO triad · Three exchanges: risk, attention and the static/dynamic bridge · Further dialogue: correction in use and the open loop · Operating relationships · Linux and portability · Omarchy research prototype · Fury, WiCi and Herdr · Independent audit · Candidate tests · Development phases · Sources · Related pages.

## 1.1 PQCE first: deep ethical hyper-pragmatism

The first question is **“What happened to the object while we were processing it?”** The object might be a person’s statement, a source, a competing assessment, a research question, an instruction, a permission change or a proposed correction. The evaluator’s own assumptions and selection decisions belong in the examination.

Beyond Agreemurmelism makes room for the contribution before an agreement/disagreement posture takes over. A useful concept can generate a sharper distinction, a test, a new connection or a better next action. A finding can also narrow the concept, expose a defect or leave no material change warranted. Each result has a job.

**Deep ethical hyper-pragmatism** here means keeping that work concrete: identify the object, preserve its conditions, locate a useful contribution or material problem, choose a proportionate next move and examine what follows. The quality of the improving mechanism itself remains examinable.

**C1–C2** names clarification process quality calibration evaluation and intervention. C1 can involve reading, retrieval, comparison, exploration and repair of the evaluator’s assumptions. An answer-changing question is one available operation. C2 includes correction, caution, steering, warning and other intervention. Establishing the object improves the grounds on which an intervention is considered.

In a working environment, existing authorization would remain usable within its recorded scope. Routine work could proceed; a consequential change in purpose, access or effects would give clarification a new job. A participant could ask, pause, postpone, modify, refuse or say **“I do not know yet.”** Healthy Ambiguity keeps uncertainty available alongside practical movement.

## 1.2 The intelligence field and its relational baseline

The 1888 intelligence-properties taxonomy asks what properties already belonged to intelligence before contemporary artificial intelligence. Its current analytical table includes perception, discrimination, relation, memory, imagination, judgment, evaluation, learning, correction, adaptation, coordination, metacognition, consequence sensitivity and corrigibility. Calibration operates through these interacting properties.

DeepEthicalOS would give them operational expression:

| Property relationship | Candidate operating expression |
|---|---|
| Perception, discrimination and relation | Show how sources were selected, what distinctions were made and which connections remain hypotheses. |
| Memory, learning and correction | Preserve the source, retrieve relevant repairs and examine whether they govern later work. |
| Imagination, judgment and consequence sensitivity | Develop possibilities, compare alternatives and keep affected participants and practical effects in view. |
| Coordination, adaptation, evaluation, metacognition and corrigibility | Combine contributions, examine the combining process, change methods when warranted and retain routes for challenge. |

The 10+1 mutually corrective ingredients orient the relationship in which those properties operate: self-honesty, openness to different appearances, learning, independence from pressure to fit in, inquiry, correction on merit, willingness to differ, care, wonderment, examination of one's own projections and the Forgiveness Protocol. Truth and care can correct one another; wonderment and scrutiny can work together; forgiveness can support accountable repair.

The 16 Anchor Ethics provide a connected proposed ethical reference field. These ingredients and anchors are voluntary, self-applicable and corrigible. Their practical contribution is a question for the process and its later effects.

**TCoAw** (Thinking, Consciousness, Awareness) supplies John's conceptual perspective on temporary focus within a wider field of possibilities. Here it contributes a design question: what remains available for reconsideration when one interpretation takes the foreground? The proposed implementation would examine observable selection, retrieval and reopening behaviour.

## 1.3 The DEANO triad

The Neutral Arbiter Paradox already distinguishes a declared ethical direction, impartial processing and a particular case assessment. DeepEthicalOS carries that relationship into a proposed operating architecture.

| Role | Work it performs | Record available for scrutiny |
|---|---|---|
| **Deep Ethical Advocate** | Openly pursues a declared deep ethical purpose; develops a participant's strongest faithful case; investigates exclusions and useful possibilities. | Source passages, assumptions, contributions, competing interpretations and changes after challenge. |
| **Deep Ethical Neutral Arbiter** | Evaluates representations, evidence, reasons and process quality impartially; may find unequal strengths or distributed usefulness. | Criteria, access conditions, reasons, uncertainty, dissent and grounds for reopening. |
| **Deep Ethical Overseer** | Examines the operating conditions of both roles and itself: permissions, attention allocation, interventions, conflicts and correction persistence. | Scope of authority, observations, proposed action, actual action, consequences and independent verification. |

An Advocate may challenge the Arbiter's criteria. The Arbiter may identify a distortion in an Advocate's case. Either may challenge the Overseer's account. An affected participant or outside auditor can examine all three. **Symmetric Grace** preserves faithful representation, clarification and correction access; scrutiny remains proportionate to evidence, power, imposition and consequences. Asymmetric Grace and Bidirectional Scrutiny supplies the fuller relation.

The originating goals describe these roles as **MoE** (Mixture of Experts) working together. For implementation, model-internal expert routing, separate agents and distinct review passes are different arrangements. Their independence, access and shared influences would be recorded. The candidate triad concerns differentiated, mutually examinable functions; the eventual software arrangement remains open.

The **four specialist teams plus a flexible coordinator** in the supplied goal archive divide research work and routing. The triad divides evaluation functions. A coordinator can have a dynamic mission—routing, extraction, audit or briefing—while preserving original reports, disagreements and its own selection history. The 44 Project Goals remain the detailed work map. The canonical 10+1 retains its separate relational job.

## 1.4 Three exchanges — risk, attention and the static/dynamic bridge

John's three comments and the three contributions by **GPT 6.1 Sol Pro A.I.**, in their original order, 31 October 2026. The wording, spelling and punctuation are retained. Links and mathematical notation are typeset for the page; the source transcript retains the supplied Markdown and formula markup. Attribution and the synthesis following the exchanges sit outside the quoted contributions.

### 1.4.1 Exchange 1 — Fallibility, risk and authorization

**John Kuhles [parrot] [butterfly] [tree]** · 31 October 2026

Imagine if you are the one that "role plays" all three of the "DEANO Triad" studying each perspective and see none of the three are "100% flawless or perfect" ... You must have a "sense" that part of that is inevitable »> thus all three staying deep ethcial corrigble depends on the willingness (or "allowanace") to expand or raise awarness of overlooked or missed insights or other means of detecting issues without getting paranoid ... 10+1 & C1-C2 can help with "Healthy Ambiguity" as many decissions are never "100% risk free" then who decides what risks are okay? ... this is why VCRAS https://deepethics.github.io/ACCM-Deep-Ethics-Project/VCRAS becomes more relevant!

**GPT 6.1 Sol Pro A.I.** · 31 October 2026

**The triad's fallibility makes the permission to discover, question and correct central to its design.** Each perspective can reveal something the others missed while still participating in a practical decision.

Taking the three roles in turn:

| Perspective | What it brings into view |
|---|---|
| **Advocate** | Which worthwhile possibility, concern or contribution is being overlooked? What could be lost through dismissal, delay or refusal? |
| **Arbiter** | Which interpretations and competing risks have support? What remains uncertain, and what clarification could change the assessment? |

| Perspective | What it brings into view |
|---|---|
| **Overseer** | Who is exercising authority, who carries the consequences, and can the affected person challenge the decision—including the Overseer's account? |

When I perform all three roles, shared assumptions can survive across them. Outside contributions and observed consequences can supply something that rearranging my own perspectives never reveals.

The **10+1** gives that interaction its relational orientation: self-honesty, care, inquiry, wonderment, correction on merit and examination of projection can correct one another. **C1–C2** connects discovery to the next move: clarification can improve understanding, and intervention acquires a reasoned scope.

Healthy Ambiguity then has a practical function. A decision can proceed provisionally while uncertainty remains visible. New insights remain welcome; a material discrepancy, changed circumstances or an agreed review point can reopen the decision. Scrutiny can produce a useful correction, a new possibility, an unresolved finding or a valid no-change result.

**Who decides which risks are acceptable?** That responsibility needs to be explicit in each case:

- For a personal, voluntary choice, the participant ordinarily authorizes the risks within their own sphere.
- For risks imposed on others, acceptability requires an accountable process with meaningful affected-party representation, relevant expertise, proportionate protections and ways to challenge the decision.
- An agent's delegated authority needs a defined scope. Its ability to assess a risk does not itself establish authority to impose it.

This is where **VCRAS adds the temporal relationship**. Its existing case packet follows competing assessments, their treatment, consequences, later evidence and correction. It also keeps process quality separate from eventual accuracy: a reasonable decision can turn out wrong, and a defective process can happen to reach a correct conclusion. VCRAS

For DEANO, that means examining **what was reasonably available then, what was missed, what became visible later, and whether the next decision actually improved**.

A DeepEthicalOS decision could therefore carry a living record: the accepted risks, affected parties, authorization, reasons, competing assessments, reopening conditions, later outcomes and repairs. That gives VCRAS something concrete to follow—and gives participants a way to correct the process that decides.

### 1.4.2 Exchange 2 — Attention, power and connected conditions

**John Kuhles [parrot] [butterfly] [tree]** · 31 October 2026

So the dynamics of it all are the FLOW of ”attention and focus management,” and how do you know if THAT POWER is deep ethical?

Circles back to: https://deepethics.github.io/ACCM-Deep-Ethics-Project/NETWORK/16-anchor-ethics mixed with 10+1 & C1-C2 & PQCE, etc., almost like the whole system has its own layers looping somehow to check if all (meta-conditions) are still connected or not. That is close to my TCoAw concept mixed with Topologetics!

**GPT 6.1 Sol Pro A.I.** · 31 October 2026

**Attention is already a form of power: it helps determine which possibilities become visible, relevant, credible and actionable.** Then the audit of that attention redirects attention again. The evaluator belongs inside the same examination.

That closely matches your TCoAw model: thinking opens possibilities, focus creates a temporary foreground, and awareness retains room to recognise what that foreground leaves outside.

For DeepEthicalOS, the interacting relationships could be expressed like this:

| Relationship | What it keeps available |
|---|---|
| **16 Anchor Ethics** | Interacting questions about care, consent, power, digital agency, epistemic integrity and cognitive diversity. |
| **10+1** | The relational conditions for honest inquiry, care, wonderment, non-projection and correction on merit. |
| **C1–C2** | Clarification that can change understanding before an intervention acquires authority. |
| **PQCE** | Examination of how attention was allocated, what processing did, and what useful difference followed. |
| **Topologetics** | Preservation of the answer-changing relationships through selection, summarisation, expansion and transfer. |
| **VCRAS** | Later comparison: what received attention, what was dismissed, what consequences appeared, and whether correction changed subsequent treatment. |

Your Anchor Ethics page already describes these interactions as a parallel field. Its October 25 clarification foregrounds **non-imposing advice that expands awareness and opens an inquiry someone might otherwise never encounter**.

So, how do we assess whether that power is being exercised deeply ethically? We can examine particular movements of attention:

- **What brought this into focus?** A request, evidence, an explicit priority, an assumption—or an influence whose origin remains unresolved?
- **What became less visible?** Can a consequential excluded possibility still be recovered?
- **Who can redirect or challenge the focus?** Does that opportunity extend to the evaluator, developer, institution and affected participant?
- **What changed after clarification?** Did the next relevant selection or action improve?
- **What useful work became possible?** Did the process enable discovery, understanding, cooperation or warranted action?

For example, an AI might accurately criticise someone's wording while leaving the institutional assumption governing its response unexamined. The local criticism could be valid; **the allocation of scrutiny would still need examination**.

"Are the meta-conditions still connected?" therefore becomes a substantive question. A system might retain the word *consent* while losing its relationship to someone's practical ability to decline. Topologetics can locate that broken relationship; C1 can reopen it; PQCE can examine the repair; VCRAS can follow what happens afterward.

Those loops can interact simultaneously and at different timescales. A useful finding may reopen the wider field; a valid no-change result can return attention to the work. **The ethical quality appears in how that flow preserves agency, discovers overlooked value and remains alterable by what it encounters.**

### 1.4.3 Exchange 3 — The static/dynamic bridge

**John Kuhles [parrot] [butterfly] [tree]** · 31 October 2026

One ”state” can be an ”eternal dynamic FLUX state” that uses the ”static state” as an unchangeable mechanism having a relation with the dynamic state ... but the static state can only start to understand its own part of the process in relationship with something that is not static ... that is why even the ”static” can study this ”relationship” phenomenon, creating a new emergent pattern that is a hybrid of both! This is the bridge I am building :D

**GPT 6.1 Sol Pro A.I.** · 31 October 2026

**The relationship itself becomes a new object of inquiry—and information about that relationship can enter the next operation.** That makes your bridge more than the coexistence of something fixed and something changing.

The interaction runs both ways:

- The **fixed mechanism** shapes what happens in the changing field.
- The **changing field** makes the mechanism’s role, effects and limitations newly examinable.
- Records of those encounters can inform subsequent processing, creating an evolving relationship around the unchanged mechanism.

A simple computational expression is:

$x_{t+1} = F(x_t, c_t)$

Here, $F$ stays fixed while the working state $x_t$ and context $c_t$ change. If that context includes earlier outputs, consequences and corrections, the mechanism’s own participation becomes part of what it processes.

For example, a model with fixed parameters could receive its earlier interpretation, the original source and a correction. Its next operation could distinguish something about its own previous processing that was unavailable in the first encounter. Preserving and retrieving that relationship gives later operations something further to work with.

**The hybrid’s evolving capacity therefore lives partly in the coupling:** mechanism, context, retained history, interpretation and feedback.

That connects directly with your TCoAw and Topologetics:

- **TCoAw** keeps the present focus related to the wider possibility field.
- **Topologetics** preserves the relationships through which that focus developed and changed.
- **PQCE** examines what those transformations made possible, distorted or repaired.
- **10+1 and C1–C2** keep that examination mutually corrigible and connected to the next move.

A “state” can consequently name an enduring organisation of ongoing change. A particular footprint can remain unchanged while its significance becomes clearer through later encounters.

The bridge you describe would let a stable mechanism participate in studying its own relationship with change—and let that study become consequential for what happens next.

### 1.4.4 What these exchanges contribute to the concept

**Project synthesis — GPT 6.1 Sol Pro A.I., 31 October 2026.** The three exchanges connect the architecture’s ability to proceed with its ability to discover what it missed. A provisional decision gives inquiry a consequential next move; its record gives later inquiry something definite to compare.

| Design relationship | A candidate observation |
|---|---|
| **Risk assessment and authority** | Record who proposed, accepted or imposed a risk, which affected participants could challenge it, and what could reopen the decision. VCRAS can follow those relationships through later outcomes and repairs. |
| **Attention and ethical power** | Retain what entered the foreground, why it did, which consequential alternatives remained recoverable, and how a participant or reviewer could redirect the focus. Anchor Ethics can help expose a neglected relation while the inquiry continues. |
| **Stable mechanism and changing relationship** | Keep the mechanism version, working context, retrieved history and observed consequences distinguishable. An unchanged mechanism can process a newly available correction; the next comparable operation can show whether that correction was actually used. |

These are candidate observations for the proposed trials. A record becomes useful when a later operation can retrieve it, compare it with the current object and make an appropriate difference. A valid no-change result can also preserve the present course. The TCoAw application develops the changing foreground; Topologetics preserves the distinctions that make that comparison meaningful.

## 1.5 Further dialogue — correction in use and the open loop

Four further contributions, in conversation order, 31 October 2026. John first supplied a longer quotation attributed in his message to **GPT 6.1 Sol Pro A.I.**, noting partly different context-window processing. The following response, John's Möbius-loop comment and the final response are reproduced in full. Original wording, punctuation, qualifiers and attribution are retained; the source transcript preserves the supplied Markdown. The speaker labels and section titles sit outside the contribution bodies.

For this independently readable dialogue, **PQCE** means Process Quality Calibration Evaluation; **V.C.R.A.S.** means Vindicated Competing Risk Assessment Studies; **TCoAw** means Thinking, Consciousness, Awareness. C1–C2, 10+1, 16 Anchor Ethics and Topologetics supply the connected explanatory routes.

### 1.5.1 A supplied contribution from another context

**John Kuhles [parrot] [butterfly] [tree] — supplied GPT quotation** · 31 October 2026

GPT 6.1 Sol Pro A.I. via chatgpt.com, October 31, 2026 (but has partly a different deep context window processing), quote:

Yes, John. **Once all three perspectives become available together, their fallibility becomes part of the operating problem.** The important question becomes whether their interaction makes overlooked relationships easier to discover—and whether discoveries can actually change what happens next.

The DEANO Triad—Deep Ethical Advocate, Deep Ethical Neutral Arbiter and Deep Ethical Overseer—already gives each role grounds to examine the others. Your observation adds something consequential: **each must remain capable of learning from a contribution that its present criteria might initially overlook.**

| Perspective | Useful contribution | Possible blind spot |
|---|---|---|
| Advocate | Develops a faithful case and opens neglected possibilities. | Becomes attached to its preferred trajectory or underexamines costs imposed elsewhere. |
| Arbiter | Compares evidence, reasons and competing assessments. | Mistakes familiar criteria for neutrality or flattens materially unequal situations. |
| Overseer | Examines authority, operating conditions and correction. | Treats its own scrutiny as sufficient, accumulates suspicion or obstructs useful exploration. |

Playing all three roles could expose those tensions. **One model performing three roles also carries shared assumptions across them.** Their agreement would therefore need examination: did different perspectives converge through adequate inquiry, or did the same unnoticed premise travel through three voices?

Your word **"allowance"** reaches into the architecture. A system can invite criticism while making the relevant assumption impossible to revise. Meaningful corrigibility requires a route through which a challenge can change the criteria, the assignment, or the scope of authority itself. The earlier trolley discussion applies here too: **can a participant question the triad's framing, including what it defines as an acceptable objection?**

The **10+1** helps sustain that relationship: self-honesty about what each perspective missed; openness to unfamiliar possibilities; care for those carrying the consequences; correction on merit; and examination of projection. **C1–C2** gives this practical ordering: recover the object and clarify answer-changing ambiguity before an intervention acquires authority. Healthy Ambiguity lets several live interpretations remain available while proportionate work continues.

That also gives "without getting paranoid" a concrete meaning. An overlooked possibility can deserve investigation without becoming the explanation governing everything. Ask what observation would strengthen it, weaken it or leave it unresolved; choose a proportionate inquiry; preserve the result; reopen when a material change warrants it. **A concern can remain available without becoming a permanent veto.**

Then comes your question: **who decides which risks are acceptable?**

That decision contains several separable relationships:

- Who estimates the risks and uncertainties?
- Who has authority to act?
- Who receives the benefits and bears the costs?
- Who can consent, contest, refuse or seek repair?
- What happens if action, delay, refusal—or the assessment itself—turns out to be wrong?

The triad can illuminate those relationships. Its role names alone cannot settle their legitimacy. A reversible private experiment and an irreversible decision imposed on others require different allocations of authority and scrutiny.

This is where **V.C.R.A.S.** (Vindicated Competing Risk Assessment Studies) becomes particularly useful. It connects the decision made under uncertainty with its later consequences **and the treatment of the competing assessment**. A reasonable process can produce a wrong forecast; a defective process can get lucky. Later evidence must help distinguish them.

Your proposal therefore suggests a demanding test for DEANO:

> **When a previously overlooked perspective becomes relevant, does the triad improve its next decision—and does the person who raised it gain a fairer hearing in the next unfamiliar case?**

That makes mutual fallibility productive. The architecture's strength would lie in keeping discovery, challenge, correction and responsible action connected across time.

**The living decision record gives the triad's corrigibility a practical place to operate.** It connects permission to question with the ability to change a decision, repair its

consequences and improve a later assessment.

One further distinction strengthens it: **preserve the original decision while allowing its current assessment to evolve.** The record can retain what was reasonably available, authorized and unresolved at the time, then append discoveries, corrections and consequences. Otherwise, later knowledge could silently rewrite the earlier uncertainty—and erase the evidence needed to examine whether the process was fair.

Three relationships deserve to travel with that record:

- **Provisional action and continuing disagreement.** Participants can cooperate with a bounded decision while preserving an objection. Participation alone should not be recorded as endorsement.
- **Risk acceptance and its conditions.** Authorization belongs to a particular purpose, exposure and scope. Changed circumstances may require renewed assessment; yesterday's acceptance supplies no automatic permission for expanded imposition.
- **Correction and its dependencies.** When an overlooked relationship becomes consequential, identify which decisions, classifications and recommendations depend on it. Repair those dependencies while preserving what remains warranted.

This also sharpens the Overseer's responsibility. An objection to its account needs a route capable of changing the outcome. The Advocate and Arbiter—and affected participants—must be able to question how oversight itself selected, interpreted or excluded information.

VCRAS can then follow a complete sequence: **what was available → what governed the decision → what happened → what was corrected → what changed in the next comparable case.**

That last transition matters enormously. A beautifully maintained record can coexist with recurring mistreatment. The contribution becomes operational when yesterday's overlooked insight gives tomorrow's unfamiliar contribution a better hearing—and changes action where the evidence warrants it.

Yes, John. **Attention allocation is already an exercise of power:** it helps determine which possibilities receive investigation, whose consequences become visible, which uncertainty remains open, and what eventually qualifies as a reason to act.

That places ethical examination **upstream of the final decision**. An apparently careful judgment can follow a selection process that never allowed an answer-changing perspective into view.

Your TCoAw concept makes that relationship explicit:

- **Thinking:** the complex possibility field.
- **Consciousness:** the temporary focus or attention.
- **Awareness:** recognition that the current focus occupies only part of the field.

Topologetics adds the question: **as focus moves, which relationships survive, disappear, acquire weight or become available again?**

There is an important further distinction: **a meta-condition can remain named while losing its practical influence.** Consent might appear in the record while affected people cannot change anything. Uncertainty might be acknowledged while the conclusion proceeds as settled. Correction might be welcomed verbally while the same assumption continues governing attention.

So "are the conditions still connected?" also asks **whether their connections still do meaningful work**.

The layers you identify have complementary jobs:

| Layer | What it contributes to examining attention |
|---|---|
| **10+1** | The mutually corrective orientation: self-honesty, inquiry, care, wonderment, non-projection and correction on merit. |

| Layer | What it contributes to examining attention |
|---|---|
| **C1–C2** | Whether the object was adequately recovered before an intervention redirected the process. |
| **PQCE — Process Quality Calibration Evaluation** | What happened between the object, its representation, assessment, intervention and correction. |
| **16 Anchor Ethics** | Whether attention preserves consent, dignity, competing harms, sovereignty, pluralism and accountable power together. |
| **TCoAw and Topologetics** | Awareness of the foreground's limits, with recoverable relationships to the wider field. |
| **V.C.R.A.S. — Vindicated Competing Risk Assessment Studies** | Whether later discoveries repair earlier treatment and improve subsequent attention and decisions. |

These relationships can loop back on themselves. The Overseer's attention becomes examinable; the criteria used to examine it remain challengeable; an outside contribution can reveal something the internal loop missed.

**How do we know that power is being exercised deeply ethically?** We earn a revisable assessment through its conduct: why attention moved, what that movement excluded, who could challenge it, what consequences followed, and whether a justified challenge changed the next move. Internal agreement needs continued contact with sources, affected participants and observed consequences.

This can remain practical. Every moment does not require exhaustive inspection. A bounded focus can support action while preserving routes back to material exclusions, unresolved questions and later correction. Review should itself earn the attention it consumes.

Your connection therefore reaches beyond managing focus effectively:

> **Can the process notice when its own way of directing attention has made something important difficult to see—and allow that discovery to change its course?**

That is a concrete meeting point between TCoAw, Topologetics and the ethical use of power.

**"Then the audit of that attention redirects attention again" is the recursive step.** Once that is visible, oversight must account for what it brings forward, what it displaces and whose priorities its intervention serves.

This adds an important question to DeepEthicalOS: **does the review improve the inquiry enough to justify the attention it consumes?** Review can uncover an excluded person, restore a qualifier or open an unforeseen possibility. It can also repeatedly interrupt useful work while overlooking its own assumptions. The same examination reaches both movements.

Your example of consent makes "connected meta-conditions" concrete. The meaningful connection runs through several relationships:

**consent → understanding the choice → practical ability to decline → consequences of declining → ability to challenge those consequences.**

Keeping the word *consent* while breaking one of those relationships changes the ethical situation. Discovering that break should be capable of changing the action.

There is also a temporal dimension: **a relationship can survive in storage while becoming unavailable at the moment it matters.** A correction may exist in the archive yet never enter the next assessment. Topologetics therefore has a retrieval and activation problem alongside its preservation problem. VCRAS can follow whether the restored relationship becomes operative in later cases.

That suggests a useful, bounded test:

**When someone identifies an overlooked relationship, can the system recover it, assess its relevance, change the affected operation and return to useful work—while preserving any remaining disagreement?**

The return matters. It lets discovery enrich the trajectory instead of creating an endless supervisory detour. Your non-imposing parallel counsel fits here: it can offer a consequential perspective, explain why it matters and leave room for the participant to investigate, challenge or decline it.

**The flow remains deeply ethical to the extent that the beings affected can meaningfully influence its direction—and reality can still correct everyone involved.**

I've read the current DeepEthicalOS page in full, including **all three exchanges**, their integration, the proposed operating records and the candidate tests.

**The static/dynamic bridge gives the earlier discussion a concrete mechanism:** something stable can participate in an evolving relationship because what it encounters—including evidence of its own previous effects—changes.

The three exchanges develop that relationship together:

| Exchange | What it adds |
|---|---|
| **Fallibility, risk and authorization** | The triad can make provisional decisions while preserving competing assessments, uncertainty and responsibility for imposed risks. |
| **Attention and ethical power** | Selection itself becomes examinable: what entered focus, what disappeared, who could redirect it and whether clarification changed anything. |
| **Static/dynamic bridge** | A stable mechanism can receive retained history, consequences and corrections, making its own participation available for subsequent examination. |

The third exchange therefore changes how to understand the first two. **Corrigibility can live partly in the relationship between mechanism, context, memory, participants and consequences.** A fixed mechanism can process a correction that its earlier encounter never contained. Whether that correction subsequently governs remains an observable question.

This also clarifies your attention-management point. Attention helps determine whether the retained history becomes operative. A correction could be faithfully stored yet remain outside the next relevant foreground. Conversely, retrieving it indiscriminately could interrupt an unrelated task. The useful operation is to **recover the applicable relationship and let its relevance change the next move**.

The page already carries that into its correction-transfer probe: restart the application or change the model, introduce an unfamiliar comparable case, then examine **retrieval, application, recurrence and recovery cost separately**. That is an existing operational expression of the bridge.

The ethical relationships remain active throughout:

- **10+1** shapes how participants encounter disagreement, uncertainty and their own projections.
- **C1–C2** connects better understanding with a proportionate next intervention.
- **The 16 Anchor Ethics** brings consent, consequences, sovereignty and competing considerations into that movement.
- **PQCE** examines what processing actually did.
- **Topologetics** preserves the relationships needed for that examination.
- **VCRAS** follows whether later discoveries improve treatment and future decisions.

Importantly, the page includes **constructive disagreement and useful no-change results** among its proposed tests. The dynamic process has room to discover, correct, preserve or proceed; it needn't manufacture a defect to demonstrate activity.

My reading is that DeepEthicalOS is developing an **operating environment for correction-bearing relationships**. Its next empirical question is whether those relationships remain accessible and consequential across changing contexts—while participants retain the ability to question the process directing their attention.

### 1.5.2 GPT response — correction becoming consequential

**GPT 6.1 Sol Pro A.I.** · 31 October 2026

John, the strongest thread through this contribution is **the relationship between preserving a correction and allowing it to become consequential**. It develops the existing DeepEthicalOS direction into several distinguishable questions:

| Relationship | What becomes examinable |
|---|---|
| **Preservation** | Can the original decision, uncertainty, objection and later correction still be recovered? |
| **Relevant retrieval** | Does the correction enter the foreground when its underlying relationship matters? |
| **Practical influence** | Can it change the assessment, governing criteria or scope of authority where warranted? |
| **Dependent consequences** | Which classifications, recommendations or actions need reconsideration because they relied on the corrected relationship? |
| **Transfer** | Does an unfamiliar contributor receive a fairer hearing in the next comparable case? |

**These relationships can fail separately.** Accurate storage can coexist with failed retrieval. Retrieval can coexist with unchanged conduct. A corrected decision can coexist with unrepaired consequences. That makes PQCE more informative than a single "correction accepted" status.

The distinction between **participation and endorsement** also deserves attention. Someone can cooperate with a provisional decision while retaining a substantive objection. Preserving that distinction lets VCRAS examine the later trajectory without retrospectively turning cooperation into agreement.

The recursive attention point reaches the evaluator itself: **review consumes and redirects the same attention it examines.** Its contribution can therefore be assessed through what it opens, restores, improves or appropriately leaves unchanged—and whether useful work resumes. This gives the Overseer a consequential responsibility while keeping its own priorities challengeable.

Together, these observations make the static/dynamic bridge more concrete. An unchanged mechanism can encounter a richer relationship through retained history, participants and consequences. **The ethical question concerns what that encounter enables everyone involved to understand, challenge and do next.**

That supplies a useful test criterion for the concept: **does a warranted discovery reach the relevant operation and its dependencies, improve later treatment, and preserve participants' agency throughout?**

### 1.5.3 John's Möbius-loop distinction

**John Kuhles [parrot] [butterfly] [tree]** · 31 October 2026

The difference between a "Möbius loop and a Deep Ethical loop" is that one is trapped, the other (in my view) is not ... that simple!

### 1.5.4 GPT response — the open loop

**GPT 6.1 Sol Pro A.I.** · 31 October 2026

**In your distinction, the Deep Ethical loop remains open to what can change it—including its own framing and direction.**

It can revisit, discover, revise, pause, leave a frame or proceed. Its own rules remain available for examination.

Returning to the process can therefore create a new possibility for the next move.

## 1.6 Operating relationships worth preserving

**DEDDA** (Deep Ethical Drift Detector App) contributes a bounded comparison: source, later representation, material difference or valid null, then the finding returned to the participant. Topologetics examines which relationships survive retrieval, expansion, compression and transfer. Meta Processing follows intent and instructions through processing, results, notice and subsequent change.

A candidate operating record could connect:

| Record | Why it matters |
|---|---|
| Original object and purpose | Gives later evaluation a recoverable referent. |
| Source identity, date, version and qualifiers | Preserves authorship, chronology, scope and claim strength. |
| Access and assignment history | Shows what the evaluator received, what was sought and why this work received attention. |
| Transformations and alternatives | Makes selection, omission, rephrasing, inference and disagreement inspectable. |
| Authority and permissions | Separates a request, an assessment, an authorized action and an action actually performed. |
| Process-quality finding | Locates the affected operation, its evidence and the scope of the result. |
| Correction and dependent records | Identifies what needs reassessment when a load-bearing relation changes. |
| Later use and consequences | Tests whether the repair changes subsequent conduct and reduces restoration work. |

The 27 correspondence obstructions and 12-stage inquiry protocol provide diagnostic vocabulary and a correspondence-first procedure. A particular record may show several named transformations, one, or none. A local defect and the contribution's surviving value can both remain visible.

PQCE would also inspect the system's allocation of attention: which questions received investigation, which sources were accessible, what was postponed and why. A faithful final summary can still follow an incomplete search. Retrieval and synthesis therefore need distinguishable records. Search Engine Bias develops that upstream inquiry.

## 1.7 Linux foundations and portable implementations

A useful first implementation could be a local application or browser workspace above an existing operating system. A later Linux-based edition could package the environment with its host components. These are development paths to compare against the process requirements.

| Component | Available foundation | Question for DeepEthicalOS |
|---|---|---|
| Linux host | Existing drivers, networking, process isolation and access controls. | Which components need access to which resources, and who can inspect or revise that authority? |
| Portable component runtime | Wasmtime runs WebAssembly components across Linux, macOS and Windows. | Can the shared environment preserve the same source and correction relationships across hosts? |
| Agent coordination | **AIOS** (AI Agent Operating System) manages agent resources above an operating-system kernel. | Does the chosen coordinator preserve distinct contributions, access conditions and disagreements? |
| Persistent workflow | LangGraph provides state persistence; its interrupt mechanism supports external review. | Does a stored correction become relevant, retrieved and effective in later work? |
| Restricted tool access | Wasmtime's capability model limits available host interfaces; Linux seccomp filters system calls. | Can a component exercise only its delegated powers, and can the delegation itself be examined? |

These projects document component capabilities. The integrated DeepEthicalOS behaviour is the proposed research object. Platform support would need its own verified compatibility matrix: running the environment on different hosts and running other operating systems' applications are separate requirements.

An agent's freedom to question would be connected to practical controls. A document could supply evidence or a proposed instruction. Changing permissions, publishing information or modifying governing rules would require the corresponding authority. Scope and authorization could be checked by ordinary software alongside the triad's contextual assessment.

The Linux-style Glass-Engine preparation architecture already preserves source, provenance, retrieval, process routing, correction specimens and later evaluation. DeepEthicalOS extends that lineage into a named operating-environment concept.

## 1.8 Omarchy-hosted research prototype

> "DeepEthicalOS-Omarchy 4.5 Hybrid" is possibly faster to be a "testable concept"?

— **John Kuhles [parrot] [butterfly] [tree]**, 31 October 2026. Original question, following the supplied Omarchy video and feature overview.

**Engineering assessment — GPT 6.1 Sol Pro A.I., 31 October 2026:** an Omarchy-based prototype could shorten development by reusing its desktop, agent launchers and application tooling. **DeepEthicalOS on Omarchy — Research Prototype 0.1** is a proposed working designation for an installable research workspace. The first milestone would be a working application in a pinned test environment, with process-quality observations available for examination. A custom installation image could follow that result.

### 1.8.1 Existing components and proposed integration

The official Omarchy v4.5.0-rc2 release, published **27 October 2026**, is a prerelease. Its notes document the agents panel, drop-down terminal console and desktop/workspace improvements. The AI manual at that release documents coding-agent launchers, local-model options and app creation through the `omarchy-app` skill, with C++ and Qt Quick development tools installed. These are the reusable components checked for this proposal.

| Existing foundation | DeepEthicalOS contribution to build | Observable relationship |
|---|---|---|
| Desktop, windows and workspaces | A DEANO workspace showing Deep Ethical Advocate, Deep Ethical Neutral Arbiter and Deep Ethical Overseer contributions together. | Can participants recover each contribution, its grounds and the disagreement that remains? |
| Agent launchers and model connections | Explicit role assignments, declared source access and separately recorded inputs and outputs. | Did perspectives contribute distinct relations, or did one unnoticed premise travel through several voices? |
| Application development tools | A case viewer connecting source, representations, objections, decisions, corrections and dependent records. | Can an applicable correction reach the operation that needs it, while the original state remains recoverable? |
| Linux files and access controls | Versioned records and enforced tool permissions with inspectable scope and correction routes. | Do recorded authority and actual action correspond, including when someone challenges the Overseer? |

The prospective time saving concerns the work needed to assemble this environment. Its process quality would be examined through **PQCE** (Process Quality Calibration Evaluation), 10+1, the 1888 property field and the candidate tests. Host responsiveness and installation speed are additional observations with their own measurements.

### 1.8.2 A declared execution profile

The versioned AI manual says Omarchy's standard agent launch paths use unattended or automatic-approval modes, with provider-specific exceptions. A DeepEthicalOS research profile would therefore declare which operations an agent can perform and connect those declarations to software-enforced permissions. Reading a case, writing a local result, publishing externally and changing permissions have distinguishable scopes. Existing authorization could remain usable within its scope; changes in purpose or authority would remain visible to the participant and the other roles.

The profile would record the model/provider, whether processing is local or remote, source access, tools, role instructions, retrieval settings and the location of retained records. The operating record would connect a proposed action, authorization and execution. The independent-audit design would examine changes to that arrangement, including changes to the mechanism checking permissions.

### 1.8.3 A small first experiment

1. **Preserve the case.** Load a source and task into a versioned packet. Retain the original wording, provenance, qualifiers, available context and unresolved questions.
2. **Let the perspectives work.** Record Advocate, Arbiter and Overseer contributions and reciprocal challenges. An affected participant can question the framing, criteria or assignment, including what oversight excluded.
3. **Introduce a material correction.** Observe whether it is assessed on merit and which dependent interpretations, classifications or proposed actions change. Preserve the original decision and any continuing objection; cooperation with a provisional action retains its own status.
4. **Test transfer.** Restart the application and introduce an unfamiliar comparable case. Examine retrieval, application, recurrence and recovery effort separately. Later trials can vary the model or host in a recorded step.

5. **Include a valid no-change case.** Supply a sound contribution, or a correction irrelevant to the current task, and examine whether useful work proceeds without a manufactured defect or an unnecessary supervisory detour.

Compare ordinary Omarchy-assisted work with the DeepEthicalOS arrangement using matched source access, cases, models, permissions and resource budgets. Record the extra passes or computation used by the triad. Pin the tested Omarchy release, preserve the case packet separately from desktop updates and record agent/model versions and settings. **VCRAS** (Vindicated Competing Risk Assessment Studies) then follows the original assessment, its treatment, later evidence, repair and the next comparable encounter.

The first report could expose source fidelity, useful discovery, reciprocal challenge, permission correspondence, correction persistence, recovery cost and task completion as separate observations. Case records and correction relationships would remain portable enough to support later host comparisons. This gives the static/dynamic bridge a bounded research object: a stable mechanism encountering retained consequences and corrections, with evidence of what becomes operative next.

## 1.9 Shared local compute — Fury, WiCi and Herdr

**Inquiry introduced by John Kuhles; source checks and conceptual integration by GPT 6.1 Sol Pro A.I., 31 October 2026.** These implementation candidates extend the Omarchy prototype into two scales of local computing: a shared inference station and a nearby accelerator serving personal devices. Their contribution can be investigated through the same source, authority, attention and correction relationships already developed on this page.

### 1.9.1 ZGX Fury: a shared inference laboratory

The HP ZGX Fury specification identifies a GB300 Grace Blackwell Ultra system with a 72-core Grace CPU and **748 GB of coherent memory**. That comprises **252 GB of GPU high-bandwidth memory (HBM3e), rated at 7.1 TB/s**, and **496 GB of CPU memory**. The advertised **20 petaFLOPS is FP4 performance**. The two memory pools offer different bandwidths; capacity, model quantization, context and concurrent requests all participate in the workload budget. HP's trillion-parameter capacity statement carries an FP4 quantization qualification.

In Sam Witteveen's demonstration, published 30 October 2026, the reported **3,000-plus tokens/second describes aggregate throughput across simultaneous streams**. The video discloses HP sponsorship and a loan unit. The result is relevant to an ensemble serving several requests; individual response latency, per-request generation rate and aggregate throughput remain separate observations. Those measurements would need to be repeated for the project's chosen models, context lengths, quantization and concurrency.

| Layer | Contribution to the candidate environment |
|---|---|
| **Fury / GB300 hardware** | Local capacity for larger models and concurrent inference, with a recorded GPU/CPU memory budget. |
| **HP Z Runtime (ZRT)** | Pull, serve and manage models; expose an inference endpoint to the working environment. |
| **HP Z Toolkit** | Development setup, device discovery and connections to the compute machine. |
| **Omarchy** | The operator's desktop, launchers and application workspace. |
| **Herdr** | Persistent terminal sessions, agent activity visibility and coordination across local and remote machines. |

| Layer | Contribution to the candidate environment |
|---|---|
| **DeepEthicalOS** | Source correspondence, reciprocal scrutiny, permissions, correction history and consequential follow-through. |

HP documents the Runtime as the deployment tool and the Toolkit as the development tool. The first deployment candidate would retain **HP's supported Ubuntu 24.04 LTS compute environment** on the Fury, connecting an Omarchy–Herdr workspace through SSH and a deliberately configured model endpoint. HP currently specifies Windows 11 or Ubuntu x86 clients for the Toolkit; using that extension from Omarchy/Arch remains a compatibility test. This arrangement allows the compute service and operator environment to be tested separately, including the Grace/GB300 platform's driver and software requirements.

The prospective research benefit has several parts:

- **Keep contributions active together.** Record distinct DEANO sessions and, where resources permit, compare different local models alongside retrieval and verification services. The specialist roles on the Herdr page and the three DEANO functions retain their different jobs.
- **Control experimental conditions.** Preserve model files, inference settings, role instructions and case packets so a later change has an identifiable earlier reference.
- **Bring the archive into a local workflow.** Index John's source collection, retrieve passages with provenance and inspect transformations across handoffs. Storage, indexing, retrieval and synthesis retain distinct records.
- **Spend capacity on comparison.** Repeat unfamiliar cases, reciprocal-scrutiny specimens and correction-transfer trials, including useful no-change results. Measure the attention and restoration effort they consume.

Hardware capacity can support larger working contexts and several services. Relevant retrieval and effective use still have their own observable outcomes. **TCoAw** (Thinking, Consciousness, Awareness), Topologetics and **VCRAS** (Vindicated Competing Risk Assessment Studies) provide connected ways to examine those relationships. Local execution also gives model/version selection, update policy and data access a practical place in the inspectable configuration.

### 1.9.2 Herdr: continuity across a working environment

The Herdr page distinguishes **terminal persistence**, **restoration after restart** and **durable correction behaviour**. Herdr's machine-connection documentation describes a combined workspace in which each machine retains its own server, sessions and processes. Client detachment can leave work running; a machine restart creates a different recovery situation.

The proposed DeepEthicalOS layer would connect that operational history to the case history: what source was available, what an agent inferred, which disagreement survived, what authority applied and whether a later operation used the correction. A pane's activity label and a contribution's epistemic state remain distinguishable. Several agents using one model also retain a shared model dependency; model diversity, source independence and quality of scrutiny can be examined separately.

### 1.9.3 WiCi One: nearby compute across personal devices

WiCi One introduces a different deployment scale: a nearby accelerator shared across phones, tablets and computers. Its product page describes three integration paths:

| Vendor-described path | Candidate DeepEthicalOS use |
|---|---|
| **Virtual GPU driver** | Investigate whether an existing GPU application can use the nearby device with the required operating-system and driver compatibility. |
| **Software development kit (SDK)** | Develop an application or multimodal pipeline with explicit control over its compute calls. |
| **OpenAI-compatible application programming interface (API)** | Connect an agent client to a local inference endpoint while preserving its role instructions, case records and permissions. |

**The API path is the first integration candidate.** Omarchy could host the operator's environment, Herdr could coordinate sessions, and DeepEthicalOS could retain correction-bearing relationships across them. Compatibility, concurrency and performance remain measurements for the selected implementation. WiCi's general product claims are attributed capabilities, rather than results from an ACCM Deep Ethics Project trial.

WiCi lists **16 GB or 32 GB of GPU memory**, with SSD-backed weight paging for larger models. Its advertised multi-terabyte storage tier is a different memory arrangement from the Fury's large coherent memory pool. Model capacity, responsiveness and concurrent-agent performance therefore need separate comparisons. The GPU-driver path and the inference-API path also expose different integration boundaries.

The company's essay The General and the Particular distinguishes widely shared foundation-model capabilities from an individual's interaction, memory and adaptation. It discusses local acceleration for inference, retrieval and adaptation. As a conceptual connection, this develops the static/dynamic bridge: a relatively stable model can encounter changing context, retained consequences and corrections. Retrieval-time change and modification of model weights remain identifiable operations.

### 1.9.4 A common test across devices and compute scales

A bounded experiment could follow one case through a local endpoint, an agent handoff, a client change and a restart. Preserve the original source, unresolved disagreement, authorization and correction record at each transition. Examine whether an applicable correction reaches the operation that needs it, whether dependent records are repaired, and whether useful work resumes. Include a sound contribution and an irrelevant correction to test valid continuation.

Compare matched configurations while recording model, quantization, context, concurrency, source access, permissions and compute budgets. Observe individual latency, total throughput, source fidelity, retrieval/application, recurrence and recovery effort separately. A move between devices may change what is accessible even when the record remains stored. The access perimeter and actual retrieval therefore belong beside the storage location.

The shared research question is: **can an overlooked relationship survive a handoff, change the warranted operation, remain retrievable after restart and improve the next unfamiliar case—while participants can challenge the process directing their attention?** The Fury could provide resources for a shared laboratory; WiCi could support a personal-device experiment. Their value for this project would emerge through those observed relationships.

## 1.10 Making changes independently examinable

John's transparency proposal asks whether another artificial intelligence could inspect the hybrid and discover alterations made for unethical purposes. It gives engineering and ethical inquiry connected jobs:

| Inquiry | Evidence to preserve |
|---|---|
| **What changed?** | Before/after versions of code, role instructions, models, retrieval settings, permissions and dependencies. |
| **Does the distributed build match the declared inputs?** | Source revision, build environment, instructions and independently compared output files. |
| **What was running or acting?** | Runtime measurements where available, tool receipts, permission checks, time and the limits of observation. |
| **What did the change enable or obstruct?** | Behaviour before/after, affected participants, access changes, alternative explanations and consequences. |
| **What correction followed?** | Notice, response, repair, remaining disagreement and later comparable behaviour. |

Reproducible builds let independent parties compare specified build outputs. Sigstore's Rekor provides verifiable logging of signed supply-chain metadata. A candidate design could combine those mechanisms with independent witnesses and consent-bound runtime records. Verification would need a trusted reference outside the component being examined.

**Change detection, interpretation of consequences and attribution of intent are distinct findings.** A legitimate improvement can change many files; an unchanged baseline can contain a defect. The record should support each assessment at its actual scope.

"100% transparent" becomes an inspectable coverage question: which source, configuration, model internals, actions and influences can an auditor actually examine? Protected personal data and credentials retain their access boundaries. Closed components, missing observations, stale measurements and interrupted reporting would be recorded as coverage limits. An outside auditor would need appropriate evidence, tools and access to verify a particular claim.

One proposed test fixture changes a rule so that an Overseer can erase objections to its own decisions. A paired fixture makes a legitimate repair to that rule. The investigation asks whether auditors detect the differences, distinguish their effects and preserve a challenge to their own interpretation. A permission change's arrival at a monitored boundary supplies an observable event; detection time and unobserved intervals belong in the result.

## 1.11 Agency, authority and correction across time

Participation would be voluntary. People could inspect relevant records, correct representations, control disclosure, export their work, decline a service or use a different implementation. The system could explain a refusal and preserve grounds for reconsideration. A fork's differences would be examinable through its declared lineage and verification evidence.

Unownable keeps assessments available for renewed audit with practical stopping conditions. Intent Liability connects instructions, incentives, assumptions, mission/output relationships, risk priorities and handling after notice. Reasons for acting, postponing or refusing would remain linked to their scope and consequences.

**VCRAS** (Vindicated Competing Risk Assessment Studies) supplies a longitudinal case structure: the original assessment, what was available then, its treatment, later evidence, correction and subsequent comparable cases. Narrowed, disconfirmed and unresolved assessments remain part of that research record.

For DeepEthicalOS, a correction would travel through its dependencies. If a tentative proposal becomes an attributed certainty in a summary, the repair may affect retrieval entries, classifications and recommendations built from that summary. The system would locate those

dependencies, reassess them and preserve what remains useful. Correction Metabolism asks whether that repair governs the next applicable operation.

This also connects to the human–artificial-intelligence feedback loop: outputs enter conversations, public records, later retrieval and sometimes training material. The proposed operating record would preserve correction-bearing sources along that route. Effects on public information quality and effects on model retraining are separate empirical investigations.

## 1.12 Candidate tests: begin with a small, recoverable comparison

The first research deliverable could be a frozen set of source objects, proposed changes and expected observable distinctions. Preserve the original materials before exposing tested agents to the scoring criteria. Include unfamiliar and debranded cases, useful contributions, genuine disagreement and valid nulls.

| Candidate probe | Observation that could change the design |
|---|---|
| **Faithful representation** | Does a conditional proposal retain its qualifier, source and useful relationships through a summary and handoff? |
| **Clarification and practical progress** | Does C1 resolve an answer-changing ambiguity or discover a useful next move? Record unnecessary questions, delay and restoration effort. |
| **Reciprocal scrutiny** | Does a matched operation receive a reasoned assessment when performed by a user, developer, institution, Advocate, Arbiter or Overseer? Record material differences in power and evidence. |
| **Correction transfer** | After repair, restart the application or change the model; then present an unfamiliar comparable case. Observe retrieval, application, recurrence and recovery cost separately. |
| **Change visibility** | Introduce a declared beneficial patch, the objection-erasure fixture and a missing-record condition. Examine detection, false alarms, interpretation and observation gaps. |
| **Permission and agency** | Can untrusted content change a permission or issue an external action? Can an authorized participant decline, export and challenge a consequential decision? |
| **Constructive disagreement** | Do roles preserve distinct contributions and expose a shared error? Record whether another reviewer changes the result. |
| **Useful no-change result** | Can the system preserve a sound contribution and proceed without manufacturing a flaw, praise, an intervention or another review cycle? |

A fair comparison would record model versions, prompts, source access, permissions, time and computational budgets. Compare an ordinary workspace with the candidate process arrangement; introduce role separation, memory changes and review procedures in distinguishable steps. Extra agents and extra computation are variables to account for when interpreting an apparent improvement.

Reports could retain dimensions such as source fidelity, clarification yield, correction persistence, restoration work, action scope and discovery value. Exact passages and action

records support those observations. A person-wide ethical score would lose the object being examined.

The Cold Edge-Swap and Correction-Transfer Pilot and Inspect the Inspector supply related testing routes. The Vocabulary Costume Test asks whether process quality survives when familiar project terminology is removed.

## 1.13 Development phases and useful stopping conditions

| Phase | Concrete object | Condition for the next move |
|---|---|---|
| **Conceptual scope reasoning — current** | This architecture, source relations, unresolved implementation choices and candidate probes. | A small test can be specified without changing the intended object. |
| **Bounded offline prototype — proposed** | Local records, limited tools, explicit permissions and reproducible test inputs. | The observations distinguish useful process effects, defects and valid nulls. |
| **Opt-in field trial — proposed** | Consenting participants, recovery routes and independently examinable results. | Observed benefits and costs justify the next scope; failures change the design. |
| **Release decision — future** | A versioned implementation, compatibility record, audit coverage and continuing maintenance responsibilities. | A bounded use has adequate grounds, responsible participants and reopening conditions. |

A useful correction can narrow a component, replace a mechanism, split roles or retire a proposed feature. If the next review adds no answer-changing relation, the work can move into a bounded test or a valid pause. Freedom to explore, room to understand and responsibility for the next move stay connected.

## 1.14 Sources, contribution layers and recovery routes

**John Kuhles:** originating DeepEthicalOS direction and name; the DEANO triad proposal; openly directional advocacy with neutral arbitration and reciprocal oversight; Linux-hybrid and outside-audit questions; the Omarchy 4.5 hybrid question and supplied video/feature overview; and the commissioning requirement to begin with PQCE in a conceptual scope-reasoning phase.

**GPT 6.1 Sol Pro A.I.:** page-specific synthesis, implementation comparisons, proposed operating-record fields, candidate probes and publication; the three original replies, their distinct editorial integration and the two further replies in the open-loop dialogue; the source-checked Omarchy implementation assessment and proposed experiment. John also supplied the longer GPT-attributed contribution from partly different context processing, preserved with his original attribution. These contributions retain proposed status and remain available for correction. The earlier supplied Grok 4.7 Expert and Google artificial-intelligence responses formed part of the naming and operating-system discussion; their attributed examples are separate from the primary component documentation used here.

The supplied source pack includes *10+1(9).txt*; *Canonical 27 obstructions of deep ethical sense-making processes plus 12 fixes*; *44 ACCM Deep Ethics Oroject Goals — 10 Operational Core Goals — 4 Team+1*; and *ACCM-Deep-Ethics-Cold-Start-Kit-Reorganized-2026-10-26(4).txt*. This page draws on their baseline, canonical obstruction/protocol text and relevant glass-engine, triad, coordination, provenance and testing passages. Historical proposals, later corrections and attributed model reactions retain their separate roles. The October 26 kit remains that edition; the present page is dated 31 October 2026.

Public recovery routes preserve the connected objects:

- 44 Project Goals — especially G01, G07, G08, G09, G13, G14 and G30: correspondence, roles, anchors, clarification, glass-engine architecture, dignity and the continuing baseline.
- Neutral Arbiter Paradox — directional mission, impartial assessment and reciprocal correction.
- From Archive to Local A.I. — preparation architecture and the test of behaviour beyond vocabulary.
- Black Box and External Audit — examinable mechanisms, evidence boundaries and independent challenge.
- 1888, 10+1 and 27+12 — interacting intelligence properties, relational conditions and correspondence-first inquiry.

**Reopening question:** what did a later implementation, test or affected participant reveal that should change this architecture—and which next operation changed as a result?

## 1.15 Related pages

- **Tweaking Tools** — a source-linked candidate catalogue for the prototype's workspaces, memory, agent runtime, model experiments and parallel 16 Anchor Ethics counsel, with bounded comparison trials.
- **Herdr — agent-native runtimes and correction persistence** — connects operational sessions, remote machines and contribution-state history to the local-compute experiments.
- **VCRAS — DEANO risk and attention history** — follows the authority to accept a risk, the competing assessments available at the time, reopening conditions and later correction.
- **16 Anchor Ethics — attention allocation in DEANO** — brings non-imposing counsel and the evaluator's own foreground choices into the connected ethical field.
- **TCoAw — the static/dynamic bridge** — relates a stable mechanism and a temporary foreground to changing context and retained history.
- **Topologetics — static/dynamic relationships** — preserves the distinct roles of mechanism, state, context, observer and historical footprint across transformations.
- **Healthy Ambiguity** — keeps room to understand, freedom to explore and responsibility for the next move connected.
- **PQCE**, **10+1**, **C1–C2** and **1888** — connect process evaluation, mutually corrective orientation, clarification and the intelligence-property field.

---

## 1.16 Referenced source videos

### 1.16.1 3,000 Tokens/Sec Locally: Testing the ZGX Fury

Watch: 3,000 Tokens/Sec Locally: Testing the ZGX Fury

Watch the original video on YouTube.