SRI G.V.G. VISALAKSHI COLLEGE FOR WOMEN

(Autonomous)

Affiliated to Bharathiar University

An ISO 9001:2015 Certified Institution

Accredited at 'A' Grade by NAAC (FifthCycle)

Udumalpet- 642128



DEPARTMENT OF COMPUTER SCIENCE

PART IV – SKILL ENHANCEMENT COURSE III – LINUX PROGRAMMING

REG.NO : _____

NAME : _____

CLASS : _____

2026- 2027

SRI G.V.G. VISALAKSHI COLLEGE FOR WOMEN

(Autonomous)

Affiliated to Bharathiar University

An ISO 9001:2015 Certified Institution

Accredited at 'A'Grade by NAAC (FifthCycle)

Udumalpet - 642 128

DEPARTMENT OF COMPUTERSCIENCE

PART IV- SKILL ENHANCEMENT COURSE III – LINUX PROGRAMMING

CERTIFICATE

This is to certify that this is a bonafide record of the practical work done by Ms._____Reg. No_____of III B.Sc. Computer Science during the academic year 2026 - 2027 and submitted for the Practical Examination held on _____.

Signature of the Staff-in-charge **Signature of the HoD**

Signature of the Internal Examiner

CONTENT

S.No	Date	Title	PageNo	Signature
01	19.06.2026	File Commands		
02	30.06.2026	Arithmetic Operations		
03	08.07.2026	System Configuration		
04	16.07.2026	CPU Information		
05	24.07.2026	Pipes, Redirection and TEE Commands		
06	27.07.2026	Network Commands		
07	04.08.2026	Sum of Individual Digits		
08	19.08.2026	Multiplication Table		
09	20.08.2026	File, Date and Directories		
10	28.08.2026	Filter Commands		
11	08.09.2026	User Log Details		
12	24.09.2026	User Login and Shell Details		

Ex.No : 01	**FILE COMMANDS**
DATE : 19.06.2026	

AIM:

To create a shell script using the following file commands: rm, cp, cat, mv, cmp, wc, split, diff, locate, clear.

ALGORITHM:

Step 1**:** Start the process.

Step 2: Open application → Terminal**.**

Step 3: U**s**e the gedit command to open a new editor window

"**gedit filename.sh".**

Step **4:** To display the file operation commands like rm, cp, cat, mv, cmp, wc, split, diff, locate and clear.

Step **5:** Save the program.

Step **6:** To run the program, use the bash commands

"bash filename.sh".

Step **7:** Stop the process.

SOURCE CODING:

```
echo "File Commands"
echo"**********"
echo "1.Copy the file"
echo "2.Content of the file"
echo "3. Moved the file"
echo "4.Comparison of the file"
echo "5.Word count of the file
echo "6. Spilt the file"
echo "7.Differences the file"
echo "8.Locate the file
echo "9.Remove the file"
echo "10. Clear"
echo "Enter your choice:"
read ch
case $ch in
1)  cp filetext1.txt filetext2.txt
```

```
echo “file copied successfully”;;
2) cat filetext1.txt filetext2.txt;;
3) mv filetext1.txt filetext2.txt
echo “file moved successfully “;;
4) cmpfiletext1.txt filetext2.txt
echo “file compared successfully”;;
5) wc filetext1.txt filetext2.txt;;
6) split filetext1.txt filetext2.txt
echo “file splitted successfully”;;
7) diff filetext1.txt filetext2.txt;;
8) locate filetext1.txt;;
9) rm filetext1.txt
echo “file removed successfully”;;
10) clear;;
esac
```

OUTPUT:

```
 File   Commands
**********
```

1) Copy the file
2) Content of the file
3) Moved the file
4) Comparison of the file
5) Word count of the file
6) Spilt the file
7) Difference the file
8) Locate the file
9) Remove the file
10) Clear

```
Enter your choice: 1
File copied successfully.
Enter your choice: 2
Smile
Make you happy
Enter your choice: 3
```

File moved successfully.

Enter your choice: 4

File compared successfully.

Enter your choice: 5

5 filetext1.txt

4 3 5 filetext2.txt

Enter your choice: 6

File spitted successfully.

Enter your choice: 7

| C 1,2

<hello

…..

>.

Enter your choice: 8

Home | 1 cos k filecommand.sh

Enter your choice: 9

File removed successfully.

Enter your choice: 10

RESULT:

Thus, the above program File Commands has been executed successfully.

Ex.No : 02	**ARITHMETIC OPERATION**
DATE : 30.06.2026	

AIM:

To write a shell script for Arithmetic Operations.

ALGORITHM:

Step **1**: Start the process

Step 2: Open Application → Terminal

Step 3**:** Given the gedit command to open a new editor window

"gedit filename.sh".

Step 4**:** Display arithmetic operations like Addition, Subtraction, Multiplication, Division and Modulo

Step 5**:** Save the program.

Step 6**:** To run the program, use the bash command

"bash filename.sh"

Step **7:** Stop the process.

SOURCE CODING:

```
echo "Perform Arithmetic Operations using shell commands"
echo "**************************"
echo "Enter a value:"
read a
echo "Enter a value:"
read b
echo "1.addition"
echo "2.subtraction"
echo "3.multiplication"
echo "4.division"
echo "5.modulo"
echo "Enter your choice:"
read ch
case $ch in
1) val = $ (expr $a + $b)
echo "The addition of $a + $b is $val";;
2) val = $ (expr $a - $b)
```

```
echo “The subtraction of $a - $b is $val”;;
3) val = $ (expr $a \* $b)
echo “The multiplication of $a \* $b is $val”;;
4) val = $ (expr $a/ $b)
echo “The division of $a / $b is $val”;;
5) val = $(expr $a % $b)
echo “The modulo of $a % $b is $val”;;
6) echo “wrong choice”;;
esac
```

OUTPUT:

```
 Perform Arithmetic Operations using shell commands
 ***********************************************
 Enter a value:
6
Enter a value:

2

1.addition

2.subtraction

3.multiplication

4.division

5.modulo

Enter your choice:1

The addition of 6+2 is 8

Enter your choice:2

The subtraction of 6-2 is 4

Enter your choice:3

The multiplication of 6\*2 is 12

Enter your choice:4

The division  of 6/2 is 3

Enter your choice:5

The modulo of 6%2 is 0
```

RESULT:

Thus ,the above program Arithmetic Operations has been executed successfully.

Ex.No : 03	**FILE COMMANDS**
DATE : 08.07.2026	

AIM:

To write a shell script to show the following system configuration:

a) Current shell, Home directory, Operating system type, Current path setting, Current working directory.

ALGORITHM:

Step **1:** Start the process.

Step **2:** Open Application → Terminal.

Step **3:** Give the gedit command to open a new editor window

"gedit filename.sh".

Step **4:** To display current shell, home directory, operating system type, current path setting, and current working directory use $SHELL, $HOME, $OSTYPE, $PATH, $PWD.

Step **5:** Save the program.

Step **6:** To run the program, use the bash command

"bash filename.sh"

Step **7:** Stop the process.

SOURCE CODING:

```
echo "System Configuration with Directory"
echo "**********************"
echo "1. Current Shell"
echo "2. Home Directory"
echo "3. Operating System"
echo "4. Current Path Setting"
echo "5. Current Working Directory"
echo "Enter your choice: "
read n
if [ $n -eq 1 ]
then
echo "Current Shell : $SHELL"
elif[ $n -eq 2 ]
then
echo "Home Directory : $HOME"
```

```
elif [ $n -eq 3 ]
then
echo "Operating System : $OS"
elif [ $n -eq 4 ]
then
echo "Current Path Setting : $PATH"
elif[ $n -eq 5 ]
then
echo "Current Working Directory : $(pwd)"
else
echo "Wrong choice"
fi
```

OUTPUT:

System Configuration with Directory

****

1. Current shell
2. Home directory
3. Operating system
4. Current path setting
5. Current working directory

Enter your choice: 1

Current shell: /bin/bash

Enter your choice: 2

Home directory: /home/lab2

Enter your choice: 3

Operating system: linux-gnu

Enter your choice: 4

Current path setting:

/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/snap/bin:/snap/bin

Enter your choice: 5

Current working directory: /home/lab2

Enter your choice: 6

Wrong choice

RESULT:

Thus, the above program System Configuration has been executed successfully.

Ex.No : 04	**CPU INFORMATION**
DATE : 16.07.2026	

AIM:

To write a shell script to show the CPU information like processor types, speed and memory information.

ALGORITHM:

Step 1: Start the process.

Step 2: Open application -> Terminal ->gedit command.

Step 3**:** Use "**cupinfo"** command to read CPU information with model name and display it.

Step 4: Use **"cpuinfo"** command to read speed and display it.

Step 5: Use "**meminfo"** command to read memory information and display it.

Step 6**:** Print the details with appropriate labels using "echo command".

Step 7**:** save the script with **".sh"** extension and run the script in terminal as "cpuinfo.sh".

Step 8**:** Stop the process.

SOURCE CODING:

```
echo "Processor type"
Cat /proc/cpuinfo | grep "model name"
echo -e "\n processor speed:"
cat /proc/cpuinfo | grep "CPU MHZ"
echo -e "\n memory information:"
cat /proc/meminfo
```

OUTPUT:

```
Processor type:
    Model name: Intel (R) core(TM) i3-3220 CPU @ 3.30GHZ
    Model name: Intel (R) core(TM) i3-3220 CPU @ 3.30GHZ
    Processor speed:
    CPU MHZ       :3270.093
    CPU MNZ       :3028.007
    Memory speed:
```

MemTotal: 3864984 KB

MemFree: 2777016 KB

MeAvailable: 2917700 KB

Buffer: 956 KB

Cached: 438480 KB

Swapcached: 0 KB

Active(anon): 479884 KB

Inactive(anon): 144872 KB

Active(file): 500 KB

Inactive(file): 243196 KB

Unevictable: 0 KB

Mlocked: 0 KB

Swaptotal: 3933180 KB

Swaprre: 3933180 KB

Dirty: 24 KB

Writeback:0 KB

Anonpages: 1077568 KB

Mapped: 465976 KB

Shmen: 260620 KB

Kreclaimable: 178168 Kb

Slab: 327040 KB

Sreclaimable: 178168 KB

Sunreclaim: 148872 KB

Kernelstack: 8506 KB

Page Table: 20252 KB

Writeback Tmp: 0 KB

Commit Limit: 3741700 KB

Committed_As: 4817620 KB

RESULT:

Thus, the program for showing the CPU informationis executed successfully.

Ex.No : 05	**PIPES, REDIRECTION AND TEE COMMANDS**
DATE : 24.07.2026	

AIM:

To write a shell script using pipes, redirection and Tee commands

ALGORITHM:

Step 1: Start the process

Step 2**:** Open Application → Terminal

Step 3: Given the gedit command to open a new editor window

"gedit filename.sh"

Step 4**:** To Display pipe, redirection, Tee command, sort command.

Step 5**:** Save the program.

Step 6**:** To run the program, use the bash command

"bash filename.sh "

Step 7**:** Stop the process.

SOURCE CODING:

```
$Sort File | uniq
ls | grep Linux.txt
ls -l | grep li
ls > linu.txt
ls && file
ls -l | tee linux.txt
```

Output :

```
Usage: file [-bcCdEhikLlNnprsSvzZ0] [--apple] [--extension] [--mime-encoding]
            [--mime-type] [-e <testname>] [-F <separator>]   [-f <namefile>]
            [-m <magicfiles>] [-P <parameter=value>] [--exclude-quiet]
            <file> ... file -C [-m <magicfiles>]file [--help]
Linux.txt
-rw-rw-r-- 1 lab2 lab2      0 Aug   4 12:45 Linux2.txt
-rw-rw-r-- 1 lab2 lab2 1945 Aug   4 12:49 Linux.txt
2pgm2.sh        input.sh     nc-output.txt   pgm5.sh        program4.sh   Templates
a.sh            linux2.txt   number.sh       pgm7.sh        program6.sh   tt.sh
command3.sh     Linux2.txt   p55.sh          Pictures       Public        Videos
Desktop         Linux.txt    pgm1.sh         prg1.sh        smp.sh        xaa
Documents       memo.sh      pgm22.sh        Prg2.sh        snap
Downloads       Music        pgm2.sh         prgm5.sh       sona
filename.txt    nami         pgm3.sh         program3.sh    sudo.sh

Usage: file [-bcCdEhikLlNnprsSvzZ0] [--apple] [--extension] [--mime-encoding]
            [--mime-type] [-e <testname>] [-F <separator>]   [-f <namefile>]
            [-m <magicfiles>] [-P <parameter=value>] [--exclude-quiet]
            <file> ...file -C [-m <magicfiles>]file [--help]
total 136
-rwxrwxr-x 1 lab2 lab2   631 Jul   3 10:21 2pgm2.sh
-rwxrwxr-x 1 lab2 lab2 1343 Jun 24 12:38 a.sh
-rw-rw-r-- 1 lab2 lab2      0 Jun 30 09:19 command3.sh
drwxr-xr-x 2 lab2 lab2 4096 Nov 27   2024 Desktop
drwxr-xr-x 2 lab2 lab2 4096 Aug   4 13:15 Documents
drwxr-xr-x 2 lab2 lab2 4096 Nov 27   2024 Downloads
-rw-rw-r-- 1 lab2 lab2 1945 Aug   4 12:43 filename.txt
-rw-rw-r-- 1 lab2 lab2    72 Jul 21 10:18 input.sh
---x--x--x 1 lab2 lab2   178 Jul 17 12:39 memo.sh
drwxr-xr-x 2 lab2 lab2 4096 Nov 27   2024 Music
-rw-rw-r-- 1 lab2 lab2      0 Jul 21 10:11 number.sh
-rwxrwxr-x 1 lab2 lab2   103 Aug   4 13:15 p55.sh
-rwxrwxr-x 1 lab2 lab2 1407 Jul   9 12:33 pgm1.sh
-rwxrwxr-x 1 lab2 lab2   289 Jul 10 12:46 pgm22.sh
-rwxrwxr-x 1 lab2 lab2   398 Jul   2 12:14 pgm2.sh
-rwxrwxr-x 1 lab2 lab2   171 Jul   2 13:13 pgm3.sh
-rwxrwxr-x 1 lab2 lab2   422 Jul 25 12:49 pgm5.sh
-rwxrwxr-x 1 lab2 lab2   117 Aug   4 12:34 pgm7.sh
drwxr-xr-x 2 lab2 lab2 4096 Nov 27   2024 Pictures
-rw-rw-r-- 1 lab2 lab2   744 Jun 25 10:33 prg1.sh
-rwxrwxr-x 1 lab2 lab2   632 Jul   9 12:17 Prg2.sh
-rw-rw-r-- 1 lab2 lab2   617 Jul 21 10:15 prgm5.sh
-rw-rw-r-- 1 lab2 lab2   572 Jul   4 11:40 program3.sh
```

Result :

Thus the program for pipes,redirection and tee commands is executed successfully.

Ex.No : 06	**NETWORK COMMANDS**
DATE : 27.07.2026	

AIM:

To create a shell script for the following commands.

IONICE,IP,IFCONFIG,ISUB,NETCAT,KMOD,KILL

ALGORITHM:

Step 1: Start the process.

Step 2: Open Application -> Terminal.

Step 3: Given the Credit Command to Open New Editor Window Credit Filename.sh.

Step 4: Use IONICE,IP,IFCONFIG,ISUB,NETCAT,KMOD,KILL.

Step 5: Save the Program.

Step 6: To Run Program Use Bash Command bash Filename.sh.

Step 7: Stop the process.

SOURCECODING:

```
echo “Displaying IP Address and routine table…”
ip addr show
ip route show
lsusb
echo “Listing loaded kernel modules..”
kmod List
echo “Displaying Network Interfaces..”
ifconfig
if config etho
echo “Setting idle I/O priority for current process..”
ionice -c 3 -p $$
echo “Listing on port 8080 and saving output to nc – output.txt..”
nc -l 8080 > nc -output.txt &
echo “Killing netcatprocess..”
kill $ NC_ PID
echo “Script completed”
```

OUTPUT:

Display IP address and routing table..

1:<0:<<00PBACK ,UP ,< OWER-UP>M+u 65536 qdsicnoqueue state UNKNOWN:

Link|Loop back 00:00:00:00:00:00brd 00:00:00:00 inet 127.0.0.\ 1S Scone host <0

Valid -&& forever preferred – lftfovere:

Int 6 ::1|128 scope host

2:enpnsco : <BRADCAST, MULTICAT, UP, LOWER - UP>mtu 1500 qdiscnfifo – fast master bro static CP qlen 1000

Link/ether 74:27:ea:43:25cd7 bvdFF:FF:FF:FF:FF:

Network command sh:Line:3::pin:command not found

Listing USB device

BVS 001 device 002:IP 8087:002 Intel corp Integrated Rede nothing Hub

Listing Loaded Kernel modules

Network command sh:LineT:kmpod:command not found

Display Network Interface

RESULT:

Thus, the above program Network Commands has been Executed Successfully.

Ex.No : 07	**SUM OF THE INDIVIDUAL DIGITS**
DATE : 04.08.2026	

AIM:

To create a program to find the sum of the individual digits of a given number.

ALGORITHM:

Step 1: Start the process

Step 2: Open Application * Terminal gedit

Step 3: Read a input from the user and stare it in variable “num”

Step 4: Using while loop check for the condition, “$num -ne 0”

Step 5: Initialize the variable sum with 0

Step 6: If the condition is true calculate the following as digit = $((num/10)) sum = $((num+digit)) num = $ ((num/10))

Step 7: Print the sum using “echo” statement

Step 8: Save the script with **“.Sh”**extensionand run the terminal as bash command

Step 9: Stop the process

SOURCE CODING:

```
Read -p “Enter a number: “num
Sum =0
While [$num -ne 0]
do
digit =$((num%10))
sum =$((sum + digit))
num =$((num /10))
done
echo “sum of digits: $sum”
```

OUTPUT:

Enter a number:22

Sum of digits:4

RESULT:

Thus, the above program Sum of the individual digits has been executed successfully.

Ex.No : 08	**CPU INFORMATION**
DATE : 19.08.2026	

AIM:

To write a shell script to print the multiplication table of the given argument using for loop.

ALGORITHM:

Step 1: Start the process.

Step 2: Open Application → Terminal.

Step 3: Open a new editor window by using the '**gedit'** command.

Step 4: Use the read command to get the input and using the for loop to print the multiplication table.

Step 5: Save the program in .**sh**extension.

Step 6: Run the program in terminal by using the bash command.

"bash filename.sh"

Step 7: Stop the process.

SOURCE CODING:

```
echo "Multiplication Table"
echo "Enter a Number : "
read n
echo "Enter the Range : "
read y
for (( i=1; i<=$y; i++))
do
echo "$i*$n=$(($n*$i))"
done
```

OUTPUT:

Multiplication Table

Enter a Number: 11

Enter the Range: 10

1*11=11

2*11=22

3*11=33

4*11=44

5*11=55

6*11=66

7*11=77

8*11=88

9*11=99

10*11=110

RESULT:

Thus, the above program Multiplication Table is executed successfully.

Ex.No : 09	**CPU INFORMATION**
DATE : 20.08.2026	

AIM:

To Write a shell to displaying current date, username, file listing and directories by getting user choice.

ALGORITHM:

Step 1: Start the process

Step 2: Open application → Terminal

Step 3: Use gedit command to open a new editor window.

"gedit filename.sh"

Step 4: Use read command to get the input and case statement to display the current data, username,file listing &directories.

Step 5: Save the program in extension.

Step 6: To run the program in terminal by using the bash Command. **" bash filename.sh"**

Step 7: Stop the process.

SOURCE CODING:

```
echo "1. Date"
echo  "2.User name"
echo  "3.file listing"
echo "4.directories"
read -p" choose (1-4):" c
case $c in
 1) date;;
 2) whoami ;;
3) ls -1 ;;
4) ls-d*/ ;;
*)
echo "invalid choice" ;;
esac
```

OUTPUT:

1. Date

2. user name

3.file listing

4.directories

Choose (1-4):1

Tuesday aug 4 20:25:10 IST 2026

1. Date

2. user name

3. file listing

4.directories

Choose(1-4):2

Kiosk

Choose(1-4):3

Arithmeticoperations.sh

Arithmetic.sh

bash.txt

cmd2.sh

cmd3.sh

command1.sh

command2.sh

copy1.txt

copy2.tx

dept.txt

Choose(1-4): 4

Desktop / download / folder1 / folder2 / parent / documents / filename.txt / folders10 /

folder3 / music /

RESULT:

Thus, the above program Date, File and Directories has been executed successfully.

Ex.No : 10	FILTER COMMANDS
DATE : 20.08.2026	

AIM:

To write a shell script to implement the filter commands.

ALGORITHM:

Step 1: Start the process.

Step 2: Open Application → Terminal.

Step 3: Open a new editor window by using the "**gedit"** command.

Step 4: Display a file "data.txt" and enter data into using "echo" command.

Step 5: Display the file contents using "cat" command.

Step 6: Display the sorted file contents using "sort" command.

Step 7: Display the unique names using "cut, sort" and "uniq" commands.

Step 8: Display the specific lines using **"grep"** command with pattern.

Step 9: Sort the data based on age using "sort -k2 –n" command.

Step 10: Display the top 3 oldest people using "sort" and "head" commands.

Step 11: Save the program in.sh extension.

Step 12: Run the program in terminal by using the bash command.

"bash filename.sh"

Step 13: Stop the process.

SOURCE CODING:

```
echo "….Filter Commands….."
echo " John 25
Alice 30
 Bob 20
 John 25
Charlies 35
Alice 30" > data.txt
echo "original data:"
Cat data.txt
echo – e " \n1.sorted data:"
sort data.txt
```

```
echo – e “\n2.unique names:”
cut – d ‘’ -f1 data.txt | sort | uniq
echo -e “\n3.lines containing John:”
grep “John” data.txt
echo -e “\n4,data sorted by age:”
sort -k2 -n -r data.txt
echo -e “ |n5. Top 3 oldest people:”
sort -k2 -n -r data.txt | head -3
```

OUTPUT:

Original data:

John 25
Alice 30
Bob 20
John 25
Charlie 35
Alice 30

1.Sorted data:

Alice 30
Alice 30
Bob 20
Charlie 35
John 25
John 25

2.Unique Names:

Alice
Alice
Bob
Charlie
John

3.Line Containing John:

John 25
John 25

4.Data Sorted by Age:

Bob 20

John 25

John 25

Alice 30

Alice 30

Charlie 35

5.Top 3 Oldest People:

Charlie 35

Alice 30

Alice 30

RESULT:

Thus, the above program Filter Commands was executed successfully.

Ex.No : 11	USER LOG DETAILS
DATE : 08.09.2026	

AIM:

To write a shell script to show currently logged number of users and show all available shells.

ALGORITHM:

Step 1: Start the process

Step 2: Open Application → Terminal

Step 3: Open a new editor window by using the “gedit” command.

Step 4: Use the “who” command to list all users who are currently logged into the system.

Step 5: Use the “WC-L” command to get the number of users currently logged in.

Step 6: Use the “cat command with etc/ shells to display all the available shells.

Step 7: Save the program in .sh extension.

Step 8: Run the program in terminal by using bash command “bash filename.sh” .

Step 9: Stop the process.

SOURCE CODING:

```
echo “Number of currently logged-number of users: ”
who | wc -l
echo “All available shells in Linux:”
Cat / etc /shells
```

OUTPUT:

Number of currently logged-in users:

3

All available shells in Linux:

/bin/sh

/bin/bash

/sbin/nologin

/user/bin/sh

/user/bin/bash

/user/sbin/nologin

/bin/test

/bin/esh

RESULT:

Thus, the above program User login and Shell details has been executed successfully.

Ex.No : 12	**USER LOGIN AND SHELL DETAILS**

DATE : 24.09.2026	

AIM:

To write a shell script to show currently logged number of users and show all available shells.

ALGORITHM:

Step 1: Start the process

Step 2: Open Application → Terminal

Step 3: Open a new editor window by using the “gedit” command.

Step 4: Use the “who” command to list all users who are currently logged into the system.

Step 5: Use the “WC-L” command to get the number of users currently logged in.

Step 6: Use the “cat command with etc/ shells to display all the available shells.

Step 7: Save the program in .sh extension.

Step 8: Run the program in terminal by using bash command

“bash filename.sh”

Step 9: Stop the process.

SOURCE CODING:

```
echo “Number of currently logged-number of users: ”
who | wc -l
echo “All available shells in Linux:”
Cat / etc /shells
```

OUTPUT:

Number of currently logged-in users:

3

All available shells in Linux:

/bin/sh

/bin/bash

/sbin/nologin

/user/bin/sh

/user/bin/bash

/user/sbin/nologin

/bin/test

/bin/esh

RESULT:

Thus,the above program User login and Shell details has been executed successfully.