






New File at / · charulatha122/chan
1-Finding Duplicates-O(n^2) Time
New tab
File C:/Users/Charulatha/Downloads/1-Finding%20Duplicates-O(n%5E2)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
1-Finding Duplicates-O(n^2) Time Complexity,O(1) Space Complexity
Started on Tuesday, 29 September 2026, 3:34 PM
State Finished
Completed on Tuesday, 29 September 2026, 3:42 PM
Time taken 8 mins 25 secs
Marks 1.00/1.00
Grade 10.00 out of 10.00 (100%)
Question 1 Correct Mark 1.00 out of 1.00 Flag question
Find Duplicate in Array.
Given a read only array of n integers between 1 and n, find one number that repeats.
Input Format:
First Line - Number of elements
n Lines - n Elements
Output Format:
Element x - That is repeated
For example:
25°C
Mostly cloudy
Search
ENG
IN
78%
10:07 PM
02-11-2026



New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
New tab
File C:/Users/Charulatha/Downloads/1-Finding%20Duplicates-O(n%5E2)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
Question 1 | Correct | Mark 1.00 out of 1.00 | Flag question
Find Duplicate in Array.
Given a read only array of n integers between 1 and n, find one number that repeats.
Input Format:
First Line - Number of elements
n Lines - n Elements
Output Format:
Element x - That is repeated
For example:
Input
Result
5
1 1 2 3 4
1
Answer: (penalty regime: 0 %)
#include<stdio.h>
int main(){
int n;
scanf("%d",&n);
int a[n];
for(int i=0;i<n;i++){
scanf("%d",&a[i]);
}
for(int i=0;i<n;i++)
{
for(int j=i+1;j<n;j++)
{
if(a[i]==a[j])
25°C
Mostly cloudy
Search
ENG
IN
78%
10:07 PM
02-11-2026


New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
New tab
File C:/Users/Charulatha/Downloads/1-Finding%20Duplicates-O(n%5E2)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
int a[n];
for(int i=0;i<n;i++){
scanf("%d",&a[i]);
}
for(int i=0;i<n;i++)
{
for(int j=i+1;j<n;j++)
{
if(a[i]==a[j])
{
printf("%d",a[i]);
break;
}
}
}
}
Input
Expected
Got
11
10 9 7 6 5 1 2 3 8 4 7
7
7
5
1 2 3 4 4
4
4
5
1 1 2 3 4
1
1
Passed all tests!
Correct
25°C
Mostly cloudy
Search
ENG
IN
78%
10:08 PM
02-11-2026


New File at / · charulatha122/chan
1-Finding Duplicates-O(n^2) Time
New tab
2-Finding Duplicates-O(n) Time Co
File C:/Users/Charulatha/Downloads/2-Finding%20Duplicates-O(n)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
CS23331-DAA-2025-CSE / 2-Finding Duplicates-O(n) Time Complexity,O(1) Space Complexity
2-Finding Duplicates-O(n) Time Complexity,O(1) Space Complexity
Started on Tuesday, 29 September 2026, 3:28 PM
State Finished
Completed on Tuesday, 29 September 2026, 3:33 PM
Time taken 5 mins 21 secs
Marks 1.00/1.00
Grade 10.00 out of 10.00 (100%)
Question 1 Correct Mark 1.00 out of 1.00 Flag question
Find Duplicate in Array.
Given a read only array of n integers between 1 and n, find one number that repeats.
Input Format:
First Line - Number of elements
n Lines - n Elements
Output Format:
Element x - That is repeated
25°C
Mostly cloudy
Search
ENG
IN
78%
10:08 PM
02-11-2026


New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
New tab
2-Finding Duplicates-O(n) Time Co
File C:/Users/Charulatha/Downloads/2-Finding%20Duplicates-O(n)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
Output Format:
Element x - That is repeated
For example:
Input
Result
5
1 1 2 3 4
1
Answer: (penalty regime: 0 %)
#include<stdio.h>
int main()
{
int n;
scanf("%d",&n);
int a[n];
for(int i=0;i<n;i++)
{
scanf("%d",&a[i]);
}
int b[n];
for(int i=0;i<n;i++)
{
b[i]=0;
}
for(int i=0;i<n;i++)
{
if(b[a[i]]==1)
{
printf("%d",a[i]);
break;
}
b[a[i]]=1;
}
Show hidden icons
25°C
Mostly cloudy
Search
ENG
IN
78%
10:08 PM
02-11-2026


New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
New tab
2-Finding Duplicates-O(n) Time Co
File C:/Users/Charulatha/Downloads/2-Finding%20Duplicates-O(n)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
b[i]=0;
}
for(int i=0;i<n;i++)
{
if(b[a[i]]==1)
{
printf("%d",a[i]);
break;
}
b[a[i]]=1;
}
}
Input
Expected
Got
11
10 9 7 6 5 1 2 3 8 4 7
7
7
5
1 2 3 4 4
4
4
5
1 1 2 3 4
1
1
Passed all tests!
Correct
Marks for this submission: 1.00/1.00.
Finish review
25°C
Mostly cloudy
Search
ENG
IN
78%
10:08 PM
02-11-2026


New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
New tab
2-Finding Duplicates-O(n) Time Co
3-Print Intersection of 2 sorted arr
File C:/Users/Charulatha/Downloads/3-Print%20Intersection%20of%202%20sorted%20arrays-O(m_n)Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
CS23331-DAA-2025-CSE / 3-Print Intersection of 2 sorted arrays-O(m*n)Time Complexity,O(1) Space Complexity
3-Print Intersection of 2 sorted arrays-O(m*n)Time Complexity,O(1) Space Complexity
Started on Tuesday, 29 September 2026, 3:43 PM
State Finished
Completed on Tuesday, 29 September 2026, 4:01 PM
Time taken 18 mins 16 secs
Marks 1.00/1.00
Grade 10.00 out of 10.00 (100%)
Question 1 Correct Mark 1.00 out of 1.00 Flag question
Find the intersection of two sorted arrays.
OR in other words,
Given 2 sorted arrays, find all the elements which occur in both the arrays.
Input Format
· The first line contains T, the number of test cases. Following T lines contain:
1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array
25°C
Mostly cloudy
Search
ENG
IN
77%
10:10 PM
02-11-2026

New File at / · charulatha122/chan | 1-Finding Duplicates-O(n^2) Time | New tab | 2-Finding Duplicates-O(n) Time Co | 3-Print Intersection of 2 sorted arr
File C:/Users/Charulatha/Downloads/3-Print%20Intersection%20of%202%20sorted%20arrays-O(m_n)Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6


Output:


1 6


For example:


Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57


25°C Mostly cloudy
Search
ENG IN
77%
10:10 PM 02-11-2026



New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
New tab
2-Finding Duplicates-O(n) Time Co
3-Print Intersection of 2 sorted arr
File C:/Users/Charulatha/Downloads/3-Print%20Intersection%20of%202%20sorted%20arrays-O(m_n)Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
Answer: (penalty regime: 0 %)
#include<stdio.h>
int main()
{
int t;
scanf("%d",&t);
while(t!=0)
{
int n1,n2;
scanf("%d",&n1);
int a[n1];
for(int i=0;i<n1;i++)
{
scanf("%d",&a[i]);
}
scanf("%d",&n2);
int b[n2];
for(int i=0;i<n2;i++)
{
scanf("%d",&b[i]);
}
for(int i=0;i<n1;i++)
{
for(int j=0;j<n2;j++)
{
if(a[i]==b[j])
{
printf("%d ",a[i]);
}
}
}
t--;
}
}
25°C
Mostly cloudy
Search
ENG
IN
77%
10:10 PM
02-11-2026


New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
New tab
2-Finding Duplicates-O(n) Time Co
3-Print Intersection of 2 sorted arr
File C:/Users/Charulatha/Downloads/3-Print%20Intersection%20of%202%20sorted%20arrays-O(m_n)Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
{
printf("%d ",a[i]);
}
}
}
}
t--;
}
}
Input
Expected
Got
1
3 10 17 57
6
2 7 10 15 57 246
10 57
10 57
1
6 1 2 3 4 5 6
2
1 6
1 6
1 6
Passed all tests!
Correct
Marks for this submission: 1.00/1.00.
Finish review
Back to Course
25°C
Mostly cloudy
Search
ENG
IN
77%
10:10 PM
02-11-2026


New File at / · charulatha122/
1-Finding Duplicates-O(n^2)
New tab
2-Finding Duplicates-O(n) Tin
3-Print Intersection of 2 sorte
4-Print Intersection of 2 sorte
File C:/Users/Charulatha/Downloads/4-Print%20Intersection%20of%202%20sorted%20arrays-O(m+n)Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
CS23331-DAA-2025-CSE / 4-Print Intersection of 2 sorted arrays-O(m+n)Time Complexity,O(1) Space Complexity
4-Print Intersection of 2 sorted arrays-O(m+n)Time Complexity,O(1) Space Complexity
Started on Tuesday, 29 September 2026, 4:03 PM
State Finished
Completed on Thursday, 8 October 2026, 8:27 AM
Time taken 8 days 16 hours
Marks 1.00/1.00
Grade 10.00 out of 10.00 (100%)
Question 1 Correct Mark 1.00 out of 1.00 Flag question
Find the intersection of two sorted arrays.
OR in other words,
Given 2 sorted arrays, find all the elements which occur in both the arrays.
Input Format
· The first line contains T, the number of test cases. Following T lines contain:
1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array
25°C
Mostly cloudy
Search
ENG
IN
77%
10:11 PM
02-11-2026


New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
2-Finding Duplicates-O(n) Time Co
3-Print Intersection of 2 sorted arr
4-Print Intersection of 2 sorted arr
File C:/Users/Charulatha/Downloads/4-Print%20Intersection%20of%202%20sorted%20arrays-O(m+n)Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
Answer: (penalty regime: 0 %)
#include <stdio.h>
int main() {
int T;
scanf("%d", &T);
while (T--) {
int n1, n2;
scanf("%d", &n1);
int a[n1];
for (int i = 0; i < n1; i++)
scanf("%d", &a[i]);
scanf("%d", &n2);
int b[n2];
for (int i = 0; i < n2; i++)
scanf("%d", &b[i]);
int i = 0, j = 0;
while (i < n1 && j < n2) {
if (a[i] == b[j]) {
printf("%d ", a[i]);
i++;
j++;
}
else if (a[i] < b[j]) {
i++;
}
else {
j++;
}
}
printf("\n");
}
25°C
Mostly cloudy
Search
ENG
IN
77%
10:11 PM
02-11-2026


New File at / · charulatha122/char
1-Finding Duplicates-O(n^2) Time
2-Finding Duplicates-O(n) Time Co
3-Print Intersection of 2 sorted arr
4-Print Intersection of 2 sorted arr
File C:/Users/Charulatha/Downloads/4-Print%20Intersection%20of%202%20sorted%20arrays-O(m+n)Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
40 return 0;
41 }
Input
Expected
Got
1
3 10 17 57
6
2 7 10 15 57 246
10 57
10 57
1
6 1 2 3 4 5 6
2
1 6
1 6
1 6
Passed all tests!
Correct
Marks for this submission: 1.00/1.00.
Finish review
Back to Course
25°C
Mostly cloudy
Search
ENG
IN
77%
10:11 PM
02-11-2026


New File at / · charulatha122/
1-Finding Duplicates-O(n^2)
2-Finding Duplicates-O(n) Tir
3-Print Intersection of 2 sorte
4-Print Intersection of 2 sorte
5-Pair with Difference-O(n^2)
File C:/Users/Charulatha/Downloads/5-Pair%20with%20Difference-O(n%5E2)Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
CS23331-DAA-2025-CSE / 5-Pair with Difference-O(n^2)Time Complexity,O(1) Space Complexity
5-Pair with Difference-O(n^2)Time Complexity,O(1) Space Complexity
Started on Tuesday, 29 September 2026, 4:23 PM
State Finished
Completed on Tuesday, 29 September 2026, 4:31 PM
Time taken 8 mins 35 secs
Marks 1.00/1.00
Grade 10.00 out of 10.00 (100%)
Question 1 Correct Mark 1.00 out of 1.00 Flag question
Given an array A of sorted integers and another non negative integer k, find if there exists 2 indices i and j such that A[j] - A[i] = k, i != j.
Input Format:
First Line n - Number of elements in an array
Next n Lines - N elements in the array
k - Non - Negative Integer
Output Format:
1 - If pair exists
25°C
Mostly cloudy
Search
ENG
IN
76%
10:12 PM
02-11-2026

Output Format:

1 - If pair exists

0 - If no pair exists

Explanation for the given Sample Testcase:

YES as 5 - 1 = 4

So Return 1.

For example:


Input	Result
3 1 3 5 4	1


Answer: (penalty regime: 0 %)


```
#include<stdio.h>
int main()
{
    int n,k;
    scanf("%d",&n);
    int a[n];
    for(int i=0;i<n;i++)
    {
        scanf("%d",&a[i]);
    }
    scanf("%d",&k);
    for(int i=0;i<n;i++)
    {
        for(int j=0;j<n;j++)
```

```c
    scanf("%d",&k);
    for(int i=0;i<n;i++)
    {
        for(int j=0;j<n;j++)
        {
            if(a[j]-a[i]==k && i!=j)
            {
                printf("%d",1);
                return 0;
            }
        }
    }
    printf("%d",0);
}
```

	Input	Expected	Got	
☐	3 1 3 5 4	1	1	☐
☐	10 1 4 6 8 12 14 15 20 21 25 1	1	1	☐
☐	10 1 2 3 5 11 14 16 24 28 29 0	0	0	☐
☐	10 0 2 3 7 13 14 15 20 24 25 10	1	1	☐


New File at / · charulath
1-Finding Duplicates-O
2-Finding Duplicates-O
3-Print Intersection of 2
4-Print Intersection of 2
5-Pair with Difference-
6-Pair with Difference
File C:/Users/Charulatha/Downloads/6-Pair%20with%20Difference%20-O(n)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
CS23331-DAA-2025-CSE / 6-Pair with Difference -O(n) Time Complexity,O(1) Space Complexity
6-Pair with Difference -O(n) Time Complexity,O(1) Space Complexity
Started on Tuesday, 29 September 2026, 4:32 PM
State Finished
Completed on Thursday, 8 October 2026, 8:28 AM
Time taken 8 days 15 hours
Marks 1.00/1.00
Grade 10.00 out of 10.00 (100%)
Question 1 Correct Mark 1.00 out of 1.00 Flag question
Given an array A of sorted integers and another non negative integer k, find if there exists 2 indices i and j such that A[j] - A[i] = k, i != j.
Input Format:
First Line n - Number of elements in an array
Next n Lines - N elements in the array
k - Non - Negative Integer
Output Format:
1 - If pair exists
0 - If no pair exists
25°C
Mostly cloudy
Search
ENG
IN
76%
10:13 PM
02-11-2026


New File at / · charulath
1-Finding Duplicates-O
2-Finding Duplicates-O
3-Print Intersection of 2
4-Print Intersection of 2
5-Pair with Difference-C
6-Pair with Difference
File C:/Users/Charulatha/Downloads/6-Pair%20with%20Difference%20-O(n)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
Explanation for the given Sample Testcase:
YES as 5 - 1 = 4
So Return 1.
For example:
Input
Result
3
1 3 5
4
1
Answer: (penalty regime: 0 %)
#include <stdio.h>
int main()
{
int n, k;
scanf("%d", &n);
int a[n];
for (int i = 0; i < n; i++)
scanf("%d", &a[i]);
scanf("%d", &k);
int i = 0, j = 1;
while (j < n)
{
int diff = a[j] - a[i];
25°C
Mostly cloudy
Search
ENG
IN
76%
10:13 PM
02-11-2026


New File at / · charulath
1-Finding Duplicates-O
2-Finding Duplicates-O
3-Print Intersection of 2
4-Print Intersection of 2
5-Pair with Difference-C
6-Pair with Difference
File C:/Users/Charulatha/Downloads/6-Pair%20with%20Difference%20-O(n)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat
#include <stdio.h>
int main()
{
int n, k;
scanf("%d", &n);
int a[n];
for (int i = 0; i < n; i++)
scanf("%d", &a[i]);
scanf("%d", &k);
int i = 0, j = 1;
while (j < n)
{
int diff = a[j] - a[i];
if (i != j && diff == k)
{
printf("1");
return 0;
}
else if (diff < k)
{
j++;
}
else
{
i++;
if (i == j)
j++;
}
}
printf("0");
25°C
Mostly cloudy
Search
ENG
IN
76%
10:13 PM
02-11-2026

New File at / · charulath | 1-Finding Duplicates-O | 2-Finding Duplicates-O | 3-Print Intersection of 2 | 4-Print Intersection of 2 | 5-Pair with Difference- | 6-Pair with Difference
File C:/Users/Charulatha/Downloads/6-Pair%20with%20Difference%20-O(n)%20Time%20Complexity,O(1)%20Space%20Complexity_%20Attempt%20review%20(1).mht
Chat

	Input	Expected	Got	
	3 1 3 5 4	1	1	
	10 1 4 6 8 12 14 15 20 21 25 1	1	1	
	10 1 2 3 5 11 14 16 24 28 29 0	0	0	
	10 0 2 3 7 13 14 15 20 24 25 10	1	1	

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Finish review

Back to Course

25°C Mostly cloudy
Search
ENG IN
76%
10:13 PM 02-11-2026