

# React

## 1.ReactJS-HOL

```
D:\>npx create-react-app@latest myfirstreact
Need to install the following packages:
create-react-app@5.1.0
Ok to proceed? (y) y

Creating a new React app in D:\myfirstreact.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1301 packages in 47s

272 packages are looking for funding
  run `npm fund` for details
Git repo not initialized Error: Command failed: git --version
    at genericNodeError (node:internal/errors:983:15)
    at wrappedFn (node:internal/errors:537:14)
    at checkExecSyncError (node:child_process:915:11)
    at execSync (node:child_process:987:15)
    at tryGitInit (D:\myfirstreact\node_modules\react-scripts\scripts\init.js:46:5)
    at module.exports (D:\myfirstreact\node_modules\react-scripts\scripts\init.js:276:7)
    at [eval]:3:14
    at runScriptInThisContext (node:internal/vm:209:10)
    at node:internal/process/execution:446:12
    at [eval]-wrapper:6:24 {
  status: 1,
  signal: null,
  output: [ null, null, null ],
  pid: 28864,
  stdout: null,
  stderr: null
}

Installing template dependencies using npm...

added 17 packages, removed 1 package, and changed 1 package in 6s

272 packages are looking for funding
  run `npm fund` for details
Removing template package using npm...

removed 1 package, and audited 1317 packages in 5s
```

```
removed 1 package, and audited 1317 packages in 5s

272 packages are looking for funding
  run `npm fund` for details

28 vulnerabilities (9 low, 6 moderate, 13 high)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.

Success! Created myfirstreact at D:\myfirstreact
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd myfirstreact
  npm start

Happy hacking!

D:\>|
```

```
D:\>cd myfirstreact

D:\myfirstreact>npm start

> myfirstreact@0.1.0 start
> react-scripts start

(node:3620) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(Use 'node --trace-deprecation ...' to show where the warning was created)
(node:3620) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
Compiled successfully!

You can now view myfirstreact in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://192.168.0.7:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
|
```



Edit src/App.js and save to reload.

[Learn React](#)


```
Microsoft Windows [Version 10.0.26200.8737]  
(c) Microsoft Corporation. All rights reserved.
```

```
C:\Users\deepi>d:
```

```
D:\>cd myfirstreact
```

```
D:\myfirstreact>code .
```

```
D:\myfirstreact>|
```



```
JS App.js  X
src > JS App.js > [icon] default
1  function App(){
2      return(
3          <div>
4              <h1> Welcome to the first session of react </h1>
5          </div>
6      );
7  }
8  export default App;
```

```
src > JS App.js > [🔗] default
1 function App(){

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS +

D:\myfirstreact>npm start

> myfirstreact@0.1.0 start
> react-scripts start


(node:31172) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning
: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares'
option.
(Use `node --trace-deprecation ...` to show where the warning was created)
(node:31172) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarnin
g: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddleware
s' option.
Starting the development server...
Compiled successfully!

You can now view myfirstreact in the browser.

Local:      http://localhost:3000
On Your Network: http://192.168.0.7:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```



## Welcome to the first session of react

## 2.ReactJS-HOL

```
Microsoft Windows [Version 10.0.26200.8737]
(c) Microsoft Corporation. All rights reserved.

C:\Users\deepi>npx create-react-app@latest studentapp

Creating a new React app in C:\Users\deepi\studentapp.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1301 packages in 2m

272 packages are looking for funding
  run `npm fund` for details
Git repo not initialized Error: Command failed: git --version
    at genericNodeError (node:internal/errors:983:15)
    at wrappedFn (node:internal/errors:537:14)
    at checkExecSyncError (node:child_process:915:11)
    at execSync (node:child_process:987:15)
    at tryGitInit (C:\Users\deepi\studentapp\node_modules\react-scripts\scripts\init.js:46:5)
    at module.exports (C:\Users\deepi\studentapp\node_modules\react-scripts\scripts\init.js:276:7)
    at [eval]:3:14
    at runScriptInThisContext (node:internal/vm:209:10)
    at node:internal/process/execution:446:12
    at [eval]-wrapper:6:24 {
  status: 1,
  signal: null,
  output: [ null, null, null ],
  pid: 32996,
  stdout: null,
  stderr: null
}

Installing template dependencies using npm...

added 17 packages, removed 1 package, and changed 1 package in 8s

272 packages are looking for funding
  run `npm fund` for details
Removing template package using npm...

removed 1 package, and audited 1317 packages in 5s

272 packages are looking for funding
```

```
To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.

Success! Created studentapp at C:\Users\deepi\studentapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd studentapp
  npm start

Happy hacking!
C:\Users\deepi>|
```

STUDENTAPP

- > node\_modules
- > public
- src
  - components
    - JS About.js
    - JS Contact.js
    - JS Home.js
  - # App.css
  - JS App.js
  - JS App.test.js
  - # index.css
  - JS index.js
  - logo.svg
  - JS reportWebVitals.js
  - JS setupTests.js
  - .gitignore
  - package-lock.json
  - package.json
  - README.md

JS Home.js

src > components > JS Home.js > default

```
1  import React from "react";
2  class Home extends React.Component{
3    render(){
4      return(
5        <div>
6          <h1>Welcome to Home page of Student Management Portal</h1>
7        </div>
8      )
9    }
10 }
11 export default Home;
```

```
JS Home.js JS Contact.js X
src > components > JS Contact.js > [🔗] default
1  import React from "react";
2  class Contact extends React.Component{
3      render(){
4          return(
5              <div>
6                  <h1> Welcome to Contact page of Student management portal</h1>
7              </div>
8          )
9      }
10 }
11 export default Contact;
```

```
JS Home.js JS Contact.js JS About.js X
src > components > JS About.js > [🔗] default
1  import React from "react";
2  class About extends React.Component{
3      render(){
4          return(
5              <div>
6                  <h1> Welcome to about page of Student Management portal</h1>
7              </div>
8          )
9      }
10 }
11 export default About;
```

```
App.js Home.js Contact.js
src > JS App.js > [🔗] default
1  import Home from './components/Home';
2  import About from './components/About';
3  import Contact from './components/Contact';
4
5  function App(){
6      return(
7          <div>
8              <Home/>
9              <About/>
10             <Contact/>
11          </div>
12      );
13  }
14  export default App;
```





### 3.ReactJS-HOL

#### ▼ SCORECALCULATORAPP

> node\_modules

> public

#### ▼ src

#### ▼ components

JS calculateScore.js

#### ▼ stylesheets

# myStyle.css

# App.css

JS App.js

JS App.test.js

# index.css

JS index.js

🖼 logo.svg

JS reportWebVitals.js

JS setupTests.js

📄 .gitignore

{ } package-lock.json

{ } package.json

📖 README.md

```

components > JS calculateScore.js > ...
import '../stylesheets/myStyle.css';

// Converts a decimal value into a percentage with 2 decimal places
const percentToDecimal = (decimal) => {
  return (decimal.toFixed(2) + "%");
}

// Calculates the score percentage
const calcScore = (total, goal) => {
  return percentToDecimal(total / goal);
}

// Functional Component
export const CalculateScore = ({ Name, School, total, goal }) => (
  <div className="formatstyle">
    <h1>
      <font color="Brown">Student Details:</font>
    </h1>

    <div className="Name">
      <b><span>Name:</span></b>
      <span>{Name}</span>
    </div>

    <div className="School">
      <b><span>School:</span></b>
      <span>{School}</span>
    </div>

```

```

32      <div className="Total">
33        <b><span>Total:</span></b>
34        <span>{total}</span>
35        <span> Marks</span>
36      </div>
37
38      <div className="Score">
39        <b>Score:</b>
40
41        <span>
42          {
43            calcScore(total, goal)
44          }
45        </span>
46      </div>
47    </div>
48  </div>
49
50  );
51

```

```

1  .Name{
2    font-weight:300;
3    color: blue;
4  }
5
6  .School{
7    color: crimson;
8  }
9
10 .Total{
11   color: darkmagenta;
12 }
13
14 .formatstyle{
15   text-align:center;
16   font-size:large;
17 }
18
19 .Score{
20   color: forestgreen;
21 }

```

```

1  import { CalculateScore } from "../components/calculateScore";
2
3  function App() {
4
5    return (
6      <div>
7        <CalculateScore
8          Name={"Steve"}
9          School={"DNV Public School"}
10         total={284}
11         goal={3}
12       />
13     </div>
14   );
15 }
16
17 export default App;


```



## Student Details:

Name: Steve  
School: DNV Public School  
Total: 284 Marks  
Score: 94.67%

## 4. ReactJS-HOL



```
src > JS Post.js > [🔍] default
1   class Post{
2       constructor(id,title,body){
3           this.id = id;
4           this.title = title;
5           this.body = body;
6       }
7   }
8   export default Post;
```

```
src > Posts.js > Posts > loadPosts > then() callback
1   import React from "react";
2   import Post from "../Post";
3
4   class Posts extends React.Component {
5
6       constructor(props) {
7           super(props);
8
9           this.state = {
10              posts: []
11          };
12      }
13      loadPosts() {
14          fetch("https://jsonplaceholder.typicode.com/posts")
15              .then(response => response.json())
16              .then(data => {
17                  const posts = data.map(item =>
18                      new Post(item.id, item.title, item.body)
19                  );
20                  this.setState({
21                      posts: posts
22                  });
23              });
24      });
25
26  }
```


```
27     componentDidMount() {
28         this.loadPosts();
29     }
30
31     componentDidCatch(error, info) {
32         alert(error);
33     }
34
35     render() {
36         return (
37             <div>
38                 {
39                     this.state.posts.map(post => (
40
41                         <div key={post.id}>
42
43                             <h2>{post.title}</h2>
44
45                             <p>{post.body}</p>
46
47                         </div>
48
49                     ))
50                 }
51             </div>
52         );
53
54     };
```

```
55
56     }
57
58 }
59
60 export default Posts;
```


```

src > JS App.js > App
1  import './App.css';
2  import Posts from './Posts';
3
4  function App() {
5
6      return (
7          <div className="App">
8
9              <Posts />
10
11          </div>
12      );
13
14  }
15
16  export default App;


```









## 5.ReactJS-HOL






```
# CohortDetails.module.css    JS CohortDetails.js X
src > JS CohortDetails.js > CohortDetails
1  import styles from "./CohortDetails.module.css";
2  function CohortDetails(props) {
3      return (
4          <div className={styles.box}>
5              <h3 style={{color:
6                  props.cohort.currentStatus === "Ongoing"? "green" : "blue"
7                  }}>
8                  {props.cohort.cohortCode} -
9                  <span>{props.cohort.technology}</span>
10             </h3>
11             <dl>
12                 <dt>Started On</dt>
13                 <dd>{props.cohort.startDate}</dd>
14                 <dt>Current Status</dt>
15                 <dd>{props.cohort.currentStatus}</dd>
16                 <dt>Coach</dt>
17                 <dd>{props.cohort.coachName}</dd>
18                 <dt>Trainer</dt>
19                 <dd>{props.cohort.trainerName}</dd>
20             </dl>
21         </div>
22     );
23 }
24 export default CohortDetails;
```

src > JS App.js > default

```
1 import logo from './logo.svg';
2 import './App.css';
3 import { CohortsData } from './Cohort'
4 import CohortDetails from './CohortDetails';
5
6 function App() {
7
8   return (
9     <div>
10      <h1>Cohorts Details</h1>
11      {CohortsData.map(cohort => <CohortDetails cohort={cohort}/>)}
12    </div>
13   );
14 }
15
16 export default App;
```

src > # CohortDetails.module.css > dt


```
1 .box{
2   width:300px;
3   display:inline-block;
4   margin:10px;
5   padding:10px 20px;
6   border:1px solid black;
7   border-radius:10px;
8 }
9 dt{
10   font-weight:500;
11 }
```



## Cohorts Details

|                                                                                                                                    |                                                                                                                                             |                                                                                                                                     |                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>INTADMDF10 -.NET FSD</b><br>Started On<br>22-Feb-2022<br>Current Status<br>Scheduled<br>Coach<br>Aathma<br>Trainer<br>Jojo Jose | <b>ADM21JF014 -Java FSD</b><br>Started On<br>10-Sep-2021<br>Current Status<br>Ongoing<br>Coach<br>Apoorv<br>Trainer<br>Elisa Smith          | <b>CDBJF21025 -Java FSD</b><br>Started On<br>24-Dec-2021<br>Current Status<br>Ongoing<br>Coach<br>Aathma<br>Trainer<br>John Doe     | <b>INTADMJF12 -Java FSD</b><br>Started On<br>22-Feb-2022<br>Current Status<br>Scheduled<br>Coach<br>Ibrahim<br>Trainer<br>To Be Assigned |
| <b>CDE22JF011 -Java FSD</b><br>Started On<br>24-Dec-2021<br>Current Status<br>Ongoing<br>Coach<br>Apoorv<br>Trainer<br>Emma Swan   | <b>INTADMDF09 -Dataware Housing</b><br>Started On<br>22-Feb-2022<br>Current Status<br>Scheduled<br>Coach<br>Aathma<br>Trainer<br>Babjee Rao | <b>ADM22DF001 -.NET FSD</b><br>Started On<br>10-Sep-2021<br>Current Status<br>Ongoing<br>Coach<br>Ibrahim<br>Trainer<br>Marie Curie |                                                                                                                                          |

## 9.ReactJS-HOL



JS App.js ×

src > JS App.js > ...

```
1  import ListofPlayers from "./ListofPlayers";
2  import IndianPlayers from "./IndianPlayers";
3
4  function App() {
5      const flag = true;
6      if (flag) {
7          return (
8              <div>
9                  <ListofPlayers />
10             </div>
11         );
12     }
13     else {
14         return (
15             <div>
16                 <IndianPlayers />
17             </div>
18         );
19     }
20 }
21 export default App;
```

JS App.js

JS IndianPlayers.js X

src > JS IndianPlayers.js > IndianPlayers

```
1  const IndianTeam = [  
2    "Sachin",  
3    "Dhoni",  
4    "Virat",  
5    "Rohit",  
6    "Rahul",  
7    "Gill"  
8  ];  
9  
10 // Destructuring  
11 const [first, second, third, fourth, fifth, sixth] = IndianTeam;  
12  
13 const T20Players = [  
14   "Hardik",  
15   "Surya",  
16   "Pant"  
17 ];  
18  
19 const RanjiTrophyPlayers = [  
20   "Pujara",  
21   "Rahane",  
22   "Jaiswal"  
23 ];
```

```

25 // Merge arrays
26 const mergedPlayers = [
27   ...T20Players,
28   ...RanjiTrophyPlayers
29 ];
30
31 function IndianPlayers() {
32
33   return (
34
35     <div>
36
37       <h2>Odd Players</h2>
38
39       <ul>
40         <li>{first}</li>
41         <li>{third}</li>
42         <li>{fifth}</li>
43       </ul>
44
45       <hr />

```

```

46
47     <h2>Even Players</h2>
48
49     <ul>
50       <li>{second}</li>
51       <li>{fourth}</li>
52       <li>{sixth}</li>
53     </ul>
54
55     <hr />
56
57     <h2>List of Indian Players Merged</h2>
58
59     <ul>
60       {
61         mergedPlayers.map(player => (
62           <li>{player}</li>
63         ))
64       }
65     </ul>
66
67   </div>

```



```

67     </div>
68
69     );
70 }
71
72 export default IndianPlayers;

```

```

src > JS ListofPlayers.js > [?] default
1  function ListofPlayers() {
2
3      const players = [
4          { name: "Sachin", score: 95 },
5          { name: "Dhoni", score: 88 },
6          { name: "Virat", score: 92 },
7          { name: "Rohit", score: 67 },
8          { name: "Rahul", score: 65 },
9          { name: "Gill", score: 85 },
10         { name: "Hardik", score: 72 },
11         { name: "Jadeja", score: 60 },
12         { name: "Bumrah", score: 55 },
13         { name: "Shami", score: 78 },
14         { name: "Siraj", score: 68 }
15     ];
16
17     const playersBelow70 = players.filter(player => player.score < 70);

```

```

19     return (
20         <div>
21
22             <h2>List of Players</h2>
23
24             <ul>
25                 {
26                     players.map(player => (
27                         <li>
28                             {player.name} - {player.score}
29                         </li>
30                     ))
31                 }
32             </ul>
33
34             <hr />
35

```

```

35
36     <h2>List of Players having Scores Less than 70</h2>
37
38     <ul>
39         {
40             playersBelow70.map(player => (
41                 <li>
42                     {player.name} - {player.score}
43                 </li>
44             ))
45         }
46     </ul>
47
48 </div>
49 );
50 }
51
52 export default ListofPlayers;

```

## If flag is true



### List of Players

- Sachin - 95
- Dhoni - 88
- Virat - 92
- Rohit - 67
- Rahul - 65
- Gill - 85
- Hardik - 72
- Jadeja - 60
- Bumrah - 55
- Shami - 78
- Siraj - 68

### List of Players having Scores Less than 70

- Rohit - 67
- Rahul - 65
- Jadeja - 60
- Bumrah - 55
- Siraj - 68

```

src > JS App.js > App
1  import ListofPlayers from "../ListofPlayers";
2  import IndianPlayers from "../IndianPlayers";
3
4  function App() {
5      const flag = false;
6      if (flag) {
7          return (
8              <div>
9                  <ListofPlayers />
10             </div>
11         );
12     }
13     else {
14         return (
15             <div>
16                 <IndianPlayers />
17             </div>
18         );
19     }
20 }
21 export default App;

```

## If flag is false



### Odd Players

- Sachin
- Virat
- Rahul

### Even Players

- Dhoni
- Rohit
- Gill

### List of Indian Players Merged

- Hardik
- Surya
- Pant
- Pujara
- Rahane
- Jaiswal

## 10.ReactJS-HOL

### ▼ OFFICESPACERENTALAPP

> node\_modules

> public

▼ src

# App.css

JS App.js

JS App.test.js

# index.css

JS index.js

🖼 logo.svg

JS reportWebVitals.js

JS setupTests.js

📄 .gitignore

{ } package-lock.json

{ } package.json

📖 README.md

```

src > JS App.js > App > offices
1   import "./App.css";
2   function App(){
3     const element = "Office Space";
4     const image =
5       "https://images.unsplash.com/photo-1497366754035-f200968a6e72?w=400";
6     const offices = [
7       {
8         Name: "DBS",
9         Rent: 50000,
10        Address: "Chennai"
11      },
12      {
13        Name: "CTS",
14        Rent: 60000,
15        Address: "Chennai"
16      },
17      {
18        Name: "TCS",
19        Rent: 75000,
20        Address: "Bangalore"
21      },
22    ];

```


```

24   return(
25     <div style={{ marginLeft: "150px" }}>
26       <h1>{element}, at Affordable Range</h1>
27       <img
28         src={image}
29         alt="Office Space"
30         width="250"
31         height="250"
32       />
33       {
34         offices.map((office, index) => (
35           <div key={index}>
36             <h2>Name: {office.Name}</h2>
37           </div>
38         ))
39       }
40     </div>
41   );


```

```
44     <h3
45       style={{
46         color:
47           office.Rent < 60000
48             ? "red"
49             : "green"
50       }}
51     >
52       Rent: Rs. {office.Rent}
53     </h3>
54
55     <h3>
56       Address: {office.Address}
57     </h3>
58
59     <hr />
60
61   </div>
62
63 ))
64
65 }
66
67 </div>
```

```
68
69   );
70
71 }
72 export default App;
```



## 11.ReactJS-HOL



src > components > JS CurrencyConverter.js > CurrencyConvertor

```
1  import React, { useState } from "react";
2
3  function CurrencyConvertor() {
4
5      const [amount, setAmount] = useState("");
6      const [currency, setCurrency] = useState("");
7
8      const handleSubmit = () => {
9
10         const euro = (amount * 80).toFixed(2);
11
12         alert(
13             "Converting €" +
14             amount +
15             " to Rupees " +
16             " Amount is ₹" +
17             euro
18         );
19     };
20 }
```



```

22     return (
23       <div>
24         <h1 style={{ color: "green" }}>
25           | Currency Converter!!!
26         </h1>
27
28         <label>Amount : </label>
29
30         <input
31           type="number"
32           value={amount}
33           onChange={(e) => setAmount(e.target.value)}
34         />
35
36         <br /><br />
37
38         <label>Currency : </label>
39
40         <input
41           type="text"
42           value={currency}
43           onChange={(e) => setCurrency(e.target.value)}
44           placeholder="Euro"
45         />
46

```

```

47
48         <br /><br />
49
50         <button onClick={handleSubmit}>
51           | Submit
52         </button>
53
54       </div>
55     );
56   }
57
58   export default CurrencyConverter;

```

src > JS App.js > [🔗] default

```
1  import React, { useState } from "react";
2  import CurrencyConvertor from "../components/CurrencyConvertor";
3
4  function App() {
5
6      const [count, setCount] = useState(0);
7
8      const increment = () => {
9          |   setCount(count + 1);
10         };
11
12         const decrement = () => {
13             |   setCount(count - 1);
14         };
15
16         const sayHello = () => {
17             |   alert("Hello Member!");
18         };
19
20         const handleIncrement = () => {
21             |   increment();
22             |   sayHello();
23         };
24
25         const sayWelcome = (msg) => {
26             |   alert(msg);
27         };
```

```


29     const handleClick = () => {
30       alert("I was clicked");
31     };
32
33     return (
34       <div style={{ margin: "20px" }}>
35
36         <h2>{count}</h2>
37
38         <button onClick={handleIncrement}>
39           Increment
40         </button>
41
42         <br /><br />
43
44         <button onClick={decrement}>
45           Decrement
46         </button>
47
48         <br /><br />
49
50         <button onClick={() => sayWelcome("Welcome")}>
51           Say Welcome
52         </button>
53

```

```

53
54         <br /><br />
55
56         <button onClick={handleClick}>
57           Click on me
58         </button>
59
60         <br /><br />
61
62         <CurrencyConvertor />
63
64       </div>
65     );
66   }
67
68   export default App;

```



0

Increment

Decrement

Say Welcome


Click on me


## Currency Converter!!!

Amount :

Currency :

Submit





1

Increment

Decrement

Say Welcome


Click on me



## Currency Converter!!!

Amount :

Currency :

Submit





## 12.ReactJS-HOL

### ▼ TICKETBOOKINGAPP

> node\_modules

> public

▼ src

▼ components

**JS** Greeting.js

**JS** GuestGreeting.js

**JS** LoginButton.js

**JS** LogoutButton.js

**JS** UserGreeting.js

**#** App.css

**JS** App.js

**JS** App.test.js

**#** index.css

**JS** index.js

 logo.svg

**JS** reportWebVitals.js

**JS** setupTests.js

 .gitignore

**{ }** package-lock.json

**{ }** package.json

 README.md

```

src > JS App.js > App
1  import React, { useState } from "react";
2  import Greeting from "../components/Greeting";
3  import LoginButton from "../components/LoginButton";
4  import LogoutButton from "../components/LogoutButton";
5
6  function App() {
7
8      const [isLoggedIn, setIsLoggedIn] = useState(false);
9      const handleLogin = () => {
10         setIsLoggedIn(true);
11     };
12     const handleLogout = () => {
13         setIsLoggedIn(false);
14     };
15
16     let button;
17

```

```

18     if (isLoggedIn) {
19         button = <LogoutButton onClick={handleLogout} />;
20     }
21     else {
22         button = <LoginButton onClick={handleLogin} />;
23     }
24
25     return (
26         <div style={{ margin: "40px" }}>
27             <Greeting isLoggedIn={isLoggedIn} />
28             {button}
29         </div>
30     );
31
32 }
33
34 export default App;

```



src > components > JS LoginButton.js > [🔗] default

```
1  function LoginButton(props) {
2
3      return (
4          <button onClick={props.onClick}>
5              Login
6          </button>
7      );
8
9  }
10
11  export default LoginButton;
```

src > components > JS LogoutButton.js > [🔗] default


```
1  function LogoutButton(props) {
2
3      return (
4          <button onClick={props.onClick}>
5              Logout
6          </button>
7      );
8
9  }
10
11  export default LogoutButton;
```

src > components > JS GuestGreeting.js > [🔗] default

```
1  function GuestGreeting() {
2
3      return (
4          <h1>Please sign up.</h1>
5      );
6
7  }
8
9  export default GuestGreeting;
```


```
src > components > JS UserGreeting.js > ...
1   function UserGreeting() {
2
3       return (
4           <h1>Welcome back</h1>
5       );
6
7   }
8
9   export default UserGreeting;
```

```
src > components > JS Greeting.js > [🔗] default
1   import UserGreeting from "../UserGreeting";
2   import GuestGreeting from "../GuestGreeting";
3
4   function Greeting(props) {
5
6       const isLoggedIn = props.isLoggedIn;
7
8       if (isLoggedIn) {
9           return <UserGreeting />;
10      }
11
12      return <GuestGreeting />;
13  }
14
15  export default Greeting;
```



**Please sign up.**

Login



**Welcome back**

Logout

## 13.ReactJS-HOL

```
▼ BLOGGERAPP  
  > node_modules  
  > public  
  ▼ src  
    ▼ components  
      JS BlogDetails.js  
      JS BookDetails.js  
      JS CourseDetails.js  
      # App.css  
      JS App.js  
      JS App.test.js  
      # index.css  
      JS index.js  
      🖼 logo.svg  
      JS reportWebVitals.js  
      JS setupTests.js  
      📁 citizenere
```

src > JS App.js > [🔗] default

```
1  import './App.css';
2  import BookDetails from './components/BookDetails';
3  import BlogDetails from './components/BlogDetails';
4  import CourseDetails from './components/CourseDetails';
5
6  function App() {
7
8      const books = [
9          { id: 1, bname: "Master React", price: 670 },
10         { id: 2, bname: "Deep Dive into Angular 11", price: 800 },
11         { id: 3, bname: "Mongo Essentials", price: 450 }
12     ];
13
14     const blogs = [
15         {
16             id: 1,
17             title: "React Learning",
18             author: "Stephen Biz",
19             content: "Welcome to learning React!"
20         },
21         {
22             id: 2,
23             title: "Installation",
24             author: "Schwezdznier",
25             content: "You can install React from npm."
26         }
27     ];
```

```
29     const courses = [  
30         {  
31             id: 1,  
32             name: "Angular",  
33             date: "4/5/2021"  
34         },  
35         {  
36             id: 2,  
37             name: "React",  
38             date: "6/3/2020"  
39         }  
40     ];  
41  
42     return (  
43         <div className="container">  
44             <CourseDetails courses={courses} />  
45             <BookDetails books={books} />  
46             <BlogDetails blogs={blogs} />  
47         </div>  
48     );  
49 }  
50  
51  
52  
53 }
```

src > components > JS CourseDetails.js >  CourseDetails

```
1  function CourseDetails(props) {
2    return (
3      <div className="column">
4        <h1>Course Details</h1>
5        {
6          props.courses.map((course) => (
7            <div key={course.id}>
8              <h2>{course.name}</h2>
9              <h4>{course.date}</h4>
10             </div>
11           ))
12         }
13       </div>
14     );
15   }
16
17   export default CourseDetails;
```

src > components > JS BookDetails.js > [🔗] default

```
1  function BookDetails(props) {
2
3      return (
4
5          <div className="column">
6
7              <h1>Book Details</h1>
8
9              {
10                 props.books.map((book) => (
11
12                     <div key={book.id}>
13
14                         <h3>{book.bname}</h3>
15
16                         <h4>{book.price}</h4>
17
18                     </div>
19
20                 ))
21             }
22
23         </div>
24
25     );
26 }
```



src > components > JS BlogDetails.js > [🔗] default

```
1  function BlogDetails(props) {  
3      return (  
4  
5          <div className="column">  
6  
7              <h1>Blog Details</h1>  
8  
9              {  
10                 props.blogs.map((blog) => (  
11  
12                     <div key={blog.id}>  
13  
14                         <h2>{blog.title}</h2>  
15  
16                         <h4>{blog.author}</h4>  
17  
18                         <p>{blog.content}</p>  
19  
20                     </div>  
21  
22                 ))  
23             }  
24  
25         </div>  
26  
27     );  
28 }
```

src > # App.css > h4

```
1  .container{
2
3      display:flex;
4
5      justify-content:center;
6
7      margin-top:80px;
8
9  }
10
11  .column{
12
13      padding:30px;
14
15      border-right:4px solid green;
16
17      width:300px;
18
19  }
20
21  .column:last-child{
22
23      border-right:none;
24
25  }
```

```
27 h1{
28   |
29   | font-size:40px;
30   |
31   }
32
33 h2{
34   |
35   | font-size:28px;
36   |
37   }
38
39 h3{
40   |
41   | font-size:24px;
42   |
43   }
44
45 h4{
46   |
47   | font-size:20px;
48   |
49   }
```



## Course Details

### Angular

4/5/2021

### React

6/3/2020

## Book Details

### Master React

670

### Deep Dive into Angular 11

800

### Mongo Essentials

450

## Blog Details

### React Learning

Stephen Biz

Welcome to learning React!

### Installation

Schwezdznier

You can install React from npm.