

WEEK 1: Requirement Analysis and Customer Database Module

1. Requirement Analysis

Understanding Saree Boutique Business

A Saree Boutique system manages the complete process of displaying, selling, and managing sarees. Customers can browse different saree collections, select their preferred saree, place orders, make payments, and provide reviews after receiving their orders.

The Process Flow:

Browse / Search Saree:

The customer searches for the saree they want to purchase based on type, design, colour, or price.

Add to Cart:

After selecting the required saree, the customer adds it to the cart.

Order Placed:

The customer selects the delivery address and places the order.

Checkout / Payment:

After placing the order, the customer proceeds to the payment section and completes the checkout process.

Delivery:

After successful payment, the saree is prepared and dispatched for delivery to the customer.

Review & Support:

After receiving the saree, the customer may provide a review and rating. They may also contact support for return, replacement, or other issues.

Entities

Entity	Description	Key Attributes	Key Relationships
Customer	Person who browses and purchases sarees.	customer_id (PK), first_name, last_name, email, phone, created_at	One-to-Many with Order, Review
Seller	Boutique or merchant selling sarees.	seller_id (PK), boutique_name, email, phone, rating, bank_details	One-to-Many with Saree Product
Saree Product	Saree listed for sale in the boutique.	product_id (PK), seller_id (FK), saree_name, description, price, stock_quantity, saree_type	Many-to-One with Seller, One-to-Many with Review

Entity	Description	Key Attributes	Key Relationships
Order	Transaction representing a customer's saree purchase.	order_id (PK), customer_id (FK), order_date, status, total_amount, shipping_address	Many-to-One with Customer, One-to-One with Payment, Many-to-Many with Saree Product via OrderItem
Payment	Monetary transaction related to an order.	payment_id (PK), order_id (FK), payment_method, status, transaction_id, amount, payment_date	One-to-One with Order
Review	Feedback and rating given by a customer for a saree.	review_id (PK), customer_id (FK), product_id (FK), rating, comment, created_at	Many-to-One with Customer, Many-to-One with Saree Product

Customer Table Creation

```
SQL> connect system/Deepikaa_30
Connected.
SQL> CREATE TABLE Customer (customer_id NUMBER PRIMARY KEY,first_name VARCHAR2(30) NOT NULL,last_name VARCHAR2(30),email VARCHAR2(50) UNIQUE,phone NUMBER UNIQUE,address VARCHAR2(100),created_at DATE);
CREATE TABLE Customer (customer_id NUMBER PRIMARY KEY,first_name VARCHAR2(30) NOT NULL,last_name VARCHAR2(30),email VARCHAR2(50) UNIQUE,phone NUMBER UNIQUE,address VARCHAR2(100),created_at DATE)
```

Insert Values

```
SQL> SELECT * FROM Customer;
```

```
CUSTOMER_ID CUSTOMER_NAME
```

```
EMAIL
```

```
PHONE
```

```
ADDRESS
```

```
REGISTRATION_DATE
```

```
1 Ananya  
ananya@gmail.com  
Chennai  
01-SEP-26
```

```
9000000011
```

```
CUSTOMER_ID CUSTOMER_NAME
```

```
EMAIL
```

```
PHONE
```

```
ADDRESS
```

```
REGISTRATION_DATE
```

```
2 Keerthana  
keerthana@gmail.com  
Madurai  
02-SEP-26
```

```
9000000012
```

```
CUSTOMER_ID CUSTOMER_NAME
```

```
EMAIL
```

```
PHONE
```

```
ADDRESS
```

```
REGISTRATION_DATE
```

```
3 Divya  
divya@gmail.com  
Coimbatore
```

```
9000000013
```

Update

```
SQL> UPDATE Customer SET customer_name='Ananya', email='ananya@gmail.com', phone=9000000011, address='Chennai' WHERE customer_id=1;

1 row updated.

SQL> UPDATE Customer SET customer_name='Keerthana', email='keerthana@gmail.com', phone=9000000012, address='Madurai' WHERE customer_id=2;

1 row updated.

SQL> UPDATE Customer SET customer_name='Divya', email='divya@gmail.com', phone=9000000013, address='Coimbatore' WHERE customer_id=3;

1 row updated.

SQL> UPDATE Customer SET customer_name='Harini', email='harini@gmail.com', phone=9000000014, address='Salem' WHERE customer_id=4;

1 row updated.

SQL> UPDATE Customer SET customer_name='Swetha', email='swetha@gmail.com', phone=9000000015, address='Trichy' WHERE customer_id=5;

1 row updated.

SQL> COMMIT;

Commit complete.
```

Display Customer Table

```
SQL> SELECT * FROM Customer;
```