RAJALAKSHMI ENGINEERING COLLEGE

Deepika D P 251801049-2025-AIDS D2

Started on	Thursday, 27 August 2026, 10:08 AM
State	Finished
Completed on	Thursday, 27 August 2026, 10:23 AM
Time taken	14 mins 36 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Write a program to take value V and we want to make change for V Rs, and we have infinite supply of each of the denominations in Indian currency, i.e., we have infinite supply of { 1, 2, 5, 10, 20, 50, 100, 500, 1000} valued coins/notes, what is the minimum number of coins and/or notes needed to make the change.

Input Format:

Take an integer from stdin.

Output Format:

print the integer which is change of the number.

Example Input :

64

Output:

4

Explanaton:

We need a 50 Rs note and a 10 Rs note and two 2 rupee coins.

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main(){
int V;
scanf("%d",&V);
int denominators[]={1000,500,100,50,20,10,5,2,1};
int n = 9;
int total_coins = 0;
for(int i=0;i<n;i++){
if(V>= denominators[i]){
total_coins += V /denominators[i];
V = V%denominators[i];
}
}
printf("%d\n",total_coins);
return 0;
}
```

	Input	Expected	Got	
✔	49	5	5	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course