The latexbug package*

The LATEX Team 2024/07/16

This file is maintained by the LATEX Project team. Bug reports can be opened (category latex) at https://latex-project.org/bugs.html.

1 Introduction

Software has bugs and LATEX unfortunately is no exception. If somebody encounters a bug then it helps if that bug gets reported to the right people so that the bug can be resolved (or a workaround documented or whatever is most appropriate). The problem is to know to whom to report the bug.

The IATEX Project Team maintains a bug database for its own code base (which consists of the IATEX kernel and some packages that have been written by people in the IATEX Project Team). However, the IATEX universe consists of several thousand contributed packages maintained by individuals all over the world. And if a bug happens in one of those packages it doesn't help anybody if it is dumped at the IATEX Project's doorstep.

For one, we can't actually change other people's code even if we are able to identify the issue. Furthermore we are only a few people and simply do not have the bandwidth to analyze bugs in other people's work.

We have therefore written this little package called <code>latexbug</code> that should help in identifying the rightful addressee for a bug report. We ask that it will be loaded in any test file that is intended to be sent to the LATEX bug database as part of a bug report.

The package will determine if the test file is in a suitable state to be sent to us or if it should be modified first or if it should be sent to somebody else because the bug is (likely) to be in code not maintained by the LATEX Project Team.

Bug reports sent to the LATEX bug database without that prior verification are likely to get closed without being looked at at our end in the future.

2 The user interface

The user interface is simple: the package has no option and doesn't define any new commands to be used. All that is required is that the package is loaded as the very first step in the test file that shows the bug — in other words before

^{*}This file has version number v1.0p, last revised 2024/07/16.

the \documentclass. For that reason it must be loaded using \RequirePackage instead of the usual \usepackage that is used in the preamble of a document.

Thus, a bug report test files should look like this:

If the test file runs through (showing the bug) without any complains for latexbug then the test file is ready to be sent to the LATEX bug database. The procedure for uploading and the location is documented at

```
https://www.latex-project.org/bugs/
```

If latexbug does generate an error, however, then this error needs to be addressed first and the depending on the resolution the bug report may has to be sent to somebody else.

An error is generated if the test file makes use of third-party code that is not maintained by the LATEX Project Team. For example, if the file would load geometry and footmisc you would see the following:

```
Package latexbug Error: Third-party file(s)
(latexbug)
```

It then continues with advice to remove such third-party code from the test file. If that is not possible, because the bug goes away if a package is removed, then the problem is (most likely) with this package and the bug report should be sent to the maintainer of that package and not to the LATEX bug database.

```
(latexbug) So you should contact the authors (latexbug) of these files, not the LaTeX Team! (latexbug) (Or remove the packages that load (latexbug) them, if they are not necessary to (latexbug) exhibit the problem).
```

To make life somewhat easier latexbug will tell you the name of the maintainer (if we know it and have added it in) and if possible also the canonical bug address for the package (like in the case of geometry). If we don't have that information, you need to find it out for yourself by looking at the package documentation.

There may be cases where third-party code is essential to exhibit a bug in core LATEX code maintained by the the LATEX Team. The error text therefore finishes off with the following sentence:

(latexbug)	If you think the bug is in core LaTeX
(latexbug)	(as maintained by the LaTeX Team) but
(latexbug)	these files are needed to demonstrate
(latexbug)	the problem, please continue and mention
(latexbug)	this explicitly in your bug report
(latexbug)	(with an explanation why you think so).

Please explain your reasoning why you think this is the case in detail as part of the bug report.

It is also possible that latexbug doesn't generate an error, but issues a warning, that it has detected one or more packages, that have their own bug tracker. In that case the report should be made in the bug tracker of that package and not in the LATEX $2_{\mathcal{E}}$, even if it is a package that is mainted by us!

Other people look these bug tracker to search for known problems and thus it is best if yours is recorded in the right place. Such a warning will look like this (we use hyperref as an example):

```
Package latexbug Warning: Special bug tracker!
(latexbug)
(latexbug)
                          This test file uses the following file(s)
(latexbug)
(latexbug)
                          =========
(latexbug)
                          hyperref.sty -> Report at:
(latexbug)
                              https://github.com/latex3/hyperref/issues
                          =========
(latexbug)
(latexbug)
(latexbug)
                          Please note that these files have their own
(latexbug)
                          bug tracker and your issue should therefore
(latexbug)
                          be reported in the indicated repository.
(latexbug)
(latexbug)
                          If they are not necessary to exhibit the problem,
(latexbug)
                          remove them from your example and rerun it,
(latexbug)
                          otherwise report the issue in the listed repository.
(latexbug)
(latexbug)
                          If different repositories are listed, try to
(latexbug)
                          select the most appropriate one (but don't worry
(latexbug)
                          too much, if the choice is not clear to you).
```

Thank you for taking the time to report a bug and prepare a test file showing it!

2.1 A note on the database content in the package

When a document is run through IATEX it will load a number of files and bug reports that are to be sent to the IATEX Team should only load files that we maintain and not third-party packages.

The database, if you want to call that, inside latexbug is simply a comma separated key value list consisting of file names = maintainer info. Most of the time the maintainer info is us or us* (the star means we maintain it, but in some repository other that latex2e — either latex3 (default) or some other we point to, so the file is fine) or ignore (meaning we do not maintain it, but it is a file that is likely to appear for one or the other reason and we should accept such a bug report nonetheless without giving any warning).

Any file loaded in the bug report not listed will show up in the error listing flagged as "third-party" code that should be removed as explained above.

For a small number of popular third-party packages we have collected the name of the external maintainer and if available to us some extra info so that it is easier to send to the rightful addressee if you encounter a bug in such a third-party package. But to keep this manageable this is only done for a very small number of the 5000+ packages out there (though we might add one or the other over time).

It is however not impossible that we missed one or the other file that should have been listed as "maintained by us" but isn't and thus incorrectly generates an error. If you run into that problem or notice an omission of that sort, please send us a bug report or open an issue at the GitHub source of the package which is located at:

https://github.com/latex3/latexbug/

3 The documentation driver file

The next bit of code contains the documentation driver file for T_EX, i.e., the file that will produce the documentation you are currently reading. It will be extracted from this file by the docstrip program.

```
1 (*driver)
2 \RequirePackage{latexbug}
3 \documentclass{ltxdoc}
4 \GetFileInfo{latexbug.sty}
5 %\usepackage{geometry,footmisc,hyperref}
                                              % uncomment for latexbug error
6 %\usepackage{xparse}
                                              % uncomment for latexbug error
7 \EnableCrossrefs
8 %\DisableCrossrefs
                         % Say \DisableCrossrefs if index is ready
9 %\OnlyDescription
                         % Comment out for implementation details
10 \begin{document}
     \DocInput{latexbug.dtx}
12 \end{document}
13 (/driver)
```

4 The implementation

```
14 (*package)
15 \NeedsTeXFormat{LaTeX2e}
16 \ProvidesPackage{latexbug}[2024/07/16 v1.0p Bug-classification]

\latexbug@empty Fixed text used in checking what actions to take with different files.
\latexbug@us
17 \def\latexbug@empty{}

\latexbug@ustar
18 \def\latexbug@usstar{us*}
```

```
20 \def\latexbug@ignore{ignore}
```

\Contact A very simple piece of markup, really.

```
21 \def\Contact{\MessageBreak \@spaces}
```

The database of packages is set up in a group so we can throw away the loop command.

```
22 \begingroup
```

\latexbug@loop A simple loop set up which reads a known format for the file-to-maintainer mapping. The trailing space is important (stripping it is not really worth it for this very limited use case).

```
23 \long\def\latexbug@loop #1 = #2 #3, {% spaces matter
24 \global\@namedef{latexbug@@#1}{{#2}{#3}}%
25 \ifx\latexbug@empty#1\else\expandafter\latexbug@loop\fi}
```

A simple database of files. The value us means we accept bugs for it. We also take bug reports for us* (expl3 or other repositories we suport) entries, but they need to go to a different GitHub repository, so are handled separately (and only show up if there are no third-party packages). For the latex3/latex3 repository just write us*, for others one need to specify the full details, e.g.,

A value of **ignore** means that its not our code, but we understand that it may show up in legitimate test files and should therefore not trigger an error.

Any file not in there will trigger an error if loaded and any file in there with some other value than us or ignore will also trigger an error displaying the value (which hopefully is the maintainers name). (Handling for us* means these files may not show up, depending on the nature of the use case.)

The database format is somewhat fragile: one needs to have a space on both sides of the equal sign and before the comma (or one gets a nasty low-level error), and names can't have no-ascii characters in them, so they end up crippled (sorry for that).

```
26 \latexbug@loop
27 %-----
28 latexbug.sty = us ,
29 regression-test = us ,
30 \; {\tt regression\text{-}test.tex} \; = \; {\tt us} \; ,
31 %----- base
32 alltt.sty = us ,
33 ansinew.def = us
34 \text{ applemac.def} = us,
35 article.cls = us ,
36 \text{ article.sty} = \text{us},
37 \text{ ascii.def} = \text{us},
38 atbegshi-ltx.sty = us ,
39 atveryend-ltx.sty = us ,
40 bezier.sty = us ,
41 \text{ bk10.clo} = \text{us},
```

```
42 \text{ bk11.clo} = \text{us},
43 \text{ bk12.clo} = \text{us},
44 book.cls = us ,
45 book.sty = us ,
46 \text{ cp1250.def} = \text{us},
47 \text{ cp1252.def} = us ,
48 \text{ cp1257.def} = us ,
49 \text{ cp437.def} = us ,
50 \text{ cp437de.def} = \text{us},
51 \text{ cp850.def} = \text{us} ,
52 \text{ cp852.def} = \text{us},
53 \text{ cp858.def} = \text{us},
54 \text{ cp865.def} = \text{us},
55 decmulti.def = us ,
56 \text{ doc-v3beta.sty} = \text{us},
57 \, doc-2016-02-15.sty = us,
58 \, doc-2021-06-01.sty = us,
59 \text{ doc.sty} = \text{us},
60 docstrip.tex = us ,
61 \text{ exscale.sty} = \text{us},
62 \text{ fix-cm.sty} = \text{us},
63 \text{ fixltx2e.sty} = \text{us},
64 \text{ flafter.sty} = \text{us},
65 fleqn.clo = us ,
66 \text{ fleqn.sty} = \text{us},
67 fltrace.sty = us ,
68 \text{ fontenc.sty} = us,
69 fontmath.cfg = us ,
70 \text{ fontmath.ltx} = us ,
71 \text{ fonttext.cfg} = us ,
72 \text{ fonttext.ltx} = \text{us},
73 \text{ graphpap.sty} = \text{us},
74 \text{ hyphen.ltx} = \text{us},
75 \text{ idx.tex} = \text{us},
76 \text{ ifthen.sty} = us,
77 inputenc.sty = us ,
78 \text{ lablst.tex} = \text{us},
79 latex.ltx = us ,
80 latex209.def = us ,
81 latexrelease.sty = us ,
82 latexsym.sty = us ,
83  latin1.def = us ,
84 latin10.def = us ,
85 latin2.def = us ,
86 latin3.def = us ,
87 latin4.def = us ,
88 latin5.def = us ,
89 latin9.def = us,
90 \text{ lcyenc.dfu} = \text{us},
91 leqno.clo = us ,
92 \text{ leqno.sty} = \text{us},
93 letter.cls = us ,
94 letter.sty = us ,
95 lppl.tex = us ,
```

```
96 ltluatex.lua = us ,
97 ltluatex.lua = us ,
98 ltluatex.tex = us ,
99 ltluatex.tex = us ,
100 ltnews.cls = us ,
101 ltxcheck.tex = us ,
102 ltxdoc.cls = us ,
103 ltxdoc.cfg = us ,
104 ltxguide.cls = us ,
105 \text{ ly1enc.dfu} = \text{us},
106 \text{ macce.def} = us ,
107 makeidx.sty = us ,
108 minimal.cls = us ,
109 newlfont.sty = us ,
110 next.def = us ,
111 nfssfont.tex = us ,
112 oldlfont.sty = us ,
113 \text{ omlcmm.fd} = us ,
114 \text{ omlcmr.fd} = us ,
115 \text{ omlenc.def} = us,
116 \text{ omllcmm.fd} = us ,
117 omscmr.fd = us ,
118 \text{ omscmsy.fd} = us ,
119 omsenc.def = us ,
120 omsenc.dfu = us ,
121 omslcmsy.fd = us ,
122 \text{ omxcmex.fd} = us,
123 omxlcmex.fd = us ,
124 \text{ openbib.sty} = us,
125 \text{ ot1cmdh.fd} = us ,
126 \text{ ot1cmfib.fd} = us ,
127 \text{ ot1cmfr.fd} = us,
128 \text{ ot1cmr.fd} = \text{us},
129 \text{ ot1cmss.fd} = us ,
130 \text{ ot1cmtt.fd} = us ,
131 ot1cmvtt.fd = us ,
132 otlenc.def = us ,
133 \text{ otlenc.dfu} = us ,
134 \text{ otllcmss.fd} = us ,
135 \text{ otllcmtt.fd} = us ,
136 \text{ ot2enc.dfu} = \text{us},
137 \text{ ot4enc.def} = us ,
138 preload.cfg = us ,
139 preload.ltx = us ,
140 proc.cls = us ,
141 proc.sty = us ,
142 report.cls = us ,
143 \text{ report.sty} = us,
144 \text{ sample2e.tex} = \text{us},
145 \text{ sfonts.def} = us ,
146 \text{ shortvrb.sty} = us ,
147 \text{ showidx.sty} = us ,
148 \text{ size10.clo} = \text{us},
149 \text{ size11.clo} = \text{us},
```

```
150 \text{ size} 12.\text{clo} = \text{us},
151 slides.cls = us ,
152 slides.def = us ,
153 slides.sty = us ,
154 \text{ small2e.tex} = \text{us},
155 \text{ source2e.tex} = \text{us},
156 source2edoc.cls = us ,
157 structuredlog.sty = us ,
158 	ext{ syntonly.sty} = 	ext{us},
159 t1cmdh.fd = us ,
160 \text{ t1cmfib.fd} = \text{us},
161 \text{ t1cmfr.fd} = us ,
162 \text{ t1cmr.fd} = \text{us},
163 t1cmss.fd = us ,
164 \text{ t1cmtt.fd} = \text{us},
165 \text{ t1cmvtt.fd} = \text{us},
166 \text{ tlenc.def} = us ,
167 t1enc.dfu = us ,
168 t1enc.sty = us ,
169 \text{ t1lcmss.fd} = \text{us},
170 \text{ t1lcmtt.fd} = \text{us},
171 \text{ t2aenc.dfu} = \text{us},
172 \text{ t2benc.dfu} = \text{us},
173 \text{ t2cenc.dfu} = \text{us},
174 \text{ testpage.tex} = \text{us},
175 texsys.cfg = us ,
176 \text{ textcomp-} 2018-08-11.sty = us,
177 textcomp.sty = us ,
178 \text{ tracefnt.sty} = us ,
179 \text{ ts1cmr.fd} = \text{us},
180 \text{ ts1cmss.fd} = \text{us},
181 \text{ ts1cmtt.fd} = \text{us},
182 \text{ ts1cmvtt.fd} = \text{us},
183 \text{ tslenc.def} = us ,
184 ts1enc.dfu = us ,
185 tuenc.def = us ,
186 tulmdh.fd = us ,
187 tulmr.fd = us ,
188 \text{ tulmss.fd} = us ,
189 \text{ tulmssq.fd} = \text{us},
190 tulmtt.fd = us ,
191 tulmvtt.fd = us ,
192 ucmr.fd = us ,
193 ucmss.fd = us ,
194 ucmtt.fd = us ,
195 ulasy.fd = us ,
196 ullasy.fd = us ,
197 \text{ utf8-2018.def} = us ,
198 \text{ utf8.def} = \text{us},
199 \text{ utf8enc.dfu} = \text{us},
200 \text{ x2enc.dfu} = \text{us},
201 %----- tools
202 afterpage.sty = us ,
203 \text{ array-} 2016-10-06.sty = us,
```

```
204 \text{ array-} 2020-02-10.sty = us,
205 \text{ array-} 2023-11-01.sty = us,
206 array.sty = us ,
207 \text{ bm.sty} = \text{us},
208 \text{ calc.sty} = \text{us},
209 dcolumn.sty = us ,
210 delarray.sty = us ,
211 \text{ e.tex} = \text{us},
212 \text{ enumerate.sty} = us,
213 \text{ fontsmpl.sty} = \text{us},
214 \text{ fontsmpl.tex} = \text{us},
215 ftnright.sty = us ,
216 \text{ h.tex} = \text{us},
217 \text{ hhline.sty} = \text{us},
218 indentfirst.sty = us ,
219 layout.sty = us ,
220 longtable-2020-01-07.sty = us,
221 longtable.sty = us ,
222 \text{ multicol} - 2017 - 04 - 11.\text{sty} = \text{us},
223 \text{ multicol} - 2019 - 10 - 01.\text{sty} = \text{us},
224 multicol.sty = us ,
225 \text{ q.tex} = \text{us},
226 \text{ r.tex} = \text{us},
227 rawfonts.sty = us ,
228 \text{ s.tex} = \text{us},
229 shellesc.sty = us ,
230 \text{ showkeys-} 2014-10-28.sty = us ,
231 showkeys.sty = us ,
232 \text{ somedefs.sty} = \text{us},
233 tabularx.sty = us ,
234 \text{ thb.sty} = \text{us},
235 \text{ thc.sty} = \text{us},
236 \text{ thcb.sty} = \text{us},
237 \text{ theorem.sty} = \text{us} ,
238 \text{ thm.sty} = \text{us},
239 \text{ thmb.sty} = us,
240 \text{ thp.sty} = \text{us},
241 \text{ trace.sty} = \text{us},
242 \text{ varioref-} 2016-02-16.\text{sty} = \text{us},
243 \text{ varioref.sty} = \text{us},
244 \text{ verbatim.sty} = \text{us},
245 \text{ verbtest.tex} = \text{us},
246 \text{ x.tex} = \text{us},
247 \text{ xr} - 2023 - 07 - 04.\text{sty} = \text{us},
248 \text{ xr.sty} = \text{us},
249 \text{ xspace.sty} = \text{us},
250 %----- babel (locale files)
251 babel-slovenian.tex = ignore ,
252 babel-slovene.tex = ignore ,
253 \, \text{babel-slovak.tex} = \text{ignore},
254 \; \text{babel-urdu.tex} = \text{ignore} ,
255 \; {\tt babel-northernkurdish.tex} \; = \; {\tt ignore} \; ,
256 babel-kurmanji.tex = ignore ,
257 \; \mathrm{babel\text{-}northernkurdish\text{-}arabic.tex} = \mathrm{ignore} ,
```

```
258 babel-northernkurdish-arab.tex = ignore ,
259 \; \text{babel-northernsami.tex} = \text{ignore} ,
260 babel-samin.tex = ignore ,
261 babel-soga.tex = ignore ,
262 babel-swahili.tex = ignore ,
263 babel-cherokee.tex = ignore ,
264 babel-koyrachiini.tex = ignore ,
265 babel-kabyle.tex = ignore ,
266 babel-uyghur.tex = ignore ,
267 babel-kako.tex = ignore ,
268 babel-uzbek.tex = ignore ,
269 babel-uzbek-latn.tex = ignore ,
270 babel-uzbek-arabic.tex = ignore ,
271 babel-uzbek-cyrillic.tex = ignore ,
272 babel-uzbek-latin.tex = ignore ,
273 babel-uzbek-arab.tex = ignore ,
274 babel-uzbek-cyrl.tex = ignore ,
275 babel-polish.tex = ignore ,
276 babel-rombo.tex = ignore ,
277 babel-vietnam.tex = ignore ,
278 babel-vietnamese.tex = ignore ,
279 babel-masai.tex = ignore ,
280 babel-albanian.tex = ignore ,
281 babel-kamba.tex = ignore ,
282 babel-swedish.tex = ignore ,
283 babel-irish.tex = ignore ,
284 babel-hebrew.tex = ignore ,
285 babel-inarisami.tex = ignore ,
286 babel-malay.tex = ignore ,
287 babel-malay-singapore.tex = ignore ,
288 babel-malay-sg.tex = ignore ,
289 babel-malay-brunei.tex = ignore ,
290 babel-malay-bn.tex = ignore ,
291 babel-mazanderani.tex = ignore ,
292 \; \text{babel-khmer.tex} = \text{ignore},
293 babel-maltese.tex = ignore ,
294 babel-tasawaq.tex = ignore ,
295 \text{ babel-bemba.tex} = \text{ignore},
296 babel-armenian.tex = ignore ,
297 babel-amharic.tex = ignore ,
298 babel-zarma.tex = ignore ,
299 babel-nynorsk.tex = ignore ,
300 babel-norwegiannynorsk.tex = ignore ,
301 babel-belarusian.tex = ignore ,
302 babel-danish.tex = ignore ,
303 babel-kalaallisut.tex = ignore ,
304 babel-shambala.tex = ignore ,
305 babel-marathi.tex = ignore ,
306 babel-kazakh.tex = ignore ,
307 babel-norsk.tex = ignore ,
308 babel-norwegian.tex = ignore ,
309 babel-akan.tex = ignore ,
310 babel-kyrgyz.tex = ignore ,
311 babel-gujarati.tex = ignore ,
```

```
312 babel-samburu.tex = ignore ,
313 \; \text{babel-dzongkha.tex} = \text{ignore},
314 babel-malagasy.tex = ignore ,
315 babel-mongolian.tex = ignore ,
316 babel-cornish.tex = ignore ,
317 babel-walser.tex = ignore ,
318 babel-yangben.tex = ignore ,
319 babel-sangu.tex = ignore ,
320 babel-bambara.tex = ignore ,
321 babel-centralatlastamazight.tex = ignore ,
322 babel-ancientgreek.tex = ignore ,
323 babel-machame.tex = ignore ,
324 babel-sichuanyi.tex = ignore ,
325 \text{ babel-ewe.tex} = ignore,
326 babel-hawaiian.tex = ignore ,
327 babel-japanese.tex = ignore ,
328 babel-churchslavonic.tex = ignore ,
329 babel-churchslavic.tex = ignore ,
330 babel-churchslavic-cyrs.tex = ignore ,
331 babel-churchslavic-glagolitic.tex = ignore ,
332 babel-churchslavic-glag.tex = ignore ,
333 babel-churchslavic-oldcyrillic.tex = ignore ,
334 babel-polytonicgreek.tex = ignore ,
335 babel-greek.tex = ignore
336 babel-monotonicgreek.tex = ignore ,
337 babel-igbo.tex = ignore ,
338 babel-latvian.tex = ignore ,
339 babel-occitan.tex = ignore ,
340 babel-westernfrisian.tex = ignore ,
341 babel-luxembourgish.tex = ignore ,
342 babel-italian.tex = ignore ,
343 babel-oromo.tex = ignore ,
344 babel-catalan.tex = ignore ,
345 babel-icelandic.tex = ignore ,
346 \text{ babel-czech.tex} = \text{ignore},
347 babel-interlingua.tex = ignore ,
348 \text{ babel-telugu.tex} = \text{ignore},
349 babel-friulian.tex = ignore ,
350 babel-vai-latin.tex = ignore ,
351 babel-vai-vaii.tex = ignore ,
352 babel-vai.tex = ignore ,
353 babel-vai-latn.tex = ignore ,
354 babel-vai-vai.tex = ignore ,
355 babel-russian.tex = ignore ,
356 babel-turkmen.tex = ignore ,
357 babel-jolafonyi.tex = ignore ,
358 babel-rundi.tex = ignore ,
359 babel-konkani.tex = ignore ,
360 babel-piedmontese.tex = ignore ,
361 babel-standardmoroccantamazight.tex = ignore ,
362 babel-quechua.tex = ignore ,
363 babel-meru.tex = ignore ,
364 babel-nyankole.tex = ignore ,
365 babel-romanian-md.tex = ignore ,
```

```
366 babel-romanian-moldova.tex = ignore ,
367 babel-romanian.tex = ignore
368 babel-moldavian.tex = ignore ,
369 babel-luo.tex = ignore ,
370 babel-usorbian.tex = ignore ,
371 babel-uppersorbian.tex = ignore ,
372 babel-yoruba.tex = ignore ,
373 babel-syriac.tex = ignore ,
374 babel-makhuwameetto.tex = ignore ,
375 babel-northernluri.tex = ignore ,
376 babel-aghem.tex = ignore ,
377 babel-meta.tex = ignore ,
378 babel-zulu.tex = ignore ,
379 babel-centralkurdish-latin.tex = ignore ,
380 babel-centralkurdish-latn.tex = ignore ,
381 babel-sorani.tex = ignore ,
382 babel-centralkurdish.tex = ignore ,
383 babel-cantonese.tex = ignore ,
384 babel-makonde.tex = ignore ,
385 babel-somali.tex = ignore ,
386 babel-sanskrit.tex = ignore ,
387 babel-sanskrit-telu.tex = ignore ,
388 babel-sanskrit-malayalam.tex = ignore ,
389 \; {\tt babel-sanskrit-devanagari.tex} \; = \; {\tt ignore} \; ,
390 babel-sanskrit-bengali.tex = ignore ,
391 babel-sanskrit-gujr.tex = ignore ,
392 babel-sanskrit-gujarati.tex = ignore ,
393 babel-sanskrit-deva.tex = ignore ,
394 babel-sanskrit-telugu.tex = ignore ,
395 babel-sanskrit-knda.tex = ignore ,
396 babel-sanskrit-beng.tex = ignore ,
397 babel-sanskrit-kannada.tex = ignore ,
398 babel-sanskrit-mlym.tex = ignore ,
399 babel-chiga.tex = ignore ,
400 babel-teso.tex = ignore ,
401 babel-yiddish.tex = ignore ,
402 babel-portuguese.tex = ignore ,
403 babel-brazilian.tex = ignore ,
404 babel-portuguese-portugal.tex = ignore ,
405 babel-portuguese-br.tex = ignore ,
406 babel-portuguese-brazil.tex = ignore ,
407 babel-portuguese-pt.tex = ignore ,
408 babel-pashto.tex = ignore ,
409 babel-embu.tex = ignore ,
410 babel-chinese-hans-mo.tex = ignore ,
411 babel-chinese-hant-hk.tex = ignore ,
412 babel-chinese-simplified.tex = ignore ,
413 babel-chinese-hans-hk.tex = ignore ,
414 babel-chinese-hant.tex = ignore ,
415 babel-chinese-simplified-singapore.tex = ignore ,
416 babel-chinese-simplified-hongkongsarchina.tex = ignore ,
417 babel-chinese-hans-sg.tex = ignore ,
418 babel-chinese-hans.tex = ignore ,
419 babel-chinese-traditional-macausarchina.tex = ignore ,
```

```
420 babel-chinese.tex = ignore ,
421 babel-chinese-hant-mo.tex = ignore ,
422 babel-chinese-traditional.tex = ignore ,
423 babel-chinese-simplified-macausarchina.tex = ignore ,
424 babel-chinese-traditional-hongkongsarchina.tex = ignore ,
425 babel-ukrainian.tex = ignore ,
426 babel-serbian-latn-me.tex = ignore ,
427 babel-serbian-latin-kosovo.tex = ignore ,
428 babel-serbian-latn.tex = ignore ,
429 babel-serbian-cyrl-me.tex = ignore ,
430 babel-serbian-cyrillic-montenegro.tex = ignore ,
431 babel-serbian-cyrillic.tex = ignore ,
432 babel-serbian-cyrl-ba.tex = ignore ,
433 babel-serbian-cyrl.tex = ignore ,
434 babel-serbian.tex = ignore ,
435 babel-serbian-latin-bosniaherzegovina.tex = ignore ,
436 babel-serbian-latin.tex = ignore ,
437 babel-serbian-cyrl-xk.tex = ignore ,
438 babel-serbian-latn-ba.tex = ignore ,
439 babel-serbian-latin-montenegro.tex = ignore ,
440 babel-serbian-latn-xk.tex = ignore ,
441 babel-serbian-cyrillic-kosovo.tex = ignore ,
442\; {\tt babel-serbian-cyrillic-bosniaherzegovina.tex} = ignore ,
443 babel-bodo.tex = ignore ,
444 babel-sango.tex = ignore ,
445 babel-punjabi-gurmukhi.tex = ignore ,
446 babel-punjabi-arabic.tex = ignore ,
447 babel-punjabi-guru.tex = ignore ,
448 babel-punjabi.tex = ignore ,
449 babel-punjabi-arab.tex = ignore ,
450 babel-shona.tex = ignore ,
451 babel-sinhala.tex = ignore ,
452 babel-malayalam.tex = ignore ,
453 babel-tibetan.tex = ignore ,
454 babel-macedonian.tex = ignore ,
455 \; \text{babel-northndebele.tex} = \text{ignore} ,
456 babel-tachelhit-tifinagh.tex = ignore ,
457 babel-tachelhit.tex = ignore ,
458 babel-tachelhit-tfng.tex = ignore ,
459 babel-tachelhit-latn.tex = ignore
460 babel-tachelhit-latin.tex = ignore ,
461 babel-hausa.tex = ignore ,
462 babel-hausa-niger.tex = ignore ,
463 babel-hausa-gh.tex = ignore ,
464 babel-hausa-ghana.tex = ignore ,
465 babel-hausa-ne.tex = ignore ,
466 babel-kannada.tex = ignore ,
467 babel-bosnian.tex = ignore ,
468 babel-bosnian-cyrillic.tex = ignore ,
469 babel-bosnian-cyrl.tex = ignore ,
470 babel-bosnian-latn.tex = ignore ,
471 babel-bosnian-latin.tex = ignore ,
472 babel-kikuyu.tex = ignore ,
473 babel-burmese.tex = ignore ,
```

```
474 babel-arabic-lb.tex = ignore ,
475 babel-arabic-jordan.tex = ignore ,
476 babel-arabic-palestinianterritories.tex = ignore ,
477 babel-arabic-iraq.tex = ignore ,
478 babel-arabic-ma.tex = ignore ,
479 babel-arabic-egypt.tex = ignore ,
480 babel-arabic-lebanon.tex = ignore ,
481 babel-arabic-dz.tex = ignore ,
482 babel-arabic-morocco.tex = ignore ,
483 babel-arabic-eg.tex = ignore ,
484 babel-arabic-ps.tex = ignore ,
485 babel-arabic-iq.tex = ignore ,
486 babel-arabic-tunisia.tex = ignore ,
487 babel-arabic-jo.tex = ignore ,
488 babel-arabic-algeria.tex = ignore ,
489 babel-arabic-sy.tex = ignore ,
490 babel-arabic-syria.tex = ignore ,
491 babel-arabic-tn.tex = ignore ,
492 babel-arabic.tex = ignore ,
493 babel-sakha.tex = ignore ,
494 babel-rwa.tex = ignore ,
495 babel-galician.tex = ignore ,
496 babel-manx.tex = ignore ,
497 babel-croatian.tex = ignore ,
498 babel-hungarian.tex = ignore ,
499 babel-magyar.tex = ignore ,
500 babel-dutch.tex = ignore ,
501 babel-bulgarian.tex = ignore ,
502 babel-kashmiri.tex = ignore ,
503 babel-bengali.tex = ignore ,
504 babel-nepali.tex = ignore ,
505 babel-gusii.tex = ignore ,
506 babel-asturian.tex = ignore ,
507 babel-filipino.tex = ignore ,
508 \; \text{babel-afrikaans.tex} = \text{ignore} ,
509 babel-bena.tex = ignore ,
510 babel-norwegianbokmal.tex = ignore ,
511 babel-colognian.tex = ignore ,
512 babel-hindi.tex = ignore ,
513 babel-mundang.tex = ignore ,
514 babel-georgian.tex = ignore ,
515 babel-asu.tex = ignore ,
516 babel-austrian.tex = ignore ,
517 \; \text{babel-german-switzerland.tex} = \text{ignore} ,
518 babel-german-austria.tex = ignore ,
519 babel-german-switzerland-traditional.tex = ignore ,
520 \text{ babel-german-ch.tex} = \text{ignore},
521 babel-german-at.tex = ignore ,
522 babel-german-traditional.tex = ignore ,
523 babel-nswissgerman.tex = ignore ,
524 \text{ babel-swissgerman.tex} = \text{ignore},
525 \text{ babel-ngerman.tex} = \text{ignore},
526 babel-naustrian.tex = ignore ,
527 \; \text{babel-german-austria-traditional.tex} = \text{ignore} ,
```

```
528 babel-german.tex = ignore ,
529 babel-assamese.tex = ignore ,
530 babel-azerbaijani-latin.tex = ignore ,
531 babel-azerbaijani-cyrl.tex = ignore ,
532 babel-azerbaijani.tex = ignore ,
533 babel-azerbaijani-cyrillic.tex = ignore ,
534 babel-azerbaijani-latn.tex = ignore ,
535 babel-bafia.tex = ignore ,
536 babel-scottishgaelic.tex = ignore ,
537 babel-breton.tex = ignore ,
538 babel-korean-han.tex = ignore ,
539 babel-korean.tex = ignore ,
540 babel-korean-hani.tex = ignore ,
541 babel-finnish.tex = ignore ,
542 babel-ossetic.tex = ignore ,
543 babel-lubakatanga.tex = ignore ,
544 babel-langi.tex = ignore ,
545 babel-esperanto.tex = ignore ,
546 \text{ babel-basaa.tex} = \text{ignore},
547 \text{ babel-indonesian.tex} = \text{ignore},
548 babel-french-swissfrench.tex = ignore ,
549 babel-french-canadianfrench.tex = ignore ,
550 babel-french-be.tex = ignore ,
551 babel-french-ca.tex = ignore ,
552 babel-french-belgium.tex = ignore ,
553 babel-french-ch.tex = ignore ,
554 babel-french.tex = ignore ,
555 babel-french-canada.tex = ignore ,
556 babel-french-lu.tex = ignore ,
557 babel-french-switzerland.tex = ignore ,
558 babel-french-luxembourg.tex = ignore ,
559 babel-ganda.tex = ignore ,
560 babel-taita.tex = ignore ,
561 babel-nama.tex = ignore ,
562 babel-lingala.tex = ignore ,
563 babel-spanish-mx.tex = ignore ,
564 babel-spanish.tex = ignore ,
565 babel-spanish-mexico.tex = ignore ,
566 babel-mexican.tex = ignore ,
567 babel-estonian.tex = ignore ,
568 babel-vunjo.tex = ignore ,
569 babel-kwasio.tex = ignore ,
570 babel-koyraborosenni.tex = ignore ,
571 babel-usenglish.tex = ignore ,
572 babel-english-newzealand.tex = ignore ,
573 babel-english.tex = ignore ,
574 babel-english-ca.tex = ignore ,
575 babel-australian.tex = ignore ,
576 babel-english-australia.tex = ignore ,
577 babel-english-canada.tex = ignore ,
578 babel-british.tex = ignore ,
579 babel-american.tex = ignore ,
580 babel-americanenglish.tex = ignore ,
581 babel-canadianenglish.tex = ignore ,
```

```
582 babel-australianenglish.tex = ignore ,
583 babel-english-gb.tex = ignore ,
584\;\mbox{babel-english-unitedkingdom.tex} = ignore ,
585 babel-canadian.tex = ignore ,
586 babel-ukenglish.tex = ignore ,
587 babel-newzealand.tex = ignore ,
588 babel-english-au.tex = ignore ,
589 babel-english-unitedstates.tex = ignore ,
590 babel-english-nz.tex = ignore ,
591 babel-britishenglish.tex = ignore ,
592 babel-english-us.tex = ignore ,
593 babel-ngiemboon.tex = ignore ,
594 babel-persian.tex = ignore ,
595 babel-lithuanian.tex = ignore ,
596 babel-fulah.tex = ignore ,
597 babel-ngomba.tex = ignore ,
598 babel-lakota.tex = ignore ,
599 babel-faroese.tex = ignore ,
600 babel-ewondo.tex = ignore ,
601 babel-oriya.tex = ignore ,
602 babel-welsh.tex = ignore ,
603 babel-sena.tex = ignore ,
604 babel-basque.tex = ignore ,
605 babel-lao.tex = ignore ,
606 babel-medievallatin.tex = ignore ,
607 babel-classiclatin.tex = ignore ,
608 babel-ecclesiasticlatin.tex = ignore ,
609 babel-latin.tex = ignore ,
610 babel-chechen.tex = ignore ,
611 babel-romansh.tex = ignore ,
612 babel-lsorbian.tex = ignore ,
613 babel-lowersorbian.tex = ignore ,
614 babel-tamil.tex = ignore ,
615 babel-thai.tex = ignore ,
616 babel-tongan.tex = ignore ,
617 babel-kabuverdianu.tex = ignore ,
618 babel-turkish.tex = ignore ,
619 babel-coptic.tex = ignore ,
620 babel-duala.tex = ignore ,
621 babel-kinyarwanda.tex = ignore ,
622 babel-morisyen.tex = ignore ,
623 babel-tigrinya.tex = ignore ,
624 babel-kalenjin.tex = ignore ,
625 babel-luyia.tex = ignore ,
626 babel-nuer.tex = ignore ,
627\,\%-- looks like the files are sometimes loaded without extension
628 babel-slovenian = ignore ,
629 babel-slovene = ignore ,
630 babel-slovak = ignore ,
631 babel-urdu = ignore ,
632 babel-northernkurdish = ignore ,
633 babel-kurmanji = ignore ,
634 babel-northernkurdish-arabic = ignore ,
635 babel-northernkurdish-arab = ignore ,
```

```
636 babel-northernsami = ignore ,
637 babel-samin = ignore ,
638 babel-soga = ignore ,
639 babel-swahili = ignore ,
640 babel-cherokee = ignore ,
641 babel-koyrachiini = ignore ,
642 babel-kabyle = ignore ,
643 babel-uyghur = ignore ,
644 babel-kako = ignore ,
645 babel-uzbek = ignore ,
646 babel-uzbek-latn = ignore ,
647 babel-uzbek-arabic = ignore ,
648 babel-uzbek-cyrillic = ignore ,
649 babel-uzbek-latin = ignore ,
650 babel-uzbek-arab = ignore ,
651 babel-uzbek-cyrl = ignore ,
652 babel-polish = ignore ,
653 babel-rombo = ignore ,
654 babel-vietnam = ignore
655 babel-vietnamese = ignore ,
656 babel-masai = ignore ,
657 babel-albanian = ignore ,
658 babel-kamba = ignore ,
659 babel-swedish = ignore ,
660 babel-irish = ignore ,
661 babel-hebrew = ignore ,
662 babel-inarisami = ignore ,
663 babel-malay = ignore ,
664 babel-malay-singapore = ignore ,
665 babel-malay-sg = ignore ,
666 babel-malay-brunei = ignore ,
667 babel-malay-bn = ignore ,
668 babel-mazanderani = ignore ,
669 babel-khmer = ignore ,
670 babel-maltese = ignore ,
671 \text{ babel-tasawaq} = \text{ignore},
672 babel-bemba = ignore ,
673 babel-armenian = ignore ,
674 babel-amharic = ignore ,
675 babel-zarma = ignore ,
676 babel-nynorsk = ignore
677 babel-norwegiannynorsk = ignore ,
678 \text{ babel-belarusian} = \text{ignore},
679 babel-danish = ignore ,
680 babel-kalaallisut = ignore ,
681 babel-shambala = ignore ,
682 babel-marathi = ignore ,
683 babel-kazakh = ignore ,
684 babel-norsk = ignore ,
685 babel-norwegian = ignore ,
686 babel-akan = ignore ,
687 babel-kyrgyz = ignore ,
688 babel-gujarati = ignore ,
689 babel-samburu = ignore ,
```

```
690 babel-dzongkha = ignore ,
691 babel-malagasy = ignore ,
692 babel-mongolian = ignore ,
693 babel-cornish = ignore ,
694 babel-walser = ignore ,
695 babel-yangben = ignore ,
696 babel-sangu = ignore ,
697 babel-bambara = ignore ,
698 babel-centralatlastamazight = ignore ,
699 babel-ancientgreek = ignore ,
700 babel-machame = ignore ,
701 babel-sichuanyi = ignore ,
702 \text{ babel-ewe} = \text{ignore},
703 babel-hawaiian = ignore ,
704 babel-japanese = ignore ,
705 babel-churchslavonic = ignore ,
706 babel-churchslavic = ignore ,
707 babel-churchslavic-cyrs = ignore ,
708 babel-churchslavic-glagolitic = ignore ,
709 babel-churchslavic-glag = ignore ,
710 babel-churchslavic-oldcyrillic = ignore ,
711 babel-polytonicgreek = ignore ,
712 babel-greek = ignore ,
713 babel-monotonicgreek = ignore ,
714 \text{ babel-igbo} = \text{ignore},
715 babel-latvian = ignore ,
716 babel-occitan = ignore ,
717 babel-westernfrisian = ignore ,
718 babel-luxembourgish = ignore ,
719 babel-italian = ignore ,
720 babel-oromo = ignore ,
721 babel-catalan = ignore ,
722 \text{ babel-icelandic} = \text{ignore},
723 babel-czech = ignore ,
724 \; {\tt babel-interlingua} \; = \; {\tt ignore} \; ,
725 babel-telugu = ignore ,
726 babel-friulian = ignore ,
727 babel-vai-latin = ignore ,
728 babel-vai-vaii = ignore ,
729 babel-vai = ignore ,
730 babel-vai-latn = ignore ,
731 babel-vai-vai = ignore ,
732 babel-russian = ignore ,
733 babel-turkmen = ignore ,
734 babel-jolafonyi = ignore ,
735 babel-rundi = ignore ,
736 babel-konkani = ignore ,
737 babel-piedmontese = ignore ,
738 babel-standardmoroccantamazight = ignore ,
739 babel-quechua = ignore ,
740 babel-meru = ignore ,
741 babel-nyankole = ignore ,
742 \; {\tt babel-romanian-md} \; = \; {\tt ignore} \; ,
743\;\mathrm{babel}\text{-romanian-moldova} = ignore ,
```

```
744 \; {\tt babel-romanian} \; = \; {\tt ignore} \; ,
745\; {\tt babel-moldavian} = ignore ,
746 babel-luo = ignore ,
747 babel-usorbian = ignore ,
748 babel-uppersorbian = ignore ,
749 babel-yoruba = ignore ,
750 babel-syriac = ignore ,
751 babel-makhuwameetto = ignore ,
752 babel-northernluri = ignore ,
753 babel-aghem = ignore ,
754 \text{ babel-meta} = \text{ignore},
755 babel-zulu = ignore ,
756 \; {\tt babel-centralkurdish-latin} \; = \; {\tt ignore} \; ,
757 babel-centralkurdish-latn = ignore ,
758 babel-sorani = ignore ,
759 babel-centralkurdish = ignore ,
760 babel-cantonese = ignore ,
761 babel-makonde = ignore ,
762 babel-somali = ignore ,
763 babel-sanskrit = ignore ,
764 babel-sanskrit-telu = ignore ,
765 babel-sanskrit-malayalam = ignore ,
766 \; \text{babel-sanskrit-devanagari} = \text{ignore} ,
767 babel-sanskrit-bengali = ignore ,
768 babel-sanskrit-gujr = ignore ,
769 babel-sanskrit-gujarati = ignore ,
770 babel-sanskrit-deva = ignore ,
771 babel-sanskrit-telugu = ignore ,
772 babel-sanskrit-knda = ignore ,
773 babel-sanskrit-beng = ignore ,
774 babel-sanskrit-kannada = ignore ,
775 babel-sanskrit-mlym = ignore ,
776 babel-chiga = ignore ,
777 babel-teso = ignore ,
778 babel-yiddish = ignore ,
779 babel-portuguese = ignore ,
780 babel-brazilian = ignore ,
781 babel-portuguese-portugal = ignore ,
782 babel-portuguese-br = ignore ,
783 babel-portuguese-brazil = ignore ,
784 babel-portuguese-pt = ignore ,
785 \text{ babel-pashto} = \text{ignore},
786 \text{ babel-embu} = \text{ignore},
787 babel-chinese-hans-mo = ignore ,
788 babel-chinese-hant-hk = ignore ,
789 babel-chinese-simplified = ignore ,
790 babel-chinese-hans-hk = ignore ,
791 babel-chinese-hant = ignore ,
792 babel-chinese-simplified-singapore = ignore ,
793 babel-chinese-simplified-hongkongsarchina = ignore ,
794 babel-chinese-hans-sg = ignore ,
795 babel-chinese-hans = ignore ,
796 babel-chinese-traditional-macausarchina = ignore ,
797 \text{ babel-chinese} = \text{ignore},
```

```
798 babel-chinese-hant-mo = ignore ,
799 babel-chinese-traditional = ignore ,
800 babel-chinese-simplified-macausarchina = ignore ,
801 babel-chinese-traditional-hongkongsarchina = ignore ,
802 babel-ukrainian = ignore ,
803 babel-serbian-latn-me = ignore ,
804 babel-serbian-latin-kosovo = ignore ,
805 babel-serbian-latn = ignore ,
806 babel-serbian-cyrl-me = ignore ,
807 babel-serbian-cyrillic-montenegro = ignore ,
808 babel-serbian-cyrillic = ignore ,
809 babel-serbian-cyrl-ba = ignore ,
810 babel-serbian-cyrl = ignore ,
811 babel-serbian = ignore ,
812 babel-serbian-latin-bosniaherzegovina = ignore ,
813 babel-serbian-latin = ignore ,
814 babel-serbian-cyrl-xk = ignore ,
815 babel-serbian-latn-ba = ignore ,
816 babel-serbian-latin-montenegro = ignore ,
817 babel-serbian-latn-xk = ignore ,
818 babel-serbian-cyrillic-kosovo = ignore ,
819 babel-serbian-cyrillic-bosniaherzegovina = ignore ,
820 babel-bodo = ignore ,
821 babel-sango = ignore ,
822 babel-punjabi-gurmukhi = ignore ,
823 babel-punjabi-arabic = ignore ,
824 babel-punjabi-guru = ignore ,
825 babel-punjabi = ignore ,
826 babel-punjabi-arab = ignore ,
827 babel-shona = ignore ,
828 babel-sinhala = ignore ,
829 babel-malayalam = ignore ,
830 babel-tibetan = ignore ,
831 babel-macedonian = ignore ,
832 babel-northndebele = ignore ,
833 babel-tachelhit-tifinagh = ignore ,
834 babel-tachelhit = ignore ,
835 babel-tachelhit-tfng = ignore ,
836 babel-tachelhit-latn = ignore ,
837 babel-tachelhit-latin = ignore ,
838 babel-hausa = ignore ,
839 babel-hausa-niger = ignore ,
840 babel-hausa-gh = ignore ,
841 babel-hausa-ghana = ignore ,
842 \text{ babel-hausa-ne} = ignore,
843 babel-kannada = ignore ,
844 babel-bosnian = ignore ,
845 babel-bosnian-cyrillic = ignore ,
846 babel-bosnian-cyrl = ignore ,
847 babel-bosnian-latn = ignore ,
848 babel-bosnian-latin = ignore ,
849 babel-kikuyu = ignore ,
850 babel-burmese = ignore ,
851 babel-arabic-lb = ignore ,
```

```
852 babel-arabic-jordan = ignore ,
853\ {\it babel-arabic-palestinianterritories} = ignore ,
854 babel-arabic-iraq = ignore ,
855 babel-arabic-ma = ignore ,
856 babel-arabic-egypt = ignore ,
857 babel-arabic-lebanon = ignore ,
858 babel-arabic-dz = ignore ,
859 babel-arabic-morocco = ignore ,
860 babel-arabic-eg = ignore ,
861 babel-arabic-ps = ignore ,
862 babel-arabic-iq = ignore ,
863 babel-arabic-tunisia = ignore ,
864 babel-arabic-jo = ignore ,
865 babel-arabic-algeria = ignore ,
866 babel-arabic-sy = ignore ,
867 babel-arabic-syria = ignore ,
868 babel-arabic-tn = ignore ,
869 babel-arabic = ignore ,
870 babel-sakha = ignore ,
871 babel-rwa = ignore ,
872 babel-galician = ignore ,
873 babel-manx = ignore ,
874 babel-croatian = ignore ,
875 babel-hungarian = ignore ,
876 babel-magyar = ignore ,
877 babel-dutch = ignore ,
878 babel-bulgarian = ignore ,
879 babel-kashmiri = ignore ,
880 babel-bengali = ignore ,
881 babel-nepali = ignore ,
882 babel-gusii = ignore ,
883 babel-asturian = ignore ,
884 babel-filipino = ignore ,
885 babel-afrikaans = ignore ,
886 babel-bena = ignore ,
887 babel-norwegianbokmal = ignore ,
888 babel-colognian = ignore ,
889 babel-hindi = ignore ,
890 babel-mundang = ignore ,
891 babel-georgian = ignore ,
892 babel-asu = ignore ,
893 babel-austrian = ignore ,
894 babel-german-switzerland = ignore ,
895 babel-german-austria = ignore ,
896 \; {\tt babel-german-switzerland-traditional} \; {\tt =} \; {\tt ignore} \; ,
897 babel-german-ch = ignore ,
898 babel-german-at = ignore ,
899 babel-german-traditional = ignore ,
900 babel-nswissgerman = ignore ,
901 babel-swissgerman = ignore ,
902 babel-ngerman = ignore ,
903 babel-naustrian = ignore ,
904\ {\tt babel-german-austria-traditional} = ignore ,
905 \text{ babel-german} = \text{ignore},
```

```
906 babel-assamese = ignore ,
907 babel-azerbaijani-latin = ignore ,
908 babel-azerbaijani-cyrl = ignore ,
909 babel-azerbaijani = ignore ,
910 babel-azerbaijani-cyrillic = ignore ,
911 babel-azerbaijani-latn = ignore ,
912 babel-bafia = ignore ,
913 babel-scottishgaelic = ignore ,
914 babel-breton = ignore ,
915 babel-korean-han = ignore ,
916 babel-korean = ignore ,
917 babel-korean-hani = ignore ,
918 babel-finnish = ignore ,
919 babel-ossetic = ignore ,
920\;\mathrm{babel}\text{-lubakatanga} = ignore ,
921 babel-langi = ignore ,
922 babel-esperanto = ignore ,
923 babel-basaa = ignore ,
924 babel-indonesian = ignore ,
925 babel-french-swissfrench = ignore ,
926 babel-french-canadianfrench = ignore ,
927 babel-french-be = ignore ,
928 babel-french-ca = ignore ,
929 babel-french-belgium = ignore ,
930 \; \text{babel-french-ch} = \text{ignore} ,
931 babel-french = ignore ,
932 babel-french-canada = ignore ,
933 babel-french-lu = ignore ,
934 babel-french-switzerland = ignore ,
935 babel-french-luxembourg = ignore ,
936 babel-ganda = ignore ,
937 babel-taita = ignore ,
938 \text{ babel-nama} = \text{ignore},
939 babel-lingala = ignore ,
940 \; \text{babel-spanish-mx} = \text{ignore} ,
941 babel-spanish = ignore ,
942 babel-spanish-mexico = ignore ,
943 babel-mexican = ignore ,
944 babel-estonian = ignore ,
945 babel-vunjo = ignore ,
946 babel-kwasio = ignore ,
947 babel-koyraborosenni = ignore ,
948 babel-usenglish = ignore ,
949 \; {\tt babel-english-newzealand} \; {\tt =} \; {\tt ignore} \; \; {\tt ,}
950 babel-english = ignore ,
951 babel-english-ca = ignore ,
952 babel-australian = ignore ,
953 babel-english-australia = ignore ,
954 babel-english-canada = ignore ,
955 babel-british = ignore ,
956 babel-american = ignore ,
957 \; \text{babel-americanenglish} = \text{ignore} ,
958 babel-canadianenglish = ignore ,
959 \; \text{babel-australianenglish} = \text{ignore} ,
```

```
960 babel-english-gb = ignore ,
 961 babel-english-unitedkingdom = ignore ,
 962 \text{ babel-canadian} = \text{ignore},
963 \text{ babel-ukenglish} = \text{ignore},
 964 babel-newzealand = ignore ,
 965 babel-english-au = ignore ,
 966 babel-english-unitedstates = ignore ,
 967 babel-english-nz = ignore ,
 968 babel-britishenglish = ignore ,
 969 babel-english-us = ignore ,
 970 babel-ngiemboon = ignore ,
971 babel-persian = ignore ,
972 babel-lithuanian = ignore ,
973 \text{ babel-fulah} = \text{ignore},
974 babel-ngomba = ignore ,
975 babel-lakota = ignore ,
976 babel-faroese = ignore ,
977 babel-ewondo = ignore ,
978 babel-oriya = ignore ,
979 babel-welsh = ignore ,
980 babel-sena = ignore ,
981 babel-basque = ignore ,
 982 babel-lao = ignore ,
 983 babel-medievallatin = ignore ,
 984 babel-classiclatin = ignore ,
985 babel-ecclesiasticlatin = ignore ,
 986 babel-latin = ignore ,
 987 babel-chechen = ignore ,
 988 babel-romansh = ignore ,
 989 babel-lsorbian = ignore ,
990 babel-lowersorbian = ignore ,
 991 babel-tamil = ignore ,
992 \text{ babel-thai} = \text{ignore},
993 babel-tongan = ignore ,
994\ {\tt babel-kabuverdianu} = ignore ,
995 \; \texttt{babel-turkish} \; = \; \texttt{ignore} \; \; ,
996 babel-coptic = ignore ,
997 \; \texttt{babel-duala} = \texttt{ignore} \; ,
998 \; \texttt{babel-kinyarwanda} = \texttt{ignore} \; ,
999 babel-morisyen = ignore ,
1000 babel-tigrinya = ignore ,
1001 babel-kalenjin = ignore ,
1002 \text{ babel-luyia} = \text{ignore},
1003 babel-nuer = ignore ,
1004\%----- babel (part supported by us)
1005 \text{ UKenglish.sty} = \text{us},
1006 \text{ USenglish.sty} = \text{us},
1007 afrikaans.sty = us ,
1008 albanian.sty = us ,
1009 american.sty = us ,
1010 austrian.sty = us ,
1011 \text{ babel.def} = \text{us} ,
1012 \text{ babel.sty} = \text{us},
1013 \text{ bahasa.sty} = \text{us},
```

```
1014 \text{ bahasam.sty} = \text{us},
1015 \text{ basque.sty} = \text{us},
1016 blplain.tex = us ,
1017 bplain.tex = us ,
1018 breton.sty = us ,
1019 british.sty = us ,
1020 bulgarian.sty = us ,
1021 \text{ catalan.sty} = us,
1022 \text{ croatian.sty} = us,
1023 \text{ czech.sty} = \text{us},
1024 \text{ danish.sty} = \text{us},
1025 \text{ dutch.sty} = us,
1026 \text{ english.sty} = \text{us},
1027 	ext{ esperanto.sty} = 	ext{us},
1028 estonian.sty = us ,
1029 finnish.sty = us ,
1030 francais.sty = us ,
1031 \text{ galician.sty} = \text{us},
1032 \text{ germanb.sty} = \text{us},
1033 \text{ greek.sty} = us ,
1034 \; \text{hebrew.sty} = \text{us} ,
1035 \text{ hyphen.cfg} = us ,
1036 icelandic.sty = us ,
1037 interlingua.sty = us ,
1038 \text{ irish.sty} = \text{us},
1039 italian.sty = us ,
1040 \text{ latin.sty} = \text{us},
1041 lsorbian.sty = us ,
1042 luababel.def = us ,
1043 \text{ magyar.sty} = \text{us},
1044 naustrian.sty = us ,
1045 \text{ ngermanb.sty} = us ,
1046 \text{ nil.ldf} = \text{us},
1047 \text{ norsk.sty} = \text{us},
1048 \; \texttt{plain.def} \; = \; \texttt{us} \; \; ,
1049 polish.sty = us ,
1050 portuges.sty = us ,
1051 romanian.sty = us ,
1052 \text{ russianb.sty} = \text{us},
1053 \text{ samin.sty} = \text{us},
1054 \text{ scottish.sty} = \text{us},
1055 \text{ serbian.sty} = us,
1056 \text{ slovak.sty} = \text{us},
1057 \text{ slovene.sty} = \text{us},
1058 \text{ spanish.sty} = \text{us},
1059 swedish.sty = us ,
1060 switch.def = us ,
1061 turkish.sty = us ,
1062 ukraineb.sty = us ,
1063 usorbian.sty = us ,
1064 \text{ welsh.sty} = \text{us},
1065 \text{ xebabel.def} = us ,
1066 %------ graphics + graphics-def
1067 \text{ color.cfg} = \text{us},
```

```
1068 \text{ color.sty} = \text{us},
1069 dvipdf.def = us ,
1070 dvipdfmx.def = us ,
1071 dvips.def = us ,
1072 dvipsnam.def = us ,
1073 \text{ dvipsone.def} = us,
1074 dvisvgm.def = us ,
1075 \text{ dviwin.def} = us,
1076 \text{ emtex.def} = us ,
1077 \; \texttt{epsfig.sty} = \texttt{us} ,
1078 \text{ graphics-} 2017-06-25.\text{sty} = \text{us},
1079 graphics.cfg = us ,
1080 \text{ graphics.sty} = \text{us},
1081 \text{ graphicx.sty} = \text{us},
1082 \text{ keyval.sty} = \text{us},
1083 lscape.sty = us ,
1084 luatex.def = us ,
1085 mathcolor.ltx = us ,
1086 \text{ pctex} 32.\text{def} = \text{us},
1087 pctexhp.def = us ,
1088 pctexps.def = us ,
1089 pctexwin.def = us ,
1090 pdftex.def = us ,
1091 rotating.sty = us ,
1092 rotating.sty = us ,
1093 tcidvi.def = us ,
1094 trig.sty = us ,
1095 \text{ truetex.def} = us ,
1096 \text{ xetex.def} = us ,
1097 %----- mfnfss
1098 \text{ oldgerm.sty} = us ,
1099 \text{ ot1panr.fd} = us ,
1100 \text{ ot1pss.fd} = us ,
1101 \text{ pandora.sty} = us,
1102 \text{ uyfrak.fd} = \text{us},
1103 uygoth.fd = us ,
1104 uyinit.fd = us ,
1105 uyswab.fd = us ,
1106 %----- firstaid
1107 everysel-ltx.sty = us ,
1108 filehook-ltx.sty = us ,
1109 %----- amsmath
1110 amsbsy.sty = us ,
1111 \text{ amscd.sty} = \text{us},
1112 amsgen.sty = us ,
1113 \text{ amsmath-} 2018-12-01.sty = us,
1114 \text{ amsmath.sty} = \text{us},
1115 amsopn.sty = us ,
1116 \text{ amstex.sty} = \text{us},
1117 \text{ amstext.sty} = \text{us},
1118 amsxtra.sty = us ,
1119 %----- amscls (AMS)
{\tt 1120~amsart.cls~=~American~Mathematical~Society~Contact~tech-support~[at]~ams~[dot]~org~,}\\
1121 amsbook.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
```

```
1122 amsbooka.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1123 amsdtx.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1124 amsldoc.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1125 \text{ amsmidx.sty} = \text{American Mathematical Society } \\ \\ \text{Contact tech-support [at] ams [dot] org},
1126 amsproc.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1127 amsthm.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1128 upref.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1129 %----- amsfonts (AMS)
{\tt 1130~amsfonts.sty}~\texttt{=}~\texttt{American}~\texttt{Mathematical}~\texttt{Society}~\texttt{Contact}~\texttt{tech-support}~\texttt{[at]}~\texttt{ams}~\texttt{[dot]}~\texttt{org}~\texttt{,}
1131 amssymb.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1132 cmmib57.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1133 eucal.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1134 eufrak.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1135 euscript.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1136 ueuex.fd = ignore,
1137 ueuf.fd = ignore ,
1138 ueur.fd = ignore ,
1139 ueus.fd = ignore ,
1140 umsa.fd = ignore ,
1141 umsb.fd = ignore ,
1142 %----- psnfss
1143 8rbch.fd = us ,
1144 \text{ 8rpag.fd} = \text{us},
1145 \text{ 8rpbk.fd} = \text{us},
1146 \; \texttt{8rpcr.fd} = \texttt{us} ,
1147 \text{ 8rphv.fd} = \text{us},
1148 \; \text{8rpnc.fd} = \text{us},
1149 8rppl.fd = us ,
1150 \text{ 8rptm.fd} = \text{us},
1151 8rput.fd = us ,
1152 \text{ 8rpzc.fd} = \text{us},
1153 \text{ avant.sty} = \text{us},
1154 \text{ bookman.sty} = us,
1155 chancery.sty = us ,
1156 charter.sty = us ,
1157 courier.sty = us ,
1158 helvet.sty = us ,
1159 mathpazo.sty = us ,
1160 mathpple.sty = us ,
1161 mathptm.sty = us ,
1162 mathptmx.sty = us ,
1163 \text{ newcent.sty} = us,
1164 \text{ omlbch.fd} = \text{us},
1165 \text{ omlpag.fd} = us,
1166 \text{ omlpbk.fd} = us ,
1167 omlpcr.fd = us ,
1168 omlphv.fd = us ,
1169 omlpnc.fd = us ,
1170 \text{ omlppl.fd} = us,
1171 \text{ omlptm.fd} = us,
1172 \text{ omlptmcm.fd} = us,
1173 \text{ omlput.fd} = us ,
1174 \text{ omlpzc.fd} = us,
```

1175 omlzplm.fd = us,

```
1176 \text{ omlzpple.fd} = \text{us},
1177 \text{ omlztmcm.fd} = \text{us},
1178 \text{ omsbch.fd} = us ,
1179 omspag.fd = us ,
1180 \text{ omspbk.fd} = us ,
1181 \text{ omspcr.fd} = us ,
1182 \text{ omsphv.fd} = \text{us},
1183 \text{ omspnc.fd} = us ,
1184 \text{ omsppl.fd} = us ,
1185 \text{ omsptm.fd} = us ,
1186 \text{ omsput.fd} = us ,
1187 \text{ omspzc.fd} = us ,
1188 omspzccm.fd = us ,
1189 \text{ omszplm.fd} = us ,
1190 \text{ omszpple.fd} = us ,
1191 omsztmcm.fd = us ,
1192 \text{ omxpsycm.fd} = us,
1193 omxzplm.fd = us ,
1194 \text{ omxzpple.fd} = us ,
1195 \text{ omxztmcm.fd} = us,
1196 \text{ ot1bch.fd} = us ,
1197 \text{ ot1pag.fd} = us ,
1198 \text{ ot1pbk.fd} = us ,
1199 \text{ ot1pcr.fd} = us ,
1200 \text{ ot1phv.fd} = \text{us},
1201 \text{ ot1pnc.fd} = us ,
1202 \text{ ot1ppl.fd} = us,
1203 \text{ ot1pplj.fd} = us,
1204 \text{ ot1pplx.fd} = us,
1205 \text{ ot1ptm.fd} = us ,
1206 \text{ ot1ptmcm.fd} = us ,
1207 \text{ ot1put.fd} = \text{us},
1208 \text{ ot1pzc.fd} = \text{us},
1209 \text{ ot1zplm.fd} = us,
1210 \text{ ot1zpple.fd} = us ,
1211 \text{ ot1ztmcm.fd} = us,
1212 palatino.sty = us ,
1213 \text{ pifont.sty} = us,
1214 \text{ t1bch.fd} = us ,
1215 t1pag.fd = us,
1216 \ t1pbk.fd = us ,
1217 t1pcr.fd = us,
1218 t1phv.fd = us ,
1219 t1pnc.fd = us,
1220 \text{ t1ppl.fd} = \text{us},
1221 t1pplj.fd = us,
1222 t1pplx.fd = us,
1223 t1ptm.fd = us,
1224 t1put.fd = us,
1225 t1pzc.fd = us,
1226 \text{ times.sty} = \text{us},
1227 \text{ ts1bch.fd} = \text{us},
1228 ts1pag.fd = us,
1229 \text{ ts1pbk.fd} = \text{us},
```

```
1230 \text{ ts1pcr.fd} = \text{us},
1231 \text{ ts1phv.fd} = \text{us},
1232 \text{ ts1pnc.fd} = \text{us},
1233 \text{ ts1ppl.fd} = \text{us},
1234 \text{ ts1pplj.fd} = us,
1235 ts1pplx.fd = us,
1236 \text{ ts1ptm.fd} = \text{us},
1237 \text{ ts1put.fd} = \text{us},
1238 \text{ ts1pzc.fd} = \text{us},
1239 \text{ ufplm.fd} = \text{us},
1240 \text{ ufplmbb.fd} = \text{us},
1241 \text{ upsy.fd} = \text{us},
1242 \text{ upzd.fd} = \text{us},
1243 \text{ utopia.sty} = \text{us},
                                ----- 13experimental
1244 %-----
1245 13benchmark.sty = us*,
1246 \; l3bitset.sty = us*,
1247 \, l3draw.sty = us* ,
1248 l3graphics.sty = us*,
1249 \; l3sys-shell.sty = us* ,
1250 %----- 13packages
1251 \text{ xparse-} 2018-04-12.sty = us*,
1252 \text{ xparse-} 2020-10-01.sty = us*,
1253 xparse-generic.tex = us* ,
1254 xparse.ltx = us* ,
1255 \text{ xfp.sty} = \text{us*},
1256 %----- 13kernel / expl3
1257 expl3-code.tex = ignore ,
1258 \text{ expl3.ltx} = \text{ignore},
1259 \text{ expl3.lua} = \text{us*},
1260 \text{ expl3.sty} = \text{us*},
1261 13backend-dvipdfmx.def = ignore,
1262 13backend-dvips.def = ignore ,
1263 13backend-dvisvgm.def = ignore,
1264 l3backend-luatex.def = ignore ,
1265 13backend-pdfmode.def = ignore ,
                                                   % -- old
1266 13backend-pdftex.def = ignore ,
1267 13backend-xdvipdfmx.def = ignore ,
                                                   % -- old
1268 13backend-xetex.def = ignore,
1269 l3debug.def = us*,
1270 13deprecation.def = ignore ,
1271 \; l3doc.cls = us* ,
1272 \; l3docstrip.tex = us ,
1273 \; 13 \text{keys2e.sty} = \text{us*},
1274 l3str-enc-iso88591.def = us* ,
1275 \, l3str-enc-iso885910.def = us*,
1276 \; 13str\text{-enc-iso}885911.def = us* ,
1277 \; 13str-enc-iso885913.def = us*,
1278 l3str-enc-iso885914.def = us*,
1279 \; l3str-enc-iso885915.def = us*,
1280 \; l3str-enc-iso885916.def = us*,
1281 \; l3str-enc-iso88592.def = us*,
1282 \; l3str\text{-enc-iso}88593.def = us* ,
1283 \; l3str\text{-enc-iso}88594.def = us* ,
```

```
1284 l3str-enc-iso88595.def = us* ,
1285 l3str-enc-iso88596.def = us*,
1286 l3str-enc-iso88597.def = us* ,
1287 \ l3str-enc-iso88598.def = us*,
1288 l3str-enc-iso88599.def = us*,
1289 xcoffins.sty = us*,
1290 xgalley.sty = us* ,
1291 xparse.sty = us* ,
1292 \text{ xtemplate-} 2023-10-10.sty = us*,
1293 xtemplate.sty = us* ,
1294 %----- TAGGING PROJECT
1295 pdfmanagement-testphase.sty = us*
                  \Contact https://github.com/latex3/tagging-project/issues ,
1296
1297 tagpdf.sty = us*
                  \Contact https://github.com/latex3/tagging-project/issues ,
1298
1299 documentmetadata-support.ltx = us*
                   \Contact https://github.com/latex3/tagging-project/issues ,
1301 13backend-testphase-luatex.def = ignore ,
1302 13backend-testphase-pdftex.def = ignore ,
1303 13backend-testphase-xetex.def = ignore,
1304 latex-lab-amsmath.ltx = ignore ,
1305 latex-lab-footnotes.ltx = ignore ,
1306 latex-lab-math.ltx = ignore ,
1307 latex-lab-mathpkg.ltx = ignore ,
1308 latex-lab-mathtools.ltx = ignore ,
1309 latex-lab-testphase-bib.sty = ignore ,
1310 latex-lab-testphase-block.sty = ignore ,
1311 latex-lab-testphase-float.sty = ignore ,
1312 latex-lab-testphase-graphic.sty = ignore ,
1313 latex-lab-testphase-marginpar.sty = ignore ,
1314 latex-lab-testphase-math.sty = ignore ,
1315 latex-lab-testphase-minipage.sty = ignore ,
1316 latex-lab-testphase-new-or-1.sty = ignore ,
1317 latex-lab-testphase-new-or-2.sty = ignore ,
1318 latex-lab-testphase-sec.sty = ignore ,
1319 latex-lab-testphase-table.sty = ignore ,
1320 latex-lab-testphase-text.sty = ignore ,
1321 latex-lab-testphase-title.sty = ignore ,
1322 latex-lab-testphase-toc.sty = ignore ,
1323 math-latex-lab-testphase.ltx = ignore ,
1324 pdfmanagement-firstaid.sty = ignore ,
1325 pdfmanagement-testphase.ltx = ignore ,
1326 \; \mathrm{phase}\text{-II-latex-lab-testphase.ltx} = \mathrm{ignore} ,
1327 phase-III-latex-lab-testphase.ltx = ignore ,
1328 table-latex-lab-testphase.ltx = ignore ,
1329 tagpdf-luatex.def = ignore ,
1330 title-latex-lab-testphase.ltx = ignore ,
1331 %----- EXTERNAL PACKAGES SUPPORTED BY THE LaTeX Team
1332 hluatex.def = ignore ,
1333 hpdftex.def = ignore ,
1334 hxetex.def = ignore,
1335 \text{ hypdoc.sty} = us,
1336 hyperref.cfg = ignore ,
1337 hyperref.sty = us*
```

```
\Contact https://github.com/latex3/hyperref/issues ,
1339 hyperref-langpatches.def = ignore ,
1340 pd1enc.def = ignore,
                = ignore ,
1341 puenc.def
1342 xcolor.sty = us*
         \Contact https://github.com/latex3/xcolor/issues ,
1344 %----- PACKAGES BY MEMBERS OF THE LaTeX Team with their own rep
1345 beamer.cls = Joseph Wright
                  \Contact https://github.com/josephwright/beamer/issues ,
1347 dashundergaps.sty = Frank Mittelbach
                \Contact https://github.com/FrankMittelbach/fmitex-dashundergaps/issues ,
1348
1349 \; \mathtt{parnotes.sty} \; = \; \mathtt{Frank} \; \, \mathtt{Mittelbach}
                 \Contact https://github.com/FrankMittelbach/fmitex-parnotes ,
1350
1351 fewerfloatpages.sty = Frank Mittelbach
                 \Contact https://github.com/FrankMittelbach/fmitex-fewerfloatpages ,
1352
1353 fontspec.sty = us*
                  \Contact https://github.com/latex3/fontspec/issues ,
1354
1355 footmisc.sty = Frank Mittelbach
1356
                 \Contact https://github.com/FrankMittelbach/fmitex-footmisc ,
1357 luatex85.sty
                 = Joseph Wright
                  \Contact https://github.com/josephwright/luatex85/issues ,
1358
1359 parskip.sty = Frank Mittelbach
                  \Contact https://github.com/FrankMittelbach/fmitex-parskip/issues ,
1360
1361 siunitx.sty = Joseph Wright
1362
                  \Contact https://github.com/josephwright/siunitx/issues ,
1363 unicodefonttable.sty = Frank Mittelbach
                 \Contact https://github.com/FrankMittelbach/fmitex-unicodefonttable ,
1365 unicode-math.sty = us*
                  \Contact https://github.com/latex3/unicode-math/issues ,
1367 widows-and-orphans.sty = Frank Mittelbach
                  \Contact https://github.com/FrankMittelbach/fmitex-widows-and-orphans/issues
1368
1369 xfrac.sty = us*
                  \Contact https://github.com/latex3/xfrac/issues ,
1370
1371 %----- USEFUL FOR BUG REPORTS
1372 blindtext.sty = ignore ,
1373 etoolbox.sty = ignore ,
1374 kantlipsum.sty = ignore ,
1375 lipsum.ltd = ignore ,
1376 lipsum.sty = ignore ,
1377 %----- EXTERNALLY SUPPORTED
1378 %
1379 geometry.sty = Hideo Umeki
                  \Contact <latexgeometry [at] gmail [dot] com> ,
1381 %----- babel external
1382 basque.ldf
                  = Juan M. Aguirregabiria
                     \Contact <http://tp.lc.ehu.es/jma.html> ,
1383
1384 belarusian.ldf = Aleksey Novodvorsky and Andrew Shadura
                     \Contact <andrew [at] shadura [dot] me> ,
                   = Samir Halilcevic %% Halilčević
1386 bosnian.ldf
                     \Contact <samir [dot] halilcevic [at] fet [dot] ba>,
1388 bulgarian.ldf = Georgi N. Boshnakov
                     \Contact <Georgi Boshnakov [at] manchester [dot] ac [dot] uk> ,
1390 croatian.ldf
                   = Ivan Kokan
1391
                     \Contact <ivan [dot] kokan [at] gmail [dot] com> ,
```

```
1392 estonian.ldf
                    = Jaan Vajakas
                       \Contact < jaanvajakas [at] hot [dot] ee> ,
1393
1394 frenchb.ldf
                    = Daniel Flipo
                       \Contact <daniel [dot] flipo [at] free [dot] fr> ,
1395
1396 friulan.ldf
                     = Claudio Beccari
                       \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
                     = Levan Shoshiashvili
1398 georgian.ldf
                       \Contact <shoshia [at] hotmail [dot] com> ,
1400 austrian.ldf
                    = Juergen Spitzmueller
                       \Contact < juergen [at] spitzmueller [dot] org> ,
1401
                    = Juergen Spitzmueller
1402 german.ldf
                       \Contact < juergen [at] spitzmueller [dot] org> ,
1403
1404 germanb.ldf
                    = Juergen Spitzmueller
                       \Contact < juergen [at] spitzmueller [dot] org> ,
1405
1406 naustrian.ldf
                     = Juergen Spitzmueller
                       \Contact < juergen [at] spitzmueller [dot] org> ,
1407
                    = Juergen Spitzmueller
1408 ngerman.ldf
                       \Contact < juergen [at] spitzmueller [dot] org> ,
1410 ngermanb.ldf
                    = Juergen Spitzmueller
                       \Contact < juergen [at] spitzmueller [dot] org> ,
1411
1412 nswissgerman.ldf = Juergen Spitzmueller
                       \Contact < juergen [at] spitzmueller [dot] org> ,
1414 swissgerman.ldf = Juergen Spitzmueller
                       \Contact < juergen [at] spitzmueller [dot] org> ,
1415
1416 greek.ldf
                    = Guenter Milde
                       \Contact <milde [at] users [dot] sf [dot] net> ,
1417
                     = Peter Szabo %% Péter Szabó
1418 magyar.ldf
                       \Contact <http://www.math.bme.hu/latex/> ,
1420 italian.ldf
                    = Claudio Beccari
                       \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1421
                    = Japanese TEX Development Community
1422 japanese.ldf
                       \Contact <https://github.com/texjporg/babel-japanese> ,
1423
1424 latin.ldf
                    = Claudio Beccari
                       \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1425
1426 macedonian.ldf = Stojan Trajanovski
1427
                       \Contact <stojan [dot] trajanovski [at] gmail [dot] com> ,
1428 \; {\tt occitan.ldf}
                    = Cedric Valmary %% Cédric Valmary
                       \Contact <cvalmary [at] yahoo [dot] fr> ,
1430 piedmontese.ldf = Claudio Beccari
                       \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1431
1432 pinyin.ldf
                    = Werner Lemberg
1433
                       \Contact <wl [at] gnu [dot] org> ,
1434 romansh.ldf
                    = Claudio Beccari
                       \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1435
                    = Igor A [dot] Kotelnikov
1436 russain.ldf
                       \Contact <kia999 [at] mail [dot] ru> ,
                                                                               % -- old?
1437
1438 serbianc.ldf
                    = Filip Brcic
                       \Contact <br/>brcha [at] users [dot] sourceforge [dot] net> ,
1440 spanglish.ldf
                    = J [dot] Luis Rivera
                       \Contact <jlrn77 [at] gmail [dot] com> ,
                                                                               % -- old?
1442 spanish.ldf
                    = Javier Bezos
                       \Contact <http://www.texnia.com/contact.html> ,
1443
                    = Werner Lemberg
1444 thaicjk.ldf
1445
                       \Contact <wl [at] gnu [dot] org> ,
```

```
= Sergiy Ponomarenko
                                                                                           \Contact <sergiy [dot] ponomarenko [at] gmail [dot] com> ,
                                                1448 vietnamese.ldf = Werner Lemberg
                                                                                           \Contact <wl [at] gnu [dot] org> ,
                                                                                                   ----- LAST LINE
                                                1451 {\latexbug@empty} = {},
                                                      Keep the data but throw away the loop function.
                                                1452 \endgroup
\latexbug@addtofilelist Save the kernel version of \@addtofilelist.
                                                1453 \let\latexbug@addtofilelist\@addtofilelist
                 \latexbug@zzzz Storage for third-party files and those from the IATEX3 set on GitHub.
                   \verb|\latexbug@own | 1454 \def \latexbug@zzzz{}|
                                                1455 \def\latexbug@own{}
\latexbug@process@table A hook into a convenient place in the document set up: the initialization of NFSS
                 \process@table during the \document macro. If either \latexbug@zzzz or \latexbug@own have
                                                any content then there is a message to issue, it's just a question of deciding which
                                               one.
                                                1456 \let\latexbug@process@table\process@table
                                                1457 \ensuremath{\mbox{\mbox{$1$}}} 1457 \ensuremath{\mbox{\mbox{\mbox{$1$}}}} 1457 \ensuremath{\mbox{\mbox{$1$}}} 1457 \ensuremath{\mbox{\mbox{$1$}}} 1457 \ensuremath{\mbox{$1$}} 1457 \en
                                                            \latexbug@process@table
                                                           \ifx\latexbug@zzzz\latexbug@empty
                                                1460
                                                                \ifx\latexbug@own\latexbug@empty
                                                1461
                                                                \else
                                                1462
                                                                    \typeout{}%
                                                                    \PackageWarningNoLine{latexbug}%
                                                1463
                                                                        {Special bug tracker!\MessageBreak
                                                1464
                                                1465 \MessageBreak
                                                1466 This test file uses the following file(s)\MessageBreak
                                                1467 \MessageBreak
                                                                       1468
                                                1469
                                                                       \latexbug@own
                                                                        1470
                                                                       \MessageBreak
                                                1471
                                                1472 Please note that these files have their own\MessageBreak
                                               1473 bug tracker and your issue should therefore\MessageBreak
                                               1474 be reported in the indicated repository.\MessageBreak
                                                                        \MessageBreak
                                                1476 If they are not necessary to exhibit the problem,\MessageBreak
                                                1477 remove them from your example and rerun it,\MessageBreak
                                                1478 otherwise report the issue in the listed repository.\MessageBreak
                                                                       \MessageBreak
                                                1480 If different repositories are listed, try to\MessageBreak
                                                1481 select the most appropriate one (but don't worry\MessageBreak
                                                1482 too much, if the choice is not clear to you)}%
                                                1483
                                                                   \typeout{}%
                                                                \fi
                                                1484
                                                           \else
                                                1485
                                                                    \PackageError{latexbug}%
                                                1486
                                                                                              {Third-party file(s)\MessageBreak
                                                1487
```

1446 ukraineb.ldf

1488 \MessageBreak

```
1489 This test file uses third-party file(s)\MessageBreak
1490 \MessageBreak
           1491
1492
           \latexbug@zzzz
           1493
           \MessageBreak
1494
1495 So you should contact the authors\MessageBreak
1496 of these files, not the LaTeX Team!\MessageBreak
1497 (Or remove the packages that load\MessageBreak
1498 them, if they are not necessary to\MessageBreak
1499 exhibit the problem).\MessageBreak
1500 \MessageBreak
1501 If you think the bug is in core LaTeX\MessageBreak
1502 (as maintained by the LaTeX Team) but\MessageBreak
1503 these files are needed to demonstrate\MessageBreak
1504 the problem, please continue and mention\MessageBreak
1505 this explicitly in your bug report\MessageBreak
1506 (with an explanation why you think so)}{Please
1507
                        correct your test file prior
                        to submitting the bug report.\MessageBreak
1508
                        Otherwise it is likely to be rejected!}%
1509
1510
     \fi
1511 }
```

\@addtofilelist First, a test to see if we are at the top level: there's no need to test dependencies \latexbug@iftoplevel of packages. Assuming we are doing a check, the aim is to see if the current name is known, and if it is whether it fits into one of our special cases. If it's one of the LATEX3 GitHub packages it gets recorded in a dedicated space. Third-party package can also have information about where to report issues: this is all stored for reporting later.

```
1512 \def\@addtofilelist#1{%
      \expandafter\latexbug@iftoplevel\@currnamestack {}\@nil
1513
1514
      \begingroup
        \xdef\latexbug@x{#1}% TODO: one-level sanitize
1515
1516
        \expandafter
        \ifx\csname latexbug@@\latexbug@x\endcsname\relax
1517
          \def \label{latexbug} \
1518
        \else
1519
```

\latexbug@y will contain either on of the keywords us or us* or ignore or it will contain the start part of the third-party information, \latexbug@z contains the rest (if anything), the space between the two is lost and needs to be reinserted.

```
\xdef\latexbug@y{\expandafter\expandafter\expandafter
1520
            \@firstoftwo\csname latexbug@@\latexbug@x\endcsname}%
1521
          \xdef\latexbug@z{\expandafter\expandafter\expandafter
1522
            \@secondoftwo\csname latexbug@@\latexbug@x\endcsname}%
1523
1524
1525
        \ifx\latexbug@y\latexbug@us\else
1526
          \ifx\latexbug@y\latexbug@usstar
1527
            \begingroup
              \let\MessageBreak\relax
1528
              \xdef\latexbug@own{%
1529
1530
                \latexbug@own\latexbug@x
1531
                 \space\space -> \space Report at:
```

```
\ifx\latexbug@z\@empty
1532
                 \Contact https://github.com/latex3/latex3/issues
1533
1534
              \else
                \latexbug@z
1535
1536
              \fi
                   \MessageBreak
1537
                }%
1538
1539
              \endgroup
           \else
1540
             \ifx\latexbug@y\latexbug@ignore\else
1541
                 {\tt \{\left{\tt MessageBreak}\ relax}
1542
                   \verb|\xdef|| a texbug@zzzz{\atexbug@zzzz\\latexbug@x\\
1543
                      \verb|\ifx\latexbug@y\latexbug@empty\else| \\
1544
                        \space\space -> \space \latexbug@y
1545
                                           \space \latexbug@z
1546
1547
                      \fi
                      \MessageBreak}}%
1548
             \fi
1549
           \fi
1550
         \fi
1551
1552
         \endgroup
      \fi
1553
      \verb|\latexbug@addtofilelist{#1}| \\
1554
1555 \def\latexbug@iftoplevel #1#2\@nil{%
      \def\next{#1}%
1556
1557
      \ifx\next\@empty
1558 }
1559 \endinput
1560~\langle/\mathsf{package}\rangle
```