1 Fonts in old TeX text Cyrillic encoding (LCY)

These are the font definitions for Computer Modern Cyrillic fonts in old LCY encoding, based on the LH fonts. All font shapes and sizes provided by CM fonts are also supported by LH fonts, so this file is based on cmfonts.fdd and slifonts.fdd. See comments there.

1.1 Computer Modern Roman

```
15 \DeclareFontFamily{LCY}{cmr}{\hyphenchar\font45 }
16 \DeclareFontShape{LCY}{cmr}{m}{n}{%
    <5><6><7><8><9><10><12>gen*lhr%
17
    <10.95>lhr10%
18
    <14.4>1hr12%
19
    <17.28><20.74><24.88>1hr17}{}
20
21 \DeclareFontShape{LCY}{cmr}{m}{sl}{%
   <5><6><7>1hs18%
22
   <8><9>gen*lhsl%
23
^{24}
   <10><10.95>lhsl10%
   <12><14.4><17.28><20.74><24.88>lhs112}{}
25
26 \DeclareFontShape{LCY}{cmr}{m}{it}{%
   <5><6><7>1hti7%
27
   <8>1hti8%
28
   <9>1hti9%
29
30 <10><10.95>lhti10%
   <12><14.4><17.28><20.74><24.88>1hti12}{}
31
32 \DeclareFontShape{LCY}{cmr}{m}{sc}{%
33 <5><6><7><8><9><10><10.95><12>%
   <14.4><17.28><20.74><24.88>lhcsc10}{}
35 \DeclareFontShape{LCY}{cmr}{m}{ui}{%
36 <5><6><7><8><9><10><10.95><12>%
   <14.4><17.28><20.74><24.88>1hu10}{}
37
38 \DeclareFontShape{LCY}{cmr}{b}{n}{%
  <5><6><7><8><9><10><10.95><12>%
   <14.4><17.28><20.74><24.88>1hb10}{}
40
41 \DeclareFontShape{LCY}{cmr}{bx}{n}{%
   <5><6><7><8><9>gen*lhbx%
   <10><10.95>lhbx10%
```

```
44 <12><14.4><17.28><20.74><24.88>lhbx12}{}
45 \DeclareFontShape{LCY}{cmr}{bx}{s1}{%
46 <5><6><7><8><9>%
47 <10><10.95><12><14.4><17.28><20.74><24.88>lhbxsl10}{}
48 \DeclareFontShape{LCY}{cmr}{bx}{it}{%
49 <5><6><7><8><9>%
50 <10><10.95><12><14.4><17.28><20.74><24.88>lhbxti10}{}
51 \DeclareFontShape{LCY}{cmr}{bx}{ui}{%
52 \langle -nowarn \rangle < -> sub*cmr/m/ui}{}
53 \langle +nowarn \rangle <-> ssub*cmr/m/ui}{}
54 (/LCYcmr)
     Computer Modern Sans
1.2
55 (*LCYcmss)
56 \DeclareFontFamily{LCY}{cmss}{\hyphenchar\font45 }
57 \DeclareFontShape{LCY}{cmss}{m}{n}{%
   <5><6><7><8>1hss8%
59 <9>1hss9%
60 <10><10.95>lhss10%
61 <12><14.4>lhss12%
62 <17.28><20.74><24.88>lhss17}{}
63 \DeclareFontShape{LCY}{cmss}{m}{it}{%
64 \langle -nowarn \rangle < -> sub*cmss/m/s1}{}
65 (+nowarn) <->ssub*cmss/m/s1}{}
66 \DeclareFontShape{LCY}{cmss}{m}{sl}{%
67 <5><6><7><8>lhssi8<9>lhssi9%
    <10><10.95>lhssi10%
    <12><14.4>lhssi12%
69
70 <17.28><20.74><24.88>lhssi17}{}
71 \DeclareFontShape{LCY}{cmss}{m}{sc}{%
72 <->sub*cmr/m/sc}{}
73 \DeclareFontShape{LCY}{cmss}{m}{ui}{%
74 <->sub*cmr/m/ui}{}
75 \DeclareFontShape{LCY}{cmss}{sbc}{n}{%
76 <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>1hssdc10}{}
77 \DeclareFontShape{LCY}{cmss}{bx}{n}{%
    <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>lhssbx10}{}
79 \DeclareFontShape{LCY}{cmss}{bx}{ui}{%
80 <->sub*cmr/bx/ui}{}
81 (/LCYcmss)
      Computer Modern Typewriter
1.3
83 \DeclareFontFamily{LCY}{cmtt}{\hyphenchar\font\m@ne}
84 \DeclareFontShape{LCY}{cmtt}{m}{n}{%
85 <5><6><7><8>1htt8<9>1htt9%
86 <10><10.95>1htt10%
87 <12><14.4><17.28><20.74><24.88>lhtt12}{}
88 \DeclareFontShape{LCY}{cmtt}{m}{it}{%
89 <5><6><7><8><9>%
90 <10><10.95><12><14.4><17.28><20.74><24.88>lhitt10}{}
91 \DeclareFontShape{LCY}{cmtt}{m}{sl}{%
92 <5><6><7><8><9>%
```

93 <10><10.95><12><14.4><17.28><20.74><24.88>lhsltt10}{}

```
94 \DeclareFontShape{LCY}{cmtt}{m}{sc}{%
95 <5><6><7><8><9>%
96 <10><10.95><12><14.4><17.28><20.74><24.88>1htcsc10}{}
97 \DeclareFontShape{LCY}{cmtt}{m}{ui}{%
98 \langle -nowarn \rangle < -> sub*cmtt/m/it}{}
99 \langle +\text{nowarn} \rangle <->ssub*cmtt/m/it}{}
100 \DeclareFontShape{LCY}{cmtt}{bx}{n}{%
101 \langle -nowarn \rangle < -> sub*cmtt/m/n}{}
102 \langle +nowarn \rangle <-> ssub*cmtt/m/n}{}
103 \DeclareFontShape{LCY}{cmtt}{bx}{it}{%
104 \langle -nowarn \rangle <-> sub*cmtt/m/it}{}
105 \langle +nowarn \rangle <->ssub*cmtt/m/it}{}
106 \DeclareFontShape{LCY}{cmtt}{bx}{ui}{%
107 \langle -nowarn \rangle < -> sub*cmtt/m/it}{}
108 (+nowarn) <->ssub*cmtt/m/it}{}
109 (/LCYcmtt)
     Computer Modern Variable Typewriter
111 \DeclareFontFamily{LCY}{cmvtt}{\hyphenchar\font45 }
112 \DeclareFontShape{LCY}{cmvtt}{m}{n}{%
113 <5><6><7><8><9><10><10.95>%
114 <12><14.4><17.28><20.74><24.88>lhvtt10}{}
115 \DeclareFontShape{LCY}{cmvtt}{m}{it}{%
116 <5><6><7><8><9><10><10.95>%
     <12><14.4><17.28><20.74><24.88>lhvtti10}{}
118 (/LCYcmvtt)
     Computer Modern Funny
1.5
119 (*LCYcmfr)
120 \DeclareFontFamily{LCY}{cmfr}{\hyphenchar\font45 }
121 \DeclareFontShape{LCY}\{cmfr\}\{m\}\{n\}\{m\}\{n\}\{m\}\}
    <10>lhff10}{}
123 \DeclareFontShape{LCY}{cmfr}{m}{it}{%
124 <10>lhfi10}{}
125 (/LCYcmfr)
      Computer Modern Dunhill
126 (*LCYcmdh)
127 \DeclareFontFamily{LCY}{cmdh}{\hyphenchar\font45 }
128 \DeclareFontShape{LCY}{cmdh}{m}{n}{%
     <10>lhdunh10}{}
130 (/LCYcmdh)
      Computer Modern Fibonacci
1.7
131 (*LCYcmfib)
132 \DeclareFontFamily{LCY}{cmfib}{\hyphenchar\font45 }
133 \DeclareFontShape{LCY}{cmfib}{m}{n}{%
     <8>lhfib8}{}
135 (/LCYcmfib)
       Computer Modern Sans for SLiTeX
```

136 (*LCYIcmss)

```
137 \DeclareFontFamily{LCY}{lcmss}{\hyphenchar\font45 }
138 \DeclareFontShape{LCY}{lcmss}{m}{n}{%
139 <7><8><10><12>%
        <13.82><16.59><19.907><23.89><28.66><34.4><41.28>11hss8}{}
140
141 \DeclareFontShape{LCY}{lcmss}{m}{In}{%
142 <7><8><10><12>%
143 <13.82><16.59><19.907><23.89><28.66><34.4><41.28>illhss8}{}
144 \DeclareFontShape{LCY}{1cmss}{m}{s1}{%
145 <13.82><16.59><19.907><23.89><28.66><34.4><41.28>11hssi8}{}
146 \DeclareFontShape{LCY}{lcmss}{m}{Isl}{%
147 <13.82><16.59><19.907><23.89><28.66><34.4><41.28>illhssi8}{}
148 \verb|\DeclareFontShape{LCY}{lcmss}{m}{it}{{\%}}
149 <->sub*lcmss/m/sl}{}
150 \DeclareFontShape{LCY}{lcmss}{m}{Iit}{%
        <->sub*lcmss/m/Isl}{}
151
152 \DeclareFontShape{LCY}{lcmss}{bx}{n}{%
153 <13.82><16.59><19.907><23.89><28.66><34.4><41.28>11hssb8}{}
154 \DeclareFontShape{LCY}{lcmss}{bx}{In}{%
155 <13.82><16.59><19.907><23.89><28.66><34.4><41.28>illhssb8}{}
156 \DeclareFontShape{LCY}{lcmss}{m}{ui}{%
157 <->sub*cmr/m/ui}{}
158 \DeclareFontShape{LCY}{lcmss}{bx}{ui}{%
159 <->sub*cmr/m/ui}{}
160 (/LCYlcmss)
             Computer Modern Typewriter for SLiTeX
1.9
162 \ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc LCY}}\} \{\ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc Normalis}} \} \} \ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc Normalis}} \} \} \ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \{\ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\mbox{\sc Normalis}} \} \ensuremath{\m
163 \DeclareFontShape{LCY}{lcmtt}{m}{n}{%
164 <13.82><16.59><19.907><23.89><28.66><34.4><41.28>1htt8}{}
165 \DeclareFontShape{LCY}{lcmtt}{m}{In}{%
166 <13.82><16.59><19.907><23.89><28.66><34.4><41.28>ilhtt8}{}
167 \DeclareFontShape{LCY}{lcmtt}{m}{it}{%
168 <13.82><16.59><19.907><23.89><28.66><34.4><41.28>lhitt10}{}
169 \DeclareFontShape{LCY}{lcmtt}{m}{ui}{%
170 <->sub*cmtt/m/it}{}
171 \DeclareFontShape{LCY}{lcmtt}{bx}{ui}{%
172 <->sub*cmtt/m/it}{}
173 (/LCYlcmtt)
                Computer Modern Bright
174 (*LCYcmbr)
175 \DeclareFontFamily{LCY}{cmbr}{\hyphenchar\font45 }
176 \DeclareFontShape{LCY}{cmbr}{m}{n}{%
        <5><6><7><8>1hbr8%
        <9>1hbr9%
179 <10><10.95><12><14.4>lhbr10%
180 <17.28><20.74><24.88><29.86><35.83>lhbr17%
181 }{}
182 \DeclareFontShape{LCY}{cmbr}{m}{sl}{%
183 <5><6><7><8>1hbrs18%
184 <9>lhbrs19%
```

<10><10.95><12><14.4>lhbrsl10%

186 <17.28><20.74><24.88><29.86><35.83>lhbrs117%

185

```
187 }{}
188 \DeclareFontShape{LCY}{cmbr}{m}{it}{<->ssub*cmbr/m/sl}{}
189 \DeclareFontShape{LCY}{cmbr}{b}{n}{<->ssub*cmbr/bx/n}{}
190 \DeclareFontShape{LCY}{cmbr}{bx}{n}{%
     <-9>sub*cmbr/m/n%
     <10><10.95><12><14.4><17.28><20.74><24.88><29.86><35.83>1hbrbx10%
192
193 }{}
194 (/LCYcmbr)
        Computer Modern Typewriter Light
1.11
195 (*LCYcmtl)
196 \DeclareFontFamily{LCY}{cmtl}{\hyphenchar\font\m@ne}
197 \DeclareFontShape{LCY}{cmtl}{m}{n}{%
     <5><6><7><8><9><10><10.95><12><14.4><17.28>%
199 <20.74><24.88><29.86><35.83>1ht110%
200 }{}
201 \DeclareFontShape{LCY}{cmtl}{m}{sl}{%
    <5><6><7><8><9><10><10.95><12><14.4><17.28>%
    <20.74><24.88><29.86><35.83>lhsltl10%
204 }{}
205 \ensuremath{\mbox{\cmtl}} \{m\} \{it\} \{<-> sub*cmtl/m/sl\} \{\} \}
206 (/LCYcmtl)
        Computer Modern Concrete
1.12
207 (*LCYccr)
208 \DeclareFontFamily{LCY}{ccr}{\hyphenchar\font45 }
209 \DeclareFontShape{LCY}{ccr}{m}{n}{%
210 <5><6><7><8><9>gen*lhcr%
     <10><10.95><12><14.4><17.28><20.74><24.88>1hcr10%
211
212 }{}
213 \DeclareFontShape{LCY}{ccr}{m}{sl}{%
214 <5><6><7><8><9>lhcs19%
    <10><10.95><12><14.4><17.28><20.74><24.88>lhcsl10%
216 }{}
217 \DeclareFontShape{LCY}{ccr}{m}{it}{%
218 <5><6><7><8><9><10><10.95><12><14.4><17.28><20.74><24.88>lhcti10%
```

223 \DeclareFontShape{LCY}{ccr}{bx}{n}{<->ssub*cmr/bx/n}{}

224 \DeclareFontShape{LCY}{ccr}{bx}{sl}{<->ssub*cmr/bx/sl}{}

225 \DeclareFontShape{LCY}{ccr}{bx}{it}{<->ssub*cmr/bx/it}{}

225 \Deciateroniconape(Lot)(cct)(bx)(tc)(\ >880b*cmt/bx/tc)()

226 \DeclareFontShape{LCY}{ccr}{sbc}{n}{<->ssub*cmss/sbc/n}{}

227 \DeclareFontShape{LCY}{ccr}{sbc}{sl}{<->ssub*cmss/sbc/n}{}
228 \DeclareFontShape{LCY}{ccr}{sbc}{it}{<->ssub*cmss/sbc/n}{}

229 \DeclareFontShape{LCY}{ccr}{s}L{\%}

230 <9>lhcslc9%

231 }{}

219 }{}

232 (/LCYccr)