# Greek Language Support for XHATEX and LualATEX

Apostolos Syropoulos Xanthi, Greece asyropoulos@yahoo.com

2009/11/23 Last Updated 2022/09/04

#### Abstract

The xgreek package provides rudimentary support for Greek language type-setting with XHMEX and LualMEX. In particular, it provides support for modern Greek (either monotonic or polytonic) and ancient Greek.

### 1 Introduction

The xgreek package provides rudimentary support for Greek language typesetting with XHMEX and Lual TEX. Users will be able to typeset documents in either modern Greek (monotonic or polytonic) or ancient Greek by selecting the appropriate package option. The default "language" is monotonic Greek.

Support for LuaLATEX was provided by Javier Bezos.

## 2 The Source Code of xgreek

According to the Unicode standard

http://www.unicode.org/Public/UNIDATA/UnicodeData.txt

the uppercase form of GREEK SMALL LETTER EPSILON WITH TONOS IS GREEK CAPITAL LETTER ETA WITH TONOS. This is certainly wrong. The main reason is that accents are not part of the letter as for example is the case with LATIN SMALL LETTER K WITH CARON. Since, XTATEX blindly follows the Unicode standard, commands like \MakeUppercase produce wrong output. For this reason I first need to set up the correct \uccodes and \lcodes.

1 \(\pi\xigreek\)
2 \message{Package 'xgreek' version 3.1.0 by Apostolos Syropoulos}\)
3 \global\lccode"0370="0371 \global\uccode"0370="0370
4 \global\lccode"0371="0371 \global\uccode"0371="0370
5 \global\lccode"0372="0373 \global\uccode"0372="0372
6 \global\lccode"0373="0373 \global\uccode"0373="0372
7 \global\lccode"0376="0377 \global\uccode"0376="0376
8 \global\lccode"03FD="037B \global\uccode"03FD="03FD

```
10 \global\lccode"037B="037B \global\uccode"037B="03FD
11 \global\lccode"03FE="037C \global\uccode"03FE="03FE
12 \global\lccode"037C="037C \global\uccode"037C="03FE
13 \global\lccode"03FF="037D \global\uccode"03FF="03FF
14 \global\lccode"037D="037D \global\uccode"037D="03FF
15 \global\lccode"0386="03AC \global\uccode"0386="0391
16 \global\lccode"0388="03AD \global\uccode"0388="0395
17 \global\lccode"0389="03AC \global\uccode"0389="0397
18 \global\lccode"038A="03AF \global\uccode"038A="0399
19 \ensuremath{\mbox{\sc ''038C}="03CC \global\uccode"038C="039Femiliary of the context of the
20 \global\lccode"038E="03CD \global\uccode"038E="03A5
21 \global\lccode"038F="03CE \global\uccode"038F="03A9
22 \global\lccode"0390="0390 \global\uccode"0390="03AA
23 \global\lccode"0391="03B1 \global\uccode"0391="0391
24 \global\lccode"0392="03B2 \global\uccode"0392="0392
25 \global\lccode"0393="03B3 \global\uccode"0393="0393
26 \global\lccode"0394="03B4 \global\uccode"0394="0394
27 \global\lccode"0395="03B5 \global\uccode"0395="0395
28 \global\lccode"0396="03B6 \global\uccode"0396="0396
29 \global\lccode"0397="03B7 \global\uccode"0397="0397
30 \global\lccode"0398="03B8 \global\uccode"0398="0398
31 \global\lccode"0399="03B9 \global\uccode"0399="0399
32 \ensuremath{\mbox{\sc Nglobal\uccode}"039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A="039A=
33 \global\lccode"039B="03BB \global\uccode"039B="039B
34\global\lccode"039C="03BC\global\uccode"039C="039C
35 \global\lccode"039D="03BD \global\uccode"039D="039D
36 \global\lccode"039E="03BE \global\uccode"039E="039E
37 \global\lccode"039F="03BF \global\uccode"039F="039F
38 \global\lccode"03A0="03C0 \global\uccode"03A0="03A0
39 \global\lccode"03A1="03C1 \global\uccode"03A1="03A1
40 \ensuremath{\mbox{\mbox{$\mbox{$}}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath{\mbox{$}}\ensuremath
41 \global\lccode"03A4="03C4 \global\uccode"03A4="03A4
42 \global\lccode"03A5="03C5 \global\uccode"03A5="03A5
43 \global\lccode"03A6="03C6 \global\uccode"03A6="03A6
44 \global\lccode"03A7="03C7 \global\uccode"03A7="03A7
45 \global\lccode"03A8="03C8 \global\uccode"03A8="03A8
46 \global\lccode"03A9="03C9 \global\uccode"03A9="03A9
47 \global\lccode"03AA="03CA \global\uccode"03AA="03AA
48 \global\lccode"03AB="03CB \global\uccode"03AB="03AB
 49 \global\lccode"03AC="03AC \global\uccode"03AC="0391
50 \global\lccode"03AD="03AD \global\uccode"03AD="0395
51 \global\lccode"03AE="03AE \global\uccode"03AE="0397
52 \ensuremath{\mbox{\sc hold}}\ensuremath{\mbox{\sc hol
53 \ensuremath{\mbox{\sc sglobal\uccode}"03B0="03B0 \ensuremath{\mbox{\sc global\uccode}"03B0="03AB}}
54 \global\lccode"03B1="03B1 \global\uccode"03B1="0391 \global\lccode"03B1="0391 \global\lccode"03B1="0391 \global\lccode"03B1="03B1 \global\lccod
55 \ensuremath{\mbox{\sc hold}}\ensuremath{\mbox{\sc hol
56 \global\lccode"03B3="03B3 \global\uccode"03B3="0393
57 \global\lccode"03B4="03B4 \global\uccode"03B4="0394
58 \global\lccode"03B5="03B5 \global\uccode"03B5="0395
59 \global\lccode"03B6="03B6 \global\uccode"03B6="0396
60 \global\lccode"03B7="03B7 \global\uccode"03B7="0397
62 \global\lccode"03B9="03B9 \global\uccode"03B9="0399
63 \global\lccode"03BA="03BA \global\uccode"03BA="039A
```

```
64 \global\lccode"03BB="03BB \global\uccode"03BB="039B
   65 \global\lccode"03BC="03BC \global\uccode"03BC="039C
   66 \global\lccode"03BD="03BD \global\uccode"03BD="039D
  67 \global\lccode"03BE="03BE \global\uccode"03BE="039E
  68 \protect\ \global\uccode"03BF="03BF \global\uccode"03BF="039F
  69 \global\lccode"03C0="03C0 \global\uccode"03C0="03A0
  70 \global\lccode"03C1="03C1 \global\uccode"03C1="03A1
   71 \global\lccode"03C2="03C2 \global\uccode"03C2="03A3
   72 \global\lccode"03C3="03C3 \global\uccode"03C3="03A3
   73 \global\lccode"03C4="03C4 \global\uccode"03C4="03A4 \global\uccode
   74 \global\lccode"03C5="03C5 \global\uccode"03C5="03A5
   75 \global\lccode"03C6="03C6 \global\uccode"03C6="03A6
   76 \global\lccode"03C7="03C7 \global\uccode"03C7="03A7
   77 \global\lccode"03C8="03C8 \global\uccode"03C8="03A8
   78 \global\lccode"03C9="03C9 \global\uccode"03C9="03A9
   79 \global\lccode"03CA="03CA \global\uccode"03CA="03AA
   80 \global\lccode"03CB="03CB \global\uccode"03CB="03AB
   81 \global\lccode"03CC="03CC \global\uccode"03CC="039F
   82 \global\lccode"03CD="03CD \global\uccode"03CD="03A5
   83 \ensuremath{\mbox{\sc hold}}\ensuremath{\mbox{\sc hol
   84 \global\lccode"03D0="03D0 \global\uccode"03D0="0392
   85 \global\lccode"03D1="03D1 \global\uccode"03D1="0398
   86 \global\lccode"03D2="03C5 \global\uccode"03D2="03A5 \global\lccode"03D2="03A5 \global\lccod
   87 \global\lccode"03D3="03CD \global\uccode"03D3="03A5
   88 \global\lccode"03D4="03CB \global\uccode"03D4="03AB
   89 \global\lccode"03D5="03C6 \global\uccode"03D5="03A6
  90 \global\lccode"03D6="03C0 \global\uccode"03D6="03A0
  91 \global\lccode"03DA="03DB \global\uccode"03DA="03DA
   92 \global\lccode"03DB="03DB \global\uccode"03DB="03DA
   93 \global\lccode"03DC="03DD \global\uccode"03DC="03DC
  94 \global\lccode"03DD="03DD \global\uccode"03DD="03DC
  95 \global\lccode"03DE="03DF \global\uccode"03DE="03DE
  96 \global\lccode"03DF="03DF \global\uccode"03DF="03DE
  97 \global\lccode"03E0="03E1 \global\uccode"03E0="03E0
  98 \global\lccode"03E1="03E1 \global\uccode"03E1="03E0
  99 \global\lccode"03F0="03BA \global\uccode"03F0="039A
 100 \global\lccode"03F1="03C1 \global\uccode"03F1="03A1
 101 \global\lccode"03F2="03F2 \global\uccode"03F2="03F9
 102 \global\lccode"03F9="03F2 \global\uccode"03F9="03F9
 103 \global\lccode"1F00="1F00 \global\uccode"1F00="0391
 104 \global\lccode"1F01="1F01 \global\uccode"1F01="0391
105 \global\lccode"1F02="1F02 \global\uccode"1F02="0391
106 \global\lccode"1F03="1F03 \global\lccode"1F03="0391" \global\lccode"1
107 \ensuremath{\mbox{\sc hold}}\ensuremath{\mbox{\sc ho
108 \ensuremath{\mbox{\sc hobal\lccode}"1F05="1F05 \ensuremath{\mbox{\sc hobal\lccode}"1F05="0391"} \\
110 \global\lccode"1F07="1F07 \global\uccode"1F07="0391
111 \global\lccode"1F08="1F00 \global\uccode"1F08="0391
112 \global\lccode"1F09="1F01 \global\uccode"1F09="0391
113 \global\lccode"1F0A="1F02 \global\uccode"1F0A="0391
114 \global\lccode"1F0B="1F03 \global\uccode"1F0B="0391
116 \global\lccode"1F0D="1F05 \global\uccode"1F0D="0391
117 \global\lccode"1F0E="1F06 \global\uccode"1F0E="0391
```

```
118 \global\lccode"1F0F="1F07 \global\uccode"1F0F="0391
 119 \global\lccode"1F10="1F10 \global\uccode"1F10="0395" | 119 \global\lccode"1F10="0395" | 119 \
 120 \global\lccode"1F11="1F11 \global\uccode"1F11="0395
 121 \global\lccode"1F12="1F12 \global\uccode"1F12="0395" | 121 \global\lccode"1F12="0395" | 121 \
 122 \ensuremath{\mbox{\sc lobal\lccode}"1F13="1F13 \ensuremath{\mbox{\sc lobal\lccode}"1F13="0395"} \\
123 \global\lccode"1F14="1F14 \global\uccode"1F14="0395
 124 \global\lccode"1F15="1F15 \global\uccode"1F15="0395
 125 \global\lccode"1F18="1F10 \global\uccode"1F18="0395
  126 \global\lccode"1F19="1F11 \global\uccode"1F19="0395
 127 \global\lccode"1F1A="1F12 \global\uccode"1F1A="0395
 128 \global\lccode"1F1B="1F13 \global\uccode"1F1B="0395
 129 \global\lccode"1F1C="1F14 \global\uccode"1F1C="0395
 130 \ensuremath{\mbox{\sc lobal\label{locode}}\xspace* 181D="1F15 \ensuremath{\mbox{\sc lobal\label{locode}}\xspace* 181D="0395" \ensuremath{\mbox{\sc lobal\label}}\xspace* 181D="0395" \ensuremath{\mbox{\sc lobal\label}}\xspace* 181D="0395" \ensuremath{\mbox{\sc lobal\label}\xspace* 181D="0395" \ensuremath{\mbox{\sc lobal\label}}\xspace* 181D="0395" \ensuremath{\mbox{\sc lobal\label}}\xspace* 181D="0395" \ensuremath{\mbox{\sc lobal\label}}\xspace* 181D="0395" \ensuremath{\mbox{\sc lobal\label}}\xspace* 181D="0395" \ensuremath{
 131 \global\lccode"1F20="1F20 \global\uccode"1F20="0397
 132 \global\lccode"1F21="1F21 \global\uccode"1F21="0397
 133 \global\lccode"1F22="1F22 \global\uccode"1F22="0397
 134 \global\lccode"1F23="1F23 \global\uccode"1F23="0397
 135 \global\lccode"1F24="1F24 \global\uccode"1F24="0397
 136 \global\lccode"1F25="1F25 \global\uccode"1F25="0397" \global\lccode"1F25="0397" \global\lccode"1
 137 \ensuremath{\mbox{\sc hobal\lccode}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccdob}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccode}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccode}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccdob}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccode}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccdob}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccdobe}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccdobe}} 11726 = 11726 \ensuremath{\mbox{\sc hobal\lccdobe}} 11726 = 117
 138 \global\lccode"1F27="1F27 \global\uccode"1F27="0397
 139 \global\lccode"1F28="1F20 \global\uccode"1F28="0397
140 \ensuremath{\mbox{\mbox{$1$}}} 140 \ensuremath{\mbox{\mbox{$1$}}} 129 = 1521 \ensuremath{\mbox{$1$}} 140 \en
141 \global\lccode"1F2A="1F22 \global\uccode"1F2A="0397
142 \global\lccode"1F2B="1F23 \global\uccode"1F2B="0397]
144 \global\lccode"1F2D="1F25 \global\uccode"1F2D="0397
145 \global\lccode"1F2E="1F26 \global\uccode"1F2E="0397
 146 \global\lccode"1F2F="1F27 \global\uccode"1F2F="0397
 147 \global\lccode"1F30="1F30 \global\uccode"1F30="0399
148 \global\lccode"1F31="1F31 \global\uccode"1F31="0399
 149 \global\lccode"1F32="1F32 \global\uccode"1F32="0399
 150 \global\lccode"1F33="1F33 \global\uccode"1F33="0399
 151 \ensuremath{\mbox{\mbox{$151$ \code}$} 1534 = 154 \ensuremath{\mbox{$151$ \code}$} 1534 = 154 \ensuremat
 152 \ensuremath{\mbox{\sc hold}}\ensuremath{\mbox{\sc ho
 153 \global\lccode"1F36="1F36 \global\uccode"1F36="0399
 154 \global\lccode"1F37="1F37 \global\uccode"1F37="0399
 155 \global\lccode"1F38="1F30 \global\uccode"1F38="0399
 156 \global\lccode"1F39="1F31 \global\uccode"1F39="0399
  157 \global\lccode"1F3A="1F32 \global\uccode"1F3A="0399
  158 \global\lccode"1F3B="1F33 \global\uccode"1F3B="0399
 159 \global\lccode"1F3C="1F34 \global\uccode"1F3C="0399
 160 \global\lccode"1F3D="1F35 \global\uccode"1F3D="0399
 161 \global\lccode"1F3E="1F36 \global\uccode"1F3E="0399" \global\lccode"1F3E="0399" \global\lccode"1
 162 \label{locode} 162 \label{locode} 162 \label{locode} 173F="1F37 \label{locode} 162 
 163 \ensuremath{\mbox{\sc hobal\label{locode}"1F40="1F40" \sc hobal\label{locode}"1F40="039F40" \ensuremath{\mbox{\sc hobal\label}"1F40="039F40" \ensurema
 164 \ensuremath{\mbox{\sc hold}} 164 \ensuremath{\mbox{\sc hold}
 165 \global\lccode"1F42="1F42 \global\uccode"1F42="039F
 166 \global\lccode"1F43="1F43 \global\uccode"1F43="039F
 167 \global\lccode"1F44="1F44 \global\uccode"1F44="039F
  168 \global\lccode"1F45="1F45 \global\uccode"1F45="039F
 170 \global\lccode"1F49="1F41 \global\uccode"1F49="039F
 171 \global\lccode"1F4A="1F42 \global\uccode"1F4A="039F
```

```
172 \global\lccode"1F4B="1F43 \global\uccode"1F4B="039F
173 \ensuremath{\mbox{\sc hold}} 173 \ensuremath{\mbox{\sc hold}} 174C="1F44 \ensuremath{\mbox{\sc hold}} 173C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F4C="039F
174 \global\lccode"1F4D="1F45 \global\uccode"1F4D="039F
175 \global\lccode"1F50="1F50 \global\uccode"1F50="03A5
176 \ensuremath{\mbox{\sc hold}}\ensuremath{\mbox{\sc ho
177 \global\lccode"1F52="1F52 \global\uccode"1F52="03A5
178 \global\lccode"1F53="1F53 \global\uccode"1F53="03A5
179 \global\lccode"1F54="1F54 \global\uccode"1F54="03A5
 180 \global\lccode"1F55="1F55 \global\uccode"1F55="03A5
181 \ensuremath{\mbox{\mbox{$181$ \mbox{$180$ \mbox{$181$ \mbox{$180$ \mbox{
182 \global\lccode"1F57="1F57 \global\uccode"1F57="03A5
183 \global\lccode"1F59="1F51 \global\uccode"1F59="03A5
184 \global\lccode"1F5B="1F53 \global\uccode"1F5B="03A5" \end{substitute}
185 \global\lccode"1F5D="1F55 \global\uccode"1F5D="03A5
186 \global\lccode"1F5F="1F57 \global\uccode"1F5F="03A5
187 \global\lccode"1F60="1F60 \global\uccode"1F60="03A9
188 \global\lccode"1F61="1F61 \global\uccode"1F61="03A9
189 \global\lccode"1F62="1F62 \global\uccode"1F62="03A9
190 \global\lccode"1F63="1F63 \global\uccode"1F63="03A9
191 \global\lccode"1F64="1F64 \global\uccode"1F64="03A9
192 \global\lccode"1F65="1F65 \global\uccode"1F65="03A9
193 \global\lccode"1F66="1F66 \global\uccode"1F66="03A9
194 \global\lccode"1F67="1F67 \global\uccode"1F67="03A9
195 \global\lccode"1F68="1F60 \global\uccode"1F68="03A9
196 \global\lccode"1F69="1F61 \global\uccode"1F69="03A9
197 \global\lccode"1F6A="1F62 \global\uccode"1F6A="03A9
198 \global\lccode"1F6B="1F63 \global\uccode"1F6B="03A9
199 \global\lccode"1F6C="1F64 \global\uccode"1F6C="03A9
200 \global\lccode"1F6D="1F65 \global\uccode"1F6D="03A9
201 \global\lccode"1F6E="1F66 \global\uccode"1F6E="03A9
202 \ensuremath{\mbox{\sc de"1F6F="1F67 \sc de"1F6F="03A9}} \label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-loc
203 \global\lccode"1F70="1F70 \global\uccode"1F70="0391
204 \ \code"1F71="1F71 \ \cde"1F71="0391" \label{locode}
206 \global\lccode"1F73="1F73 \global\uccode"1F73="0395
207 \ \cde"1F74="1F74 \ \cde"1F74="0397" \ \cde"1
208 \global\lccode"1F75="1F75 \global\uccode"1F75="0397
209 \global\lccode"1F76="1F76 \global\uccode"1F76="0399
210 \global\lccode"1F77="1F77 \global\uccode"1F77="0399
211 \global\lccode"1F78="1F78 \global\uccode"1F78="039F
212 \global\lccode"1F79="1F79 \global\uccode"1F79="039F
213 \global\lccode"1F7A="1F7A \global\uccode"1F7A="03A5
214 \global\lccode"1F7B="1F7B \global\uccode"1F7B="03A5
215 \global\lccode"1F7C="1F7C \global\uccode"1F7C="03A9
217 \global\lccode"1F80="1F80 \global\uccode"1F80="1FBC
218 \global\lccode"1F81="1F81 \global\uccode"1F81="1FBC
219 \global\lccode"1F82="1F82 \global\uccode"1F82="1FBC
220 \global\lccode"1F83="1F83 \global\uccode"1F83="1FBC
221 \global\lccode"1F84="1F84 \global\uccode"1F84="1FBC
222 \global\lccode"1F85="1F85 \global\uccode"1F85="1FBC
223 \ensuremath{\mbox{\mbox{$\sim$}}} 1F86 \ensuremath{\mbox{\mbox{
224 \global\lccode"1F87="1F87 \global\uccode"1F87="1FBC
225 \global\lccode"1F88="1F80 \global\uccode"1F88="1FBC
```

```
226 \global\lccode"1F89="1F81 \global\uccode"1F89="1FBC
227 \global\lccode"1F8A="1F82 \global\uccode"1F8A="1FBC
228 \global\lccode"1F8B="1F83 \global\uccode"1F8B="1FBC
229 \global\lccode"1F8C="1F84 \global\uccode"1F8C="1FBC
230 \global\lccode"1F8D="1F85 \global\uccode"1F8D="1F8C
231 \global\lccode"1F8E="1F86 \global\uccode"1F8E="1FBC
232 \global\lccode"1F8F="1F87 \global\uccode"1F8F="1FBC
233 \global\lccode"1F90="1F90 \global\uccode"1F90="1FCC
234 \global\lccode"1F91="1F91 \global\uccode"1F91="1FCC
235 \global\lccode"1F92="1F92 \global\uccode"1F92="1FCC
236 \global\lccode"1F93="1F93 \global\uccode"1F93="1FCC
237 \global\lccode"1F94="1F94 \global\uccode"1F94="1FCC
238 \global\lccode"1F95="1F95 \global\uccode"1F95="1FCC
239 \global\lccode"1F96="1F96 \global\uccode"1F96="1FCC
240 \global\lccode"1F97="1F97 \global\uccode"1F97="1FCC
241 \global\lccode"1F98="1F90 \global\uccode"1F98="1FCC
242 \global\lccode"1F99="1F91 \global\uccode"1F99="1FCC
243 \global\lccode"1F9A="1F92 \global\uccode"1F9A="1FCC
244 \global\lccode"1F9B="1F93 \global\uccode"1F9B="1FCC
245 \global\lccode"1F9C="1F94 \global\uccode"1F9C="1FCC
246 \global\lccode"1F9D="1F95 \global\uccode"1F9D="1FCC
247 \global\lccode"1F9E="1F96 \global\uccode"1F9E="1FCC
248 \global\lccode"1F9F="1F97 \global\uccode"1F9F="1FCC
249 \global\lccode"1FAO="1FAO \global\uccode"1FAO="1FFC
250 \verb|\global\accode"1FA1="1FA1 \ \global\accode"1FA1="1FFC|
251 \global\lccode"1FA2="1FA2 \global\uccode"1FA2="1FFC
252 \global\lccode"1FA3="1FA3 \global\uccode"1FA3="1FFC
253 \global\lccode"1FA4="1FA4 \global\uccode"1FA4="1FFC
254 \global\lccode"1FA5="1FA5 \global\uccode"1FA5="1FFC
255 \global\lccode"1FA6="1FA6 \global\uccode"1FA6="1FFC
256 \ensuremath{\mbox{\sc hold}\mbox{\sc hold}\mb
257 \global\lccode"1FA8="1FA0 \global\uccode"1FA8="1FFC
258 \global\lccode"1FA9="1FA1 \global\uccode"1FA9="1FFC
259 \global\lccode"1FAA="1FA2 \global\uccode"1FAA="1FFC
260 \global\lccode"1FAB="1FA3 \global\uccode"1FAB="1FFC
261 \global\lccode"1FAC="1FA4 \global\uccode"1FAC="1FFC
262 \global\lccode"1FAD="1FA5 \global\uccode"1FAD="1FFC
263 \ensuremath{\mbox{\sc hobal\lccode}"1FAE="1FA6 \ensuremath{\mbox{\sc hobal\lccode}"1FAE="1FFC \ensuremath{\mbox{\sc hobal\lccode}"1FAE="1FAC \ensuremath{\mbox{\sc hobal\lccode}"1FAE="1FAE \ensuremath{\mbox{\
264 \global\lccode"1FAF="1FA7 \global\uccode"1FAF="1FFC
265 \global\lccode"1FB0="1FB0 \global\uccode"1FB0="1FB8
266 \global\lccode"1FB1="1FB1 \global\uccode"1FB1="1FB9
267 \global\lccode"1FB2="1FB2 \global\uccode"1FB2="1FBC
268 \global\lccode"1FB3="1FB3 \global\uccode"1FB3="1FBC
269 \global\lccode"1FB4="1FB4 \global\uccode"1FB4="1FBC
270 \ensuremath{\mbox{\sc de"}1FB6="1FB6 \ensuremath{\mbox{\sc global\accode"}1FB6="0391"} \\
271 \global\lccode"1FB7="1FB7 \global\uccode"1FB7="1FBC
272 \ensuremath{\mbox{\sc heal}\mbox{\sc heal}\mb
273 \global\lccode"1FB9="1FB1 \global\uccode"1FB9="1FB9
274 \global\lccode"1FBA="1F70 \global\uccode"1FBA="0391
275 \global\lccode"1FBB="1F71 \global\uccode"1FBB="0391
276 \global\lccode"1FBC="1FB3 \global\uccode"1FBC="1FBC
277 \global\lccode"1FBD="1FBD \global\uccode"1FBD="1FBD
278 \global\lccode"1FC2="1FC2 \global\uccode"1FC2="1FCC
279 \global\lccode"1FC3="1FC3 \global\uccode"1FC3="1FCC
```

```
281 \global\lccode"1FC6="1FC6 \global\uccode"1FC6="0397
282 \global\lccode"1FC7="1FC7 \global\uccode"1FC7="1FCC
283 \global\lccode"1FC8="1F72 \global\uccode"1FC8="0395
284 \ensuremath{\mbox{\sc Nglobal\uccode}}\ensuremath{\mbox{\sc Nglobal\ucccode}}\ensuremath{\mbox{\sc Nglobal\ucccode}}\ensuremath{\mbox{\sc Nglobal\ucccode}}\ensuremath{\mbox{\sc Nglobal\ucccde}}\ensuremath{\mbox{\sc N
285 \global\lccode"1FCA="1F74 \global\uccode"1FCA="0397
286 \global\lccode"1FCB="1F75 \global\uccode"1FCB="0397
 287 \global\lccode"1FCC="1FC3 \global\uccode"1FCC="1FCC
288 \global\lccode"1FD0="1FD0 \global\uccode"1FD0="1FD8
289 \global\lccode"1FD1="1FD1 \global\uccode"1FD1="1FD9
290 \global\lccode"1FD2="1FD2 \global\uccode"1FD2="03AA
291 \global\lccode"1FD3="1FD3 \global\uccode"1FD3="03AA
292 \global\lccode"1FD6="1FD6 \global\uccode"1FD6="0399
293 \global\lccode"1FD7="1FD7 \global\uccode"1FD7="03AA
294 \global\lccode"1FD8="1FD0 \global\uccode"1FD8="1FD8
295 \global\lccode"1FD9="1FD1 \global\uccode"1FD9="1FD9
296 \global\lccode"1FDA="1F76 \global\uccode"1FDA="0399
297 \global\lccode"1FDB="1F77 \global\uccode"1FDB="0399
298 \global\lccode"1FE0="1FE0 \global\uccode"1FE0="1FE8
299 \global\lccode"1FE1="1FE1 \global\uccode"1FE1="1FE9
300 \global\lccode"1FE2="1FE2 \global\uccode"1FE2="03AB
301 \global\lccode"1FE3="1FE3 \global\uccode"1FE3="03AB
302 \ensuremath{\mbox{\sc 3}}\ensuremath{\mbox{\sc 1}}\ensuremath{\mbox{\sc 1}}\ensuremath{\mb
303 \global\lccode"1FE5="1FE5 \global\uccode"1FE5="03A1
304 \global\lccode"1FE6="1FE6 \global\uccode"1FE6="03A5
305 \ensuremath{\mbox{\sc heal}\mbox{\sc heal}\mb
306 \global\lccode"1FE8="1FE0 \global\uccode"1FE8="1FE8
307 \global\lccode"1FE9="1FE1 \global\uccode"1FE9="1FE9
308 \global\lccode"1FEA="1F7A \global\uccode"1FEA="03A5
309 \global\lccode"1FEB="1F7B \global\uccode"1FEB="03A5
310 \global\lccode"1FEC="1FE5 \global\uccode"1FEC="1FEC
311 \global\lccode"1FF2="1FF2 \global\uccode"1FF2="1FFC
312 \global\lccode"1FF3="1FF3 \global\uccode"1FF3="1FFC
313 \global\lccode"1FF4="1FF4 \global\uccode"1FF4="1FFC
314 \global\lccode"1FF6="1FF6 \global\uccode"1FF6="03A9
315 \global\lccode"1FF7="1FF7 \global\uccode"1FF7="1FFC
316 \global\lccode"1FF8="1F78 \global\uccode"1FF8="039F
317 \global\lccode"1FF9="1F79 \global\uccode"1FF9="039F
318 \global\lccode"1FFA="1F7C \global\uccode"1FFA="03A9
319 \global\lccode"1FFB="1F7D \global\uccode"1FFB="03A9
320 \ensuremath{\mbox{\sc de}"1FFC="1FF3 \ensuremath{\mbox{\sc global\uccode}"1FFC="1FFC \ensuremath{\mbox{\sc global\uccode
```

Next I define the various strings that correspond to the standard LATEX captions. I first define the strings for monotonic Greek.

```
321 \def\prefacename{Πρόλογος}%
322 \def\refname{Αναφορές}%
323 \def\abstractname{Περίληψη}%
324 \def\bibname{Βιβλιογραφία}%
325 \def\chaptername{Κεφάλαιο}%
326 \def\appendixname{Παράρτημα}%
327 \def\contentsname{Περιεχόμενα}%
328 \def\listfigurename{Κατάλογος σχημάτων}%
329 \def\listtablename{Κατάλογος πινάκων}%
330 \def\indexname{Ευρετήριο}%
```

```
331 \def\figurename{\Sigma \chi \dot{\eta} \mu \alpha}%
332 \def\tablename{Πίνακας}%
333 \def\partname{Μέρος}%
334 \def\enclname{Συνημμένα}%
335 \def\ccname{Koινοποίηση}%
336 \def\headtoname{\Pipo\varsigma}%
337 \def\pagename{\Sigma \epsilon \lambda i \delta \alpha}%
338 \def\seename{βλέπε}%
339 \def\alsoname{βλέπε επίσης}%
340 \def\proofname{Απόδειξη}%
341 \def\glossaryname{Γλωσσάρι}%
Macro \polytonicn@mes is invoked when polytonic Greek is the main language
of the document.
342 \def\polytonicn@mes{%
      \def\refname{Άναφορὲς}%
      \def\indexname{Εύρετήριο}%
344
      \def figurename {\Sigma \chi \tilde{\eta} \mu \alpha}
345
      \def \neg {\Pi \rho \circ \varsigma} %
346
      \def\alsoname{βλέπε ἐπίσης}%
347
      \def\proofname{Άπόδειξη}%
348
349 }
Macro \@ncientn@mes is invoked when ancient Greek is the main language of the
document.
350 \def\@ncientn@mes{%
      \def\prefacename{\Poo(\u00facename)\%
351
352
      \def\abstractname{Περίληψις}%
353
      \def\bibname{Βιβλιογραφία}%
      \def\chaptername{Κεφάλαιον}%
354
      \def\appendixname{Παράρτημα}%
355
      \def\contentsname{Περιεχόμενα}%
356
      \def\listfigurename{Κατάλογος σχημάτων}%
357
      \def\listtablename{Κατάλογος πινάκων}%
358
      \def\indexname{Εύρετήριον}%
359
      \def\tablename{Πίναξ}%
360
      \def\partname{Μέρος}%
361
362
      \def\enclname{Συνημμένως}%
      \def\ccname{Κοινοποίησις}%
363
      \def\headtoname{Πρὸς}%
364
      \left( \sum_{i \in \mathbb{Z}} \sum_{i \in \mathbb{Z}} \right)
365
      \def\seename{\delta\rho\alpha}%
366
      \def\alsoname{δρα ὡσαύτως}%
367
      \def\proofname{Άπόδειξις}%
368
      \def\glossaryname{Γλωσσάριον}%
369
      \def\refname{Άναφοραὶ}%
370
      \left( \sum_{i=1}^{n} \sum_{j=1}^{n} \mu_{\alpha} \right)
371
372
      \def\headtoname{Πρὸς}%
373 }
I redefine \today so as to produce dates in Greek. The names of months are
defined by the macro \gr@month.
```

```
374 \ensuremath{\ensuremath{\mbox{month}\{\%\ensuremath{\mbox{\mbox{$\%$}}}}
       \ifcase\month\or Ιανουαρίου\or Φεβρουαρίου\or Μαρτίου\or Απριλίου\or
375
376
          Μαΐου\or Ιουνίου\or Ιουλίου\or Αυγούστου\or
```

```
377 Σεπτεμβρίου\or Οκτωβρίου\or Νοεμβρίου\or Δεκεμβρίου\fi} 378 \def\today{\number\day \space \gr@month\space \number\year}
```

When either polytonic Greek or ancient Greek is the main language of the document, then the macro \gr@c@month becomes active.

```
379 \def\gr@c@month{%
```

- 380 \ifcase\month\or \Tavouapiou\or \Pe\pouapiou\or \Maptiou\or \Ampi\lambda iou\or
- 381 Μαΐου\οr Ἰουνίου\οr Ἰουλίου\οr Αὐγούστου\οr Σεπτεμβρίου\οr
- 382 ὑκτωβρίου\or Νοεμβρίου\or Δεκεμβρίου\fi}

Next, I define a few macros that allow one to access characters that are not usually easily accessible from the keyboard (e.g., the sampi or the koppa symbol). The list includes a command for the unicode symbol GREEK ANO TELEIA, which, in some systems, is confused with MIDDLE DOT. The use of command \numer@lsign will be explained later.

```
383 \def\anwtonos{'} %GREEK NUMERA1 SIGN
384 \let\numer@lsign\anwtonos
385 \def\katwtonos{,} %GREEK LOWER NUMERAL SIGN
386 \def\koppa{\char"03DF\relax}
387 \def\sampi{\char"03E1\relax}
388 \def\Digamma{\char"03DC\relax}
389 \def\ddigamma{\char"03DD\relax}
390 \def\anoteleia{\char"0387\relax}
391 \def\euro{\char"20AC\relax}
392 \def\permill{\char"2030\relax}
```

Many users prefer the use of the letters sigma and tau instead of the stigma symbol in Greek numerals, therefore, by default the  $\stigma$  command expands to " $\sigma\tau$ ".

```
393 \def\stigma{\sigma\tau\relax}
```

397 \@afterindenttrue

The following commands take care of the basic rules of typography. Note that the first command changes the way space is added after punctuation symbols and the last two commands force LaTeX to add indentation space to the first paragraph after a header. Since a number of users need, for their own reasons, to be able to disable this particular feature I have introduced a new package option, namely noindentfirst, which restores the default behavior. In order to be able to do this I need the original value of the boolean variable \@afterindentfalse.

```
394 \frenchspacing
395 \let\@saveafterindentfalse\@afterindentfalse
396 \let\@afterindentfalse\@afterindenttrue
```

LualateX and XalateX have different ways to load hyphenation patterns. Package luahyphenrules by Javier Bezos facilitates this process for people who want to use LualateX and the "traditional" way to load hyphenation patterns. To ensure proper inclusion of LuaTeX staff, I use the following "idiom":

\ifx\directlua\undefined non LuaMEX code\else LuaMEX code\fi

The code that follows specifies which hyphenation patterns will be active. The XHMTEX code is quite standard and depends on the babel pattern loading mechanism, while the LualMTEX code uses the \HyphenRules macro, which has essentially the functionality of the \selectlanguage macro.

```
399 \DeclareOption{monogreek}{%
      \ifx\directlua\undefined%
400
      \language\l@monogreek\else\HyphenRules{monogreek}\fi%
401
402 }
403 \DeclareOption{polygreek}{%
      \ifx\directlua\undefined%
404
      \language\l@polygreek\else\HyphenRules{polygreek}\fi%
405
      \polytonicn@mes%
406
      \let\gr@month\gr@c@month%
407
408 }
409 \DeclareOption{ancientgreek}{%
      \ifx\directlua\undefined%
410
      \language\l@ancientgreek\else\HyphenRules{ancientgreek}\fi%
411
      \@ncientn@mes%
412
      \let\gr@month\gr@c@month%
413
414 }
```

If a user wants to use the stigma symbol in Greek numerals, she should use the stigma option.

```
415 \DeclareOption{stigma}{%
416 \def\stigma{\char"03DB\relax}
417}
```

As noted above, the new option noindentfirst restores the default LATEX behavior of adding no indentation to the first paragraph after any header.

```
418 \DeclareOption{noindentfirst}{% 419 \let\@afterindentfalse\@saveafterindentfalse 420}
```

Nowadays it is customary in Greece to use Greek numerals without the GREEK NUMERAL SIGN at the end of numeral. Thus, the nonumeralsign option disables the typesetting of the GREEK NUMERAL SIGN at the end of Greek numerals.

```
421 \DeclareOption{nonumeralsign}{%
422 \let\numer@lsign\relax
423 }
```

Package listings does not work properly with UTF-8 encoded files. So this option should be used whenever one wants to use this package and see Greek text come out correctly. In versaion 3.1.0 of this package, I had included the code that modifies package listings in the source code of this package. However, this decision was wrong since when one does not use the listings option, processing of the input file stops with an error message about a text line that contains an invalid character. So the best way to solve this problem is to move the code in a different file and load it when the user has specified listings option. To enable this option, I use a boolean variable.

```
424 \newif\if@mylistings
425 \@mylistingsfalse
426 \DeclareOption{listings}{\@mylistingstrue}

By default the monogreek option is activated.
427 \ExecuteOptions{monogreek}
428 \ProcessOptions
```

If the user has enabled the listings option, then it loads the package xelistings

```
429 \setminus if@mylistings
430 \RequirePackage{xelistings}
431 \fi
```

Now I am going to define the macros that typeset alphabetic Greek numerals. The code is borrowed from the greek option for the babel package.

\gr@ill@value When the argument of \greeknumeral has a value outside of the acceptable bounds (0 < x < 999999) a warning will be issued (and nothing will be printed).

```
432 \def\gr@ill@value#1{%
   \PackageWarning{xgreek}{Illegal value (#1) for greeknumeral}}
```

\anw@true When a large number with three trailing zeros is to be printed those zeros and \anw@false the numeric mark need to be discarded. As each 'digit' is processed by a separate \anw@print macro and because the processing needs to be expandable we need some helper macros that help remember to *not* print the numeric mark (\numer@lsign).

> The command \anw@false switches the printing of the numeric mark off by making \anw@print expand to nothing. The command \anw@true (re)enables the printing of the numeric marc. These macro's need to be robust in order to prevent improper expansion during writing to files or during \uppercase.

```
434 \DeclareRobustCommand\anw@false{%
     \DeclareRobustCommand\anw@print{}}
436 \DeclareRobustCommand\anw@true{%
     \DeclareRobustCommand\anw@print{\numer@lsign}}
437
438 \anw@true
```

\@greeknumeral This command is used to get Greek numerals. The command uses \numer@lsign to get the NUMERAL SIGN. Obviously, when the user has specified the nonumeralsign option, then numeral comes out without the trailing NUMERAL SIGN. However, when a user wants to typeset a Greek numeral, the numeral must come out correctly, regardless of what appears in headers, etc. And that is exactly the reason why this command is inaccessible to users. The command \@greeknumeral needs to be fully expandable in order to get the right information in auxiliary files. Therefore we use a big \if-construction to check the value of the argument and start the parsing at the right level.

```
439 \def\@greeknumeral#1{%
```

If the value is negative or zero nothing is printed and a warning is issued.

```
440
     \ifnum#1<\One\space\gr@ill@value{#1}%
441
     \else
442
       \ifnum#1<10\expandafter\gr@num@i\number#1%
443
         \ifnum#1<100\expandafter\gr@num@ii\number#1%
444
         \else
445
```

The available shorthands for  $1.000 \, (\mbox{Qm})$  and  $10.000 \, (\mbox{QM})$  are used to save a few tokens.

```
446
           \ifnum#1<\@m\expandafter\gr@num@iii\number#1%
447
           \else
             \ifnum#1<\@M\expandafter\gr@num@iv\number#1%
448
             \else
449
               \ifnum#1<100000\expandafter\gr@num@v\number#1%
450
451
452
                  \ifnum#1<1000000\expandafter\gr@num@vi\number#1%
```

```
\else
453
```

If the value is too large, nothing is printed and a warning is issued.

```
\space\gr@ill@value{#1}%
                     \fi
455
                  \fi
456
                ۱fi
457
             \fi
458
459
           \fi
460
        \fi
461
     \fi
462 }
```

What is left to make complete the definition of command \greeknumeral is a set of macros to produce the various digits.

\gr@num@i As there is no "digit" representing 0 in this system, the zeros are simply discarded. \gr@num@ii When there is a large number with three trailing zeros also the numeric mark is \gr@num@iii discarded. Therefore these macros need to pass the information to each other about the (non-)translation of a zero.

```
463 \def\gr@num@i#1{%
    \ifcase#1\or \alpha\or \beta\or \gamma\or \delta\or \epsilon\or \stigma\or \zeta\or \eta\or \theta\fi
464
    \ifnum#1=\z0\else\anw@true\fi\anw@print}
465
466 \def\gr@num@ii#1{%
    \ifnum#1=\z@\else\anw@true\fi\gr@num@i}
469 \def\gr@num@iii#1{%
    \ifcase#1\or \rho\or \sigma\or \tau\or \psi\or \phi\or \phi\or \sampi\fi
470
    \ifnum#1=\z@\anw@false\else\anw@true\fi\gr@num@ii}
```

\gr@num@iv The first three "digits" always have the numeric mark, except when one is dis-\gr@num@v carded because it's value is zero.

```
\gr@num@vi _{472} \def\gr@num@iv#1{%
```

```
\ifnum#1=\z@\else\katwtonos\fi
    \ifcase#1\or \alpha\or \beta\or \gamma\or \delta\or \epsilon\or \stigma\or \zeta\or \eta\or \theta\fi
    \gr@num@iii}
476 \ensuremath{\mbox{def\gr@num@v#1}}\%
    \ifnum#1=\z@\else\katwtonos\fi
477
    478
```

\gr@num@iv} 479

480 \def\gr@num@vi#1{%

\katwtonos 481

\ifcase#1\or  $\rho$ \or  $\sigma$ \or  $\tau$ \or  $\phi$ \or  $\psi$ \or  $\omega$ \or \sampi\fi 482

483 \gr@num@v}

\@Greeknumeral The command \@Greeknumeral prints uppercase Greek numerals. The parsing is performed by the macro \@greeknumeral. The printing of the NUMERAL SIGN depends on the value of \numer@lsign.

```
484 \def\@Greeknumeral#1{%
```

\expandafter\MakeUppercase\expandafter{\@greeknumeral{#1}}}

\greeknumeral This command prints lowercase Greek numerals and the NUMERAL SIGN is always printed.

```
486 \ensuremath{\mbox{\sc def}\mbox{\sc greeknumeral}\#1}\
```

- 487 \let\@numer@lsign\numer@lsign%
- 488 \let\numer@lsign\anwtonos%
- 489 \@greeknumeral{#1}
- 490 \let\numer@lsign\@numer@lsign}

\Greeknumeral This command prints uppercase Greek numerals and the NUMERAL SIGN is always printed.

```
491 \def\Greeknumeral#1{%}
```

- 492 \let\@numer@lsign\numer@lsign%
- 493 \let\numer@lsign\anwtonos%
- 494 \@Greeknumeral{#1}
- 495 \let\numer@lsign\@numer@lsign}

The alphabetic numbering system is not the only numbering system employed by Greeks. In fact, Greeks used various systems that are now known as acrophonic numbering systems. Many scholars are familiar with the acrophonic Attic numbering system and the the command \atticnum can be used to generate acrophonic Attic numberals. The acrophonic Attic numbering system, like the Roman one, employs letters to denote important numbers. Multiple occurrence of a letter denote a multiple of the "important" number, e.g., the letter I denotes 1, so III denotes 3. Here are the basic digits used in the acrophonic Attic numbering system:

- I denotes the number one (1)
- $\Pi$  denotes the number five (5)
- $\Delta$  denotes the number ten (10)
- H denotes the number one hundred (100)
- X denotes the number one thousand (1000)
- M denotes the number ten thousands (10000)

Moreover, the letters  $\Delta$ , H, X, and M under the letter  $\Gamma$  (a form of  $\Pi$ ) denote five times their original value. In particular, the symbol  $\Gamma$ , denotes the number 50, the symbol  $\Gamma$  denotes the number 5000, and the symbol  $\Gamma$  denotes the number 50,000. It must be noted that the numbering system does not provide negative numerals or a symbol for zero.

\@@atticnum Now, let me definite the macro \@@atticnum. This macro uses one integer variable (or counter in TeX's jargon.)

496 \newcount\@attic@num

The macro \@@atticnum is also defined as a robust command.

497 \DeclareRobustCommand\*{\@@atticnum}[1]{%

After assigning to variable \QatticQnum the value of the macro's argument, we make sure that the argument is in the expected range, i.e., it is greater than zero, and less or equal to 249999. In case it isn't, it simply produces a \space, warns the user about it and quits. Although, the \atticnum macro is capable to produce an Athenian numeral for even greater intergers, the following argument by Claudio Beccari convised me to place this upper limit:

According to psychological perception studies (that ancient Athenians and Romans perfectly knew without needing to study Freud and Jung) living beings (which includes at least all vertebrates, not only humans) can perceive up to four randomly set objects of the same kind without the need of counting, the latter activity being a specific acquired ability of human kind; the biquinary numbering notation used by the Athenians and the Romans exploits this natural characteristic of human beings.

```
498
           \@attic@num#1\relax
499
           \ifnum\@attic@num<\@ne%
500
             \space%
501
             \PackageWarning{xgreek}{%
502
             Illegal value (\the\@attic@num) for acrophonic
             Attic numeral}%
503
           \else\ifnum\@attic@num>249999%
504
             \space%
505
             \PackageWarning{xgreek}{%
506
             Value too large (\the\@attic@num) for acrophonic
507
508
             Attic numeral}%
```

Having done all the necessary checks, it is possible to proceed with the actual computation. If the number is greater than 49999, then it certainly has at least one "digit". The macro finds all such digits by continuously subtracting 50000 from \QatticQnum, until \QatticQnum becomes less than 50000.

```
\label{eq:continuity} $510 $$ \end{a} $$ \end{a} $$ \end{a} $$ 11 $$ $$ \end{a} $$ \end{a} $$ \end{a} $$ 11 $$ $$ \end{a} $$ \end{
```

Next the macro checks for tens of thousands.

```
512 \@whilenum\@attic@num>9999\do{%
513 M\advance\@attic@num-\@M}%
```

Since a number can have only one  $\mathbb{F}$  "digit" (equivalent to 5000), it is easy to check whether is should have one and produce the corresponding numeral when it does have one.

The macro should also check for thousands, the same way it checked for tens of thousands.

```
517 \\ \text{Qwhilenum\QatticQnum} >999\\do{\%} \\ \text{S18} \text{X\advance\QatticQnum-\Qm}\%
```

Since a numeral can have at most one F "digit" (equivalent to 500), this should be handled the way the macro handled the case of the five thousands "digit".

It is time to check hundreds, which follow the same pattern as thousands.

```
522 \@whilenum\@attic@num>99\do{%
523 H\advance\@attic@num-100}%
```

```
A numeral can have only one F "digit" (equivalent to 50).
                                                         \ifnum\@attic@num>49%
                                                                ^^^^010144\advance\@attic@num-50%
                          525
                          526
                                                         \fi\relax
                         The macro now checks now for tens digit.
                          527
                                                         \@whilenum\@attic@num>9\do{%
                                                                Δ\advance\@attic@num by-10}%
                         528
                         Finally, it has to check for fives and the digits 1, 2, 3, and 4.
                                                         \@whilenum\@attic@num>4\do{%
                                                                Il\advance\@attic@num-5}%
                          530
                                                         \ifcase\@attic@num\or I\or II\or III\fi%
                          531
                                      \fi\fi}
                          532
  \Catticnum The command \Catticnum has one argument, which is a counter. It calls the
                         command \@@atticnum to process the value of the counter.
                          533 \def\@atticnum#1{%
                                          \expandafter\@@atticnum\expandafter{\the#1}}
    \atticnum The command \atticnum is a wrapper that declares a new counter in a local
                         scope, assigns to it the value of the argument of the command and calls the macro
                         \@atticnum. This way the command can process correctly either a number or a
                         counter.
                          535 \def\atticnum#1{%
                                          \@attic@num#1\relax
                          536
                                          \@atticnum{\@attic@num}}
\greek@alph Here I redefine the macros \@alph and \@Alph. First, I define some placeholders
\greek@Alph 538 \let\latin@alph\@alph
                          539 \let\latin@Alph\@Alph
                         Then I define the Greek versions; the additional \expandafters are needed in
                         order to make sure the table of contents will be correct (e.g., when there are
                          540 \def\greek@alph#1{\expandafter\greeknumeral\expandafter{\the#1}}
                          541 \ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{
                         By default Greek alphabetic enumerals instaed of Latin numerals are used to
                         enumerate items in an enumeration environment.
                                    \let\@alph\greek@alph
                                    \let\@Alph\greek@Alph
                         If for some reason, one needs to have the Latin numerals back, then she has to
                         invoke command \nogreekalph. And if she wants to switch back, then she has to
                         use the \greekalph command:
                          544 \def\nogreekalph{%
                                   \let\@alph\latin@alph
                          545
                                    \let\@Alph\latin@Alph}
                          546
                          547 \def\greekalph{%
                                   \let\@alph\greek@alph
```

\let\@Alph\greek@Alph}

\setlanguage We provide the \setlanguage command which activates the hypehnation patterns of some other language. It is similar to babel's \selectlanguage, but we opted to use a new name to avoid possible name conflicts. Valid arguments include monogreek, polygreek, ancientgreek, and american. As was noted previously, package luahyphenrules provides the command \HyphenRules which has exactly the same functionality as this command. So when using Lual\*TEX users will actually use the \HyphenRules command.

```
550 \ifx\directlua\undefined%
     \def\setlanguage#1{%
551
        \expandafter\ifx\csname l@#1\endcsname\relax%
552
        \typeout{^^J Error: No hyphenation pattern for}%
553
        \typeout{ language #1 are loaded,}%
554
        \typeout{ default hyphenation patterns are used.^^J}%
555
        \language=0%
556
557
        \else\language=\csname 10#1\endcsname\fi}
558 \else
559
     \let\setlanguage\HyphenRules
560 \fi
```

The macros \grtoday and \Grtoday produces the current date, only that the month and the day are shown as greek numerals instead of arabic as it is usually the case. In addition, the two commands differ in that the later produces the Greek numerals in uppercase.

```
561 \def\grtoday{%
562 \expandafter\greeknumeral\expandafter{\the\day}\space
563 \gr@c@month\space
564 \expandafter\greeknumeral\expandafter{\the\year}}
565 \def\Grtoday{%
566 \expandafter\Greeknumeral\expandafter{\the\day}\space
567 \gr@c@month\space
568 \expandafter\Greeknumeral\expandafter{\the\year}}
569 \(/xgreek)
```

# 3 The Source Code of xelistings

If the user has enabled the listings option, then the package loads the rudimentary package xelistings. This package loads the listings package and makes accessible to it all characters in the range 128–255 plus all Greek letters that belong to the Greek and Coptic Unicode block. This is achieved by redefining the command \lst@DefEC.

```
570 (*xelistings)
571 \RequirePackage{listings}
572 \lstset{inputencoding=utf8}
573 \lst@InputCatcodes
574 \gdef\lst@DefEC{%
   \lst@CCECUse \lst@ProcessLetter
575
     ^^80^^81^^82^^83^^84^^85^^86^^87^^88^^89^^8a^^8b^^8c^^8d^^8e^^8f%
576
     ^^90^^91^^92^^93^^94^^95^^96^^97^^98^^99^^9a^^9b^^9c^^9d^^9e^^9f%
577
      ^a0^^a1^^a2^^a3^^a4^^a5^^a6^^a7^^a8^^a9^^aa^^ab^^ac^^ad^^ae^^af%
578
     `^b0^^b1^^b2^^b3^^b4^^b5^^b6^^b7^^b8^^b9^^ba^^bb^^bc^^bd^^be^^bf%
579
              ^c2^^c3^^c4^^c5^^c6^^c7^^c8^^c9^^ca^^cb^^cc^^cd^^ce^^cf%
```

```
\verb| ^1d0^1d1^1d2^1d3^1d4^1d5^1d6^1d7^1d8^1d9^1da^1db^1dc^1dd^1de^1df||
581
    ^^e0^^e1^^e2^^e3^^e4^^e5^^e6^^e7^^e8^^e9^^ea^^eb^^ec^^ed^^ee^^ef%
582
    ^^f0^^f1^^f2^^f3^^f4^^f5^^f6^^f7^^f8^^f9^^fa^^fb^^fc^^fd^^fe^^ff%
583
    ^^^0396^^^0388^^^0389^^^0038a^^^0038c% <--- Begin of Greek Letters
584
    ^^^038e^^^038f^^^0390^^^0391^^^0392%
585
    ^^^0393^^^0394^^^0395^^^0396^^^0397%
586
    ^^^0398^^^0399^^^039a^^^039b^^^039c%
587
    ^^^039d^^^039e^^^039f^^^03a0^^^03a1%
588
    ^^^03a3^^^03a4^^^03a5^^^03a6^^^03a7%
589
    ^^^03a8^^^03a9^^^03aa^^^03ab^^^^03ac%
590
    ^^^03ad^^^03ae^^^03af^^^03b0^^^03b1%
591
    ^^^03b2^^^03b3^^^03b4^^^03b5^^^03b6%
592
    ^^^03b7^^^03b8^^^03b9^^^03ba^^^03bb%
593
    ^^^03bc^^^03bd^^^03be^^^^03bf^^^03c0%
594
    ^^^03c1^^^03c2^^^03c3^^^03c4^^^03c5%
595
    ^^^03c6^^^03c7^^^03c8^^^03c9^^^03ca%
596
    ^^^03cb^^^03cc^^^03cd^^^03ce% <--- End of Greek Letters
597
    ^^00}%
598
599 \lst@RestoreCatcodes
600 (/xelistings)
```