

(w.e.f. 1st May, 2024)

Building healthy sustainable environments



wavin

About Wavin

Wavin is an innovative solution provider for the building and infrastructure industry across multiple continents. Backed up by 60+ years of expertise, we are geared up to tackle some of the world's biggest challenges around: water supply, sanitation, climate-resilient cities and building performance.

At Wavin, we focus on creating a positive change in the world. Our passion is to build liveable and loveable places. We engage and collaborate with city leaders, engineers, planners and installers to help make cities future-proof, and their buildings comfortable and energy-efficient.

Wavin is part of Orbis, a community of companies bound together by a shared purpose: to advance life around the world. Wavin has 12,000+ employees in 40+ countries worldwide and operates under brands like Wavin Amanco and Pavco.

For more information about Wavin, visit us @ www.wavin.com
or for Wavin India, visit us @ www.wavin.co.in

Let's Build Long-lasting Cities

Wavin is a leading global solutions provider for the building and infrastructure industry. With a presence spread across continents and a legacy of over six decades, Wavin is now in India as a fully committed supplier & solution provider for sustainable water supply and management systems, Made In India.

Wavin India is committed to providing the best solutions to India's urban population for safe and efficient water supply, and better sanitation and hygiene through a comprehensive product Portfolio made available through our pan-India network of distributors, agents and licensed partners.

Wavin India,
Neemrana Factory



Wavin India,
Hyderabad Factory



Wavin SuperTemp CPVC Pipes and Fittings

Wavin's advanced SuperTemp CPVC Pipes and Fittings are designed to provide superior leakproof efficiency in a wide range of applications, including hot & cold water systems in residential, commercial, industrial and miscellaneous setups. Their robust design and flexibility make them suitable for all uptake and downpipes, including concealed pipe applications. With its RoHS compliant raw material, it is also suitable for potable water supply.

Key Features & Highlights:



High impact
resistance
(in-handling)



Lower
thermal
conductivity



Water hammer
design
efficiency



External & internal
corrosion / abrasion
free



Advanced
CPVC resin
formulation



Self-extinguishing
(doesn't spread
flame)



ASTM D2846 / ASTM F439 /
ASTM F493 / IS 15778
standard manufacturing



High temperature
pressure-resistant
(125 PSI at 82°C)



Certified to
NSF/ANSI/CAN 61
Approved by
IAPMO-I



Wavin SuperTemp CPVC Pipe and Fittings

Wavin SuperTemp CPVC pipes are as per ASTM D2846, ASTM F441 & IS 15778 standards,
 Wavin SuperTemp CPVC fittings are as per ASTM D2846, ASTM F439 standards &
 Wavin SuperTemp CPVC solvent weld is as per ASTM F493 standards.

Pipe SDR 11, 3 mtr.		Std. Pkg. (Nos.)	MRP (per length)
Size (inch)	Size (mm)		
1/2	15	50	326
3/4	20	50	457
1	25	30	674
1 1/4	32	25	1106
1 1/2	40	20	1568
2	50	10	2607

Pipe SDR 11, 5 mtr.		Std. Pkg. (Nos.)	MRP (per length)
Size (inch)	Size (mm)		
1/2	15	50	544
3/4	20	50	762
1	25	30	1124
1 1/4	32	20	1843
1 1/2	40	15	2613
2	50	8	4345

Pipe SDR 13.5, 3 mtr.		Std. Pkg. (Nos.)	MRP (per length)
Size (inch)	Size (mm)		
1/2	15	50	287
3/4	20	50	420
1	25	30	578
1 1/4	32	25	933
1 1/2	40	20	1351
2	50	10	2172

Pipe SDR 13.5, 5 mtr.		Std. Pkg. (Nos.)	MRP (per length)
Size (inch)	Size (mm)		
1/2	15	50	478
3/4	20	50	701
1	25	30	963
1 1/4	32	20	1555
1 1/2	40	15	2252
2	50	8	3620

Pipe SCH 40, 3 mtr.		Std. Pkg. (Nos.)	MRP (per length)
Size (inch)	Size (mm)		
2 1/2	65	5	4518
3	80	5	5814
4	100	3	8620



Pipe SCH 80, 3 mtr.		Std. Pkg. (Nos.)	MRP (per length)
Size (inch)	Size (mm)		
2 1/2	65	5	6137
3	80	5	8399
4	100	3	12235



Pipe SCH 40, 5 mtr.		Std. Pkg. (Nos.)	MRP (per length)
Size (inch)	Size (mm)		
2 1/2	65	5	7531
3	80	3	9691
4	100	3	14366



Pipe SCH 80, 5 mtr.		Std. Pkg. (Nos.)	MRP (per length)
Size (inch)	Size (mm)		
2 1/2	65	5	10229
3	80	3	13998
4	100	3	20392



Coupler - SOC		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	1000	18
3/4	20	1200	22
1	25	600	36
1 1/4	32	330	72
1 1/2	40	90	133
2	50	40	273



#Coupler - SOC		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2 1/2	65	20	840
3	80	18	1190
4	100	5	1825



*In SCH 80 as per ASTM F439

Reducer Coupler - SOC		Std. Pkg. (Nos.)	MRP (per piece)		#Elbow 90°	Std. Pkg. (Nos.)	MRP (per piece)	
Size (inch)	Size (mm)				Size (inch)	Size (mm)		
3/4 X 1/2	20 X 15	700	31		2 1/2	65	20	
1 X 1/2	25 X 15	350	47		3	80	20	
1 X 3/4	25 X 20	750	50		4	100	10	
1 1/4 X 1/2	32 X 15	200	97					
1 1/4 X 3/4	32 X 20	480	100					
1 1/4 X 1	32 X 25	400	103					
1 1/2 X 1/2	40 X 15	140	145					
1 1/2 X 3/4	40 X 20	120	153					
1 1/2 X 1	40 X 25	110	153					
1 1/2 X 1 1/4	40 X 32	100	150					
2 X 1/2	50 X 15	60	301					
2 X 3/4	50 X 20	60	306					
2 X 1	50 X 25	60	281					
2 X 1 1/4	50 X 32	60	306					
2 X 1 1/2	50 X 40	40	371					
#Reducer Coupler - SOC		Std. Pkg. (Nos.)	MRP (per piece)		Reducer Elbow 90°- SOC		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)				Size (inch)	Size (mm)		
2 1/2 X 2 (CTS)	65 X 50	20	770		3/4 X 1/2	20 X 15	500	38
3 X 2 1/2	80 X 65	18	1120		1 X 1/2	25 X 15	600	75
4 X 3	100 X 80	9	1820		1 X 3/4	25 X 20	500	98
Elbow 45°		Std. Pkg. (Nos.)	MRP (per piece)		1 1/4 X 1/2	32 X 15	180	105
Size (inch)	Size (mm)				1 1/4 X 3/4	32 X 20	150	112
3/4	20	960	38		1 1/4 X 1	32 X 25	120	139
1	25	480	66		1 1/2 X 3/4	40 X 20	100	114
1 1/4	32	240	138		2 X 1	50 X 25	40	477
1 1/2	40	150	210					
2	50	80	415					
#Elbow 45°		Std. Pkg. (Nos.)	MRP (per piece)		Tee 90°- SOC		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)				Size (inch)	Size (mm)		
2 1/2	65	38	1177		1/2	15	500	32
3	80	20	1669		3/4	20	500	42
4	100	11	3010		1	25	240	66
Elbow 90°		Std. Pkg. (Nos.)	MRP (per piece)		1 1/4	32	135	143
Size (inch)	Size (mm)				1 1/2	40	80	266
1/2	15	700	24		2	50	40	544
3/4	20	800	26					
1	25	400	51					
1 1/4	32	200	115					
1 1/2	40	144	221					
2	50	48	440					
#Elbow 90°		Std. Pkg. (Nos.)	MRP (per piece)		Reducer Tee - SOC		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)				Size (inch)	Size (mm)		
1/2 X 3/4 X 1/2	20 X 20 X 15	270	69		3/4 X 3/4 X 1/2	20 X 20 X 15	270	69
1 X 1 X 1/2	25 X 25 X 15	330	106		1 X 1 X 3/4	25 X 25 X 20	300	118
1 X 1 X 1	25 X 32 X 15	180	194		1 1/4 X 1 1/4 X 1/2	32 X 32 X 20	180	222
1 1/4 X 1 1/4 X 3/4	32 X 32 X 20	180	222		1 1/4 X 1 1/4 X 1	32 X 32 X 25	150	200
1 1/4 X 1 1/2 X 1/2	40 X 40 X 15	120	318		1 1/2 X 1 1/2 X 1/2	40 X 40 X 20	120	315
1 1/2 X 1 1/2 X 3/4	40 X 40 X 20	120	315		1 1/2 X 1 1/2 X 1	40 X 40 X 25	112	299
1 1/2 X 1 1/2 X 1 1/4	40 X 40 X 32	96	297		1 1/2 X 1 1/2 X 1 1/4	40 X 40 x 32	96	297
2 X 2 X 1/2	50 X 50 X 15	64	564		2 X 2 X 3/4	50 X 50 X 20	64	611
2 X 2 X 1	50 X 50 X 25	50	599		2 X 2 X 1	50 X 50 X 32	48	611
2 X 2 X 1 1/4	50 X 50 X 40	48	611		2 X 2 X 1 1/2	50 X 50 X 40	48	611

*In SCH 80 as per ASTM F439

5 * Coming Soon

HSN CODE : 3917



#Reducer Tee - SOC		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½ X 2½ X 2 (CTS)	65 X 65 X 50	24	836
3 X 3 X 2½	80 X 80 X 65	6	1065
4 X 4 X 3	100 X 100 X 80	7	1863



End Cap - SOC		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
¾	15	900	19
½	20	1400	14
1	25	1100	30
1¼	32	600	64
1½	40	*	94
2	50	75	202



#End Cap - SOC		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	65	30	516
3	80	24	767
4	100	12	1322



Male Adaptor (CPVC Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
½	15	700	22
¾	20	1200	30
1	25	650	47
1¼	32	360	82
1½	40	100	123
2	50	50	237



MAPT Reducer		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
¾ X ½	20 X 15	600	43
1 X ¾	25 X 20	300	52



Female Adaptor (CPVC Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
½	15	600	28
¾	20	900	41
1	25	450	58
1½	40	75	220
1¼	32	280	157
2	50	40	332



FAPT Reducer		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
¾ X ½	20 X 15	450	52



Tank Adaptor (THD x SOC)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
¾	20	450	89
1	25	240	131
1¼	32	180	188
1½	40	110	315
2	50	60	470



Elbow (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
½	15	350	105
¾	20	200	145
1	25	120	579
1¼	32	60	750



Male Adaptor (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
½	15	420	218
¾	20	280	284
1	25	150	440
1¼	32	100	930
1½	40	50	1160
2	50	*	*



Male Adaptor (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	65	18	4965
3	80	14	5436



Female Adaptor (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
½	15	360	225
¾	20	280	299
1	25	150	445
1¼	32	80	950
1½	40	50	1200
2	50	*	*



Female Adaptor (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	65	18	2816
3	80	14	3380

*In SCH 80 as per ASTM F439

Reducer Elbow (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)	Step Over Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)			Size (inch)	Size (mm)		
3/4 X 1/2	20 X 15	300	100	3/4	20	190	125
1 X 1/2	25 X 15	160	191	1	25	102	229
1 X 3/4	25 X 20	150	299	1 1/4	32	60	296
1 1/4 X 1/2	32 X 15	120	354				
1 1/4 X 3/4	32 X 20	100	415				

Reducer Male Adaptor (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)	Branch Cross		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)			Size (ML)	Size (mm)		
3/4 X 1/2	20 X 15	320	185	3/4	20	160	90
1 X 1/2	25 X 15	240	335	1	25	180	150
1 X 3/4	25 X 20	240	345	1 1/4	32	100	197

Reducer Female Adaptor (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)	Union		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)			Size (inch)	Size (mm)		
3/4 X 1/2	20 X 15	320	129	1/2	15	600	80
1 X 1/2	25 X 15	240	155	3/4	20	480	125
1 X 3/4	25 X 20	240	164	1	25	300	160

Tee 90° (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)	Long Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)			Size (inch)	Size (mm)		
1/2	15	300	130	3/4	20	300	106
3/4	20	160	191	1	25	180	139
1	25	100	362	1 1/4	32	90	237
1 1/4	32	60	388				

Reducer Tee (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)	Ball Valve		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)			Size (inch)	Size (mm)		
3/4 X 3/4 X 1/2	20 X 20 X 15	180	125	1/2	15	112	123
1 X 1 X 1/2	25 X 25 X 15	120	194	3/4	20	72	225
1 X 1 X 3/4	25 X 25 X 20	120	325	1	25	45	419
1 1/4 X 1 1/4 X 1/2	32 X 32 X 15	72	389	1 1/4	32	24	672

Trans Bushing		Std. Pkg. (Nos.)	MRP (per piece)	Medium Duty		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)			Size (ML)	SAP Code		
3/4 X 3/4	20 X 20	500	23	118 ML	3087709	1	203
1 X 1	25 X 25	300	51	237 ML	3087710	1	341
1 1/4 X 1 1/4	32 X 32	160	78				
1 1/2 X 1 1/2	40 X 40	150	127				
2 X 2	50 X 50	75	227				

*In SCH 80 as per ASTM F439

Wavin uPVC

Wavin uPVC plumbing system is a lead-free system, making it an ideal and safe choice for potable water distribution.

Wavin uPVC is an innovatively developed superior and cost-effective system that is easy to install and suitable for cold water plumbing applications. It has characteristics like UV resistance, lead-free property, and lightweight, to name a few. Its internal smooth surface reduces friction that helps in preventing internal damage and gives durability to the entire system.

Wavin uPVC Pipes and Fittings are suitable for all uptake and down lines, terrace looping including pipework applications.

Key Features & Highlights:



Use of
Adhesives



Low-Temperature
Resistance



Smooth surface inside
for seamless flow



Impact
Resistance



Wavin uPVC Pipes and Fittings

Wavin uPVC pipes SCH 40 and SCH 80 are as per ASTM D1785 standards & Wavin uPVC fittings SCH 80 are as per ASTM D2467 standards.

Pipe SCH - 40, 3 mtr.

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
1/2	15	60	250
3/4	20	50	345
1	25	30	501
1 1/4	32	20	707
1 1/2	40	15	803
2	50	10	1066
2 1/2	75	5	1715
3	90	5	2243
4	110	3	3169

Pipe SCH - 40, 6 mtr.

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
1/2	15	30	501
3/4	20	20	690
1	25	15	1002
1 1/4	32	10	1414
1 1/2	40	10	1606
2	50	6	2132
2 1/2	75	5	3430
3	90	3	4486
4	110	3	6339

Pipe SCH - 80, 3 mtr.

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
1/2	15	50	318
3/4	20	40	419
1	25	25	625
1 1/4	32	20	882
1 1/2	40	15	1072
2	50	10	1480
2 1/2	75	*	2360
3	90	5	3079
4	110	3	4620

Pipe SCH - 80, 6 mtr.

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
1/2	15	30	636
3/4	20	20	838
1	25	12	1250
1 1/4	32	10	1763
1 1/2	40	8	2143
2	50	5	2960
2 1/2	75	5	4720
3	90	3	6158
4	110	2	9240

Coupler - SOC

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1/2	15	500	15
3/4	20	520	18
1	25	300	28
1 1/4	32	110	42
1 1/2	40	96	58
2	50	60	79
2 1/2	75	18	212
3	90	16	277
4	110	4	450



Reducer Coupler - SOC

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
3/4 X 1/2	20 X 15	550	23
1 X 1/2	25 X 15	360	36
1 X 3/4	25 X 20	330	37
1 1/4 X 1/2	32 X 15	100	47
1 1/4 X 3/4	32 X 20	100	48
1 1/4 X 1	32 X 25	100	51
1 1/2 X 1/2	40 X 15	80	59
1 1/2 X 3/4	40 X 20	80	63
1 1/2 X 1	40 X 25	80	63
1 1/2 X 1 1/4	40 X 32	80	70
2 X 1/2	50 X 15	60	92
2 X 3/4	50 X 20	60	97
2 X 1	50 X 25	60	102
2 X 1 1/4	50 X 32	60	105
2 X 1 1/2	50 X 40	60	107
2 1/2 X 2	75 X 50	18	278
3 X 2 1/2	90 x 75	18	500
4 X 3	110 x 90	9	800



Elbow 45° - SOC

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1/2	15	440	18
3/4	20	270	28
1	25	130	39
1 1/4	32	*	*
1 1/2	40	*	*
2	50	*	*
2 1/4	75	12	300
3	90	8	400
4	110	4	745



**Elbow 90° - SOC**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1/2	15	600	18
3/4	20	360	27
1	25	200	40
1 1/4	32	70	62
1 1/2	40	50	80
2	50	32	128
2 1/2	75	12	377
3	90	8	505
4	110	4	835

**Reducer Elbow 90° - SOC**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
3/4 X 1/2	20 X 15	250	28
1 X 1/2	25 X 15	144	38
1 X 3/4	25 X 20	144	50
1 1/4 X 3/4	32 X 20	*	*
1 1/4 X 1	32 X 25	*	*

**Tee - SOC**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1/2	15	400	24
3/4	20	240	31
1	25	120	52
1 1/4	32	48	88
1 1/2	40	40	110
2	50	24	174
2 1/2	75	8	495
3	90	6	685
4	110	2	1125

**Reducer Tee - SOC**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
3/4 X 1/2	20 X 15	260	29
1 X 1/2	25 X 15	168	49
1 X 3/4	25 X 20	156	49
1 1/4 X 1/2	32 X 15	48	68
1 1/4 X 3/4	32 X 20	48	73
1 1/4 X 1	32 X 25	48	80
1 1/2 X 1/2	40 X 15	40	93
1 1/2 X 3/4	40 X 20	40	97
1 1/2 X 1	40 X 25	40	103
1 1/2 X 1 1/4	40 X 32	40	111
2 X 1/2	50 X 15	24	147
2 X 3/4	50 X 20	24	149
2 X 1	50 X 25	24	171
2 X 1 1/4	50 X 32	24	160
2 X 1 1/2	50 X 40	24	164
3 X 2 1/2	90 x 75	6	850
2 1/2 X 2 1/2 X 2	75 x 75 x 50	8	575
4 X 4 X 3	110 X 110 X 90	2	1350

**MAPT (uPVC Threads)**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1/2	15	400	12
3/4	20	600	16
1	25	390	24
1 1/4	32	200	37
1 1/2	40	132	47
2	50	88	68

**Reducer MAPT (uPVC Threads)**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
3/4 X 1/2	20 X 15	600	17

**FAPT (uPVC Threads)**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1/2	15	400	14
3/4	20	600	22
1	25	300	28
1 1/4	32	120	46
1 1/2	40	90	57
2	50	50	84

**Reducer FAPT (uPVC Threads)**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
3/4 X 1/2	20 X 15	270	18

**MABT - (Brass Threads)**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1/2	15	350	188
3/4	20	140	298
1	25	72	347
1 1/4	32	45	611
1 1/2	40	45	754
2	50	20	1138
2 1/2	75	18	2715
3	90	14	3435

**Reducer MABT (Brass Threads)**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
3/4 X 1/2	20 X 15	250	235

**Union**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1/2	15	240	45
3/4	20	150	54
1	25	96	82
1 1/4	32	60	133
1 1/2	40	48	163
2	50	27	240



Tank Adaptor (THD X THD)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	300	48
3/4	20	200	55
1	25	110	74
1 1/4	32	80	108
1 1/2	40	54	130
2	50	32	173



Reducer Bush		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3/4 X 1/2	20 X 15	800	12
1 X 1/2	25 X 15	500	18
1 X 3/4	25 X 20	500	18
1 1/4 X 1/2	32 X 15	270	35
1 1/4 X 3/4	32 X 20	270	35
1 1/4 X 1	32 X 25	270	36
1 1/2 X 1/2	40 X 15	200	45
1 1/2 X 3/4	40 X 20	200	47
1 1/2 X 1	40 X 25	200	47
1 1/2 X 1 1/4	40 X 32	200	47
2 X 1/2	50 X 15	120	86
2 X 3/4	50 X 20	120	86
2 X 1	50 X 25	120	86
2 X 1 1/4	50 X 32	120	75
2 X 1 1/2	50 X 40	120	75



End Cap		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	640	10
3/4	20	400	14
1	25	550	21
1 1/4	32	220	37
1 1/2	40	140	45
2	50	96	68
2 1/2	75	32	137
3	90	27	197
4	110	12	342



FABT (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	300	129
3/4	20	120	207
1	25	80	259
1 1/4	32	45	446
1 1/2	40	36	596
2	50	16	755
2 1/2	75	18	1790
3	90	14	2155



Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
3/4 X 1/2	20 X 15	240	127
1 X 1/2	25 X 15	*	*
1 X 3/4	25 X 20	*	*



Elbow (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	200	132
3/4	20	90	215
1	25	40	391



Reducer Elbow (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3/4 X 1/2	20 X 15	105	172
1 X 1/2	25 X 15	*	*



Tee (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	150	150
3/4	20	60	222
1	25	36	425




Reducer Tee (Brass Threads)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3/4 X 1/2	20 X 15	100	166
1 X 1/2	25 X 15	*	*
1 X 3/4	25 X 20	*	*



Tank Adapter (THD X SOC)		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	300	48
3/4	20	200	55
1	25	110	74
1 1/4	32	80	108
1 1/2	40	54	130
2	50	32	173



Ball Valve		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	100	191
3/4	20	72	257
1	25	40	319
1 1/4	32	25	431
1 1/2	40	15	737
2	50	12	978



Long Radius Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	*	*
3/4	20	*	*
1	25	*	*
1 1/4	32	*	*
1 1/2	40	*	*
2	50	*	*



Flange Vanstone		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	*	*
3/4	20	*	*
1	25	*	*
1 1/4	32	*	*
1 1/2	40	*	*
2	50	*	*



Cross Tee		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	*	*
3/4	20	*	*
1	25	*	*
1 1/4	32	*	*
1 1/2	40	*	*
2	50	*	*



Step Over Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1/2	15	*	*
3/4	20	*	*
1	25	*	*
1 1/4	32	*	*
1 1/2	40	*	*
2	50	*	*



Medium Duty Solvent		Std. Pkg. (Nos.)	MRP (per piece)
Size (ML)			
59 ML		1	86
118 ML		1	138
237 ML		1	200

Wavin PP-RC

Hot & Cold Water Systems

Wavin PP-RC pipes and fittings are manufactured using Polypropylene- Random Copolymer (PP-RC), which is considered the most reliable polymer in the piping industry. Wavin PP-RC pipes and fittings are physically strong, hygienic safe, and non-carcinogenic. The system is designed for the transport of cold and hot water distribution, air distribution, and to take further advantage of its chemical resistance and other properties it can be used for other liquids or gaseous distribution.

Key Features & Highlights:



Can withstand
-20°C to 95°C



Low on Sound



Anti-Bacterial



Economical



Low Thermal Expansion



Durable



Wavin PP-RC

Wavin PPR pipes are manufactured as per IS 15801.



Pipe, SDR 6, PN 20, 4 mtr.		MRP (per length)
Size (mm)	Std. Pkg. (Nos.)	
20	25	594
25	120	894
32	10	1440
40	5	2250
50	1	3460
63	1	5448
75	2	7801
90	2	11234



Pipe, 4 mtr.		MRP (per length)
Size (mm)	Std. Pkg. (Nos.)	
20	25	660
25	20	996
32	10	1639
40	5	2573
50	5	3966
63	3	6343
75	2	9077
90	2	12984
110	1	19358
125	1	24948



Socket		MRP (per piece)
Size (mm)	Std. Pkg. (Nos.)	
20	600	13
25	400	18
32	240	35
40	120	51
50	100	91
63	48	249
75	30	311
90	24	511
110	10	703
125	10	1062



Valve (Steel Armed)		MRP (per piece)
Size (mm)	Std. Pkg. (Nos.)	
40	48	1366
50	28	2599
63	15	4003



Valve (Metal Cap)		MRP (per piece)
Size (mm)	Std. Pkg. (Nos.)	
20	70	710
25	70	818
32	42	1395
40	30	2722



Valve (MP Armed)		Std. Pkg. (Nos.)	MRP (per piece)
Size (mm)			
20	120	596	
25	120	592	
32	80	853	



Valve (MP Armed)		Std. Pkg. (Nos.)	MRP (per piece)
Size (mm)			
25 X 20 X 25	150	37	
32 X 20 X 20	90	123	
32 X 20 X 32	90	52	
32 X 25 X 20	90	127	
32 X 25 X 32	90	57	
40 X 20 X 40	50	94	
40 X 25 X 40	50	91	
40 X 32 X 40	50	123	
50 X 20 X 50	50	232	
50 X 25 X 50	32	232	
50 X 32 X 32	32	291	
50 X 32 X 50	32	192	
50 X 40 X 32	32	278	
50 X 40 X 50	32	192	
63 X 20 X 63	20	264	
63 X 25 X 63	20	275	
63 X 32 X 63	20	279	
63 X 40 X 63	20	415	
63 X 50 X 63	20	413	
75 X 20 X 75	12	754	
75 X 25 X 75	12	722	
75 X 32 X 75	12	686	
75 X 40 X 75	12	675	
75 X 50 X 75	12	694	
75 X 63 X 75	12	689	
90 X 75 X 90	8	1048	
110 X 90 X 110	4	2145	



Short Bridge		Std. Pkg. (Nos.)	MRP (per piece)
Size (mm)			
20	135	54	
25	90	77	
32	45	168	



Clips		Std. Pkg. (Nos.)	MRP (per piece)
Size (mm)			
20	1200	6	
25	960	8	
32	500	16	
40	320	35	



Elbow 45*	Std. Pkg. (Nos.)	MRP (per piece)
20	400	17
25	250	25
32	120	48
40	100	156
50	48	187
63	24	349
75	18	481
110	4	1908
125	4	3612



Elbow 90*	Std. Pkg. (Nos.)	MRP (per piece)
20	450	15
25	300	20
32	150	42
40	80	87
50	40	175
63	25	305
75	15	543
90	8	1038



Female Elbow 90* Brass Threaded	Std. Pkg. (Nos.)	MRP (per piece)
20 X 1/2"	250	208
25 X 1/2"	160	213
25 X 3/4"	180	323
32 X 1"	100	504



Male Elbow 90* Brass Threaded	Std. Pkg. (Nos.)	MRP (per piece)
20 X 1/2"	200	308
25 X 1/2"	160	312
25 X 3/4"	140	395
32 X 1"	80	706



End Cap	Std. Pkg. (Nos.)	MRP (per piece)
20	800	16
25	640	20
32	400	29
40	200	41
50	100	111
63	80	345
75	48	364
90	32	555
110	20	745



Female Union Brass Threaded	Std. Pkg. (Nos.)	MRP (per piece)
20 X 1/2"	120	503
25 X 3/4"	80	776
32 X 1"	60	1078
40 X 1 1/4"	24	3322
50 X 1 1/2"	24	2173



Male Union Brass Threaded	Std. Pkg. (Nos.)	MRP (per piece)
20 X 1/2"	120	521
25 X 3/4"	80	864
32 X 1"	50	1305
40 X 1 1/4"	24	2596
50 X 1 1/2"	20	3840



Manchon Union	Std. Pkg. (Nos.)	MRP (per piece)
20	180	200
25	120	253
32	60	318
40	40	401
50	40	603



Chrome Valve	Std. Pkg. (Nos.)	MRP (per piece)
25	60	1666



Decorative Valve	Std. Pkg. (Nos.)	MRP (per piece)
25	60	1915



Tee	Std. Pkg. (Nos.)	MRP (per piece)
20	240	18
25	150	31
32	90	60
40	50	131
50	32	265
63	18	450
75	12	700
90	6	1013
110	4	2327
125	4	3858



Female Tee Brass Threaded		MRP (per piece)
Size (mm)	Std. Pkg.(Nos.)	
20 X 1/2"	200	217
25 X 1/2"	120	225
25 X 3/4"	120	314
32 X 1"	70	567



Male Tee Brass Threaded		MRP (per piece)
Size (mm)	Std. Pkg.(Nos.)	
20 X 1/2"	150	315
25 X 1/2"	100	345
25 X 3/4"	100	388
32 X 1"	60	768



Reducer Socket		MRP (per piece)
Size (mm)	Std. Pkg. (Nos.)	
25 X 20	560	21
32 X 20	300	29
32 X 25	300	24
40 X 20	240	34
40 X 25	240	37
40 X 32	200	38
50 X 20	200	75
50 X 25	200	96
50 X 32	150	77
50 X 40	120	95
63 X 25	120	199
63 X 32	120	251
63 X 40	80	289
63 X 50	60	298
75 X 50	50	329
75 X 63	40	359
90 X 63	36	511
90 X 75	24	500
110 X 63	18	669
110 X 75	18	719
110 X 90	18	760
125 X 110	18	1014



Female Reducer		MRP (per piece)
Size (mm)	Std. Pkg. (Nos.)	
25 X 20	300	39
32 X 25	250	52



Flange Adaptor		MRP (per piece)
Size (mm)	Std.Pkg. (Nos.)	
50	150	91
63	80	231
75	36	278
90	36	337
110	20	558



Female Adaptor Brass Threaded		MRP (per piece)
Size (mm)	Std. Pkg.(Nos.)	
20 X 1/2"	320	195
25 X 1/2"	250	198
25 X 3/4"	280	284
32 X 3/4"	120	327
32 X 1"	120	474



Female Adaptor Brass Threaded Socket		MRP (per piece)
Size (mm)	Std. Pkg. (Nos.)	
40 X 1 1/4"	40	1164
50 X 1 1/2"	24	1469
63 X 2"	14	2524
75 X 2 1/2"	12	4555
90 X 3"	5	8404
110 X 4"	4	12927



Male Adaptor Brass Threaded		MRP (per piece)
Size (mm)	Std. Pkg. (Nos.)	
20 X 1/2"	250	297
25 X 1/2"	240	298
25 X 3/4"	150	399
32 X 3/4"	100	395
32 X 1"	100	676



Male Adaptor Brass Threaded Socket		MRP (per piece)
Size (mm)	Std. Pkg. (Nos.)	
40 X 1 1/4"	25	1745
50 X 1 1/2"	16	2323
63 X 2"	10	3124
75 X 2 1/2"	6	5258
90 X 3"	5	12083
110 X 4"	3	21301



Cutter	Std. Pkg. (Nos.)	MRP (per piece)
20-25-32	1	1569

Wavin PVC+ Pipes and Fittings

A revolution in its segment, the PVC+ Pipes and Fittings include bends, branches, access fittings, traps, solvent cement and lubricants to provide a range of solutions for soil, waste & rainwater for unmatched performance, supreme durability and smooth water flow. This revolutionary product is available in grey color and has two connection methods to give it maximum installation flexibility.

Key Features & Highlights:



Quick, easy,
& convenient
installation



Smooth Interior-
free of
incrustations



Corrosion
& abrasion
resistance



Angular
rotation
guidance



Fire retardant
properties



Cost effective



UV
resistant



Insertion
depth ring



Enlarged and
Chamfered Lip



Wavin PVC+ Pipes and Fittings

Wavin PVC+ Pipe Range are as per IS 13592 standards.

Type A, Ring Single Socket, 3 mtr.		Std. Pkg. (Nos.)	MRP (per length)				
Size (inch)	Size (mm)			Type B, Solvent Single Socket, 6 mtr.			
2½	75	1	685	2½	75	1	2239
3	90	1	1028	3	90	1	3112
4	110	1	1199	4	110	1	3411
6	160	1	2648	6	160	1	6546

Type A, Ring Single Socket, 6 mtr.		Std. Pkg. (Nos.)	MRP (per length)				
Size (inch)	Size (mm)			Type A, Ring Joint, Double Socket, 0.6 mtr.			
2½	75	1	1359	2½	75	1	169
3	90	1	2041	4	110	1	291
4	110	1	2380				
6	160	*	*	Type A, Ring Joint, Single Socket, 0.6 mtr.			

Type B, Ring Single Socket, 3 mtr.		Std. Pkg. (Nos.)	MRP (per length)				
Size (inch)	Size (mm)			Type A, Ring Joint, Double Socket, 1.2 mtr.			
2½	75	1	1154	2½	75	1	315
3	90	1	1602	3	90	1	467
4	110	1	1758	4	110	1	545
6	160	1	3363				

Type B, Ring Single Socket, 6 mtr.		Std. Pkg. (Nos.)	MRP (per length)				
Size (inch)	Size (mm)			Type A, Ring Joint, Double Socket, 1.8 mtr.			
2½	75	1	2296	2½	75	1	460
3	90	1	3189	4	110	1	800
4	110	1	3498				
6	160	*	*	Type A, Ring Joint, Double Socket, 3 mtr.			

Type A, Solvent Single Socket, 3 mtr.		Std. Pkg. (Nos.)	MRP (per length)				
Size (inch)	Size (mm)			Type B, Ring Joint, Single Socket, 0.6 mtr.			
2½	75	1	660	2½	75	1	717
3	90	1	993	3	90	1	1073
4	110	1	1158	4	110	1	1252
6	160	1	2572	6	160	*	*

Type A, Solvent Single Socket, 6 mtr.		Std. Pkg. (Nos.)	MRP (per length)				
Size (inch)	Size (mm)			Type B, Ring Joint, Single Socket, 0.9 mtr.			
2½	75	1	1320	2½	75	1	530
3	90	1	1986				
4	110	1	2315	Type B, Solvent Single Socket, 3 mtr.			
6	160	1	5144	2½	75	1	411

Type B, Solvent Single Socket, 3 mtr.		Std. Pkg. (Nos.)	MRP (per length)				
Size (inch)	Size (mm)			Type A, Ring Joint, Double Socket, 0.6 mtr.			
2½	75	1	1120	2½	75	1	411
3	90	1	1556				
4	110	1	1706	Type A, Ring Joint, Double Socket, 0.6 mtr.			
6	160	1	3273	2½	75	1	411

Wavin PVC+ Pipes and Fittings

Wavin PVC+ Pipe Range are as per IS 13592 standards.



**Type A, Ring Joint,
Double Socket, 0.9 mtr.**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
2½	75	1	242
3	90	1	358
4	110	1	418



**Type B, Ring Joint,
Double Socket, 1.2 mtr.**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
2½	75	1	517
4	110	1	786



**Type B, Ring Joint,
Double Socket, 0.9 mtr.**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
2½	75	1	393
4	110	1	599



**Type B, Ring Joint,
Double Socket, 1.8 mtr.**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
2½	75	1	763
4	110	1	1162



**Type B, Ring Joint,
Double Socket, 3 mtr.**

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per length)
2½	75	1	1200
3	90	1	1664
6	160	*	*

Wavin PVC+

Pipes and Fittings

Wavin PVC+ Solvent Weld Fitting range
are as per IS 14735 standards.

Coupler		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1 1/4	40	300	21
1 1/2	50	190	29
2 1/2	75	100	65
3	90	50	108
4	110	60	124
6	160	24	300



45° Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1 1/4	40	240	28
1 1/2	50	140	39
2 1/2	75	100	83
3	90	65	124
4	110	0	146
6	160	14	421



87.5° Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1 1/4	40	190	32
1 1/2	50	110	47
2 1/2	75	80	95
3	90	45	153
4	110	28	178
6	160	10	446



87.5° Door Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2 1/2	75	60	131
3	90	40	194
4	110	23	224
6	160	9	505



Single Y		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2 1/2	75	40	158
3	90	24	244
4	110	14	313
6	160	4	880



Single Y with Door		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2 1/2	75	36	203
3	90	24	322
4	110	12	423
6	160	4	1100



Reducer Y		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3 X 2 1/2	90 X 75	27	204
4 X 2 1/2	110 X 75	18	264
4 X 3	110 X 90	18	262
6 X 3	160 X 90	3	725
6 X 4	160 X 110	3	720



Reducer Y with Door		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3 X 2 1/2	90 X 75	24	236
4 X 2 1/2	110 X 75	15	327
4 X 3	110 X 90	15	322
6 X 3	160 X 90	3	790
6 X 4	160 X 110	3	785



Cleaning Pipe		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2 1/2	75	60	137
3	90	23	175
4	110	24	267
6	160	9	520



Single Tee		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
1 1/4	40	125	45
1 1/2	50	75	62
2 1/2	75	50	138
3	90	30	205
4	110	22	266
6	160	8	675



Single Tee with Door		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2 1/2	75	45	173
3	90	*	
4	110	20	310
6	160	*	



Reducer Tee		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3 X 2 1/2	90 X 75	20	174
4 X 2 1/2	110 X 75	25	242
4 X 3	110 X 90	22	205
6 X 3	160 X 90	8	520
6 X 4	160 X 110	7	534



Wavin PVC+ Pipes and Fittings

Wavin PVC+ Solvent Weld Fitting range
are as per IS 14735 standards.



Reducer Tee with Door		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3 X 2½	90 X 75	18	233
4 X 2½	110 X 75	20	292
4 X 3	110 X 90	18	260
6 X 3	160 X 90	*	560
6 X 4	160 X 110	*	590



Double Y		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	30	215
4	110	8	423



Double Y with Door		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	25	300
4	110	7	542



Double Tee		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	40	194
4	110	14	309



Double Tee with Door		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	30	278
4	110	12	418



ECC Reducer		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3 X 2½	90 X 75	55	85
4 X 2½	110 x 75	90	114
6 X 4	160 X 110	32	240



Door Cap		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	150	48
4	110	160	69



P-Trap Long		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
4 X 4	110 X 110	9	495
4½ X 4	125 X 110	9	586



P-Trap Short		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
4 X 4	110 X 110	11	449
4½ X 4	125 X 110	11	590



Q-Trap		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
4 X 4	110 X 110	*	515



ECC Reducer Bush		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
4 X 2½	110 X 75	80	82
6 X 4	160 X 110	33	244



Round Jali		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
4	110	250	31



S-Trap		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
4 X 4	110 X 110	7	685

Wavin PVC+ Pipes and Fittings

Wavin PVC+ Ring Joint Fitting range
are as per IS 14735 standards.



Coupler		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	75	81
3	90	55	124
4	110	48	146
6	160	11	330



Reducer Tee		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
3 X 2½	90 X 75	34	200
4 X 2½	110 X 75	20	250
4 X 3	110 X 90	22	255
6 X 3	160 X 90	5	580
6 X 4	160 X 110	5	700



Reducer Coupler		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
4 X 2½	110 X 75	85	266



45° Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	100	92
3	90	60	140
4	110	38	170
6	160	7	435



87.5° Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	75	110
3	90	45	185
4	110	28	212
6	160	6	475



87.5° Door Bend		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	60	146
3	90	42	197
4	110	23	257
6	160	5	515



Single Tee		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	48	154
3	90	32	230
4	110	19	286
6	160	6	700



Single Tee With Door		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	42	187
3	90	28	265
4	110	16	329
6	160	6	825



Double Tee		Std. Pkg. (Nos.)	MRP (per piece)
Size (inch)	Size (mm)		
2½	75	38	220
4	110	13	356

Wavin PVC+ Pipes and Fittings

Wavin PVC+ Ring Joint Fitting range
are as per IS 14735 standards.



Double Tee With Door

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
2½	75	30	339
4	110	10	436



Double Y

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
2½	75	25	235
4	110	9	472



Double Y with Door

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
2½	75	22	327
4	110	8	560



ECC Reducer

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
3 X 2½	90 X 75	55	97
4 X 2½	110 X 75	90	127
6 X 4	160 X 110	20	260



Cleaning Pipe

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
2½	75	58	142
3	90	38	192
4	110	22	282
6	160	9	545



Multi Floor Trap 5"

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
4 X 2½ X 2	110 X 75 X 50	27	300



Socket Plug

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
1¼	40	320	19
1½	50	180	24
2½	75	200	55
3	90	120	72
4	110	85	87
6	160	154	224



Multi Floor Trap 7"

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
5 X 2½ X 2	110 X 75 X 50	18	339



Sq Gully Trap with Jali

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
4 X 2½	110 X 75	10	601



Nahani Trap with Jali

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
4 X 2½	110 X 75	30	176
4 X 3	110 X 90	26	203
4 X 4	110 X 110	24	237



Vent Cowl

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
2½	75	250	32
3	90	160	41
4	110	117	53
6	160	88	102



Click Ring

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
2½	75	*	14
3	90	*	19
4	110	*	20
6	160	*	48



Nahani Trap without Round Jaali

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
4 X 2½	110 X 90	19	155
4 X 3	110 X 90	26	190
4 X 4	110 X 110	24	207



Pipe Clip

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
2½	75	175	26
3	90	*	*
4	110	100	34
6	160	*	*



Co Molded Rubber Seal

Size (inch)	Size (mm)	Std. Pkg. (Nos.)	MRP (per piece)
2½	75	1000	13
3	90	1000	18
4	110	1000	19
6	160	200	44



Lubricant

Size (ML)	Std. Pkg. (Nos.)	MRP (per piece)
100 ML	1	20
250 ML	1	48



Solvent Cement

Size (ML)	Std. Pkg. (Nos.)	MRP (per piece)
100 ML	1	67
250 ML	1	128

Wavin Foam Core

Multi-Layer Drainage Pipes

Foam Core pipes are multilayer pipes having outer and inner layers of conventional PVC and middle layer of foamed PVC. Outer and inner layers are designed to withstand the load and middle layer of foamed PVC gives rigidity and maintains the shape of the pipe under the load. It reduces the total weight of the pipe and makes it light when compared to solid wall PVC pipes.

Key Features & Highlights:



Easy to
Install



Maximum
Flow Rate



Lightweight
& Strong



Available in Ring-fit
and Solvent Joint



WAVIN FOAM CORE

Multi-Layer

Drainage Pipes



Solvent Weld SN 2, 3 MTR.

Size (MM)	MRP (Per Length)
160	1,630
200	2,510
250	3,980
315	6,350



Solvent Weld SN 4, 6 MTR.

Size (MM)	MRP (Per Length)
110	1,890
160	4,040
200	6,220
250	9,990
315	15,600



Solvent Weld SN 2, 6 MTR.

Size (MM)	MRP (Per Length)
160	3,260
200	5,020
250	7,960
315	12,700



Ring Joint SN 4, 3 MTR.

Size (MM)	MRP (Per Length)
110	9,51
160	2,036
200	3,139



Ring Joint SN 2, 3 MTR.

Size (MM)	MRP (Per Length)
160	1,646
200	2,539



Ring Joint SN 4, 6 MTR.

Size (MM)	MRP (Per Length)
110	1,902
160	4,071
200	6,279



Ring Joint SN 2, 6 MTR

Size (MM)	MRP (Per Length)
160	3,291
200	5,079



Solvent Weld SN 8, 3 MTR.

Size (MM)	MRP (Per Length)
110	1,120
160	2,350
200	3,700
250	5,770
315	9,250



Solvent Weld SN 4, 3 MTR.

Size (MM)	MRP (Per Length)
110	945
160	2,020
200	3,110
250	4,950
315	7,800



Solvent Weld SN 8, 6 MTR.

Size (MM)	MRP (Per Length)
110	2,240
160	4,700
200	7,400
250	11,540
315	18,500



Ring Joint SN 8, 3 MTR.

Size (MM)	MRP (Per Length)
110	1,126
160	2,366
200	3,729



Ring Joint SN 8, 6 MTR.

Size (MM)	MRP (Per Length)
110	2,252
160	4,731
200	7,459

Wavin Vectus AGRI

Wavin Vectus offers a comprehensive range of agricultural Pipes and Fittings for farmers.

Wavin Vectus PVC pipes for agricultural use are the ideal solution for sourcing water from natural water bodies to the farms. Their robust design and versatile application also makes them suited for obtaining water from borewells by connecting with submersible pumps.

Key Features & Highlights:

- | | | | | | | | |
|---|---------------------|---|---------------------------------|---|--------------|---|-------------------|
|  | Durable & resilient |  | Improved water flow |  | UV resistant |  | Leak-proof joints |
|  | Cost effective |  | Lightweight & easy to transport | | | | |



WAVIN VECTUS AGRI PIPING SYSTEM



PRESSURE PLUS PIPES FOR WATER SUPPLY (AGRI PIPES)

Pipes are mfg. as per IS 4985, 2.5, 4, 6, 10 & 15 kg/cm² Pressure

10124 4985 7834

Pressure Plus Pipes



Size (mm)	Size (inch)	Rate (20 ft.) 2.5 Kg/cm ²	Rate (20 ft.) 4 Kg/cm ²	Rate (20 ft.) 6 Kg/cm ²	Rate (20 ft.) 10 Kg/cm ²	Rate (20 ft.) 15 Kg/cm ²
20	1/2	-	-	-	192.00**	-
25	3/4	-	-	-	301.00	503.00
32	1	-	-	-	490.00	753.00
40	1 1/4	-	-	492.00	754.00	-
50	1 1/2	-	-	743.00	1189.00**	-
63	2	-	826.00	1195.00	1874.00	-
75	2 1/2	800.00	1172.00	1672.00	2678.00**	-
90	3	1055.00	1678.00	2436.00	3809.00	-
110	4	1561.00	2397.00	3483.00	5719.00**	-
125	4 1/2	2003.00	3185.00**	4675.00	7349.00**	-
140	5	2486.00	3956.00	5828.00	9185.00	-
160	6	3290.00	5163.00	7448.00	12012.00**	-
180	7	4164.00	7011.00	9579.00	15186.00	-
200	8	5186.00	8102.00	11892.00	18809.00	-
225	9	6636.00	10337.00	14984.00	23903.00	-
250	10	8041.00**	12586.00	18639.00	29699.00	-

Agri Fittings

Elbow (2.5 Kg/cm² Pressure)



Size (mm)	Size (inch)	Std. Pkg.	Rate (per pc)	Rate (Std. Pkg.)
63	2	120	36.50	4380.00
75	2 1/2	96	45.00	4320.00
90	3	60	81.00	4860.00
110	4	30	115.00	3450.00

Elbow (4 Kg/cm² Pressure)



40	1 1/4	250	19.50	4875.00
50	1 1/2	260	33.00	8580.00
63	2	72	44.00	3168.00
75	2 1/2	72	63.00	4536.00
90	3	55	89.00	4895.00
110	4	24	148.00	3552.00
140	5	12	300.00	3600.00
200	8	2	1051.00	2102.00

Elbow* (6 Kg/cm² Pressure)



40	1 1/4	240	33.00	7920.00
50	1 1/2	112	47.00	5264.00
63	2	72	87.00	6264.00
75	2 1/2	66	118.00	7788.00
90	3	45	160.00	7200.00
110	4	24	218.00	5232.00
160	6	12	515.00	4120.00
200	8	2	1051.00	2102.00

Elbow (10 Kg/cm² Pressure)



32	1	125	22.50	2812.50
90	3	24	252.00	6048.00

Coupler (4 Kg/cm² Pressure)



75	2 1/2	120	42.50	5100.00
90	3	75	74.50	5587.00
110	4	48	99.00	4752.00

Tee (2.5 Kg/cm² Pressure)



Size (mm)	Size (inch)	Std. Pkg.	Rate (per pc)	Rate (Std. Pkg.)
63	2	120	43.00	5160.00
75	2 1/2	60	65.50	3930.00
90	3	40	92.50	3700.00
110	4	20	156.00	3120.00

Tee (4 Kg/cm² Pressure)



60	2	100	63.00	6300.00
75	2 1/2	48	82.00	3936.00
90	3	32	114.00	3648.00
110	4	18	182.00	3276.00
140	5	8	435.00	3480.00
200	8	2	1325.00	2650.00

Tee* (6 Kg/cm² Pressure)



40	1 1/4	48	42.00	2016.00
50	1 1/2	100	62.00	6200.00
63	2	48	111.00	5328.00
75	2 1/2	48	145.50	6984.00
90	3	38	179.00	6802.00
110	4	19	310.00	5890.00
160	6	5	740.00	3700.00
200	8	2	1325.00	2650.00

Tee* (110 Kg/cm² Pressure)



32	1	90	30.60	2754.00
90	3	18	331.00	5958.00

Coupler (6 Kg/cm² Pressure)



40	1 1/4	126	19.50	2457.00
50	1 1/2	250	29.50	7375.00
63	2	120	43.00	5160.00
75	2 1/2	75	69.00	5175.00
90	3	75	90.00	6750.00
110	4	48	138.00	6624.00

All the Asterisk(*) marked fitting are made as per IS standards.

**MTO - Make to Order items will be manufactured against the customer orders only.

WAVIN VECTUS AGRI PIPING SYSTEM



Coupler (10 Kg/cm² Pressure)



Size (mm)	Size (inch)	Std. Pkg.	Rate (per pc)	Rate (Std. Pkg.)
32	1	48	12.50	600.00

Reducing Bush



Size (mm)	Size (inch)	Std. Pkg.	Rate (per pc)	Rate (Std. Pkg.)
140x110	5 x 4	60	163.00	9780.00

Reducer Coupler (4 Kg/cm² Pressure)



75x63	2½ x 2	273	38.50	10510.50
90x63	3 x 2	168	50.00	8400.00
110x50	4 x 1½	80	84.00	6720.00
110x63	4 x 2	80	88.00	7040.00
110x75	4 x 2½	80	89.00	7120.00
110x90	4 x 3	80	96.00	7680.00
140x110	5 x 4	33	165.00	5445.00
160x90	6 x 3	24	202.00	4848.00
160x110	6 x 4	24	216.00	5184.00
160x140	6 x 5	24	235.00	5640.00
200x160	8 x 6	10	480.00	4800.00

Coupler Fabricated (4 Kg/cm² Pressure)



63	2	150	22.00	3300.00
75	2½	100	34.50	3450.00
90	3	60	55.50	3330.00
110	4	30	100.00	3000.00
125	4½	24	144.00	3456.00**
140	5	15	225.00	3375.00
160	6	12	295.00	3540.00
180	7	5	390.00	1950.00
200	8	6	515.00	3090.00

Reducer Coupler (6 Kg/cm² Pressure)



110x50	4 x 1½	48	115.00	5520.00
110x63	4 x 2	48	119.00	5712.00
110x75	4 x 2½	48	123.00	5904.00
110x910	4 x 3	48	124.00	5952.00

Coupler Fabricated (6 Kg/cm² Pressure)



40	1¼	500	11.50	5750.00
50	1½	250	16.50	4125.00
63	2	150	34.00	5100.00
75	2½	100	51.00	5100.00
90	3	60	82.00	4920.00
110	4	30	148.00	4440.00
125	4½	24	190.00	4560.00
140	5	15	330.00	4950.00
160	6	12	460.00	5520.00
180	7	5	560.00	2800.00
200	8	6	752.00	4512.00
250	10	4	1540.00	6160.00

Male Threaded Adapter - MTA



63	2	216	34.50	4680.00
75	2½	120	47.00	5640.00
90	3	72	82.00	5904.00
110	4	36	130.00	7452.00

End Cap (6 Kg/cm² Pressure)



63	2	225	24.00	5400.00
75	2½	150	30.00	4500.00
90	3	120	50.00	6000.00
110	4	96	63.00	6048.00
160	6	32	143.00	4576.00

Female Threaded Adapter - FTA



40	1¼	98	22.50	2205.00
63	2	120	49.50	5880.00
75	2½	72	85.00	6120.00
90	3	48	135.00	6480.00
110	4	20	172.00	3440.00

End Cap (10 Kg/cm² Pressure)



32	1	225	10.00	2250.00
----	---	-----	-------	---------

Saddle



63x20	2 x 1½	60	112.00	6720.00
63x25	2 x ¾	60	108.00	6480.00
75x20	2½ x ½	50	122.00	6100.00
75x25	2½ x ¾	50	120.00	6000.00
90x20	3 x ½	40	145.00	4800.00
90x25	3 x ¾	40	140.00	5600.00
110x25	4 x ¾	49	168.00	8232.00

Reducer Elbow (4 Kg/cm² Pressure)



110x90	4 x 3	32	147.00	4704.00
--------	-------	----	--------	---------

Reducer Elbow (6 Kg/cm² Pressure)



110x63	4 x 2	32	226.00	7232.00
110x75	4 x 2½	32	235.00	7520.00
110x90	4 x 3	32	32	7904.00

**MTO - Make to Order items will be manufactured against the customer orders only.

Reducer Tee (4 Kg/cm² Pressure)



Size (mm)	Size (inch)	Std. Pkg.	Rate (per pc)	Rate (Std. Pkg.)
110x63	4 x 2	23	289.00	6647.00
110x75	4 x 2½	21	180.00	3780.00
110x90	4 x 3	21	210.00	4410.00
160x90	6 x 3	6	569.00	3414.00
160x110	6 x 4	6	585.00	3510.00
200x160	8 x 6	2	11800.00	2360.00

Reducer Tee (6 Kg/cm² Pressure)



Size (mm)	Size (inch)	Std. Pkg.	Rate (per pc)	Rate (Std. Pkg.)
110x63	4 x 2	23	262.00	6026.00
110x75	4 x 2½	21	267.00	5607.00
110x90	4 x 3	21	281.00	5901.00

Agri Brass Insert Fittings - PN 16



Female Threaded Brass Adapter - FTBA

Size (mmxinch)	Std. Pkg.	Rate (per pc)	Rate (Std. Pkg.)
25x½"	50	86.00	4300.00

Female Threaded Brass Elbow - FTBE



Size (mmxinch)	Std. Pkg.	Rate (per pc)	Rate (Std. Pkg.)
25x½"	25	101.00	2525.00



Female Threaded Brass Tee - FRBT

25x½"	25	104.00	2600.00
-------	----	--------	---------

Notes

Notes

Discover our broad portfolio at wavin.co.in

Hot and Cold Water
Indoor Climate
Soil and Waste
Foul Water

Storm Water
Gas and Water
Mains
Geotextiles



orbia 

Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose:
To Advance Life Around the World.

WAVIN INDIA E-mail wavinindia@wavin.com | Internet www.wavin.co.in
Toll free number: 1800-120-12345

 @wavinindia

wavin