



17

(38) A process for the preparation of a compound of formula (I-21a)




wherein R^a is one or two halogen; and P¹ is C₆₋₁₄arylC₁₋₈alkyl;

comprising condensing a compound of the formula




wherein R^e is one or two halogen; R⁵⁰ is alkyl; and P¹ is C₆₋₁₄arylC₁₋₈alkyl;

with a compound of the formula



to form a compound of formula (I-21a).


(39) A process for the preparation of a compound of formula (I-21b)



wherein R^c is one or two halogen; and P¹ is C₆₋₁₄arylC₁₋₈alkyl;


18

comprising condensing a compound of the formula



wherein R^c is one or two halogen; R⁵⁰ is C₁₋₈alkyl; and P¹ is C₆₋₁₄arylC₁₋₈alkyl;

with a compound of the formula




to form a compound of formula (I-21b).

(40) A process for the preparation of a compound of formula (I-22a)




wherein R^e is one or two halogen; and P¹ is C₈₋₁₄arylC₁₋₈alkyl;

comprising condensing a compound of the formula



wherein R^e is one or two halogen; R⁵⁰ is C₁₋₈alkyl; and P¹ is C₆₋₁₄arylC₁₋₈alkyl;

with a compound of the formula



to form a compound of formula (I-22a),