


KARCA 2.0

Data Acquisition and Control System for Rice Eclipse's Hybrid Rocket Motors

Mounting Holes

- H1 MountingHole
- H2 MountingHole
- H3 MountingHole
- H4 MountingHole



Sheet: /
File: karca_v2.kicad_sch


Title:


Size: A4
KiCad E.D.A. kicad 7.0.10

Date:

Rev:

Id: 1/22







Sheet: /Load Cells/
File: load_cells.kicad_sch

Title:


Size: A4 Date:
KiCad E.D.A. kicad 7.0.10


Rev:
Id: 3/22






Rev:
Id: 5/22







Sheet: /Load Cells/LC_Amplification/
File: lc_amp.kicad_sch

Title:


Size: A4


Date:

KiCad E.D.A. kicad 7.0.10

Rev:

Id: 8/22





Sheet: /Load Cells/LC_Amplification2/
File: lc_amp.kicad_sch

Title:


Size: A4

Date:

KiCad E.D.A. kicad 7.0.10

Rev:

Id: 10/22



Sheet: /Load Cells/LC_Amplification3/
File: lc_amp.kicad_sch

Title:


Size: A4

Date:

KiCad E.D.A. kicad 7.0.10

Rev:

Id: 11/22



Vref set to 0V since only +ve temperatures will be measured


Sheet: /thermocouples/thermocouple_amp/
File: tc_amp.kicad_sch

Title:

Size: A4
KiCad E.D.A. kicad 7.0.10

Date:

Rev:
Id: 16/22



Vref set to 0V since only +ve temperatures will be measured

Sheet: /thermocouples/thermocouple_amp1/
File: tc_amp.kicad_sch


Title:

Size: A4
KiCad E.D.A. kicad 7.0.10

Date:

Rev:

Id: 17/22



Vref set to 0V since only +ve temperatures will be measured


Sheet: /thermocouples/thermocouple_amp2/
File: tc_amp.kicad_sch

Title:

Size: A4
KiCad E.D.A. kicad 7.0.10

Date:

Rev:
Id: 18/22



Vref set to 0V since only +ve temperatures will be measured

Sheet: /thermocouples/thermocouple_amp3/
File: tc_amp.kicad_sch


Title:

Size: A4
KiCad E.D.A. kicad 7.0.10


Date:

Rev:


Id: 19/22




Sheet: /Drivers/driver_nmos/ File: driver_nmos.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. kicad 7.0.10		Id: 20/22




Sheet: /Drivers/driver_nmos1/ File: driver_nmos.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. kicad 7.0.10		Id: 21/22



Sheet: /Drivers/driver_nmos2/ File: driver_nmos.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. kicad 7.0.10	Id: 22/22	



Sheet: /Drivers/driver_nmos3/ File: driver_nmos.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. kicad 7.0.10		Id: 23/22



Sheet: /Drivers/current monitor/
File: curr_monitor.kicad_sch

Title:


Size: A4

Date:

KiCad E.D.A. kicad 7.0.10


Rev:

Id: 23/22



Sheet: /Drivers/driver_nmos4/ File: driver_nmos.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. kicad 7.0.10	Id: 24/22	

High side current sensing to meeeasure battery current



Sheet: /Regulators/battery_monitoring/
File: battery_monitoring.kicad_sch

Title:

Size: A4

Date:

KiCad E.D.A. kicad 7.0.10

Rev:

Id: 26/22