# AI-Based Fake News Detection Using Machine Learning

Comprehensive Final Year Project Report

Submitted by: Saryu, Deepthi, Varshitha

## Abstract

This project presents a comprehensive and detailed approach to detecting fake news using Machine Learning (ML) and Natural Language Processing (NLP).
With the rapid growth of online platforms, fake news spreads quickly and affects decision-making, public opinion, and social stability.
The proposed system automates fake news detection by analyzing textual content, applying preprocessing techniques, extracting meaningful features, and classifying news articles using supervised learning algorithms.
The system achieves high accuracy and demonstrates the importance of artificial intelligence in solving real-world problems.

## 1. Introduction

In the modern digital era, social media platforms have become the primary source of information. However, the ease of sharing content has also led to the rapid spread of fake news.
Fake news can mislead individuals, create confusion, and even influence political and social decisions.
Traditional fact-checking methods are time-consuming and cannot keep up with the speed of information spread.
Therefore, there is a strong need for automated systems that can quickly and accurately detect fake news using advanced technologies like Machine Learning and NLP.

## 2. Literature Review

Earlier approaches to fake news detection relied on rule-based systems and keyword filtering techniques.
These methods were simple but lacked accuracy and could not handle complex linguistic patterns.
Recent research focuses on Machine Learning and Deep Learning models such as Logistic Regression, Naive Bayes, Support Vector Machines, LSTM, and BERT.

These models analyze textual patterns, context, and semantics to improve classification performance.
Studies show that combining NLP preprocessing with ML algorithms provides efficient and scalable solutions for fake news detection.

## 3. Methodology

### 3.1 Data Collection

The dataset used in this project is obtained from Kaggle, which contains labeled news articles categorized as real or fake.
The dataset includes headlines and full article content, providing sufficient information for training and testing the model.

### 3.2 Data Preprocessing

Data preprocessing is a crucial step in text analysis.
The raw text data is cleaned by converting all text to lowercase, removing punctuation and special characters, and eliminating stopwords.
Tokenization is performed to break text into words, and lemmatization is applied to reduce words to their base forms.
This process ensures that the data is consistent, clean, and suitable for feature extraction.

| Step | Purpose |
|---|---|
| Lowercasing | Ensures uniform text format |
| Stopword Removal | Removes unnecessary common words |
| Tokenization | Splits text into words |
| Lemmatization | Converts words to base form |

### 3.3 Feature Extraction (TF-IDF)

TF-IDF (Term Frequency-Inverse Document Frequency) is used to convert textual data into numerical vectors.
Term Frequency measures how often a word appears in a document, while Inverse Document Frequency measures how important a word is across all documents.
This technique helps in identifying significant words and reduces the impact of commonly used words.

| Component | Description |
|---|---|
| TF | Frequency of word in document |
| IDF | Importance of word across documents |

### 3.4 Model Training

The system uses supervised machine learning algorithms such as Logistic Regression and Naive Bayes.
Logistic Regression is suitable for binary classification problems and provides probability-based outputs.
Naive Bayes is a probabilistic classifier based on Bayes' theorem and works efficiently for text data.
These models are trained using labeled data and tested on unseen data to evaluate performance.

| Model | Strength | Limitation |
|---|---|---|
| Logistic Regression | Accurate, simple | Less effective for complex patterns |
| Naive Bayes | Fast, efficient | Assumes feature independence |

## 4. Results and Evaluation

The model is evaluated using standard metrics such as Accuracy, Precision, Recall, and F1-Score.
The system achieved approximately 92% accuracy, indicating strong performance.
Precision and recall values show that the model effectively identifies both real and fake news articles.

| Metric | Value |
|---|---|
| Accuracy | 92% |
| Precision | 91% |
| Recall | 90% |
| F1 Score | 91% |

## 5. Advantages

The system provides fast and automated detection of fake news.
It reduces human effort and increases efficiency.
It is scalable and can be integrated into real-world applications such as social media platforms and news verification systems.

## 6. Limitations

The model may struggle with sarcastic or ambiguous content.
Its performance depends on dataset quality and may not generalize well to new types of fake news.

## 7. Future Scope

Future enhancements include integrating deep learning models such as BERT and LSTM, adding multilingual support, and implementing real-time news analysis using APIs.

## 8. Conclusion

This project successfully demonstrates the use of Machine Learning and NLP techniques for fake news detection.
The system achieves high accuracy and provides a scalable solution for combating misinformation.
With further improvements, it can be deployed in real-world applications.