

Cucumber Report

May 1, 2024, 11:33:47 p.m.

4A6?A + 16C "# ##+%"+"##!(*)>!;!

. <8 + 16C "# ##+%"+"##!(*)>!;!

-B?6A:=<+%;%\$!) *# @

Features







PASSED - 4
FAILED - 11
SKIPPED - 0

Scenarios

PASSED - 75
FAILED - 91
SKIPPED - 0

Steps

PASSED - 546
FAILED - 91
SKIPPED - 158



/96AB?9		479<6?:=					4A9>				
26 ; 9		- B?6A:=<	5	3	/	4	5	3	/	4	
<u>Validating Login Page</u>	17.022 s	24	18	6	0	72	66	6	0	0	
<u>Validating Dashboard page</u>	17.104 s	11	11	0	0	66	66	0	0	0	
<u>Validating program page</u>	27.325 s	16	11	5	0	96	90	5	1	1	
<u>Validating Add new Program</u>	20.249 s	9	1	8	0	53	14	8	31	31	
<u>Manage Program Page Sorting(Data Ordering) Validation</u>	9.298 s	6	6	0	0	39	39	0	0	0	
<u>Navigation Validation from Manage Program to other Pages</u>	7.811 s	7	3	4	0	42	32	4	6	6	
<u>Batch Page Validation</u>	10.250 s	8	0	8	0	48	32	8	8	8	
<u>Add new Batch</u>	56.806 s	7	6	1	0	32	30	1	1	1	
<u>User page validation</u>	3.840 s	29	0	29	0	86	29	29	28	28	
<u>User page validation</u>	0.417 s	4	0	4	0	24	4	4	16	16	
<u>Add new user</u>	1.789 s	12	0	12	0	36	2	12	22	22	
<u>Edit new user</u>	1.068 s	9	0	9	0	54	9	9	36	36	
<u>Validating Assign Student in User Page</u>	12.091 s	7	7	0	0	42	42	0	0	0	
<u>Validating Assign Staff in User Page</u>	12.125 s	7	7	0	0	42	42	0	0	0	
<u>Delete Program</u>	15.394 s	10	5	5	0	63	49	5	9	9	

	/96AB?9 26 ; 9	479<6?:= 26 ; 9
1	<u>Validating Login Page</u>	<u>Verify admin is able to land on home page with invalid URL</u>
2		<u>Verify admin is able to land on home page with invalid URL</u>
3		<u>Verify the company logo</u>
4		<u>Verify the alignment input field for the login</u>
5		<u>verify Login is present</u>
6		<u>Verify the alignment of the login button</u>
7	<u>Validating program page</u>	<u>Verify the text and pagination icon below the data table</u>
8		<u>Verify the footer</u>
9		<u>Verify check box on the data table</u>
10		<u>Verify edit and delete button</u>
11		<u>Validate edit feature</u>
12	<u>Validating Add new Program</u>	<u>Verify cancel/close(x) icon on program details form</u>
13		<u>Verify cancel button on program details form</u>

	/96AB?9 26 ; 9	479<6?:= 26 ; 9
14	<u>Validating Add new Program</u>	<u>Verify edit program name on Edit window</u>
15		<u>Verify edit program description on Edit window</u>
16		<u>Verify change program status on Edit window</u>
17		<u>Verify invalid values on the text column on Edit window</u>
18		<u>Verify cancel button on edit popup on Edit window</u>
19		<u>Verify save button on edit popup on Edit window</u>
20	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Verify Next page link</u>
21		<u>Verify Next page link</u>
22		<u>Verify First page link</u>
23		<u>Verify Start page link</u>
24	<u>Batch Page Validation</u>	<u>Validate header in the Batch Page</u>
25		<u>Validate pagination in the Batch Page</u>
26		<u>Validate data table headers in the Batch Page</u>

	/96AB?9 26 ; 9	479<6?:= 26 ; 9
27	<u>Batch Page Validation</u>	<u>Validate Delete button in Batch Page</u>
28		<u>Validate "+ A New batch" in Batch Page</u>
29		<u>Validate data rows</u>
30		<u>Validate data rows</u>
31		<u>Validate data rows</u>
32	<u>Add new Batch</u>	<u>InValid tests</u>
33	<u>User page validation</u>	<u>Validate login with valid credentials</u>
34		<u>Validate landing in User page</u>
35		<u>Validate the heading</u>
36		<u>Validate the text and pagination icon below the data table</u>
37		<u>Validate the text and pagination icon below the data table</u>
38		<u>Validate the text and pagination icon below the data table</u>
39		<u>Validate the text and pagination icon below the data table</u>

	/96AB?9 26 ; 9	479<6?:= 26 ; 9
40	<u>User page validation</u>	Validate the text and pagination icon below the data table
41		Validate the text and pagination icon below the data table
42		Validate the text and pagination icon below the data table
43		Validate the text and pagination icon below the data table
44		Validate the text and pagination icon below the data table
45		Validate the text and pagination icon below the data table
46		Validate the text and pagination icon below the data table
47		Validate the text and pagination icon below the data table
48		Validate the text and pagination icon below the data table
49		Validate the text and pagination icon below the data table
50		Validate the text and pagination icon below the data table
51		Validate the texts and pagination icon below the data table
52		Validate data table headers in the User Page

	/96AB?9 26 ; 9	479<6?:= 26 ; 9
53	<u>User page validation</u>	<u>Validating the default state of Delete button</u>
54		<u>Validate "+ A New user" button in User Page</u>
55		<u>Validate "+ Assign Student" button in User page</u>
56		<u>Validate "+ Assign staff" button in User page</u>
57		<u>Validate search box in User page</u>
58		<u>Validate number of data rows in the data table</u>
59		<u>Verify Check box on the data table</u>
60		<u>Verify edit icon on the data table</u>
61		<u>Verify delete icon on the data table</u>
62		<u>Validate login with valid credentials</u>
63		<u>Validate landing in User page</u>
64		<u>search user by name</u>
65		<u>Validating the Search with unrelated keyword</u>

	/96AB?9 26 ; 9	479<6?:= 26 ; 9
66	<u>Add new user</u>	<u>Validate login with valid credentials</u>
67		<u>Validate landing in User page</u>
68		<u>Validate User Details Popup window</u>
69		<u>Validate input fields and text boxes in user details form</u>
70		<u>Validate drop downs in new user form</u>
71		<u>Check if user is created when only mandatory fields are entered with valid data</u>
72		<u>Check if user is created when only optional fields are entered with valid data</u>
73		<u>check if user is created when invalid data is entered in all of the fields</u>
74		<u>Empty form submission</u>
75		<u>Validate Cancel/Close(X) icon on User Details form</u>
76		<u>Validate Cancel button on User Details form</u>
77		<u>Check if the user details are added in data table</u>


	/96AB?9 26 ; 9	479<6?:= 26 ; 9
78	<u>Edit new user</u>	<u>Validate login with valid credentials</u>
79		<u>Validate landing in User page</u>
80		<u>Validate row level edit icon</u>
81		<u>Check if the fields are updated with valid data</u>
82		<u>Check if the fields are updated with invalid values</u>
83		<u>Check if the mandatory fields are updated with valid data</u>
84		<u>Check if the optional fields are updated with valid data</u>
85		<u>Validate invalid values in the text fields</u>
86		<u>Validate Cancel button on Edit popup</u>
87	<u>Delete Program</u>	<u>Validate Common Delete button enabled after clicking on any checkbox</u>
88		<u>Validate multiple program deletion by selecting Single checkbox</u>
89		<u>Validate multiple program deletion by selecting Single checkbox</u>
90		<u>Validate multiple program deletion by selecting multiple check boxes</u>

	/96AB?9 26 ; 9	479<6?:= 26 ; 9
91	<u>Delete Program</u>	<u>Validate multiple program deletion by selecting multiple check boxes</u>


5 , 0	479<6?:=				/96AB?9			
26 ; 9	5	3	/	4	5	3	/	4
@mainLoginPage	24	18	6	0	1	0	1	0
@loginPageValidation_TC01	1	1	0	0	1	0	1	0
@loginPageValidation_TC02	1	0	1	0	1	0	1	0
@loginPageValidation_TC03	1	0	1	0	1	0	1	0
@loginPageValidation_TC04	1	1	0	0	1	0	1	0
@loginPageValidation_TC05	1	0	1	0	1	0	1	0
@loginPageValidation_TC06	1	1	0	0	1	0	1	0
@loginPageValidation_TC07	1	1	0	0	1	0	1	0
@loginPageValidation_TC08	1	1	0	0	1	0	1	0
@loginPageValidation_TC09	1	1	0	0	1	0	1	0
@loginPageValidation_TC10	1	1	0	0	1	0	1	0
@loginPageValidation_TC11	1	1	0	0	1	0	1	0
@loginPageValidation_TC12	1	1	0	0	1	0	1	0
@loginPageValidation_TC13	1	1	0	0	1	0	1	0
@loginPageValidation_TC14	1	0	1	0	1	0	1	0
@loginPageValidation_TC15	1	0	1	0	1	0	1	0
@loginPageValidation_TC16	1	0	1	0	1	0	1	0

5 , 0	479<6?:=				/96AB?9			
26 ; 9	5	3	/	4	5	3	/	4
@LoginPageValidation_TC17	1	1	0	0	1	0	1	0
@LoginPageValidation_TC18	1	1	0	0	1	0	1	0
@LoginPageValidation_TC19	1	1	0	0	1	0	1	0
@LoginPageValidation_TC20	1	1	0	0	1	0	1	0
@LoginPageValidation_TC21	1	1	0	0	1	0	1	0
@LoginPageValidation_TC22	1	1	0	0	1	0	1	0
@LoginPageValidation_TC23	1	1	0	0	1	0	1	0
@LoginPageValidation_TC24	1	1	0	0	1	0	1	0
@program	16	11	5	0	1	0	1	0
@ManageProgramFeature	6	6	0	0	1	1	0	0
@sorting_01	1	1	0	0	1	1	0	0
@sorting_02	1	1	0	0	1	1	0	0
@sorting-03	1	1	0	0	1	1	0	0
@sorting-04	1	1	0	0	1	1	0	0
@sorting_05	1	1	0	0	1	1	0	0
@sorting_06	1	1	0	0	1	1	0	0
@PageValidation-01	1	1	0	0	1	0	1	0


5 , 0	479<6?:=				/96AB?9			
26 ; 9	5	3	/	4	5	3	/	4
@Validation-page	7	3	4	0	1	0	1	0
@pageValidation-02	1	1	0	0	1	0	1	0
@pageValidation-03	1	1	0	0	1	0	1	0
@paginatior-04	1	0	1	0	1	0	1	0
@paginator-05	1	0	1	0	1	0	1	0
@paginator-06	1	0	1	0	1	0	1	0
@paginator-07	1	0	1	0	1	0	1	0
@AddBatch	7	6	1	0	1	0	1	0
@delete-01	1	1	0	0	1	0	1	0
@ProgramDeletion	10	5	5	0	1	0	1	0
@delete-02	1	1	0	0	1	0	1	0




	/96AB?9 26 ; 9	5	3	1	4	- B?6A:=<
1	<u>Validating Login Page</u>	24	18	6	0	17.022 s
2	<u>Validating Dashboard page</u>	11	11	0	0	17.104 s
3	<u>Validating program page</u>	16	11	5	0	27.325 s
4	<u>Validating Add new Program</u>	9	1	8	0	20.249 s
5	<u>Manage Program Page Sorting(Data Ordering) Validation</u>	6	6	0	0	9.298 s
6	<u>Navigation Validation from Manage Program to other Pages</u>	7	3	4	0	7.811 s
7	<u>Batch Page Validation</u>	8	0	8	0	10.250 s
8	<u>Add new Batch</u>	7	6	1	0	56.806 s
9	<u>User page validation</u>	29	0	29	0	3.840 s
10	<u>User page validation</u>	4	0	4	0	0.417 s




	/96AB?9 26 ; 9	5	3	/	4	- B?6A:=<
11	<u>Add new user</u>	12	0	12	0	1.789 s
12	<u>Edit new user</u>	9	0	9	0	1.068 s
13	<u>Validating Assign Student in User Page</u>	7	7	0	0	12.091 s
14	<u>Validating Assign Staff in User Page</u>	7	7	0	0	12.125 s
15	<u>Delete Program</u>	10	5	5	0	15.394 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
1	<u>Validating Login Page</u>	<u>Verify admin is able to land on home page</u>	3	3	0	0	0.781 s
2		<u>Verify admin is able to land on home page with invalid URL</u>	3	2	1	0	0.263 s
3		<u>Verify admin is able to land on home page with invalid URL</u>	3	2	1	0	0.174 s
4		<u>Verify the text spelling in the page</u>	3	3	0	0	0.764 s
5		<u>Verify the company logo</u>	3	2	1	0	0.896 s
6		<u>Verify application name</u>	3	3	0	0	0.547 s
7		<u>Verify company name</u>	3	3	0	0	0.602 s
8		<u>Validate sign in content</u>	3	3	0	0	0.575 s
9		<u>Verify text field is present</u>	3	3	0	0	0.420 s
10		<u>Verify text on the first text field</u>	3	3	0	0	0.504 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
11	<u>Validating Login Page</u>	<u>Verify asterik next to user text</u>	3	3	0	0	0.407 s
12		<u>Verify text on the first text field</u>	3	3	0	0	0.462 s
13		<u>Verify asterik next to user text</u>	3	3	0	0	0.448 s
14		<u>Verify the alignment input field for the login</u>	3	2	1	0	0.673 s
15		<u>verify Login is present</u>	3	2	1	0	0.570 s
16		<u>Verify the alignment of the login button</u>	3	2	1	0	0.770 s
17		<u>Verify input descriptive test in user field</u>	3	3	0	0	0.547 s
18		<u>Verify input descriptive test in password field</u>	3	3	0	0	0.490 s
19		<u>Validate login with valid credentials</u>	3	3	0	0	2.329 s
20		<u>Validate login with invalid credentials</u>	3	3	0	0	0.954 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
21	<u>Validating Login Page</u>	<u>Validate login credentials with null username</u>	3	3	0	0	0.870 s
22		<u>Validate login credentials with null password</u>	3	3	0	0	0.889 s
23		<u>Validate login with valid credentials</u>	3	3	0	0	0.631 s
24		<u>Validate login with valid credentials</u>	3	3	0	0	0.798 s
25	<u>Validating Dashboard page</u>	<u>Verify after login admin lands on manage program as dashboard page</u>	6	6	0	0	1.389 s
26		<u>Verify broken link</u>	6	6	0	0	2.267 s
27		<u>Verify LMS title</u>	6	6	0	0	1.193 s
28		<u>Verify LMS title alignment</u>	6	6	0	0	1.536 s
29		<u>Validate navigation bar text</u>	6	6	0	0	1.371 s
30		<u>Validate LMS title has correct spelling ang space</u>	6	6	0	0	1.356 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
31	<u>Validating Dashboard page</u>	<u>Validate alignment for navigation bar</u>	6	6	0	0	1.517 s
32		<u>Validate navigation bar order 1st Program</u>	6	6	0	0	1.698 s
33		<u>Validate navigation bar order 2nd Batch</u>	6	6	0	0	1.520 s
34		<u>Validate navigation bar order 3rd User</u>	6	6	0	0	1.523 s
35		<u>Validate navigation bar order 4th Logout</u>	6	6	0	0	1.526 s
36	<u>Validating program page</u>	<u>Verify landing in Program page</u>	6	6	0	0	1.060 s
37		<u>Verify the heading</u>	6	6	0	0	3.198 s
38		<u>Verify the text and pagination icon below the data table</u>	6	5	1	0	1.033 s
39		<u>Verify the footer</u>	6	5	1	0	1.075 s
40		<u>Verify the default state of Delete button</u>	6	6	0	0	0.932 s



	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
41	<u>Validating program page</u>	<u>Verify add new program</u>	6	6	0	0	0.920 s
42		<u>Verify that number of records displayed</u>	6	6	0	0	0.902 s
43		<u>Verify data table on the Program page</u>	6	6	0	0	0.919 s
44		<u>Verify sort arrow icon on the data table</u>	6	6	0	0	0.918 s
45		<u>Verify check box on the data table</u>	6	5	1	0	0.934 s
46		<u>Verify edit and delete button</u>	6	5	1	0	1.297 s
47		<u>Verify search bar on the program page</u>	6	6	0	0	1.075 s
48		<u>Validate program details popup window</u>	6	6	0	0	3.323 s
49		<u>Validate input fields and their text boxes in program details form</u>	6	6	0	0	3.406 s
50		<u>Validate radio button for programstatus</u>	6	6	0	0	3.168 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
51	<u>Validating program page</u>	<u>Validate edit feature</u>	6	4	1	1	2.890 s
52	<u>Validating Add new Program</u>	<u>Verify Empty form submission</u>	6	6	0	0	2.685 s
53		<u>Verify cancel/close(x) icon on program details form</u>	6	1	1	4	2.186 s
54		<u>Verify cancel button on program details form</u>	6	1	1	4	2.182 s
55		<u>Verify edit program name on Edit window</u>	6	1	1	4	2.179 s
56		<u>Verify edit program description on Edit window</u>	5	1	1	3	2.204 s
57		<u>Verify change program status on Edit window</u>	6	1	1	4	2.163 s
58		<u>Verify invalid values on the text column on Edit window</u>	6	1	1	4	2.169 s
59		<u>Verify cancel button on edit popup on Edit window</u>	6	1	1	4	2.171 s
60		<u>Verify save button on edit popup on Edit window</u>	6	1	1	4	2.199 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
61	<u>Manage Program Page Sorting(Data Ordering) Validation</u>	<u>Validates Descending Sorting(data ordering) on the Program Data table</u>	6	6	0	0	1.365 s
62		<u>Validates Ascending Sorting(data ordering) on the Program Data table</u>	7	7	0	0	1.416 s
63		<u>Validates Sorting(data ordering) on the Program Data table</u>	6	6	0	0	1.115 s
64		<u>Validates Sorting(data ordering) on the Program Data table</u>	7	7	0	0	1.445 s
65		<u>Validates Sorting(data ordering) on the Program Data table</u>	6	6	0	0	1.964 s
66		<u>Validates Sorting(data ordering) on the Program Data table</u>	7	7	0	0	1.940 s
67	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Batch link on navigation bar</u>	6	6	0	0	1.492 s
68		<u>User link on navigation bar</u>	6	6	0	0	1.081 s
69		<u>User link on navigation bar</u>	6	6	0	0	1.116 s


	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
70		<u>Verify Next page link</u>	6	4	1	1	0.768 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
71	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Verify Next page link</u>	6	4	1	1	0.829 s
72		<u>Verify First page link</u>	6	3	1	2	0.988 s
73		<u>Verify Start page link</u>	6	3	1	2	1.479 s
74	<u>Batch Page Validation</u>	<u>Validate header in the Batch Page</u>	6	4	1	1	1.269 s
75		<u>Validate pagination in the Batch Page</u>	6	4	1	1	1.154 s
76		<u>Validate data table headers in the Batch Page</u>	6	4	1	1	1.225 s
77		<u>Validate Delete button in Batch Page</u>	6	4	1	1	1.329 s
78		<u>Validate "+ A New batch" in Batch Page</u>	6	4	1	1	1.281 s
79		<u>Validate data rows</u>	6	4	1	1	1.504 s
80		<u>Validate data rows</u>	6	4	1	1	1.258 s



	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
81	<u>Batch Page Validation</u>	<u>Validate data rows</u>	6	4	1	1	1.154 s
82	<u>Add new Batch</u>	<u>Check if the fields exist in popup</u>	4	4	0	0	6.537 s
83		<u>Invalid Tests</u>	5	5	0	0	7.666 s
84		<u>InValid tests</u>	5	3	1	1	6.672 s
85		<u>Invalid tests</u>	5	5	0	0	9.258 s
86		<u>Valid tests</u>	4	4	0	0	10.318 s
87		<u>Invalid Test</u>	5	5	0	0	7.698 s
88		<u>Check for error messages for mandatory fields</u>	4	4	0	0	8.507 s
89	<u>User page validation</u>	<u>Validate login with valid credentials</u>	3	1	1	1	0.427 s
90		<u>Validate landing in User page</u>	3	1	1	1	0.095 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
91	<u>User page validation</u>	<u>Validate the heading</u>	3	1	1	1	0.079 s
92		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.116 s
93		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.126 s
94		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.158 s
95		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.128 s
96		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.126 s
97		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.125 s
98		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.102 s
99		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.095 s
10-0		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.095 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
10-1	<u>User page validation</u>	<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.079 s
10-2		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.095 s
10-3		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.107 s
10-4		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.095 s
10-5		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.111 s
10-6		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.132 s
10-7		<u>Validate the texts and pagination icon below the data table</u>	2	1	1	0	0.159 s
10-8		<u>Validate data table headers in the User Page</u>	3	1	1	1	0.156 s
10-9		<u>Validating the default state of Delete button</u>	3	1	1	1	0.095 s

	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
11-0		<u>Validate "+ A New user" button in User Page</u>	3	1	1	1	0.094 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
11-1	<u>User page validation</u>	<u>Validate "+ Assign Student" button in User page</u>	3	1	1	1	0.096 s
11-2		<u>Validate "+ Assign staff" button in User page</u>	3	1	1	1	0.096 s
11-3		<u>Validate search box in User page</u>	3	1	1	1	0.122 s
11-4		<u>Validate number of data rows in the data table</u>	3	1	1	1	0.110 s
11-5		<u>Verify Check box on the data table</u>	3	1	1	1	0.127 s
11-6		<u>Verify edit icon on the data table</u>	3	1	1	1	0.110 s
11-7		<u>Verify delete icon on the data table</u>	3	1	1	1	0.079 s
11-8		<u>Validate login with valid credentials</u>	6	1	1	4	0.085 s
11-9		<u>Validate landing in User page</u>	6	1	1	4	0.143 s

	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
12-0		<u>search user by name</u>	6	1	1	4	0.095 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
12-1	<u>User page validation</u>	<u>Validating the Search with unrelated keyword</u>	6	1	1	4	0.079 s
12-2	<u>Add new user</u>	<u>Validate login with valid credentials</u>	3	1	1	1	0.500 s
12-3		<u>Validate landing in User page</u>	3	1	1	1	0.107 s
12-4		<u>Validate User Details Popup window</u>	3	0	1	2	0.096 s
12-5		<u>Validate input fields and text boxes in user details form</u>	3	0	1	2	0.110 s
12-6		<u>Validate drop downs in new user form</u>	3	0	1	2	0.096 s
12-7		<u>Check if user is created when only mandatory fields are entered with valid data</u>	3	0	1	2	0.123 s
12-8		<u>Check if user is created when only optional fields are entered with valid data</u>	3	0	1	2	0.111 s

	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
12-9		<u>check if user is created when invalid data is entered in all of the fields</u>	3	0	1	2	0.094 s
13-0		<u>Empty form submission</u>	3	0	1	2	0.111 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
13-1	<u>Add new user</u>	<u>Validate Cancel/Close(X) icon on User Details form</u>	3	0	1	2	0.131 s
13-2		<u>Validate Cancel button on User Details form</u>	3	0	1	2	0.087 s
13-3		<u>Check if the user details are added in data table</u>	3	0	1	2	0.111 s
13-4	<u>Edit new user</u>	<u>Validate login with valid credentials</u>	6	1	1	4	0.095 s
13-5		<u>Validate landing in User page</u>	6	1	1	4	0.096 s
13-6		<u>Validate row level edit icon</u>	6	1	1	4	0.112 s
13-7		<u>Check if the fields are updated with valid data</u>	6	1	1	4	0.135 s
13-8		<u>Check if the fields are updated with invalid values</u>	6	1	1	4	0.094 s
13-9		<u>Check if the mandatory fields are updated with valid data</u>	6	1	1	4	0.143 s

	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
14-0		<u>Check if the optional fields are updated with valid data</u>	6	1	1	4	0.087 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
14-1	<u>Edit new user</u>	<u>Validate invalid values in the text fields</u>	6	1	1	4	0.097 s
14-2		<u>Validate Cancel button on Edit popup</u>	6	1	1	4	0.087 s
14-3	<u>Validating Assign Student in User Page</u>	<u>Validate Assign Student Popup window</u>	6	6	0	0	1.549 s
14-4		<u>Validate input fields and their text boxes in Assign Student form</u>	6	6	0	0	1.499 s
14-5		<u>Validate Dropdown in Assign Student Form</u>	6	6	0	0	1.486 s
14-6		<u>Validate radio button in Assign Student Form</u>	6	6	0	0	1.725 s
14-7		<u>Empty Form Submission</u>	6	6	0	0	2.090 s
14-8		<u>Validate Cancel/Close(X) icon on Assign Student form</u>	6	6	0	0	1.707 s
14-9		<u>Validate Cancel button on Assign Student form</u>	6	6	0	0	1.956 s

	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
15-0	Validating Assign Staff in User Page	Validate Assign Staff Popup window	6	6	0	0	1.642 s



	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
15-1	<u>Validating Assign Staff in User Page</u>	<u>Validate input fields and their text boxes in Assign Staff form</u>	6	6	0	0	1.488 s
15-2		<u>Validate Dropdown in Assign Staff Form</u>	6	6	0	0	1.548 s
15-3		<u>Validate radio button in Assign Staff Form</u>	6	6	0	0	1.513 s
15-4		<u>Empty Form Submission</u>	6	6	0	0	2.271 s
15-5		<u>Validate Cancel/Close(X) icon on Assign Staff form</u>	6	6	0	0	1.908 s
15-6		<u>Validate Cancel button on Assign Staff form</u>	6	6	0	0	1.705 s
15-7	<u>Delete Program</u>	<u>Delete Feature</u>	6	6	0	0	1.864 s
15-8		<u>Validate details for Confirm Deletion form</u>	6	6	0	0	1.751 s
15-9		<u>Click Yes on deletion window</u>	7	7	0	0	2.035 s

	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
16-0		<u>Click No on deletion window</u>	7	7	0	0	2.418 s




	/96AB?9 26 ; 9	479<6?:= 26 ; 9	5	3	/	4	-B?6A:=<
16-1	<u>Delete Program</u>	<u>Validate Cancel/Close(X) icon on Confirm Deletion alert</u>	7	7	0	0	1.988 s
16-2		<u>Validate Common Delete button enabled after clicking on any checkbox</u>	6	4	1	1	1.052 s
16-3		<u>Validate multiple program deletion by selecting Single checkbox</u>	6	3	1	2	0.926 s
16-4		<u>Validate multiple program deletion by selecting Single checkbox</u>	6	3	1	2	0.930 s
16-5		<u>Validate multiple program deletion by selecting multiple check boxes</u>	6	3	1	2	1.083 s
16-6		<u>Validate multiple program deletion by selecting multiple check boxes</u>	6	3	1	2	1.256 s

Validating Login Page




Verify admin is able to land on home page




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.022 s
2	When Admin gives the correct LMS portal URL	PASSED	0.705 s
3	Then Admin should land on the home page	PASSED	0.016 s

Verify admin is able to land on home page with invalid URL




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.001 s
2	When Admin gives the invalid LMS portal URL	PASSED	0.001 s
3	Then Admin should receive 404 page not found error java.lang.AssertionError: expected [LMS] but found [Heroku Application Error] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Login.admin_should_recieve_page_not_found_error(Login.java:93) at ?.Admin should recieve 404 page not found error(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/01Login.feature:26) * Not displayable characters are replaced by '?'. AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	FAILED	0.029 s
	My screenshot 	PASSED	0.227 s


Verify admin is able to land on home page with invalid URL



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the invalid LMS portal URL	PASSED	0.000 s
3	Then Admin should receive 404 page not found error	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected [LMS] but found [Heroku Application Error] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Login.admin_should_recieve_page_not_found_error(Login.java:93) at ?.Admin should recieve 404 page not found error(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/01Login.feature:32) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.160 s

Verify the text spelling in the page




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.615 s
3	Then Admin should see correct spellings in all fields	PASSED	0.149 s

Verify the company logo




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.616 s
3	<p>Then Admin should see logo on the left side</p> <pre>java.lang.AssertionError: expected [560] but found [584] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:907) at org.testng.Assert.assertEquals(Assert.java:917) at pageObjects.LoginPage.verifyLoginFormLocation(LoginPage.java:187) at stepdefinitions.Login.admin_should_see_logo_on_the_left_side(Login.java:153) at ?.Admin should see logo on the left side(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/01Login.feature:44) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.154 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.112 s

Verify application name





#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.435 s
3	Then Admin should see LMS Learning Management System	PASSED	0.084 s

Verify company name





#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.532 s
3	Then Admin should see company name below the app name	PASSED	0.056 s

Validate sign in content

PASSED	DURATION - 0.575 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:16.133 p.m. // 11:30:16.708 p.m. /				
Validating Login Page				
@LoginPageValidation_TC08 @mainLoginPage				



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.014 s
2	When Admin gives the correct LMS portal URL	PASSED	0.477 s
3	Then Admin should see Please login to LMS application	PASSED	0.070 s

Verify text field is present

PASSED	DURATION - 0.420 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:16.722 p.m. // 11:30:17.142 p.m. /				
Validating Login Page				
@LoginPageValidation_TC09 @mainLoginPage				



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.378 s
3	Then Admin should see two text field	PASSED	0.028 s

Verify text on the first text field

PASSED	DURATION - 0.504 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:17.170 p.m. // 11:30:17.674 p.m. /				
Validating Login Page				
@mainLoginPage @loginPageValidation_TC10				



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.448 s
3	Then Admin should "User" in the first text field	PASSED	0.042 s

Verify asterik next to user text

PASSED	DURATION - 0.407 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:17.702 p.m. // 11:30:18.109 p.m. /				
Validating Login Page				
@mainLoginPage @loginPageValidation_TC11				



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.379 s
3	Then Admin should see "*" symbol next to user text	PASSED	0.028 s

Verify text on the first text field

PASSED	DURATION - 0.462 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:18.137 p.m. // 11:30:18.599 p.m. /				
Validating Login Page				
@mainLoginPage @loginPageValidation_TC12				


#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.014 s
2	When Admin gives the correct LMS portal URL	PASSED	0.408 s
3	Then Admin should "Password" in the second text field	PASSED	0.040 s

Verify asterik next to user text

PASSED	DURATION - 0.448 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:18.627 p.m. // 11:30:19.075 p.m. /				
Validating Login Page				
@mainLoginPage @loginPageValidation_TC13				


#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.406 s
3	Then Admin should see "*" symbol next to user text	PASSED	0.042 s

Verify the alignment input field for the login




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.014 s
2	When Admin gives the correct LMS portal URL	PASSED	0.462 s
3	Then Admin should see input field on the centre of the page java.lang.AssertionError: expected [560] but found [584] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:907) at org.testng.Assert.assertEquals(Assert.java:917) at pageObjects.LoginPage.verifyLoginFormLocation(LoginPage.java:187) at stepdefinitions.Login.admin_should_see_input_field_on_the_centre_of_the_page(Login.java:199) at ?.Admin should see input field on the centre of the page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/01Login.feature:98) * Not displayable characters are replaced by '?'.	FAILED	0.055 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.127 s

verify Login is present




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.364 s
3	<p>Then Admin should see login button</p> <pre>java.lang.NoSuchMethodError: 'void org.testng.Assert.assertEquals(java.lang.Boolean, boolean)' at stepdefinitions.Login.admin_should_see_login_button(Login.java:203) at ?.Admin should see login button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/01Login.feature:104) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.070 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.136 s

Verify the alignment of the login button



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.518 s
3	Then Verify the alignment of the login button java.lang.AssertionError: expected [700] but found [724] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:907) at org.testng.Assert.assertEquals(Assert.java:917) at pageObjects.LoginPage.verifyLoginButtonLocation(LoginPage.java:196) at stepdefinitions.Login.verify_the_alignment_of_the_login_button(Login.java:208) at ?.Verify the alignment of the login button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/01Login.feature:110) * Not displayable characters are replaced by '?'.	FAILED	0.084 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.140 s


Verify input descriptive test in user field



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.491 s


#	Step / Hook Details	Status	Duration
3	Then Admin should see user in gray color	PASSED	0.042 s

Verify input descriptive test in password field





#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.462 s
3	Then Admin should see password in gray color	PASSED	0.014 s

Validate login with valid credentials





#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.519 s
2	When Admin enter valid credentials and clicks login button	PASSED	1.810 s
3	Then Admin should land on dashboard page	PASSED	0.000 s

Validate login with invalid credentials

PASSED	DURATION - 0.954 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:24.612 p.m. // 11:30:25.566 p.m. /				
Validating Login Page				
@loginPageValidation_TC20 @mainLoginPage				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.435 s
2	When Admin enter Invalid credentials and clicks login button	PASSED	0.476 s
3	Then Error message please check username or password	PASSED	0.043 s

Validate login credentials with null username

PASSED	DURATION - 0.870 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:25.580 p.m. // 11:30:26.450 p.m. /				
Validating Login Page				
@mainLoginPage @loginPageValidation_TC21				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.385 s
2	When Admin enter value only in password and clicks login button	PASSED	0.449 s
3	Then Error message please check username	PASSED	0.028 s

Validate login credentials with null password

PASSED	DURATION - 0.889 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:26.478 p.m. // 11:30:27.367 p.m. /				
Validating Login Page				
@mainLoginPage @loginPageValidation_TC22				


#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.388 s
2	When Admin enter value only in username and clicks login button	PASSED	0.450 s
3	Then Error message please check password	PASSED	0.046 s

Validate login with valid credentials

PASSED	DURATION - 0.631 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:30:27.391 p.m. // 11:30:28.022 p.m. /				
Validating Login Page				
@mainLoginPage @loginPageValidation_TC23				


#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.350 s
2	When Admin enter valid credentials and clicks login button through keyboard	PASSED	0.267 s
3	Then Admin should land on dashboard page	PASSED	0.014 s

Validate login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.378 s
2	When Admin enter valid credentials and clicks login button through Mouse Click	PASSED	0.420 s
3	Then Admin should land on dashboard page	PASSED	0.000 s

Validating Dashboard page




Verify after login admin lands on manage program as dashboard page



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.392 s


#	Step / Hook Details	Status	Duration
3	Then Admin should land on the home page	PASSED	0.014 s
4	Given Admin is in Home Page	PASSED	0.434 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.494 s
6	Then Admin should see manage program as header	PASSED	0.043 s

Verify broken link




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.609 s
3	Then Admin should land on the home page	PASSED	0.014 s
4	Given Admin is in Home Page	PASSED	0.409 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.463 s
6	Then HTTP response >= 400. Then the link is broken	PASSED	0.772 s

Verify LMS title




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.364 s
3	Then Admin should land on the home page	PASSED	0.014 s
4	Given Admin is in Home Page	PASSED	0.348 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.436 s
6	Then Admin should see LMS -Learning management system as title	PASSED	0.014 s

Verify LMS title alignment




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.364 s
3	Then Admin should land on the home page	PASSED	0.000 s
4	Given Admin is in Home Page	PASSED	0.469 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.548 s
6	Then LMS title should be on the top left corner of page	PASSED	0.141 s

Validate navigation bar text




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.452 s
3	Then Admin should land on the home page	PASSED	0.000 s
4	Given Admin is in Home Page	PASSED	0.344 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.491 s
6	Then Admin should see correct spelling in navigation bar text	PASSED	0.070 s

Validate LMS title has correct spelling ang space




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.454 s
3	Then Admin should land on the home page	PASSED	0.000 s
4	Given Admin is in Home Page	PASSED	0.355 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.479 s
6	Then Admin should see correct spelling and space in LMS title	PASSED	0.057 s

Validate alignment for navigation bar




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.480 s
3	Then Admin should land on the home page	PASSED	0.027 s
4	Given Admin is in Home Page	PASSED	0.429 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.538 s
6	Then Admin should see the navigation bar text on the top right side	PASSED	0.040 s

Validate navigation bar order 1st Program




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.651 s
3	Then Admin should land on the home page	PASSED	0.028 s
4	Given Admin is in Home Page	PASSED	0.454 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.517 s
6	Then Admin should see program in the 1st place	PASSED	0.048 s

Validate navigation bar order 2nd Batch




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.002 s
2	When Admin gives the correct LMS portal URL	PASSED	0.379 s
3	Then Admin should land on the home page	PASSED	0.005 s
4	Given Admin is in Home Page	PASSED	0.427 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.461 s
6	Then Admin should see batch in the 2nd place	PASSED	0.220 s

Validate navigation bar order 3rd User




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.003 s
2	When Admin gives the correct LMS portal URL	PASSED	0.460 s
3	Then Admin should land on the home page	PASSED	0.000 s
4	Given Admin is in Home Page	PASSED	0.363 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.583 s
6	Then Admin should see user in the 3rd place	PASSED	0.080 s

Validate navigation bar order 4th Logout




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.438 s
3	Then Admin should land on the home page	PASSED	0.016 s
4	Given Admin is in Home Page	PASSED	0.452 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.526 s
6	Then Admin should see logout in the 4th place	PASSED	0.094 s

Validating program page




Verify landing in Program page




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.482 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.524 s
3	Then Admin should land on dashboard page	PASSED	0.015 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see URL with Manage Program	PASSED	0.007 s

Verify the heading




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.377 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.739 s
3	Then Admin should land on dashboard page	PASSED	0.016 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see a heading with text "Manage Program" on the page	PASSED	2.062 s


Verify the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.462 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.445 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table. java.lang.AssertionError: expected [Showing x to y of z entries] but found [Showing 0 to 0 of 0 entries]	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Programlms_SD.admin_should_see_the_text_as_along_with_pagination_icon_below_the_table(Programlms_SD.java:48) at ?.Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table.(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/03Programlms.feature:24) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.092 s


Verify the footer



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.362 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.537 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.007 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.002 s
6	Then Admin should see the footer as "In total there are z programs" java.lang.AssertionError: expected [In total there are z programs] but found [In total there are 0 programs.]	FAILED	0.032 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Programlms_SD.admin_should_see_the_footer_as(Programlms_SD.java:55) at ?.Admin should see the footer as "In total there are z programs"(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/03Programlms.feature:30) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.125 s

Verify the default state of Delete button





#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.426 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.473 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.016 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see a Delete button on the top left hand side as Disabled	PASSED	0.015 s

Verify add new program

PASSED	DURATION - 0.920 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
<code>/ 11:30:53.351 p.m. // 11:30:54.271 p.m. /</code>				
Validating program page				
@program				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.446 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.434 s
3	Then Admin should land on dashboard page	PASSED	0.006 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see a "+A New Program" button on the program page above the data table	PASSED	0.019 s

Verify that number of records displayed

PASSED	DURATION - 0.902 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
<code>/ 11:30:54.288 p.m. // 11:30:55.190 p.m. /</code>				
Validating program page				
@program				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.427 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.443 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see the number of records (rows of data in the table) displayed on the page are 5	PASSED	0.018 s

Verify data table on the Program page

PASSED	DURATION - 0.919 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:30:55.207 p.m. // 11:30:56.126 p.m. /				
Validating program page				
@program				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.331 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.415 s
3	Then Admin should land on dashboard page	PASSED	0.009 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see data table on the Manage Program Page with following column headers (Program Name, Program Description, Program Status, Edit,Delete)	PASSED	0.164 s


Verify sort arrow icon on the data table

PASSED	DURATION - 0.918 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:30:56.142 p.m. // 11:30:57.060 p.m. /				
Validating program page				
@program				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.379 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.465 s
3	Then Admin should land on dashboard page	PASSED	0.008 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Admin should see the sort arrow icon beside to each column header except Edit and Delete	PASSED	0.063 s


Verify check box on the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.406 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.386 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see check box on the left side in all rows of the data table org.openqa.selenium.NoSuchElementException: Unable to locate element: //div[@class='p-checkbox-box'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//div[@class='p-checkbox-box']] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ProgramPage.ischeckbox(ProgramPage.java:156) at stepdefinitions.Programlms_SD.admin_should_see_check_box_on_the_left_side_in_all_rows_of_the_data_table(Programlms_SD.java:91) at ?.Admin should see check box on the left side in all rows of the data table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/03Programlms.feature:60) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.110 s


Verify edit and delete button



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.533 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.537 s
3	Then Admin should land on dashboard page	PASSED	0.016 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
6	<p>Then Admin should see the Edit and Delete buttons on each row of the data table</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //tbody/tr[1]/td[5]/div[1]/span[1]/button[1]/span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/tbody/tr[1]/td[5]/div[1]/span[1]/button[1]/span[1]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ProgramPage.isEdit(ProgramPage.java:159) at stepdefinitions.ProgramLms_SD.admin_should_see_the_edit_and_delete_buttons_on_each_row_of_the_data_table(ProgramLms_SD.java:96) at ?.Admin should see the Edit and Delete buttons on each row of the data table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/03ProgramLms.feature:65) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.179 s

Verify search bar on the program page



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.474 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.505 s
3	Then Admin should land on dashboard page	PASSED	0.015 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see Search bar with text as "Search..."	PASSED	0.081 s


Validate program details popup window



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.432 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.489 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on Manage Program Page	PASSED	2.051 s
5	When Admin clicks "A New Program" button	PASSED	0.287 s
6	Then Admin should see a popup open for Program details with empty form along with <SAVE> and <CANCEL> button and	PASSED	0.048 s


#	Step / Hook Details	Status	Duration
	Close(X) Icon on the top right corner of the window		

Validate input fields and their text boxes in program details form



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.431 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.449 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on Manage Program Page	PASSED	2.046 s
5	When Admin clicks "A New Program" button	PASSED	0.287 s
6	Then Admin should see two input fields and their respective text boxes in the program details window	PASSED	0.187 s


Validate radio button for programstatus



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.350 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.419 s
3	Then Admin should land on dashboard page	PASSED	0.009 s

#	Step / Hook Details	Status	Duration
4	Given Admin is on Manage Program Page	PASSED	2.043 s
5	When Admin clicks "A New Program" button	PASSED	0.277 s
6	Then Admin should see two radio button for Program Status	PASSED	0.049 s

Validate edit feature




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.407 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.425 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on Manage Program Page	PASSED	2.043 s
5	When Admin clicks <Edit>button on the data table for any row	FAILED	0.000 s
	Step undefined		
6	Then Admin could see a popup open for Program details to edit	SKIPPED	0.000 s

Validating Add new Program




Verify Empty form submission



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.034 s
2	When Admin clicks "A New Program" button	PASSED	0.284 s
3	Then Admin is on "Program Details" Popup window	PASSED	0.036 s
4	Given Admin is on "Program Details" Popup window	PASSED	0.027 s
5	When Admin clicks <Save>button without entering any data	PASSED	0.256 s
6	Then Admin gets a Error message alert	PASSED	0.047 s


Verify cancel/close(x) icon on program details form




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.052 s
2	When Admin clicks "A New Program" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f46-73daed9146ae, clickElement {id=748d2da6-fd88-496a-88bf-8c7af43bbbd2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile:	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	<pre>C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (74c5334a-33a0-4808-8f96-73daed9146ae)] -> xpath: ./button[@label='A New Program']] Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.109 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks Cancel Close(X) Icon on Program Details form	SKIPPED	0.000 s
6	Then Program Details popup window should be closed without saving	SKIPPED	0.000 s


Verify cancel button on program details form



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.056 s
2	<p>When Admin clicks "A New Program" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, clickElement {id=748d2da6-fd88-496a-88bf-8c7af43bbbd2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (74c5334a-33a0-4808-8f96-73daed9146ae)] -> xpath: ./button[@label='A New Program']] Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.110 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks Cancel button	SKIPPED	0.000 s
6	Then Admin can see the Program details popup disappears without creating any program	SKIPPED	0.000 s


Verify edit program name on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.053 s
2	When Admin clicks "A New Program" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, clickElement {id=748d2da6-fd88-496a-88bf-8c7af43bbbd2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (74c5334a-33a0-4808-8f96-73daed9146ae)] -> xpath: //button[@label='A New Program']] Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.093 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin edit the Name column and clicks save button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated name in the table for the particular program	SKIPPED	0.000 s


Verify edit program description on Edit window



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.046 s
2	<p>When Admin clicks "A New Program" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, clickElement {id=748d2da6-fd88-496a-88bf-8c7af43bbbd2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Element: [[FirefoxDriver: firefox on windows (74c5334a-33a0-4808-8f96-73daed9146ae)] -> xpath: .//button[@label='A New Program']] Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.033 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.110 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	When Admin edit Description column and clicks save button	SKIPPED	0.000 s
5	Then Admin gets a message "Successful Program Updated" alert and able to see the updated description in the table for the particular program	SKIPPED	0.000 s


Verify change program status on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.037 s
2	When Admin clicks "A New Program" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, clickElement {id=748d2da6-fd88-496a-88bf-8c7af43bbbd2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (74c5334a-33a0-4808-8f96-73daed9146ae)] -> xpath: //button[@label='A New Program']] Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.094 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin change Status and clicks save button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated status in the table for the particular program	SKIPPED	0.000 s


Verify invalid values on the text column on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.035 s
2	<p>When Admin clicks "A New Program" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, clickElement {id=748d2da6-fd88-496a-88bf-8c7af43bbbd2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Element: [[FirefoxDriver: firefox on windows (74c5334a-33a0-4808-8f96-73daed9146ae)] -> xpath: ./button[@label='A New Program']] Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.110 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin enters only numbers or special char in name and desc column	SKIPPED	0.000 s
6	Then Admins get a error message alert	SKIPPED	0.000 s


Verify cancel button on edit popup on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.029 s
2	When Admin clicks "A New Program" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, clickElement {id=748d2da6-fd88-496a-88bf-8c7af43bbbd2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (74c5334a-33a0-4808-8f96-73daed9146ae)] -> xpath: //button[@label='A New Program']] Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.078 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks Cancel button	SKIPPED	0.000 s
6	Then Admin can see the Program details popup disappears and can see nothing changed for particular program	SKIPPED	0.000 s

Verify save button on edit popup on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.059 s
2	<p>When Admin clicks "A New Program" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, clickElement {id=748d2da6-fd88-496a-88bf-8c7af43bbbd2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Element: [[FirefoxDriver: firefox on windows (74c5334a-33a0-4808-8f96-73daed9146ae)] -> xpath: ./button[@label='A New Program']] Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.094 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks <Save>button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated details in the table for the particular program	SKIPPED	0.000 s

Manage Program Page Sorting(Data Ordering) Validation




Validates Descending Sorting(data ordering) on the Program Data table



#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.518 s
2	When I submit username and password	PASSED	0.481 s


#	Step / Hook Details	Status	Duration
3	Then I should be logged in	PASSED	0.007 s
4	Given Admin is on Manage Program page	PASSED	0.004 s
5	When Admin clicks the sort icon of program name column	PASSED	0.246 s
6	Then The data get sorted on the table based on the program name column values in ascending order	PASSED	0.104 s

Validates Ascending Sorting(data ordering) on the Program Data table




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.326 s
2	When I submit username and password	PASSED	0.414 s
3	Then I should be logged in	PASSED	0.000 s
4	Given Admin clicks the sort icon of program name column	PASSED	0.220 s
5	Given The data is in the ascending order on the table based on Program Name column	PASSED	0.031 s
6	When Admin clicks the sort icon of program name column	PASSED	0.267 s
7	Then The data get sorted on the table based on the program name column values in descending order	PASSED	0.142 s

Validates Sorting(data ordering) on the Program Data table





#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.347 s
2	When I submit username and password	PASSED	0.392 s
3	Then I should be logged in	PASSED	0.000 s
4	Given Admin is on Manage Program page	PASSED	0.016 s
5	When Admin clicks the sort icon of program Desc column	PASSED	0.235 s
6	Then The data get sorted on the table based on the program description column values in ascending order	PASSED	0.110 s

Validates Sorting(data ordering) on the Program Data table




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.352 s
2	When I submit username and password	PASSED	0.386 s
3	Then I should be logged in	PASSED	0.016 s
4	Given Admin clicks the sort icon of program Desc column	PASSED	0.251 s
5	Given The data is in the ascending order on the table based on Program Description column	PASSED	0.031 s
6	When Admin clicks the sort icon of program Desc column	PASSED	0.252 s
7	Then The data get sorted on the table based on the program description column values in descending order	PASSED	0.157 s

Validates Sorting(data ordering) on the Program Data table

PASSED	DURATION - 1.964 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:31:38.997 p.m. // 11:31:40.961 p.m. /				
Manage Program Page Sorting(Data Ordering) Validation				
@sorting_05 @ManageProgramFeature				

#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.804 s
2	When I submit username and password	PASSED	0.611 s
3	Then I should be logged in	PASSED	0.032 s
4	Given Admin is on Manage Program page	PASSED	0.039 s
5	When Admin clicks the sort icon of program Status column	PASSED	0.249 s
6	Then The data get sorted on the table based on the program status column values in ascending order	PASSED	0.227 s

Validates Sorting(data ordering) on the Program Data table


PASSED	DURATION - 1.940 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 11:31:40.967 p.m. // 11:31:42.907 p.m. /				
Manage Program Page Sorting(Data Ordering) Validation				
@sorting-06 @ManageProgramFeature				

#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.609 s
2	When I submit username and password	PASSED	0.533 s
3	Then I should be logged in	PASSED	0.051 s
4	Given Admin clicks the sort icon of program Status column	PASSED	0.260 s
5	Given The data is in the ascending order on the table based on Program Status column	PASSED	0.045 s
6	When Admin clicks the sort icon of program Status column	PASSED	0.236 s
7	Then The data get sorted on the table based on the program status column values in descending order	PASSED	0.200 s

Navigation Validation from Manage Program to other Pages




Batch link on navigation bar




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.551 s
2	When I submit username and password	PASSED	0.641 s
3	Then I should be logged in	PASSED	0.007 s
4	Given Admin is on Manage Program page	PASSED	0.003 s
5	When Admin clicks on Batch link on Manage Program page	PASSED	0.268 s
6	Then Admin is re-directed to Batch page	PASSED	0.021 s

User link on navigation bar




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.412 s
2	When I submit username and password	PASSED	0.355 s
3	Then I should be logged in	PASSED	0.004 s
4	Given Admin is on Manage Program page	PASSED	0.006 s
5	When Admin clicks on User link on Manage Program page	PASSED	0.267 s
6	Then Admin is re-directed to User page	PASSED	0.036 s

User link on navigation bar



#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.442 s
2	When I submit username and password	PASSED	0.366 s
3	Then I should be logged in	PASSED	0.007 s
4	Given Admin is on Manage Program page	PASSED	0.007 s
5	When Admin clicks on Logout link on Manage Program page	PASSED	0.267 s
6	Then Admin is re-directed to Login page	PASSED	0.025 s



Verify Next page link




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.329 s
2	When I submit username and password	PASSED	0.348 s
3	Then I should be logged in	PASSED	0.006 s
4	Given Admin is on Manage Program page	PASSED	0.003 s
5	When Admin clicks Next page link on the program table org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@class='p-paginator-next p-paginator-element p-link p-ripple'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@class='p-paginator-next p-paginator-element p-link p-ripple']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramPageValidation.clickNextButton(ManageProgramPageValidation.java:68) at stepdefinitions.ManageProgramValidationDefinition. admin_clicks_next_page_link_on_the_program_table(ManageProgramValidationDefinition.java:57) at ?.Admin clicks Next page link on the program table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:31) * Not displayable characters are replaced by '?'.	FAILED	0.011 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.070 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
6	Then Admin should see the Pagination has "Next" active link	SKIPPED	0.000 s


Verify Next page link

FAILED	DURATION - 0.829 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 11:31:47.404 p.m. // 11:31:48.233 p.m. /				
Navigation Validation from Manage Program to other Pages				
@Validation-page @paginator-05				


#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.371 s
2	When I submit username and password	PASSED	0.363 s
3	Then I should be logged in	PASSED	0.005 s
4	Given Admin is on Manage Program page	PASSED	0.002 s
5	When Admin clicks Last page link org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@class='p-paginator-last p-paginator-element p-link p-ripple ng-star-inserted'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@class='p-paginator-last p-paginator-element p-link p-ripple ng-star-inserted']}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramPageValidation.clickLastPageButton(ManageProgramPageValidation.java:86) at stepdefinitions.ManageProgramValidationDefinition.admin_clicks_last_page_link(ManageProgramValidationDefinition.java:69) at ?.Admin clicks Last page link(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:37) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.077 s
6	Then Admin should see the last page record on the table with Next page link are disabled	SKIPPED	0.000 s


Verify First page link




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.324 s
2	When I submit username and password	PASSED	0.411 s
3	Then I should be logged in	PASSED	0.004 s
4	<p>Given Admin is on last page of Program table</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@class='p-paginator-last p-paginator-element p-link p-ripple ng-star-inserted'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@class='p-paginator-last p-paginator-element p-link p-ripple ng-star-inserted']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramPageValidation.isOnLastPage(ManageProgramPageValidation.java:115) at stepdefinitions.ManageProgramValidationDefinition.admin_is_on_last_page_of_program_table(ManageProgramValidationDefinition.java:83) at ?.Admin is on last page of Program table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:41) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.015 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.233 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
5	When Admin clicks First page link	SKIPPED	0.000 s
6	Then Admin should see the next page record on the table with pagination has next page link	SKIPPED	0.000 s

Verify Start page link

FAILED	DURATION - 1.479 s		Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 11:31:49.254 p.m. // 11:31:50.733 p.m. /				
<i>Navigation Validation from Manage Program to other Pages</i>				
@Validation-page @paginator-07				


#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.571 s
2	When I submit username and password	PASSED	0.712 s
3	Then I should be logged in	PASSED	0.079 s
4	Given Admin is on Previous Program page org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@class='p-paginator-pages ng-star-inserted']/button[2] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//span[@class='p-paginator-pages ng-star-inserted']/button[2]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramPageValidation.isOnSecondPageLink(ManageProgramPageValidation.java:123) at stepdefinitions.ManageProgramValidationDefinition.admin_is_on_previous_program_page(ManageProgramValidationDefinition.java:103) at ?.Admin is on Previous Program page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:47) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.087 s
	My screenshot		
			
5	When Admin clicks Start page link	SKIPPED	0.000 s
6	Then Admin should see the very first page record on the table with Previous page link are disabled	SKIPPED	0.000 s

Batch Page Validation




Validate header in the Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin enters url	PASSED	0.363 s
2	When Admin enters valid credentials and then click on login button	PASSED	0.428 s
3	Then Admin navigates to Learning Management System Page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.016 s
5	<p>When Admin clicks "Batch" from navigation bar</p> <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:12)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.365 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.097 s
6	Then Admin should see the "Manage Batch" in the URL and in the header	SKIPPED	0.000 s

Validate pagination in the Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin enters url	PASSED	0.364 s
2	When Admin enters valid credentials and then click on login button	PASSED	0.400 s
3	Then Admin navigates to Learning Management System Page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Batch" from navigation bar java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:17) * Not displayable characters are replaced by '?'. AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	FAILED	0.301 s
	My screenshot 	PASSED	0.073 s
6	Then Admin should see the pagination controls under the data table	SKIPPED	0.000 s


Validate data table headers in the Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin enters url	PASSED	0.357 s
2	When Admin enters valid credentials and then click on login button	PASSED	0.460 s
3	Then Admin navigates to Learning Management System Page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	<p>When Admin clicks "Batch" from navigation bar</p> <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.305 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.088 s
6	Then Admin Should see the data table with headers Batch name, Batch Description, Batch Status, No. of classes, Program Name, EditDelete	SKIPPED	0.000 s

Validate Delete button in Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin enters url	PASSED	0.396 s
2	When Admin enters valid credentials and then click on login button	PASSED	0.443 s
3	Then Admin navigates to Learning Management System Page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Batch" from navigation bar java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:29) * Not displayable characters are replaced by '?'.	FAILED	0.380 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.110 s
6	Then Admin should be able to see the "Delete" icon button that is disabled	SKIPPED	0.000 s

Validate "+ A New batch" in Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin enters url	PASSED	0.434 s
2	When Admin enters valid credentials and then click on login button	PASSED	0.404 s
3	Then Admin navigates to Learning Management System Page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Batch" from navigation bar java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.363 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.080 s
6	Then Admin should be able to see the "+ A New batch" button	SKIPPED	0.000 s

Validate data rows




#	Step / Hook Details	Status	Duration
1	Given Admin enters url	PASSED	0.396 s
2	When Admin enters valid credentials and then click on login button	PASSED	0.643 s
3	Then Admin navigates to Learning Management System Page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	<p>When Admin clicks "Batch" from navigation bar</p> <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:39)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.341 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.113 s
6	Then Each row in the data table should have a checkbox	SKIPPED	0.000 s

Validate data rows




#	Step / Hook Details	Status	Duration
1	Given Admin enters url	PASSED	0.375 s
2	When Admin enters valid credentials and then click on login button	PASSED	0.472 s
3	Then Admin navigates to Learning Management System Page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	<p>When Admin clicks "Batch" from navigation bar</p> <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:44)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.318 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.093 s
6	Then Each row in the data table should have a edit icon that is enabled	SKIPPED	0.000 s

Validate data rows




#	Step / Hook Details	Status	Duration
1	Given Admin enters url	PASSED	0.380 s
2	When Admin enters valid credentials and then click on login button	PASSED	0.379 s
3	Then Admin navigates to Learning Management System Page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Batch" from navigation bar java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:49) * Not displayable characters are replaced by '?'.	FAILED	0.291 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.081 s
6	Then Each row in the data table should have a delete icon that is enabled	SKIPPED	0.000 s

Add new Batch




Check if the fields exist in popup




#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	1.851 s
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.585 s
3	Given A new pop up with Batch details appears	PASSED	1.014 s
4	When The pop up should include the fields Name, Number of classes and Description as text box,	PASSED	0.079 s

Invalid Tests




#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	1.752 s


#	Step / Hook Details	Status	Duration
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.621 s
3	Given A new pop up with Batch details appears	PASSED	1.010 s
4	When Admin clicks cancel button	PASSED	1.265 s
5	Then Admin should navigate to Manage Batch page	PASSED	0.000 s

InValid tests

#	Step / Hook Details	Status	Duration								
1	Given Admin Logged in LMS portal	PASSED	1.893 s								
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.578 s								
3	Given A new pop up with Batch details appears	PASSED	1.010 s								
4	When Admin Fill in all the fields except description with valid values and click on save button	FAILED	0.095 s								
	<table border="1" style="width: 100px; margin-bottom: 10px;"> <tr><td>Name</td><td>TeamTeju4</td></tr> <tr><td>Program Name</td><td>TejuTeam01</td></tr> <tr><td>Status</td><td>ACTIVE</td></tr> <tr><td>NoOf Classes</td><td>14</td></tr> </table> <pre style="font-family: monospace; color: red; font-size: small;"> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at pageObjects.BatchPage.BDescription(BatchPage.java:360) at stepdefinitions.AddBatch.admin_fill_in_all_the_fields_except_description_with_valid_values_and_click_on_save_button(AddBatch.java:77) at ?.Admin Fill in all the fields except description with valid values and click on save button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/08AddBatch.feature:19) * Not displayable characters are replaced by '?'. </pre>	Name	TeamTeju4	Program Name	TejuTeam01	Status	ACTIVE	NoOf Classes	14		
Name	TeamTeju4										
Program Name	TejuTeam01										
Status	ACTIVE										
NoOf Classes	14										
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.096 s								
	My screenshot										


#	Step / Hook Details	Status	Duration
			
5	Then Admin should get Error message	SKIPPED	0.000 s

Invalid tests




#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	1.892 s
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.586 s
3	Given A new pop up with Batch details appears	PASSED	1.011 s
4	When Admin Fill in all the fields and click on cancel button	PASSED	2.705 s
5	Then Admin navigates to manage Batch page	PASSED	0.063 s

Valid tests




#	Step / Hook Details	Status	Duration										
1	Given Admin Logged in LMS portal	PASSED	1.769 s										
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.587 s										
3	Given A new pop up with Batch details appears	PASSED	1.010 s										
4	When Admin Fill in all the fields with valid values and click on save button	PASSED	3.951 s										
	<table border="1"> <tr><td>Name</td><td>TeamTeju4</td></tr> <tr><td>Description</td><td>Tester</td></tr> <tr><td>Program Name</td><td>TejuTeam01</td></tr> <tr><td>Status</td><td>ACTIVE</td></tr> <tr><td>NoOf Classes</td><td>14</td></tr> </table>	Name	TeamTeju4	Description	Tester	Program Name	TejuTeam01	Status	ACTIVE	NoOf Classes	14		
Name	TeamTeju4												
Description	Tester												
Program Name	TejuTeam01												
Status	ACTIVE												
NoOf Classes	14												

Invalid Test




#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	1.778 s
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.577 s
3	Given Admin in manage batch page with popup batch details	PASSED	0.016 s
4	When Admin enters all the values and click on cancel button	PASSED	2.281 s
5	Then Admin navigate to manage batch page	PASSED	0.046 s

Check for error messages for mandatory fields




#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	2.024 s
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.619 s
3	Given Admin checks a new pop up with Batch details appears	PASSED	0.064 s
4	When Check any of the mandatory fields are blank	PASSED	2.799 s

User page validation




Validate login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.424 s

#	Step / Hook Details	Status	Duration
2	When Admin enter valid credentials and clicks login button Step undefined	FAILED	0.003 s
3	Then Admin should land on dashboard page		


Validate landing in User page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.089 s
3	Then Admin should see the "Manage User" in the URL	SKIPPED	0.000 s


Validate the heading



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre> org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, </pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:17) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.063 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.100 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.110 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.142 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.112 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.110 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.112 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.088 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.085 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.079 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.079 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.079 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.106 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.079 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.096 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.127 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the texts and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>Then Admin should see the text as "Showing x to y of z entries"</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@class='p-paginator-next p-paginator-element p-link p-ripple'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@class='p-paginator-next p-paginator-element p-link p-ripple']}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.pagination(UserPage.java:122) at stepdefinitions.User.admin_should_see_the_text_as_along_with_pagination_icon_below_the_table1(User.java:53) at ?.Admin should see the text as "Showing x to y of z entries"(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:49)</p>	FAILED	0.033 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.126 s


Validate data table headers in the User Page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:60) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.156 s
3	Then Admin Should see the data table with column names Id, Name, location, Phone Number, Edit/Delete	SKIPPED	0.000 s


Validating the default state of Delete button



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:66) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.079 s
3	Then Admin should see a {deleteicon} button on the top left hand side as Disabled	SKIPPED	0.000 s


Validate "+ A New user" button in User Page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:72)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.028 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.066 s
3	Then Admin should be able to see the "addnewUser" button above the data table	SKIPPED	0.000 s


Validate "+ Assign Student" button in User page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:78) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.077 s
3	Then Admin should be able to see the "assignStudent" button above the data table	SKIPPED	0.000 s


Validate "+ Assign staff" button in User page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.016 s
2	When Admin clicks "User" from navigation bar	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:84) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.073 s
3	Then Admin should be able to see the "assignStaff" button above the data table	SKIPPED	0.000 s


Validate search box in User page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:90)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.113 s
3	Then Admin should be able to see the "searchInput" text box above the data table	SKIPPED	0.000 s


Validate number of data rows in the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.014 s
2	When Admin clicks "User" from navigation bar <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:96) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.096 s
3	Then Admin should see two records displayed on the data table	SKIPPED	0.000 s


Verify Check box on the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:102) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.111 s
3	Then Each row in the data table should have a checkbox	SKIPPED	0.000 s


Verify edit icon on the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:108)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.093 s
3	Then Each row in the data table should have a edit icon that is enabled	SKIPPED	0.000 s

Verify delete icon on the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:114) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.073 s
3	Then Each row in the data table should have a delete icon that is enabled	SKIPPED	0.000 s

User page validation




Validate login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.005 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/10User1.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.080 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is in Home Page	SKIPPED	0.000 s
5	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
6	Then Admin should land on dashboard page	SKIPPED	0.000 s


Validate landing in User page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/10User1.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.128 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
5	When Admin clicks "User" from navigation bar	SKIPPED	0.000 s
6	Then Admin should see the "Manage User" in the URL	SKIPPED	0.000 s


search user by name




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.015 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/10User1.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.080 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on Manage User Page	SKIPPED	0.000 s
5	When Admin enters user name into search box.	SKIPPED	0.000 s
6	Then Admin should see user displayed with the entered name	SKIPPED	0.000 s


Validating the Search with unrelated keyword




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/10User1.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.079 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on Manage User Page	SKIPPED	0.000 s
5	When Admin enters the keywords not present in the data table on the Search box	SKIPPED	0.000 s
6	Then Admin should see zero entries on the data table	SKIPPED	0.000 s

Add new user




Validate login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.500 s
2	When Admin enter valid credentials and clicks login button	FAILED	0.000 s
	Step undefined		
3	Then Admin should land on dashboard page	SKIPPED	0.000 s


Validate landing in User page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0,	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<pre>setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:14) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.094 s
3	Then Admin should see the "Manage User" in the URL	SKIPPED	0.000 s


Validate User Details Popup window



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on Manage User Page</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: .box For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=class name, value=box}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10...) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.manageUser(UserPage.java:54) at stepdefinitions.User.admin_is_on_manage_user_page(User.java:108) at ?.Admin is on Manage User Page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:19)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.080 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
2	When Admin clicks "+ A New User" button	SKIPPED	0.000 s
3	Then Admin should see pop up open for user details	SKIPPED	0.000 s


Validate input fields and text boxes in user details form



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on Manage User Page</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: .box For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=class name, value=box}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.manageUser(UserPage.java:54) at stepdefinitions.User.admin_is_on_manage_user_page(User.java:108) at ?.Admin is on Manage User Page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:25) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.095 s
2	When Admin clicks "+ A New User" button	SKIPPED	0.000 s
3	Then Admin should see text boxes for the fields	SKIPPED	0.000 s


Validate drop downs in new user form



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage User Page <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: .box For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.</pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre>FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=class name, value=box}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.manageUser(UserPage.java:54) at stepdefinitions.User.admin_is_on_manage_user_page(User.java:108) at ?.Admin is on Manage User Page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:31) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER _STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.080 s
2	When Admin clicks "+ A New User" button	SKIPPED	0.000 s
3	Then Admin should see drop downs for the fields User Role,Role status, visa status on user details pop up	SKIPPED	0.000 s


Check if user is created when only mandatory fields are entered with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='new'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='new']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:37)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.012 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.111 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
2	When Admin enters mandatory fields in the form and clicks on submit button	SKIPPED	0.000 s
3	Then Admin gets message User added Successfully	SKIPPED	0.000 s


Check if user is created when only optional fields are entered with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='new'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='new']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:43) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.094 s
2	When Admin skips to add value in mandatory field	SKIPPED	0.000 s
3	Then Admin should see error message below the test field and the field will be highlighted in red color	SKIPPED	0.000 s


check if user is created when invalid data is entered in all of the fields



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='new'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=/button[@id='new']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:49) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER _STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.080 s
2	When Admin enters invalid data in all of the fields in the form and clicks on submit button	SKIPPED	0.000 s
3	Then Admin gets error message and user is not created	SKIPPED	0.000 s


Empty form submission



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='new'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='new']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10...) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:55)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.095 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
2	When Admin clicks on submit button without entering data	SKIPPED	0.000 s
3	Then user wont be created and Admin gets error message	SKIPPED	0.000 s


Validate Cancel/Close(X) icon on User Details form



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='new'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=//button[@id='new']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</pre>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:61) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.102 s
2	When Admin clicks Cancel/Close(X) Icon on User Details form	SKIPPED	0.000 s
3	Then User Details popup window should be closed without saving	SKIPPED	0.000 s


Validate Cancel button on User Details form



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='new'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using>xpath, value=/button[@id='new']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:67) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER _STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.086 s
2	When Admin clicks Cancel button	SKIPPED	0.000 s
3	Then Admin can see the User details popup disappears without adding any user	SKIPPED	0.000 s

Check if the user details are added in data table




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='new'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='new']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10...) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:73)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.032 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.079 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
2	When Fill in all the fields with valid values and click submit	SKIPPED	0.000 s
3	Then The newly added user should be present in the data table in Manage User page	SKIPPED	0.000 s

Edit new user




Validate login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423,}</pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.080 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is in Home Page	SKIPPED	0.000 s
5	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
6	Then Admin should land on dashboard page	SKIPPED	0.000 s


Validate landing in User page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.096 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
5	When Admin clicks "User" from navigation bar	SKIPPED	0.000 s
6	Then Admin should see the "Manage User" in the URL	SKIPPED	0.000 s


Validate row level edit icon



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.096 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on Manage User Page	SKIPPED	0.000 s
5	When Admin clicks on the edit icon	SKIPPED	0.000 s
6	Then A new pop up with User details appears	SKIPPED	0.000 s


Check if the fields are updated with valid data



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.001 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.112 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on editUser details pop up	SKIPPED	0.000 s
5	When Update the fields with valid data and click submit	SKIPPED	0.000 s
6	Then Admin gets message "User updated Successfully " and see the updated values in data table	SKIPPED	0.000 s


Check if the fields are updated with invalid values



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.094 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on editUser details pop up	SKIPPED	0.000 s
5	When Update the fields with invalid values and click submit	SKIPPED	0.000 s
6	Then Admin should get Error message	SKIPPED	0.000 s


Check if the mandatory fields are updated with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.143 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on editUser details pop up	SKIPPED	0.000 s
5	When Update the mandatory fields with valid values and click submit	SKIPPED	0.000 s
6	Then Admin gets message "User updated Successfully " and see the updated values in data table	SKIPPED	0.000 s


Check if the optional fields are updated with valid data



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.080 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on editUser details pop up	SKIPPED	0.000 s
5	When Update the optional fields with valid values and click submit	SKIPPED	0.000 s
6	Then Admin gets message "User updated Successfully " and see the updated values in data table	SKIPPED	0.000 s


Validate invalid values in the text fields




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.097 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on editUser details pop up	SKIPPED	0.000 s
5	When Admin enters only numbers or special char in the text fields	SKIPPED	0.000 s
6	Then Admin should get Error message	SKIPPED	0.000 s

Validate Cancel button on Edit popup





#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@id='user'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=//button[@id='user']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/12User3.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.087 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s
4	Given Admin is on editUser details pop up	SKIPPED	0.000 s
5	When Admin clicks Cancel button on edit popup	SKIPPED	0.000 s
6	Then Admin can see the User details popup disappears and can see nothing changed for particular User	SKIPPED	0.000 s

Validating Assign Student in User Page





Validate Assign Student Popup window

PASSED	DURATION - 1.549 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:33:05.048 p.m. // 11:33:06.597 p.m. /				
Validating Assign Student in User Page				

#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.807 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.353 s
4	Given Admin is in manage user page	PASSED	0.034 s
5	When Admin clicks "Assign Student" button	PASSED	0.267 s
6	Then Admin should see a pop up open for assign student details with empty form along with Save and Cancel button and close (X) icon on the top right corner of the window	PASSED	0.088 s


Validate input fields and their text boxes in Assign Student form

PASSED	DURATION - 1.499 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:33:06.614 p.m. // 11:33:08.113 p.m. /				
Validating Assign Student in User Page				

#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.835 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.301 s
4	Given Admin is in manage user page	PASSED	0.015 s
5	When Admin clicks "Assign Student" button	PASSED	0.270 s


#	Step / Hook Details	Status	Duration
6	Then Admin should see User Role as R03, and other fields Student Email id, Program Name, Batch Name and Status with respective input boxes.	PASSED	0.078 s

Validate Dropdown in Assign Student Form



#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.893 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.309 s
4	Given Admin is in manage user page	PASSED	0.017 s
5	When Admin clicks "Assign Student" button	PASSED	0.251 s
6	Then Admin should see drop down boxes with valid datas for Student Email id, Program Name and Batch Name	PASSED	0.000 s


Validate radio button in Assign Student Form



#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	1.014 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
3	Then Admin clicks "User" from navigation bar	PASSED	0.359 s
4	Given Admin is in manage user page	PASSED	0.036 s
5	When Admin clicks "Assign Student" button	PASSED	0.252 s
6	Then Admin should see two radio button for Status	PASSED	0.047 s

Empty Form Submission




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	1.032 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.470 s
4	Given Admin is in Assign Student details pop up page	PASSED	0.256 s
5	When Admin clicks "Save" button with out entering any data	PASSED	0.221 s
6	Then Admin gets a Error message alert	PASSED	0.107 s

Validate Cancel/Close(X) icon on Assign Student form




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.802 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.335 s
4	Given Admin is in Assign Student details pop up page	PASSED	0.256 s
5	When Admin clicks Cancel/Close(X) Icon on Assign Student form	PASSED	0.301 s
6	Then Assign Student popup window should be closed without saving	PASSED	0.013 s

Validate Cancel button on Assign Student form




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	1.008 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.379 s
4	Given Admin is in Assign Student details pop up page	PASSED	0.269 s
5	When Admin clicks <Cancel> button	PASSED	0.285 s
6	Then Admin can see the Assign Student popup disappears without assigning	PASSED	0.000 s

Validating Assign Staff in User Page




Validate Assign Staff Popup window



#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.839 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.376 s
4	Given Admin is in manage user page	PASSED	0.032 s
5	When Admin clicks "Assign Staff" button	PASSED	0.255 s
6	Then Admin should see a pop up open for assign staff details with empty form along with Save and Cancel button and close (X) icon on the top right corner of the window	PASSED	0.125 s

Validate input fields and their text boxes in Assign Staff form



#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.792 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.320 s
4	Given Admin is in manage user page	PASSED	0.012 s
5	When Admin clicks "Assign Staff" button	PASSED	0.272 s
6	Then Admin should see User Role as R02, and other fields Student Email id, Skill, Program Name, Batch Name and Status with	PASSED	0.092 s

#	Step / Hook Details	Status	Duration
	respective input boxes.		

Validate Dropdown in Assign Staff Form

PASSED	DURATION - 1.548 s / 11:33:20.284 p.m. // 11:33:21.832 p.m. / Validating Assign Staff in User Page	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
--------	--	--	---

Step / Hook Details

#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.875 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.391 s
4	Given Admin is in manage user page	PASSED	0.015 s
5	When Admin clicks "Assign Staff" button	PASSED	0.267 s
6	Then Admin should see drop down boxes with valid datas for Student Email id,Program Name and Batch Name	PASSED	0.000 s

Validate radio button in Assign Staff Form


PASSED	DURATION - 1.513 s / 11:33:21.859 p.m. // 11:33:23.372 p.m. / Validating Assign Staff in User Page	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
--------	--	--	--

Step / Hook Details

#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.811 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.347 s


#	Step / Hook Details	Status	Duration
4	Given Admin is in manage user page	PASSED	0.029 s
5	When Admin clicks "Assign Staff" button	PASSED	0.257 s
6	Then Admin should see two radio button for Status	PASSED	0.053 s

Empty Form Submission



#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	1.046 s
2	When Admin is on dashboard page after Login	PASSED	0.013 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.395 s
4	Given Admin is in Assign Staff details pop up page	PASSED	0.268 s
5	When Admin clicks "Save" button with out entering any data	PASSED	0.300 s
6	Then Admin gets a Error message alert	PASSED	0.248 s


Validate Cancel/Close(X) icon on Assign Staff form



#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.981 s

#	Step / Hook Details	Status	Duration
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.365 s
4	Given Admin is in Assign Staff details pop up page	PASSED	0.269 s
5	When Admin clicks Cancel/Close(X) Icon on Assign Staff form	PASSED	0.285 s
6	Then Assign Staff popup window should be closed without saving	PASSED	0.008 s

Validate Cancel button on Assign Staff form




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.855 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.301 s
4	Given Admin is in Assign Staff details pop up page	PASSED	0.244 s
5	When Admin clicks <Cancel> button	PASSED	0.290 s
6	Then Admin can see the Assign Staff popup disappears without assigning	PASSED	0.000 s

Delete Program




Delete Feature




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.429 s
2	When I submit username and password	PASSED	0.506 s
3	Then I should be logged in	PASSED	0.070 s
4	Given Admin is on Manage Program page	PASSED	0.000 s
5	When Admin clicks <Delete> button on the data table for any row	PASSED	0.785 s
6	Then Admin should see a alert open with heading "Confirm" along with <YES> and <NO> button for deletion	PASSED	0.073 s

Validate details for Confirm Deletion form




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.438 s
2	When I submit username and password	PASSED	0.475 s
3	Then I should be logged in	PASSED	0.018 s
4	Given Admin is on Manage Program page	PASSED	0.000 s
5	When Admin clicks <Delete> button on the data table for any row	PASSED	0.800 s
6	Then Admin should see a message "Are you sure you want to delete"	PASSED	0.015 s

Click Yes on deletion window



#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.412 s
2	When I submit username and password	PASSED	0.459 s
3	Then I should be logged in	PASSED	0.000 s
4	Given Admin clicks <Delete> button on the data table for any row	PASSED	0.802 s
5	Given Admin is on Confirm Deletion alert	PASSED	0.016 s
6	When Admin clicks <YES> button on the alert	PASSED	0.267 s
7	Then Admin gets a message "Successful Program Deleted" alert and able to see that program deleted in the data table	PASSED	0.063 s

Click No on deletion window



#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.424 s
2	When I submit username and password	PASSED	0.397 s
3	Then I should be logged in	PASSED	0.000 s
4	Given Admin clicks <Delete> button on the data table for any row	PASSED	0.790 s
5	Given Admin is on Confirm Deletion alert	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
6	When Admin clicks <NO> button on the alert	PASSED	0.246 s
7	Then Admin can see the deletion alert disappears without deleting	PASSED	0.550 s

Validate Cancel/Close(X) icon on Confirm Deletion alert

PASSED	DURATION - 1.988 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 11:33:37.381 p.m. // 11:33:39.369 p.m. /				
Delete Program				
@ProgramDeletion				

#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.501 s
2	When I submit username and password	PASSED	0.435 s
3	Then I should be logged in	PASSED	0.015 s
4	Given Admin clicks <Delete> button on the data table for any row	PASSED	0.786 s
5	Given Admin is on Confirm Deletion alert	PASSED	0.000 s
6	When Admin clicks Cancel/Close(X) Icon on Deletion alert	PASSED	0.235 s
7	Then Admin can see the deletion alert disappears without any changes	PASSED	0.016 s

Validate Common Delete button enabled after clicking on any checkbox


FAILED	DURATION - 1.052 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 11:33:39.384 p.m. // 11:33:40.436 p.m. /				
Delete Program				
@ProgramDeletion				

#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.424 s

#	Step / Hook Details	Status	Duration
2	When I submit username and password	PASSED	0.533 s
3	Then I should be logged in	PASSED	0.000 s
4	Given Admin is on Manage Program page	PASSED	0.000 s
5	<p>When Admin clicks any checkbox in the data table</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //p-table[@datakey='programId']//tbody/tr/td[1]/div[@role='checkbox'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/p-table[@datakey='programId']//tbody/tr/td[1]/div[@role='checkbox']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramDelete.checkCheckBox(ManageProgramDelete.java:118) at stepdefinitions.ManageProgramDeleteDefinition.admin_clicks_any_checkbox_in_the_data_table(ManageProgramDeleteDefinition.java:103) at ?.Admin clicks any checkbox in the data table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/16ManageProgramDelete.feature:45) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.016 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.079 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
6	Then Admin should see common delete option enabled under header Manage Program	SKIPPED	0.000 s


Validate multiple program deletion by selecting Single checkbox



#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.393 s
2	When I submit username and password	PASSED	0.445 s
3	Then I should be logged in	PASSED	0.000 s
4	Given Admin is on confirm Deletion alert	FAILED	0.010 s
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //tbody[@class='p-datatable-tbody']/tr/td[2] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/tbody[@class='p-datatable-tbody']/tr/td[2]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramDelete.getText(ManageProgramDelete.java:128) at stepdefinitions.ManageProgramDeleteDefinition.admin_is_on_confirm_deletion_alert(ManageProgramDeleteDefinition.java:116) at ?.Admin is on confirm Deletion alert(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/16ManageProgramDelete.feature:50) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.078 s
5	When Admin clicks <YES> button on the alert	SKIPPED	0.000 s
6	Then Admin should land on Manage Program page and can see the selected program is deleted from the data table	SKIPPED	0.000 s


Validate multiple program deletion by selecting Single checkbox




#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.396 s
2	When I submit username and password	PASSED	0.456 s
3	Then I should be logged in	PASSED	0.015 s
4	<p>Given Admin is on confirm Deletion alert</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //tbody[@class='p-datatable-tbody']/tr/td[2] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/tbody[@class='p-datatable-tbody']/tr/td[2]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramDelete.getDeleteRecordText(ManageProgramDelete.java:128) at stepdefinitions.ManageProgramDeleteDefinition.admin_is_on_confirm_deletion_alerrt(ManageProgramDeleteDefinition.java:116) at ?.Admin is on confirm Deletion alert(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/16ManageProgramDelete.feature:56)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.063 s
	My screenshot		

#	Step / Hook Details	Status	Duration
5	When Admin clicks <NO> button on the alert	SKIPPED	0.000 s
6	Then Admin should land on Manage Program page and can see the selected program is not deleted from the data table	SKIPPED	0.000 s


Validate multiple program deletion by selecting multiple check boxes



#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.392 s
2	When I submit username and password	PASSED	0.565 s
3	Then I should be logged in	PASSED	0.016 s
4	Given Admin is on Confirm deletion alert org.openqa.selenium.NoSuchElementException: Unable to locate element: //tbody[@class='p-datatable-tbody']/tr/td[2] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/tbody[@class='p-datatable-tbody']/tr/td[2]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramDelete.getText(ManageProgramDelete.java:128) at stepdefinitions.ManageProgramDeleteDefinition.admin_is_on_confirm_deletionn_alert(ManageProgramDeleteDefinition.java:147) at ?.Admin is on Confirm deletion alert(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/16ManageProgramDelete.feature:62) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.094 s
5	When Admin clicks <YES> button on the alert	SKIPPED	0.000 s
6	Then Admin should land on Manage Program page and can see the selected programs are deleted from the data table	SKIPPED	0.000 s

Validate multiple program deletion by selecting multiple check boxes



#	Step / Hook Details	Status	Duration
1	Given I navigate to the login page	PASSED	0.534 s
2	When I submit username and password	PASSED	0.565 s
3	Then I should be logged in	PASSED	0.031 s
4	<p>Given Admin is on Confirm deletion alert</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //tbody[@class='p-datatable-tbody']/tr/td[2] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [74c5334a-33a0-4808-8f96-73daed9146ae, findElement {using=xpath, value=/tbody[@class='p-datatable-tbody']/tr/td[2]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:26460, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 37232, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:26460/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 74c5334a-33a0-4808-8f96-73daed9146ae</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ManageProgramDelete.getText(ManageProgramDelete.java:128) at stepdefinitions.ManageProgramDeleteDefinition.admin_is_on_confirm_deletionn_alert(ManageProgramDeleteDefinition.java:147) at ?.Admin is on Confirm deletion alert(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/16ManageProgramDelete.feature:68)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.110 s
	My screenshot		

#	Step / Hook Details	Status	Duration
	 A screenshot of a web application titled "Manage Program". The page shows a table with two rows of data. A modal dialog box is overlaid on the page, containing the text "Are you sure you want to delete this program?" with "YES" and "NO" buttons. The background table has columns for "Program Name", "Program Description", "Program Status", and "Edit Order".		
5	When Admin clicks <NO> button on the alert	SKIPPED	0.000 s
6	Then Admin should land on Manage Program page and can see the selected programs are not deleted from the data table	SKIPPED	0.000 s