

Cucumber Report

May 1, 2024, 5:21:28 p.m.

Start : May 01, 5:18:06.171 p.m.

End : May 01, 5:21:24.821 p.m.

Duration : 3 m 18.650 s

Features







PASSED - 4
FAILED - 10
SKIPPED - 0

Scenarios

PASSED - 50
FAILED - 74
SKIPPED - 0

Steps

PASSED - 308
FAILED - 74
SKIPPED - 116



Feature		Duration	Scenario				Step			
			T	P	F	S	T	P	F	S
<u>Validating Login Page</u>		1.595 s	2	2	0	0	6	6	0	0
<u>Validating Dashboard page</u>		3.296 s	2	2	0	0	12	12	0	0
<u>Validating program page</u>		25.330 s	16	11	5	0	96	90	5	1
<u>Validating Add new Program</u>		20.210 s	9	1	8	0	53	14	8	31
<u>Manage Program Page Sorting(Data Ordering) Validation</u>		0.876 s	6	0	6	0	21	3	6	12
<u>Navigation Validation from Manage Program to other Pages</u>		1.102 s	7	0	7	0	21	5	7	9
<u>Batch Page Validation</u>		1.319 s	8	0	8	0	24	8	8	8
<u>Add new Batch</u>		56.813 s	7	6	1	0	32	30	1	1
<u>User page validation</u>		5.728 s	28	6	22	0	83	39	22	22
<u>User page validation</u>		9.645 s	4	0	4	0	24	8	4	12
<u>Add new user</u>		19.531 s	12	5	7	0	36	18	7	11
<u>Edit new user</u>		40.955 s	9	9	0	0	27	27	0	0
<u>Validating Assign Student in User Page</u>		10.422 s	7	7	0	0	42	42	0	0
<u>Validating Assign Staff in User Page</u>		1.510 s	7	1	6	0	21	6	6	9

#	Feature Name	Scenario Name
1	<u>Validating program page</u>	<u>Verify the text and pagination icon below the data table</u>
2		<u>Verify the footer</u>
3		<u>Verify check box on the data table</u>
4		<u>Verify edit and delete button</u>
5		<u>Validate edit feature</u>
6	<u>Validating Add new Program</u>	<u>Verify cancel/close(x) icon on program details form</u>
7		<u>Verify cancel button on program details form</u>
8		<u>Verify edit program name on Edit window</u>
9		<u>Verify edit program description on Edit window</u>
10		<u>Verify change program status on Edit window</u>
11		<u>Verify invalid values on the text column on Edit window</u>
12		<u>Verify cancel button on edit popup on Edit window</u>
13		<u>Verify save button on edit popup on Edit window</u>

#	Feature Name	Scenario Name
14	<u>Manage Program Page Sorting(Data Ordering) Validation</u>	<u>Validates Descending Sorting(data ordering) on the Program Data table</u>
15		<u>Validates Ascending Sorting(data ordering) on the Program Data table</u>
16		<u>Validates Sorting(data ordering) on the Program Data table</u>
17		<u>Validates Sorting(data ordering) on the Program Data table</u>
18		<u>Validates Sorting(data ordering) on the Program Data table</u>
19		<u>Validates Sorting(data ordering) on the Program Data table</u>
20	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Batch link on navigation bar</u>
21		<u>User link on navigation bar</u>
22		<u>User link on navigation bar</u>
23		<u>Verify Next page link</u>
24		<u>Verify Next page link</u>
25		<u>Verify First page link</u>
26		<u>Verify Start page link</u>


#	Feature Name	Scenario Name
27	<u>Batch Page Validation</u>	<u>Validate header in the Batch Page</u>
28		<u>Validate pagination in the Batch Page</u>
29		<u>Validate data table headers in the Batch Page</u>
30		<u>Validate Delete button in Batch Page</u>
31		<u>Validate "+ A New batch" in Batch Page</u>
32		<u>Validate data rows</u>
33		<u>Validate data rows</u>
34		<u>Validate data rows</u>
35	<u>Add new Batch</u>	<u>InValid tests</u>
36	<u>User page validation</u>	<u>Validate landing in User page</u>
37		<u>Validate the heading</u>
38		<u>Validate the text and pagination icon below the data table</u>
39		<u>Validate the text and pagination icon below the data table</u>

#	Feature Name	Scenario Name
40	<u>User page validation</u>	<i>Validate the text and pagination icon below the data table</i>
41		<i>Validate the text and pagination icon below the data table</i>
42		<i>Validate the text and pagination icon below the data table</i>
43		<i>Validate the text and pagination icon below the data table</i>
44		<i>Validate the text and pagination icon below the data table</i>
45		<i>Validate the text and pagination icon below the data table</i>
46		<i>Validate the text and pagination icon below the data table</i>
47		<i>Validate the text and pagination icon below the data table</i>
48		<i>Validate the text and pagination icon below the data table</i>
49		<i>Validate the text and pagination icon below the data table</i>
50		<i>Validate the text and pagination icon below the data table</i>
51		<i>Validate the text and pagination icon below the data table</i>
52		<i>Validate the text and pagination icon below the data table</i>


#	Feature Name	Scenario Name
53	<u>User page validation</u>	<u>Validate data table headers in the User Page</u>
54		<u>Validating the default state of Delete button</u>
55		<u>Validate "+ A New user" button in User Page</u>
56		<u>Validate "+ Assign Student" button in User page</u>
57		<u>Validate "+ Assign staff" button in User page</u>
58		<u>Validate login with valid credentials</u>
59		<u>Validate landing in User page</u>
60		<u>search user by name</u>
61		<u>Validating the Search with unrelated keyword</u>
62	<u>Add new user</u>	<u>Validate User Details Popup window</u>
63		<u>Validate input fields and text boxes in user details form</u>
64		<u>Validate drop downs in new user form</u>
65		<u>Empty form submission</u>

#	Feature Name	Scenario Name
66	<u>Add new user</u>	<u>Validate Cancel/Close(X) icon on User Details form</u>
67		<u>Validate Cancel button on User Details form</u>
68		<u>Check if the user details are added in data table</u>
69	<u>Validating Assign Staff in User Page</u>	<u>Validate input fields and their text boxes in Assign Staff form</u>
70		<u>Validate Dropdown in Assign Staff Form</u>
71		<u>Validate radio button in Assign Staff Form</u>
72		<u>Empty Form Submission</u>
73		<u>Validate Cancel/Close(X) icon on Assign Staff form</u>
74		<u>Validate Cancel button on Assign Staff form</u>


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@program		16	11	5	0	1	0	1	0
@ManageProgramFeature		6	0	6	0	1	0	1	0
@sorting_01		1	0	1	0	1	0	1	0
@sorting_02		1	0	1	0	1	0	1	0
@sorting-03		1	0	1	0	1	0	1	0
@sorting-04		1	0	1	0	1	0	1	0
@sorting_05		1	0	1	0	1	0	1	0
@sorting-06		1	0	1	0	1	0	1	0
@PageValidation-01		1	0	1	0	1	0	1	0
@Validation-page		7	0	7	0	1	0	1	0
@pageValidation-02		1	0	1	0	1	0	1	0
@pageValidation-03		1	0	1	0	1	0	1	0
@paginatior-04		1	0	1	0	1	0	1	0
@paginator-05		1	0	1	0	1	0	1	0
@paginator-06		1	0	1	0	1	0	1	0
@paginator-07		1	0	1	0	1	0	1	0
@AddBatch		7	6	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Validating Login Page</u>	2	2	0	0	1.595 s
2	<u>Validating Dashboard page</u>	2	2	0	0	3.296 s
3	<u>Validating program page</u>	16	11	5	0	25.330 s
4	<u>Validating Add new Program</u>	9	1	8	0	20.210 s
5	<u>Manage Program Page Sorting(Data Ordering) Validation</u>	6	0	6	0	0.876 s
6	<u>Navigation Validation from Manage Program to other Pages</u>	7	0	7	0	1.102 s
7	<u>Batch Page Validation</u>	8	0	8	0	1.319 s
8	<u>Add new Batch</u>	7	6	1	0	56.813 s
9	<u>User page validation</u>	28	6	22	0	5.728 s
10	<u>User page validation</u>	4	0	4	0	9.645 s




#	Feature Name	T	P	F	S	Duration
11	<u>Add new user</u>	12	5	7	0	19.531 s
12	<u>Edit new user</u>	9	9	0	0	40.955 s
13	<u>Validating Assign Student in User Page</u>	7	7	0	0	10.422 s
14	<u>Validating Assign Staff in User Page</u>	7	1	6	0	1.510 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating Login Page</u>	<u>Verify admin is able to land on home page</u>	3	3	0	0	0.575 s
2		<u>Validate login with valid credentials</u>	3	3	0	0	0.987 s
3	<u>Validating Dashboard page</u>	<u>Verify LMS title</u>	6	6	0	0	1.555 s
4		<u>Verify LMS title alignment</u>	6	6	0	0	1.683 s
5	<u>Validating program page</u>	<u>Verify landing in Program page</u>	6	6	0	0	0.923 s
6		<u>Verify the heading</u>	6	6	0	0	3.051 s
7		<u>Verify the text and pagination icon below the data table</u>	6	5	1	0	0.931 s
8		<u>Verify the footer</u>	6	5	1	0	0.964 s
9		<u>Verify the default state of Delete button</u>	6	6	0	0	0.829 s
10		<u>Verify add new program</u>	6	6	0	0	0.840 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Validating program page</u>	<u>Verify that number of records displayed</u>	6	6	0	0	0.794 s
12		<u>Verify data table on the Program page</u>	6	6	0	0	1.025 s
13		<u>Verify sort arrow icon on the data table</u>	6	6	0	0	0.824 s
14		<u>Verify check box on the data table</u>	6	5	1	0	0.894 s
15		<u>Verify edit and delete button</u>	6	5	1	0	0.797 s
16		<u>Verify search bar on the program page</u>	6	6	0	0	0.787 s
17		<u>Validate program details popup window</u>	6	6	0	0	3.170 s
18		<u>Validate input fields and their text boxes in program details form</u>	6	6	0	0	3.193 s
19		<u>Validate radio button for programstatus</u>	6	6	0	0	3.120 s
20		<u>Validate edit feature</u>	6	4	1	1	2.855 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Validating Add new Program</u>	<u>Verify Empty form submission</u>	6	6	0	0	2.719 s
22		<u>Verify cancel/close(x) icon on program details form</u>	6	1	1	4	2.153 s
23		<u>Verify cancel button on program details form</u>	6	1	1	4	2.179 s
24		<u>Verify edit program name on Edit window</u>	6	1	1	4	2.170 s
25		<u>Verify edit program description on Edit window</u>	5	1	1	3	2.183 s
26		<u>Verify change program status on Edit window</u>	6	1	1	4	2.153 s
27		<u>Verify invalid values on the text column on Edit window</u>	6	1	1	4	2.169 s
28		<u>Verify cancel button on edit popup on Edit window</u>	6	1	1	4	2.136 s
29		<u>Verify save button on edit popup on Edit window</u>	6	1	1	4	2.221 s
30	<u>Manage Program Page Sorting(Data Ordering) Validation</u>	<u>Validates Descending Sorting(data ordering) on the Program Data table</u>	3	1	1	1	0.149 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Manage Program Page Sorting(Data Ordering) Validation</u>	<u>Validates Ascending Sorting(data ordering) on the Program Data table</u>	4	0	1	3	0.134 s
32		<u>Validates Sorting(data ordering) on the Program Data table</u>	3	1	1	1	0.151 s
33		<u>Validates Sorting(data ordering) on the Program Data table</u>	4	0	1	3	0.124 s
34		<u>Validates Sorting(data ordering) on the Program Data table</u>	3	1	1	1	0.148 s
35		<u>Validates Sorting(data ordering) on the Program Data table</u>	4	0	1	3	0.147 s
36	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Batch link on navigation bar</u>	3	1	1	1	0.127 s
37		<u>User link on navigation bar</u>	3	1	1	1	0.134 s
38		<u>User link on navigation bar</u>	3	1	1	1	0.146 s
39		<u>Verify Next page link</u>	3	1	1	1	0.166 s
40		<u>Verify Next page link</u>	3	1	1	1	0.169 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Verify First page link</u>	3	0	1	2	0.126 s
42		<u>Verify Start page link</u>	3	0	1	2	0.208 s
43	<u>Batch Page Validation</u>	<u>Validate header in the Batch Page</u>	3	1	1	1	0.198 s
44		<u>Validate pagination in the Batch Page</u>	3	1	1	1	0.174 s
45		<u>Validate data table headers in the Batch Page</u>	3	1	1	1	0.182 s
46		<u>Validate Delete button in Batch Page</u>	3	1	1	1	0.128 s
47		<u>Validate "+ A New batch" in Batch Page</u>	3	1	1	1	0.155 s
48		<u>Validate data rows</u>	3	1	1	1	0.156 s
49		<u>Validate data rows</u>	3	1	1	1	0.130 s
50		<u>Validate data rows</u>	3	1	1	1	0.162 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Add new Batch</u>	<u>Check if the fields exist in popup</u>	4	4	0	0	6.947 s
52		<u>Invalid Tests</u>	5	5	0	0	7.568 s
53		<u>InValid tests</u>	5	3	1	1	6.534 s
54		<u>Invalid tests</u>	5	5	0	0	9.264 s
55		<u>Valid tests</u>	4	4	0	0	10.392 s
56		<u>Invalid Test</u>	5	5	0	0	7.715 s
57		<u>Check for error messages for mandatory fields</u>	4	4	0	0	8.305 s
58	<u>User page validation</u>	<u>Validate landing in User page</u>	3	1	1	1	0.152 s
59		<u>Validate the heading</u>	3	1	1	1	0.125 s
60		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.110 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
61	<u>User page validation</u>	<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.109 s
62		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.126 s
63		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.125 s
64		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.126 s
65		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.144 s
66		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.110 s
67		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.141 s
68		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.121 s
69		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.110 s
70		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.141 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
71	<u>User page validation</u>	<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.126 s
72		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.125 s
73		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.094 s
74		<u>Validate the text and pagination icon below the data table</u>	3	1	1	1	0.101 s
75		<u>Validate the texts and pagination icon below the data table</u>	2	2	0	0	0.314 s
76		<u>Validate data table headers in the User Page</u>	3	1	1	1	0.126 s
77		<u>Validating the default state of Delete button</u>	3	1	1	1	0.110 s
78		<u>Validate "+ A New user" button in User Page</u>	3	1	1	1	0.079 s
79		<u>Validate "+ Assign Student" button in User page</u>	3	1	1	1	0.148 s
80		<u>Validate "+ Assign staff" button in User page</u>	3	1	1	1	0.126 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
81	<u>User page validation</u>	<u>Validate search box in User page</u>	3	3	0	0	0.439 s
82		<u>Validate number of data rows in the data table</u>	3	3	0	0	0.296 s
83		<u>Verify Check box on the data table</u>	3	3	0	0	0.628 s
84		<u>Verify edit icon on the data table</u>	3	3	0	0	0.644 s
85		<u>Verify delete icon on the data table</u>	3	3	0	0	0.581 s
86		<u>Validate login with valid credentials</u>	6	2	1	3	2.389 s
87		<u>Validate landing in User page</u>	6	2	1	3	2.405 s
88		<u>search user by name</u>	6	2	1	3	2.433 s
89		<u>Validating the Search with unrelated keyword</u>	6	2	1	3	2.403 s
90	<u>Add new user</u>	<u>Validate login with valid credentials</u>	3	3	0	0	0.847 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
91	<u>Add new user</u>	<u>Validate landing in User page</u>	3	3	0	0	10.603 s
92		<u>Validate User Details Popup window</u>	3	1	1	1	0.157 s
93		<u>Validate input fields and text boxes in user details form</u>	3	1	1	1	0.141 s
94		<u>Validate drop downs in new user form</u>	3	1	1	1	0.157 s
95		<u>Check if user is created when only mandatory fields are entered with valid data</u>	3	3	0	0	2.982 s
96		<u>Check if user is created when only optional fields are entered with valid data</u>	3	3	0	0	0.926 s
97		<u>check if user is created when invalid data is entered in all of the fields</u>	3	3	0	0	2.841 s
98		<u>Empty form submission</u>	3	0	1	2	0.173 s
99		<u>Validate Cancel/Close(X) icon on User Details form</u>	3	0	1	2	0.235 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-0		<u>Validate Cancel button on User Details form</u>	3	0	1	2	0.188 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-1	<u>Add new user</u>	<u>Check if the user details are added in data table</u>	3	0	1	2	0.173 s
10-2	<u>Edit new user</u>	<u>Validate login with valid credentials</u>	3	3	0	0	0.784 s
10-3		<u>Validate landing in User page</u>	3	3	0	0	10.648 s
10-4		<u>Validate row level edit icon</u>	3	3	0	0	6.879 s
10-5		<u>Check if the fields are updated with valid data</u>	3	3	0	0	3.953 s
10-6		<u>Check if the fields are updated with invalid values</u>	3	3	0	0	3.957 s
10-7		<u>Check if the mandatory fields are updated with valid data</u>	3	3	0	0	3.668 s
10-8		<u>Check if the optional fields are updated with valid data</u>	3	3	0	0	3.757 s
10-9		<u>Validate invalid values in the text fields</u>	3	3	0	0	3.739 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-0		<u>Validate Cancel button on Edit popup</u>	3	3	0	0	3.456 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11-1	<u>Validating Assign Student in User Page</u>	<u>Validate Assign Student Popup window</u>	6	6	0	0	1.397 s
11-2		<u>Validate input fields and their text boxes in Assign Student form</u>	6	6	0	0	1.302 s
11-3		<u>Validate Dropdown in Assign Student Form</u>	6	6	0	0	1.287 s
11-4		<u>Validate radio button in Assign Student Form</u>	6	6	0	0	1.365 s
11-5		<u>Empty Form Submission</u>	6	6	0	0	1.648 s
11-6		<u>Validate Cancel/Close(X) icon on Assign Student form</u>	6	6	0	0	1.570 s
11-7		<u>Validate Cancel button on Assign Student form</u>	6	6	0	0	1.758 s
11-8	<u>Validating Assign Staff in User Page</u>	<u>Validate Assign Staff Popup window</u>	3	3	0	0	0.471 s
11-9		<u>Validate input fields and their text boxes in Assign Staff form</u>	3	1	1	1	0.173 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-0		<u>Validate Dropdown in Assign Staff Form</u>	3	1	1	1	0.142 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
12-1	<u>Validating Assign Staff in User Page</u>	<u>Validate radio button in Assign Staff Form</u>	3	1	1	1	0.173 s
12-2		<u>Empty Form Submission</u>	3	0	1	2	0.189 s
12-3		<u>Validate Cancel/Close(X) icon on Assign Staff form</u>	3	0	1	2	0.141 s
12-4		<u>Validate Cancel button on Assign Staff form</u>	3	0	1	2	0.174 s

Validating Login Page

PASSED	DURATION - 1.595 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 5:18:06.171 p.m. // 5:18:07.766 p.m. /					

Verify admin is able to land on home page

PASSED	DURATION - 0.575 s	1	0.8 0.6 0.4 0.2 0	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 5:18:06.178 p.m. // 5:18:06.753 p.m. /		2			
Validating Login Page		3			


#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.004 s
2	When Admin gives the correct LMS portal URL	PASSED	0.538 s
3	Then Admin should land on the home page	PASSED	0.015 s

Validate login with valid credentials


PASSED	DURATION - 0.987 s	1	0.8 0.6 0.4 0.2 0	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 5:18:06.779 p.m. // 5:18:07.766 p.m. /		2			
Validating Login Page		3			

#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.513 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.448 s
3	Then Admin should land on dashboard page	PASSED	0.018 s

Validating Dashboard page




Verify LMS title




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.568 s
3	Then Admin should land on the home page	PASSED	0.020 s
4	Given Admin is in Home Page	PASSED	0.462 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.444 s
6	Then Admin should see LMS -Learning management system as title	PASSED	0.057 s

Verify LMS title alignment




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.000 s
2	When Admin gives the correct LMS portal URL	PASSED	0.518 s
3	Then Admin should land on the home page	PASSED	0.024 s
4	Given Admin is in Home Page	PASSED	0.409 s
5	When Admin enter valid credentials and clicks login button	PASSED	0.541 s
6	Then LMS title should be on the top left corner of page	PASSED	0.186 s

Validating program page




Verify landing in Program page




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.404 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.454 s
3	Then Admin should land on dashboard page	PASSED	0.020 s
4	Given Admin is on dashboard page after Login	PASSED	0.009 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see URL with Manage Program	PASSED	0.008 s

Verify the heading



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.463 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.501 s
3	Then Admin should land on dashboard page	PASSED	0.016 s
4	Given Admin is on dashboard page after Login	PASSED	0.006 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.002 s
6	Then Admin should see a heading with text "Manage Program" on the page	PASSED	2.053 s


Verify the text and pagination icon below the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.411 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.365 s
3	Then Admin should land on dashboard page	PASSED	0.007 s
4	Given Admin is on dashboard page after Login	PASSED	0.001 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.001 s
6	<p>Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table.</p> <pre>java.lang.AssertionError: expected [Showing x to y of z entries] but found [Showing 0 to 0 of 0 entries] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Programlms_SD.admin_should_see_the_text_as_along_with_pagination_icon_below_the_table(Programlms_SD.java:48) at ?.Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table.(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/03Programlms.feature:24) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.036 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.098 s

Verify the footer

FAILED	DURATION - 0.964 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/5:18:16.185 p.m. // 5:18:17.149 p.m. /				
Validating program page				
@program				


#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.404 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.381 s
3	Then Admin should land on dashboard page	PASSED	0.008 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see the footer as "In total there are z programs" java.lang.AssertionError: expected [In total there are z programs] but found [In total there are 0 programs.] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Programlms_SD.admin_should_see_the_footer_as(Programlms_SD.java:55) at ?.Admin should see the footer as "In total there are z programs"(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/03Programlms.feature:30) * Not displayable characters are replaced by '?'. AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	FAILED	0.033 s
		PASSED	0.122 s

Verify the default state of Delete button




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.351 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.434 s
3	Then Admin should land on dashboard page	PASSED	0.008 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see a Delete button on the top left hand side as Disabled	PASSED	0.033 s

Verify add new program




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.427 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.364 s
3	Then Admin should land on dashboard page	PASSED	0.008 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see a "+A New Program" button on the program page above the data table	PASSED	0.033 s

Verify that number of records displayed




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.398 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.363 s
3	Then Admin should land on dashboard page	PASSED	0.008 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see the number of records (rows of data in the table) displayed on the page are 5	PASSED	0.025 s

Verify data table on the Program page




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.463 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.392 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see data table on the Manage Program Page with following column headers (Program Name, Program Description, Program Status, Edit,Delete)	PASSED	0.138 s

Verify sort arrow icon on the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.395 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.367 s
3	Then Admin should land on dashboard page	PASSED	0.005 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see the sort arrow icon beside to each column header except Edit and Delete	PASSED	0.049 s


Verify check box on the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.372 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.354 s
3	Then Admin should land on dashboard page	PASSED	0.008 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see check box on the left side in all rows of the data table org.openqa.selenium.NoSuchElementException: Unable to locate element: //div[@class='p-checkbox-box'] For documentation on this error,	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<p>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</p> <p>Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, findElement {value=/div[@class='p-checkbox-box'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ProgramPage.ischeckbox(ProgramPage.java:156) at stepdefinitions.Programlms_SD.admin_should_see_check_box_on_the_left_side_in_all_rows_of_the_data_table(Programlms_SD.java:91) at ?.Admin should see check box on the left side in all rows of the data table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/03Programlms.feature:60) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.128 s


Verify edit and delete button



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.352 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.331 s
3	Then Admin should land on dashboard page	PASSED	0.008 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see the Edit and Delete buttons on each row of the data table org.openqa.selenium.NoSuchElementException: Unable to locate element: //tbody/tr[1]/td[5]/div[1]/span[1]/button[1]/span[1] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, findElement {value=//tbody/tr[1]/td[5]/div[1]/span[1]/button[1]/span[1], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)	FAILED	0.016 s



#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.ProgramPage.isEdit(ProgramPage.java:159) at stepdefinitions.Programlms_SD.admin_should_see_the_edit_and_delete_buttons_on_each_row_of_the_data_table(Programlms_SD.java:96) at ?.Admin should see the Edit and Delete buttons on each row of the data table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/03Programlms.feature:65) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.082 s

Verify search bar on the program page





#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.400 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.331 s
3	Then Admin should land on dashboard page	PASSED	0.011 s
4	Given Admin is on dashboard page after Login	PASSED	0.000 s
5	When Admin clicks "Program" on the navigation bar	PASSED	0.000 s
6	Then Admin should see Search bar with text as "Search..."	PASSED	0.033 s

Validate program details popup window

PASSED	DURATION - 3.170 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 5:18:24.098 p.m. // 5:18:27.268 p.m. /				
Validating program page				
@program				


#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.449 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.362 s
3	Then Admin should land on dashboard page	PASSED	0.016 s
4	Given Admin is on Manage Program Page	PASSED	2.044 s
5	When Admin clicks "A New Program" button	PASSED	0.269 s
6	Then Admin should see a popup open for Program details with empty form along with <SAVE> and <CANCEL> button and Close(X) Icon on the top right corner of the window	PASSED	0.022 s

Validate input fields and their text boxes in program details form

PASSED	DURATION - 3.193 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 5:18:27.285 p.m. // 5:18:30.478 p.m. /				
Validating program page				
@program				


#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.390 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.380 s
3	Then Admin should land on dashboard page	PASSED	0.009 s
4	Given Admin is on Manage Program Page	PASSED	2.035 s
5	When Admin clicks "A New Program" button	PASSED	0.251 s
6	Then Admin should see two input fields and their respective text boxes in the program details window	PASSED	0.121 s

Validate radio button for programstatus



#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.364 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.388 s
3	Then Admin should land on dashboard page	PASSED	0.012 s
4	Given Admin is on Manage Program Page	PASSED	2.027 s
5	When Admin clicks "A New Program" button	PASSED	0.249 s
6	Then Admin should see two radio button for Program Status	PASSED	0.058 s

Validate edit feature




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.420 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.370 s
3	Then Admin should land on dashboard page	PASSED	0.000 s
4	Given Admin is on Manage Program Page	PASSED	2.036 s
5	When Admin clicks <Edit>button on the data table for any row	FAILED	0.000 s
	Step undefined		

#	Step / Hook Details	Status	Duration
6	Then Admin could see a popup open for Program details to edit	SKIPPED	0.000 s

Validating Add new Program




Verify Empty form submission




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.044 s
2	When Admin clicks "A New Program" button	PASSED	0.282 s
3	Then Admin is on "Program Details" Popup window	PASSED	0.051 s
4	Given Admin is on "Program Details" Popup window	PASSED	0.028 s
5	When Admin clicks <Save>button without entering any data	PASSED	0.266 s
6	Then Admin gets a Error message alert	PASSED	0.048 s


Verify cancel/close(x) icon on program details form




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.043 s
2	<p>When Admin clicks "A New Program" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9c166347-c665-4e60-917c-5ca0f71eaccc}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Local\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....)} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: .//button[@label='A New Program']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.079 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks Cancel Close(X) Icon on Program Details form	SKIPPED	0.000 s
6	Then Program Details popup window should be closed without saving	SKIPPED	0.000 s


Verify cancel button on program details form




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.037 s
2	When Admin clicks "A New Program" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9c166347-c665-4e60-917c-5ca0f71eaccc}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@label='A New Program']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.110 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks Cancel button	SKIPPED	0.000 s
6	Then Admin can see the Program details popup disappears without creating any program	SKIPPED	0.000 s


Verify edit program name on Edit window



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.044 s
2	<p>When Admin clicks "A New Program" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9c166347-c665-4e60-917c-5ca0f71eaccc}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Local\Temp\Profile\, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.6311.102 Safari/537.36} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: .//button[@label='A New Program']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.094 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin edit the Name column and clicks save button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated name in the table for the particular program	SKIPPED	0.000 s


Verify edit program description on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.041 s
2	When Admin clicks "A New Program" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9c166347-c665-4e60-917c-5ca0f71eaccc}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath:	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	<pre>./button[@label='A New Program']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.111 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	When Admin edit Description column and clicks save button	SKIPPED	0.000 s
5	Then Admin gets a message "Successful Program Updated" alert and able to see the updated description in the table for the particular program	SKIPPED	0.000 s


Verify change program status on Edit window



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.043 s
2	<p>When Admin clicks "A New Program" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9c166347-c665-4e60-917c-5ca0f71eaccc}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Local\Temp\Profile\, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.6311.102 Safari/537.36} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: ./button[@label='A New Program']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.095 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin change Status and clicks save button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated status in the table for the particular program	SKIPPED	0.000 s


Verify invalid values on the text column on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.056 s
2	When Admin clicks "A New Program" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9c166347-c665-4e60-917c-5ca0f71eaccc}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath:	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre>./button[@label='A New Program']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.081 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin enters only numbers or special char in name and desc column	SKIPPED	0.000 s
6	Then Admins get a error message alert	SKIPPED	0.000 s


Verify cancel button on edit popup on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.026 s
2	<p>When Admin clicks "A New Program" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9c166347-c665-4e60-917c-5ca0f71eaccc}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Local\Temp\Profile\, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.6311.102 Safari/537.36} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: ./button[@label='A New Program']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.079 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks Cancel button	SKIPPED	0.000 s
6	Then Admin can see the Program details popup disappears and can see nothing changed for particular program	SKIPPED	0.000 s

Verify save button on edit popup on Edit window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program Page	PASSED	2.038 s
2	When Admin clicks "A New Program" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1100,166) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9c166347-c665-4e60-917c-5ca0f71eaccc}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@label='A New Program']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1	FAILED	0.030 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "A New Program" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/04AddProgram.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.151 s
3	Then Admin is on "Program Details" Popup window	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks <Save>button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated details in the table for the particular program	SKIPPED	0.000 s

Manage Program Page Sorting(Data Ordering) Validation




Validates Descending Sorting(data ordering) on the Program Data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program page	PASSED	0.010 s
2	When Admin clicks the sort icon of program name column org.openqa.selenium.ElementClickInterceptedException: Element <i class="p-sortable-column-icon pi pi-fw pi-sort-alt"> is not clickable at point (446,219) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b5a20b39-1ea1-48e5-aa65-19d2a01ca71d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //p-sorticon[@field='programName']/i] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	0.022 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageSorting.clickProgramNameSortIcon(ManageProgramPageSorting.java:41) at stepdefinitions.ManageProgramPageSortingDefinitions. admin_clicks_the_sort_icon_of_program_name_column(ManageProgramPageSortingDefinitions.java:49) at ?.Admin clicks the sort icon of program name column(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/05ManageProgramPageSorting.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.115 s
3	Then The data get sorted on the table based on the program name column values in ascending order	SKIPPED	0.000 s


Validates Ascending Sorting(data ordering) on the Program Data table




#	Step / Hook Details	Status	Duration
1	<p>Given Admin clicks the sort icon of program name column</p> <pre> org.openqa.selenium.ElementClickInterceptedException: Element <i class="p-sortable-column-icon pi pi-fw pi-sort-alt"> is not clickable at point (446,219) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b5a20b39-1ea1-48e5-aa65-19d2a01ca71d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: </pre>	FAILED	0.022 s

#	Step / Hook Details	Status	Duration
	<p>125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //p-sorticon[@field='programName']/i] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageSorting.clickProgramNameSortIcon(ManageProgramPageSorting.java:41) at stepdefinitions.ManageProgramPageSortingDefinitions. admin_clicks_the_sort_icon_of_program_name_column(ManageProgramPageSortingDefinitions.java:49) at ?.Admin clicks the sort icon of program name column(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/05ManageProgramPageSorting.feature:19) * Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.111 s
2	Given The data is in the ascending order on the table based on Program Name column	SKIPPED	0.000 s
3	When Admin clicks the sort icon of program name column	SKIPPED	0.000 s
4	Then The data get sorted on the table based on the program name column values in descending order	SKIPPED	0.000 s


Validates Sorting(data ordering) on the Program Data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program page	PASSED	0.007 s
2	<p>When Admin clicks the sort icon of program Desc column</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <i class="p-sortable-column-icon pi pi-fw pi-sort-alt"> is not clickable at point (740,219) because another element <div class="p-dialog-header ng-tns-c132-3 ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=a53b3281-66a1-4cce-a82b-92ef5121b8ff}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //p-sorticon[@field='description']/i] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageSorting.clickProgramDescSortIcon(ManageProgramPageSorting.java:92) at stepdefinitions.ManageProgramPageSortingDefinitions. admin_clicks_the_sort_icon_of_program_desc_column(ManageProgramPageSortingDefinitions.java:99) at ?.Admin clicks the sort icon of program Desc column(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/05ManageProgramPageSorting.feature:28)</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.127 s
3	Then The data get sorted on the table based on the program description column values in ascending order	SKIPPED	0.000 s


Validates Sorting(data ordering) on the Program Data table




#	Step / Hook Details	Status	Duration
1	Given Admin clicks the sort icon of program Desc column <pre>org.openqa.selenium.ElementClickInterceptedException: Element <i class="p-sortable-column-icon pi pi-fw pi-sort-alt"> is not clickable at point (740,219) because another element <div class="p-dialog-header ng-tns-c132-3 ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=a53b3281-66a1-4cce-a82b-92ef5121b8ff}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //p-sorticon[@field='description']/i] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</pre>	FAILED	0.022 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageSorting.clickProgramDescSortIcon(ManageProgramPageSorting.java:92) at stepdefinitions.ManageProgramPageSortingDefinitions. admin_clicks_the_sort_icon_of_program_desc_column(ManageProgramPageSortingDefinitions.java:99) at ?.Admin clicks the sort icon of program Desc column(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/05ManageProgramPageSorting.feature:33) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.100 s
2	Given The data is in the ascending order on the table based on Program Description column	SKIPPED	0.000 s
3	When Admin clicks the sort icon of program Desc column	SKIPPED	0.000 s
4	Then The data get sorted on the table based on the program description column values in descending order	SKIPPED	0.000 s

Validates Sorting(data ordering) on the Program Data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program page	PASSED	0.004 s
2	When Admin clicks the sort icon of program Status column org.openqa.selenium.ElementClickInterceptedException: Element <th class="p-sortable-column"> is not clickable at point (916,218) because another element <div class="p-dialog-header ng-tns-c132-3 ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9f07f55d-4bec-4972-b112-52a1e61b08e3}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //th[@psortablecolumn='programStatus']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageSorting.clickProgramStatusIcon(ManageProgramPageSorting.java:133) at stepdefinitions.ManageProgramPageSortingDefinitions. admin_clicks_the_sort_icon_of_program_status_column(ManageProgramPageSortingDefinitions.java:144) at ?.Admin clicks the sort icon of program Status column(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/05ManageProgramPageSorting.feature:41) * Not displayable characters are replaced by '?'.	FAILED	0.021 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.122 s
3	Then The data get sorted on the table based on the program status column values in ascending order	SKIPPED	0.000 s

Validates Sorting(data ordering) on the Program Data table




#	Step / Hook Details	Status	Duration
1	<p>Given Admin clicks the sort icon of program Status column</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <th class="p-sortable-column"> is not clickable at point (916,218) because another element <div class="p-dialog-header ng-tns-c132-3 ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=9f07f55d-4bec-4972-b112-52a1e61b08e3}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //th[@psortablecolumn='programStatus']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageSorting.clickProgramStatusIcon(ManageProgramPageSorting.java:133) at stepdefinitions.ManageProgramPageSortingDefinitions. admin_clicks_the_sort_icon_of_program_status_column(ManageProgramPageSortingDefinitions.java:144) at ?.Admin clicks the sort icon of program Status column(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/05ManageProgramPageSorting.feature:46) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.131 s
2	Given The data is in the ascending order on the table based on Program Status column	SKIPPED	0.000 s
3	When Admin clicks the sort icon of program Status column	SKIPPED	0.000 s
4	Then The data get sorted on the table based on the program status column values in descending order	SKIPPED	0.000 s


Navigation Validation from Manage Program to other Pages




Batch link on navigation bar




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program page	PASSED	0.007 s
2	When Admin clicks on Batch link on Manage Program page org.openqa.selenium.ElementClickInterceptedException: Element <button id="batch" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1347,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask->	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	<p>scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=f0765cc4-b4e3-4db4-a848-63aba4f329e1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10...) Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='batch']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1]</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageValidation.clickBatchLink(ManageProgramPageValidation.java:30) at stepdefinitions.ManageProgramValidationDefinition. admin_clicks_on_batch_link_on_manage_program_page(ManageProgramValidationDefinition.java:18) at ?.Admin clicks on Batch link on Manage Program page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:12)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.101 s
3	Then Admin is re-directed to Batch page	SKIPPED	0.000 s


User link on navigation bar



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program page	PASSED	0.003 s
2	<p>When Admin clicks on User link on Manage Program page</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageValidation.clickUserLink(ManageProgramPageValidation.java:42) at stepdefinitions.ManageProgramValidationDefinition. admin_clicks_on_user_link_on_manage_program_page(ManageProgramValidationDefinition.java:30) at ?.Admin clicks on User link on Manage Program page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:18)</pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.115 s
3	Then Admin is re-directed to User page	SKIPPED	0.000 s

User link on navigation bar

FAILED	DURATION - 0.146 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 5:18:57.937 p.m. // 5:18:58.083 p.m. /				


Navigation Validation from Manage Program to other Pages

@pageValidation-03 @Validation-page

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program page	PASSED	0.003 s
2	When Admin clicks on Logout link on Manage Program page org.openqa.selenium.ElementClickInterceptedException: Element <button id="logout" class="mat-focus-indicator mat-button mat-button-base ng-star-inserted"> is not clickable at point (1482,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=7d434e06-0159-46d6-97e4-96b8eb580d7f}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='logout']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.021 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageValidation.clickLogoutLink(ManageProgramPageValidation.java:51) at stepdefinitions.ManageProgramValidationDefinition. admin_clicks_on_logout_link_on_manage_program_page(ManageProgramValidationDefinition.java:42) at ?.Admin clicks on Logout link on Manage Program page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:24) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.121 s
3	Then Admin is re-directed to Login page	SKIPPED	0.000 s

Verify Next page link



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program page	PASSED	0.004 s
2	When Admin clicks Next page link on the program table org.openqa.selenium.ElementClickInterceptedException: Element <button class="p-paginator-next p-paginator-element p-link p-ripple" type="button"> is not clickable at point (1210,626) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=f8bcec0f-a6d7-40eb-a83d-ce466287741e}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@class='p-paginator-next p-paginator-element p-link p-ripple']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageValidation.clickNextButton(ManageProgramPageValidation.java:68) at stepdefinitions.ManageProgramValidationDefinition. admin_clicks_next_page_link_on_the_program_table(ManageProgramValidationDefinition.java:57) at ?.Admin clicks Next page link on the program table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:31) * Not displayable characters are replaced by '?'. AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.144 s
3	Then Admin should see the Pagination has "Next" active link	SKIPPED	0.000 s


Verify Next page link



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Program page	PASSED	0.011 s
2	<p>When Admin clicks Last page link</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button class="p-paginator-last p-paginator-element p-link p-ripple ng-star-inserted" type="button"> is not clickable at point (1252,626) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0eee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=4bded254-fa32-4591-8207-f435a2490049}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy, se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@class='p-paginator-last p-paginator-element p-link p-ripple ng-star-inserted']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageValidation.clickLastPageButton(ManageProgramPageValidation.java:86) at stepdefinitions.ManageProgramValidationDefinition.admin_clicks_last_page_link(ManageProgramValidationDefinition.java:69) at ?.Admin clicks Last page link(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/)</pre>	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	resources/features/06ManageProgramPageValidation.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.138 s
3	Then Admin should see the last page record on the table with Next page link are disabled	SKIPPED	0.001 s

Verify First page link



#	Step / Hook Details	Status	Duration
1	Given Admin is on last page of Program table org.openqa.selenium.ElementClickInterceptedException: Element <button class="p-paginator-last p-paginator-element p-link p-ripple ng-star-inserted" type="button"> is not clickable at point (1252,626) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=4bded254-fa32-4591-8207-f435a2490049}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@class='p-paginator-last p-paginator-element p-link p-ripple ng-star-inserted']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageValidation.isOnLastPage(ManageProgramPageValidation.java:115) at stepdefinitions.ManageProgramValidationDefinition.admin_is_on_last_page_of_program_table(ManageProgramValidationDefinition.java:83) at ?.Admin is on last page of Program table(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:41) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.108 s
2	When Admin clicks First page link	SKIPPED	0.000 s
3	Then Admin should see the next page record on the table with pagination has next page link	SKIPPED	0.000 s

Verify Start page link


FAILED	DURATION - 0.208 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 5:18:58.560 p.m. // 5:18:58.768 p.m. /				
Navigation Validation from Manage Program to other Pages				
@Validation-page @paginator-07				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on Previous Program page</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button class="p-paginator-page p-paginator-element p-link p-ripple ng-star-inserted" type="button"> is not clickable at point (1041,626) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=1b76d205-e4b5-4386-aa09-e9b91a20e5e8}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //span[@class='p-paginator-pages ng-star-inserted']/button[2]] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.ManageProgramPageValidation.isOnSecondPageLink(ManageProgramPageValidation.java:123) at stepdefinitions.ManageProgramValidationDefinition.admin_is_on_previous_program_page(ManageProgramValidationDefinition.java:103) at ?.Admin is on Previous Program page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/06ManageProgramPageValidation.feature:47)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.018 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.189 s
2	When Admin clicks Start page link	SKIPPED	0.001 s
3	Then Admin should see the very first page record on the table with Previous page link are disabled	SKIPPED	0.000 s


Batch Page Validation




Validate header in the Batch Page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "Batch" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:12) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.171 s
3	Then Admin should see the "Manage Batch" in the URL and in the header	SKIPPED	0.000 s


Validate pagination in the Batch Page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "Batch" from navigation bar</p> <pre> org.openqa.selenium.ElementClickInterceptionException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask- scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: </pre>	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	<pre>'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:17) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.152 s
3	Then Admin should see the pagination controls under the data table	SKIPPED	0.000 s


Validate data table headers in the Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "Batch" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....)} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.022 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.160 s
3	Then Admin Should see the data table with headers Batch name, Batch Description, Batch Status, No. of classes, Program Name, EditDelete	SKIPPED	0.000 s


Validate Delete button in Batch Page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "Batch" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</pre>	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:29) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.110 s
3	Then Admin should be able to see the "Delete" icon button that is disabled	SKIPPED	0.000 s


Validate "+ A New batch" in Batch Page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "Batch" from navigation bar	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:34) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.135 s
3	Then Admin should be able to see the "+ A New batch" button	SKIPPED	0.000 s


Validate data rows




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "Batch" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....)} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:39)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.132 s
3	Then Each row in the data table should have a checkbox	SKIPPED	0.000 s


Validate data rows




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "Batch" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10...) Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:44) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.109 s
3	Then Each row in the data table should have a edit icon that is enabled	SKIPPED	0.000 s


Validate data rows




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "Batch" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base">	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<p>is not clickable at point (1413,32) because another element <div class="ng-tns-c132-3 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=0618a27d-05e8-401b-9a99-80227d62a23d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "Batch" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/07Batch.feature:49)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.144 s
3	Then Each row in the data table should have a delete icon that is enabled	SKIPPED	0.000 s

Add new Batch




Check if the fields exist in popup




#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	2.158 s
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.725 s
3	Given A new pop up with Batch details appears	PASSED	1.005 s
4	When The pop up should include the fields Name, Number of classes and Description as text box,	PASSED	0.055 s

Invalid Tests



#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	1.709 s


#	Step / Hook Details	Status	Duration
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.579 s
3	Given A new pop up with Batch details appears	PASSED	1.005 s
4	When Admin clicks cancel button	PASSED	1.273 s
5	Then Admin should navigate to Manage Batch page	PASSED	0.000 s

InValid tests

#	Step / Hook Details	Status	Duration								
1	Given Admin Logged in LMS portal	PASSED	1.805 s								
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.550 s								
3	Given A new pop up with Batch details appears	PASSED	1.006 s								
4	When Admin Fill in all the fields except description with valid values and click on save button	FAILED	0.078 s								
	<table border="1" style="width: 100px; margin-bottom: 10px;"> <tr><td>Name</td><td>TeamTeju4</td></tr> <tr><td>Program Name</td><td>TejuTeam01</td></tr> <tr><td>Status</td><td>ACTIVE</td></tr> <tr><td>NoOf Classes</td><td>14</td></tr> </table> <pre>java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at pageObjects.BatchPage.BDescription(BatchPage.java:360) at stepdefinitions.AddBatch.admin_fill_in_all_the_fields_except_description_with_valid_values_and_click_on_save_button(AddBatch.java:77) at ?.Admin Fill in all the fields except description with valid values and click on save button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/08AddBatch.feature:21) * Not displayable characters are replaced by '?'.</pre>	Name	TeamTeju4	Program Name	TejuTeam01	Status	ACTIVE	NoOf Classes	14		
Name	TeamTeju4										
Program Name	TejuTeam01										
Status	ACTIVE										
NoOf Classes	14										
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.095 s								
	My screenshot										


#	Step / Hook Details	Status	Duration
			
5	Then Admin should get Error message	SKIPPED	0.000 s

Invalid tests

PASSED	DURATION - 9.264 s	 <table border="1"> <tr> <td>Steps</td></tr> <tr> <td>Total - 5</td></tr> <tr> <td>Pass - 5</td></tr> <tr> <td>Fail - 0</td></tr> <tr> <td>Skip - 0</td></tr> </table>	Steps	Total - 5	Pass - 5	Fail - 0	Skip - 0	
Steps								
Total - 5								
Pass - 5								
Fail - 0								
Skip - 0								
/ 5:19:21.191 p.m. // 5:19:30.455 p.m. /								
Add new Batch								
@AddBatch								


#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	1.900 s
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.597 s
3	Given A new pop up with Batch details appears	PASSED	1.005 s
4	When Admin Fill in all the fields and click on cancel button	PASSED	2.735 s
5	Then Admin navigates to manage Batch page	PASSED	0.027 s

Valid tests

PASSED	DURATION - 10.392 s	 <table border="1"> <tr> <td>Steps</td></tr> <tr> <td>Total - 4</td></tr> <tr> <td>Pass - 4</td></tr> <tr> <td>Fail - 0</td></tr> <tr> <td>Skip - 0</td></tr> </table>	Steps	Total - 4	Pass - 4	Fail - 0	Skip - 0	
Steps								
Total - 4								
Pass - 4								
Fail - 0								
Skip - 0								
/ 5:19:30.460 p.m. // 5:19:40.852 p.m. /								
Add new Batch								
@AddBatch								


#	Step / Hook Details	Status	Duration										
1	Given Admin Logged in LMS portal	PASSED	1.782 s										
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.606 s										
3	Given A new pop up with Batch details appears	PASSED	1.016 s										
4	When Admin Fill in all the fields with valid values and click on save button	PASSED	3.985 s										
	<table border="1"> <tr><td>Name</td><td>TeamTeju4</td></tr> <tr><td>Description</td><td>Tester</td></tr> <tr><td>Program Name</td><td>TejuTeam01</td></tr> <tr><td>Status</td><td>ACTIVE</td></tr> <tr><td>NoOf Classes</td><td>14</td></tr> </table>	Name	TeamTeju4	Description	Tester	Program Name	TejuTeam01	Status	ACTIVE	NoOf Classes	14		
Name	TeamTeju4												
Description	Tester												
Program Name	TejuTeam01												
Status	ACTIVE												
NoOf Classes	14												

Invalid Test




#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	1.772 s
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.587 s
3	Given Admin in manage batch page with popup batch details	PASSED	0.016 s
4	When Admin enters all the values and click on cancel button	PASSED	2.308 s
5	Then Admin navigate to manage batch page	PASSED	0.032 s

Check for error messages for mandatory fields




#	Step / Hook Details	Status	Duration
1	Given Admin Logged in LMS portal	PASSED	1.878 s
2	When Admin Click on Batch in header and then click on A New Batch button	PASSED	3.583 s
3	Given Admin checks a new pop up with Batch details appears	PASSED	0.063 s
4	When Check any of the mandatory fields are blank	PASSED	2.780 s

User page validation




Validate landing in User page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <p-toastitem class="ng-tns-c90-9 ng-trigger ng-trigger-toastAnimation ng-tns-c91-5 ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10...) Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:11)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.015 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.137 s
3	Then Admin should see the "Manage User" in the URL	SKIPPED	0.000 s


Validate the heading




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:17)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.110 s
3	Then Admin should see a heading with text "Manage user" on the page	SKIPPED	0.000 s


Validate the text and pagination icon below the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.094 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.015 s
	org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base">		

#	Step / Hook Details	Status	Duration
	<p>is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.094 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.094 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)	FAILED	0.032 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.093 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s

Validate the text and pagination icon below the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.047 s


org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base">

#	Step / Hook Details	Status	Duration
	<p>is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.079 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.016 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.028 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.100 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)	FAILED	0.031 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.079 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s

Validate the text and pagination icon below the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.031 s


org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base">

#	Step / Hook Details	Status	Duration
	<p>is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.094 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.100 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)	FAILED	0.015 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.095 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s

Validate the text and pagination icon below the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	FAILED	0.031 s


org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base">

#	Step / Hook Details	Status	Duration
	<p>is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.110 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.047 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.079 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.015 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)	FAILED	0.016 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.094 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s

Validate the text and pagination icon below the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.015 s
2	When Admin clicks "User" from navigation bar	FAILED	0.000 s


org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base">

#	Step / Hook Details	Status	Duration
	<p>is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.079 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the text and pagination icon below the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.085 s
3	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon below the table	SKIPPED	0.000 s


Validate the texts and pagination icon below the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	Then Admin should see the text as "Showing x to y of z entries"	PASSED	0.314 s

Validate data table headers in the User Page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:60) * Not displayable characters are replaced by '?'.	FAILED	0.031 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.079 s
3	Then Admin Should see the data table with column names Id, Name, location, Phone Number, Edit/Delete	SKIPPED	0.000 s


Validating the default state of Delete button




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/</pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:66 * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.094 s
3	Then Admin should see a {deleteIcon} button on the top left hand side as Disabled	SKIPPED	0.000 s


Validate "+ A New user" button in User Page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)	FAILED	0.016 s


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:72) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.063 s
3	Then Admin should be able to see the "addnewUser" button above the data table	SKIPPED	0.000 s

Validate "+ Assign Student" button in User page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-message-content ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:78) * Not displayable characters are replaced by '?'.	FAILED	0.031 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.094 s
3	Then Admin should be able to see the "assignStudent" button above the data table	SKIPPED	0.007 s


Validate "+ Assign staff" button in User page



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks "User" from navigation bar</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="user" class="mat-focus-indicator mat-button mat-button-base"> is not clickable at point (1413,32) because another element <div class="p-toast-summary ng-tns-c90-9"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=b8428683-52c3-4593-82ba-45f351b1d4c1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='user']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.isUserClicked(AssignStudentPage.java:60) at stepdefinitions.AssignStudent.admin_clicks_from_navigation_bar(AssignStudent.java:27) at ?.Admin clicks "User" from navigation bar(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/</pre>	FAILED	0.016 s


#	Step / Hook Details	Status	Duration
	Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/09User.feature:84) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.094 s
3	Then Admin should be able to see the "assignStaff" button above the data table	SKIPPED	0.016 s

Validate search box in User page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.329 s
3	Then Admin should be able to see the "searchInput" text box above the data table	PASSED	0.110 s

Validate number of data rows in the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.266 s
3	Then Admin should see two records displayed on the data table	PASSED	0.015 s

Verify Check box on the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.267 s
3	Then Each row in the data table should have a checkbox	PASSED	0.361 s

Verify edit icon on the data table



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.283 s
3	Then Each row in the data table should have a edit icon that is enabled	PASSED	0.361 s

Verify delete icon on the data table




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.267 s
3	Then Each row in the data table should have a delete icon that is enabled	PASSED	0.314 s


User page validation




Validate login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.267 s
3	Then Admin should see a heading with text "Manage user" on the page java.lang.AssertionError: expected [Manage user] but found [Manage User] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Programlms_SD.admin_should_see_a_heading_with_text_on_the_page(Programlms_SD.java:41) at ?.Admin should see a heading with text "Manage user" on the page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/10User1.feature:6) * Not displayable characters are replaced by '?'.	FAILED	2.027 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.095 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
4	Given Admin is in Home Page	SKIPPED	0.000 s
5	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
6	Then Admin should land on dashboard page	SKIPPED	0.000 s


Validate landing in User page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.267 s
3	Then Admin should see a heading with text "Manage user" on the page <code>java.lang.AssertionError: expected [Manage user] but found [Manage User]</code> <code>at org.testng.Assert.fail(Assert.java:99)</code> <code>at org.testng.Assert.failNotEquals(Assert.java:1037)</code> <code>at org.testng.Assert.assertEqualsImpl(Assert.java:140)</code> <code>at org.testng.Assert.assertEquals(Assert.java:122)</code> <code>at org.testng.Assert.assertEquals(Assert.java:629)</code> <code>at org.testng.Assert.assertEquals(Assert.java:639)</code> <code>at stepdefinitions.Programlms_SD.admin_should_see_a_heading_with_text_on_the_page(Programlms_SD.java:41)</code> <code>at ?.Admin should see a heading with text "Manage user" on the page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/10User1.feature:6)</code> <code>* Not displayable characters are replaced by '?'.</code>	FAILED	2.057 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.081 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
4	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
5	When Admin clicks "User" from navigation bar	SKIPPED	0.000 s
6	Then Admin should see the "Manage User" in the URL	SKIPPED	0.000 s


search user by name




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.282 s
3	Then Admin should see a heading with text "Manage user" on the page java.lang.AssertionError: expected [Manage user] but found [Manage User] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Programlms_SD.admin_should_see_a_heading_with_text_on_the_page(Programlms_SD.java:41) at ?.Admin should see a heading with text "Manage user" on the page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/10User1.feature:6) * Not displayable characters are replaced by '?'.	FAILED	2.026 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.110 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
4	Given Admin is on Manage User Page	SKIPPED	0.000 s
5	When Admin enters user name into search box.	SKIPPED	0.000 s
6	Then Admin should see user displayed with the entered name	SKIPPED	0.000 s

Validating the Search with unrelated keyword




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.290 s
3	Then Admin should see a heading with text "Manage user" on the page <code>java.lang.AssertionError: expected [Manage user] but found [Manage User]</code> <code>at org.testng.Assert.fail(Assert.java:99)</code> <code>at org.testng.Assert.failNotEquals(Assert.java:1037)</code> <code>at org.testng.Assert.assertEqualsImpl(Assert.java:140)</code> <code>at org.testng.Assert.assertEquals(Assert.java:122)</code> <code>at org.testng.Assert.assertEquals(Assert.java:629)</code> <code>at org.testng.Assert.assertEquals(Assert.java:639)</code> <code>at stepdefinitions.Programlms_SD.admin_should_see_a_heading_with_text_on_the_page(Programlms_SD.java:41)</code> <code>at ?.Admin should see a heading with text "Manage user" on the page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/10User1.feature:6)</code> <code>* Not displayable characters are replaced by '?'.</code>	FAILED	2.035 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) <i>My screenshot</i>	PASSED	0.078 s

#	Step / Hook Details	Status	Duration
			
4	Given Admin is on Manage User Page	SKIPPED	0.000 s
5	When Admin enters the keywords not present in the data table on the Search box	SKIPPED	0.000 s
6	Then Admin should see zero entries on the data table	SKIPPED	0.000 s

Add new user




Validate login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.454 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.378 s
3	Then Admin should land on dashboard page	PASSED	0.015 s

Validate landing in User page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.315 s
3	Then Admin should see the "Manage User" in the URL	PASSED	10.272 s


Validate User Details Popup window




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage User Page	PASSED	0.047 s
2	When Admin clicks "+ A New User" button org.openqa.selenium.NoSuchElementException: Unable to locate element: .//button[@label='+ A New User'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, findElement {value=.//button[@label='+ A New User'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "+ A New User" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:23) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.110 s
3	Then Admin should see pop up open for user details	SKIPPED	0.000 s

Validate input fields and text boxes in user details form




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage User Page	PASSED	0.031 s
2	When Admin clicks "+ A New User" button org.openqa.selenium.NoSuchElementException: Unable to locate element: .//button[@label='+ A New User'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, findElement {value=.//button[@label='+ A New User'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "+ A New User" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:29) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.110 s
3	Then Admin should see text boxes for the fields	SKIPPED	0.000 s


Validate drop downs in new user form



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage User Page	PASSED	0.031 s
2	<p>When Admin clicks "+ A New User" button</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //button[@label='+ A New User'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, findElement {value=//button[@label='+ A New User'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40)</p>	FAILED	0.016 s


#	Step / Hook Details	Status	Duration
	at ?.Admin clicks "+ A New User" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:35) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.110 s
3	Then Admin should see drop downs for the fields User Role,Role status, visa status on user details pop up	SKIPPED	0.000 s

Check if user is created when only mandatory fields are entered with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin is on User details pop up	PASSED	0.314 s
2	When Admin enters mandatory fields in the form and clicks on submit button	PASSED	2.668 s
3	Then Admin gets message User added Successfully	PASSED	0.000 s

Check if user is created when only optional fields are entered with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin is on User details pop up	PASSED	0.314 s
2	When Admin skips to add value in mandatory field	PASSED	0.612 s
3	Then Admin should see error message below the test field and the field will be highlighted in red color	PASSED	0.000 s

check if user is created when invalid data is entered in all of the fields




#	Step / Hook Details	Status	Duration
1	Given Admin is on User details pop up	PASSED	0.298 s
2	When Admin enters invalid data in all of the fields in the form and clicks on submit button	PASSED	2.543 s
3	Then Admin gets error message and user is not created	PASSED	0.000 s


Empty form submission




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (746,166) because another element <div class="mat-form-field-wrapper ng-tns-c78-39"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=f16c703e-c325-48e9-9426-4ee74531d92a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....)} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='new']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1]</pre> <p>at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:58)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.047 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.126 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
2	When Admin clicks on submit button without entering data	SKIPPED	0.000 s
3	Then user wont be created and Admin gets error message	SKIPPED	0.000 s


Validate Cancel/Close(X) icon on User Details form




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (746,166) because another element <div class="mat-form-field-wrapper ng-tns-c78-39"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=f16c703e-c325-48e9-9426-4ee74531d92a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....)} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='new']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:64) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.204 s
2	When Admin clicks Cancel/Close(X) Icon on User Details form	SKIPPED	0.000 s
3	Then User Details popup window should be closed without saving	SKIPPED	0.000 s


Validate Cancel button on User Details form




#	Step / Hook Details	Status	Duration
1	Given Admin is on User details pop up <pre> org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (746,166) because another element <div class="mat-form-field-wrapper ng-tns-c78-39"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' </pre>	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	<p>Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=f16c703e-c325-48e9-9426-4ee74531d92a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Lo..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='new']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:70) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.157 s
2	When Admin clicks Cancel button	SKIPPED	0.000 s
3	Then Admin can see the User details popup disappears without adding any user	SKIPPED	0.000 s

Check if the user details are added in data table




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on User details pop up</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="new" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (746,166) because another element <div class="mat-form-field-wrapper ng-tns-c78-39"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=f16c703e-c325-48e9-9426-4ee74531d92a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@id='new']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1]</pre> <p>at java.base/dk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.UserPage.openNewUserIcon(UserPage.java:208) at stepdefinitions.User.admin_is_on_user_details_pop_up(User.java:156) at ?.Admin is on User details pop up(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/11User2.feature:76)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)	PASSED	0.157 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
2	When Fill in all the fields with valid values and click submit	SKIPPED	0.000 s
3	Then The newly added user should be present in the data table in Manage User page	SKIPPED	0.000 s

Edit new user




Validate login with valid credentials




#	Step / Hook Details	Status	Duration
1	Given Admin is in Home Page	PASSED	0.408 s
2	When Admin enter valid credentials and clicks login button	PASSED	0.376 s
3	Then Admin should land on dashboard page	PASSED	0.000 s

Validate landing in User page




#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks "User" from navigation bar	PASSED	0.377 s
3	Then Admin should see the "Manage User" in the URL	PASSED	10.271 s

Validate row level edit icon




#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage User Page	PASSED	0.032 s
2	When Admin clicks on the edit icon	PASSED	6.376 s
3	Then A new pop up with User details appears	PASSED	0.471 s

Check if the fields are updated with valid data




#	Step / Hook Details	Status	Duration
1	Given Admin is on editUser details pop up	PASSED	0.000 s
2	When Update the fields with valid data and click submit	PASSED	3.953 s
3	Then Admin gets message "User updated Successfully " and see the updated values in data table	PASSED	0.000 s

Check if the fields are updated with invalid values




#	Step / Hook Details	Status	Duration
1	Given Admin is on editUser details pop up	PASSED	0.000 s
2	When Update the fields with invalid values and click submit	PASSED	3.957 s
3	Then Admin should get Error message	PASSED	0.000 s

Check if the mandatory fields are updated with valid data





#	Step / Hook Details	Status	Duration
1	Given Admin is on editUser details pop up	PASSED	0.000 s
2	When Update the mandatory fields with valid values and click submit	PASSED	3.668 s
3	Then Admin gets message "User updated Successfully " and see the updated values in data table	PASSED	0.000 s

Check if the optional fields are updated with valid data





#	Step / Hook Details	Status	Duration
1	Given Admin is on editUser details pop up	PASSED	0.000 s
2	When Update the optional fields with valid values and click submit	PASSED	3.757 s
3	Then Admin gets message "User updated Successfully " and see the updated values in data table	PASSED	0.000 s

Validate invalid values in the text fields

PASSED	DURATION - 3.739 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:21:05.647 p.m. // 5:21:09.386 p.m. /				
<i>Edit new user</i>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on editUser details pop up	PASSED	0.000 s
2	When Admin enters only numbers or special char in the text fields	PASSED	3.739 s
3	Then Admin should get Error message	PASSED	0.000 s

Validate Cancel button on Edit popup


PASSED	DURATION - 3.456 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:21:09.401 p.m. // 5:21:12.857 p.m. /				
<i>Edit new user</i>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on editUser details pop up	PASSED	0.000 s
2	When Admin clicks Cancel button on edit popup	PASSED	3.456 s
3	Then Admin can see the User details popup disappears and can see nothing changed for particular User	PASSED	0.000 s

Validating Assign Student in User Page




Validate Assign Student Popup window




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.691 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.345 s
4	Given Admin is in manage user page	PASSED	0.015 s
5	When Admin clicks "Assign Student" button	PASSED	0.252 s
6	Then Admin should see a pop up open for assign student details with empty form along with Save and Cancel button and close (X) icon on the top right corner of the window	PASSED	0.094 s

Validate input fields and their text boxes in Assign Student form




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.675 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.298 s
4	Given Admin is in manage user page	PASSED	0.016 s
5	When Admin clicks "Assign Student" button	PASSED	0.235 s
6	Then Admin should see User Role as R03, and other fields Student Email id, Program Name, Batch Name and Status with respective input boxes.	PASSED	0.078 s

Validate Dropdown in Assign Student Form




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.706 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.299 s
4	Given Admin is in manage user page	PASSED	0.016 s
5	When Admin clicks "Assign Student" button	PASSED	0.266 s
6	Then Admin should see drop down boxes with valid datas for Student Email id, Program Name and Batch Name	PASSED	0.000 s

Validate radio button in Assign Student Form




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.706 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.314 s
4	Given Admin is in manage user page	PASSED	0.047 s
5	When Admin clicks "Assign Student" button	PASSED	0.251 s
6	Then Admin should see two radio button for Status	PASSED	0.047 s

Empty Form Submission




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.707 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.298 s
4	Given Admin is in Assign Student details pop up page	PASSED	0.268 s
5	When Admin clicks "Save" button with out entering any data	PASSED	0.234 s
6	Then Admin gets a Error message alert	PASSED	0.141 s

Validate Cancel/Close(X) icon on Assign Student form



#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.722 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.278 s
4	Given Admin is in Assign Student details pop up page	PASSED	0.251 s
5	When Admin clicks Cancel/Close(X) Icon on Assign Student form	PASSED	0.282 s
6	Then Assign Student popup window should be closed without saving	PASSED	0.016 s

Validate Cancel button on Assign Student form




#	Step / Hook Details	Status	Duration
1	Given Admin logged on the LMS portal	PASSED	0.864 s
2	When Admin is on dashboard page after Login	PASSED	0.000 s
3	Then Admin clicks "User" from navigation bar	PASSED	0.314 s
4	Given Admin is in Assign Student details pop up page	PASSED	0.267 s
5	When Admin clicks <Cancel> button	PASSED	0.298 s
6	Then Admin can see the Assign Student popup disappears without assigning	PASSED	0.015 s

Validating Assign Staff in User Page





Validate Assign Staff Popup window




#	Step / Hook Details	Status	Duration
1	Given Admin is in manage user page	PASSED	0.058 s
2	When Admin clicks "Assign Staff" button	PASSED	0.303 s
3	Then Admin should see a pop up open for assign staff details with empty form along with Save and Cancel button and close (X) icon on the top right corner of the window	PASSED	0.110 s

Validate input fields and their text boxes in Assign Staff form




#	Step / Hook Details	Status	Duration
1	Given Admin is in manage user page	PASSED	0.031 s
2	When Admin clicks "Assign Staff" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="Assign" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1295,166) because another element <div class="ng-tns-c132-7 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=c2ac8dfb-558a-40b3-a4dd-c0bcf289eca2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: .//button[@label='Assign Staff']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "Assign Staff" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/14AssignStaff.feature:15) * Not displayable characters are replaced by '?'.	FAILED	0.031 s
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.111 s
3	Then Admin should see User Role as R02, and other fields Student Email id, Skill, Program Name, Batch Name and Status with respective input boxes.	SKIPPED	0.000 s


Validate Dropdown in Assign Staff Form




#	Step / Hook Details	Status	Duration
1	Given Admin is in manage user page	PASSED	0.031 s
2	<p>When Admin clicks "Assign Staff" button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="Assign" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1295,166) because another element <div class="ng-tns-c132-7 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=c2ac8dfb-558a-40b3-a4dd-c0bcf289eca2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: ./button[@label='Assign Staff']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "Assign Staff" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/</pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/14AssignStaff.feature:20) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.095 s
3	Then Admin should see drop down boxes with valid datas for Student Email id,Program Name and Batch Name	SKIPPED	0.000 s


Validate radio button in Assign Staff Form




#	Step / Hook Details	Status	Duration
1	Given Admin is in manage user page	PASSED	0.016 s
2	When Admin clicks "Assign Staff" button org.openqa.selenium.ElementClickInterceptedException: Element <button id="Assign" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1295,166) because another element <div class="ng-tns-c132-7 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=c2ac8dfb-558a-40b3-a4dd-c0bcf289eca2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy, se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: //button[@label='Assign Staff']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)	FAILED	0.031 s


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStudentPage.clickButton(AssignStudentPage.java:143) at stepdefinitions.AssignStudent.admin_clicks_button(AssignStudent.java:40) at ?.Admin clicks "Assign Staff" button(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/14AssignStaff.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.126 s
3	Then Admin should see two radio button for Status	SKIPPED	0.000 s

Empty Form Submission



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in Assign Staff details pop up page</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="Assign" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1295,166) because another element <div class="ng-tns-c132-7 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=c2ac8dfb-558a-40b3-a4dd-c0bcf289eca2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: ./button[@label='Assign Staff']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(Codec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStaffPage.clickButton(AssignStaffPage.java:105) at stepdefinitions.AssignStaff.admin_is_in_assign_staff_details_pop_up_page(AssignStaff.java:36) at ?.Admin is in Assign Staff details pop up page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/14AssignStaff.feature:29)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.031 s
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.158 s
2	When Admin clicks "Save" button with out entering any data	SKIPPED	0.000 s
3	Then Admin gets a Error message alert	SKIPPED	0.000 s


Validate Cancel/Close(X) icon on Assign Staff form




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in Assign Staff details pop up page</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element <button id="Assign" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1295,166) because another element <div class="ng-tns-c132-7 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=c2ac8dfb-558a-40b3-a4dd-c0bcf289eca2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10...} Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: .//button[@label='Assign Staff']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStaffPage.clickButton(AssignStaffPage.java:105) at stepdefinitions.AssignStaff.admin_is_in_assign_staff_details_pop_up_page(AssignStaff.java:36) at ?.Admin is in Assign Staff details pop up page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/14AssignStaff.feature:78)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario) My screenshot 	PASSED	0.126 s
2	When Admin clicks Cancel/Close(X) Icon on Assign Staff form	SKIPPED	0.000 s
3	Then Assign Staff popup window should be closed without saving	SKIPPED	0.000 s

Validate Cancel button on Assign Staff form



#	Step / Hook Details	Status	Duration
1	Given Admin is in Assign Staff details pop up page org.openqa.selenium.ElementClickInterceptedException: Element <button id="Assign" class="p-button-rounded p-button-success p-button p-component"> is not clickable at point (1295,166) because another element <div class="ng-tns-c132-7 p-dialog-mask p-component-overlay p-dialog-mask-scrollblocker ng-star-inserted"> obscures it Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3271a220-705c-4c6e-9a6e-29b44d612cb1, clickElement {id=c2ac8dfb-558a-40b3-a4dd-c0bcf289eca2}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 125.0.2, moz:accessibilityChecks: false, moz:buildID: 20240419144423, moz:debuggerAddress: 127.0.0.1:29009, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 33984, moz:profile: C:\Users\Deepthi\AppData\Ro..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29009/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10...) Element: [[FirefoxDriver: firefox on windows (3271a220-705c-4c6e-9a6e-29b44d612cb1)] -> xpath: ./button[@label='Assign Staff']] Session ID: 3271a220-705c-4c6e-9a6e-29b44d612cb1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167)	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObjects.AssignStaffPage.clickButton(AssignStaffPage.java:105) at stepdefinitions.AssignStaff.admin_is_in_assign_staff_details_pop_up_page(AssignStaff.java:36) at ?.Admin is in Assign Staff details pop up page(file:///C:/Users/Deepthi/OneDrive/Documents/GitHub/ Team3_Ninja_Hackers_Hackathon_April_2024/src/test/resources/features/14AssignStaff.feature:94) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - apphooks.hooks.a(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.149 s
2	When Admin clicks <Cancel> button	SKIPPED	0.000 s
3	Then Admin can see the Assign Staff popup disappears without assigning	SKIPPED	0.000 s