Programs

Tuesday, 15 April 2025 12:17 PM

1.
```
List<Employee> employees = Arrays.asList(
  new Employee("Alice", "HR"),
  new Employee("Bob", "Finance"),
  new Employee("Charlie", "HR"),
  new Employee("David", "IT"),
  new Employee("Eve", "Finance"),
  new Employee("Frank", "IT"),
  new Employee("Grace", "IT")
);
```

count no of employees acc to their dept

HR : 2
IT : 3

2.
```
String s1 = "suraj";
String s2 = "suraj";
String s3 = new String("suraj");
System.out.println("s1 == s2 ? " + (s1 == s2));
```

```
String s[]={"Pen","Pencil","Pen","Notebook","Book","Table"};
1. Removing duplicate elements
2. String which are starting only from P or it has second char o
3. Find freq of each string
Use java 8 streams
```

```
public class Test {

	public static void main(String[] args) {
		int[] arr = new int[4];
	 try
	 {
	    int i = arr[4];
	    System.out.println("Inside try block");
	 }

	 finally
	 {
	    System.out.println("finally block executed");
	 }

	 System.out.println("Outside try-finally clause");
    }

}


try{
}
catch(Exception ex){
```

```
}
catch(RuntimeException re){
}

// Online Java Compiler
// Use this editor to write, compile and run your Java code online

class Complex {
    public static void f1()
    {
        System.out.println(
            "f1 method of the Complex class is executed.");
    }
}

class Sample extends Complex {
    public static void f1()
    {
        System.out.println(
            "f1 of the Sample class is executed.");
    }
}
public class Main {
    public static void main(String args[])
    {
        Complex d1 = new Complex();
        Complex d2 = new Sample();
        d1.f1();
        d2.f1();
    }
}


try{
}
catch(Exception ex){
}
catch(RuntimeException re){
}
```

TCS programs:

```
public void m1(float i,int j){
        System.out.println("float method ");
    }

    public void m1(int i, float j){
        System.out.println("int method ");
    }

    public static void main(String[] args) {
        Test a=new Test();
        a.m1(10,10);
    }
Employee e1 = new Employee(1,"xyz");
Employee e2 = new Employee(1,"xyz");

employeeMap.put(e1,"abc");
employeeMap.put(e2,"sfd");
```

frequency of integers

71, 18, 42, 71, 67, 32, 95, 18, 56, 67

I/p-> "AA", "BB", "AA", "CC"
Output:
{CC=1, BB=1, AA=2}
Find frequency

Even numbers get from list of integers

Mphasis:
frequency of integers

71, 18, 42, 71, 67, 32, 95, 18, 56, 67

Sort a list of strings based on their lengths Input: ["apple", "banana", "kiwi", "grape"] Output: ["kiwi", "grape", "apple", "banana"]Sort a list of strings based on their lengths Input: ["apple", "banana", "kiwi", "grape"] Output: ["kiwi", "grape", "apple", "banana"]

==========

Final Class ImmutableClass{

```
List<String> someString;

//public static void main(String args[]){

ImmutableClass hh= new ImmutableClass();
hh.someString("ss","ll");
}


class A{
	A(){
	 sop("default A");
	}

	A(String s){
	sop("from parameter A");
	}

	public void show(){
		sop("from show A");
	}
}

B extends A{
	B(){
	 sop("default B");
	}

	B(String s){
	sop("from parameter B");
	}

	public void show(){
		sop("from show B");
	}


}

B b=new A();
b.show();

A a=new B();
a.show();

B b=new B();
```

B b=new B();
b.show();
==========
output:
default A
from show A

default B
from show B

default B
from show B

try{

}catch(Exception E){
sysout(“exception”);
}
catch(NullpointerException E){
sysout(“nullpointer”);
}

output:
not able to run

Employee
-name
-age
-addressId

Address
-address
-addressId

List<Employee> empList;
List<AddressL> addrList;

List<EmployeeDetail> empDetailList;
EmployeeDetail
-name
-age
-addressId
-address

List<Employee> employeeList = new ArrayList(<Employee>);
empAddress.add(empList);
List<AddressL> employeeList = new ArrayList(<Employee>);
empAddress.add(addrList);

empDetailList = empAddress.Stream().map(

Wipro:L

```
class Main {
   public static void main(String[] args) {

      List<Integer> numbers = Arrays.asList(1, 2, 5, 6, 7);
      List<Integer> filteredList = numbers.stream().filter(n -> n%2 == 1).collect(Collectors.toList());


      System.out.println("filterredlist"+filteredList);
```