MIDI Command Controller Interface

1

3

3

3

3

5

5

5

5

deepwaterooo

2 update 4/21/2015, Tuesday

3 update 4/19/2015

4 update 4/18/2015

 $5 \quad \text{update } 4/17/2015$

6.2.26.2.3

6.2.4

7 updates 4/7/2015

8 update 3/24/2015,

9.3.1

9.3.2

9.3.3

9.1

9.2

Update 3/10/2015, updates include

10 update 3/3/2015, meeting canceled for today

11 update 2/24/2015, updates include

12 Update 2/19/2014, updates include

13 Update 2/12/2014, updates include

update 4/14/2015

	April 24, 2015	
Contents		
1 update $4/24/2015$, git practise		

14	Update 12/11/2014, updates include 14.1 updates	9 9
15	Update 12/09/2014, updates include	9
16	Update 11/23/2014, updates include	10
17	Review 11/21/2014, updates include 17.1 Review Contents	10 10 11
18	Project Requirements	11
19	main functionality19.1 Read data from MIDI19.2 Write data back to MIDI	11 11 12
20		12 12 12
21	Interface Design	12
22	Midi keys and corresponded operations	13
23	Interface Guide	14
	24.2 Draw circle separate 24.3 For Rectangle Arc 24.4 PaintEvent Triangle 24.5 QPushButton::drawButton(QPainter *painter); 24.6 QGraphicsSene QGraphicsProxy… 24.7 QPushButton raised enabled 24.8 QPushButton two icons 24.9 QPainter 24.10QGridLayout ScrollArea 24.11Linux Midi 24.12Open device 24.13Qt QIODevice 24.14Qt Debugging 24.15pulseaudio linux mint 24.16QSound example 24.17QSound QSoundEffect(pulseaudio): Error Decoding course 24.18QTimer 24.19Triangle 24.20play loops 24.21Phonon 24.22QThread 24.23midi read/write separate	14 14 14 14 14 14 14 14
1	 update 4/24/2015, git practise on 4/7/2015's update, I was supposed to manually resolve conflicts, but I was not aware the problem eno to pay attention to it, ended up by having made three commits; (the readme.org 	ugh
« «	«< HEAD	
	• ··· J-t 4/7/2015	

@@ -15,8 +13,6 @@• Hope I can get some help from the advisor as well. The advisor would help look into Qt Creator documents, and I need to google more and implement and test all the limited ideas that I have so far....

show music names, previous/next song names are not as important now;

Phonon MediaObject->play() failed to work properly with separated checking port thread.

• Last week's meeting was cancelled by me because of sickness. It was 3/27 evening when the temperature got extremely low 62F and I hadn't paid any attention to the temperature, and I easily caught cold, got headache and running nose for all these days....

· Googled and reviewed and understood the process flow how Phonon works in Linux environment, but the

=====»»>> de86dcebfc0ae10a296bd8ae531f3ac16798abb3) And last week Tuesday's update I had been blocked by some time because of a >100MB pdf file, could use git rm -cached filename;

Added a dev branch. After having spent couple of hours on it, git branches are well-designed easily-understood

- Though for Phonon the music table interface update need some work as well. the text book has

update 4/21/2015, Tuesday

2.1updates Pretty much all the updates during the past week are included in previous couple of updates, will write advisor review later after meeting though.

- The followed steps include:

get advisor's approvement latest by this Friday.

- Figure out thread communications. It should be the best method to separate checking midi port task

- into a thread as I have done before, but need to insert/connect slot thread to be "child" thread maybe
- (which means move the main function threads part into checking midi port thread)? I want to practise some examples before I code this;

- Phonon player part try to make play/pause/stop actions responsive first, other stuff, like music table to
- QxxxTableItem class, and update interface example for references after I get main issues done.

** updates

** other

theories,

- 2.2other
- Review suggestions: After I explained that reading from and write to midi port are designed to be two separated threads (together with either from phonon or timer for LED on time, then write LED off), and
- supposedly should have QMutex atomic access control, the advisor suggested to open() and close() the device once only (it should be in main program then) and declare the fd = open(DEVICE, O_{RDWR} ...) to be global;
- Need to schedule a time this week ask the advisor to help review "Study Plan", so that I can apply for graduation and get graduated as planed. There was process flow error, and I will need to contact office of registar before I ask for advisor's approvement. Will go to the office afterwards and try to make it work today,
 - updated late cause I forgot there were two large files more than 100MB, which commits was failed before review.
- update 4/19/2015
- Understand main UI got frozen because checking midi port is time-consuming (count from 0 to 100, 2, whatever~!), spent limited time simply tried to apply same threading method on this Dummy class, but failed, I will need to think about it.
 - Still lots of work to do, slot functiona about phonon player, and midi read/write, and potentially more threading as well to make it responsive. Will put more effort on this project for the following several weeks.

- Separated checking midi port & corresponding slot function executing in another thread successfully, but mainwindow got blocked from showing up on time, need to find a way to solve this; Still need to work on the slot function for playing audio source files

Just understand main thread, and sub-thread signals-slot relationships slightly better by implementing nec-

update 4/18/2015

update 4/17/2015

- essary examples • want to google and read more docs before my trial of coding....

version control among different trials.

• Will still need to work on my codes tomorrow

update 4/14/2015

6.1updates

6

- Tested the Phonon mediaObject audioOutput process flow is working properly, and the not able to play after
- having added mediaSource from a thread is caused by the thread, which means it is rather a thread-signal-slot combining/connection problem, rather than Phonon mediaObject audioOutput process flow one; At this point, I still don't have any clear feather idea to solve this problem yet, but together with the idea I
- presented to the advisor last week, there are several aspect I can try to work on:
 - 1. Try to understand Qt signal-slot connection mechanism deeper and better, the fifth parameter of QObject::connect() has several different types, Qt::QueuedConnection, direct, auto, and implicit sharing; - 2. Need to understand through code implementation the most important concepts of "thread safe" and
 - "re-entrant", together with thread-signal-slot implicit sharing mechanism, where could be possibly wrong or potentially affect my current implementation? 3. After above two steps, I believe I would NOT be blinded-trying any more, start to pack Phonon

media-related into one thread as I had thought about it before last week's review;

control minor events, especially when multiple threads, QueuedConnection type. This could be a minor aspect of 2. - 5. One more trial could conduct on "Serial Communications", not sure if I have translated it correctly. Just like I have "borrowed" some codes from internet about Phonon and made me be able to focus on

4. And for step 2, one major area that I have not really look into and tried is about eventloop, how to

this dammit thread hell, maybe I could learn from some examples, like how they design and implement

when they need audit a port, read from and write to somewhere, one linux example was found in http://mobile.51cto.com/symbian-270754.htm, will try to copy/paste/test locally and digest and apply if it's helpful. • That's all the things I have so far, since I have barely made any progress and it is really something interesting,

I will work on them this Friday and Saturday, and will update this repository when it's convenient for me for

- 6.2other
 - This morning, I was 10 minutes late, when I set up my computer in CSAC and wrote to the advisor, it was 10:12am already; And it happened that the advisor didn't reply email and didn't show up in his office as well;
 - For last week's meeting, the advisor wrote email that he will be slightly late, but when he show up in CSAC, it was later than 10:40am already, and that's reason I forgot to update the repository before the review;
 - For this spring semester, besides check my codes for details when he wanted, I don't remember if the advisor has offered any constructive suggestions except having asked to open() and close() device each time to see if

it could be responsive from different threads on 3/24/2015, while we haven't meet many times neither yet....

I am in CSAC. When you have your meeting done, or when you are ready, please find me in CSAC. See you soon~! Thanks, (me~)

(advisor) (advisor@uxxxx.edu) You replied on 4/7/2015 10:40 AM. Sent: Tuesday, April 07, 2015 9:56 AM To:

(me~) ((me~)@uxxxx.edu) Sent: Tuesday, April 07, 2015 9:25 AM To: (advisor) (advisor@uxxxx.edu) Hi Dr.

- 6.2.3 Re: Meeting $_4/7/2015$ (me~) ((me~)@uxxxx.edu) You replied on 4/14/2015 10:12 AM. Sent: Tuesday, April 07, 2015 10:40 AM To: (advisor) (advisor@uxxxx.edu) Sure see you soon.
- $6.2.4 \quad \text{Meeting}_4/14/2015$ (me~) ((me~)@uxxxx.edu) Sent: Tuesday, April 14, 2015 10:12 AM To: (advisor) (advisor@uxxxx.edu) Dr. Sorry I was slightly late today. I am in CSAC now and all set up now. When you are ready, please come and
- updates 4/7/2015

 $6.2.1 \quad \text{Meeting}_4/7/2015$

6.2.2 Re: Meeting $_4/7/2015$

Will be there shortly.

advisor

 (me^{-}) $((me^{-})@uxxxx.edu)$ Hi (me^{-}) -

find me sitting in previous sit there.

Thanks, (me~)

updates

7.1

Advisor,

- Phonon MediaObject->play() failed to work properly with separated checking port thread. - To make sure that my understanding and modifications are correct by removing "addFiles" options, I
 - could try old style irresponsive signal-slots just to make sure MediaObject flowchart is correct (have not
 - tried this yet, just know with existing thread, not work);
 - Still stuggling with big-picture organization, tried:
- separate the checking port tasks into a separate thread, but failed to make Phonon MediaObject->play(); - separate the checking port tasks into a separate QObject descendant, but still failed to make it work;
 - One more option that I can try would be separate the Phonon media player into a separate QObject

Googled and reviewed and understood the process flow how Phonon works in Linux environment, but the

- descendant, and together with checking port separate QObject descendant, connecting signals and slots correctly, could be a potential solution, but need separate the Phonon media player first;
- documents, and I need to google more and implement and test all the limited ideas that I have so far.... other


- Hope I can get some help from the advisor as well. The advisor would help look into Qt Creator

7.2

- Last week's meeting was cancelled by me because of sickness. It was 3/27 evening when the temperature got extremely low 62F and I hadn't paid any attention to the temperature, and I easily caught cold, got headache and running nose for all these days….
- update 3/24/2015, • This week's meeting was cancelled, struggling all my way out for "H1B sponsorship before 4/1/2015"...

9 Update 3/10/2015, updates include

• Current GUI snapshot:



9.1 updates

- On the thread side, I just simply separate the detecting reading from Midi work into a thread, and connected the thread's signals with mainwindow slot function, and this makes the play and stop 100% responsive already.
- Then I tried to light LED on for MIdi keys that I have pressed, and the LED on/off was not as repsonsive as I expected, would look into this later on;
- exchanged QSound with phonon module to satisfy my advisor's new increased requirements during last review meeting.
- Phonon module is fully-functional by down-grading qt Creator from 5.3.x to 4.8.6 version and install phonon module, just need some extra work to fix minor bugs and satisfy the advisor's requirements (while I kept some buttons and toolbars and codes just for my debugging propose and convenience only, I could easily remove them later on according to the advisor's suggestions);

9.2 other

- Last week my advisor complained that the hour I showed him too much code, he doesn't want to look into code that much yet. And he would rather help me with threads communications.
- After all my possible demos by commenting some codes out, even with threads, my advisor didn't offer any constructive suggestions. Gosh, I missed the mentor so much, who as the technical lead knows programs and projects great, inspired and taught me sincerely and effectively during the internship season…
- For this week's meeting, I am going to set my laptop into CSAC, so that I don't have to put everything on my knees and not formal and convenient at all.

9.3Last week's meeting explain Last week's weekly meeting was cancelled by advisor, emails are attached below;

· Since my advisor doesn't want to review my codes, even he specificly checked for detail how I declared and initialized my playthread in my mainwindow.cpp file during last review meeting. Since I need to get graduated any way, and I have always been blocked and I have not set up the online full study plan yet, I would need to

9.3.1 No meeting today?

The advisor sent email saying that he will be slightly late for today's meeting.

(my advisor)@gmail.com [(my advisor)@gmail.com] on behalf of (my advisor) [(my advisor)@xxxxx.uxxxxx.edu] You replied on 3/3/2015 9:47 AM. Sent: Tuesday, March 03, 2015 9:12 AM To: (me \sim) ((me \sim)@vandals.uxxxxx.edu)

discuss the graduation date and process with my advisor today if I have any extra time.

- $Hi (me \sim)$ -
- I have a deadline today would it be possible to meet on thursday, 10:00 instead of today?
- Thanks!

- (my advisor)

- 9.3.2 RE: No meeting today?
- (me~) ((me~) @vandals.uxxxx.edu) Sent: Tuesday, March 03, 2015 9:47 AM To: (my advisor) [(my advisor)@xxxxx.uxxxxx.edu] Hi Dr. (My Advisor),
- Yes let's meet on Thursday 10:00am then. I will write to you if I have any conflict on that time if there is any by then (so far no conflicts).
- (explain: The reason I wrote this way was that I have short chats with recruitors on Tuesday and Wednesday, and there is NO reason that I should NOT put my job hunting for H1B sponshorship as my first priority. If I would
- have phone screen on Thursday, I don't want to it be blocked by the weekly review.) Thanks, $(me\sim)$
- 9.3.3 Can't meet today
 - (my advisor)@gmail.com [(my advisor)@gmail.com] on behalf of (my advisor) [(my advisor)@xxxxx.uxxxxx.edu]
- Sent: Thursday, March 05, 2015 7:31 AM To: Huang, (me \sim) ((me \sim)@vandals.uxxxxx.edu) Hi (me \sim) -
 - I just realized that I have a thesis defense today at 9:30, so I can't meet today. Let's shoot for our regular time
- (explain: I guess my advisor simply forgot either my weekly review scheduled by himeself two days ago, or he simply forgot the student's defense which one he was interested. No problem with me at all.)

• For the phonon GUI, except the music Table and menubar, we agreed that we will keep all the necessary

- (my advisor)
- 9.4review resuluts
- The advisor came to CSAC at 10:26am, and we did have about half an hour meeting before his 11:00am meeting.

informations including seekslider, timerLCD, volumeSlider, play/pause/stop buttongs;

- I am asked to follow with midi threads controlling LED on/off for the coming half a month. And since I am mainly focusing on my job hunting for this month, it would be ok if I make slow progress or even no progress
- at all for this month. And since I have done lot's of work during the passed semesters, even the project doesn't work as expected, my advisor agreed that it won't affect my graduation. But I will try my best to make it work.
- I will graduate as I planned during summer this year.
- For the followed half a month (coming week is spring break and campus will be closed, no meeting on 3/17/2015) try to make LED on/off responsive;
- constructive suggestions from the advisor are that try to open() and close() device each time to see if it could be responsive from different threads.

- update 3/3/2015, meeting canceled for today • The meeting was cancelled for today, will update some other day when this week's schedule get fixed.
- 11 update 2/24/2015, updates include

11.1updates

- idol(3); moved to the correct position to paint GUI button responsively;
- modified "Play" key to be "Stop" playing a music key, set upper row last key as "STOP" key;
- made playing a song and stop the song become responsive (two operations in total) by implementing play the
- song through a thread; This way the "STOP" key could work;
- Issue is that only 2 operations responsive, but need to be always responsive. The reason for this failed could be playing thread didn't reinitialize as expected, or need another thread to always check midi user input, and
- I suspect the reason is more likely the latter; So moved to remove main GUI clicks step and use midi as the main input;
 - I mean to use while loop, but even after the advisor approved the method, afterwards I realized that multithreading is the more intuitive and correct way to do it, so skipped while loops;
- I packed my data array buffer into an object and include setter/getter; I should have read thread always checking midi input periodically; I should have write thread to write back to midi to light LED on; I was
- blocked slightly when finished reading but not implementing writing, I failed to read the data needed to play the song; will try this appoarch later; After get blocked using reading thread, I changed back to the advisor suggested using while loop way. As pre-
- dicted, the main UI got blocked by the while loop, which still point/approve to the multi-threading appearch; • This is the first time that I realize such blocking problems, though I made quite some progress, and last week's meet suggestions/updates is NOT for one week to finish, rather eventual goals, so I am confident that
- The write back to midi to light LED on for the key pressed, and methods are ready there already, I just need to make my threads work first, then use a thread to write back to midi when necessary, 11.2other

 As listed above, review the play/stop details and issues, reading thread issues, and while loop issues sequencially and logically with advisor by demo all these different version, and show necessary codes parts;

 The project goal keeps the same, and the advisor actually maybe interested in "PAUSE" button and seekslider bar, and later if I have time, would work on that;

eventually I would get all these problems solved;

• For the followed several weeks, try to get a responsive softwares in fairly reasonable period.

Update 2/19/2014, updates include 12

10

- 12.1updates
- These are two sets in the MIDI keyboard, the 25 key main board, and the adjustment 8 keys;
- Corresponded the main keyboard keys with the same "surfinUSA.wav" song, and it works;
- Tested that all the 25 keys (I tested 4-5 keys by random sample) bonds to one song as a comand controller should work;
- Applied the same method on the left side 8 keys, but they are completely different set, so need further look into the sets ("Bend" could show key values, but the value could be changed to, and the other seven could
- NOT print Note ON/OFF values cause they are functionally different); • GUI Interface keeps the same unchanged, so refer to last update for interface snapshot:

still got blocked by unexpected bugs from time to time, but still, have been blocked by thousands of times, I still like Emacs the most. Fully functional Emacs without bugs significantly improves efficiency for me. Now brought readme.tex and readme.pdf back, I like to have them before git update to avoid multiple unnecessary updates…

12.2 todo

• I have spent tons of hours on Emacs ever since Fall 2012 triggered by Emacs Lisp program highlights, and I

• So far linked to only one song, I have about 4-5, and need to link all of them to the keys (instead of link all

- the keys to the same song);
 Add two buttons for "Pause" and "Stop" in GUI to pause/stop playing a song;
- To light the midi controller LED on while the specific key pressed and light it on during the song time;
- Two set of input, midi controller and GUI buttons, prefer midi controller for input during tower show; The
- advisor said use an infinte loop for Checking midi input is ok, but I (me~) would expect to explore qt threads when loop is functional; The advisor expect that the midi controller should be responsive, so I should program
- to update midi-readin frequently (maybe even less than 500 ms interval according to the advisor);
- Though "the more information the better", the sliderbar is not necessary, I will list it as low priority.
- These are the suggestions that the advisor offered during morning meeting, and before the followed week meeting, I will try to finish as much as I can.

other issues

12.3

• The advisor and I rescheduled our meeting time to be 2:30pm on Wednesday afternoon because actually he has bi-weekly meeting at the original meeting time;

• Then I realize that I failed to state it clear that I need to work at 3pm means I needs to be well uniformly-

- dressed and be able to clock in and start work immediately, so we will have only about 15 minutes, and even advisor says I may start early, but I don't want to run to work late at times.

 I wrote to the advisor and during yesterday's short meet we rescheduled the meeting time to be "10:00am 11:00am on Tuesday" and for this week's meeting rescheduled to be this morning at 8:30am 9:30am
- 9:30am).
 Later on will update this repository weekly around 11:00am within +/- 30 minutes time period to help

(the advisor showed up at 9:05, so we did have about half an hour meeting this morning. He had visitor at

and enforce myself to make some progress weekly.

13 Update 2/12/2014, updates include


13.1 updates

besides the finished one.

- Didn't start until this week was mainly before the foot court work had waited more than one week to get docs processed, and waiting for work Schedule before Scheduling with advisor, and advisor approved it.
- Scheduled Wednesday 12:30-1:30pm to meet advisor weekly, and will update at least once a week to record progress.

• For coming week's meeting, advisor suggested to get more keys combines with songs in the normal 25 key set


• Today got the Rectangle/Triangle shapes work and ready.



14 Update 12/11/2014, updates include

14.1 updates

- Temporatorily mimic phonon seekslider, but have not connected the signals and slots fully functioning yet;
- \bullet This seeks lider may still eventually came back to use Phonon library using Qt4.8 version;
- So far consider this as a bonus feature;



14.2 review

- Because of lack Xbee modules (needs devices from intstructor), so far playing only .wav file is ok;
- It is basic, setting one buttone to work only, without any threads yet, but will expend it to be better during spring semester.
- Spring semester (1 credit) will pack all my instructor's Tower Play modules into a well-designed fully-functional softwares for user's convenience.


15 Update 12/09/2014, updates include

- worked in it a little bit to set the connections between Midi controller and Qt Creator;
- tried to implement pthead for reading user input, but got slightly frustrated today, and applied easier methods instead;
- the project basically satisfied the instructor's requirements for connecting one key to work for playing his sequence, for example, Surfinusa.wav file;
- Will demo to his to see if he has better suggestions.

16 Update 11/23/2014, updates include

- Cleaned repository so that it looks clean and nice;
- Remove menubar as suggested by advisor;
- Removed topright four line texts cause it's not necessary;
- Shifted top line keys so that they look like original midi controller layout;
- Changed PlainTextEdit so that they satisfies the requirements;


- Added left side 8 keys, just that three keys **Bend**, **-Oct**, **Oct**+ are **NOT** like the original shapes yet, need work on them later on;
- Will link possible functionalities to make it a functional softwares first, and then updates minus issues.
- Current layout looks as below snapshotted:



17 Review 11/21/2014, updates include

17.1 Review Contents

- Created most basic interface for the client, and reviewed with course instructor.
- Demo the most basic interface to him, and get corresponding specific requirements as listed followed.



17.2 Detailed Requirements

- menubar is NOT necessary, and could be removed away;
- Interface topright four line texts are not necessary, could be removed away;
- original midi controller keyboard;

• Interface top line keys should shift to the right by half key width so that the interface looks similar to the

- PlainTextEdit should be changed to be array of 25/33 lines of (text label, file name editor, browse QPush-Button keys) layout;
- When finished the above basic ones, if I have extra time, could explore the left side 8 keys to test if it is possible to use them to set a bunch of sequence so that save time when needed compared with set sequence one by one from the basic 25 keys.

Left handside 8 keys should be included in the midi interface even functionalities are not required at this

18 Project Requirements

- Use QuNexus Midi controller as a command controller to manipulate play sequence for tower lights show;
- Besides the main functionalities, create a Qt Creator Interface to help facilate the tower light playing process for clients convenience.

19 main functionality

19.1 Read data from MIDI

- Use the MIDI Controller as a speical Controller that can be operated to play specific songs sequence, or do some specific work.
- play specific sequence may be the work for keys 0-9, and 10-12, how about other 20 keys? Do they require specific work to be done?

19.2 Write data back to MIDI

- When a key was pushed, the specific Controller key's LED is supposed to be on to indicate the operation.
- Trick about the LED to be continuously on is that when a key is pressed, that is 1 byte that indicates the "Duration" of the key press, I may need to
 - try to set this byte to be a large value, (1 byte, $2^8 = 256$, it has limits!)
 - or continuously reset is to be that large value;
 - or continuously write this key to be pressed data back to MIDI with time intervals

20 Programming Language


20.1 Qt

- the worries that I have by using Qt is that if Qt has the capability to handle the MIDI-Linux connection problems.
- And also Qt-to-Audio (linux) connection things as well. Should it be Qt, or as far as I can set it to work in Linux, just let it be that way then?

20.2 c++

• I believe C++ is the most widely used Language used by those midi sequencer softwares, so I have no better choice than c++ right now.

21 Interface Design





Midi keys and corresponded operations

22

Table 1: midi keys and corresponded operations

and corresponded open
Commands
Call Me Maybe
Shake It Off
All About That Bass
•••

- Give text instructions on how to use the Interface, and what are the corresponded operations by press specific keys. • Like list the above table in the Interface Guide text area.
- 24References
- For circle QPushButton 24.1http://stackoverflow.com/questions/12734319/change-rectangular-qt-button-to-round
- 24.2Draw circle separate

QPushButton::drawButton(QPainter *painter);

https://coderalbert.wordpress.com/2014/03/16/creating-circle-in-linux-using-qt-creator/

Interface Guide

23

24.5

24.6

- 24.3For Rectangle Arc http://stackoverflow.com/questions/20416789/how-to-add-a-small-triangle-at-one-of-the-corr
- 24.4 PaintEvent Triangle

 - http://stackoverflow.com/questions/20416789/how-to-add-a-small-triangle-at-one-of-the-corr

 - http://stackoverflow.com/questions/3894737/qt4-how-to-draw-inside-a-widget
 - http://stackoverflow.com/questions/7968269/basic-qt-gui-qpushbutton-for-drawing-a-line

• http://qt-project.org/forums/viewthread/1623

QGraphicsSene QGraphicsProxy···

- https://www.tbi.univie.ac.at/~pmg/tutorials/QT/html/qpushbutton.html
- http://qt-project.org/forums/viewthread/4020
- 24.7QPushButton raised enabled http://www.qtcentre.org/threads/42852-QStyledItemDelegate-paint-QPushButton-with-styleshee
- 24.8 QPushButton two icons
- 24.9**QPainter** • http://qt-project.org/forums/viewthread/23628
- 24.10QGridLayout ScrollArea
 - http://qt-project.org/forums/viewthread/20843
 - http://qt-project.org/forums/viewthread/20924/
- 24.11Linux Midi

 - https://ccrma.stanford.edu/~craig/articles/linuxmidi/input/section1.html

• http://www.qtcentre.org/threads/39445-How-to-add-two-icons-images-to-the-same-QPushButton

https://ccrma.stanford.edu/~craig/articles/linuxmidi/

24.12 Open device

http://pubs.opengroup.org/onlinepubs/009695399/functions/open.html

24.13 Qt QIODevice

- http://doc.qt.digia.com/qq/qq12-iodevice.html
- http://stackoverflow.com/questions/14821792/what-does-file-opengiodevicereadonly-mean

24.14 Qt Debugging

- https://bbs.archlinux.org/viewtopic.php?id=174523
- http://www.qtcentre.org/threads/53549-connect()-terminates-the-program

24.15 pulseaudio linux mint

```
• http://community.linuxmint.com/software/view/pulseaudio
```

```
towerplayer ./towerplayer Surfinusa.wav surfinUSA.tan
Loading Surfinusa.wav
File Size=26368316
Header Size=16
Data Size=26368272 (0x1925910)
Done reading tan file!
Checking for fast nodes
unable to open ftdi (xbee) device: -3 (device not found)
```

24.16 QSound example

• http://doc.qt.digia.com/3.3/sound-example.html

24.17 QSound QSoundEffect(pulseaudio): Error Decoding course

• https://together.jolla.com/question/53394/qsoundeffectpulseaudio-error-decoding-sourc/

24.18 QTimer

• http://qt-project.org/forums/viewthread/27190

24.19 Triangle

- http://en.wikibooks.org/wiki/Qt/Qt_Quick_Overview
- http://qt-project.org/forums/viewthread/25624
- http://stackoverflow.com/questions/24672146/qpainter-draw-lien
- http://doc.qt.digia.com/4.6/widgets-styles.html
- http://qt-project.org/doc/qt-4.8/painting-painterpaths-window-cpp.htm

24.20 play loops

- http://stackoverflow.com/questions/16751778/qt-qsound-looping
- http://forum.codecall.net/topic/71902-qt-c-play-sound-on-key-press-stops-working-after-a-

24.21 Phonon

- http://tuxradar.com/content/how-it-works-linux-audio-explained
- http://bbs.qter.org/forum.php?mod=viewthread&tid=784
- seek slider failed: http://pencil-animation.org/forum/viewtopic.php?id=672
- http://qt-project.org/doc/qt-4.8/phonon-qmusicplayer.html
- http://www.360doc.com/content/12/1110/17/6828497_247047662.shtml
- http://max.book118.com/html/2014/0117/5589932.shtm
- phonon classic example: http://doc.qt.digia.com/4.6/phonon-qmusicplayer.html

24.22 QThread

- http://www.360doc.com/content/12/0218/20/6828497_187676466.shtml
- http://www.360doc.com/content/12/1106/14/7899729_246182251.shtml
- http://qt-project.org/wiki/Threads_Events_QObjects_Chinese
- http://my.oschina.net/laopiao/blog/88158
- example http://blog.csdn.net/small_qch/article/details/6681907
- http://www.kuqin.com/qtdocument/threads.html
- http://no001.blog.51cto.com/1142339/277004
- use moveToThread() to change the affinity. explain example http://stackoverflow.com/questions/15034255/launch-phonon-player-in-a-different-thread
- http://stackoverflow.com/questions/4093159/what-is-the-correct-way-to-implement-a-qthread-
- http://gotoanswer.com/?q=Qt+Signals+and+slots+in+a+QThread
- '®; http://mobile.51cto.com/symbian-270754.htm
- http://www.xuebuyuan.com/973565.html
- http://mobile.51cto.com/symbian-268690.htm
- http://mobile.51cto.com/symbian-268690_1.htm
- http://mobile.51cto.com/symbian-268360.htm
- http://stackoverflow.com/questions/15034255/launch-phonon-player-in-a-different-thread

- 24.23 midi read/write separate
 - http://www.alsa-project.org/alsa-doc/alsa-lib/rawmidi.html
 - seems to be something relative https://github.com/mixedinkey-opensource/MIKMIDI
 - https://github.com/vishnubob/python-midi