MIDI Command Controller Interface

Heyan Huang

November 23, 2014

Contents


References

1 Update 11/23/2014, updates include

2	Review 11/21/2014, updates include 2.1 Review Contents 2.2 Detailed Requirements	6
3	Project Requirements	2
	main functionality 4.1 Read data from MIDI 4.2 Write data back to MIDI Programming Language 5.1 Qt 5.2 c++	6
6	Interface Design	4
7	Midi keys and corresponded operations	4
8	Interface Guide	4

1 Update 11/23/2014, updates include


- Cleaned repository so that it looks clean and nice;
- Remove menubar as suggested by advisor;
- Removed topright four line texts cause it's not necessary;
- Shifted top line keys so that they look like original midi controller layout;
- Changed PlainTextEdit so that they satisfies the requirements;
- Added left side 8 keys, just that three keys **Bend**, **-Oct**, **Oct**+ are **NOT** like the original shapes yet, need work on them later on;
- Will link possible functionalities to make it a functional softwares first, and then updates minus issues.
- Current layout looks as below snapshotted:



2 Review 11/21/2014, updates include

1 Review Contents

- Created most basic interface for the client, and reviewed with course instructor.
- Demo the most basic interface to him, and get corresponding specific requirements as listed followed.



menubar is NOT necessary, and could be removed away;

Detailed Requirements

one by one from the basic 25 keys.

Project Requirements

- Interface topright four line texts are not necessary, could be removed away;
- Interface top line keys should shift to the right by half key width so that the interface looks similar to the original midi controller keyboard;
- PlainTextEdit should be changed to be array of 25/33 lines of (text label, file name editor, browse QPush-Button keys) layout;

• Left handside 8 keys should be included in the midi interface even functionalities are not required at this

• When finished the above basic ones, if I have extra time, could explore the left side 8 keys to test if it is possible to use them to set a bunch of sequence so that save time when needed compared with set sequence

• Use QuNexus Midi controller as a command controller to manipulate play sequence for tower lights show; • Besides the main functionalities, create a Qt Creator Interface to help facilate the tower light playing process for clients convenience.

Read data from MIDI 4.1

main functionality

moment:

4

4.2

• Use the MIDI Controller as a special Controller that can be operated to play specific songs sequence, or do some specific work.

• play specific sequence may be the work for keys 0-9, and 10-12, how about other 20 keys? Do they require specific work to be done?

Write data back to MIDI

• Trick about the LED to be continuously on is that when a key is pressed, that is 1 byte that indicates the "Duration" of the key press, I may need to

• When a key was pushed, the specific Controller key's LED is supposed to be on to indicate the operation.

- try to set this byte to be a large value, (1 byte, $2^8 = 256$, it has limits!)

- or continuously reset is to be that large value;

- or continuously write this key to be pressed data back to MIDI with time intervals

Programming Language

5.1

• the worries that I have by using Qt is that if Qt has the capability to handle the MIDI-Linux connection problems.

• And also Qt-to-Audio (linux) connection things as well. Should it be Qt, or as far as I can set it to work in

Linux, just let it be that way then?

5.2 c++• I believe C++ is the most widely used Language used by those midi sequencer softwares, so I have no better choice than c++ right now.

6 Interface Design



7 Midi keys and corresponded operations

8 Interface Guide

- Give text instructions on how to use the Interface, and what are the corresponded operations by press specific keys.
- Like list the above table in the Interface Guide text area.

References

9

- For circle QPushButton http://stackoverflow.com/questions/12734319/change-rectangular-qt-button-to-round
- Draw circle separate

Table 1: midi keys	s and corresponded operations
Keys	Commands
10	
11	
12	
channel	
Rotate	
CoMA	
Xpose	
Rec	
Stop	
Play	
0	Call Me Maybe
1	Shake It Off
2	All About That Bass
3	
4	
5	
6	
7	
8	
9	
Notes:	
CC	
Bend	
AftTch	
ChnPres	
Togl A	
Velo B	
Preset	
Pres C	
Tilt D	
Bend	
Oct-	
Oct+	

https://coderalbert.wordpress.com/2014/03/16/creating-circle-in-linux-using-qt-creator/

- For Rectangle Arc
- http://stackoverflow.com/questions/20416789/how-to-add-a-small-triangle-at-one-of-the-corr
- PaintEvent Triangle http://stackoverflow.com/questions/20416789/how-to-add-a-small-triangle-at-one-of-the-corr
 - http://stackoverflow.com/questions/3894737/qt4-how-to-draw-inside-a-widget http://qt-project.org/forums/viewthread/1623
- http://stackoverflow.com/questions/7968269/basic-qt-gui-qpushbutton-for-drawing-a-line
- QPushButton::drawButton(QPainter *painter);

- QGraphicsSene QGraphicsProxy... http://qt-project.org/forums/viewthread/4020
- QPushButton raised enabled
 - http://www.qtcentre.org/threads/42852-QStyledItemDelegate-paint-QPushButton-with-styleshee
- QPushButton two icons http://www.gtcentre.org/threads/39445-How-to-add-two-icons-images-to-the-same-QPushButton

• QPainter

http://qt-project.org/forums/viewthread/23628

- QGridLayout ScrollArea

http://qt-project.org/forums/viewthread/20843 http://qt-project.org/forums/viewthread/20924/

• Leftover five

http://qt-project.org/doc/qt-4.8/qpainter.html
http://qt-project.org/doc/qt-4.8/qwidget.html
https://www.tbi.univie.ac.at/~pmg/tutorials/QT/html/qpushbutton.html
http://qt.developpez.com/doc/4.7/qpainter/#drawpolygon
http://qt.developpez.com/doc/4.7/painting-basicdrawing/