

Entra ID Onboarding - SaaS Connector

To onboard Entra ID application in SailPoint ISC, there are 3 steps is followed.

Use an Azure account with administrative privileges to:

Register SailPoint CIEM (Cloud Infrastructure Entitlement Management.) as a new application with Microsoft Entra ID (formerly Azure AD).

Grant permissions to read your Microsoft Entra ID policies and resource inventories.

Create a client secret to use when registering your source with SailPoint CIEM.

Registering SailPoint CIEM with Microsoft Entra ID

You must first register SailPoint CIEM as an application with Microsoft Entra ID.

Sign in to the Azure Cloud portal and select Microsoft Entra ID.

Copy the tenant ID and save it somewhere accessible, as you'll need this information to connect the Azure cloud source to SailPoint CIEM.

Select App registrations in the left sidebar and select New registration.

Enter a name for the new application, such as "SailPoint CIEM".

Under Supported account types, keep the default of allowing a single tenant to ensure that only accounts in the organizational directory can access this application.

Select Register to register SailPoint CIEM with Microsoft Entra ID.

Copy the Application (client) ID that's generated, as you'll need this information to connect the cloud source with SailPoint CIEM.

Granting Read Permissions to SailPoint CIEM

After you've registered SailPoint CIEM with Microsoft Entra ID, you must grant it the permissions required to read the security policies configured for the Azure source and the resources inventory.

Setting Up the Global Admin Role

Select Properties in Microsoft Entra ID. Entra ID Manage Properties.

Set the toggle for Access management for Azure resources to Yes.

Select Save.

Enabling Read Access to Microsoft Azure

You must enable the Directory.Read.All setting so that SailPoint CIEM can read the Microsoft Azure inventory.

Select App registrations in Microsoft Entra ID.

Select the SailPoint CIEM app you registered earlier.

Select API permissions in the left sidebar and choose Add a permission.

Select Microsoft Graph.

Select Application permissions and expand the Directory category.

Select Directory.Read.All to allow SailPoint CIEM to read directory data on your Microsoft Azure source.

Expand the Role Management category and Select RoleManagement.Read.Directory to allow SailPoint CIEM to read all directory role-based access control settings for the source.

Optional:

If you use Privileged Access Management (PIM) for groups, search for "privileged" in the Select permissions search bar. Select the following API permissions so SailPoint CIEM can include potential Azure cloud resource access derived from eligible membership in PIM groups:

PrivilegedAccess.Read.AzureADGroup

PrivilegedAssignmentSchedule.Read.AzureADGroup

PrivilegedEligibilitySchedule.Read.AzureADGroup

Select Add permissions and Grant admin consent to specify what the SailPoint app can request and to confirm the app is approved to make requests.

Also click Grant Admin consent for default directory.

Creating Strict Custom Roles

Create custom roles in Microsoft Entra ID with the minimum permissions required to allow SailPoint CIEM to read your Microsoft Entra ID data.

Search Management groups in Microsoft Entra ID.

Select the root management group to add the role to. The role will inherit the group's subscriptions.

In the sidebar, select Access control (IAM).

Select Add and choose Add custom role from the dropdown menu.

On the Basics tab, enter a custom role name, such as Resource Reader.

Select the JSON tab.

Select the Edit button. Enter the below JSON schema, replacing the managementGroups ID with your own.

```
{
  "properties": {
    "roleName": "Resource Reader",
    "description": "View strict list of resources, doesn't allow you to make any changes.",
```

```
"assignableScopes": [  
  "/providers/Microsoft.Management/managementGroups/aaaaaaa-9999-1234-5678-d1dd0000c000 "  
],  
"permissions": [  
  {  
    "actions": [  
      "Microsoft.ApiManagement/service/groups/users/read",  
      "Microsoft.ApiManagement/service/subscriptions/read",  
      "Microsoft.ApiManagement/service/users/groups/read",  
      "Microsoft.Authorization/*/read",  
      "Microsoft.Cache/redis/read",  
      "Microsoft.Compute/disks/read",  
      "Microsoft.Compute/virtualMachines/read",  
      "Microsoft.DBforMariaDB/servers/databases/read",  
      "Microsoft.DBforMySQL/servers/databases/read",  
      "Microsoft.DocumentDB/databaseAccounts/read",  
      "Microsoft.Insights/ActivityLogAlerts/Read",  
      "Microsoft.Insights/eventtypes/values/Read",  
      "Microsoft.Insights/LogProfiles/Read",  
      "Microsoft.KeyVault/vaults/keys/read",  
      "Microsoft.KeyVault/vaults/providers/Microsoft.Insights/diagnosticSettings/Read",  
      "Microsoft.KeyVault/vaults/read",  
      "Microsoft.KeyVault/vaults/secrets/read",  
      "Microsoft.ManagedIdentity/userAssignedIdentities/listAssociatedResources/action",  
      "Microsoft.ManagedIdentity/userAssignedIdentities/read",  
      "Microsoft.Network/loadBalancers/read",  
      "Microsoft.Network/networkInterfaces/read",  
      "Microsoft.Network/networkSecurityGroups/read",  
      "Microsoft.Network/networkWatchers/queryFlowLogStatus/action",  
      "Microsoft.Network/networkWatchers/read",  
      "Microsoft.Network/routeTables/read",
```

```

"Microsoft.Network/virtualNetworks/read",
"Microsoft.Network/virtualNetworks/subnets/read",
"Microsoft.Resources/subscriptions/resourceGroups/read",
"Microsoft.Resources/subscriptions/resources/read",
"Microsoft.Resources/tenants/read",
"Microsoft.Security/pricings/read",
"Microsoft.Security/securityContacts/read",
"Microsoft.Sql/managedInstances/administrators/read",
"Microsoft.Sql/managedInstances/databases/read",
"Microsoft.Sql/servers/administrators/read",
"Microsoft.Sql/servers/databases/auditingSettings/read",
"Microsoft.Sql/servers/databases/read",
"Microsoft.Sql/servers/databases/securityAlertPolicies/read",
"Microsoft.Sql/servers/failoverGroups/read",
"Microsoft.Sql/servers/firewallRules/read",
"Microsoft.Sql/servers/keys/read",
"Microsoft.Sql/servers/read",
"Microsoft.Storage/storageAccounts/blobServices/containers/read",
"Microsoft.Storage/storageAccounts/read",
"Microsoft.Web/sites/Read"
],
"notActions": [],
"dataActions": [],
"notDataActions": []
}
]
}
}

```

Select Save to update the JSON schema and Review + create.

Select Create to create the custom role.

You will now assign this role to the app.

Assigning Roles to App Registration

You must now assign the role you created to the App Registration.

Search and Select Management groups in the Microsoft Entra ID portal.

Select the root group name and select Access control (IAM) from the left sidebar.

Select Add and choose Add role assignment from the dropdown menu.

In the role section, Select the Type to Custom role and select the custom role you created earlier. Select Next.

In the Members tab, select the button next to User, group, or service principal.

Select Select members. Search for and select the application you registered.(SailPoint)

Confirm your selection using the Select button (select User).

Select Review + Assign to assign the role to SailPoint CIEM.

Creating a Client Secret for SailPoint CIEM

To finish registering your Microsoft Entra ID accounts, you'll need to create a client secret for SailPoint CIEM

Select App registrations in Microsoft Entra ID and choose the application you named earlier.

Select Certificates & secrets.

Under Client secrets, select + New client secret and add a description and expiration date [Best Practice: Set an expiration date of 6 months.]

Select Add.

Save the Value and Secret ID in a safe place. You will enter the client secret in the Client Secret field when you connect to Identity Security Cloud.

Value: [REDACTED]

Secret ID: [REDACTED]

Creating Source in SailPoint

Login to SailPoint ISC portal and Select Sources under Connection.

Search for Microsoft Entra, click Actions.

Choose Standard Setup from the option

Express Setup - Quick setup with fewer configuration choices/defaults(Simple/basic onboarding)

Standard Setup- Full configuration — more control over connection, aggregation, provisioning, correlation, etc.
(Real-world / lab learning)

Base Configuration:

Source Name: Choice of you (Eg: Azure SaaS Connect)

Source Description: Explain What action it is performing.

Source Owner: Based on requirement & Choice

Click Save.

Connection Settings

Grant Type: Select Client Credentials from drop down.

Client ID:

Client Secret:

Domain Name: Give the Primary Domain from Entra ID.

Feature Management

Leave all the options as default for now.

Aggregation Settings and Filter Setting

Leave all option as default for now.

Machine Identity Governance Settings Keep all the option set to OFF and Click Save.

Administrator Settings

No Change (keep default)

Review and Test

Click Test Connection and wait for 1 to 2 minutes. Once you get the below pop up and click Continue Editing.

Check Account Schema.

Check Account Correlation

Once both Account Schema and Account Correlation looks good click Account Aggregation and click Start Aggregation.

Once Aggregation is completed you can see the status in Latest Account aggregation under Account Aggregation tab.

Screenshots / Reference Images

Request API permissions

[All APIs](#)



Microsoft Graph
<https://graph.microsoft.com/> [Docs](#)

What type of permissions does your application require?

Delegated permissions
Your application needs to access the API as the signed-in user.

Application permissions
Your application runs as a background service or daemon without a signed-in user.

Select permissions [expand all](#)

Directory

Permission	Admin consent required
▼ Directory (1)	
☒ Directory.Read.All ⓘ Read directory data	Yes
☐ Directory.ReadWrite.All ⓘ Read and write directory data	Yes
☐ Directory.Write.Restricted ⓘ Manage restricted resources in the directory	Yes

Machine Identity Governance Settings

Select **Enable Azure AI Foundry Agents** to include Azure AI agents in aggregation.

Select **Enable Microsoft Copilot Studio Agents** to include Microsoft Copilot Studio agents in aggregation.

Enable Azure AI Foundry Agents

Enable Microsoft Copilot Studio Agents

Enable Microsoft Agent 365

Create a custom role

[Got feedback?](#)

Basics

Permissions

Assignable scopes

JSON

Review + create

Here is your custom role in JSON format. [Learn more](#)

Download

Edit

```
1 {
2   "properties": {
3     "roleName": "Resources Reader",
4     "description": "",
5     "assignableScopes": [
6       "/subscriptions/90e3266a-22b4-4755-803b-b366859316a2"
7     ],
8     "permissions": [
9       {
10        "actions": [
11          "*"
12        ],
13        "notActions": [],
14        "dataActions": [],
15        "notDataActions": []
16      }
17    ]
18  }
19 }
```

Using JSON

Add permissions
Specify an operation as an Action, NotAction, DataAction, or NotDataAction. Permission strings use the format (Company). (ProviderName)/(resourceType)/(action).

Add wildcards (*)
Add wildcards (*) to a permission string to include all permissions that match the string. For example, if you specify Microsoft.Compute/* as an Action, your role can perform all management operations in Microsoft.Compute.

Add assignable scopes
Management group scope has the format /providers/Microsoft.Management/managementGroups/(managementGroupName). Subscription scope has the format /subscriptions/(subscriptionId). Resource group scope has the format /subscriptions/(subscriptionId)/resourceGroups/(resourceGroupName).

Review + create

Previous

Next

S

[Details](#)

STARTED
26 Aug 2026, 15:07:34

ACCOUNTS SCANNED
17

STATUS
Success



Cross-tenant
synchronization



Microsoft Entra
Connect



Custom domain names



Mobility (MDM and
WIP)



Password reset



Company branding



User settings



Properties



Security



Monitoring



Troubleshooting + Support

Application permissions

Your application runs as a background service or daemon without a signed-in user.

Select permissions

🔍 directory

Permission

> Directory

👤 Overview

🔑 Subscriptions

🗂️ Resource Groups

📊 Resources

📅 Activity Log

👤 Access control (IAM)

> Governance

> Cost Management

ME Microsoft Entra

The SailPoint Microsoft Entra (SaaS) connector gives you full access management of your Microsoft Entra ID users. This includes aggregation, provisioning, and the management of entitlements at the account level.

[Documentation](#)

⚙️ Actions ^

Express Setup

Standard Setup

MS Microsoft SQL Server

Account Aggregation

Load account information from a source by setting an aggregation schedule or starting a manual aggregation. [Learn more](#)

Start Aggregation

Enable Schedule ☒

Frequency *

Daily, Weekly, or Monthly

Date *

Select the date the aggregation will run

Start Time (GMT - 4:00) *

HH:MM AM

Cancel

Save



Microsoft Azure

Search resources, services, and docs (G+)

[Home](#) > [Default Directory](#) | [App registrations](#) >

Register an application

* Name

The user-facing display name for this application (this can be changed later).

Supported account types

Who can use this application or access this API?

- ☒ Accounts in this organizational directory only (Default Directory only - Single tenant)
- ☐ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)
- ☐ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)
- ☐ Personal Microsoft accounts only

[Help me choose...](#)

Redirect URI (optional)

We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.

Select a platform

Register an app you're working on here. Integrate gallery apps and other apps from outside your organization by adding from [Enterprise applications](#).

By proceeding, you agree to the [Microsoft Platform Policies](#)

Register

Request API permissions

[← All APIs](#)



Microsoft Graph

<https://graph.microsoft.com/> [Docs](#) [↗](#)

What type of permissions does your application require?

Delegated permissions


Your application needs to access the API as the signed-in user.

Application permissions

Your application runs as a background service or daemon without a signed-in user.



Tenant Root Group



AI Activity Insights - Microsoft Entra ID

The Activity Insights - Microsoft Entra ID connector provides activity data insights from Entra (Azure AD) sign-in logs via Microsoft Graph, including interactive and non-interactive sign-ins, service principal, and managed identity events.

[Documentation](#)

[Configure](#)

AI Activity Insights - Microsoft Sharepoint Online

The Activity Insights - Microsoft Sharepoint Online connector provides activity data insights on source and application activity such as logins and other app-specific events.

[Documentation](#)

[Configure](#)

MA Microsoft Azure SQL Database

The SailPoint Microsoft Azure SQL Database connector offers a complete access management solution for server login accounts, their associated database users and their user permissions.

[Documentation](#)

[Configure](#)

ME Microsoft Entra

The SailPoint Microsoft Entra (SaaS) connector gives you full access management of your Microsoft Entra ID users. This includes aggregation, provisioning, and the management of entitlements at the account level.

[Documentation](#)

[Actions](#) 

MS Microsoft SQL Server



Test Success!



Test connection was successful. Configuration recommendations are now generating. This process can take several minutes.

[Return to Source List](#)

[Continue Editing](#)

Microsoft Azure

Search resources, services, and docs (G+/I)

Home >

Default Directory | Overview

Microsoft Entra ID

Overview

Preview features

Diagnose and solve problems

Manage

Users

Groups

External Identities

Roles and administrators

Administrative units

Delegated admin partners

Enterprise applications

Devices

+ Add

Manage tenants

What's new

Preview features

Got feedback?

Azure Active Directory is now Microsoft Entra ID. [Learn more](#)

OverviewMonitoringPropertiesRecommendationsTutorials

Search your tenant

Basic information

Name	Default Directory	Users	408
Tenant ID	72f988bf-86f1-41af-91ab-2d7cd011db47	Groups	194
Primary domain	contoso.onmicrosoft.com	Applications	30
License	Microsoft Entra ID Free	Devices	0

Alerts

Add role assignment

Got feedback?

Role

Members

Review + assign

Assign access to

☒ User, group, or service principal

☐ Managed identity

Members

+ Select members

Name	Object ID	Type
No members selected		

Description

Optional

Review + assign

Previous

Next

Request API permissions



Select an API

Microsoft APIs

APIs my organization uses

My APIs

Commonly used Microsoft APIs



Microsoft Graph

Access a vast amount of data in Office 365, Enterprise Mobility + Security, and Windows 10. Access Microsoft Entra ID, Excel, Intune, Outlook/Exchange, OneDrive, OneNote, SharePoint, Planner, and more through a single endpoint.



Azure Service Management

Programmatic access to much of the functionality available through the Azure portal



Azure Storage

Secure, massively scalable object and data lake storage for unstructured and semi-structured data



managed group



All (99+)

Services (66)

Documentation (99+)

Resources (0)

Filters +3

Searching all subscriptions.



Enable all

Services (66)

[See more](#)



Managed Prometheus



Management groups

Keywords: **Management groups**

Resource Manager



Azure Managed Grafana

Keywords: **Managed**, **Azure Managed Grafana**



Groups



Overview



Quickstart



Integration assistant



Diagnose and solve problems



Manage



Branding & properties



Authentication (Preview)



Certificates & secrets



Token configuration



API permissions



Expose an API



App roles



Owners



Roles and administrators



Manifest



Support + Troubleshooting

▼ RoleManagement (1)		
☐	RoleManagement.Read.All ⓘ Read role management data for all RBAC providers	Yes
☐	RoleManagement.Read.CloudPC ⓘ Read Cloud PC RBAC settings	Yes
☒	RoleManagement.Read.Directory ⓘ Read all directory RBAC settings	Yes
☐	RoleManagement.Read.Exchange ⓘ Read Exchange Online RBAC configuration	Yes
☐	RoleManagement.ReadWrite.CloudPC ⓘ Read and write all Cloud PC RBAC settings	Yes

+ Add a permission		✓ Grant admin consent for Default Directory	
API / Permissions name	Type	Description	Admin consent requ... Status
▼ Microsoft Graph (3) ...			
Directory.Read.All	Application	Read directory data	Yes ✓ Granted for Default Dire... ...
RoleManagement.Read.Direc	Application	Read all directory RBAC settings	Yes ✓ Granted for Default Dire... ...

Add role assignment

Role **Members** **Conditions** **Review + assign**

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more](#)



Copilot can help pick a role

Job function roles

Privileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

🔍 Search by role name, description, permission, or ID

Type : Custom role

Category : All

Name ↑↓

Description ↑↓

Resource Reader

View strict list of resources, doesn't allow you to make any changes.

Showing 1 - 1 of 1 results.

Access management for Azure resources

[REDACTED] can manage access to all Azure subscriptions and management groups in this tenant.

[Learn more](#) 



Yes

Security defaults

Security defaults are basic identity security mechanisms recommended by Microsoft. When enabled, these recommendations will be applied to your organization.

[Learn more](#) 



Your organization is protected by security defaults.

[Manage security defaults](#)