

Entra ID Onboarding - SaaS Connector

Document Link:

https://documentation.sailpoint.com/saas/help/ciem/azure/config_azure.html#registering-sailpoint-ciem-with-microsoft-entra-id

To onboard Entra ID application in SailPoint ISC, there are 3 steps is followed.


Use an Azure account with administrative privileges to:

1. [Register](#) SailPoint CIEM (**Cloud Infrastructure Entitlement Management**.) as a new application with Microsoft Entra ID (formerly Azure AD).
2. [Grant permissions](#) to read your Microsoft Entra ID policies and resource inventories.
3. [Create a client secret](#) to use when registering your source with SailPoint CIEM.

Registering SailPoint CIEM with Microsoft Entra ID

You must first register SailPoint CIEM as an application with Microsoft Entra ID.

1. Sign in to the Azure Cloud portal and select **Microsoft Entra ID**.
2. Copy the tenant ID and save it somewhere accessible, as you'll need this information to [connect the Azure cloud source](#) to SailPoint CIEM.



3. Select **App registrations** in the left sidebar and select **New registration**.


4. Enter a name for the new application, such as "SailPoint CIEM".
5. Under **Supported account types**, keep the default of allowing a single tenant to ensure that only accounts in the organizational directory can access this application.
6. Select **Register** to register SailPoint CIEM with Microsoft Entra ID.
7. Copy the **Application (client) ID** that's generated, as you'll need this information to [connect the cloud source](#) with SailPoint CIEM.

Granting Read Permissions to SailPoint CIEM


After you've registered SailPoint CIEM with Microsoft Entra ID, you must grant it the permissions required to read the security policies configured for the Azure source and the resources inventory.

Setting Up the Global Admin Role

1. Select **Properties** in Microsoft Entra ID.
Entra ID → Manage → Properties.



2. Set the toggle for **Access management for Azure resources** to **Yes**.



3. Select **Save**.

Enabling Read Access to Microsoft Azure


You must enable the Directory.Read.All setting so that SailPoint CIEM can read the Microsoft Azure inventory.

1. Select **App registrations** in Microsoft Entra ID.
2. Select the SailPoint CIEM app you [registered earlier](#).

3. Select **API permissions** in the left sidebar and choose **Add a permission**.




4. Select **Microsoft Graph**.



5. Select **Application permissions** and expand the **Directory** category.

Request API permissions



6. Select **Directory.Read.All** to allow SailPoint CIEM to read directory data on your Microsoft Azure source.

Request API permissions

< All APIs

Microsoft Graph
https://graph.microsoft.com/ Docs

What type of permissions does your application require?

Delegated permissions
Your application needs to access the API as the signed-in user.

Application permissions
Your application runs as a background service or daemon without a signed-in user.

Select permissions expand all

Directory

Permission	Admin consent required
Directory (1)	
☒ Directory.Read.All ¹ Read directory data	Yes
☐ Directory.ReadWrite.All ¹ Read and write directory data	Yes
☐ Directory.Write.Restricted ¹ Manage restricted resources in the directory	Yes

- Expand the **Role Management** category and Select **RoleManagement.Read.Directory** to allow SailPoint CIEM to read all directory role-based access control settings for the source.

RoleManagement (1)

☐	RoleManagement.Read.All ¹ Read role management data for all RBAC providers	Yes
☐	RoleManagement.Read.CloudPC ¹ Read Cloud PC RBAC settings	Yes
☒	RoleManagement.Read.Directory ¹ Read all directory RBAC settings	Yes
☐	RoleManagement.Read.Exchange ¹ Read Exchange Online RBAC configuration	Yes
☐	RoleManagement.ReadWrite.CloudPC ¹ Read and write all Cloud PC RBAC settings	Yes

Optional: 


- If you use [Privileged Access Management \(PIM\) for groups](#), search for "privileged" in the **Select permissions** search bar. Select the following API permissions so SailPoint CIEM can include potential Azure cloud resource access derived from eligible membership in PIM groups:
 - PrivilegedAccess.Read.AzureADGroup
 - PrivilegedAssignmentSchedule.Read.AzureADGroup
 - PrivilegedEligibilitySchedule.Read.AzureADGroup
- Select **Add permissions** and **Grant admin consent** to specify what the SailPoint app can request and to confirm the app is approved to make requests.
- Also click **Grant Admin consent for default directory**.

+ Add a permission		✓ Grant admin consent for Default Directory		
API / Permissions name	Type	Description	Admin consent requ...	Status
▼ Microsoft Graph (3)				
Directory.Read.All	Application	Read directory data	Yes	✓ Granted for Default Dire... ***
RoleManagement.Read.Direc...	Application	Read all directory RBAC settings	Yes	✓ Granted for Default Dire... ***

Creating Strict Custom Roles

Create custom roles in Microsoft Entra ID with the minimum permissions required to allow SailPoint CIEM to read your Microsoft Entra ID data.


1. Search **Management groups** in Microsoft Entra ID.



2. Select the root management group to add the role to. The role will inherit the group's subscriptions.



3. In the sidebar, select Access control (IAM).



4. Select **Add** and choose **Add custom role** from the dropdown menu.

- On the **Basics** tab, enter a custom role name, such as Resource Reader.
- Select the **JSON** tab.

Create a custom role

Basics Permissions Assignable scopes **JSON** Review + create

Here is your custom role in JSON format. Learn more?

Download Edit

```

1 {
2   "properties": {
3     "roleName": "Resource Reader",
4     "description": "",
5     "assignableScopes": [
6       "/subscriptions/98e1206a-726d-4755-9633-6309859316a7"
7     ],
8     "permissions": [
9       {
10        "actions": [],
11        "notActions": [],
12        "dataActions": [],
13        "notDataActions": []
14      }
15     ]
16   }
17 }

```

Using JSON

Add permissions
Specify an operation as an Action, NotAction, DataAction, or NotDataAction. Permission strings use the format {Company}/{ProviderName}/{ResourceType}/{Action}.

Add wildcards (*)
Add wildcards (*) to a permission string to include all permissions that match the string. For example, if you specify Microsoft.Compute* as an Action, your role can perform all management operations in Microsoft.Compute.

Add assignable scopes
Management group scope has the format /providers/Microsoft.Management/managementGroups/{managementGroupName}. Subscription scope has the format /subscriptions/{subscriptionId}. Resource group scope has the format /subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}.

Review + create Previous Next

- Select the **Edit** button. Enter the below JSON schema, replacing the managementGroups ID with your own.

```

{
  "properties": {
    "roleName": "Resource Reader",
    "description": "View strict list of resources, doesn't allow you to make any changes.",
    "assignableScopes": [
      "/providers/Microsoft.Management/managementGroups/aaaaaaa-9999-1234-5678-
d1dd0000c000 "
    ],
    "permissions": [
      {
        "actions": [
          "Microsoft.ApiManagement/service/groups/users/read",
          "Microsoft.ApiManagement/service/subscriptions/read",
          "Microsoft.ApiManagement/service/users/groups/read",

```

"Microsoft.Authorization/* /read",
"Microsoft.Cache/redis/read",
"Microsoft.Compute/disks/read",
"Microsoft.Compute/virtualMachines/read",
"Microsoft.DBforMariaDB/servers/databases/read",
"Microsoft.DBforMySQL/servers/databases/read",
"Microsoft.DocumentDB/databaseAccounts/read",
"Microsoft.Insights/ActivityLogAlerts/Read",
"Microsoft.Insights/eventtypes/values/Read",
"Microsoft.Insights/LogProfiles/Read",
"Microsoft.KeyVault/vaults/keys/read",
"Microsoft.KeyVault/vaults/providers/Microsoft.Insights/diagnosticSettings/Read",
"Microsoft.KeyVault/vaults/read",
"Microsoft.KeyVault/vaults/secrets/read",
"Microsoft.ManagedIdentity/userAssignedIdentities/listAssociatedResources/
action",
"Microsoft.ManagedIdentity/userAssignedIdentities/read",
"Microsoft.Network/loadBalancers/read",
"Microsoft.Network/networkInterfaces/read",
"Microsoft.Network/networkSecurityGroups/read",
"Microsoft.Network/networkWatchers/queryFlowLogStatus/action",
"Microsoft.Network/networkWatchers/read",
"Microsoft.Network/routeTables/read",
"Microsoft.Network/virtualNetworks/read",
"Microsoft.Network/virtualNetworks/subnets/read",
"Microsoft.Resources/subscriptions/resourceGroups/read",
"Microsoft.Resources/subscriptions/resources/read",

```

    "Microsoft.Resources/tenants/read",
    "Microsoft.Security/pricings/read",
    "Microsoft.Security/securityContacts/read",
    "Microsoft.Sql/managedInstances/administrators/read",
    "Microsoft.Sql/managedInstances/databases/read",
    "Microsoft.Sql/servers/administrators/read",
    "Microsoft.Sql/servers/databases/auditingSettings/read",
    "Microsoft.Sql/servers/databases/read",
    "Microsoft.Sql/servers/databases/securityAlertPolicies/read",
    "Microsoft.Sql/servers/failoverGroups/read",
    "Microsoft.Sql/servers/firewallRules/read",
    "Microsoft.Sql/servers/keys/read",
    "Microsoft.Sql/servers/read",
    "Microsoft.Storage/storageAccounts/blobServices/containers/read",
    "Microsoft.Storage/storageAccounts/read",
    "Microsoft.Web/sites/Read"
  ],
  "notActions": [],
  "dataActions": [],
  "notDataActions": []
}
]
}
}

```

8. Select **Save** to update the JSON schema and **Review + create**.
9. Select **Create** to create the custom role.

You will now [assign this role](#) to the app.

Assigning Roles to App Registration

You must now assign the role you created to the App Registration.

1. Search and Select **Management groups** in the Microsoft Entra ID portal.
2. Select the root group name and select **Access control (IAM)** from the left sidebar.
3. Select **Add** and choose **Add role assignment** from the dropdown menu.
4. In the role section, Select the **Type** to **Custom role** and select the [custom role](#) you created earlier. Select **Next**.

Add role assignment ...

Role Members Conditions Review + assign

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more](#)

[Copilot can help pick a role](#)

Job function roles Privileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

Search by role name, description, permission, or ID

Type : Custom role Category : All

Name ↑↓	Description ↑↓
Resource Reader	View strict list of resources, doesn't allow you to make any changes.

Showing 1 - 1 of 1 results.

5. In the **Members** tab, select the button next to **User, group, or service principal**.

Add role assignment

Got feedback?

Role Members **Review + assign**

Assign access to ☒ User, group, or service principal ☐ Managed identity

Members **+ Select members**

Name	Object ID	Type
No members selected		

Description

Review + assign Previous Next

6. Select **Select members**. Search for and select the application you [registered](#).(SailPoint)
7. Confirm your selection using the Select button (select User).
8. Select Review + Assign to assign the role to SailPoint CIEM.

Creating a Client Secret for SailPoint CIEM

To finish registering your Microsoft Entra ID accounts, you'll need to create a client secret for SailPoint CIEM


1. Select **App registrations** in Microsoft Entra ID and choose the application you named earlier.
2. Select **Certificates & secrets**.
3. Under **Client secrets**, select **+ New client secret** and add a description and expiration date **[Best Practice: Set an expiration date of 6 months.]**
4. Select **Add**.
5. Save the Value and Secret ID in a safe place. You will enter the client secret in the **Client Secret** field when you [connect to Identity Security Cloud](#).

Value: [REDACTED]

Secret ID: [REDACTED]

Creating Source in SailPoint


1. Login to SailPoint ISC portal and Select **Sources** under **Connection**.
2. Search for **Microsoft Entra**, click **Actions**.



The screenshot shows a list of sources in the SailPoint ISC portal. The sources are:

- AI Activity Insights - Microsoft Entra ID**: The Activity Insights - Microsoft Entra ID connector provides activity data insights from Entra (Azure AD) sign-in logs via Microsoft Graph, including interactive and non-interactive sign-ins, service principal, and managed identity events. [Documentation](#) [Configure](#)
- AI Activity Insights - Microsoft Sharepoint Online**: The Activity Insights - Microsoft Sharepoint Online connector provides activity data insights on source and application activity such as logins and other app-specific events. [Documentation](#) [Configure](#)
- MA Microsoft Azure SQL Database**: The SailPoint Microsoft Azure SQL Database connector offers a complete access management solution for server login accounts, their associated database users and their user permissions. [Documentation](#) [Configure](#)
- ME Microsoft Entra**: The SailPoint Microsoft Entra (SaaS) connector gives you full access management of your Microsoft Entra ID users. This includes aggregation, provisioning, and the management of entitlements at the account level. [Documentation](#) [Actions](#) 
- MS Microsoft SQL Server**


3. Choose **Standard Setup** from the option
 - Express Setup - Quick setup with fewer configuration choices/defaults(Simple/basic onboarding)
 - Standard Setup- Full configuration — more control over connection, aggregation, provisioning, correlation, etc. (Real-world / lab learning)



The screenshot shows the configuration screen for the **ME Microsoft Entra** source. The description reads: "The SailPoint Microsoft Entra (SaaS) connector gives you full access management of your Microsoft Entra ID users. This includes aggregation, provisioning, and the management of entitlements at the account level." Below the description, there are two options: [Documentation](#) and [Actions](#) . The [Actions](#) dropdown menu is open, showing [Express Setup](#) and [Standard Setup](#). The [Standard Setup](#) option is highlighted with a red box.


- a. Base Configuration:
 - o Source Name: Choice of you (Eg: Azure SaaS Connect)
 - o Source Description: Explain What action it is performing.
 - o Source Owner: Based on requirement & Choice
 - o Click **Save**.

- b. Connection Settings
 - o Grant Type: Select Client Credentials from drop down.
 - o Client ID:
 - o Client Secret:
 - o Domain Name: Give the Primary Domain from Entra ID.
- c. Feature Management
 - Leave all the options as default for now.
- d. Aggregation Settings and Filter Setting
 - Leave all option as default for now.
- e. Machine Identity Governance Settings
 - Keep all the option set to OFF and Click **Save**.



The screenshot shows the 'Machine Identity Governance Settings' interface. On the left, there are two instructions: 'Select **Enable Azure AI Foundry Agents** to include Azure AI agents in aggregation.' and 'Select **Enable Microsoft Copilot Studio Agents** to include Microsoft Copilot Studio agents in aggregation.' On the right, there are three toggle switches, all of which are currently turned off (indicated by a dark circle on the left side of the slider): 'Enable Azure AI Foundry Agents', 'Enable Microsoft Copilot Studio Agents', and 'Enable Microsoft Agent 365'.

- f. Administrator Settings
 - No Change (keep default)
- g. Review and Test
 - Click Test Connection and wait for 1 to 2 minutes. Once you get the below pop up and click Continue Editing.



The screenshot shows a 'Test Success!' pop-up window. It has a green header bar with a checkmark icon and a close button (X). The main text reads: 'Test connection was successful. Configuration recommendations are now generating. This process can take several minutes.' At the bottom, there are two buttons: 'Return to Source List' (a light blue button) and 'Continue Editing' (a dark blue button).

- h. Check Account Schema.
- i. Check Account Correlation
- j. Once both Account Schema and Account Correlation looks good click Account Aggregation and click Start Aggregation.

Account Aggregation

Start Aggregation

Load account information from a source by setting an aggregation schedule or starting a manual aggregation. [Learn more](#)

Enable Schedule ☐

Frequency *

Daily, Weekly, or Monthly

Date *

Select the date the aggregation will n

Start Time (GMT - 4:00) *

HH-MM AM

Cancel

Save

- k. Once Aggregation is completed you can see the status in Latest Account aggregation under Account Aggregation tab.

Latest Account Aggregation				Aggregation History
S				Details
STARTED 26 Aug 2026, 15:07:34	ACCOUNTS SCANNED 17	STATUS Success		

Connecting Azure and CIEM

Once you have [configured](#) your Microsoft Entra ID account, you can connect it to CIEM using a SaaS connector or VA-based connector:

1. [SaaS-based connector \(recommended\)](#)
2. [VA-based connector](#) and the [CIEM Azure connector](#)

When you have completed the steps for your connection type, [aggregate](#) and [mark the entitlement types](#) that grant cloud access. You can then view the [effective access](#) those entitlements grant on aggregated Azure cloud resources and include cloud entitlements in certification campaigns.

Using the Microsoft Entra ID SaaS Connector

If you are using Microsoft Entra SaaS, follow the connector guide to [enable SailPoint CIEM](#).

After a successful test connection, you can optionally set the [source scope](#) before [aggregating accounts](#) and [marking the entitlement types](#) that grant cloud access.

Setting Source Scope for SaaS-Based Connections

By default, SailPoint CIEM reads and automatically discovers changes to your cloud infrastructure. You can choose to exclude scopes to prevent SailPoint CIEM from including data for those accounts.

When you exclude scopes, SailPoint CIEM will only read and include data from selected scopes. When Auto-Include Scopes is disabled, new and deleted subscriptions in your cloud system will be detected, but SailPoint CIEM will not automatically include data from new scopes until you select the subscriptions individually or reenables Auto-Include Scopes.

You can use the [CIEM event triggers](#) in workflows to be notified about scope changes.

To change the scope of your included source data when using a SaaS-based connector:

1. In the *Microsoft Entra ID SaaS* source, select **Cloud Scopes** under **Additional Settings**.
2. Select which cloud scopes to include:
 - To automatically include data from all subscriptions, enable **Auto-Include Scopes**. Deselecting a scope disables Auto-Include Scopes.
 - To include a subset of subscriptions, use the checkboxes to change which scopes are included