



CHEMICAL DIVISION PRODUCT CATALOGUE

RO Plant • Boiler • Cooling Tower • ETP • STP Chemicals

Marketed by **Aqua Filtration System**

RO PLANT

BOILER

COOLING TOWER

ETP

STP

Why ZeroScale?

- Complete chemistry for RO, Boiler, Cooling Tower, ETP & STP — one brand, one supplier
- Every product carries a unique, traceable ZeroScale product code
- TDS & MSDS available on request for every product
- Backed by Aqua Filtration System's water-treatment expertise since 2017



ABOUT ZEROSCALE

ZeroScale is the Chemical Division product brand of Aqua Filtration System. We source high-quality water-treatment chemicals from trusted manufacturers and market them under the ZeroScale brand for RO plants, boilers, cooling towers, ETP, and STP. Every product carries a unique ZeroScale product code for easy identification, ordering and traceability.

Product Code Structure

ZS – ZeroScale (Chemical Division brand) | **RO / BO / CT** – Product line (RO Plant / Boiler / Cooling Tower) | **1XX / 2XX / 3XX** – Sequential product number

RO PLANT CHEMICALS (Code Series: ZS-RO-XXX)

Product Code	Product Name	Description / Application	Dosage	Pack Size
ZS-RO-101	RO Antiscalant	Liquid polymer blend that prevents scale formation (CaCO ₃ , CaSO ₄ , BaSO ₄ , SiO ₂) on membrane surfaces; extends membrane life and cleaning intervals.	2–5 ppm on feed water	10 kg / 25 kg / 30 kg
ZS-RO-102	Membrane Cleaner – Acidic (CIP-A)	Low-pH cleaner for removal of inorganic scale, iron and metal-oxide fouling from RO membranes during CIP.	As per CIP procedure	10 kg / 25 kg / 30 kg
ZS-RO-103	Membrane Cleaner – Alkaline (CIP-B)	High-pH cleaner for removal of organic matter, biofilm and colloidal fouling from RO membranes during CIP.	As per CIP procedure	10 kg / 25 kg / 30 kg
ZS-RO-104	RO Biocide / Preservative	Controls bacterial and microbial growth on membranes; used for system disinfection and long-term shutdown preservation.	20–30 ppm	25 kg
ZS-RO-105	SMBS – Dechlorination Chemical	Sodium metabisulphite based reducing agent; neutralizes residual free chlorine ahead of the RO membrane.	As per residual chlorine	25 kg / 50 kg
ZS-RO-106	RO pH Booster (Powder)	High-purity alkaline powder (Sodium Carbonate based) to adjust and increase the pH of feed or permeate water, preventing piping corrosion and stabilizing water	Dissolve in dosing tank; dose as per required pH adjustment (typically 5–25 ppm)	25 kg / 50 kg Bag

BOILER CHEMICALS (Code Series: ZS-BO-XXX)

Product Code	Product Name	Description / Application	Dosage	Pack Size
ZS-BO-201	Oxygen Scavenger	Sulphite / amine based liquid that removes dissolved oxygen from boiler feed water, preventing pitting corrosion.	≈3× dissolved O ₂ (ppm)	25 kg / 50 kg
ZS-BO-202	Boiler Antiscalant	Conditions residual hardness into a non-adherent sludge, preventing scale deposition on heat-transfer surfaces.	50–100 ppm on feed water	25 kg / 50 kg
ZS-BO-203	Alkalinity / pH Builder	Maintains optimum boiler water alkalinity and pH to minimize corrosion and caustic embrittlement.	As per boiler TDS / pH	25 kg / 50 kg
ZS-BO-204	Condensate Corrosion Inhibitor	Neutralizing amine blend that protects condensate return lines from carbonic-acid (CO ₂) corrosion.	10–20 ppm	25 kg / 50 kg

COOLING TOWER CHEMICALS (Code Series: ZS-CT-XXX)



Product Code	Product Name	Description / Application	Dosage	Pack Size
ZS-CT-301	Scale & Corrosion Inhibitor	Multi-functional formulation that controls scale formation and metal corrosion in circulating cooling water.	50–100 ppm	25 kg / 50 kg
ZS-CT-302	Oxidizing Biocide	Chlorine / bromine based biocide for control of bacteria, algae and biofilm in cooling towers.	1–2 ppm free residual	25 kg / 50 kg
ZS-CT-303	Non-Oxidizing Biocide	Broad-spectrum microbicide for slime and biofilm control; used as periodic shock/slug dose.	50–100 ppm shock dose	25 kg / 50 kg
ZS-CT-304	Algaecide	Controls and prevents algae growth in cooling tower basins and open recirculating systems.	20–30 ppm	25 kg / 50 kg

ETP CHEMICALS (Effluent Treatment Plant) (Code Series: ZS-ET-XXX)

Product Code	Product Name	Description / Application	Dosage	Pack Size
ZS-ET-401	Coagulant (PAC Based)	Poly Aluminium Chloride based liquid coagulant; destabilizes suspended/colloidal particles for effective clarification of effluent.	50–200 ppm (jar test)	25 kg / 50 kg
ZS-ET-402	Flocculant (Polyelectrolyte)	Anionic / cationic polyelectrolyte that binds coagulated particles into larger flocs for faster settling.	1–5 ppm	25 kg / 50 kg
ZS-ET-403	pH Neutralizer (Acid/Alkali)	Acid or alkali based dosing chemical to bring effluent pH to the permissible discharge range (6.5–8.5).	As per raw effluent pH	25 kg / 50 kg
ZS-ET-404	Defoamer / Antifoam	Silicone / non-silicone based liquid that controls foam generation in aeration and collection tanks.	5–20 ppm	25 kg / 50 kg
ZS-ET-405	Sludge Dewatering Aid	Cationic polymer that conditions bio-sludge for improved dewatering on filter press / centrifuge.	2–8 kg/MT dry sludge	25 kg / 50 kg

STP CHEMICALS (Sewage Treatment Plant) (Code Series: ZS-ST-XXX)

Product Code	Product Name	Description / Application	Dosage	Pack Size
ZS-ST-501	Bio-Culture / Bio-Enzyme	Consortium of selected microbial strains that accelerates BOD/COD reduction and stabilizes biological treatment (ASP/SBR/MBBR).	1–5 ppm (system volume)	1 kg / 5 kg
ZS-ST-502	Odour Control Chemical	Oxidizing / neutralizing formulation that controls H ₂ S and other malodours at collection wells and wet wells.	5–15 ppm	25 kg / 50 kg
ZS-ST-503	Disinfectant (Chlorine Based)	Calcium/sodium hypochlorite based disinfectant for post-treatment disinfection of treated sewage before discharge/reuse.	3–5 ppm free residual	25 kg / 50 kg
ZS-ST-504	Defoamer (Aeration Tank)	Controls foam build-up in aeration tanks caused by biological activity and detergents in raw sewage.	5–20 ppm	25 kg / 50 kg

NOTES

- Dosage rates are indicative; actual dosing should be optimized after on-site water analysis / plant trial.
- All products are available in customized pack sizes and drum sizes on request.
- Technical Data Sheets (TDS) and Material Safety Data Sheets (MSDS) are available for every product code on request.



Let's Talk Chemistry

For pricing, minimum order quantity, technical data sheets (TDS/MSDS)
or a free water-quality consultation — reach out to us.

Aqua Filtration System

Office: B-198, Royal Plaza, Near HDFC Bank, Green Field, Faridabad – 121001 (Haryana)

Mob: 9910646950 / 9910646957 | Tel: 0129-4340856

Email: aquazone350@gmail.com, deewakar@aquafiltrationsystem.in

www.aquafiltrationsystem.in | www.wtpestore.co.in

GSTIN: 06DMUPS2289L1ZZ