



AQUA FILTRATION SYSTEM

GSTIN: 06DMUPS2289L1ZZ | Since 2017


Our Online Brand



ZeroScale

ULTRAFILTRATION PLANTS

PRODUCT CATALOGUE — UF SERIES (ULTRAFILTRATION PLANTS)



WTPeSTORE

Zero scale uf plant model no ZS-UF-50KLD



WTPeSTORE | Premium Water Solutions

ZS-UF-10KLD • ZS-UF-20KLD • ZS-UF-30KLD • ZS-UF-40KLD • ZS-UF-50KLD

Powered by **AQUA FILTRATION SYSTEM** | Faridabad (HR) | Since 2017

Advertisement by **WTPeSTORE™** — www.wtpestore.co.in



ABOUT ZEROSCALE UF PLANTS

ZeroScale Ultrafiltration (UF) Plants use hollow-fibre membrane modules to physically remove suspended solids, turbidity, colloids, and bacteria down to sub-micron level, without relying on chemical coagulation. Feed water is pushed through the membrane fibres at low pressure; particles above the membrane's pore size are rejected while clear permeate passes through, and automatic air-scour + water backwash cycles keep the membrane surface clean between service runs. The UF series covers five capacities — from 10 KLD for small societies and institutions to 50 KLD for townships and industrial campuses — as a standalone clarification step, RO/DM pre-treatment stage, or STP tertiary polishing unit for reuse-grade water.

POWERED BY AQUA FILTRATION SYSTEM

Aqua Filtration System has been supplying water treatment equipment — RO plants, water softeners, DM plants, and dosing systems — from Faridabad, Haryana since 2017. Every ZeroScale unit is manufactured, installed, and serviced under the Aqua Filtration System quality and after-sales network.

WHY CHOOSE A ZEROSCALE UF PLANT?

- ✓ Absolute physical barrier — removes turbidity, suspended solids, colloids & bacteria without chemical coagulation
- ✓ Low operating pressure with automatic air-scour + water backwash — minimal manual intervention
- ✓ Compact footprint compared to conventional sand/multigrade filtration for the same flow
- ✓ Ideal pre-treatment for RO & DM plants — protects membranes and resin from fouling
- ✓ Effective as STP tertiary treatment stage for reuse-grade water (flushing, gardening, HVAC makeup)
- ✓ Scales from 10 KLD (small societies/institutions) to 50 KLD (townships/industrial campuses)
- ✓ Backed by Aqua Filtration System's installation and after-sales service network

CONTENTS

- 1. ZS-UF-10KLD** — Compact UF Plant for Small Housing Societies & Institutions
- 2. ZS-UF-20KLD** — UF Plant for Mid-Size Housing Societies, Hotels & Schools
- 3. ZS-UF-30KLD** — UF Plant for Large Housing Societies, Hospitals & Commercial Buildings
- 4. ZS-UF-40KLD** — UF Plant for Large Institutions, Townships & STP Tertiary Treatment
- 5. ZS-UF-50KLD** — Flagship UF Plant for Townships, Industrial Campuses & Bulk Reuse Applications



MODEL ZS-UF-10KLD

Compact UF Plant for Small Housing Societies & Institutions



Description

The ZeroScale ZS-UF-10KLD is a compact ultrafiltration plant for small housing societies, institutions, and commercial establishments that need clear, low-turbidity water without chemical dosing. Feed water passes through hollow-fibre UF membrane modules that reject suspended solids, colloids, and bacteria, with an automatic air-scour and water backwash cycle keeping the membrane surface clean between service runs.

Rated Capacity: 10 KLD


Technical Specifications

Rated Capacity	10 KLD (Kilolitres Per Day)
Membrane Type	Hollow Fibre UF Membrane (PVDF/PES), Outside-In Flow
Membrane Pore Size	0.01 – 0.03 micron
Feed Turbidity (Inlet)	Up to 30 NTU
Permeate Turbidity (Outlet)	< 1 NTU
SDI (Silt Density Index)	< 3 (suitable for RO pre-treatment)
Feed Pump	1 HP Centrifugal Pump
Membrane Modules	1 Nos.
Backwash System	Automatic Air-Scour + Water Backwash
Skid Construction	FRP/PVC Prefab Skid
Control Panel	Semi-Automatic
Recommended Use	Small Housing Societies, Institutions, Commercial Establishments, RO Pre-Treatment



MODEL ZS-UF-20KLD

UF Plant for Mid-Size Housing Societies, Hotels & Schools



WTPeSTORE

Zero scale uf plant
model no ZS-UF-20KLD



WTPeSTORE | Premium Water Solutions

Description

The ZeroScale ZS-UF-20KLD steps up membrane area and feed pump capacity to treat higher daily flows from mid-size housing societies, hotels, and schools. Steady permeate clarity is maintained across varying feed turbidity, making it a reliable clarification stage ahead of RO/DM plants or as a standalone polishing unit.

Rated Capacity: 20 KLD

Technical Specifications

Rated Capacity	20 KLD (Kilolitres Per Day)
Membrane Type	Hollow Fibre UF Membrane (PVDF/PES), Outside-In Flow
Membrane Pore Size	0.01 – 0.03 micron
Feed Turbidity (Inlet)	Up to 30 NTU
Permeate Turbidity (Outlet)	< 1 NTU
SDI (Silt Density Index)	< 3 (suitable for RO pre-treatment)
Feed Pump	2 HP Centrifugal Pump
Membrane Modules	1 Nos.
Backwash System	Automatic Air-Scour + Water Backwash
Skid Construction	FRP/PVC Prefab Skid
Control Panel	Semi-Automatic
Recommended Use	Mid-Size Housing Societies, Hotels, Schools, Commercial Buildings



MODEL ZS-UF-30KLD

UF Plant for Large Housing Societies, Hospitals & Commercial Buildings



Description

The ZeroScale ZS-UF-30KLD adds membrane trains and feed pump capacity to serve large housing societies, hospitals, and commercial buildings with steady daily demand. The additional membrane area extends run time between chemical-enhanced backwash (CEB) cycles, even with moderately turbid feed water.

Rated Capacity: 30 KLD

Technical Specifications

Rated Capacity	30 KLD (Kilolitres Per Day)
Membrane Type	Hollow Fibre UF Membrane (PVDF/PES), Outside-In Flow
Membrane Pore Size	0.01 – 0.03 micron
Feed Turbidity (Inlet)	Up to 50 NTU
Permeate Turbidity (Outlet)	< 1 NTU
SDI (Silt Density Index)	< 3 (suitable for RO pre-treatment)
Feed Pump	3 HP Centrifugal Pump
Membrane Modules	2 Nos.
Backwash System	Automatic Air-Scour + Water Backwash with periodic CEB
Skid Construction	MS Epoxy-Coated / SS Skid
Control Panel	PLC-Based Semi-Automatic
Recommended Use	Large Housing Societies, Hospitals, Commercial Buildings, RO Pre-Treatment

Installation, commissioning & annual maintenance by Aqua Filtration System, Faridabad • Mob: 9910646950



MODEL ZS-UF-40KLD

UF Plant for Large Institutions, Townships & STP Tertiary Treatment



Description

The ZeroScale ZS-UF-40KLD scales up membrane racks and feed pump duty to treat higher daily volumes from large institutions, townships, and STP tertiary treatment applications. Redundant membrane trains and a PLC-based panel maintain permeate quality and uptime even during peak demand and feed variation.

Rated Capacity: 40 KLD

Technical Specifications

Rated Capacity	40 KLD (Kilolitres Per Day)
Membrane Type	Hollow Fibre UF Membrane (PVDF/PES), Outside-In Flow
Membrane Pore Size	0.01 – 0.03 micron
Feed Turbidity (Inlet)	Up to 50 NTU
Permeate Turbidity (Outlet)	< 1 NTU
SDI (Silt Density Index)	< 3 (suitable for RO pre-treatment)
Feed Pump	5 HP Centrifugal Pump
Membrane Modules	2 Nos. (Redundant Trains)
Backwash System	Automatic Air-Scour + Water Backwash with periodic CEB
Skid Construction	MS Epoxy-Coated / SS Skid
Control Panel	PLC-Based Fully Automatic
Recommended Use	Large Institutions, Townships, Commercial Campuses, STP Tertiary Treatment



MODEL ZS-UF-50KLD

Flagship UF Plant for Townships, Industrial Campuses & Bulk Reuse Applications



Description

The ZeroScale ZS-UF-50KLD is the flagship of the UF range, engineered for townships, industrial campuses, and large commercial complexes with high daily flow requirements. Multiple membrane racks, redundant feed pumps, and a fully automatic PLC panel deliver reliable, low-maintenance clarification and consistent low-turbidity output at scale.

Rated Capacity: 50 KLD

Technical Specifications

Rated Capacity	50 KLD (Kilolitres Per Day)
Membrane Type	Hollow Fibre UF Membrane (PVDF/PES), Outside-In Flow
Membrane Pore Size	0.01 – 0.03 micron
Feed Turbidity (Inlet)	Up to 50 NTU
Permeate Turbidity (Outlet)	< 1 NTU
SDI (Silt Density Index)	< 3 (suitable for RO pre-treatment)
Feed Pump	7.5 HP Centrifugal Pump (Redundant)
Membrane Modules	3 Nos. (Redundant Trains)
Backwash System	Automatic Air-Scour + Water Backwash with periodic CEB
Skid Construction	MS Epoxy-Coated / SS Skid
Control Panel	PLC-Based Fully Automatic
Recommended Use	Townships, Industrial Campuses, Large Commercial Complexes, Bulk Water Reuse



AQUA FILTRATION SYSTEM


GSTIN: 06DMUPS2289L1ZZ | Since 2017

Our Online Brand



WTPeSTORE™

SHOP ONLINE



WTPeSTORE™

Powered by Aqua Filtration System

Water Treatment Products Online | RO Plants | Water Softeners | DM Plants | UF Plants | Sand Filters | Spares

www.wtpestore.co.in

CONTACT & COMPANY DETAILS

Aqua Filtration System

B-198, Royal Plaza, Near Domino's, Green Field, Faridabad – 121001 (Haryana)

Phone: 0129-4340856 | Mob: 9910646950 | WhatsApp: 9899193589

Email: info@aquafiltrationsystem.in | GSTIN: 06DMUPS2289L1ZZ

Websites: aquafiltrationsystem.in | zeroscale.co.in | wtpestore.co.in