BGG Vault API 1.0.0 OAS 3.1

/openapi.json

A board game collection tracker and analytics API powered by BoardGameGeek data.

Authorize

Auth

POST `/auth/register` Register

Register a new user account.

Parameters Cancel

No parameters

Request body required application/json

Edit Value | Schema

```
{
  "username": "string",
  "email": "user@example.com",
  "password": "stringst"
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/auth/register' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
  "username": "string",
  "email": "user@example.com",
  "password": "stringst"
}'
```

Request URL

```
http://127.0.0.1:8000/auth/register
```

Server response

Code	Details
400	Error: Bad Request

Response body

```
{
  "detail": "Username already registered"
}
```

Download

Response headers

```
content-length: 40
content-type: application/json
date: Mon,16 Mar 2026 15:01:24 GMT
server: uvicorn
```

Responses

Code	Description	Links
201	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
{
  "id": 0,
  "username": "string",
  "email": "user@example.com",
  "is_active": true
}
```

400	Username or email already registered	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

Code	Description	Links
422	Validation error — invalid email format or password too short Media type application/json **Example Value** | Schema `{ "detail": "string" }`	*No links*

POST `/auth/login` Login

Login and receive a JWT access token.

Parameters Try it out

No parameters

Request body required application/x-www-form-urlencoded

grant_type
`string | (string | null)`
pattern: ^password$

username * required
`string`

password * required
`string($password)`

scope
`string`

client_id
`string | (string | null)`

client_secret
`string | (string | null)($password)`

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
{
  "access_token": "string",
  "token_type": "string"
}
```

401	Incorrect username or password	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

422	Validation Error	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /auth/me Get Me

Return the currently authenticated user.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*
401	Missing or invalid JWT token Media type application/json **Example Value** | Schema	*No links*

```
{
  "id": 0,
  "username": "string",
  "email": "user@example.com",
  "is_active": true
}
```

```
{
  "detail": "string"
}
```

Games

GET `/games/` Get Games

Browse and filter games with optional search and pagination.

Parameters Try it out

Name	Description
search `string | (string | null)` *(query)*	Search by game title search
mechanic `string | (string | null)` *(query)*	Filter by mechanic e.g. 'Deck Construction' mechanic

Name	Description
category `string	(string | null)` *(query)*	Filter by domain e.g. 'Strategy Games' category
players `integer	(integer | null)` *(query)*	Filter by number of players supported players *maximum: 100* *minimum: 1*
limit `integer` *(query)*	Number of results per page *Default value* : 20 20 *maximum: 100* *minimum: 1*
offset `integer` *(query)*	Number of results to skip *Default value* : 0 0 *minimum: 0*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** | Schema	*No links*
422	Invalid query parameters	*No links*

```
[
  {
    "title": "string",
    "year_published": 0,
    "min_players": 0,
    "max_players": 0,
    "play_time": 0,
    "complexity": 0,
    "avg_rating": 0,
    "mechanics": "string",
    "categories": "string",
    "id": 0,
    "bgg_id": 0
  }
]
```

Code	Description	Links

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

GET /games/trending Get Trending

Return top rated games, optionally filtered by decade.

Parameters

Try it out

Name	Description
decade integer | (integer | null) *(query)*	Filter by decade e.g. 2010 returns 2010-2019 decade
limit integer *(query)*	*Default value* : 10 10 *maximum: 50* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
[
  {
    "title": "string",
    "year_published": 0,
    "min_players": 0,
    "max_players": 0,
    "play_time": 0,
    "complexity": 0,
```

Code	Description	Links

```
    "avg_rating": 0,
    "mechanics": "string",
    "categories": "string",
    "id": 0,
    "bgg_id": 0
  }
]
```

422	Invalid query parameters	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

GET /games/recommend Recommend Games

Recommend top rated games that feature a given mechanic.

Parameters Try it out

Name	Description
mechanic * required `string` *(query)*	Mechanic to base recommendations on e.g. 'Deck Construction' mechanic
limit `integer` *(query)*	*Default value* : 10 10 *maximum: 50* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

Code	Description	Links

```
[
  {
    "title": "string",
    "year_published": 0,
    "min_players": 0,
    "max_players": 0,
    "play_time": 0,
    "complexity": 0,
    "avg_rating": 0,
    "mechanics": "string",
    "categories": "string",
    "id": 0,
    "bgg_id": 0
  }
]
```

404	No games found for the requested mechanic	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

422	Invalid query parameters	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

GET /games/{game_id} Get Game

Get full details for a single game by ID.

Parameters

Try it out

Name	Description
game_id * required `integer` *(path)*	game_id

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
{
  "title": "string",
  "year_published": 0,
  "min_players": 0,
  "max_players": 0,
  "play_time": 0,
  "complexity": 0,
  "avg_rating": 0,
  "mechanics": "string",
  "categories": "string",
  "id": 0,
  "bgg_id": 0
}
```

404	Game not found	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

422	game_id must be a valid integer	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

Collection

GET `/collection/` Get Collection

Get the current user's full collection.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

```
[
  {
    "game_id": 1,
    "status": "owned",
    "personal_rating": 1,
    "play_count": 0,
    "notes": "string",
    "id": 0
  }
]
```

401	Not authenticated	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

POST /collection/ Add To Collection

Add a game to the current user's collection.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "game_id": 1,
  "status": "owned",
  "personal_rating": 1,
  "play_count": 0,
```

```
  "notes": "string"
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
{
  "game_id": 1,
  "status": "owned",
  "personal_rating": 1,
  "play_count": 0,
  "notes": "string",
  "id": 0
}
```

400	Game already in collection Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": "string"
}
```

401	Not authenticated Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": "string"
}
```

404	Game not found Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": "string"
}
```

Code	Description	Links
422	Validation error — invalid field values	*No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

PATCH `/collection/{item_id}` Update Collection Item

Update a collection entry's status, rating, play count or notes.

Parameters Try it out

Name	Description
item_id * required `integer` *(path)*	item_id

Request body required application/json

Example Value | Schema

```
{
  "status": "owned",
  "personal_rating": 1,
  "play_count": 0,
  "notes": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value | Schema

Code	Description	Links

```
{
  "game_id": 1,
  "status": "owned",
  "personal_rating": 1,
  "play_count": 0,
  "notes": "string",
  "id": 0
}
```

401 Not authenticated — *No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

404 Collection item not found — *No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

422 Validation error — invalid field values — *No links*

Media type

application/json

Example Value | Schema

```
{
  "detail": "string"
}
```

DELETE `/collection/{item_id}` Remove From Collection

Remove a game from the current user's collection.

Parameters Try it out

Name	Description
item_id * required `integer` *(path)*	item_id

Responses

Code	Description	Links
204	Successful Response	*No links*
401	Not authenticated Media type **application/json** **Example Value** | Schema	*No links*

```
{
  "detail": "string"
}
```

404	Collection item not found Media type **application/json** **Example Value** | Schema	*No links*

```
{
  "detail": "string"
}
```

422	Validation Error Media type **application/json** **Example Value** | Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /collection/stats Get Collection Stats

Return analytics summary for the current user's collection.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema `"string"`	*No links*
401	Not authenticated Media type application/json **Example Value** | Schema `{ "detail": "string" }`	*No links*

GET /collection/recommend Recommend From Collection

Suggest games not in the user's collection based on their top mechanics.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema	*No links*

```
[
  {
    "title": "string",
    "year_published": 0,
    "min_players": 0,
    "max_players": 0,
    "play_time": 0,
    "complexity": 0,
    "avg_rating": 0,
    "mechanics": "string",
    "categories": "string",
    "id": 0,
    "bgg_id": 0
  }
]
```

400	Collection empty or no mechanics data found Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": "string"
}
```

401	Not authenticated Media type application/json **Example Value** | Schema	*No links*

```
{
  "detail": "string"
}
```

default

GET / Root

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** | Schema `"string"`	*No links*

Schemas

Body_login_auth_login_post Collapse all `object`

- `grant_type` Collapse all `(string | null)`
  - Any of Collapse all `(string | null)`
    - #0 `string` `matches ^password$`
    - #1 `null`
- `username*` `string`
- `password*` `string` `password`
- `scope` Collapse all `string`
  - Default=""
- `client_id` Collapse all `(string | null)`
  - Any of Collapse all `(string | null)`
    - #0 `string`
    - #1 `null`
- `client_secret` Collapse all `string | (string | null)` `password`
  - Any of Collapse all `(string | null)`
    - #0 `string`
    - #1 `null`

CollectionCreate Collapse all `object`

- `game_id*` `integer` `> 0`
- `status*` Collapse all `string`
  - Enum Collapse all `array`
    - #0="owned"

#1="wishlist"

#2="played"

personal_rating Collapse all (number | null)

Any of Collapse all (number | null)

#0 number [1, 10]

#1 null

play_count Collapse all integer ≥ 0

Default=0

notes Collapse all (string | null)

Any of Collapse all (string | null)

#0 string ≤ 500 characters

#1 null

CollectionResponse Collapse all object

game_id* integer > 0

status* Collapse all string

Enum Collapse all array

#0="owned"

#1="wishlist"

#2="played"

personal_rating Collapse all (number | null)

Any of Collapse all (number | null)

#0 number [1, 10]

#1 null

play_count Collapse all integer ≥ 0

Default=0

notes Collapse all (string | null)

Any of Collapse all (string | null)

#0 string ≤ 500 characters

#1 null

id* integer

CollectionStatus Collapse all string

Enum Collapse all array

#0="owned"

#1="wishlist"

#2="played"

CollectionUpdate Collapse all object

status Collapse all (string | null)

Any of Collapse all (string | null)

#0 CollectionStatus > Expand all string

#1 null

personal_rating Collapse all (number | null)

Any of Collapse all (number | null)

#0 number [1, 10]

#1 null

play_count Collapse all (integer | null)

Any of Collapse all (integer | null)

#0 integer ≥ 0

#1 null

notes Collapse all (string | null)

Any of Collapse all (string | null)

#0 string ≤ 500 characters

#1 null

ErrorResponse Collapse all object

detail* string

GameResponse Collapse all object

title* string

year_published* Collapse all (integer | null)

Any of Collapse all (integer | null)

#0 integer

#1 null

min_players* Collapse all (integer | null)

Any of Collapse all (integer | null)

#0 integer

#1 null

max_players* Collapse all (integer | null)

Any of Collapse all (integer | null)

#0 integer

#1 null

play_time* Collapse all (integer | null)

Any of Collapse all (integer | null)

#0 integer

#1 null

complexity* Collapse all (number | null)

Any of Collapse all (number | null)

#0 number

#1 null

avg_rating* Collapse all (number | null)

Any of Collapse all (number | null)

#0 number

#1 null

mechanics* Collapse all (string | null)

Any of Collapse all (string | null)

#0 string

#1 null

categories* Collapse all (string | null)

Any of Collapse all (string | null)

#0 string

#1 null

id* integer

bgg_id* integer

HTTPValidationError Collapse all object

detail Collapse all array<object>

Items Collapse all object

loc* Collapse all array<(string | integer)>

Items Collapse all (string | integer)

Any of Collapse all (string | integer)

#0 string

#1 integer

msg* string

type* string

input any

ctx object

Token Collapse all object

access_token* string

token_type* string

UserCreate Collapse all object

username* string [3, 30] characters

email* string email

password* string [8, 72] characters

UserResponse Collapse all object

id* integer

username* string

email* string email

is_active* boolean

ValidationError Collapse all object

```
loc* ^ Collapse all array<(string | integer)>
  Items ^ Collapse all (string | integer)
    Any of ^ Collapse all (string | integer)
      #0 string
      #1 integer
msg* string
type* string
input any
ctx object
```