

Polyspace Bug Finder

Coding Standards Report for Project: Mode_Logic_Ex

Report Author: rarora

Polyspace Bug Finder: Coding Standards Report for Project: Mode_Logic_Ex

by Report Author: rarora

Published 19-Jan-2021 18:33:54

Analysis Author(s): rarora

Polyspace Version(s): Polyspace Bug Finder 3.2 (R2020a Update 5)

Project Version(s): 1.0

Result Folder(s):


C:\jenkins\workspace\Misra_Analysis\testmngt\testresults\misraAnalysis

Table of Contents


- Chapter 1. MISRA C:2012 Guidelines..... 1
 - MISRA C:2012 Guidelines Summary - Violations by File..... 1
 - MISRA C:2012 Guidelines Summary - Violations by Rule..... 1
 - MISRA C:2012 Guidelines Summary for all Files..... 2
 - MISRA C:2012 Guidelines Summary for Enabled Guidelines..... 2
 - MISRA C:2012 Guidelines Violations..... 8
- Chapter 2. Appendix 1 - Configuration Settings..... 12
 - Polyspace Settings..... 12
 - Coding Standard Configuration..... 13
- Chapter 3. Appendix 2 - Definitions..... 21
 - 21

Chapter 1. MISRA C:2012 Guidelines

MISRA C:2012 Guidelines Summary - Violations by File



MISRA C:2012 Guidelines Summary - Violations by Rule



MISRA C:2012 Guidelines Summary for all Files

File	Total
C:\Jenkins\workspace\Misra_Analysis\code\Mode_Logic_Ex_ac\Mode_Logic_Ex.c	11
C:\Jenkins\workspace\Misra_Analysis\code\Mode_Logic_Ex_ac\Mode_Logic_Ex.h	2
C:\Jenkins\workspace\Misra_Analysis\code\Mode_Logic_Ex_ac\Mode_Logic_Ex_private.h	0
C:\Jenkins\workspace\Misra_Analysis\code\Mode_Logic_Ex_ac\Mode_Logic_Ex_types.h	0
C:\Jenkins\workspace\Misra_Analysis\code\Mode_Logic_Ex_ac\rtwtypes.h	25
Total	38

MISRA C:2012 Guidelines Summary for Enabled Guidelines

Guideline	Description	Mode	Total
D1.1	Any implementation-defined behaviour on which the output of the program depends shall be documented and understood.	required	0
D2.1	All source files shall compile without any compilation errors.	required	0
D4.1	Run-time failures shall be minimized.	required	0
D4.3	Assembly language shall be encapsulated and isolated.	required	0
D4.5	Identifiers in the same name space with overlapping visibility should be typographically unambiguous.	advisory	1
D4.6	typedefs that indicate size and signedness should be used in place of the basic numerical types.	advisory	0
D4.7	If a function returns error information, then that error information shall be tested.	required	0
D4.8	If a pointer to a structure or union is never dereferenced within a translation unit, then the implementation of the object should be hidden.	advisory	0
D4.9	A function should be used in preference to a function-like macro where they are interchangeable.	advisory	2
D4.10	Precautions shall be taken in order to prevent the contents of a header file being included more than once.	required	0
D4.11	The validity of values passed to library functions shall be checked.	required	0
D4.12	Dynamic memory allocation shall not be used.	required	0
D4.13	Functions which are designed to provide operations on a resource should be called in an appropriate sequence.	advisory	0
D4.14	The validity of values received from external sources shall be checked.	required	0
1.1	The program shall contain no violations of the standard C syntax and constraints, and shall not exceed the implementation's translation limits.	required	0
Total			38

Guideline	Description	Mode	Total
1.2	Language extensions should not be used.	advisory	0
1.3	There shall be no occurrence of undefined or critical unspecified behaviour.	required	0
2.1	A project shall not contain unreachable code.	required	0
2.2	There shall be no dead code.	required	0
2.3	A project should not contain unused type declarations.	advisory	14
2.4	A project should not contain unused tag declarations.	advisory	0
2.5	A project should not contain unused macro declarations.	advisory	9
2.6	A function should not contain unused label declarations.	advisory	0
2.7	There should be no unused parameters in functions.	advisory	0
3.1	The character sequences /* and // shall not be used within a comment.	required	0
3.2	Line-splicing shall not be used in // comments.	required	0
4.1	Octal and hexadecimal escape sequences shall be terminated.	required	0
4.2	Trigraphs should not be used.	advisory	0
5.1	External identifiers shall be distinct.	required	0
5.2	Identifiers declared in the same scope and name space shall be distinct.	required	0
5.3	An identifier declared in an inner scope shall not hide an identifier declared in an outer scope.	required	0
5.4	Macro identifiers shall be distinct.	required	0
5.5	Identifiers shall be distinct from macro names.	required	0
5.6	A typedef name shall be a unique identifier.	required	0
5.7	A tag name shall be a unique identifier.	required	0
5.8	Identifiers that define objects or functions with external linkage shall be unique.	required	0
5.9	Identifiers that define objects or functions with internal linkage should be unique.	advisory	0
6.1	Bit-fields shall only be declared with an appropriate type.	required	0
6.2	Single-bit named bit fields shall not be of a signed type.	required	0
7.1	Octal constants shall not be used.	required	0
7.2	A "u" or "U" suffix shall be applied to all integer constants that are represented in an unsigned type.	required	0
7.3	The lowercase character "l" shall not be used in a literal suffix.	required	0
7.4	A string literal shall not be assigned to an object unless the object's type is "pointer to const-qualified char".	required	0
8.1	Types shall be explicitly specified.	required	0
8.2	Function types shall be in prototype form with named parameters.	required	0
Total			38

Guideline	Description	Mode	Total
8.3	All declarations of an object or function shall use the same names and type qualifiers.	required	0
8.4	A compatible declaration shall be visible when an object or function with external linkage is defined.	required	0
8.5	An external object or function shall be declared once in one and only one file.	required	0
8.6	An identifier with external linkage shall have exactly one external definition.	required	0
8.7	Functions and objects should not be defined with external linkage if they are referenced in only one translation unit.	advisory	4
8.8	The static storage class specifier shall be used in all declarations of objects and functions that have internal linkage.	required	0
8.9	An object should be defined at block scope if its identifier only appears in a single function.	advisory	0
8.10	An inline function shall be declared with the static storage class.	required	0
8.11	When an array with external linkage is declared, its size should be explicitly specified.	advisory	0
8.12	Within an enumerator list, the value of an implicitly-specified enumeration constant shall be unique.	required	0
8.13	A pointer should point to a const-qualified type whenever possible.	advisory	0
8.14	The restrict type qualifier shall not be used.	required	0
9.1	The value of an object with automatic storage duration shall not be read before it has been set.	mandatory	0
9.2	The initializer for an aggregate or union shall be enclosed in braces.	required	0
9.3	Arrays shall not be partially initialized.	required	0
9.4	An element of an object shall not be initialized more than once.	required	0
9.5	Where designated initializers are used to initialize an array object the size of the array shall be specified explicitly.	required	0
10.1	Operands shall not be of an inappropriate essential type.	required	0
10.2	Expressions of essentially character type shall not be used inappropriately in addition and subtraction operations.	required	0
10.3	The value of an expression shall not be assigned to an object with a narrower essential type or of a different essential type category.	required	0
10.4	Both operands of an operator in which the usual arithmetic conversions are performed shall have the same essential type category.	required	0
10.5	The value of an expression should not be cast to an inappropriate essential type.	advisory	0
10.6	The value of a composite expression shall not be assigned to an object with wider essential type.	required	0
10.7	If a composite expression is used as one operand of an operator in which the usual arithmetic conversions are performed then the other operand shall not have wider essential type.	required	0
10.8	The value of a composite expression shall not be cast to a different essential type category or a wider essential type.	required	0
11.1	Conversions shall not be performed between a pointer to a function and any other type.	required	0
11.2	Conversions shall not be performed between a pointer to an incomplete type and any other type.	required	0
11.3	A cast shall not be performed between a pointer to object type and a pointer to a different object type.	required	0
Total			38

Guideline	Description	Mode	Total
11.4	A conversion should not be performed between a pointer to object and an integer type.	advisory	0
11.5	A conversion should not be performed from pointer to void into pointer to object.	advisory	0
11.6	A cast shall not be performed between pointer to void and an arithmetic type.	required	0
11.7	A cast shall not be performed between pointer to object and a non-integer arithmetic type.	required	0
11.8	A cast shall not remove any const or volatile qualification from the type pointed to by a pointer.	required	0
11.9	The macro NULL shall be the only permitted form of integer null pointer constant.	required	0
12.1	The precedence of operators within expressions should be made explicit.	advisory	4
12.2	The right hand operand of a shift operator shall lie in the range zero to one less than the width in bits of the essential type of the left hand operand.	required	0
12.3	The comma operator should not be used	advisory	0
12.4	Evaluation of constant expressions should not lead to unsigned integer wrap-around.	advisory	0
12.5	The sizeof operator shall not have an operand which is a function parameter declared as "array of type".	mandatory	0
13.1	Initializer lists shall not contain persistent side effects.	required	0
13.2	The value of an expression and its persistent side effects shall be the same under all permitted evaluation orders.	required	0
13.3	A full expression containing an increment (++) or decrement (--) operator should have no other potential side effects other than that caused by the increment or decrement operator.	advisory	0
13.4	The result of an assignment operator should not be used.	advisory	0
13.5	The right hand operand of a logical && or operator shall not contain persistent side effects.	required	2
13.6	The operand of the sizeof operator shall not contain any expression which has potential side effects.	mandatory	0
14.1	A loop counter shall not have essentially floating type.	required	0
14.2	A for loop shall be well-formed.	required	0
14.3	Controlling expressions shall not be invariant.	required	0
14.4	The controlling expression of an if statement and the controlling expression of an iteration-statement shall have essentially Boolean type.	required	0
15.1	The goto statement should not be used.	advisory	0
15.2	The goto statement shall jump to a label declared later in the same function.	required	0
15.3	Any label referenced by a goto statement shall be declared in the same block, or in any block enclosing the goto statement.	required	0
15.4	There should be no more than one break or goto statement used to terminate any iteration statement.	advisory	0
15.5	A function should have a single point of exit at the end.	advisory	0
15.6	The body of an iteration-statement or a selection-statement shall be a compound-statement.	required	0
15.7	All if ... else if constructs shall be terminated with an else statement.	required	0
Total			38

Guideline	Description	Mode	Total
16.1	All switch statements shall be well-formed.	required	0
16.2	A switch label shall only be used when the most closely-enclosing compound statement is the body of a switch statement.	required	0
16.3	An unconditional break statement shall terminate every switch-clause.	required	0
16.4	Every switch statement shall have a default label.	required	0
16.5	A default label shall appear as either the first or the last switch label of a switch statement.	required	0
16.6	Every switch statement shall have at least two switch-clauses.	required	0
16.7	A switch-expression shall not have essentially Boolean type.	required	0
17.1	The features of <stdarg.h> shall not be used.	required	0
17.2	Functions shall not call themselves, either directly or indirectly.	required	0
17.3	A function shall not be declared implicitly.	mandatory	0
17.4	All exit paths from a function with non-void return type shall have an explicit return statement with an expression.	mandatory	0
17.5	The function argument corresponding to a parameter declared to have an array type shall have an appropriate number of elements.	advisory	0
17.6	The declaration of an array parameter shall not contain the static keyword between the [].	mandatory	0
17.7	The value returned by a function having non-void return type shall be used.	required	0
17.8	A function parameter should not be modified.	advisory	0
18.1	A pointer resulting from arithmetic on a pointer operand shall address an element of the same array as that pointer operand.	required	0
18.2	Subtraction between pointers shall only be applied to pointers that address elements of the same array.	required	0
18.3	The relational operators >, >=, < and <= shall not be applied to objects of pointer type except where they point into the same object.	required	0
18.4	The +, -, += and -= operators should not be applied to an expression of pointer type.	advisory	0
18.5	Declarations should contain no more than two levels of pointer nesting.	advisory	0
18.6	The address of an object with automatic storage shall not be copied to another object that persists after the first object has ceased to exist.	required	0
18.7	Flexible array members shall not be declared.	required	0
18.8	Variable-length array types shall not be used.	required	0
19.1	An object shall not be assigned or copied to an overlapping object.	mandatory	0
19.2	The union keyword should not be used.	advisory	0
20.1	#include directives should only be preceded by preprocessor directives or comments.	advisory	0
20.2	The ', " or \ characters and the /* or // character sequences shall not occur in a header file name.	required	0
20.3	The #include directive shall be followed by either a <filename> or "filename" sequence.	required	0
Total			38

Guideline	Description	Mode	Total
20.4	A macro shall not be defined with the same name as a keyword.	required	0
20.5	#undef should not be used.	advisory	0
20.6	Tokens that look like a preprocessing directive shall not occur within a macro argument.	required	0
20.7	Expressions resulting from the expansion of macro parameters shall be enclosed in parentheses.	required	0
20.8	The controlling expression of a #if or #elif preprocessing directive shall evaluate to 0 or 1.	required	0
20.9	All identifiers used in the controlling expression of #if or #elif preprocessing directives shall be #define'd before evaluation.	required	0
20.10	The # and ## preprocessor operators should not be used.	advisory	0
20.11	A macro parameter immediately following a # operator shall not immediately be followed by a ## operator.	required	0
20.12	A macro parameter used as an operand to the # or ## operators, which is itself subject to further macro replacement, shall only be used as an operand to these operators.	required	0
20.13	A line whose first token is # shall be a valid preprocessing directive.	required	0
20.14	All #else, #elif and #endif preprocessor directives shall reside in the same file as the #if, #ifdef or #ifndef directive to which they are related.	required	0
21.1	#define and #undef shall not be used on a reserved identifier or reserved macro name.	required	2
21.2	A reserved identifier or macro name shall not be declared.	required	0
21.3	The memory allocation and deallocation functions of <stdlib.h> shall not be used.	required	0
21.4	The standard header file <setjmp.h> shall not be used.	required	0
21.5	The standard header file <signal.h> shall not be used.	required	0
21.6	The Standard Library input/output functions shall not be used.	required	0
21.7	The atof, atoi, atol, and atoll functions of <stdlib.h> shall not be used.	required	0
21.8	The library functions abort, exit and system of <stdlib.h> shall not be used.	required	0
21.9	The library functions bsearch and qsort of <stdlib.h> shall not be used.	required	0
21.10	The Standard Library time and date functions shall not be used.	required	0
21.11	The standard header file <tgmath.h> shall not be used.	required	0
21.12	The exception handling features of <fenv.h> should not be used.	advisory	0
21.13	Any value passed to a function in <ctype.h> shall be representable as an unsigned char or be the value EOF.	mandatory	0
21.14	The Standard Library function memcmp shall not be used to compare null terminated strings.	required	0
21.15	The pointer arguments to the Standard Library functions memcpy, memmove and memcmp shall be pointers to qualified or unqualified versions of compatible types.	required	0
21.16	The pointer arguments to the Standard Library function memcmp shall point to either a pointer type, an essentially signed type, an essentially unsigned type, an essentially Boolean type or an essentially enum type.	required	0
Total			38

Guideline	Description	Mode	Total
21.17	Use of the string handling functions from <string.h> shall not result in accesses beyond the bounds of the objects referenced by their pointer parameters.	mandatory	0
21.18	The size_t argument passed to any function in <string.h> shall have an appropriate value.	mandatory	0
21.19	The pointers returned by the Standard Library functions localeconv, getenv, setlocale or, strerror shall only be used as if they have pointer to const-qualified type.	mandatory	0
21.20	The pointer returned by the Standard Library functions asctime, ctime, gmtime, localtime, localeconv, getenv, setlocale or strerror shall not be used following a subsequent call to the same function.	mandatory	0
22.1	All resources obtained dynamically by means of Standard Library functions shall be explicitly released.	required	0
22.2	A block of memory shall only be freed if it was allocated by means of a Standard Library function.	mandatory	0
22.3	The same file shall not be open for read and write access at the same time on different streams.	required	0
22.4	There shall be no attempt to write to a stream which has been opened as read-only.	mandatory	0
22.5	A pointer to a FILE object shall not be dereferenced.	mandatory	0
22.6	The value of a pointer to a FILE shall not be used after the associated stream has been closed.	mandatory	0
22.7	The macro EOF shall only be compared with the unmodified return value from any Standard Library function capable of returning EOF.	required	0
22.8	The value of errno shall be set to zero prior to a call to an errno-setting-function.	required	0
22.9	The value of errno shall be tested against zero after calling an errno-setting-function.	required	0
22.10	The value of errno shall only be tested when the last function to be called was an errno-setting-function.	required	0
Total			38

MISRA C:2012 Guidelines Violations

Table 1.1. C:\jenkins\workspace\Misra_Analysis\code\Mode_Logic_Ex_ac\Mode_Logic_Ex.c

ID	Guideline	Message	Function	Severity	Status	Comment
12	8.7	Functions and objects should not be defined with external linkage if they are referenced in only one translation unit. Variable 'Mode_Logic_Ex_B' should have internal linkage	File Scope	Unset	Unreviewed	
13	8.7	Functions and objects should not be defined with external linkage if they are referenced in only one translation unit. Variable 'Mode_Logic_Ex_DW' should have internal linkage	File Scope	Unset	Unreviewed	
14	8.7	Functions and objects should not be defined with external linkage if they are referenced in only one translation unit.	File Scope	Unset	Unreviewed	

ID	Guideline	Message	Function	Severity	Status	Comment
		Variable 'Mode_Logic_Ex_Y' should have internal linkage				
5	D4.5	Identifiers in the same name space with overlapping visibility should be typographically unambiguous. Identifiers "Mode_Logic_Ex_M_" (Mode_Logic_Ex.c line 45) and "Mode_Logic_Ex_M" (Mode_Logic_Ex.c line 46) differ by the presence/absence of the underscore character.	File Scope	Unset	Unreviewed	
15	8.7	Functions and objects should not be defined with external linkage if they are referenced in only one translation unit. Variable 'Mode_Logic_Ex_M' should have internal linkage	File Scope	Unset	Unreviewed	
6	12.1	The precedence of operators within expressions should be made explicit.	Mode_Logic_Ex_step()	Unset	Unreviewed	
7	13.5	The right hand operand of a logical && or operator shall not contain persistent side effects.	Mode_Logic_Ex_step()	Unset	Unreviewed	
10	12.1	The precedence of operators within expressions should be made explicit.	Mode_Logic_Ex_step()	Unset	Unreviewed	
8	12.1	The precedence of operators within expressions should be made explicit.	Mode_Logic_Ex_step()	Unset	Unreviewed	
9	13.5	The right hand operand of a logical && or operator shall not contain persistent side effects.	Mode_Logic_Ex_step()	Unset	Unreviewed	
11	12.1	The precedence of operators within expressions should be made explicit.	Mode_Logic_Ex_step()	Unset	Unreviewed	

Table 1.2. C:\Jenkins\workspace\Misra_Analysis\code\Mode_Logic_Ex_ac\Mode_Logic_Ex.h

ID	Guideline	Message	Function	Severity	Status	Comment
3	D4.9	A function should be used in preference to a function-like macro where they are interchangeable.	File Scope	Unset	Unreviewed	
4	D4.9	A function should be used in preference to a function-like macro where they are interchangeable.	File Scope	Unset	Unreviewed	

Table 1.3. C:\Jenkins\workspace\Misra_Analysis\code\Mode_Logic_Ex_ac\rtwtypes.h

ID	Guideline	Message	Function	Severity	Status	Comment
1	21.1	#define and #undef shall not be used on a reserved identifier or reserved macro name. The macro 'false' shall not be redefined.	File Scope	Unset	Unreviewed	

ID	Guideline	Message	Function	Severity	Status	Comment
2	21.1	#define and #undef shall not be used on a reserved identifier or reserved macro name. The macro 'true' shall not be redefined.	File Scope	Unset	Unreviewed	
21	2.3	A project should not contain unused type declarations. Type int8_T is not used.	File Scope	Unset	Unreviewed	
28	2.3	A project should not contain unused type declarations. Type int16_T is not used.	File Scope	Unset	Unreviewed	
22	2.3	A project should not contain unused type declarations. Type uint16_T is not used.	File Scope	Unset	Unreviewed	
24	2.3	A project should not contain unused type declarations. Type uint32_T is not used.	File Scope	Unset	Unreviewed	
30	2.3	A project should not contain unused type declarations. Type real32_T is not used.	File Scope	Unset	Unreviewed	
23	2.3	A project should not contain unused type declarations. Type real64_T is not used.	File Scope	Unset	Unreviewed	
20	2.3	A project should not contain unused type declarations. Type time_T is not used.	File Scope	Unset	Unreviewed	
19	2.3	A project should not contain unused type declarations. Type boolean_T is not used.	File Scope	Unset	Unreviewed	
18	2.3	A project should not contain unused type declarations. Type int_T is not used.	File Scope	Unset	Unreviewed	
16	2.3	A project should not contain unused type declarations. Type uint_T is not used.	File Scope	Unset	Unreviewed	
25	2.3	A project should not contain unused type declarations. Type ulong_T is not used.	File Scope	Unset	Unreviewed	
17	2.3	A project should not contain unused type declarations. Type uchar_T is not used.	File Scope	Unset	Unreviewed	
32	2.3	A project should not contain unused type declarations. Type byte_T is not used.	File Scope	Unset	Unreviewed	
34	2.5	A project should not contain unused macro declarations. Macro MAX_int8_T is not used.	File Scope	Unset	Unreviewed	
31	2.5	A project should not contain unused macro declarations. Macro MIN_int8_T is not used.	File Scope	Unset	Unreviewed	
37	2.5	A project should not contain unused macro declarations. Macro MAX_uint8_T is not used.	File Scope	Unset	Unreviewed	
26	2.5	A project should not contain unused macro declarations.	File Scope	Unset	Unreviewed	

ID	Guideline	Message	Function	Severity	Status	Comment
		Macro MAX_int16_T is not used.				
29	2.5	A project should not contain unused macro declarations. Macro MIN_int16_T is not used.	File Scope	Unset	Unreviewed	
33	2.5	A project should not contain unused macro declarations. Macro MAX_uint16_T is not used.	File Scope	Unset	Unreviewed	
35	2.5	A project should not contain unused macro declarations. Macro MAX_int32_T is not used.	File Scope	Unset	Unreviewed	
38	2.5	A project should not contain unused macro declarations. Macro MIN_int32_T is not used.	File Scope	Unset	Unreviewed	
36	2.5	A project should not contain unused macro declarations. Macro MAX_uint32_T is not used.	File Scope	Unset	Unreviewed	
27	2.3	A project should not contain unused type declarations. Type pointer_T is not used.	File Scope	Unset	Unreviewed	

Chapter 2. Appendix 1 - Configuration Settings

Polyspace Settings

Option	Value
-align	64
-author	rarora
-boolean-types	boolean_T
-bug-finder	true
-compiler	generic
-D	main=main_rtvec,__restrict__,MODEL=Mode_Logic_Ex,NUMST=1,NCSTATES=0,HAVESTDIO,MODEL_HAS_DYNAMICALLY_LOADED_SFCNS=0,CLASSI C_INTERFACE=0,ALLOCATIONFCN=0,TID01EQ=0,TERMFCN=1,ONESTEPFCN=1,MAT_FILE=0,MULTI_INSTANCE_CODE=0,INTEGER_CODE=0,MT=0
-date	19/01/2021
-dos	true
-functions-called-after-loop	Mode_Logic_Ex_terminate
-functions-called-before-loop	Mode_Logic_Ex_initialize
-functions-called-in-loop	custom=Mode_Logic_Ex_step
-functions-to-stub	rtIsNaN,rtIsInf,rtIsNaNF,rtIsInfF
-lang	C-CPP
-long-is-32bits	true
-main-generator	true
-mbd	true
-misra3	all
-misra3-agc-mode	true
-prog	Mode_Logic_Ex
-report-output-format	PDF
-report-output-name	Misra_Analysis_Report_19_01_2021_18_33_18
-report-template	Polyspace-Doc\CodingStandards.rpt
-results-dir	C:\Jenkins\workspace\Misra_Analysis\testmngt\testresults\misraAnalysis

Option	Value
-stub-embedded-coder-lookup-table-functions	true
-target	x86_64
-variables-written-before-loop	none
-variables-written-in-loop	custom=Mode_Logic_Ex_U
-verif-version	1.0
-checkers	ASSERT, BAD_FREE, BAD_LOCK, BAD_UNLOCK, DATA_RACE, DATA_RACE_STD_LIB, DEADLOCK, DEAD_CODE, DECL_MISMATCH, DOUBLE_DEALLOCATION, DOUBLE_LOCK, DOUBLE_UNLOCK, FLOAT_ABSORPTION, FLOAT_CONV_OVFL, FLOAT_STD_LIB, FLOAT_ZERO_DIV, FREED_PTR, FUNC_CAST, INT_CONV_OVFL, INT_STD_LIB, INT_ZERO_DIV, MEM_STD_LIB, MISSING_RETURN, NON_INIT_PTR, NON_INIT_VAR, NULL_PTR, OTHER_STD_LIB, OUT_BOUND_ARRAY, OUT_BOUND_PTR, PTR_CAST, SIGN_CHANGE, STRING_FORMAT, STR_STD_LIB, TYPEDEF_MISMATCH, UINT_CONV_OVFL, UNREACHABLE, USELESS_IF

Coding Standard Configuration

Table 2.1. MISRA C:2012 Guidelines Configuration

Guideline	Description	Mode	Comment	Enabled
D1.1	Any implementation-defined behaviour on which the output of the program depends shall be documented and understood.	required	-	yes
D2.1	All source files shall compile without any compilation errors.	required	-	yes
D3.1	All code shall be traceable to documented requirements.	required	Not enforceable	no
D4.1	Run-time failures shall be minimized.	required	-	yes
D4.2	All usage of assembly language should be documented.	advisory	Not enforceable	no
D4.3	Assembly language shall be encapsulated and isolated.	required	-	yes
D4.4	Sections of code should not be "commented out".	advisory	Not implemented	no
D4.5	Identifiers in the same name space with overlapping visibility should be typographically unambiguous.	advisory	-	yes
D4.6	typedefs that indicate size and signedness should be used in place of the basic numerical types.	advisory	-	yes
D4.7	If a function returns error information, then that error information shall be tested.	required	-	yes
D4.8	If a pointer to a structure or union is never dereferenced within a translation unit, then the implementation of the object should be hidden.	advisory	-	yes
D4.9	A function should be used in preference to a function-like macro where they are interchangeable.	advisory	-	yes
D4.10	Precautions shall be taken in order to prevent the contents of a header file being included more than once.	required	-	yes

Guideline	Description	Mode	Comment	Enabled
D4.11	The validity of values passed to library functions shall be checked.	required	-	yes
D4.12	Dynamic memory allocation shall not be used.	required	-	yes
D4.13	Functions which are designed to provide operations on a resource should be called in an appropriate sequence.	advisory	-	yes
D4.14	The validity of values received from external sources shall be checked.	required	-	yes
1.1	The program shall contain no violations of the standard C syntax and constraints, and shall not exceed the implementation's translation limits.	required	-	yes
1.2	Language extensions should not be used.	advisory	-	yes
1.3	There shall be no occurrence of undefined or critical unspecified behaviour.	required	-	yes
2.1	A project shall not contain unreachable code.	required	-	yes
2.2	There shall be no dead code.	required	-	yes
2.3	A project should not contain unused type declarations.	advisory	-	yes
2.4	A project should not contain unused tag declarations.	advisory	-	yes
2.5	A project should not contain unused macro declarations.	advisory	-	yes
2.6	A function should not contain unused label declarations.	advisory	-	yes
2.7	There should be no unused parameters in functions.	advisory	-	yes
3.1	The character sequences /* and // shall not be used within a comment.	required	-	yes
3.2	Line-splicing shall not be used in // comments.	required	-	yes
4.1	Octal and hexadecimal escape sequences shall be terminated.	required	-	yes
4.2	Trigraphs should not be used.	advisory	-	yes
5.1	External identifiers shall be distinct.	required	-	yes
5.2	Identifiers declared in the same scope and name space shall be distinct.	required	-	yes
5.3	An identifier declared in an inner scope shall not hide an identifier declared in an outer scope.	required	-	yes
5.4	Macro identifiers shall be distinct.	required	-	yes
5.5	Identifiers shall be distinct from macro names.	required	-	yes
5.6	A typedef name shall be a unique identifier.	required	-	yes
5.7	A tag name shall be a unique identifier.	required	-	yes
5.8	Identifiers that define objects or functions with external linkage shall be unique.	required	-	yes
5.9	Identifiers that define objects or functions with internal linkage should be unique.	advisory	-	yes
6.1	Bit-fields shall only be declared with an appropriate type.	required	-	yes
6.2	Single-bit named bit fields shall not be of a signed type.	required	-	yes

Guideline	Description	Mode	Comment	Enabled
7.1	Octal constants shall not be used.	required	-	yes
7.2	A "u" or "U" suffix shall be applied to all integer constants that are represented in an unsigned type.	required	-	yes
7.3	The lowercase character "l" shall not be used in a literal suffix.	required	-	yes
7.4	A string literal shall not be assigned to an object unless the object's type is "pointer to const-qualified char".	required	-	yes
8.1	Types shall be explicitly specified.	required	-	yes
8.2	Function types shall be in prototype form with named parameters.	required	-	yes
8.3	All declarations of an object or function shall use the same names and type qualifiers.	required	-	yes
8.4	A compatible declaration shall be visible when an object or function with external linkage is defined.	required	-	yes
8.5	An external object or function shall be declared once in one and only one file.	required	-	yes
8.6	An identifier with external linkage shall have exactly one external definition.	required	-	yes
8.7	Functions and objects should not be defined with external linkage if they are referenced in only one translation unit.	advisory	-	yes
8.8	The static storage class specifier shall be used in all declarations of objects and functions that have internal linkage.	required	-	yes
8.9	An object should be defined at block scope if its identifier only appears in a single function.	advisory	-	yes
8.10	An inline function shall be declared with the static storage class.	required	-	yes
8.11	When an array with external linkage is declared, its size should be explicitly specified.	advisory	-	yes
8.12	Within an enumerator list, the value of an implicitly-specified enumeration constant shall be unique.	required	-	yes
8.13	A pointer should point to a const-qualified type whenever possible.	advisory	-	yes
8.14	The restrict type qualifier shall not be used.	required	-	yes
9.1	The value of an object with automatic storage duration shall not be read before it has been set.	mandatory	-	yes
9.2	The initializer for an aggregate or union shall be enclosed in braces.	required	-	yes
9.3	Arrays shall not be partially initialized.	required	-	yes
9.4	An element of an object shall not be initialized more than once.	required	-	yes
9.5	Where designated initializers are used to initialize an array object the size of the array shall be specified explicitly.	required	-	yes
10.1	Operands shall not be of an inappropriate essential type.	required	-	yes
10.2	Expressions of essentially character type shall not be used inappropriately in addition and subtraction operations.	required	-	yes
10.3	The value of an expression shall not be assigned to an object with a narrower essential type or of a different essential type category.	required	-	yes

Guideline	Description	Mode	Comment	Enabled
10.4	Both operands of an operator in which the usual arithmetic conversions are performed shall have the same essential type category.	required	-	yes
10.5	The value of an expression should not be cast to an inappropriate essential type.	advisory	-	yes
10.6	The value of a composite expression shall not be assigned to an object with wider essential type.	required	-	yes
10.7	If a composite expression is used as one operand of an operator in which the usual arithmetic conversions are performed then the other operand shall not have wider essential type.	required	-	yes
10.8	The value of a composite expression shall not be cast to a different essential type category or a wider essential type.	required	-	yes
11.1	Conversions shall not be performed between a pointer to a function and any other type.	required	-	yes
11.2	Conversions shall not be performed between a pointer to an incomplete type and any other type.	required	-	yes
11.3	A cast shall not be performed between a pointer to object type and a pointer to a different object type.	required	-	yes
11.4	A conversion should not be performed between a pointer to object and an integer type.	advisory	-	yes
11.5	A conversion should not be performed from pointer to void into pointer to object.	advisory	-	yes
11.6	A cast shall not be performed between pointer to void and an arithmetic type.	required	-	yes
11.7	A cast shall not be performed between pointer to object and a non-integer arithmetic type.	required	-	yes
11.8	A cast shall not remove any const or volatile qualification from the type pointed to by a pointer.	required	-	yes
11.9	The macro NULL shall be the only permitted form of integer null pointer constant.	required	-	yes
12.1	The precedence of operators within expressions should be made explicit.	advisory	-	yes
12.2	The right hand operand of a shift operator shall lie in the range zero to one less than the width in bits of the essential type of the left hand operand.	required	-	yes
12.3	The comma operator should not be used	advisory	-	yes
12.4	Evaluation of constant expressions should not lead to unsigned integer wrap-around.	advisory	-	yes
12.5	The sizeof operator shall not have an operand which is a function parameter declared as "array of type".	mandatory	-	yes
13.1	Initializer lists shall not contain persistent side effects.	required	-	yes
13.2	The value of an expression and its persistent side effects shall be the same under all permitted evaluation orders.	required	-	yes
13.3	A full expression containing an increment (++) or decrement (--) operator should have no other potential side effects other than that caused by the increment or decrement operator.	advisory	-	yes
13.4	The result of an assignment operator should not be used.	advisory	-	yes
13.5	The right hand operand of a logical && or operator shall not contain persistent side effects.	required	-	yes
13.6	The operand of the sizeof operator shall not contain any expression which has potential side effects.	mandatory	-	yes
14.1	A loop counter shall not have essentially floating type.	required	-	yes

Guideline	Description	Mode	Comment	Enabled
14.2	A for loop shall be well-formed.	required	-	yes
14.3	Controlling expressions shall not be invariant.	required	-	yes
14.4	The controlling expression of an if statement and the controlling expression of an iteration-statement shall have essentially Boolean type.	required	-	yes
15.1	The goto statement should not be used.	advisory	-	yes
15.2	The goto statement shall jump to a label declared later in the same function.	required	-	yes
15.3	Any label referenced by a goto statement shall be declared in the same block, or in any block enclosing the goto statement.	required	-	yes
15.4	There should be no more than one break or goto statement used to terminate any iteration statement.	advisory	-	yes
15.5	A function should have a single point of exit at the end.	advisory	-	yes
15.6	The body of an iteration-statement or a selection-statement shall be a compound-statement.	required	-	yes
15.7	All if ... else if constructs shall be terminated with an else statement.	required	-	yes
16.1	All switch statements shall be well-formed.	required	-	yes
16.2	A switch label shall only be used when the most closely-enclosing compound statement is the body of a switch statement.	required	-	yes
16.3	An unconditional break statement shall terminate every switch-clause.	required	-	yes
16.4	Every switch statement shall have a default label.	required	-	yes
16.5	A default label shall appear as either the first or the last switch label of a switch statement.	required	-	yes
16.6	Every switch statement shall have at least two switch-clauses.	required	-	yes
16.7	A switch-expression shall not have essentially Boolean type.	required	-	yes
17.1	The features of <stdarg.h> shall not be used.	required	-	yes
17.2	Functions shall not call themselves, either directly or indirectly.	required	-	yes
17.3	A function shall not be declared implicitly.	mandatory	-	yes
17.4	All exit paths from a function with non-void return type shall have an explicit return statement with an expression.	mandatory	-	yes
17.5	The function argument corresponding to a parameter declared to have an array type shall have an appropriate number of elements.	advisory	-	yes
17.6	The declaration of an array parameter shall not contain the static keyword between the [].	mandatory	-	yes
17.7	The value returned by a function having non-void return type shall be used.	required	-	yes
17.8	A function parameter should not be modified.	advisory	-	yes
18.1	A pointer resulting from arithmetic on a pointer operand shall address an element of the same array as the pointer operand.	required	-	yes

Guideline	Description	Mode	Comment	Enabled
18.2	Subtraction between pointers shall only be applied to pointers that address elements of the same array.	required	-	yes
18.3	The relational operators >, >=, < and <= shall not be applied to objects of pointer type except where they point into the same object.	required	-	yes
18.4	The +, -, += and -= operators should not be applied to an expression of pointer type.	advisory	-	yes
18.5	Declarations should contain no more than two levels of pointer nesting.	advisory	-	yes
18.6	The address of an object with automatic storage shall not be copied to another object that persists after the first object has ceased to exist.	required	-	yes
18.7	Flexible array members shall not be declared.	required	-	yes
18.8	Variable-length array types shall not be used.	required	-	yes
19.1	An object shall not be assigned or copied to an overlapping object.	mandatory	-	yes
19.2	The union keyword should not be used.	advisory	-	yes
20.1	#include directives should only be preceded by preprocessor directives or comments.	advisory	-	yes
20.2	The ', " or \ characters and the /* or // character sequences shall not occur in a header file name.	required	-	yes
20.3	The #include directive shall be followed by either a <filename> or "filename" sequence.	required	-	yes
20.4	A macro shall not be defined with the same name as a keyword.	required	-	yes
20.5	#undef should not be used.	advisory	-	yes
20.6	Tokens that look like a preprocessing directive shall not occur within a macro argument.	required	-	yes
20.7	Expressions resulting from the expansion of macro parameters shall be enclosed in parentheses.	required	-	yes
20.8	The controlling expression of a #if or #elif preprocessing directive shall evaluate to 0 or 1.	required	-	yes
20.9	All identifiers used in the controlling expression of #if or #elif preprocessing directives shall be #define'd before evaluation.	required	-	yes
20.10	The # and ## preprocessor operators should not be used.	advisory	-	yes
20.11	A macro parameter immediately following a # operator shall not immediately be followed by a ## operator.	required	-	yes
20.12	A macro parameter used as an operand to the # or ## operators, which is itself subject to further macro replacement, shall only be used as an operand to these operators.	required	-	yes
20.13	A line whose first token is # shall be a valid preprocessing directive.	required	-	yes
20.14	All #else, #elif and #endif preprocessor directives shall reside in the same file as the #if, #ifdef or #ifndef directive to which they are related.	required	-	yes
21.1	#define and #undef shall not be used on a reserved identifier or reserved macro name.	required	-	yes
21.2	A reserved identifier or macro name shall not be declared.	required	-	yes
21.3	The memory allocation and deallocation functions of <stdlib.h> shall not be used.	required	-	yes

Guideline	Description	Mode	Comment	Enabled
21.4	The standard header file <setjmp.h> shall not be used.	required	-	yes
21.5	The standard header file <signal.h> shall not be used.	required	-	yes
21.6	The Standard Library input/output functions shall not be used.	required	-	yes
21.7	The atof, atoi, atol, and atoll functions of <stdlib.h> shall not be used.	required	-	yes
21.8	The library functions abort, exit and system of <stdlib.h> shall not be used.	required	-	yes
21.9	The library functions bsearch and qsort of <stdlib.h> shall not be used.	required	-	yes
21.10	The Standard Library time and date functions shall not be used.	required	-	yes
21.11	The standard header file <tgmath.h> shall not be used.	required	-	yes
21.12	The exception handling features of <fenv.h> should not be used.	advisory	-	yes
21.13	Any value passed to a function in <ctype.h> shall be representable as an unsigned char or be the value EOF.	mandatory	-	yes
21.14	The Standard Library function memcmp shall not be used to compare null terminated strings.	required	-	yes
21.15	The pointer arguments to the Standard Library functions memcpy, memmove and memcmp shall be pointers to qualified or unqualified versions of compatible types.	required	-	yes
21.16	The pointer arguments to the Standard Library function memcmp shall point to either a pointer type, an essentially signed type, an essentially unsigned type, an essentially Boolean type or an essentially enum type.	required	-	yes
21.17	Use of the string handling functions from <string.h> shall not result in accesses beyond the bounds of the objects referenced by their pointer parameters.	mandatory	-	yes
21.18	The size_t argument passed to any function in <string.h> shall have an appropriate value.	mandatory	-	yes
21.19	The pointers returned by the Standard Library functions localeconv, getenv, setlocale or, strerror shall only be used as if they have pointer to const-qualified type.	mandatory	-	yes
21.20	The pointer returned by the Standard Library functions asctime, ctime, gmtime, localtime, localeconv, getenv, setlocale or strerror shall not be used following a subsequent call to the same function.	mandatory	-	yes
22.1	All resources obtained dynamically by means of Standard Library functions shall be explicitly released.	required	-	yes
22.2	A block of memory shall only be freed if it was allocated by means of a Standard Library function.	mandatory	-	yes
22.3	The same file shall not be open for read and write access at the same time on different streams.	required	-	yes
22.4	There shall be no attempt to write to a stream which has been opened as read-only.	mandatory	-	yes
22.5	A pointer to a FILE object shall not be dereferenced.	mandatory	-	yes
22.6	The value of a pointer to a FILE shall not be used after the associated stream has been closed.	mandatory	-	yes
22.7	The macro EOF shall only be compared with the unmodified return value from any Standard Library function capable of returning EOF.	required	-	yes
22.8	The value of errno shall be set to zero prior to a call to an errno-setting-function.	required	-	yes

Guideline	Description	Mode	Comment	Enabled
22.9	The value of errno shall be tested against zero after calling an errno-setting-function.	required	-	yes
22.10	The value of errno shall only be tested when the last function to be called was an errno-setting-function.	required	-	yes

Chapter 3. Appendix 2 - Definitions

Table 3.1. Abbreviations

Abbreviation	Definition
NA	Not Available