JOBHELPER

# JobHelper user guide

How to use every part of the app, step by step

For JobHelper on macOS
45 figures · 59 tables

# Contents

1. Overview ..... 8
What the app does for you ..... 8
What the app never does ..... 8
What it costs ..... 8
A normal week ..... 9
Read this guide ..... 9
Next steps ..... 10
2. Set up the app ..... 10
Prerequisites ..... 10
What the welcome card checks ..... 11
Sign in to Claude ..... 11
Choose your master CV ..... 12
Connect your mailbox ..... 12
Add a second mailbox (optional) ..... 13
Save your recovery key ..... 14
Open your data on a new Mac ..... 14
Test a connected mailbox ..... 14
Open the card again later ..... 15
If something is wrong ..... 15
Next steps ..... 15
3. Find your way around the main window ..... 16
The left column ..... 16
The middle ..... 17
The red line at the top ..... 18
The right column ..... 18

Next steps ..... 19
4. Run a search ..... 21
Prerequisites ..... 21
Start a search ..... 21
What happens, in order ..... 21
Stop a search ..... 22
If Claude's limit runs out ..... 23
If something is wrong ..... 23
Next steps ..... 23
5. Review new jobs ..... 24
Read a row ..... 24
Apply to a job ..... 25
Controls of the list ..... 25
Review several jobs one by one ..... 25
Next steps ..... 26
6. Work with one job ..... 27
The checklist: Before you apply ..... 27
Why this score ..... 29
The buttons at the bottom ..... 30
Next steps ..... 30
7. Check and edit your documents ..... 30
The adapted CV ..... 31
The cover letter ..... 32
Have documents written for one job ..... 33
Your own letters ..... 33
Form answers ..... 33
Next steps ..... 34

8. Fix a score you cannot trust ..... 35
The posting could not be read in full ..... 35
The score dropped after documents were written ..... 35
9. Fill in an application form ..... 37
Prerequisites ..... 37
Tell the assistant your details ..... 38
List your jobs and your degrees ..... 39
List your languages ..... 40
Give your salary and add your files ..... 42
Answer the questions every form asks ..... 42
Let your browser be filled in ..... 43
Fill in a form ..... 44
Fill in a form with several pages ..... 45
Use your own wording again ..... 47
Review a form before you send it ..... 48
What the assistant fills in and what it leaves ..... 49
If something is wrong ..... 52
Next steps ..... 54
10. Talk to the assistant ..... 54
Prerequisites ..... 54
Talk to the assistant ..... 54
Do several things at once, and take them back ..... 57
Tell the assistant what to remember ..... 57
Judge a posting that is open in your browser ..... 57
Draft a reply to a company ..... 58
Practise an interview ..... 58
Let the assistant speak first ..... 58

Choose your browser ..... 59
Speak instead of typing ..... 59
Next steps ..... 59
11. Track an application ..... 59
The application's window ..... 59
Set a date and get reminded ..... 60
File a reply that did not come by email ..... 61
Keep notes about the company ..... 62
Follow up ..... 62
Possible duplicates ..... 62
Next steps ..... 62
12. Read replies from companies ..... 63
Prerequisites ..... 63
Scan your email ..... 63
How the app chooses which messages to read closely ..... 63
How far back a scan looks ..... 63
Look further back once ..... 64
Responses ..... 64
File a reply under the right application ..... 65
Analytics ..... 66
If something is wrong ..... 67
13. Prepare for an interview ..... 69
Build the preparation ..... 69
What the sheet contains ..... 69
The two documents ..... 70
Use the sheet ..... 71
14. See what a search left out ..... 72

Open the list ..... 72
Read the list ..... 73
Bring a posting back ..... 73
15. Learn from your results ..... 74
What to do with it ..... 75
16. Set your options ..... 76
Search ..... 76
Your profession ..... 79
Company career sites ..... 80
Matching and follow-up ..... 80
About you ..... 80
Notifications and storage ..... 81
Email scan ..... 82
Model ..... 84
17. Schedule a weekly run ..... 85
Turn it on ..... 85
Turn it off ..... 86
18. Watch your Claude usage and limits ..... 86
Read the Usage left card ..... 86
When a run hits the limit ..... 87
What a run costs ..... 88
See everything the app has used ..... 89
Use less of your limit ..... 89
19. Protect your data ..... 90
Where your data is ..... 90
Backups ..... 90
Changes to the rule files ..... 91

Nothing is thrown away ..... 92
20. Troubleshoot problems ..... 92
Starting and signing in ..... 92
Searching and scoring ..... 93
Replies ..... 93
Everything else ..... 94
21. Look things up ..... 95
Words the app uses ..... 95
Where things are written ..... 95
The light theme ..... 95

**Applies to:** JobHelper for macOS.

This guide explains every part of the app: what it is for, how to use it step by step, what each control does, and what to do when something does not look right.

# 1. Overview

## What the app does for you

Looking for a job means doing the same five things over and over: reading postings, deciding which ones fit, rewriting your CV and a letter for each, keeping a list of where you applied, and reading the answers. JobHelper does the repetitive part of all five and leaves the decisions to you.

The work is split between five agents. The window shows each one as a robot on an assembly line (Table 1.1).

Table 1.1 – The five robots and what each does

| Robot | What it does | Asks Claude |
|---|---|---|
| **Profiler** | Reads your CV and works out what to search for | Once per CV |
| **Scout** | Searches the job boards and filters out what cannot fit | Never |
| **Scribe** | Scores each posting against your CV, then writes an adapted CV and a letter for the good ones | Yes |
| **Tracker** | Keeps the Excel tables up to date | Never |
| **Postman** | Reads the replies in your mailbox and updates your applications | For new replies only |

A sixth robot, the **assistant**, is not part of the line. It stands at its end and fills in application forms for you when you ask it (section 9).

## What the app never does

- It never applies for you and never sends an email.
- It never deletes, moves or marks anything in your mailbox. The mailbox is opened read-only.
- It never writes anything in a CV, a letter or an answer that is not in your own CV or in notes you gave it.
- It never rewrites a letter that you wrote yourself.

You read, you decide, you send.

## What it costs

The app works through your Claude subscription. There is no bill per search. What a

search uses counts against your normal Claude limits, and the window shows how much is left (section 18).

> **Important**
> The app refuses to run while a paid Claude key is set on the Mac, so that you are never billed per use by accident.

## A normal week

Table 1.2 shows a normal week with the app.

Table 1.2 – A normal week with the app

| When | What you do | Section |
|---|---|---|
| Once | Set up the app and choose what you look for | 2, 16 |
| Two or three times a week | Run a search, review the new jobs, apply to the good ones | 4 to 7 |
| When you apply | Ask the assistant to fill in the company's form | 9 |
| After each application | Press **Mark applied** | 5 |
| Every day or two | Scan your email for replies | 12 |
| Before an interview | Build the interview preparation | 13 |
| Every few weeks | Look at Analytics and Insights and adjust Options | 12, 15, 16 |

## Read this guide

Every section is built the same way: an overview of what the feature is for, what you need before you start, the steps to follow, a table of what each control does, and the problems people run into (Table 1.3).

Four kinds of box mark what deserves attention (Table 1.4).

The figures show the real window of the app, filled with **invented** people and companies.

This guide is for using the app. People who work with its code will find the installation, the command line, the structure of the code and the tests in the technical documentation, CODE.md.

Table 1.3 – How things are written in this guide

| Element | How it is written | Example |
|---|---|---|
| A button, a list or a label in the window | **Bold**, spelled as in the app | Select **Run search**; open **Options** |
| A path through the window | **Bold**, joined with > | **Options** > **Email scan** > **Scan now** |
| Something you type | *Italics* | Enter *Prague* in **City** |
| The name of a file or a folder | Monospace | Your CV as a .docx file |
| A key on the keyboard | Capitalised, joined with + | Press Esc; press Cmd+C to copy |
| A figure or a table | By its number | Figure 3.1, Table 2.1 |

Table 1.4 – The four kinds of box

| Box | Meaning |
|---|---|
| **Note** | Extra information that helps you understand |
| **Tip** | A faster or better way to do something |
| **Important** | Something you should know before you continue |
| **Warning** | Something that can cost you work or data if you ignore it |

### Next steps

- Set up the app

## 2. Set up the app

Do this once. When the app starts, it checks four things and shows them on the welcome card (Figure 2.1).

### Prerequisites

You need:

- JobHelper installed on your Mac and its window open.
- A Claude subscription, and the Claude Code program signed in on this Mac.
- Your CV as a .docx, .pdf or .txt file.
- Optional: the mailbox you apply from, and a password for a program to read it

(for Gmail and most other providers, an *app password*).





Figure 2.1 – The welcome card

## What the welcome card checks

Table 2.1 lists the four checks.

A search can start only when the required rows are green. Without the email row everything works except reading replies.

## Sign in to Claude

1. On the welcome card, find the **Claude account** row.
2. Select **Sign in with Claude**. A browser window opens.
3. Sign in with the account that has your subscription.
4. Return to the app. The row turns green within a few seconds.

Table 2.1 – What the welcome card checks

| Row | What it is | Why it is needed | Required |
|---|---|---|---|
| **Claude account** | The Claude sign-in on this Mac | Scoring and writing are done by Claude | Yes |
| **Job email** | The mailbox you apply from, opened read-only | So that replies update your applications by themselves | No |
| **Master CV** | Your one true CV | Every adapted CV is made from it and may only say what it says | Yes |
| **Data protection** | Encryption of your job data, with the key in the macOS Keychain | Your applications and replies are private | Yes |

## Choose your master CV

1. On the **Master CV** row, select the **Change…** button.
2. Pick your CV file.
3. The row shows the file name and turns green.

> **Tip**
> A .docx whose sections are headed PROFILE and KEY SKILLS gives the best result: the app can then adapt both sections for each job. With other files it rewrites the profile paragraph only.

## Connect your mailbox

1. Get a password for a program from your mail provider (the table below). For Gmail: turn on **2-Step Verification** in your Google account, then create an **App Password** and name it "JobHelper".
2. On the **Job email** row of the welcome card, select **Connect** (or **Change**).
3. Enter the address. The line under the fields then says which server it will be read from and what kind of password that provider wants.
4. Enter the password. If the app does not know the provider, a third field appears: enter the provider's **IMAP server** there (its help pages name it, for example imap.example.com).
5. Select **Save**. The button says **Checking…** while the app signs in to the mailbox once with what you entered. A refused password is not saved, and the card says so in red (Table 2.2).

Table 2.2 – Mail providers and the password each one wants

| Your address is at | Read from | Password to enter |
|---|---|---|
| Gmail | imap.gmail.com | A Google App Password (16 letters) |
| Yahoo, AOL | The provider's server | An app password from the account's security settings |
| iCloud | imap.mail.me.com | An app-specific password from your Apple account |
| Fastmail, Zoho | The provider's server | An app password |
| Seznam, GMX, WEB.DE | The provider's server | Your mailbox password, with IMAP turned on in the mailbox settings |
| A company or another provider | The **IMAP server** you type | What that provider gives for reading mail by IMAP |
| T-Online, Posteo, mailbox.org, Orange, Libero, Onet | The provider's server | What the line under the fields says for that provider |
| A Russian mail service | Not used | The app does not work with Russian services. Connect a mailbox at another provider |
| Outlook.com, Hotmail, Proton Mail, Tuta | Not possible | These cannot be read with a password. Forward your job mail to another mailbox and connect that one, or paste replies into their applications (section 11) |

> **Note**
> An app password is a separate password that only lets a program read mail. You can cancel it in your account at any time without changing your real password. Where a provider offers one, never enter your real password in the app.

### Add a second mailbox (optional)

Use this when replies arrive at two addresses, for example an old address and a new

one.

1. On the welcome card, under the **Job email** row, find **Second mailbox (optional)**.
2. Select **Add**.
3. Enter the second address and its own password, then select **Save**. It may be at another provider than the first one.

Both mailboxes are then read by every email scan. To find older replies in the new mailbox, run one longer scan (section 12, *Look further back once*). A problem with the second mailbox never stops the scan of the first one; the app tells you about it at the end of the scan.

## Save your recovery key

Your job data is encrypted with a key that the app keeps in the macOS Keychain. The recovery key is that key as one line of text. You need it to open your data on another Mac, or on this Mac after the Keychain is reset.

1. Select the **Account** chip to open the card.
2. On the **Data protection** row, select **Recovery key**.
3. Select **Copy**, and paste the key into a password manager or another safe place outside this Mac.
4. Select **Hide key**. The key is also put away by itself after a minute, and when the card closes.

> **Warning**
> Anyone who has the recovery key can read your data. Do not send it by email or keep it in a plain note. Without it, your data cannot be opened on a new Mac.

## Open your data on a new Mac

When the key is missing from the Keychain, the **Data protection** row is red and asks for it.

1. Paste your recovery key into the field under the row.
2. Select **Open my data**.

The app checks that the key belongs to this data before it uses it.

## Test a connected mailbox

An app password can be cancelled at the provider without the app knowing. To check that the mailboxes can still be read:

1. Open the **Account** card.
2. On the **Job email** row, select **Test**.

A green line says that the app signed in; a red line says what the mail server answered. Both mailboxes are tried when you have two.

### Open the card again later

Select the **Account** chip in the left column of the main window. The three dots under the chip (**Claude**, **Email**, **CV**) are the same checks at a glance.

### If something is wrong

Table 2.3 lists problems while setting up, and what to do.

### Next steps

- Find your way around the main window
- Set your options, to say what you are looking for

Table 2.3 – Problems while setting up, and what to do

| What you see | Cause | What to do |
|---|---|---|
| **Claude account** stays red after you sign in | The sign-in was done in another browser profile, or was cancelled | Select **Sign in with Claude** again |
| "A paid API key is set" | A paid Claude key is set on this Mac | Ask whoever set up the app to remove it, then start the app again. The app never bills you per use |
| "The mail server refused this address and password" | The normal password was used where an app password is needed, the app password was cancelled, or it belongs to another address | Create an app password for this address and enter that one |
| "The app does not know this provider" | The address is at a company or a small provider | Enter its IMAP server in the third field |
| "Microsoft no longer lets a program read..." | Outlook.com and Hotmail cannot be read with a password | Forward your job mail to another mailbox and connect that one |
| "Saved. The mail server could not be reached" | No internet connection at that moment | Nothing. The first email scan shows whether it works |
| **Master CV** is red | No CV was chosen, or the file was moved | Select the **Change...** button and pick the file |

# 3. Find your way around the main window

Figure 3.1 shows the main window.

The window has three columns and a strip at the bottom (Table 3.1).





Figure 3.1 – The main window

Table 3.1 – The areas of the main window

| Area | Where | What it holds |
|---|---|---|
| Lists and account | Left | Your lists, the Account chip, the settings of the next search |
| Assembly line | Middle | The five robots, the assistant (section 9), the two run buttons, the status line |
| Where you stand | Right | Claude usage, the last run, the next date, the weekly run, Options, Help |
| Pipeline strip | Bottom | The five agents by name, lit while they work |

## The left column

Figure 3.2 shows the lists and the account chip.

Table 3.2 describes the lists in the left column.

A line under **Applications** appears when something needs you, for example "1 to follow up" or "2 possible duplicates".

Under the lists:





Figure 3.2 – The lists and the account chip

- **Account**: the chip shows who is signed in. Select it to open the card from section 2.
- **Search**: chips that show what the next search is set to (city, language, full-time, age of postings, the score from which letters are written). Select a chip to change it in Options.

## The middle

Table 3.3 lists the controls in the middle.

Table 3.2 – The lists in the left column

| Item | What it opens | The mark on the right |
|---|---|---|
| **New Jobs** | Postings found for you that you have not applied to | How many there are |
| **Applications** | Where you applied and where each one stands | How many there are |
| **Responses** | Every reply email the app has read | How many there are |
| **Analytics** | Outcomes and rejection reasons, added up | A bar chart |
| **Insights** | What your own results teach you | A light bulb |

### The red line at the top

Figure 3.3 shows the red line of the start-up check.

Table 3.3 – The controls in the middle

| Control | What it does |
|---|---|
| **Run search** | Starts a search (section 4). While a run is going, it becomes **Stop** |
| **Scan email** | Reads new replies (section 12) |
| The sun or moon button | Switches between the dark and the light theme |
| A robot | Lights up while its agent works and shows a tick when it is done. Point at it for its name, its job and its latest result |
| The status line | Always says what is happening, or what just happened, with the time |

Each time the app starts, it checks itself: the data key, the job list, the replies, the settings, the rule files, your master CV and the folders. If something is wrong, a red line at the top says what, in plain words, and how to fix it. **Hide** puts the line away until the next start; **Show all** appears when more than one thing was found.

### The right column

Figure 3.4 shows the Usage left card and the Last run card.

Table 3.4 lists the cards in the right column.





Figure 3.3 – The start-up check found something

The rows of the **Last run** card (Table 3.5):

## Next steps

- Run a search

Table 3.4 – The cards in the right column

| Card | What it tells you |
|---|---|
| **Claude** | The model in use, and that the subscription is used, not the paid API |
| **Usage left** | How much of your Claude limit remains (section 18). **refresh** asks Claude for the current numbers |
| **Last run** | What the last search and the last email scan did (the table below) |
| **Coming up** | The next dated event, such as an interview |
| **Weekly run** | Whether a weekly run is scheduled. Select it to change the schedule (section 17) |
| **Options** | Opens the settings (section 16) |
| **Help** | A short version of this guide, and the list of changes |





Figure 3.4 – Usage and the last run

Table 3.5 – The rows of the Last run card

| Row | Meaning |
|---|---|
| **When** | Day and time of the last search |
| **Found** | How many new postings it added |
| **Filtered out** | How many postings it dropped. Select the number to see each one with its reason (section 14) |
| **Letters**, **CVs** | How many of each were written |
| **Email scan** | Day of the last email scan and how many new replies it filed |
| **Emails read** | How many messages that scan went through, and how many of them were worth a question to Claude ("1224 · 43 asked"). It explains a "0 new": most mail was read before, or is not about an application |
| **You paid** | *subscription only*: nothing was billed for the run |
| **Same search via API** or **Same scan via API** | What the last run alone would have cost with pay-per-use billing. It is a measure of how much work was done, not a bill |

# 4. Run a search

A search finds new postings, drops the ones that cannot fit, scores the rest against your CV, and writes an adapted CV and a cover letter for each good one.

## Prerequisites

- The **Claude account** and **Master CV** rows of the Account card are green.
- A city and at least one search role are set in Options (section 16).

## Start a search

1. In the main window, select **Run search**.
2. Watch the assembly line. You can keep using the lists while it runs.
3. When the status line says the search is finished, open **New Jobs**.

Figure 4.1 shows a search in progress.

## What happens, in order

Table 4.1 lists what a search does, step by step.

What step 3 drops:





Figure 4.1 – A search in progress

- Postings written in another language, and roles that require one at a working level (with **English only** on). The reason names the language.
- Titles above your level.
- Part-time work, when you want full-time.
- Postings older than your limit.
- Roles you already applied to.
- Titles that contain a word you chose to skip.

> **Note**
> Scoring costs a Claude call. A posting whose title is plainly another profession is marked **skipped** without a call. You can send any skipped posting to scoring yourself with **Score it anyway** in its window.

## Stop a search

Select **Stop**. The search ends after the step in progress. Everything finished before that is kept, and the next search continues with what was not done.

Table 4.1 – What a search does, step by step

| Step | Robot | What it does |
|---|---|---|
| 1 | **Profiler** | Reads your CV. Only when the CV changed since last time |
| 2 | **Scout** | Asks the job boards for each of your search roles in your city |
| 3 | **Scout** | Drops what cannot fit, and keeps every dropped posting with its reason |
| 4 | **Scout** | Reads once more the postings that came back empty, and asks older postings whether they still accept applications |
| 5 | **Scribe** | Scores what is left, five postings per Claude call |
| 6 | **Scribe** | Writes an adapted CV and a letter for each posting at or above your limit |
| 7 | **Tracker** | Rebuilds the Excel tables |

### If Claude's limit runs out

The run pauses instead of failing. See Watch your Claude usage and limits.

### If something is wrong

Table 4.2 lists problems with a search, and what to do.

### Next steps

- Review new jobs

Table 4.2 – Problems with a search, and what to do

| What you see | Cause | What to do |
|---|---|---|
| "No city yet" | Options has no city | Open Options and choose a city |
| The search finds nothing new | Your roles are too narrow, or everything was filtered | Open **Filtered out** on the Last run card (section 14) |
| Too many poor postings | The filters are too loose | Add words to **Skip titles with**, or set **Kinds of role you want** |
| A source is missing from the results | That site turned programs away this time | Nothing to do. The app leaves such a site alone and tries again at the next search |

## 5. Review new jobs

**New Jobs** is the list of postings found for you that you have not applied to, best score first (Figure 5.1).

### Read a row

Table 5.1 explains how to read a row.





Figure 5.1 – The New Jobs list

### Apply to a job

1. Select the row to open the job (section 6).
2. Read **Why this score**, then check the CV and the letter (section 7).
3. Select **Open posting** and apply on the company's site with the two files.
4. Return to the app and select **Mark applied**.

Table 5.1 – How to read a row of New Jobs

| You see | It means |
|---|---|
| The number on the left | The score, 0 to 100: how well the posting fits your CV and the roles you want |
| **was 64** under the number | What the job scored before it was scored again |
| **strong** | 60 or more. A CV and a letter were written |
| **moderate** | 50 to 59. A CV and a letter were written |
| No badge | Below your limit. Listed so that you can judge for yourself; no documents were written |
| **skipped** | Not scored at all, to save a Claude call (section 4) |
| The grey line | When it was posted, the salary you ask for (section 16), and any warning about the score |
| **closed** | The posting no longer accepts applications |
| **scored from the title only**, **scored from a short summary** | The score rests on little text (section 8) |
| **documents from a higher score** | The job fell below your limit after its documents were written (section 8) |

> **Important**
> Select **Mark applied** only after you really sent the application. The job moves to **Applications**, and replies are matched to it from then on.

### Controls of the list

Table 5.2 lists the controls of the New Jobs list.

### Review several jobs one by one

When many jobs wait for a decision, for example all those marked **stretch**, you do

not have to open each from the list and come back.

1. In **New Jobs**, narrow the list to the jobs you want to go through: select a chip, or type in the search box.
2. Select **Review these ... one by one**. The first job opens, with a bar that says where you are (Figure 5.2).
3. Read **Why this score**, then decide: **Not interested** removes the job, **Mark applied** moves it to Applications. The next job opens by itself.
4. To leave a job as it is, select **Next ›**. **‹ Previous** goes back.

Table 5.2 – The controls of the New Jobs list

| Control | What it does |
|---|---|
| The search box | Shows only the rows that contain what you type |
| The chips under it | Filter the list |
| The buttons on a row | Open the posting, the letter and the CV |
| **mark applied** | Moves the job to Applications |
| **Score all again** | Scores every job with your current Options. It asks first, because it uses your Claude limit |
| **open Excel** | Opens the same list as an Excel table |

The round ends after the last job, or when you close the window. Jobs you did not decide on stay in the list as they were.

## Next steps

- Work with one job





Figure 5.2 – Reviewing jobs one by one

# 6. Work with one job

Select a row in **New Jobs** to open the job's window. Everything about one posting is here (Figure 6.1).

## The checklist: Before you apply

The checklist has one line per step. Tick the steps as you go. The ticks are remembered for this job (Table 6.1).





Figure 6.1 – The job window

Table 6.1 – The checklist of a job and its buttons

| Line of the checklist | Its button | What the button does |
|---|---|---|
| Read the posting and open its application form | **Open posting** | Opens the posting in your browser |
| Check your adapted CV | **Open CV** or **Open CV PDF** | Opens the adapted CV |
| Check your cover letter | **Open letter** or **Open letter PDF** | Opens the letter |
| If the form takes one file | **Make one PDF** | Makes one PDF with the letter first and the CV after it |
| Answers for this job's form | **Form answers** | Drafts answers for the application form (section 7) |

**Show in folder** on a line selects that file in Finder, so that you can drag it into an application form.

The row of buttons at the bottom of the window opens the same documents again

and adds two more (Table 6.2):

Table 6.2 – The two extra buttons for documents

| Button | What it does |
|---|---|
| **Compare CV** | Shows what was changed in the adapted CV (section 7) |
| **Edit letter** | Opens the letter editor (section 7) |

## Why this score

Figure 6.2 shows the score and the keywords.





Figure 6.2 – The score and the keywords

**Why this score** is the reason in words. Read it before you apply to anything below **strong**: it tells you what the posting asks for that your CV does not show.

**Keywords in the posting** compares the skills and tools the posting names with your CV (Table 6.3).

Table 6.3 – The two groups of keywords

| Group | Meaning |
|---|---|
| **In your CV** | The posting asks for it and your CV shows it |
| **Not in your CV** | The posting asks for it and your CV does not show it. Something to learn, or something you know and forgot to write down |

> **Note**
> The app never adds a **Not in your CV** word to an adapted CV. If you really have that skill, add it to your master CV, or describe it under **More about your work** in Options.

### The buttons at the bottom

Table 6.4 lists the buttons at the bottom of the job window.

Table 6.4 – The buttons at the bottom of the job window

| Button | What it does |
|---|---|
| **Form answers** | Drafts answers for this job's application form (section 7) |
| **Fill the form** | Opens the assistant for this job, to fill in the form that is open in your browser (section 9) |
| **Score it anyway** | Sends a skipped job to scoring |
| **Not interested** | Removes the job from the list. Its documents go to an encrypted backup |
| **Mark applied** | Moves the job to Applications |

> **Note**
> If you typed something in this window and did not save it, the ×, the Esc key, **Mark applied** and **Not interested** all ask once before the text is discarded.

### Next steps

- Check and edit your documents

## 7. Check and edit your documents

For each posting at or above your limit the app writes two documents. Check both before you send them. You are the one who signs them.

## The adapted CV

The app makes a copy of your CV in which the profile paragraph and the skills list are reworded and reordered to put first what this posting asks for. Everything else stays as you wrote it.

**To see what changed:**

1. Open the job.
2. Select **Compare CV**.
3. Read the two columns: your master CV on the left, the adapted one on the right. New words are in bold (Figure 7.1).





Figure 7.1 – Master CV next to the adapted one

> **Tip**
> Use this view to check that nothing was stretched. Every claim on the right must be one you can back in an interview.

Sometimes the job window shows an amber line, **Check your adapted CV before you send it** or **Check your cover letter before you send it**, with a few terms. Those are words of the posting that the adapted CV states as your experience although your own CV does not mention them (in a letter: where the sentence says that you did it, not where it speaks of the role). The app asked for them to be removed once already; what is left may still be fair wording for something you did, so the decision is yours: keep the term only if it is true of you, and otherwise edit the Word file or add

what you really did under **More about your work** in Options.

## The cover letter

The letter is written to the company, about this role, from the facts in your CV.

**To edit a letter:**

1. Open the job and select **Edit letter**.
2. Change the words of any paragraph yourself.
3. Or, to have one paragraph written again: type what should change in **For a rewrite** (for example "shorter"), then select **Rewrite this paragraph**.
4. Select **Save**. The Word file and the PDF are updated.

Figure 7.2 shows the letter editor.





Figure 7.2 – The letter editor

Table 7.1 lists the controls of the letter editor.

> **Note**
> Closing the editor with unsaved changes asks once. The previous version of a saved letter is kept in an encrypted backup.

Table 7.1 – The controls of the letter editor

| Control | What it does |
|---|---|
| The word count, top right | Turns amber when the letter is shorter or longer than a letter should be |
| **Rewrite this paragraph** | Asks Claude for a new version of that paragraph. Nothing is saved until you select **Save** |
| **For a rewrite** | An optional hint for the rewrite |
| **Open in Word** | Opens the file in Word instead |
| **Undo my changes** | Puts back the text as it was when you opened the editor |
| **Save** | Writes the paragraphs into the letter. The head, date, greeting, signature, fonts and layout stay as they are |

### Have documents written for one job

A search writes documents only for jobs at or above your limit. For any other new job you can have them written when you decide to apply after all, or after the job was scored again.

1. Open the job.
2. Under **Why this score**, select **Write CV and letter**. The app asks Claude; this takes about a minute.
3. When the line says **Written**, check both documents as usual.

A letter that you wrote yourself is never replaced: only what is missing is written. When the posting's text is missing, the app asks you to read the posting again first (section 8), because a letter written from a title alone would be generic.

### Your own letters

A letter that **you** wrote is never touched.

1. Open Options and find **Your own letters**. Select **Open folder**.
2. Put your letter in that folder, named after the company.
3. At the next search the app uses your letter for that company instead of writing one.

### Form answers

Application forms ask their own questions, and every form asks different ones.

1. Open the job and select **Form answers**.
2. Paste that form's questions, one per line.

3. Select **Draft**.
4. Read each answer. Fill in anything marked with square brackets.
5. Copy the answers into the form.

Figure 7.3 shows answers for one job's form.





Figure 7.3 – Answers for one job's form

The answers come from your CV, the posting, and the facts you gave under **About you** in Options. An answer the app cannot give truthfully (a salary figure, a date, a reference) is left with the missing part in square brackets and a **Check** note. The answers are kept with the job (Table 7.2).

## Next steps

- Track an application, after you applied

Table 7.2 – The limits of one draft of form answers

| Limit | Value |
|---|---|
| Questions in one draft | Up to 15 |
| Length of one question | Up to 300 characters |

# 8. Fix a score you cannot trust

Two situations make a score misleading. The app marks both in the list and in the job's window.

## The posting could not be read in full

Some job boards return only a title or a short summary. The row then says **scored from the title only** or **scored from a short summary** (Table 8.1).

Table 8.1 – What the app does when a posting could not be read

| Mark | What the app did |
|---|---|
| **scored from the title only** | Capped the score at 40 and wrote no documents, because a letter written from a title could only be generic |
| **scored from a short summary** | Scored from what there was, and tells you so |

**To get a real score:**

1. Open the job.
2. Select **Read it again**. The app asks the job board once more.
3. If that does not help, select **Open posting**, copy the whole text of the posting in your browser, paste it under **Paste the posting's text**, and select **Save text**.

Either way, the job is then scored again by itself.

## The score dropped after documents were written

If you tighten your Options and score again, a job that had a letter and a CV can fall below your limit. Its row says **documents from a higher score** (Figure 8.1).

**For one job:** open it and select **Move documents to backup**. The letter and the CV go to an encrypted backup. The job stays in the list. **Put them back** returns them.

**For all such jobs at once:**

1. Open **New Jobs**. A bar above the list says how many jobs have documents from a score that is now below your limit.
2. In that bar, select **Move them to backup**.
3. Read the jobs it names, then select **Yes, move documents of ...** to confirm.

Figure 8.2 shows moving documents for several jobs at once.

For a week afterwards, **Put them back** in the same bar undoes the whole move. For a single job, **Put them back** stays in its window, also when the job has become an application in the meantime (a reply showed that you had applied): those are the documents you sent.





Figure 8.1 – A job that fell below the limit

> **Note**
> Nothing the app wrote for you is thrown away without a way back. You may have had a reason to apply anyway. Letters you wrote yourself are never moved.





Figure 8.2 – Moving documents for several jobs at once

# 9. Fill in an application form

Most companies ask you to fill in a form on their own site: your name and contacts again, a few links, and some questions of their own. The **assistant** does the typing. It is the light-blue robot that stands at the end of the assembly line (Figure 9.1). It blinks, waves when the app opens, and opens its window when you select it.

The assistant fills in the form that is open in Google Chrome, or in Brave, Edge, Opera or Safari when you choose one of them (section 10). It cannot work in Opera GX or Firefox. It writes into empty fields only. The only things it presses on a page are a menu, an entry of a menu, a yes/no button, a button that adds a row for another job or degree, and the box that says you work at a job now; it never presses a button that sends or continues, never ticks a box that agrees to something, and never sends the form. You read what it wrote and send the form yourself.

When the pointer is over the assembly line, the assistant follows it with its eyes. It nods when a request worked and shakes its head when it did not.

## Prerequisites

- Google Chrome or another browser the assistant works in (section 10), with the application form open in a tab.
- Your details saved in the assistant's window (the first task below).
- For answers to the form's own questions: the job is in **New Jobs** or **Applications**, and your master CV is set.





Figure 9.1 – The assistant at the end of the assembly line

## Tell the assistant your details

Do this once. The details are kept encrypted on your Mac, and a form gets exactly what is written here (Figure 9.2).

1. Select the assistant on the assembly line.
2. Select **My details**. The first time, the window opens on this page by itself.
3. Fill in the fields at the top. Table 9.1 describes them. Fields marked **from your CV** were read from the head of your CV and are not saved yet: check them.
4. List your jobs and your degrees, give your salary, and add the files forms ask for. The tasks below describe each.
5. Select **Save**.

A field you leave empty is left empty in the form too. When something is wrong, the field turns red and the line under it says what to change; nothing is saved until it is right.





Figure 9.2 – The My details page

> **Note**
> Your right to work and your start date are not on this page. They are under **Options** > **About you** (section 16), because letters and answers use them as well. The assistant takes your start date from there when a form asks for it.

## List your jobs and your degrees

Many forms have a section for work experience and one for education, with a row for each job and each degree. The assistant fills those rows from two lists (Figure 9.3).

1. On the **My details** page, under **Work experience**, select **Add a job** for each job you have had, or select **Read from my CV**: Claude copies the jobs and degrees your CV states, in one call, with the place of each job and the lines the CV writes under it, word for word. Nothing is saved until you select **Save**, and a line the CV does not back is left out.
2. Fill in each job. Table 9.2 describes the fields. Turn on **I work here now** for every job that goes on; several jobs may be current at once.
3. Under **Education**, select **Add a degree** for each degree, the highest first.
4. Select **Save**.

A form that asks for one employer gets your current job. A form with several rows gets your current jobs first, then the others in the order of the list; each row gets one job, whole. When a form has more rows than you have jobs, the extra rows are left to

you.

Table 9.1 – The fields of My details

| Field | What to enter | Checked for |
|---|---|---|
| **First name**, **Last name** | Your name as you want it on applications | Letters only |
| **Email** | The address you apply from | A name, an @ and a domain |
| **Phone** | Your number with the country code, like *+420 123 456 789* | 6 to 15 digits; + only at the start |
| **Street and number**, **City**, **Postcode**, **Country** | Your address. Leave out what you do not want to give | Letters for the city and the country |
| **LinkedIn**, **GitHub** | The address of your profile. *https:// * is added for you | An address at that site, with no spaces |
| **Website or portfolio** | Any other page about your work | A web address with no spaces |
| **Notice period** | How soon you can leave, like *1 month*. The assistant also picks it from a list that offers it | Length only |

> **Note**
> When a form shows fewer rows than you have jobs or degrees and has a button such as **Add another job**, the assistant presses it once for each missing row. It presses no other button. It writes the dates of a job where the form takes a month and a year, and ticks the box **I currently work here** for a job you marked as current.

### List your languages

Some forms ask for each language you speak and how well, in a block of its own for each one.

1. On the **My details** page, under **Languages**, select **Add a language** for each one. **Read from my CV** fills an empty list from your CV.
2. Enter the language and its level: **Native**, **Fluent**, **Advanced**, **Intermediate** or **Basic**. Any other word is refused.
3. Select **Save**.





Figure 9.3 – Jobs and degrees on the My details page

The level is what forms are told, so set it as you would say it yourself. The assistant looks for that level in the form's own words: *Fluent* is also "Full professional" or "C1". When a form has no entry for *Native*, it chooses *Fluent*. A scale of bare numbers says nothing about their meaning, so such a list is left to you.

Table 9.2 – The fields of a job and of a degree

| Field | What to enter | Checked for |
|---|---|---|
| **Employer**, **Job title** | As you want them written in forms | Both are needed for a job |
| **University or school** | The name of the school | Needed for a degree |
| **Degree**, **Field of study** | For example *Master* and *Computer science* | Length only |
| **From**, **To** | A year, or a month and a year: *2023* or *03/2023* | The form of the date; **To** not before **From** |
| **I work here now** | On for a job that goes on. **To** is then left empty | A current job has no end date |
| **Where it was** | The place of that job, for example *Brno, Czechia* | Length only |
| **What you did there** | What your CV says under that job, one point per line. Forms ask for it inside each job, as "Role description" or "Responsibilities" | Up to 2,000 characters |

### Give your salary and add your files

Figure 9.4 shows the last two parts of the page.

1. Under **Salary expectation**, enter the figure as a whole number, choose the currency, and choose **per month** or **per year**. A form that asks then gets, for example, *60 000 CZK gross per month*. Leave the figure empty and the assistant drafts an answer from the figure in **Options**, or leaves the question to you.
2. Under **Files for forms**, select **Add a file…** for each certificate, diploma or reference a form may ask for, and give each a short name.
3. Select **Save**.

The assistant attaches the CV and the letter of the job by itself. Your own files are not attached for you: after a fill, **Show my CV and letter in Finder** shows them, selected in Finder, for you to drag onto the form.

### Answer the questions every form asks

Some questions come back in almost every form: when you can start, what your strengths are, why you are looking. Answer them once on the **My answers** page (Figure 9.5), and every form that asks gets your wording, without a Claude call.

1. In the assistant's window, select **My answers**.
2. Select one of the suggested questions, or **Add a question** and type the question as forms ask it.
3. Write the answer, or select **Draft with Claude**: Claude drafts it from your CV in one call. Read the draft and make it yours.
4. Select **Save** on the answer.





Figure 9.4 – The salary and the files on the My details page

An answer is marked for checking each time it is used. A question about one company, such as "Why do you want to work here?", cannot have one answer for all of them: the assistant drafts it for each job when it fills in that job's form (the next tasks).

## Let your browser be filled in

A browser does not let another app write into a page until you allow it. Do this once. The steps are for Google Chrome; for another browser, the **My details** page says where its switch is (section 10).

1. In Chrome's menu bar, select **View** > **Developer** > **Allow JavaScript from Apple Events**. A tick appears next to it.
2. The first time you ask the assistant to fill in a form, macOS asks whether the app may control Google Chrome. Select **OK**.





Figure 9.5 – The My answers page

> **Important**
> This switch lets apps on your Mac write into the page that is open in the browser. Turn it off again in the same menu whenever you like; the assistant then tells you that it is off.

## Fill in a form

1. In your browser, open the application form and leave its tab in front.
2. In the app, select the assistant.
3. Optional: under **Answers are for**, choose the job. To find it quickly, type part of its company or title in the box beside the list: the list narrows, and when one job is left it is chosen. With **Find the job from the page** the assistant works it out and tells you which job it took. A form is rarely at the address of its posting, because **Apply** leads to another page, so the assistant also looks at the page that led there, at the company and the job title in the words of the page, and at the posting you last opened from the app. When none of these is plain, it takes no job.
4. Select **Fill in the form**, or type the request, for example *fill in the form*, and press Return.
5. Read the answer (Figure 9.6). **Filled in** lists what was written and chosen; **Left for you** lists what was not, each with the reason.

6. Go to the browser and read the form. Filled fields have a green outline. An answer that needs your attention, and everything that was chosen for you, has an amber one.
7. Complete what was left for you, then send the form yourself.
8. Back in the app, use the buttons under the answer (Figure 9.7). Table 9.3 describes them.

To open the assistant for one job directly, select **Fill the form** in that job's window.

## Fill in a form with several pages

Many forms continue on a second and third page. After a fill, the assistant looks at the form every few seconds for five minutes. When you go on to the next page and it has empty fields, the assistant says so and offers **Fill in this page too**. It never moves to the next page itself: you press the form's own button.





Figure 9.6 – What the assistant filled in and what it left





Figure 9.7 – The buttons under the assistant's answer

Table 9.3 – What the assistant offers after it filled in a form

| Button | Shown when | What it does |
|---|---|---|
| **Show my CV and letter in Finder** | A file field was left to you, and the job has documents from the app or you added files of your own | Opens Finder with the PDF of the adapted CV, the letter and your own files selected, ready to drag onto the form |
| **Remember what I changed on the page** | The assistant wrote at least one answer | Reads back the answers it wrote, keeps your changes with the job, and remembers your wording |
| **Mark applied** | The job is still in **New Jobs** | Moves the job to **Applications** as waiting, as the button in the job's window does |
| **Fill in this page too** | The form in your browser moved on to other fields | Fills in the new page |
| **Open the form in its own tab and fill it in** | The form sits in a frame from another site | Opens that form in a new tab of the browser, waits for it to load and fills it in there. A page that loads slowly is left open: ask again when you see it |
| **Review before I send** | After every fill | Reads the form back and lists what looks wrong |

### Use your own wording again

When you rewrite an answer, the assistant keeps your wording and uses it the next time a form asks the same question, at any company, without a Claude call.

1. After a fill, change the answers on the page as you like.
2. In the app, select **Remember what I changed on the page**.

An answer you rewrite and save under **Form answers** (section 7) is remembered the same way. A remembered answer is marked for checking when it is used, and one that names the company it was written for is not used for another company. Every remembered answer is on the **My answers** page, where you can change or remove it. **Forget them** on the **My details** page removes all of them after asking once.

> **Note**
> To learn your changes, the assistant reads back only the answers it wrote itself. It does not read your other fields, and a draft you did not change is not remembered.

## Review a form before you send it

After a fill, select **Review before I send**, or ask *review the form*. The assistant reads the form back and lists what looks wrong (Figure 9.8): a required field that is still empty, a part left in square brackets, an email that is not yours, and, in one Claude call, an answer that contradicts your CV or names another company.





Figure 9.8 – What a review found

> **Note**
> For a review the assistant reads what the visible fields hold, which it does not do when it fills in a form. It never reads a password or a file a field holds, and the values of personal questions and payment fields are not sent to Claude.

> **Tip**
> Answers the assistant drafts are kept with the job, under **Form answers** (section 7). Ask again on the same form and they are used again without another Claude call.

### What the assistant fills in and what it leaves

Table 9.4 shows what happens to each kind of field.

To fill in a form and leave something out, say so: *fill it in but skip the salary*.

Table 9.4 – What the assistant does with each kind of field

| Kind of field | What the assistant does |
|---|---|
| Name, email, phone, address, links | Writes them from **My details**. A phone field too short for the spaces gets the number without them |
| A phone number with a list of country codes beside it | Chooses the code of your number in the list and writes the number without the code. When the list already shows another country, it leaves the list as it is, writes the whole number and marks both for checking |
| File fields the page keeps behind its own **Select file** buttons | Cannot be reached. The assistant says so once; press the page's button and choose each file yourself |
| Employer, job title, school, degree, field of study | Writes them from your lists of jobs and degrees, row by row |
| A salary question | Writes the figure with its currency from **My details** |
| A list, a yes/no choice, or a menu the page draws itself | Chooses the entry when something settles it: **My details** (country, city, notice period, the country code of your phone), where the posting was found ("How did you hear about us?"), or your CV and **About you** (right to work, degree level). Marked for checking. When nothing settles it, it is left to you |

Continuation of Table 9.4

| Kind of field | What the assistant does |
|---|---|
| A number, such as years of experience with a tool | Counts it from your CV. Marked for checking |
| A question you answered in your own words before | Uses your wording again, marked for checking |
| An open question, such as "Why do you want to work here?" | Drafts the answer from your CV and the posting, in one Claude call for the whole form. Nothing outside your CV is claimed |
| A cover letter box | Pastes the letter the app wrote for this job |
| A field that already holds something | Leaves it as it is |
| A file field for your CV or resume | Attaches the CV adapted to this job, as a PDF when the field takes one. When the job has no adapted CV, it attaches your own CV and says so. Marked for checking |
| A file field for the cover letter | Attaches the letter of this job |
| A file field for other attachments | Attaches the letter of this job, when the form has no other place for it. Certificates and diplomas stay yours to add |
| Any other file field (a photo, a passport, a transcript), a file larger than 4 MB, or a kind of file the field does not take | Leaves it to you, with the reason |
| A file field, when the assistant does not know which job the form is for | Leaves it to you. Choose the job, then ask again: a CV written for another company is worse than none |
| A password | Leaves it to you |

Continuation of Table 9.4

| Kind of field | What the assistant does |
|---|---|
| Date of birth, gender, origin, health, payment details | Leaves them to you |
| The dates of a job or a degree | Writes them where the form takes a month and a year, as one field or as two lists. Where it wants a full date, the first of the month is used and marked for checking. With only a year in **My details**, a month is left to you |
| The box **I currently work here** | Ticked for a job you marked **I work here now**. Marked for checking |
| **Location** and **Role description** inside a job's block | Writes where that job was and what you did there, from the job in **My details**. Never your own city, and never a text drafted about you in general. Empty in **My details**: left to you, with the reason |
| A date split into a month box and a year box | Writes each part into its box |
| A block for each language | Chooses the language, then its level in each list (comprehension, reading, speaking and so on), from your list of languages. Ticks **I am fluent in this language** for *Native* and *Fluent*. Levels are marked for checking |
| A field that throws away what was written | Written a second time, the way typing arrives. If the page throws that away too, the field is left to you and the assistant says so |
| A short field the app does not recognise | Asks Claude, with the lists and numbers, to copy the words from your CV or your details. Words that are not there are not written |

Continuation of Table 9.4

| Kind of field | What the assistant does |
|---|---|
| When you can start ("Earliest start date", "Available from", "When can you start?") | Writes what you entered under **Options** > **About you** > **You can start**. For a date picker it works out the day: *1 November 2026* as written, *immediately* as today, *one month* as a month from today. A worked-out day is marked for checking. Words it cannot turn into a day, and a day that has passed, leave the picker to you |
| Other dates | Leaves them to you |
| Every other tick box, such as agreeing to a privacy notice | Leaves it to you |
| **Add another job**, **Add education** | Pressed once for each job or degree that has no row yet |
| **Submit**, **Next** and every other button | Never pressed |

## If something is wrong

Table 9.5 lists what the assistant may answer, and what to do.

Table 9.5 – Problems while filling in a form, and what to do

| What the assistant says | Cause | What to do |
|---|---|---|
| Google Chrome is not open | Chrome is closed, or has no window | Open the form in Chrome and ask again |
| Chrome does not let other apps fill in pages yet | The switch in Chrome is off | **View** > **Developer** > **Allow JavaScript from Apple Events** |

Continuation of Table 9.5

| What the assistant says | Cause | What to do |
|---|---|---|
| macOS did not let JobHelper talk to Chrome | The question from macOS was answered with **Don't Allow** | **System Settings** > **Privacy & Security** > **Automation**: turn on **Google Chrome** for the app |
| The browser does not let another app fill in its pages | The browser has that part switched off (Opera GX), or never had it (Firefox) | On **My details**, choose **Google Chrome** or **Safari**, and open the form there |
| I found no form fields on this page | The tab in front is the posting, not the form | Open the form itself, usually with the site's **Apply** button |
| The form sits inside a frame from another site | The company shows a form that lives on a recruiting site | Select **Open the form in its own tab and fill it in** under the answer |
| The menu did not open for me | The site draws its menu in a way the assistant does not know | Choose that one yourself |
| I could not ask Claude | Claude's limit is used up, or there is no connection | The details are still filled in. Ask again after the reset time shown in the Usage card (section 18) |
| The tab changed while I was working | You moved to another page in the meantime | Go back to the form and ask again |
| An open question: choose the job this form is for | The page did not show which job it belongs to | Choose the job under **Answers are for** and ask again |
| I do not know your details yet | **My details** is empty | Fill in **My details**, save, ask again |

Continuation of Table 9.5

| What the assistant says | Cause | What to do |
|---|---|---|
| A field stayed empty although it is listed as filled | The site rebuilt the field after it was written | Type that one yourself |

### Next steps

- Track an application, after you sent the form

## 10. Talk to the assistant

The assistant is more than a form filler. You can ask it about your search in your own words, have it do things in the app after your yes, and let it tell you what needs attention. This chapter covers everything that is not filling in a form (section 9).

### Prerequisites

- For questions and requests: Claude is signed in. Each one is a call to Claude, unless this chapter says otherwise.
- For anything in the browser: the switch from section 9 is on.

### Talk to the assistant

You can ask the assistant in your own words, and it remembers the last turns of the talk, so a second question may build on the first (Figure 10.1). When a job's window is open, "this job" means that job; otherwise choose the job under **Answers are for**, or name its company.

1. Select the assistant and type what you need, then press Return.
2. Read the answer. While you wait, the line under the talk says what the assistant is doing. Jobs the answer is about are listed under it; select one to open it.
3. When the assistant asks before it does something, select **Yes, do it** or **No**.

Table 10.1 shows what you can ask for.

The assistant never changes anything on Claude's word alone. What Claude proposes is checked by the app: an action that does not exist, or a job that is not in your list, is dropped, and the assistant says that it could not do it.





Figure 10.1 – A talk with the assistant

Table 10.1 – What you can ask the assistant

| You ask | Example | What happens |
|---|---|---|
| A question about your search | *Which applications have had no reply for two weeks?* | It answers from your jobs, their statuses, dates and replies, and lists the jobs |
| A question about one job | *Why did this score 62?* | It answers from the job's score, its reason and its keywords |

Continuation of Table 10.1

| You ask | Example | What happens |
|---|---|---|
| To open something | *Open the letter for Northwind* | The job, its posting, its CV or its letter opens at once |
| To change a job | *Mark it applied*; *set the interview for Tuesday at 11:30*; *Quillon said no* | It asks first, in the app's own words. Nothing changes until you select **Yes, do it** |
| To rewrite a text | *Make the second paragraph of this letter shorter*; *make my answer about salary more formal* | It shows the new version first. It is saved only after your yes, and is checked against your CV like every text |
| A brief about a company | *Tell me about Northwind before the interview* | A few lines from the posting, your notes and their messages |
| Advice | *What do my results say?* | What works and what does not, from the numbers of your own applications |
| To fill in a form, with exceptions | *Fill it in but skip the salary* | It fills in the form and leaves out what you named |
| Several things at once | *Mark it applied and remind me to follow up in ten days* | One question lists every step; see the next task |
| To remember something | *Remember that I do not want consulting firms* | Kept for later talks; see below |
| A posting in your browser | *Is this posting worth applying to?* | It is scored against your CV and can be added to **New Jobs**; see below |
| A reply to a company | *Answer Quillon that Tuesday suits me* | A draft to copy; see below |

Continuation of Table 10.1

| You ask | Example | What happens |
|---|---|---|
| To practise | *Let us practise the interview for Quillon* | See the task below |

> **Important**
> Filling in a form, opening your details and asking for help cost nothing. Every other request is one call to Claude, and a rewrite, a brief, advice, a reply, a posting and each practice answer are one more. Only the jobs a request is likely about are sent with it, not your whole list. The calls count against your Claude limit like a search does (section 18).

### Do several things at once, and take them back

One request may hold up to three things, for example *I sent the Northwind form: mark it applied and remind me to follow up in ten days*. What only shows something is done at once. What changes your data is asked about in one question that lists each step; **Yes, do it** carries them out in order.

After a yes, **Undo** appears under the answer. It puts the job back exactly as it was: its status, its dates, and a lead that marking it applied had folded away. **Undo** takes back the last yes only, and is not offered while a search or a scan is running.

### Tell the assistant what to remember

Say *remember that I do not want consulting firms* and the assistant keeps the note. It uses your notes in its answers from then on, also after the app was closed, and it also remembers the last turns of a talk. The notes are listed on the **My details** page under **What you asked me to remember**; select **Forget** to remove one. **New talk** on the **Ask** page puts the earlier talk away.

> **Note**
> A note shapes what the assistant says. It does not change what a search finds or how a posting is scored: for that, use **Options** (section 16).

### Judge a posting that is open in your browser

1. Open a job posting in your browser and leave its tab in front.
2. In the assistant's window, select **Is the posting in my browser worth applying to?**
3. The assistant reads the page, scores the posting against your CV with the same scorer a search uses, and says the score and the reason.
4. To keep it, select **Yes, do it**: the posting is added to **New Jobs**. The next search writes its documents when the score is at or above your limit.

This takes one call to Claude, for the scoring. Most job pages state the job's title and

employer in a form that search engines read, and the assistant takes them from there; only when a page does not, one more call reads them off the page. A posting that is in your list already is recognised by its address, without a call.

### Draft a reply to a company

Ask, for example, *answer Quillon that Tuesday suits me*. The assistant drafts a short reply to the company's last message that is filed under that application, and shows it with a **Copy** button. What it cannot know, such as a time, stands in square brackets for you to fill in.

> **Important**
> The assistant never sends mail. You paste the draft into your own mail program, read it, and send it yourself.

### Practise an interview

1. Build the interview preparation for the application first (section 13).
2. Ask the assistant to practise for that job, for example *practise the interview for Quillon*.
3. The assistant asks the questions of the preparation one at a time. Type each answer as you would say it and press Return.
4. Read what it says about the answer: what is good, what is missing, and one real thing from your CV you could add. Then it asks the next question.
5. To end, type *stop* or select **Stop practising**.

Each answer is one Claude call. Nothing you type in practice is saved.

The questions that went badly last time are asked first, then the ones you never practised. Only how each answer went is kept with the application (good, fair or weak), never what you typed. When the practice ends, the assistant says how many went well.

### Let the assistant speak first

The assistant also tells you things without being asked. None of this uses Claude.

- **When the app opens**, its bubble says what deserves your attention: a form you filled in but did not mark as applied, an interview in the next two days with no preparation, an invitation with no date set, or how many jobs are ready to send.
- **In its window**, **For you today** lists the same reminders. Select **Open** to go to the job, or **Do not remind me** to stop that reminder.
- **Noticing a form.** On the **My details** page, under **How I work**, turn on the switch **Notice application forms by myself**. While the app is open, the assistant then looks at the address of the tab in front in your browser every 20 seconds. When it is the form of a job you track, its bubble says so; select the assistant and it is ready to fill that form.

> **Important**
> The switch is off until you turn it on. When it is on, the assistant looks at the address and title of the tab in front and counts its empty fields. It reads nothing else, opens nothing, and says nothing about pages that belong to no job of yours.

### Choose your browser

The assistant works in Google Chrome unless you choose another browser. On the **My details** page, under **How I work**, choose **Google Chrome**, **Brave Browser**, **Microsoft Edge**, **Opera** or **Safari**. Opera GX and Firefox are in the list as not possible: they do not let another app fill in their pages, so open the form in one of the others. The line beside the list says where that browser's switch is; turn it on once, as in section 9. The switch to notice forms is in the same place.

### Speak instead of typing

The assistant's box takes dictation like any text field on your Mac: select the box and press the dictation key (the microphone key, or the Fn key twice), then speak. What you say appears as text; press Return to send it. Dictation is a feature of macOS and is turned on under **System Settings** > **Keyboard** > **Dictation**.

### Next steps

- Track an application

## 11. Track an application

**Applications** lists where you applied, grouped by where each one stands: offers and interviews first, then waiting, then rejected (Figure 11.1).

### The application's window

Select a row to open the application (Figure 11.2).

Table 11.1 lists the fields of an application.





Figure 11.1 – The Applications list

Table 11.1 – The fields of an application

| Field | What it is | When to change it |
|---|---|---|
| **Status** | Where the application stands | Normally set by the replies in your mailbox. Change it by hand when the news came another way |
| **Applied on** | The day you applied | Correct it if you applied before you pressed the button |
| A date to remember | An interview, a deadline, a test task, a call | Set it when you agree a date |

## Set a date and get reminded

1. In the application's window, choose the kind of date, the day and, if you know it, the time.
2. Select **Save date**.
3. Optional: select **Add to calendar** to put it in Calendar, so that your phone reminds you too.





Figure 11.2 – An application in full

The date then shows on the **Coming up** card of the main window. You get a notification the day before and on the day. With a time, you also get one about three hours and one hour before (Figure 11.3).

You often do not have to set it. An invitation in your mailbox that names a day sets the date by itself when you scan your email. When the company moves the interview, the newer invitation moves the date as well. A date that you set or changed yourself is never changed by an email.

## File a reply that did not come by email

An answer that came on LinkedIn or in a company portal can be filed by hand.

1. In the application's window, find **Paste the message text here**.
2. Paste the message and select **Save**.

The app reads it like an email and updates the status.





Figure 11.3 – Dates, pasted replies and notes

## Keep notes about the company

**Who you spoke to**, **Salary mentioned**, **What they asked** and **Anything else worth remembering** are kept for the company, not for the job. They appear again when you apply there later. Select **Save notes** after you write them.

## Follow up

After ten quiet days (you can change the number in Options) the app suggests a follow-up and drafts one.

1. Open the application. The follow-up draft is shown.
2. Select **Copy** and send it from your own mail program.
3. Select **Mark as followed up**, so that the reminder stops.

> **Note**
> The app does not send the follow-up. It only writes the draft.

## Possible duplicates

When two entries look like the same application, the line under **Applications** says so. Open one of them and choose **Merge into one** or **They are different**.

## Next steps

- Read replies from companies

# 12. Read replies from companies

An email scan reads new mail in your mailbox, works out which messages are answers to your applications, and files each one to its application.

## Prerequisites

- The **Job email** row of the Account card is green (section 2).

## Scan your email

1. In the main window, select **Scan email**.
2. Wait for the status line to say how many new replies were filed.
3. Open **Responses** to read them, or **Applications** to see the new statuses.

> **Important**
> The scan only reads. Nothing is sent, deleted, moved or marked as read. Mail from the Sent and Drafts folders is never read.

## How the app chooses which messages to read closely

Most mail in a mailbox is not about your applications. Asking Claude about every message would waste your limit, so the app first decides, without Claude, which messages are worth a question (Table 12.1).

Claude then reads each chosen message and decides whether it is an invitation, a rejection, an offer, or an automatic confirmation. A message that turns out to be none of these is not filed.

## How far back a scan looks

A scan reads the mail of the last days set in Options under **Scan emails from the last**. Messages that were already read by an earlier scan are skipped, so a longer period costs nothing after the first time.

Table 12.1 – Which messages are sent to Claude

| A message is | Sent to Claude |
|---|---|
| From a recruiting system (for example Greenhouse, Workable, Teamio, SuccessFactors) | Yes |
| From a company you track, named in the sender or the subject, and it talks about an application | Yes |
| From a person at a company you track, even with no such words ("Are you free on Tuesday?") | Yes |
| From anyone, when it talks about an application and is not list mail | Yes |
| A job alert, a digest, a sign-up or password message | No |
| Automatic mail from a company you track with nothing about an application (a statement, an advert) | No |
| An advert or newsletter that only shares a common word with a company's name ("International", "Praha"), or mentions a brand somewhere in its text | No |

### Look further back once

Use this after you add a mailbox, or when an old reply is missing.

1. Open **Options** and find **Email scan**.
2. Under **Look further back once**, choose the number of days (90 to begin with).
3. Select **Scan now**. A green line confirms that the scan started; you can close Options.

The scan reads that period once. The setting **Scan emails from the last** stays as it is.

### Responses

Figure 12.1 shows the Responses list.

**Responses** lists every reply with what it was. Select one to read it in full (Figure 12.2).

Table 12.2 lists the fields of a reply.





Figure 12.1 – Every reply

Table 12.2 – The fields of a reply

| Field | Meaning |
|---|---|
| The badge | What the reply was: interview, rejection, offer, acknowledged |
| **Summary** | What the message says, in one or two sentences |
| **Next step** | What they ask of you, if anything |
| **Reason** | For a rejection: the reason they gave, and its kind |
| The application | Which of your applications it was filed to. Select it to open that application |
| **File under...** | Files the reply under another application, or under none |

## File a reply under the right application

Sometimes a reply is filed under the wrong application, or under none: two applications at one company, or a recruiter who writes from an agency's address.

1. In **Responses**, select the reply.
2. Select **File under…** (or **File under another…**). The list of your applications opens (Figure 12.3).
3. Type a company or a role to narrow the list, then select the right application.





Figure 12.2 – One reply in full

The application the reply moves to follows it in the usual way: an invitation makes it an interview, a rejection closes it. The application the reply leaves keeps its status, because only you know whether this reply had set it; the green line reminds you to look. To unlink a reply that is about none of your applications, select **It belongs to none of my applications**.

## Analytics

Figure 12.4 shows outcomes and rejection reasons.

**Analytics** adds the replies up (Table 12.3).





Figure 12.3 – Choosing the application a reply belongs to

Table 12.3 – The parts of Analytics

| Part | What it shows |
|---|---|
| The last seven days | What came in this week |
| Where applications stand | How many are waiting, in interviews, or closed |
| Rejection reasons | What reasons the rejections gave, most common first |

> **Tip**
> The rejection reasons are the useful part. If most of them say the same thing, that is what to change: your level, a missing skill, or the kind of role you apply to.

## If something is wrong

Table 12.4 lists problems with replies, and what to do.





Figure 12.4 – Outcomes and rejection reasons

Table 12.4 – Problems with replies, and what to do

| What you see | Cause | What to do |
|---|---|---|
| "0 new" after a scan | No new replies in the period, or they were read by an earlier scan | Nothing. **Emails read** on the Last run card shows what the scan went through. To look further back, use **Look further back once** |
| A rejection is missing | It did not arrive in a scanned mailbox, or it is in another folder | Turn on **Also archived mail and spam**, or paste the reply into the application (section 11) |
| A reply was filed to the wrong application, or to none | Two applications at the same company, or a sender the app could not place | Open the reply and select **File under...** |
| A warning about the second mailbox | Its password was cancelled or mistyped | Open the Account card and select **Change** for the second mailbox |

# 13. Prepare for an interview

For one interview the app builds a sheet from your CV and the posting.

## Build the preparation

1. Open the application.
2. On the **Interview preparation** card, select **Prepare**. The app asks Claude; this takes about a minute.
3. When the card says the questions and answers are ready, select **Open**.

**Documents** on the same card opens the preparation as two Word files: one for a talk with HR or a recruiter, and one for a talk with a specialist or the hiring manager. **Make again** builds a new preparation, for example after you changed your CV (Figure 13.1).

## What the sheet contains

Table 13.1 lists the parts of the interview sheet.





Figure 13.1 – The interview preparation

## The two documents

Both documents have the same order: the company, you, your projects and skills, the questions they may ask you, and the questions you can ask them. Table 13.2 shows how the two differ.

The question about the next steps is always in the HR document. The text follows the rules of ASD-STE100 Simplified Technical English: short sentences, the active voice and common words. A preparation made before 15 October 2026 has no projects and skills part: select **Make again** to add it.

Table 13.1 – The parts of the interview sheet

| Part | What it is |
|---|---|
| What to expect | A short summary of this interview |
| The opening pitch | Two or three sentences to introduce yourself |
| Questions an HR person or a recruiter is likely to ask | Answered in plain words, without the jargon of your field |
| Questions someone who does this work, or the hiring manager, is likely to ask | Answered precisely, with the real tools, methods and numbers |
| **Why they ask** | Under each question: what the interviewer wants to learn |
| Questions you can ask them | For the HR person, and for the people you would work with |

> **Important**
> The answers are a starting point built from your CV. An answer that touches something your CV does not show is marked **Check this answer**. Rewrite it, so that you never repeat a claim you cannot back.

## Use the sheet

Table 13.3 lists the buttons of the interview sheet.

After the interview, the application's window offers a short **thank-you** note to copy.

Table 13.2 – The HR document and the technical document

| Part | For HR | For a specialist |
|---|---|---|
| 1. About the company | What the company does, and a sentence to say about it | The same facts, and the role in detail |
| 2. About you | Your opening pitch and your jobs in plain words | Your pitch, and each job told for this role, with notes to check |
| 3. Your projects and skills | Each project in one or two plain sentences | Each project in full, with its tools |
| 4. Questions they may ask you | HR questions, answered in plain words | Questions about the work, answered with exact tools and numbers, then terms to explain and topics to revise |
| 5. Questions you can ask | The next steps, the team, working hours, the first weeks, the contract | The work itself, the tools, what you would do first |

Table 13.3 – The buttons of the interview sheet

| Button | What it does |
|---|---|
| **Edit** | Lets you rewrite any part in your own words |
| **Copy all** | Copies the whole sheet as text |
| **Open as documents** | Makes the two Word files, for HR and for a specialist, and opens them |
| **Show in folder** | Shows the two Word files in Finder |

# 14. See what a search left out

A search that only shows you what it kept would be asking you to trust it blindly. Every posting a search drops is kept with the reason.

## Open the list

1. On the **Last run** card, select the number next to **Filtered out**.

Figure 14.1 shows postings the last search filtered out.

## Read the list

Each row is one dropped posting with the reason in words. The chips at the top group the rows by reason (Table 14.1).





Figure 14.1 – Postings the last search filtered out

## Bring a posting back

1. Find the row.
2. Select **bring back**.

The posting goes to **New Jobs**, and the next search scores it.

Table 14.1 – Reasons a posting is filtered out, and where to change each rule

| Reason | Meaning | Where to change the rule |
|---|---|---|
| **too senior** | The title is above your level | **Skip levels above yours** |
| **other language** | The ad is written in another language (the reason names it), or the role requires one at a working level | **English only** |
| **part time** | You asked for full-time only | **Full-time only** |
| **too old** | Posted longer ago than your limit | **Max job age** |
| **years** | Asks for more years of experience than you accept | **Skip jobs asking for** |
| **skip word** | The title has a word you skip | **Skip titles with** |
| **already applied** | You applied to this role at this company | Nothing to change |

## 15. Learn from your results

**Insights** is worked out on your Mac from your own applications. It asks Claude nothing (Figure 15.1).

Table 15.1 lists the parts of Insights.





Figure 15.1 – Insights

Table 15.1 – The parts of Insights

| Part | The question it answers |
|---|---|
| **What is working** | Which kinds of role and which job boards led to interviews? |
| **Week by week** | How many applications did I send, and what came back? |
| **Skills to learn** | What do the postings ask for most that my CV does not show? |
| **What the postings pay** | What salaries do the postings state, in your currency, and how do they compare with what you ask? |
| **How long companies take to answer** | When should I stop waiting? |
| **Why jobs scored low** | What reasons come up most often? |

> **Note**
> With only a few applications the app says "too few to say" rather than guessing. The numbers become useful after about ten applications.

## What to do with it

Table 15.2 suggests what to do with what you see.

Table 15.2 – What to do with what Insights shows

| You see | Consider |
|---|---|
| One kind of role gets the interviews | Put that role first in **Search roles**, and add it to **Kinds of role you want** |
| One skill is asked for again and again | Learn it, or add it to your CV if you already have it |
| Most low scores give the same reason | Change the filter that should have dropped those postings |
| Companies answer within two weeks or not at all | Follow up after ten days and move on after three weeks |

# 16. Set your options

Options is where you tell the app what you are looking for. Open it with **Options** in the right column, or with a chip under **Search** in the left column (Figure 16.1).

> **Note**
> A choice too long for its box is shown on two lines, never cut.

> **Note**
> Every field checks what you type. A value the app cannot use is marked in red with the reason, and **Save** waits until it is corrected. Closing Options with unsaved changes asks once.

## Search

Table 16.1 lists the Search settings.





Figure 16.1 – Options: the search

Table 16.1 – The Search settings

| Setting | What it does | Values | Why you would change it |
|---|---|---|---|
| **City** | Where to search | A city name | The app will not search without one |
| **Country** | Which postings of a company's career site, and which remote jobs, count as "here": the city, anywhere in this country, the region it is in ("Europe", "EMEA"), or remote without being tied to another part of the world | A country's name in English. Empty = the country of the city, shown in grey | Type it when the field says the city is not known, or when you also want jobs from a neighbouring country |

Continuation of Table 16.1

| Setting | What it does | Values | Why you would change it |
|---|---|---|---|
| **Job source** | Which job boards are read | Czech boards, LinkedIn and careers; LinkedIn only; Company career sites only; All sources (+ remote) | More sources find more and take longer |
| **Search roles** | The words typed into the job boards, in English | One or more roles | Too few results: add a role. Too many poor ones: remove one |
| **Skip titles with** | Words that drop a posting by its title | Words | To get rid of a kind of posting that keeps appearing |
| **...but keep titles with** | Exceptions to the line above | Words | To keep a title that a skip word would drop |
| **Kinds of role you want** | Tells the scorer your direction | Roles | Without it, a role in another field that merely accepts your degree could score high |
| **Kinds of role you do not want** | Skipped when the title names one, scored low otherwise | Roles | To keep a neighbouring field out |

Continuation of Table 16.1

| Setting | What it does | Values | Why you would change it |
|---|---|---|---|
| **Skip levels above yours** | Level words that drop a posting | Words such as senior, lead | A senior candidate empties this list |
| **Skip jobs asking for** | Drops postings that ask for this many years or more | 0 to 30; 0 = never | To keep out postings you are not yet eligible for |
| **Include remote jobs** | Adds the remote boards | On or off | To widen the search beyond your city |
| **Full-time only** | Hides part-time roles | On or off | Turn off if part-time suits you |
| **English only** | Hides postings written in another language, and roles that require another language at a working level | On or off | Turn off if you also work in the local language. A posting that requires a language your CV does not show is then scored low instead |
| **Max job age** | Drops postings older than this | Days; 0 = any date | Old postings are often already filled |
| **Results per query** | How many postings each role asks each board for | 1 to 100 | Raise it for a wider search, lower it for a faster one |

## Your profession

Figure 16.2 shows the roles you want and your profession in Options.

Under **Kinds of role you want**, chips show what the app takes as your profession. The app reads it from the roles you want (the outlined chip). It decides which titles are skipped as "another profession" before scoring.

- If the app read it wrong, select the right chips yourself.
- **Let the app decide** goes back to reading it from your roles.

Seventeen professions are known.

### Company career sites

Some companies publish their openings on their own career site. To read one directly:

1. Find the company's career page and note the short name in its address (for example, boards.greenhouse.io/example gives example).
2. Under **Company career sites**, enter the company's name and that short name, and choose the system.
3. Select **Add**.





Figure 16.2 – Options: the roles you want and your profession

### Matching and follow-up

Table 16.2 lists the Matching and Follow-up settings.

> **Tip**
> Raise **Write letters above** to apply to fewer, better matches. It also uses less of your Claude limit, because fewer documents are written.

### About you

Figure 16.3 shows the About you settings.

Table 16.3 lists the About you settings.

Table 16.2 – The Matching and Follow-up settings

| Setting | What it does | Values |
|---|---|---|
| **Write letters above** | The score from which a CV and a letter are written | 0 to 100 |
| **Hide leads below** | Hides jobs below this score from New Jobs | 0 to 100; 0 = show all |
| **Remind me after** | Days without a reply before a follow-up is suggested | 0 to 90; 0 = never |

> **Important**
> Write only true facts here. The app treats them as true and uses them in letters, form answers and interview answers.

## Notifications and storage

Figure 16.4 shows the Notifications and storage settings.

Table 16.4 lists the Notifications and storage settings.





Figure 16.3 – Options: about you

Table 16.3 – The About you settings

| Setting | What it does |
|---|---|
| **Salary you ask for** | Your expected pay, gross per month, with its currency. Form answers give it as your expectation, the job window and the lists show it, and Insights compares what postings pay with it. 0 = none given: the app then uses its own estimate, which it has for software roles in Czechia only, and otherwise leaves the figure for you to fill in |
| **A different figure for** | A salary of its own for one kind of role, used instead of the general one when the words are in the job's title (*support* for "IT Support Specialist"). Enter the kind of role and the figure, then select **+ Add** |
| **Right to work** | How letters and answers should say it. Empty = not mentioned |
| **You can start** | When you can start, for example *immediately*, *one month* or *1 November 2026*. Letters and answers say it this way, and the assistant fills it into forms. Empty = not mentioned |
| **More about your work** | What you really did in each job beyond what the CV says, in your own words. The app may use it like the CV |
| **Your own letters** | The folder for letters you wrote yourself (section 7) |

## Email scan

Figure 16.5 shows the Email scan and Model settings.

Table 16.5 lists the Email scan settings.





Figure 16.4 – Options: notifications and storage

Table 16.4 – The Notifications and storage settings

| Setting | What it does | Values |
|---|---|---|
| **Size of text and controls** | Draws everything in the window larger, for a large or very sharp screen. It is used the next time you open the app | 100%, 110%, 125% or 150% |
| **Notifications** | A macOS notification when a run finishes, pauses on the limit, or an interview invitation arrives | On or off |
| **Keep backups** | How many automatic backups are kept; older ones are removed | 0 to 200; 0 = keep all |
| **Back up everything** | **Back up now** makes one encrypted backup of everything. **Check backups** proves that a backup can be restored. **Save a readable copy...** puts the newest full backup, not encrypted, into an empty folder you choose | Three buttons |
| **Moved documents older than** | Moves old copies in the backup to the Trash, after asking | 7 days or more |

Table 16.5 – The Email scan settings

| Setting | What it does | Values |
|---|---|---|
| **Scan emails from the last** | How far back an email scan looks. Messages already read are skipped | 1 to 365 days |
| **Also archived mail and spam** | Reads those folders too, not only the Inbox. Never Sent or Drafts | On or off |
| **Look further back once** | Starts one scan over a longer period now. The setting above stays | 2 to 365 days, then **Scan now** |

## Model

Table 16.6 describes the Model setting.

A larger model writes better and uses your limit faster. **sonnet** is a good default.





Figure 16.5 – Options: email and the model

Table 16.6 – The Model setting

| Setting | What it does | Values |
|---|---|---|
| **Claude model** | Which Claude model scores and writes | sonnet, opus, haiku |

# 17. Schedule a weekly run

macOS can run a search and an email scan for you once a week, even with the window closed.

## Turn it on

1. In the right column, select the **Weekly run** card.
2. Turn **Enabled** on.
3. Choose the day and the time.
4. Select **Save**.

Figure 17.1 shows the weekly run.

You get a notification when the run is done. The **Last run** card shows its result the next time you open the window (Table 17.1).





Figure 17.1 – The weekly run

Table 17.1 – What happens at the scheduled time

| Situation at the scheduled time | What happens |
|---|---|
| The Mac is on | The run starts |
| The Mac is asleep | The run starts when it wakes |
| The Mac is switched off | That week's run is skipped |
| Claude's limit is used up | The run stops early and keeps what was finished |

### Turn it off

Open the card again, turn **Enabled** off, and select **Save**.

## 18. Watch your Claude usage and limits

Your Claude subscription has two limits, and the app counts against both like any other use of Claude (Table 18.1).

### Read the Usage left card

Each window has a bar and a figure for what is left. The numbers come from Claude's

last answer. **refresh** asks Claude for the current ones (Figure 18.1).

Table 18.2 explains what the card shows.

Table 18.1 – The two limits of a Claude subscription

| Limit | What it is |
|---|---|
| **5-hour window** | How much you can use in a period of five hours. Claude calls it the session limit |
| **7-day window** | How much you can use in a week |

When a reset time passes while the window is open, the card corrects itself: the limit is shown as free again without you pressing anything.





Figure 18.1 – A limit that is used up

> **Note**
> Other use of Claude on the same account, in the Claude app or in Claude Code, counts against the same limits. That is why the figure can drop while the app does nothing.

### When a run hits the limit

The run pauses instead of failing, and everything done so far is saved (Figure 18.2).

1. Read the window: it names the limit and the time it resets.
2. Select **Close**. You can keep using the lists.
3. When the limit is back, the **Resume** button turns blue. Select it.

The run continues from where it stopped. Nothing that was finished is done again.

Table 18.2 – How to read the Usage left card

| You see | Meaning |
|---|---|
| A figure such as **66% left** | That much of the window remains |
| **resets 14:00** under a bar | Shown when less than 20% is left: the time the window is empty again. A date is added when it is another day |
| **0% left** in red | Claude refused a call because this limit is used up. Nothing can be asked until the time shown |
| **—** | Claude has not reported this window yet. Select **refresh** |

### What a run costs

The **Last run** card shows two rows about cost (Table 18.3).





Figure 18.2 – The run paused on the limit

Table 18.3 – The two cost rows of the Last run card

| Row | Meaning |
|---|---|
| **You paid** | *subscription only*. Nothing was billed for the run |
| **Same search via API**, **Same scan via API** | What that one run would have cost with pay-per-use billing |

## See everything the app has used

1. In the right column, select **Help**.
2. Select the tab **Usage and problems** (Figure 18.3).

The first card shows how many questions the app has asked Claude in all and by kind of work, with what the same work would have cost through the paid API. Nothing of it was billed.





Figure 18.3 – Usage and problems in Help

## Use less of your limit

Table 18.4 lists ways to use less of your limit.

Table 18.4 – Ways to use less of your limit

| Do this | Why it helps |
|---|---|
| Keep fewer **Search roles** | Fewer postings to score |
| Choose Czech boards instead of all sources | Fewer postings to score |
| Raise **Write letters above** | Fewer documents to write. Writing costs more than scoring |
| Set **Kinds of role you want** | More postings are skipped before scoring |
| Choose the **sonnet** model | It uses the limit more slowly than opus |

# 19. Protect your data

## Where your data is

Everything stays on your Mac. The only things that leave it are the questions put to Claude (your CV text and a posting), the requests to the job boards, and the reading of your mailbox (Table 19.1).

## Backups

The app makes a backup by itself before it changes data in bulk. The newest ones are kept, as many as **Keep backups** in Options says.

To make a backup of everything yourself, for example before you move to a new Mac:

1. Open **Options** > **Notifications and storage**.
2. Select **Back up now**. The green line names the folder of the backup.
3. Optional: select **Check backups**. The app restores a backup into a throwaway folder and compares it with your data, to prove that it can be restored.

To take your data out of the app in a form that any program can open:

1. Select **Save a readable copy...**.
2. Choose an empty folder outside the app's own folder.

Table 19.1 – Where your data is and what protects it

| What | Where | Protected by |
|---|---|---|
| The job list, your profile, your settings, the replies | data/, as encrypted files | AES-256 encryption |
| All backups | data/backups/ | AES-256 encryption |
| The mailbox passwords and the data key | The macOS Keychain | Your Mac's login |
| CVs, letters, Excel tables | data/, as ordinary files, so that Word and Excel can open them | The encryption of your disk |
| The rule files for the CV and the letter | data/ | A signature; a change made outside the app must be approved |

**Warning**
A readable copy is not encrypted. Keep that folder safe, and delete it when you no longer need it.

### Changes to the rule files

The files that tell the app how to write your CV and your letters, the letter template and your master CV are signed. If one of them is changed outside the app, the next run waits.

1. Open the **Account** card. The **Data protection** row names the changed files.
2. Select **See what changed**. The lines that were removed are shown in red with a minus sign, the lines that were added in green with a plus sign.
3. Select **Approve** if the change is yours. Otherwise put the file back as it was.

**Note**
The app keeps the text of each file as it was when you approved it. For a file approved before this was added, the card says that no earlier copy was kept; open the file and read it before you approve.

**Warning**
Approve a change only when you made it yourself. The rule files decide what the app is allowed to write in your name.

### Nothing is thrown away

Table 19.2 lists where data goes instead of being deleted.

Table 19.2 – Where data goes instead of being deleted

| Action | Where the data goes |
|---|---|
| **Not interested** | The job leaves the list; its documents go to an encrypted backup |
| **Move documents to backup** | An encrypted backup; **Put them back** returns them |
| A letter is saved again | The previous version goes to an encrypted backup |
| Old copies are tidied | The Trash, never straight to deletion |

## 20. Troubleshoot problems

Figure 20.1 shows the Help window.

**Help** in the app has three tabs: **How it works** covers the same ground as this guide in short form, **What changed** lists the changes of each version, and **Usage and problems** shows what the app has used and the small problems it carried on after.

### Starting and signing in

Table 20.1 lists problems with starting and signing in.





Figure 20.1 – Help inside the app

## Searching and scoring

Table 20.2 lists problems with searching and scoring.

Table 20.1 – Problems with starting and signing in

| What you see | Cause | What to do |
|---|---|---|
| A red line at the top of the main window | The start-up check found something | The line says what and how to fix it |
| A button does nothing | A required row of the Account card is red | Open the **Account** chip and make the rows green |
| "A paid API key is set" | A paid Claude key is set on this Mac | Ask whoever set up the app to remove it, then start the app again |

## Replies

Table 20.3 lists problems with replies.

Table 20.2 – Problems with searching and scoring

| What you see | Cause | What to do |
|---|---|---|
| No results | The city or the roles are too narrow, or the filters dropped everything | Check Options; open **Filtered out** to see what was dropped and why |
| Too many poor jobs | The filters are too loose | Add words to **Skip titles with**, set **Kinds of role you want**, or raise **Write letters above** |
| Good jobs are skipped | The app read your profession wrong | Check the profession chips in Options; use **Score it anyway** on a single job |
| A score looks wrong | The posting was read only in part, or your Options changed | Read **Why this score**; see section 8 |
| The search paused | Claude's limit ran out | The window says when it resets; select **Resume** then (section 18) |
| The usage card says **0% left** | Claude refused a call for a used-up limit | Wait for the time shown, then select **refresh** |

Table 20.3 – Problems with replies

| What you see | Cause | What to do |
|---|---|---|
| A rejection is missing | It did not arrive in a scanned mailbox or folder | Set the status by hand, or paste the reply (section 11) |
| A scan finds "0 new" | Nothing new in the period | Use **Look further back once** in Options |
| A scan takes long the first time | It reads a long period once | Later scans skip what was already read |

### Everything else

Table 20.4 lists other problems.

Table 20.4 – Other problems

| What you see | Cause | What to do |
|---|---|---|
| Something failed quietly | The app carried on after an error | Open **Help** > **Usage and problems**: the second card lists such errors, newest first, and **Show the file in Finder** shows the whole log |
| The data cannot be opened on a new Mac | The data key is in the old Mac's Keychain | Paste your recovery key in the **Account** card (section 2) |

# 21. Look things up

## Words the app uses

Table 21.1 explains the words the app uses.

Table 21.1 – Words the app uses

| Word | Meaning |
|---|---|
| **Lead** | A posting found for you that you have not applied to |
| **Score** | 0 to 100: how well a posting fits your CV and the roles you want |
| **Your limit** | The score in **Write letters above**: from there a CV and a letter are written |
| **strong**, **moderate** | 60 or more; 50 to 59 |
| **skipped** | Not scored, to save a Claude call |
| **Master CV** | Your own CV, which every adapted CV is made from |
| **Adapted CV** | A copy of the master CV with the profile and the skills reworded for one posting |
| **Filtered out** | Dropped by a search before scoring, with a reason |
| **The limit** | Claude's 5-hour or 7-day limit of your subscription |

## Where things are written

Table 21.2 lists the folders the app writes to.

## The light theme

Figure 21.1 shows the light theme.

Table 21.2 – The folders the app writes to

| Folder | What is in it |
|---|---|
| data/cv/ | Your master CV |
| data/tailored_cvs/ | The adapted CVs, as Word files and PDFs |
| data/cover_letters/ | The letters the app wrote |
| data/my_letters/ | The letters you wrote |
| data/excel_new_jobs/, data/excel_applications/, data/excel_reports/ | The Excel tables |
| data/backups/ | Encrypted backups |





Figure 21.1 – The light theme

The sun or moon button at the top of the main window switches between the dark and the light theme. Every window follows it.