JOBHELPER

JobHelper user guide

How to use every part of the app, step by step

For JobHelper on macOS
33 figures · 52 tables

Contents

How to read this guide 11

About the pictures 11

Related documents 11

1. Overview 13

What the app does for you 13

What the app never does 13

What it costs 13

A normal week 14

Next steps 14

2. Set up the app 15

Prerequisites 15

What the welcome card checks 15

Sign in to Claude 16

Choose your master CV 16

Connect your mailbox 16

Add a second mailbox (optional) 18

Save your recovery key 18

Open your data on a new Mac 18

Open the card again later 18

If something is wrong 18

Next steps 19

3. Find your way around the main window 20

The left column 20

The middle 22

The red line at the top 23

The right column 23

Next steps 26
4. Run a search **27**
Prerequisites 27
Start a search 27
What happens, in order 27
Stop a search 28
If Claude's limit runs out 28
If something is wrong 28
Next steps 29
5. Review new jobs **30**
Read a row 30
Apply to a job 31
Controls of the list 32
Next steps 32
6. Work with one job **33**
The checklist: Before you apply 33
Why this score 34
The buttons at the bottom 35
Next steps 36
7. Check and edit your documents **37**
The adapted CV 37
The cover letter 37
Your own letters 39
Form answers 39
Next steps 40
8. Fix a score you cannot trust **41**
The posting could not be read in full 41

The score dropped after documents were written 41
9. Track an application 44
The application's window 44
Set a date and get reminded 45
File a reply that did not come by email 46
Keep notes about the company 46
Follow up 46
Possible duplicates 47
Next steps 47
10. Read replies from companies 48
Prerequisites 48
Scan your email 48
How the app chooses which messages to read closely 48
How far back a scan looks 49
Look further back once 49
Responses 49
Analytics 50
If something is wrong 51
11. Prepare for an interview 53
Build the preparation 53
What the sheet contains 53
Use the sheet 54
12. See what a search left out 55
Open the list 55
Read the list 55
Bring a posting back 56
13. Learn from your results 57

What to do with it 58
14. Set your options 59
Search 59
Your profession 62
Company career sites 63
Matching and follow-up 63
About you 64
Notifications and storage 65
Email scan 66
Model 67
15. Schedule a weekly run 69
Turn it on 69
Turn it off 70
16. Watch your Claude usage and limits 71
Read the Usage left card 71
When a run hits the limit 72
What a run costs 73
Use less of your limit 73
17. Protect your data 75
Where your data is 75
Backups 75
Changes to the rule files 75
Nothing is thrown away 75
18. Troubleshoot problems 77
Starting and signing in 77
Searching and scoring 78
Replies 79

Everything else 79

19. Look things up 80

Words the app uses 80

Where things are written 80

The light theme 81

List of figures

Figure 1. The welcome card 15

Figure 2. The main window 20

Figure 3. The lists and the account chip 21

Figure 4. The start-up check found something 23

Figure 5. Usage and the last run 24

Figure 6. A search in progress 27

Figure 7. The New Jobs list 30

Figure 8. The job window 33

Figure 9. The score and the keywords 35

Figure 10. Master CV next to the adapted one 37

Figure 11. The letter editor 38

Figure 12. Answers for one job's form 40

Figure 13. A job that fell below the limit 42

Figure 14. Moving documents for several jobs at once 43

Figure 15. The Applications list 44

Figure 16. An application in full 45

Figure 17. Dates, pasted replies and notes 46

Figure 18. Every reply 49

Figure 19. One reply in full 50

Figure 20. Outcomes and rejection reasons 51

Figure 21. The interview preparation 53

Figure 22. Postings the last search filtered out 55

Figure 23. Insights 57

Figure 24. Options: the search 59

Figure 25. Options: the roles you want and your profession 63

Figure 26. Options: about you 64

Figure 27. Options: notifications and storage 66
Figure 28. Options: email and the model 67
Figure 29. The weekly run 69
Figure 30. A limit that is used up 71
Figure 31. The run paused on the limit 73
Figure 32. Help inside the app 77
Figure 33. The light theme 81

List of tables

Table 1. How things are written in this guide 11

Table 2. The four kinds of box 11

Table 3. The five robots and what each does 13

Table 4. A normal week with the app 14

Table 5. What the welcome card checks 16

Table 6. Mail providers and the password each one wants 17

Table 7. Problems while setting up, and what to do 19

Table 8. The areas of the main window 20

Table 9. The lists in the left column 22

Table 10. The controls in the middle 23

Table 11. The cards in the right column 25

Table 12. The rows of the Last run card 26

Table 13. What a search does, step by step 28

Table 14. Problems with a search, and what to do 29

Table 15. How to read a row of New Jobs 31

Table 16. The controls of the New Jobs list 32

Table 17. The checklist of a job and its buttons 34

Table 18. The two extra buttons for documents 34

Table 19. The two groups of keywords 35

Table 20. The buttons at the bottom of the job window 36

Table 21. The controls of the letter editor 39

Table 22. The limits of one draft of form answers 40

Table 23. What the app does when a posting could not be read 41

Table 24. The fields of an application 45

Table 25. Which messages are sent to Claude 48

Table 26. The fields of a reply 50

Table 27. The parts of Analytics 51
Table 28. Problems with replies, and what to do 52
Table 29. The parts of the interview sheet 54
Table 30. The buttons of the interview sheet 54
Table 31. Reasons a posting is filtered out, and where to change each rule 56
Table 32. The parts of Insights 58
Table 33. What to do with what Insights shows 58
Table 34. The Search settings 60
Table 35. The Matching and Follow-up settings 64
Table 36. The About you settings 65
Table 37. The Notifications and storage settings 66
Table 38. The Email scan settings 67
Table 39. The Model setting 68
Table 40. What happens at the scheduled time 70
Table 41. The two limits of a Claude subscription 71
Table 42. How to read the Usage left card 72
Table 43. The two cost rows of the Last run card 73
Table 44. Ways to use less of your limit 74
Table 45. Where your data is and what protects it 75
Table 46. Where data goes instead of being deleted 76
Table 47. Problems with starting and signing in 78
Table 48. Problems with searching and scoring 78
Table 49. Problems with replies 79
Table 50. Other problems 79
Table 51. Words the app uses 80
Table 52. The folders the app writes to 81

Applies to: JobHelper for macOS.

This guide explains every part of the app: what it is for, how to use it step by step, what each control does, and what to do when something does not look right.

How to read this guide

Every section is built the same way: an overview of what the feature is for, what you need before you start, the steps to follow, a table of what each control does, and the problems people run into (Table 1).

Table 1. How things are written in this guide

Element	How it is written	Example
A button, a list or a label in the window	**Bold**, spelled as in the app	Select **Run search**; open **Options**
A path through the window	**Bold**, joined with >	**Options** > **Email scan** > **Scan now**
Something you type	*Italics*	Enter *Prague* in **City**
The name of a file or a folder	Monospace	Your CV as a .docx file
A key on the keyboard	Capitalised, joined with +	Press Esc; press Cmd+C to copy
A figure or a table	By its number	Figure 2, Table 5

Four kinds of box mark what deserves attention (Table 2).

Table 2. The four kinds of box

Box	Meaning
Note	Extra information that helps you understand
Tip	A faster or better way to do something
Important	Something you should know before you continue
Warning	Something that can cost you work or data if you ignore it

About the pictures

The figures show the real window of the app, filled with **invented** people and companies.

Related documents

This guide is for using the app. People who work with its code will find the installation, the command line, the structure of the code and the tests in the

technical documentation, CODE.md.

1. Overview

What the app does for you

Looking for a job means doing the same five things over and over: reading postings, deciding which ones fit, rewriting your CV and a letter for each, keeping a list of where you applied, and reading the answers. JobHelper does the repetitive part of all five and leaves the decisions to you.

The work is split between five agents. The window shows each one as a robot on an assembly line (Table 3).

Table 3. The five robots and what each does

Robot	What it does	Asks Claude
Profiler	Reads your CV and works out what to search for	Once per CV
Scout	Searches the job boards and filters out what cannot fit	Never
Scribe	Scores each posting against your CV, then writes an adapted CV and a letter for the good ones	Yes
Tracker	Keeps the Excel tables up to date	Never
Postman	Reads the replies in your mailbox and updates your applications	For new replies only

What the app never does

- It never applies for you and never sends an email.
- It never deletes, moves or marks anything in your mailbox. The mailbox is opened read-only.
- It never writes anything in a CV, a letter or an answer that is not in your own CV or in notes you gave it.
- It never rewrites a letter that you wrote yourself.

You read, you decide, you send.

What it costs

The app works through your Claude subscription. There is no bill per search. What a search uses counts against your normal Claude limits, and the window shows how much is left (section 16).

> **Important**
> The app refuses to run while a paid Claude key is set on the Mac, so that you are never billed per use by accident.

A normal week

Table 4 shows a normal week with the app.

Table 4. A normal week with the app

When	What you do	Section
Once	Set up the app and choose what you look for	2, 14
Two or three times a week	Run a search, review the new jobs, apply to the good ones	4 to 7
After each application	Press **Mark applied**	5
Every day or two	Scan your email for replies	10
Before an interview	Build the interview preparation	11
Every few weeks	Look at Analytics and Insights and adjust Options	10, 13, 14

Next steps

- Set up the app

2. Set up the app

Do this once. When the app starts, it checks four things and shows them on the welcome card (Figure 1).




Figure 1. The welcome card

Prerequisites

You need:

- JobHelper installed on your Mac and its window open.
- A Claude subscription, and the Claude Code program signed in on this Mac.
- Your CV as a .docx, .pdf or .txt file.
- Optional: the mailbox you apply from, and a password for a program to read it (for Gmail and most other providers, an *app password*).

What the welcome card checks

Table 5 lists the four checks.

Table 5. What the welcome card checks

Row	What it is	Why it is needed	Required
Claude account	The Claude sign-in on this Mac	Scoring and writing are done by Claude	Yes
Job email	The mailbox you apply from, opened read-only	So that replies update your applications by themselves	No
Master CV	Your one true CV	Every adapted CV is made from it and may only say what it says	Yes
Data protection	Encryption of your job data, with the key in the macOS Keychain	Your applications and replies are private	Yes

A search can start only when the required rows are green. Without the email row everything works except reading replies.

Sign in to Claude

1. On the welcome card, find the **Claude account** row.
2. Select **Sign in with Claude**. A browser window opens.
3. Sign in with the account that has your subscription.
4. Return to the app. The row turns green within a few seconds.

Choose your master CV

1. On the **Master CV** row, select the **Change…** button.
2. Pick your CV file.
3. The row shows the file name and turns green.

> **Tip**
> A .docx whose sections are headed PROFILE and KEY SKILLS gives the best result: the app can then adapt both sections for each job. With other files it rewrites the profile paragraph only.

Connect your mailbox

1. Get a password for a program from your mail provider (the table below). For Gmail: turn on **2-Step Verification** in your Google account, then create an **App Password** and name it "JobHelper".
2. On the **Job email** row of the welcome card, select **Connect** (or **Change**).
3. Enter the address. The line under the fields then says which server it will be

read from and what kind of password that provider wants.

4. Enter the password. If the app does not know the provider, a third field appears: enter the provider's **IMAP server** there (its help pages name it, for example imap.example.com).
5. Select **Save**. The button says **Checking…** while the app signs in to the mailbox once with what you entered. A refused password is not saved, and the card says so in red (Table 6).

Table 6. Mail providers and the password each one wants

Your address is at	Read from	Password to enter
Gmail	imap.gmail.com	A Google App Password (16 letters)
Yahoo, AOL	The provider's server	An app password from the account's security settings
iCloud	imap.mail.me.com	An app-specific password from your Apple account
Fastmail, Zoho	The provider's server	An app password
Seznam, GMX, WEB.DE	The provider's server	Your mailbox password, with IMAP turned on in the mailbox settings
A company or another provider	The **IMAP server** you type	What that provider gives for reading mail by IMAP
Outlook.com, Hotmail, Proton Mail	Not possible	These cannot be read with a password. Forward your job mail to another mailbox and connect that one, or paste replies into their applications (section 9)

> **Note**
> An app password is a separate password that only lets a program read mail. You can cancel it in your account at any time without changing your real password. Where a provider offers one, never enter your real password in the app.

Add a second mailbox (optional)

Use this when replies arrive at two addresses, for example an old address and a new one.

1. On the welcome card, under the **Job email** row, find **Second mailbox (optional)**.
2. Select **Add**.
3. Enter the second address and its own password, then select **Save**. It may be at another provider than the first one.

Both mailboxes are then read by every email scan. To find older replies in the new mailbox, run one longer scan (section 10, *Look further back once*). A problem with the second mailbox never stops the scan of the first one; the app tells you about it at the end of the scan.

Save your recovery key

Your job data is encrypted with a key that the app keeps in the macOS Keychain. The recovery key is that key as one line of text. You need it to open your data on another Mac, or on this Mac after the Keychain is reset.

1. Select the **Account** chip to open the card.
2. On the **Data protection** row, select **Recovery key**.
3. Select **Copy**, and paste the key into a password manager or another safe place outside this Mac.
4. Select **Hide key**. The key is also put away by itself after a minute, and when the card closes.

> **Warning**
> Anyone who has the recovery key can read your data. Do not send it by email or keep it in a plain note. Without it, your data cannot be opened on a new Mac.

Open your data on a new Mac

When the key is missing from the Keychain, the **Data protection** row is red and asks for it.

1. Paste your recovery key into the field under the row.
2. Select **Open my data**.

The app checks that the key belongs to this data before it uses it.

Open the card again later

Select the **Account** chip in the left column of the main window. The three dots under the chip (**Claude**, **Email**, **CV**) are the same checks at a glance.

If something is wrong

Table 7 lists problems while setting up, and what to do.

Table 7. Problems while setting up, and what to do

What you see	Cause	What to do
Claude account stays red after you sign in	The sign-in was done in another browser profile, or was cancelled	Select **Sign in with Claude** again
"A paid API key is set"	A paid Claude key is set on this Mac	Ask whoever set up the app to remove it, then start the app again. The app never bills you per use
"The mail server refused this address and password"	The normal password was used where an app password is needed, the app password was cancelled, or it belongs to another address	Create an app password for this address and enter that one
"The app does not know this provider"	The address is at a company or a small provider	Enter its IMAP server in the third field
"Microsoft no longer lets a program read…"	Outlook.com and Hotmail cannot be read with a password	Forward your job mail to another mailbox and connect that one
"Saved. The mail server could not be reached"	No internet connection at that moment	Nothing. The first email scan shows whether it works
Master CV is red	No CV was chosen, or the file was moved	Select the **Change…** button and pick the file

Next steps

- Find your way around the main window
- Set your options, to say what you are looking for

3. Find your way around the main window

Figure 2 shows the main window.




Figure 2. The main window

The window has three columns and a strip at the bottom (Table 8).

Table 8. The areas of the main window

Area	Where	What it holds
Lists and account	Left	Your lists, the Account chip, the settings of the next search
Assembly line	Middle	The five robots, the two run buttons, the status line
Where you stand	Right	Claude usage, the last run, the next date, the weekly run, Options, Help
Pipeline strip	Bottom	The five agents by name, lit while they work

The left column

Figure 3 shows the lists and the account chip.




Figure 3. The lists and the account chip

Table 9 describes the lists in the left column.

Table 9. The lists in the left column

Item	What it opens	The mark on the right
New Jobs	Postings found for you that you have not applied to	How many there are
Applications	Where you applied and where each one stands	How many there are
Responses	Every reply email the app has read	How many there are
Analytics	Outcomes and rejection reasons, added up	A bar chart
Insights	What your own results teach you	A light bulb

A line under **Applications** appears when something needs you, for example "1 to follow up" or "2 possible duplicates".

Under the lists:

- **Account**: the chip shows who is signed in. Select it to open the card from section 2.
- **Search**: chips that show what the next search is set to (city, language, full-time, age of postings, the score from which letters are written). Select a chip to change it in Options.

The middle

Table 10 lists the controls in the middle.

Table 10. The controls in the middle

Control	What it does
Run search	Starts a search (section 4). While a run is going, it becomes **Stop**
Scan email	Reads new replies (section 10)
The sun or moon button	Switches between the dark and the light theme
A robot	Lights up while its agent works and shows a tick when it is done. Point at it for its name, its job and its latest result
The status line	Always says what is happening, or what just happened, with the time

The red line at the top

Figure 4 shows the red line of the start-up check.




Figure 4. The start-up check found something

Each time the app starts, it checks itself: the data key, the job list, the replies, the settings, the rule files, your master CV and the folders. If something is wrong, a red line at the top says what, in plain words, and how to fix it. **Hide** puts the line away until the next start; **Show all** appears when more than one thing was found.

The right column

Figure 5 shows the Usage left card and the Last run card.




Figure 5. Usage and the last run

Table 11 lists the cards in the right column.

Table 11. The cards in the right column

Card	What it tells you
Claude	The model in use, and that the subscription is used, not the paid API
Usage left	How much of your Claude limit remains (section 16). **refresh** asks Claude for the current numbers
Last run	What the last search and the last email scan did (the table below)
Coming up	The next dated event, such as an interview
Weekly run	Whether a weekly run is scheduled. Select it to change the schedule (section 15)
Options	Opens the settings (section 14)
Help	A short version of this guide, and the list of changes

The rows of the **Last run** card (Table 12):

Table 12. The rows of the Last run card

Row	Meaning
When	Day and time of the last search
Found	How many new postings it added
Filtered out	How many postings it dropped. Select the number to see each one with its reason (section 12)
Letters, **CVs**	How many of each were written
Email scan	Day of the last email scan and how many new replies it filed
Emails read	How many messages that scan went through, and how many of them were worth a question to Claude. It explains a "0 new": most mail was read before, or is not about an application
You paid	*subscription only*: nothing was billed for the run
Same search via API or **Same scan via API**	What the last run alone would have cost with pay-per-use billing. It is a measure of how much work was done, not a bill

Next steps

- Run a search

4. Run a search

A search finds new postings, drops the ones that cannot fit, scores the rest against your CV, and writes an adapted CV and a cover letter for each good one.

Prerequisites

- The **Claude account** and **Master CV** rows of the Account card are green.
- A city and at least one search role are set in Options (section 14).

Start a search

1. In the main window, select **Run search**.
2. Watch the assembly line. You can keep using the lists while it runs.
3. When the status line says the search is finished, open **New Jobs**.

Figure 6 shows a search in progress.




Figure 6. A search in progress

What happens, in order

Table 13 lists what a search does, step by step.

Table 13. What a search does, step by step

Step	Robot	What it does
1	**Profiler**	Reads your CV. Only when the CV changed since last time
2	**Scout**	Asks the job boards for each of your search roles in your city
3	**Scout**	Drops what cannot fit, and keeps every dropped posting with its reason
4	**Scout**	Reads once more the postings that came back empty, and asks older postings whether they still accept applications
5	**Scribe**	Scores what is left, five postings per Claude call
6	**Scribe**	Writes an adapted CV and a letter for each posting at or above your limit
7	**Tracker**	Rebuilds the Excel tables

What step 3 drops:

- Postings written in another language, and roles that require one at a working level (with **English only** on). The reason names the language.
- Titles above your level.
- Part-time work, when you want full-time.
- Postings older than your limit.
- Roles you already applied to.
- Titles that contain a word you chose to skip.

> **Note**
> Scoring costs a Claude call. A posting whose title is plainly another profession is marked **skipped** without a call. You can send any skipped posting to scoring yourself with **Score it anyway** in its window.

Stop a search

Select **Stop**. The search ends after the step in progress. Everything finished before that is kept, and the next search continues with what was not done.

If Claude's limit runs out

The run pauses instead of failing. See Watch your Claude usage and limits.

If something is wrong

Table 14 lists problems with a search, and what to do.

Table 14. Problems with a search, and what to do

What you see	Cause	What to do
"No city yet"	Options has no city	Open Options and choose a city
The search finds nothing new	Your roles are too narrow, or everything was filtered	Open **Filtered out** on the Last run card (section 12)
Too many poor postings	The filters are too loose	Add words to **Skip titles with**, or set **Kinds of role you want**
A source is missing from the results	That site turned programs away this time	Nothing to do. The app leaves such a site alone and tries again at the next search

Next steps

- Review new jobs

5. Review new jobs

New Jobs is the list of postings found for you that you have not applied to, best score first (Figure 7).




Figure 7. The New Jobs list

Read a row

Table 15 explains how to read a row.

Table 15. How to read a row of New Jobs

You see	It means
The number on the left	The score, 0 to 100: how well the posting fits your CV and the roles you want
was 64 under the number	What the job scored before it was scored again
strong	60 or more. A CV and a letter were written
moderate	50 to 59. A CV and a letter were written
No badge	Below your limit. Listed so that you can judge for yourself; no documents were written
skipped	Not scored at all, to save a Claude call (section 4)
The grey line	When it was posted, the salary you ask for (section 14), and any warning about the score
closed	The posting no longer accepts applications
scored from the title only, **scored from a short summary**	The score rests on little text (section 8)
documents from a higher score	The job fell below your limit after its documents were written (section 8)

Apply to a job

1. Select the row to open the job (section 6).
2. Read **Why this score**, then check the CV and the letter (section 7).
3. Select **Open posting** and apply on the company's site with the two files.
4. Return to the app and select **Mark applied**.

> **Important**
> Select **Mark applied** only after you really sent the application. The job moves to **Applications**, and replies are matched to it from then on.

Controls of the list

Table 16 lists the controls of the New Jobs list.

Table 16. The controls of the New Jobs list

Control	What it does
The search box	Shows only the rows that contain what you type
The chips under it	Filter the list
The buttons on a row	Open the posting, the letter and the CV
mark applied	Moves the job to Applications
Score all again	Scores every job with your current Options. It asks first, because it uses your Claude limit
open Excel	Opens the same list as an Excel table

Next steps

- Work with one job

6. Work with one job

Select a row in **New Jobs** to open the job's window. Everything about one posting is here (Figure 8).




Figure 8. The job window

The checklist: Before you apply

The checklist has one line per step. Tick the steps as you go. The ticks are remembered for this job (Table 17).

Table 17. The checklist of a job and its buttons

Line of the checklist	Its button	What the button does
Read the posting and open its application form	**Open posting**	Opens the posting in your browser
Check your adapted CV	**Open CV** or **Open CV PDF**	Opens the adapted CV
Check your cover letter	**Open letter** or **Open letter PDF**	Opens the letter
If the form takes one file	**Make one PDF**	Makes one PDF with the letter first and the CV after it
Answers for this job's form	**Form answers**	Drafts answers for the application form (section 7)

Show in folder on a line selects that file in Finder, so that you can drag it into an application form.

The row of buttons at the bottom of the window opens the same documents again and adds two more (Table 18):

Table 18. The two extra buttons for documents

Button	What it does
Compare CV	Shows what was changed in the adapted CV (section 7)
Edit letter	Opens the letter editor (section 7)

Why this score

Figure 9 shows the score and the keywords.




Figure 9. The score and the keywords

Why this score is the reason in words. Read it before you apply to anything below **strong**: it tells you what the posting asks for that your CV does not show.

Keywords in the posting compares the skills and tools the posting names with your CV (Table 19).

Table 19. The two groups of keywords

Group	Meaning
In your CV	The posting asks for it and your CV shows it
Not in your CV	The posting asks for it and your CV does not show it. Something to learn, or something you know and forgot to write down

> **Note**
> The app never adds a **Not in your CV** word to an adapted CV. If you really have that skill, add it to your master CV, or describe it under **More about your work** in Options.

The buttons at the bottom

Table 20 lists the buttons at the bottom of the job window.

Table 20. The buttons at the bottom of the job window

Button	What it does
Form answers	Drafts answers for this job's application form (section 7)
Score it anyway	Sends a skipped job to scoring
Not interested	Removes the job from the list. Its documents go to an encrypted backup
Mark applied	Moves the job to Applications

> **Note**
> If you typed something in this window and did not save it, the ×, the Esc key, **Mark applied** and **Not interested** all ask once before the text is discarded.

Next steps

- Check and edit your documents

7. Check and edit your documents

For each posting at or above your limit the app writes two documents. Check both before you send them. You are the one who signs them.

The adapted CV

The app makes a copy of your CV in which the profile paragraph and the skills list are reworded and reordered to put first what this posting asks for. Everything else stays as you wrote it.

To see what changed:

1. Open the job.
2. Select **Compare CV**.
3. Read the two columns: your master CV on the left, the adapted one on the right. New words are in bold (Figure 10).




Figure 10. Master CV next to the adapted one

> **Tip**
> Use this view to check that nothing was stretched. Every claim on the right must be one you can back in an interview.

The cover letter

The letter is written to the company, about this role, from the facts in your CV.

To edit a letter:

1. Open the job and select **Edit letter**.
2. Change the words of any paragraph yourself.
3. Or, to have one paragraph written again: type what should change in **For a rewrite** (for example "shorter"), then select **Rewrite this paragraph**.
4. Select **Save**. The Word file and the PDF are updated.

Figure 11 shows the letter editor.



Figure 11. The letter editor

Table 21 lists the controls of the letter editor.

Table 21. The controls of the letter editor

Control	What it does
The word count, top right	Turns amber when the letter is shorter or longer than a letter should be
Rewrite this paragraph	Asks Claude for a new version of that paragraph. Nothing is saved until you select **Save**
For a rewrite	An optional hint for the rewrite
Open in Word	Opens the file in Word instead
Undo my changes	Puts back the text as it was when you opened the editor
Save	Writes the paragraphs into the letter. The head, date, greeting, signature, fonts and layout stay as they are

> **Note**
> Closing the editor with unsaved changes asks once. The previous version of a saved letter is kept in an encrypted backup.

Your own letters

A letter that **you** wrote is never touched.

1. Open Options and find **Your own letters**. Select **Open folder**.
2. Put your letter in that folder, named after the company.
3. At the next search the app uses your letter for that company instead of writing one.

Form answers

Application forms ask their own questions, and every form asks different ones.

1. Open the job and select **Form answers**.
2. Paste that form's questions, one per line.
3. Select **Draft**.
4. Read each answer. Fill in anything marked with square brackets.
5. Copy the answers into the form.

Figure 12 shows answers for one job's form.




Figure 12. Answers for one job's form

The answers come from your CV, the posting, and the facts you gave under **About you** in Options. An answer the app cannot give truthfully (a salary figure, a date, a reference) is left with the missing part in square brackets and a **Check** note. The answers are kept with the job (Table 22).

Table 22. The limits of one draft of form answers

Limit	Value
Questions in one draft	Up to 15
Length of one question	Up to 300 characters

Next steps

- Track an application, after you applied

8. Fix a score you cannot trust

Two situations make a score misleading. The app marks both in the list and in the job's window.

The posting could not be read in full

Some job boards return only a title or a short summary. The row then says **scored from the title only** or **scored from a short summary** (Table 23).

Table 23. What the app does when a posting could not be read

Mark	What the app did
scored from the title only	Capped the score at 40 and wrote no documents, because a letter written from a title could only be generic
scored from a short summary	Scored from what there was, and tells you so

To get a real score:

1. Open the job.
2. Select **Read it again**. The app asks the job board once more.
3. If that does not help, select **Open posting**, copy the whole text of the posting in your browser, paste it under **Paste the posting's text**, and select **Save text**.

Either way, the job is then scored again by itself.

The score dropped after documents were written

If you tighten your Options and score again, a job that had a letter and a CV can fall below your limit. Its row says **documents from a higher score** (Figure 13).




Figure 13. A job that fell below the limit

For one job: open it and select **Move documents to backup**. The letter and the CV go to an encrypted backup. The job stays in the list. **Put them back** returns them.

For all such jobs at once:

1. Open **New Jobs**. A bar above the list says how many jobs have documents from a score that is now below your limit.
2. In that bar, select **Move them to backup**.
3. Read the jobs it names, then select **Yes, move documents of …** to confirm.

Figure 14 shows moving documents for several jobs at once.




Figure 14. Moving documents for several jobs at once

For a week afterwards, **Put them back** in the same bar undoes the whole move. For a single job, **Put them back** stays in its window, also when the job has become an application in the meantime (a reply showed that you had applied): those are the documents you sent.

> **Note**
> Nothing the app wrote for you is thrown away without a way back. You may have had a reason to apply anyway. Letters you wrote yourself are never moved.

9. Track an application

Applications lists where you applied, grouped by where each one stands: offers and interviews first, then waiting, then rejected (Figure 15).




Figure 15. The Applications list

The application's window

Select a row to open the application (Figure 16).




Figure 16. An application in full

Table 24 lists the fields of an application.

Table 24. The fields of an application

Field	What it is	When to change it
Status	Where the application stands	Normally set by the replies in your mailbox. Change it by hand when the news came another way
Applied on	The day you applied	Correct it if you applied before you pressed the button
A date to remember	An interview, a deadline, a test task, a call	Set it when you agree a date

Set a date and get reminded

1. In the application's window, choose the kind of date, the day and, if you know it, the time.
2. Select **Save date**.

3. Optional: select **Add to calendar** to put it in Calendar, so that your phone reminds you too.

The date then shows on the **Coming up** card of the main window. You get a notification the day before and on the day. With a time, you also get one about three hours and one hour before (Figure 17).




Figure 17. Dates, pasted replies and notes

File a reply that did not come by email

An answer that came on LinkedIn or in a company portal can be filed by hand.

1. In the application's window, find **Paste the message text here**.
2. Paste the message and select **Save**.

The app reads it like an email and updates the status.

Keep notes about the company

Who you spoke to, **Salary mentioned**, **What they asked** and **Anything else worth remembering** are kept for the company, not for the job. They appear again when you apply there later. Select **Save notes** after you write them.

Follow up

After ten quiet days (you can change the number in Options) the app suggests a follow-up and drafts one.

1. Open the application. The follow-up draft is shown.

2. Select **Copy** and send it from your own mail program.
3. Select **Mark as followed up**, so that the reminder stops.

> **Note**
> The app does not send the follow-up. It only writes the draft.

Possible duplicates

When two entries look like the same application, the line under **Applications** says so. Open one of them and choose **Merge into one** or **They are different**.

Next steps

- Read replies from companies

10. Read replies from companies

An email scan reads new mail in your mailbox, works out which messages are answers to your applications, and files each one to its application.

Prerequisites

- The **Job email** row of the Account card is green (section 2).

Scan your email

1. In the main window, select **Scan email**.
2. Wait for the status line to say how many new replies were filed.
3. Open **Responses** to read them, or **Applications** to see the new statuses.

> **Important**
> The scan only reads. Nothing is sent, deleted, moved or marked as read. Mail from the Sent and Drafts folders is never read.

How the app chooses which messages to read closely

Most mail in a mailbox is not about your applications. Asking Claude about every message would waste your limit, so the app first decides, without Claude, which messages are worth a question (Table 25).

Table 25. Which messages are sent to Claude

A message is	Sent to Claude
From a recruiting system (for example Greenhouse, Workable, Teamio, SuccessFactors)	Yes
From a company you track, named in the sender or the subject, and it talks about an application	Yes
From a person at a company you track, even with no such words ("Are you free on Tuesday?")	Yes
From anyone, when it talks about an application and is not list mail	Yes
A job alert, a digest, a sign-up or password message	No
Automatic mail from a company you track with nothing about an application (a statement, an advert)	No
An advert or newsletter that only shares a common word with a company's name ("International", "Praha"), or mentions a brand somewhere in its text	No

Claude then reads each chosen message and decides whether it is an invitation, a rejection, an offer, or an automatic confirmation. A message that turns out to be none of these is not filed.

How far back a scan looks

A scan reads the mail of the last days set in Options under **Scan emails from the last**. Messages that were already read by an earlier scan are skipped, so a longer period costs nothing after the first time.

Look further back once

Use this after you add a mailbox, or when an old reply is missing.

1. Open **Options** and find **Email scan**.
2. Under **Look further back once**, choose the number of days (90 to begin with).
3. Select **Scan now**. A green line confirms that the scan started; you can close Options.

The scan reads that period once. The setting **Scan emails from the last** stays as it is.

Responses

Figure 18 shows the Responses list.




Figure 18. Every reply

Responses lists every reply with what it was. Select one to read it in full (Figure 19).




Figure 19. One reply in full

Table 26 lists the fields of a reply.

Table 26. The fields of a reply

Field	Meaning
The badge	What the reply was: interview, rejection, offer, acknowledged
Summary	What the message says, in one or two sentences
Next step	What they ask of you, if anything
Reason	For a rejection: the reason they gave, and its kind
The application	Which of your applications it was filed to. Select it to open that application

Analytics

Figure 20 shows outcomes and rejection reasons.




Figure 20. Outcomes and rejection reasons

Analytics adds the replies up (Table 27).

Table 27. The parts of Analytics

Part	What it shows
The last seven days	What came in this week
Where applications stand	How many are waiting, in interviews, or closed
Rejection reasons	What reasons the rejections gave, most common first

> **Tip**
> The rejection reasons are the useful part. If most of them say the same thing, that is what to change: your level, a missing skill, or the kind of role you apply to.

If something is wrong

Table 28 lists problems with replies, and what to do.

Table 28. Problems with replies, and what to do

What you see	Cause	What to do
"0 new" after a scan	No new replies in the period, or they were read by an earlier scan	Nothing. **Emails read** on the Last run card shows what the scan went through. To look further back, use **Look further back once**
A rejection is missing	It did not arrive in a scanned mailbox, or it is in another folder	Turn on **Also archived mail and spam**, or paste the reply into the application (section 9)
A reply was filed to the wrong application	Two applications at the same company	Open the right application and set its status by hand
A warning about the second mailbox	Its password was cancelled or mistyped	Open the Account card and select **Change** for the second mailbox

11. Prepare for an interview

For one interview the app builds a sheet from your CV and the posting.

Build the preparation

1. Open the application.
2. On the **Interview preparation** card, select **Prepare**. The app asks Claude; this takes about a minute.
3. When the card says the questions and answers are ready, select **Open**.

Document on the same card opens the sheet as a Word file. **Make again** builds a new one, for example after you changed your CV (Figure 21).




Figure 21. The interview preparation

What the sheet contains

Table 29 lists the parts of the interview sheet.

Table 29. The parts of the interview sheet

Part	What it is
What to expect	A short summary of this interview
The opening pitch	Two or three sentences to introduce yourself
Questions an HR person or a recruiter is likely to ask	Answered in plain words, without the jargon of your field
Questions someone who does this work, or the hiring manager, is likely to ask	Answered precisely, with the real tools, methods and numbers
Why they ask	Under each question: what the interviewer wants to learn
Questions you can ask them	For the HR person, and for the people you would work with

> **Important**
> The answers are a starting point built from your CV. An answer that touches something your CV does not show is marked **Check this answer**. Rewrite it, so that you never repeat a claim you cannot back.

Use the sheet

Table 30 lists the buttons of the interview sheet.

Table 30. The buttons of the interview sheet

Button	What it does
Edit	Lets you rewrite any part in your own words
Copy all	Copies the whole sheet as text
Open as document	Makes a Word sheet to print or read on the way
Show in folder	Selects that Word file in Finder

After the interview, the application's window offers a short **thank-you** note to copy.

12. See what a search left out

A search that only shows you what it kept would be asking you to trust it blindly. Every posting a search drops is kept with the reason.

Open the list

1. On the **Last run** card, select the number next to **Filtered out**.

Figure 22 shows postings the last search filtered out.




Figure 22. Postings the last search filtered out

Read the list

Each row is one dropped posting with the reason in words. The chips at the top group the rows by reason (Table 31).

Table 31. Reasons a posting is filtered out, and where to change each rule

Reason	Meaning	Where to change the rule
too senior	The title is above your level	**Skip levels above yours**
other language	The ad is written in another language (the reason names it), or the role requires one at a working level	**English only**
part time	You asked for full-time only	**Full-time only**
too old	Posted longer ago than your limit	**Max job age**
years	Asks for more years of experience than you accept	**Skip jobs asking for**
skip word	The title has a word you skip	**Skip titles with**
already applied	You applied to this role at this company	Nothing to change

Bring a posting back

1. Find the row.
2. Select **bring back**.

The posting goes to **New Jobs**, and the next search scores it.

13. Learn from your results

Insights is worked out on your Mac from your own applications. It asks Claude nothing (Figure 23).




Figure 23. Insights

Table 32 lists the parts of Insights.

Table 32. The parts of Insights

Part	The question it answers
What is working	Which kinds of role and which job boards led to interviews?
Week by week	How many applications did I send, and what came back?
Skills to learn	What do the postings ask for most that my CV does not show?
What the postings pay	What salaries do the postings state, in your currency, and how do they compare with what you ask?
How long companies take to answer	When should I stop waiting?
Why jobs scored low	What reasons come up most often?

> **Note**
> With only a few applications the app says "too few to say" rather than guessing. The numbers become useful after about ten applications.

What to do with it

Table 33 suggests what to do with what you see.

Table 33. What to do with what Insights shows

You see	Consider
One kind of role gets the interviews	Put that role first in **Search roles**, and add it to **Kinds of role you want**
One skill is asked for again and again	Learn it, or add it to your CV if you already have it
Most low scores give the same reason	Change the filter that should have dropped those postings
Companies answer within two weeks or not at all	Follow up after ten days and move on after three weeks

14. Set your options

Options is where you tell the app what you are looking for. Open it with **Options** in the right column, or with a chip under **Search** in the left column (Figure 24).




Figure 24. Options: the search

> **Note**
> A choice too long for its box is shown on two lines, never cut.

> **Note**
> Every field checks what you type. A value the app cannot use is marked in red with the reason, and **Save** waits until it is corrected. Closing Options with unsaved changes asks once.

Search

Table 34 lists the Search settings.

Table 34. The Search settings

Setting	What it does	Values	Why you would change it
City	Where to search	A city name	The app will not search without one
Country	Which postings of a company's career site, and which remote jobs, count as "here": the city, anywhere in this country, the region it is in ("Europe", "EMEA"), or remote without being tied to another part of the world	A country's name in English. Empty = the country of the city, shown in grey	Type it when the field says the city is not known, or when you also want jobs from a neighbouring country
Job source	Which job boards are read	Czech boards, LinkedIn and careers; LinkedIn only; Company career sites only; All sources (+ remote)	More sources find more and take longer
Search roles	The words typed into the job boards, in English	One or more roles	Too few results: add a role. Too many poor ones: remove one

Table 34 (continued)

Setting	What it does	Values	Why you would change it
Skip titles with	Words that drop a posting by its title	Words	To get rid of a kind of posting that keeps appearing
...but keep titles with	Exceptions to the line above	Words	To keep a title that a skip word would drop
Kinds of role you want	Tells the scorer your direction	Roles	Without it, a role in another field that merely accepts your degree could score high
Kinds of role you do not want	Skipped when the title names one, scored low otherwise	Roles	To keep a neighbouring field out
Skip levels above yours	Level words that drop a posting	Words such as senior, lead	A senior candidate empties this list
Skip jobs asking for	Drops postings that ask for this many years or more	0 to 30; 0 = never	To keep out postings you are not yet eligible for
Include remote jobs	Adds the remote boards	On or off	To widen the search beyond your city
Full-time only	Hides part-time roles	On or off	Turn off if part-time suits you

Table 34 (continued)

Setting	What it does	Values	Why you would change it
English only	Hides postings written in another language, and roles that require another language at a working level	On or off	Turn off if you also work in the local language. A posting that requires a language your CV does not show is then scored low instead
Max job age	Drops postings older than this	Days; 0 = any date	Old postings are often already filled
Results per query	How many postings each role asks each board for	1 to 100	Raise it for a wider search, lower it for a faster one

Your profession

Figure 25 shows the roles you want and your profession in Options.




Figure 25. Options: the roles you want and your profession

Under **Kinds of role you want**, chips show what the app takes as your profession. The app reads it from the roles you want (the outlined chip). It decides which titles are skipped as "another profession" before scoring.

- If the app read it wrong, select the right chips yourself.
- **Let the app decide** goes back to reading it from your roles.

Seventeen professions are known.

Company career sites

Some companies publish their openings on their own career site. To read one directly:

1. Find the company's career page and note the short name in its address (for example, boards.greenhouse.io/example gives example).
2. Under **Company career sites**, enter the company's name and that short name, and choose the system.
3. Select **Add**.

Matching and follow-up

Table 35 lists the Matching and Follow-up settings.

Table 35. The Matching and Follow-up settings

Setting	What it does	Values
Write letters above	The score from which a CV and a letter are written	0 to 100
Hide leads below	Hides jobs below this score from New Jobs	0 to 100; 0 = show all
Remind me after	Days without a reply before a follow-up is suggested	0 to 90; 0 = never

> **Tip**
> Raise **Write letters above** to apply to fewer, better matches. It also uses less of your Claude limit, because fewer documents are written.

About you

Figure 26 shows the About you settings.




Figure 26. Options: about you

Table 36 lists the About you settings.

Table 36. The About you settings

Setting	What it does
Salary you ask for	Your expected pay, gross per month, with its currency. Form answers give it as your expectation, the job window and the lists show it, and Insights compares what postings pay with it. 0 = none given: the app then uses its own estimate, which it has for software roles in Czechia only, and otherwise leaves the figure for you to fill in
Right to work	How letters and answers should say it. Empty = not mentioned
You can start	When you can start. Empty = not mentioned
More about your work	What you really did in each job beyond what the CV says, in your own words. The app may use it like the CV
Your own letters	The folder for letters you wrote yourself (section 7)

> **Important**
> Write only true facts here. The app treats them as true and uses them in letters, form answers and interview answers.

Notifications and storage

Figure 27 shows the Notifications and storage settings.




Figure 27. Options: notifications and storage

Table 37 lists the Notifications and storage settings.

Table 37. The Notifications and storage settings

Setting	What it does	Values
Notifications	A macOS notification when a run finishes, pauses on the limit, or an interview invitation arrives	On or off
Keep backups	How many automatic backups are kept; older ones are removed	0 to 200; 0 = keep all
Moved documents older than	Moves old copies in the backup to the Trash, after asking	7 days or more

Email scan

Figure 28 shows the Email scan and Model settings.




Figure 28. Options: email and the model

Table 38 lists the Email scan settings.

Table 38. The Email scan settings

Setting	What it does	Values
Scan emails from the last	How far back an email scan looks. Messages already read are skipped	1 to 365 days
Also archived mail and spam	Reads those folders too, not only the Inbox. Never Sent or Drafts	On or off
Look further back once	Starts one scan over a longer period now. The setting above stays	2 to 365 days, then **Scan now**

Model

Table 39 describes the Model setting.

Table 39. The Model setting

Setting	What it does	Values
Claude model	Which Claude model scores and writes	sonnet, opus, haiku

A larger model writes better and uses your limit faster. **sonnet** is a good default.

15. Schedule a weekly run

macOS can run a search and an email scan for you once a week, even with the window closed.

Turn it on

1. In the right column, select the **Weekly run** card.
2. Turn **Enabled** on.
3. Choose the day and the time.
4. Select **Save**.

Figure 29 shows the weekly run.




Figure 29. The weekly run

You get a notification when the run is done. The **Last run** card shows its result the next time you open the window (Table 40).

Table 40. What happens at the scheduled time

Situation at the scheduled time	What happens
The Mac is on	The run starts
The Mac is asleep	The run starts when it wakes
The Mac is switched off	That week's run is skipped
Claude's limit is used up	The run stops early and keeps what was finished

Turn it off

Open the card again, turn **Enabled** off, and select **Save**.

16. Watch your Claude usage and limits

Your Claude subscription has two limits, and the app counts against both like any other use of Claude (Table 41).

Table 41. The two limits of a Claude subscription

Limit	What it is
5-hour window	How much you can use in a period of five hours. Claude calls it the session limit
7-day window	How much you can use in a week

Read the Usage left card

Each window has a bar and a figure for what is left. The numbers come from Claude's last answer. **refresh** asks Claude for the current ones (Figure 30).




Figure 30. A limit that is used up

Table 42 explains what the card shows.

Table 42. How to read the Usage left card

You see	Meaning
A figure such as **66% left**	That much of the window remains
resets 14:00 under a bar	Shown when less than 20% is left: the time the window is empty again. A date is added when it is another day
0% left in red	Claude refused a call because this limit is used up. Nothing can be asked until the time shown
—	Claude has not reported this window yet. Select **refresh**

When a reset time passes while the window is open, the card corrects itself: the limit is shown as free again without you pressing anything.

> **Note**
> Other use of Claude on the same account, in the Claude app or in Claude Code, counts against the same limits. That is why the figure can drop while the app does nothing.

When a run hits the limit

The run pauses instead of failing, and everything done so far is saved (Figure 31).




Figure 31. The run paused on the limit

1. Read the window: it names the limit and the time it resets.
2. Select **Close**. You can keep using the lists.
3. When the limit is back, the **Resume** button turns blue. Select it.

The run continues from where it stopped. Nothing that was finished is done again.

What a run costs

The **Last run** card shows two rows about cost (Table 43).

Table 43. The two cost rows of the Last run card

Row	Meaning
You paid	*subscription only*. Nothing was billed for the run
Same search via API, **Same scan via API**	What that one run would have cost with pay-per-use billing

Use less of your limit

Table 44 lists ways to use less of your limit.

Table 44. Ways to use less of your limit

Do this	Why it helps
Keep fewer **Search roles**	Fewer postings to score
Choose Czech boards instead of all sources	Fewer postings to score
Raise **Write letters above**	Fewer documents to write. Writing costs more than scoring
Set **Kinds of role you want**	More postings are skipped before scoring
Choose the **sonnet** model	It uses the limit more slowly than opus

17. Protect your data

Where your data is

Everything stays on your Mac. The only things that leave it are the questions put to Claude (your CV text and a posting), the requests to the job boards, and the reading of your mailbox (Table 45).

Table 45. Where your data is and what protects it

What	Where	Protected by
The job list, your profile, your settings, the replies	data/, as encrypted files	AES-256 encryption
All backups	data/backups/	AES-256 encryption
The mailbox passwords and the data key	The macOS Keychain	Your Mac's login
CVs, letters, Excel tables	data/, as ordinary files, so that Word and Excel can open them	The encryption of your disk
The rule files for the CV and the letter	data/	A signature; a change made outside the app must be approved

Backups

The app makes a backup by itself before it changes data in bulk. The newest ones are kept, as many as **Keep backups** in Options says.

Changes to the rule files

The files that tell the app how to write your CV and your letters are signed. If one of them is changed outside the app, the next run waits.

1. Open the **Account** card.
2. Read what changed.
3. Approve the change, or put the file back.

> **Warning**
> Approve a change only when you made it yourself. The rule files decide what the app is allowed to write in your name.

Nothing is thrown away

Table 46 lists where data goes instead of being deleted.

Table 46. Where data goes instead of being deleted

Action	Where the data goes
Not interested	The job leaves the list; its documents go to an encrypted backup
Move documents to backup	An encrypted backup; **Put them back** returns them
A letter is saved again	The previous version goes to an encrypted backup
Old copies are tidied	The Trash, never straight to deletion

18. Troubleshoot problems

Figure 32 shows the Help window.




Figure 32. Help inside the app

Help in the app covers the same ground as this guide in short form. Its second tab lists what changed in each version.

Starting and signing in

Table 47 lists problems with starting and signing in.

Table 47. Problems with starting and signing in

What you see	Cause	What to do
A red line at the top of the main window	The start-up check found something	The line says what and how to fix it
A button does nothing	A required row of the Account card is red	Open the **Account** chip and make the rows green
"A paid API key is set"	A paid Claude key is set on this Mac	Ask whoever set up the app to remove it, then start the app again

Searching and scoring

Table 48 lists problems with searching and scoring.

Table 48. Problems with searching and scoring

What you see	Cause	What to do
No results	The city or the roles are too narrow, or the filters dropped everything	Check Options; open **Filtered out** to see what was dropped and why
Too many poor jobs	The filters are too loose	Add words to **Skip titles with**, set **Kinds of role you want**, or raise **Write letters above**
Good jobs are skipped	The app read your profession wrong	Check the profession chips in Options; use **Score it anyway** on a single job
A score looks wrong	The posting was read only in part, or your Options changed	Read **Why this score**; see section 8
The search paused	Claude's limit ran out	The window says when it resets; select **Resume** then (section 16)
The usage card says **0% left**	Claude refused a call for a used-up limit	Wait for the time shown, then select **refresh**

Replies

Table 49 lists problems with replies.

Table 49. Problems with replies

What you see	Cause	What to do
A rejection is missing	It did not arrive in a scanned mailbox or folder	Set the status by hand, or paste the reply (section 9)
A scan finds "0 new"	Nothing new in the period	Use **Look further back once** in Options
A scan takes long the first time	It reads a long period once	Later scans skip what was already read

Everything else

Table 50 lists other problems.

Table 50. Other problems

What you see	Cause	What to do
Something failed quietly	The app carried on after an error	The file app_trouble.log in the app's data folder has one line for each such error
The data cannot be opened on a new Mac	The data key is in the old Mac's Keychain	Paste your recovery key in the **Account** card (section 2)

19. Look things up

Words the app uses

Table 51 explains the words the app uses.

Table 51. Words the app uses

Word	Meaning
Lead	A posting found for you that you have not applied to
Score	0 to 100: how well a posting fits your CV and the roles you want
Your limit	The score in **Write letters above**: from there a CV and a letter are written
strong, **moderate**	60 or more; 50 to 59
skipped	Not scored, to save a Claude call
Master CV	Your own CV, which every adapted CV is made from
Adapted CV	A copy of the master CV with the profile and the skills reworded for one posting
Filtered out	Dropped by a search before scoring, with a reason
The limit	Claude's 5-hour or 7-day limit of your subscription

Where things are written

Table 52 lists the folders the app writes to.

Table 52. The folders the app writes to

Folder	What is in it
data/cv/	Your master CV
data/tailored_cvs/	The adapted CVs, as Word files and PDFs
data/cover_letters/	The letters the app wrote
data/my_letters/	The letters you wrote
data/excel_new_jobs/, data/excel_applications/, data/excel_reports/	The Excel tables
data/backups/	Encrypted backups

The light theme

Figure 33 shows the light theme.




Figure 33. The light theme

The sun or moon button at the top of the main window switches between the dark

and the light theme. Every window follows it.