JOBHELPER

JobHelper user guide

How to use every part of the app, step by step

For JobHelper on macOS
39 figures · 55 tables

Contents

1. Overview 7
What the app does for you 7
What the app never does 7
What it costs 7
A normal week 8
Read this guide 8
Next steps 9
2. Set up the app 9
Prerequisites 10
What the welcome card checks 10
Sign in to Claude 11
Choose your master CV 11
Connect your mailbox 11
Add a second mailbox (optional) 13
Save your recovery key 13
Open your data on a new Mac 13
Test a connected mailbox 14
Open the card again later 14
If something is wrong 14
Next steps 15
3. Find your way around the main window 15
The left column 16
The middle 18
The red line at the top 19
The right column 19

Next steps 22
4. Run a search 22
Prerequisites 22
Start a search 22
What happens, in order 23
Stop a search 24
If Claude's limit runs out 24
If something is wrong 25
Next steps 25
5. Review new jobs 25
Read a row 26
Apply to a job 27
Controls of the list 27
Review several jobs one by one 28
Next steps 29
6. Work with one job 29
The checklist: Before you apply 30
Why this score 31
The buttons at the bottom 32
Next steps 32
7. Check and edit your documents 32
The adapted CV 33
The cover letter 34
Have documents written for one job 35
Your own letters 35
Form answers 35
Next steps 37

8. Fix a score you cannot trust 37
The posting could not be read in full 37
The score dropped after documents were written 37
9. Fill in an application form 39
Prerequisites 40
Tell the assistant your details 40
Let Chrome be filled in 42
Fill in a form 42
What the assistant fills in and what it leaves 44
If something is wrong 44
Next steps 45
10. Track an application 45
The application's window 46
Set a date and get reminded 47
File a reply that did not come by email 48
Keep notes about the company 48
Follow up 48
Possible duplicates 49
Next steps 49
11. Read replies from companies 49
Prerequisites 49
Scan your email 49
How the app chooses which messages to read closely 49
How far back a scan looks 50
Look further back once 50
Responses 50
File a reply under the right application 52

Analytics 53
If something is wrong 54
12. Prepare for an interview 55
Build the preparation 55
What the sheet contains 56
Use the sheet 57
13. See what a search left out 57
Open the list 58
Read the list 58
Bring a posting back 59
14. Learn from your results 59
What to do with it 61
15. Set your options 61
Search 62
Your profession 65
Company career sites 66
Matching and follow-up 66
About you 66
Notifications and storage 68
Email scan 70
Model 71
16. Schedule a weekly run 72
Turn it on 72
Turn it off 73
17. Watch your Claude usage and limits 73
Read the Usage left card 73
When a run hits the limit 74

What a run costs 75
See everything the app has used 75
Use less of your limit 76
18. Protect your data 76
Where your data is 76
Backups 77
Changes to the rule files 77
Nothing is thrown away 78
19. Troubleshoot problems 78
Starting and signing in 79
Searching and scoring 79
Replies 80
Everything else 80
20. Look things up 81
Words the app uses 81
Where things are written 81
The light theme 82

Applies to: JobHelper for macOS.

This guide explains every part of the app: what it is for, how to use it step by step, what each control does, and what to do when something does not look right.

1. Overview

What the app does for you

Looking for a job means doing the same five things over and over: reading postings, deciding which ones fit, rewriting your CV and a letter for each, keeping a list of where you applied, and reading the answers. JobHelper does the repetitive part of all five and leaves the decisions to you.

The work is split between five agents. The window shows each one as a robot on an assembly line (Table 1.1).

Table 1.1 – The five robots and what each does

Robot	What it does	Asks Claude
Profiler	Reads your CV and works out what to search for	Once per CV
Scout	Searches the job boards and filters out what cannot fit	Never
Scribe	Scores each posting against your CV, then writes an adapted CV and a letter for the good ones	Yes
Tracker	Keeps the Excel tables up to date	Never
Postman	Reads the replies in your mailbox and updates your applications	For new replies only

A sixth robot, the **assistant**, is not part of the line. It stands at its end and fills in application forms for you when you ask it (section 9).

What the app never does

- It never applies for you and never sends an email.
- It never deletes, moves or marks anything in your mailbox. The mailbox is opened read-only.
- It never writes anything in a CV, a letter or an answer that is not in your own CV or in notes you gave it.
- It never rewrites a letter that you wrote yourself.

You read, you decide, you send.

What it costs

The app works through your Claude subscription. There is no bill per search. What a

search uses counts against your normal Claude limits, and the window shows how much is left (section 17).

> **Important**
> The app refuses to run while a paid Claude key is set on the Mac, so that you are never billed per use by accident.

A normal week

Table 1.2 shows a normal week with the app.

Table 1.2 – A normal week with the app

When	What you do	Section
Once	Set up the app and choose what you look for	2, 15
Two or three times a week	Run a search, review the new jobs, apply to the good ones	4 to 7
When you apply	Ask the assistant to fill in the company's form	9
After each application	Press **Mark applied**	5
Every day or two	Scan your email for replies	11
Before an interview	Build the interview preparation	12
Every few weeks	Look at Analytics and Insights and adjust Options	11, 14, 15

Read this guide

Every section is built the same way: an overview of what the feature is for, what you need before you start, the steps to follow, a table of what each control does, and the problems people run into (Table 1.3).

Table 1.3 – How things are written in this guide

Element	How it is written	Example
A button, a list or a label in the window	**Bold**, spelled as in the app	Select **Run search**; open **Options**
A path through the window	**Bold**, joined with >	**Options** > **Email scan** > **Scan now**
Something you type	*Italics*	Enter *Prague* in **City**
The name of a file or a folder	Monospace	Your CV as a .docx file
A key on the keyboard	Capitalised, joined with +	Press Esc; press Cmd+C to copy
A figure or a table	By its number	Figure 3.1, Table 2.1

Four kinds of box mark what deserves attention (Table 1.4).

Table 1.4 – The four kinds of box

Box	Meaning
Note	Extra information that helps you understand
Tip	A faster or better way to do something
Important	Something you should know before you continue
Warning	Something that can cost you work or data if you ignore it

The figures show the real window of the app, filled with **invented** people and companies.

This guide is for using the app. People who work with its code will find the installation, the command line, the structure of the code and the tests in the technical documentation, CODE.md.

Next steps

- Set up the app

2. Set up the app

Do this once. When the app starts, it checks four things and shows them on the welcome card (Figure 2.1).




Figure 2.1 – The welcome card

Prerequisites

You need:

- JobHelper installed on your Mac and its window open.
- A Claude subscription, and the Claude Code program signed in on this Mac.
- Your CV as a .docx, .pdf or .txt file.
- Optional: the mailbox you apply from, and a password for a program to read it (for Gmail and most other providers, an *app password*).

What the welcome card checks

Table 2.1 lists the four checks.

Table 2.1 – What the welcome card checks

Row	What it is	Why it is needed	Required
Claude account	The Claude sign-in on this Mac	Scoring and writing are done by Claude	Yes
Job email	The mailbox you apply from, opened read-only	So that replies update your applications by themselves	No
Master CV	Your one true CV	Every adapted CV is made from it and may only say what it says	Yes
Data protection	Encryption of your job data, with the key in the macOS Keychain	Your applications and replies are private	Yes

A search can start only when the required rows are green. Without the email row everything works except reading replies.

Sign in to Claude

1. On the welcome card, find the **Claude account** row.
2. Select **Sign in with Claude**. A browser window opens.
3. Sign in with the account that has your subscription.
4. Return to the app. The row turns green within a few seconds.

Choose your master CV

1. On the **Master CV** row, select the **Change…** button.
2. Pick your CV file.
3. The row shows the file name and turns green.

> **Tip**
> A .docx whose sections are headed PROFILE and KEY SKILLS gives the best result: the app can then adapt both sections for each job. With other files it rewrites the profile paragraph only.

Connect your mailbox

1. Get a password for a program from your mail provider (the table below). For Gmail: turn on **2-Step Verification** in your Google account, then create an **App Password** and name it "JobHelper".
2. On the **Job email** row of the welcome card, select **Connect** (or **Change**).
3. Enter the address. The line under the fields then says which server it will be

read from and what kind of password that provider wants.

4. Enter the password. If the app does not know the provider, a third field appears: enter the provider's **IMAP server** there (its help pages name it, for example imap.example.com).
5. Select **Save**. The button says **Checking…** while the app signs in to the mailbox once with what you entered. A refused password is not saved, and the card says so in red (Table 2.2).

Table 2.2 – Mail providers and the password each one wants

Your address is at	Read from	Password to enter
Gmail	imap.gmail.com	A Google App Password (16 letters)
Yahoo, AOL	The provider's server	An app password from the account's security settings
iCloud	imap.mail.me.com	An app-specific password from your Apple account
Fastmail, Zoho	The provider's server	An app password
Seznam, GMX, WEB.DE	The provider's server	Your mailbox password, with IMAP turned on in the mailbox settings
A company or another provider	The **IMAP server** you type	What that provider gives for reading mail by IMAP
T-Online, Posteo, mailbox.org, Orange, Libero, Onet	The provider's server	What the line under the fields says for that provider
A Russian mail service	Not used	The app does not work with Russian services. Connect a mailbox at another provider
Outlook.com, Hotmail, Proton Mail, Tuta	Not possible	These cannot be read with a password. Forward your job mail to another mailbox and connect that one, or paste replies into their applications (section 10)

> **Note**
> An app password is a separate password that only lets a program read mail. You can cancel it in your account at any time without changing your real password. Where a provider offers one, never enter your real password in the app.

Add a second mailbox (optional)

Use this when replies arrive at two addresses, for example an old address and a new one.

1. On the welcome card, under the **Job email** row, find **Second mailbox (optional)**.
2. Select **Add**.
3. Enter the second address and its own password, then select **Save**. It may be at another provider than the first one.

Both mailboxes are then read by every email scan. To find older replies in the new mailbox, run one longer scan (section 11, *Look further back once*). A problem with the second mailbox never stops the scan of the first one; the app tells you about it at the end of the scan.

Save your recovery key

Your job data is encrypted with a key that the app keeps in the macOS Keychain. The recovery key is that key as one line of text. You need it to open your data on another Mac, or on this Mac after the Keychain is reset.

1. Select the **Account** chip to open the card.
2. On the **Data protection** row, select **Recovery key**.
3. Select **Copy**, and paste the key into a password manager or another safe place outside this Mac.
4. Select **Hide key**. The key is also put away by itself after a minute, and when the card closes.

> **Warning**
> Anyone who has the recovery key can read your data. Do not send it by email or keep it in a plain note. Without it, your data cannot be opened on a new Mac.

Open your data on a new Mac

When the key is missing from the Keychain, the **Data protection** row is red and asks for it.

1. Paste your recovery key into the field under the row.
2. Select **Open my data**.

The app checks that the key belongs to this data before it uses it.

Test a connected mailbox

An app password can be cancelled at the provider without the app knowing. To check that the mailboxes can still be read:

1. Open the **Account** card.
2. On the **Job email** row, select **Test**.

A green line says that the app signed in; a red line says what the mail server answered. Both mailboxes are tried when you have two.

Open the card again later

Select the **Account** chip in the left column of the main window. The three dots under the chip (**Claude**, **Email**, **CV**) are the same checks at a glance.

If something is wrong

Table 2.3 lists problems while setting up, and what to do.

Table 2.3 – Problems while setting up, and what to do

What you see	Cause	What to do
Claude account stays red after you sign in	The sign-in was done in another browser profile, or was cancelled	Select **Sign in with Claude** again
"A paid API key is set"	A paid Claude key is set on this Mac	Ask whoever set up the app to remove it, then start the app again. The app never bills you per use
"The mail server refused this address and password"	The normal password was used where an app password is needed, the app password was cancelled, or it belongs to another address	Create an app password for this address and enter that one
"The app does not know this provider"	The address is at a company or a small provider	Enter its IMAP server in the third field
"Microsoft no longer lets a program read..."	Outlook.com and Hotmail cannot be read with a password	Forward your job mail to another mailbox and connect that one
"Saved. The mail server could not be reached"	No internet connection at that moment	Nothing. The first email scan shows whether it works
Master CV is red	No CV was chosen, or the file was moved	Select the **Change...** button and pick the file

Next steps

- Find your way around the main window
- Set your options, to say what you are looking for

3. Find your way around the main window

Figure 3.1 shows the main window.




Figure 3.1 – The main window

The window has three columns and a strip at the bottom (Table 3.1).

Table 3.1 – The areas of the main window

Area	Where	What it holds
Lists and account	Left	Your lists, the Account chip, the settings of the next search
Assembly line	Middle	The five robots, the assistant (section 9), the two run buttons, the status line
Where you stand	Right	Claude usage, the last run, the next date, the weekly run, Options, Help
Pipeline strip	Bottom	The five agents by name, lit while they work

The left column

Figure 3.2 shows the lists and the account chip.




Figure 3.2 – The lists and the account chip

Table 3.2 describes the lists in the left column.

Table 3.2 – The lists in the left column

Item	What it opens	The mark on the right
New Jobs	Postings found for you that you have not applied to	How many there are
Applications	Where you applied and where each one stands	How many there are
Responses	Every reply email the app has read	How many there are
Analytics	Outcomes and rejection reasons, added up	A bar chart
Insights	What your own results teach you	A light bulb

A line under **Applications** appears when something needs you, for example "1 to follow up" or "2 possible duplicates".

Under the lists:

- **Account**: the chip shows who is signed in. Select it to open the card from section 2.
- **Search**: chips that show what the next search is set to (city, language, full-time, age of postings, the score from which letters are written). Select a chip to change it in Options.

The middle

Table 3.3 lists the controls in the middle.

Table 3.3 – The controls in the middle

Control	What it does
Run search	Starts a search (section 4). While a run is going, it becomes **Stop**
Scan email	Reads new replies (section 11)
The sun or moon button	Switches between the dark and the light theme
A robot	Lights up while its agent works and shows a tick when it is done. Point at it for its name, its job and its latest result
The status line	Always says what is happening, or what just happened, with the time

The red line at the top

Figure 3.3 shows the red line of the start-up check.




Figure 3.3 – The start-up check found something

Each time the app starts, it checks itself: the data key, the job list, the replies, the settings, the rule files, your master CV and the folders. If something is wrong, a red line at the top says what, in plain words, and how to fix it. **Hide** puts the line away until the next start; **Show all** appears when more than one thing was found.

The right column

Figure 3.4 shows the Usage left card and the Last run card.




Figure 3.4 – Usage and the last run

Table 3.4 lists the cards in the right column.

Table 3.4 – The cards in the right column

Card	What it tells you
Claude	The model in use, and that the subscription is used, not the paid API
Usage left	How much of your Claude limit remains (section 17). **refresh** asks Claude for the current numbers
Last run	What the last search and the last email scan did (the table below)
Coming up	The next dated event, such as an interview
Weekly run	Whether a weekly run is scheduled. Select it to change the schedule (section 16)
Options	Opens the settings (section 15)
Help	A short version of this guide, and the list of changes

The rows of the **Last run** card (Table 3.5):

Table 3.5 – The rows of the Last run card

Row	Meaning
When	Day and time of the last search
Found	How many new postings it added
Filtered out	How many postings it dropped. Select the number to see each one with its reason (section 13)
Letters, **CVs**	How many of each were written
Email scan	Day of the last email scan and how many new replies it filed
Emails read	How many messages that scan went through, and how many of them were worth a question to Claude ("1224 · 43 asked"). It explains a "0 new": most mail was read before, or is not about an application
You paid	*subscription only*: nothing was billed for the run
Same search via API or **Same scan via API**	What the last run alone would have cost with pay-per-use billing. It is a measure of how much work was done, not a bill

Next steps

- Run a search

4. Run a search

A search finds new postings, drops the ones that cannot fit, scores the rest against your CV, and writes an adapted CV and a cover letter for each good one.

Prerequisites

- The **Claude account** and **Master CV** rows of the Account card are green.
- A city and at least one search role are set in Options (section 15).

Start a search

1. In the main window, select **Run search**.
2. Watch the assembly line. You can keep using the lists while it runs.
3. When the status line says the search is finished, open **New Jobs**.

Figure 4.1 shows a search in progress.




Figure 4.1 – A search in progress

What happens, in order

Table 4.1 lists what a search does, step by step.

Table 4.1 – What a search does, step by step

Step	Robot	What it does
1	**Profiler**	Reads your CV. Only when the CV changed since last time
2	**Scout**	Asks the job boards for each of your search roles in your city
3	**Scout**	Drops what cannot fit, and keeps every dropped posting with its reason
4	**Scout**	Reads once more the postings that came back empty, and asks older postings whether they still accept applications
5	**Scribe**	Scores what is left, five postings per Claude call
6	**Scribe**	Writes an adapted CV and a letter for each posting at or above your limit
7	**Tracker**	Rebuilds the Excel tables

What step 3 drops:

- Postings written in another language, and roles that require one at a working level (with **English only** on). The reason names the language.
- Titles above your level.
- Part-time work, when you want full-time.
- Postings older than your limit.
- Roles you already applied to.
- Titles that contain a word you chose to skip.

> **Note**
> Scoring costs a Claude call. A posting whose title is plainly another profession is marked **skipped** without a call. You can send any skipped posting to scoring yourself with **Score it anyway** in its window.

Stop a search

Select **Stop**. The search ends after the step in progress. Everything finished before that is kept, and the next search continues with what was not done.

If Claude's limit runs out

The run pauses instead of failing. See Watch your Claude usage and limits.

If something is wrong

Table 4.2 lists problems with a search, and what to do.

Table 4.2 – Problems with a search, and what to do

What you see	Cause	What to do
"No city yet"	Options has no city	Open Options and choose a city
The search finds nothing new	Your roles are too narrow, or everything was filtered	Open **Filtered out** on the Last run card (section 13)
Too many poor postings	The filters are too loose	Add words to **Skip titles with**, or set **Kinds of role you want**
A source is missing from the results	That site turned programs away this time	Nothing to do. The app leaves such a site alone and tries again at the next search

Next steps

- Review new jobs

5. Review new jobs

New Jobs is the list of postings found for you that you have not applied to, best score first (Figure 5.1).




Figure 5.1 – The New Jobs list

Read a row

Table 5.1 explains how to read a row.

Table 5.1 – How to read a row of New Jobs

You see	It means
The number on the left	The score, 0 to 100: how well the posting fits your CV and the roles you want
was 64 under the number	What the job scored before it was scored again
strong	60 or more. A CV and a letter were written
moderate	50 to 59. A CV and a letter were written
No badge	Below your limit. Listed so that you can judge for yourself; no documents were written
skipped	Not scored at all, to save a Claude call (section 4)
The grey line	When it was posted, the salary you ask for (section 15), and any warning about the score
closed	The posting no longer accepts applications
scored from the title only, **scored from a short summary**	The score rests on little text (section 8)
documents from a higher score	The job fell below your limit after its documents were written (section 8)

Apply to a job

1. Select the row to open the job (section 6).
2. Read **Why this score**, then check the CV and the letter (section 7).
3. Select **Open posting** and apply on the company's site with the two files.
4. Return to the app and select **Mark applied**.

> **Important**
> Select **Mark applied** only after you really sent the application. The job moves to **Applications**, and replies are matched to it from then on.

Controls of the list

Table 5.2 lists the controls of the New Jobs list.

Table 5.2 – The controls of the New Jobs list

Control	What it does
The search box	Shows only the rows that contain what you type
The chips under it	Filter the list
The buttons on a row	Open the posting, the letter and the CV
mark applied	Moves the job to Applications
Score all again	Scores every job with your current Options. It asks first, because it uses your Claude limit
open Excel	Opens the same list as an Excel table

Review several jobs one by one

When many jobs wait for a decision, for example all those marked **stretch**, you do not have to open each from the list and come back.

1. In **New Jobs**, narrow the list to the jobs you want to go through: select a chip, or type in the search box.
2. Select **Review these ... one by one**. The first job opens, with a bar that says where you are (Figure 5.2).
3. Read **Why this score**, then decide: **Not interested** removes the job, **Mark applied** moves it to Applications. The next job opens by itself.
4. To leave a job as it is, select **Next ›**. **‹ Previous** goes back.




Figure 5.2 – Reviewing jobs one by one

The round ends after the last job, or when you close the window. Jobs you did not decide on stay in the list as they were.

Next steps

- Work with one job

6. Work with one job

Select a row in **New Jobs** to open the job's window. Everything about one posting is here (Figure 6.1).




Figure 6.1 – The job window

The checklist: Before you apply

The checklist has one line per step. Tick the steps as you go. The ticks are remembered for this job (Table 6.1).

Table 6.1 – The checklist of a job and its buttons

Line of the checklist	Its button	What the button does
Read the posting and open its application form	**Open posting**	Opens the posting in your browser
Check your adapted CV	**Open CV** or **Open CV PDF**	Opens the adapted CV
Check your cover letter	**Open letter** or **Open letter PDF**	Opens the letter
If the form takes one file	**Make one PDF**	Makes one PDF with the letter first and the CV after it
Answers for this job's form	**Form answers**	Drafts answers for the application form (section 7)

Show in folder on a line selects that file in Finder, so that you can drag it into an application form.

The row of buttons at the bottom of the window opens the same documents again and adds two more (Table 6.2):

Table 6.2 – The two extra buttons for documents

Button	What it does
Compare CV	Shows what was changed in the adapted CV (section 7)
Edit letter	Opens the letter editor (section 7)

Why this score

Figure 6.2 shows the score and the keywords.




Figure 6.2 – The score and the keywords

Why this score is the reason in words. Read it before you apply to anything below **strong**: it tells you what the posting asks for that your CV does not show.

Keywords in the posting compares the skills and tools the posting names with your CV (Table 6.3).

Table 6.3 – The two groups of keywords

Group	Meaning
In your CV	The posting asks for it and your CV shows it
Not in your CV	The posting asks for it and your CV does not show it. Something to learn, or something you know and forgot to write down

> **Note**
> The app never adds a **Not in your CV** word to an adapted CV. If you really have that skill, add it to your master CV, or describe it under **More about your work** in Options.

The buttons at the bottom

Table 6.4 lists the buttons at the bottom of the job window.

Table 6.4 – The buttons at the bottom of the job window

Button	What it does
Form answers	Drafts answers for this job's application form (section 7)
Fill form in Chrome	Opens the assistant for this job, to fill in the form that is open in Chrome (section 9)
Score it anyway	Sends a skipped job to scoring
Not interested	Removes the job from the list. Its documents go to an encrypted backup
Mark applied	Moves the job to Applications

> **Note**
> If you typed something in this window and did not save it, the ×, the Esc key, **Mark applied** and **Not interested** all ask once before the text is discarded.

Next steps

- Check and edit your documents

7. Check and edit your documents

For each posting at or above your limit the app writes two documents. Check both before you send them. You are the one who signs them.

The adapted CV

The app makes a copy of your CV in which the profile paragraph and the skills list are reworded and reordered to put first what this posting asks for. Everything else stays as you wrote it.

To see what changed:

1. Open the job.
2. Select **Compare CV**.
3. Read the two columns: your master CV on the left, the adapted one on the right. New words are in bold (Figure 7.1).




Figure 7.1 – Master CV next to the adapted one

> **Tip**
> Use this view to check that nothing was stretched. Every claim on the right must be one you can back in an interview.

Sometimes the job window shows an amber line, **Check your adapted CV before you send it** or **Check your cover letter before you send it**, with a few terms. Those are words of the posting that the adapted CV states as your experience although your own CV does not mention them (in a letter: where the sentence says that you did it, not where it speaks of the role). The app asked for them to be removed once already; what is left may still be fair wording for something you did, so the decision is

yours: keep the term only if it is true of you, and otherwise edit the Word file or add what you really did under **More about your work** in Options.

The cover letter

The letter is written to the company, about this role, from the facts in your CV.

To edit a letter:

1. Open the job and select **Edit letter**.
2. Change the words of any paragraph yourself.
3. Or, to have one paragraph written again: type what should change in **For a rewrite** (for example "shorter"), then select **Rewrite this paragraph**.
4. Select **Save**. The Word file and the PDF are updated.

Figure 7.2 shows the letter editor.




Figure 7.2 – The letter editor

Table 7.1 lists the controls of the letter editor.

Table 7.1 – The controls of the letter editor

Control	What it does
The word count, top right	Turns amber when the letter is shorter or longer than a letter should be
Rewrite this paragraph	Asks Claude for a new version of that paragraph. Nothing is saved until you select **Save**
For a rewrite	An optional hint for the rewrite
Open in Word	Opens the file in Word instead
Undo my changes	Puts back the text as it was when you opened the editor
Save	Writes the paragraphs into the letter. The head, date, greeting, signature, fonts and layout stay as they are

> **Note**
> Closing the editor with unsaved changes asks once. The previous version of a saved letter is kept in an encrypted backup.

Have documents written for one job

A search writes documents only for jobs at or above your limit. For any other new job you can have them written when you decide to apply after all, or after the job was scored again.

1. Open the job.
2. Under **Why this score**, select **Write CV and letter**. The app asks Claude; this takes about a minute.
3. When the line says **Written**, check both documents as usual.

A letter that you wrote yourself is never replaced: only what is missing is written. When the posting's text is missing, the app asks you to read the posting again first (section 8), because a letter written from a title alone would be generic.

Your own letters

A letter that **you** wrote is never touched.

1. Open Options and find **Your own letters**. Select **Open folder**.
2. Put your letter in that folder, named after the company.
3. At the next search the app uses your letter for that company instead of writing one.

Form answers

Application forms ask their own questions, and every form asks different ones.

1. Open the job and select **Form answers**.
2. Paste that form's questions, one per line.
3. Select **Draft**.
4. Read each answer. Fill in anything marked with square brackets.
5. Copy the answers into the form.

Figure 7.3 shows answers for one job's form.




Figure 7.3 – Answers for one job's form

The answers come from your CV, the posting, and the facts you gave under **About you** in Options. An answer the app cannot give truthfully (a salary figure, a date, a reference) is left with the missing part in square brackets and a **Check** note. The answers are kept with the job (Table 7.2).

Table 7.2 – The limits of one draft of form answers

Limit	Value
Questions in one draft	Up to 15
Length of one question	Up to 300 characters

Next steps

- Track an application, after you applied

8. Fix a score you cannot trust

Two situations make a score misleading. The app marks both in the list and in the job's window.

The posting could not be read in full

Some job boards return only a title or a short summary. The row then says **scored from the title only** or **scored from a short summary** (Table 8.1).

Table 8.1 – What the app does when a posting could not be read

Mark	What the app did
scored from the title only	Capped the score at 40 and wrote no documents, because a letter written from a title could only be generic
scored from a short summary	Scored from what there was, and tells you so

To get a real score:

1. Open the job.
2. Select **Read it again**. The app asks the job board once more.
3. If that does not help, select **Open posting**, copy the whole text of the posting in your browser, paste it under **Paste the posting's text**, and select **Save text**.

Either way, the job is then scored again by itself.

The score dropped after documents were written

If you tighten your Options and score again, a job that had a letter and a CV can fall below your limit. Its row says **documents from a higher score** (Figure 8.1).




Figure 8.1 – A job that fell below the limit

For one job: open it and select **Move documents to backup**. The letter and the CV go to an encrypted backup. The job stays in the list. **Put them back** returns them.

For all such jobs at once:

1. Open **New Jobs**. A bar above the list says how many jobs have documents from a score that is now below your limit.
2. In that bar, select **Move them to backup**.
3. Read the jobs it names, then select **Yes, move documents of …** to confirm.

Figure 8.2 shows moving documents for several jobs at once.




Figure 8.2 – Moving documents for several jobs at once

For a week afterwards, **Put them back** in the same bar undoes the whole move. For a single job, **Put them back** stays in its window, also when the job has become an application in the meantime (a reply showed that you had applied): those are the documents you sent.

> **Note**
> Nothing the app wrote for you is thrown away without a way back. You may have had a reason to apply anyway. Letters you wrote yourself are never moved.

9. Fill in an application form

Most companies ask you to fill in a form on their own site: your name and contacts again, a few links, and some questions of their own. The **assistant** does the typing. It is the light-blue robot that stands at the end of the assembly line (Figure 9.1). It blinks, waves when the app opens, and opens its window when you select it.




Figure 9.1 – The assistant at the end of the assembly line

The assistant fills in the form that is open in Google Chrome. It writes into empty fields only, it clicks nothing, and it never sends the form. You read what it wrote and send the form yourself.

Prerequisites

- Google Chrome, with the application form open in a tab.
- Your details saved in the assistant's window (the first task below).
- For answers to the form's own questions: the job is in **New Jobs** or **Applications**, and your master CV is set.

Tell the assistant your details

Do this once. The details are kept encrypted on your Mac, and a form gets exactly what is written here (Figure 9.2).

1. Select the assistant on the assembly line.
2. Select **My details**. The first time, the window opens on this page by itself.

3. Fill in the fields. Table 9.1 describes them. Fields marked **from your CV** were read from the head of your CV and are not saved yet: check them.
4. Select **Save**.




Figure 9.2 – The My details page

Table 9.1 – The fields of My details

Field	What to enter	Checked for
First name, **Last name**	Your name as you want it on applications	Letters only
Email	The address you apply from	A name, an @ and a domain
Phone	Your number with the country code, like *+420 123 456 789*	6 to 15 digits; + only at the start
Street and number, **City**, **Postcode**, **Country**	Your address. Leave out what you do not want to give	Letters for the city and the country
LinkedIn, **GitHub**	The address of your profile. *https://* is added for you	An address at that site, with no spaces
Website or portfolio	Any other page about your work	A web address with no spaces

A field you leave empty is left empty in the form too. When something is wrong, the field turns red and the line under it says what to change; nothing is saved until it is right.

> **Note**
> Your right to work and your start date are not on this page. They are under **Options** > **About you** (section 15), because letters and answers use them as well.

Let Chrome be filled in

Chrome does not let another app write into a page until you allow it. Do this once.

1. In Chrome's menu bar, select **View** > **Developer** > **Allow JavaScript from Apple Events**. A tick appears next to it.
2. The first time you ask the assistant to fill in a form, macOS asks whether the app may control Google Chrome. Select **OK**.

> **Important**
> This switch lets apps on your Mac write into the page that is open in Chrome. Turn it off again in the same menu whenever you like; the assistant then tells you that it is off.

Fill in a form

1. In Chrome, open the application form and leave its tab in front.
2. In the app, select the assistant.
3. Optional: under **Answers are for**, choose the job. With **Find the job from the page** the assistant works it out from the page's address and title, and tells you which job it took.
4. Select **Fill in the form in Chrome**, or type the request, for example *fill in the form*, and press Return.
5. Read the answer (Figure 9.3). **Filled in** lists what was written; **Left for you** lists what was not, each with the reason.
6. Go to Chrome and read the form. Filled fields have a green outline; an answer that needs your attention has an amber one.
7. Complete what was left for you, then send the form yourself.




Figure 9.3 – What the assistant filled in and what it left

To open the assistant for one job directly, select **Fill form in Chrome** in that job's window.

> **Tip**
> Answers the assistant drafts are kept with the job, under **Form answers** (section 7). Ask again on the same form and they are used again without another Claude call.

What the assistant fills in and what it leaves

Table 9.2 shows what happens to each kind of field.

Table 9.2 – What the assistant does with each kind of field

Kind of field	What the assistant does
Name, email, phone, address, links	Writes them from **My details**
A country list	Chooses your country when the list has it written the same way
An open question, such as "Why do you want to work here?"	Drafts the answer from your CV and the posting, in one Claude call for the whole form. Nothing outside your CV is claimed
A cover letter box	Pastes the letter the app wrote for this job
A field that already holds something	Leaves it as it is
A file, such as your CV	Leaves it to you: a page cannot be handed a file from outside
A password	Leaves it to you
Date of birth, gender, origin, health, payment details	Leaves them to you
Tick boxes, yes/no choices and other lists	Leaves them to you
The **Submit** button	Never pressed

The assistant understands a few plain requests: to fill in the form, to show your details, and to explain what it does. It does not chat about other things.

If something is wrong

Table 9.3 lists what the assistant may answer, and what to do.

Table 9.3 – Problems while filling in a form, and what to do

What the assistant says	Cause	What to do
Google Chrome is not open	Chrome is closed, or has no window	Open the form in Chrome and ask again
Chrome does not let other apps fill in pages yet	The switch in Chrome is off	**View** > **Developer** > **Allow JavaScript from Apple Events**
macOS did not let JobHelper talk to Chrome	The question from macOS was answered with **Don't Allow**	**System Settings** > **Privacy & Security** > **Automation**: turn on **Google Chrome** for the app
I found no form fields on this page	The tab in front is the posting, not the form	Open the form itself, usually with the site's **Apply** button
The form sits inside a frame from another site	The company shows a form that lives on a recruiting site	Open the address the assistant names in its own tab, and ask again
The tab changed while I was working	You moved to another page in the meantime	Go back to the form and ask again
An open question: choose the job this form is for	The page did not show which job it belongs to	Choose the job under **Answers are for** and ask again
I do not know your details yet	**My details** is empty	Fill in **My details**, save, ask again
A field stayed empty although it is listed as filled	The site rebuilt the field after it was written	Type that one yourself

Next steps

- Track an application, after you sent the form

10. Track an application

Applications lists where you applied, grouped by where each one stands: offers and interviews first, then waiting, then rejected (Figure 10.1).




Figure 10.1 – The Applications list

The application's window

Select a row to open the application (Figure 10.2).




Figure 10.2 – An application in full

Table 10.1 lists the fields of an application.

Table 10.1 – The fields of an application

Field	What it is	When to change it
Status	Where the application stands	Normally set by the replies in your mailbox. Change it by hand when the news came another way
Applied on	The day you applied	Correct it if you applied before you pressed the button
A date to remember	An interview, a deadline, a test task, a call	Set it when you agree a date

Set a date and get reminded

1. In the application's window, choose the kind of date, the day and, if you know it, the time.
2. Select **Save date**.
3. Optional: select **Add to calendar** to put it in Calendar, so that your phone

reminds you too.

The date then shows on the **Coming up** card of the main window. You get a notification the day before and on the day. With a time, you also get one about three hours and one hour before (Figure 10.3).




Figure 10.3 – Dates, pasted replies and notes

File a reply that did not come by email

An answer that came on LinkedIn or in a company portal can be filed by hand.

1. In the application's window, find **Paste the message text here**.
2. Paste the message and select **Save**.

The app reads it like an email and updates the status.

Keep notes about the company

Who you spoke to, **Salary mentioned**, **What they asked** and **Anything else worth remembering** are kept for the company, not for the job. They appear again when you apply there later. Select **Save notes** after you write them.

Follow up

After ten quiet days (you can change the number in Options) the app suggests a follow-up and drafts one.

1. Open the application. The follow-up draft is shown.
2. Select **Copy** and send it from your own mail program.

3. Select **Mark as followed up**, so that the reminder stops.

> **Note**
> The app does not send the follow-up. It only writes the draft.

Possible duplicates

When two entries look like the same application, the line under **Applications** says so. Open one of them and choose **Merge into one** or **They are different**.

Next steps

- Read replies from companies

11. Read replies from companies

An email scan reads new mail in your mailbox, works out which messages are answers to your applications, and files each one to its application.

Prerequisites

- The **Job email** row of the Account card is green (section 2).

Scan your email

1. In the main window, select **Scan email**.
2. Wait for the status line to say how many new replies were filed.
3. Open **Responses** to read them, or **Applications** to see the new statuses.

> **Important**
> The scan only reads. Nothing is sent, deleted, moved or marked as read. Mail from the Sent and Drafts folders is never read.

How the app chooses which messages to read closely

Most mail in a mailbox is not about your applications. Asking Claude about every message would waste your limit, so the app first decides, without Claude, which messages are worth a question (Table 11.1).

Table 11.1 – Which messages are sent to Claude

A message is	Sent to Claude
From a recruiting system (for example Greenhouse, Workable, Teamio, SuccessFactors)	Yes
From a company you track, named in the sender or the subject, and it talks about an application	Yes
From a person at a company you track, even with no such words ("Are you free on Tuesday?")	Yes
From anyone, when it talks about an application and is not list mail	Yes
A job alert, a digest, a sign-up or password message	No
Automatic mail from a company you track with nothing about an application (a statement, an advert)	No
An advert or newsletter that only shares a common word with a company's name ("International", "Praha"), or mentions a brand somewhere in its text	No

Claude then reads each chosen message and decides whether it is an invitation, a rejection, an offer, or an automatic confirmation. A message that turns out to be none of these is not filed.

How far back a scan looks

A scan reads the mail of the last days set in Options under **Scan emails from the last**. Messages that were already read by an earlier scan are skipped, so a longer period costs nothing after the first time.

Look further back once

Use this after you add a mailbox, or when an old reply is missing.

1. Open **Options** and find **Email scan**.
2. Under **Look further back once**, choose the number of days (90 to begin with).
3. Select **Scan now**. A green line confirms that the scan started; you can close Options.

The scan reads that period once. The setting **Scan emails from the last** stays as it is.

Responses

Figure 11.1 shows the Responses list.




Figure 11.1 – Every reply

Responses lists every reply with what it was. Select one to read it in full (Figure 11.2).




Figure 11.2 – One reply in full

Table 11.2 lists the fields of a reply.

Table 11.2 – The fields of a reply

Field	Meaning
The badge	What the reply was: interview, rejection, offer, acknowledged
Summary	What the message says, in one or two sentences
Next step	What they ask of you, if anything
Reason	For a rejection: the reason they gave, and its kind
The application	Which of your applications it was filed to. Select it to open that application
File under...	Files the reply under another application, or under none

File a reply under the right application

Sometimes a reply is filed under the wrong application, or under none: two

applications at one company, or a recruiter who writes from an agency's address.

1. In **Responses**, select the reply.
2. Select **File under…** (or **File under another…**). The list of your applications opens (Figure 11.3).
3. Type a company or a role to narrow the list, then select the right application.




Figure 11.3 – Choosing the application a reply belongs to

The application the reply moves to follows it in the usual way: an invitation makes it an interview, a rejection closes it. The application the reply leaves keeps its status, because only you know whether this reply had set it; the green line reminds you to look. To unlink a reply that is about none of your applications, select **It belongs to none of my applications**.

Analytics

Figure 11.4 shows outcomes and rejection reasons.




Figure 11.4 – Outcomes and rejection reasons

Analytics adds the replies up (Table 11.3).

Table 11.3 – The parts of Analytics

Part	What it shows
The last seven days	What came in this week
Where applications stand	How many are waiting, in interviews, or closed
Rejection reasons	What reasons the rejections gave, most common first

> **Tip**
> The rejection reasons are the useful part. If most of them say the same thing, that is what to change: your level, a missing skill, or the kind of role you apply to.

If something is wrong

Table 11.4 lists problems with replies, and what to do.

Table 11.4 – Problems with replies, and what to do

What you see	Cause	What to do
"0 new" after a scan	No new replies in the period, or they were read by an earlier scan	Nothing. **Emails read** on the Last run card shows what the scan went through. To look further back, use **Look further back once**
A rejection is missing	It did not arrive in a scanned mailbox, or it is in another folder	Turn on **Also archived mail and spam**, or paste the reply into the application (section 10)
A reply was filed to the wrong application, or to none	Two applications at the same company, or a sender the app could not place	Open the reply and select **File under...**
A warning about the second mailbox	Its password was cancelled or mistyped	Open the Account card and select **Change** for the second mailbox

12. Prepare for an interview

For one interview the app builds a sheet from your CV and the posting.

Build the preparation

1. Open the application.
2. On the **Interview preparation** card, select **Prepare**. The app asks Claude; this takes about a minute.
3. When the card says the questions and answers are ready, select **Open**.

Document on the same card opens the sheet as a Word file. **Make again** builds a new one, for example after you changed your CV (Figure 12.1).




Figure 12.1 – The interview preparation

What the sheet contains

Table 12.1 lists the parts of the interview sheet.

Table 12.1 – The parts of the interview sheet

Part	What it is
What to expect	A short summary of this interview
The opening pitch	Two or three sentences to introduce yourself
Questions an HR person or a recruiter is likely to ask	Answered in plain words, without the jargon of your field
Questions someone who does this work, or the hiring manager, is likely to ask	Answered precisely, with the real tools, methods and numbers
Why they ask	Under each question: what the interviewer wants to learn
Questions you can ask them	For the HR person, and for the people you would work with

> **Important**
> The answers are a starting point built from your CV. An answer that touches something your CV does not show is marked **Check this answer**. Rewrite it, so that you never repeat a claim you cannot back.

Use the sheet

Table 12.2 lists the buttons of the interview sheet.

Table 12.2 – The buttons of the interview sheet

Button	What it does
Edit	Lets you rewrite any part in your own words
Copy all	Copies the whole sheet as text
Open as document	Makes a Word sheet to print or read on the way
Show in folder	Selects that Word file in Finder

After the interview, the application's window offers a short **thank-you** note to copy.

13. See what a search left out

A search that only shows you what it kept would be asking you to trust it blindly. Every posting a search drops is kept with the reason.

Open the list

1. On the **Last run** card, select the number next to **Filtered out**.

Figure 13.1 shows postings the last search filtered out.




Figure 13.1 – Postings the last search filtered out

Read the list

Each row is one dropped posting with the reason in words. The chips at the top group the rows by reason (Table 13.1).

Table 13.1 – Reasons a posting is filtered out, and where to change each rule

Reason	Meaning	Where to change the rule
too senior	The title is above your level	**Skip levels above yours**
other language	The ad is written in another language (the reason names it), or the role requires one at a working level	**English only**
part time	You asked for full-time only	**Full-time only**
too old	Posted longer ago than your limit	**Max job age**
years	Asks for more years of experience than you accept	**Skip jobs asking for**
skip word	The title has a word you skip	**Skip titles with**
already applied	You applied to this role at this company	Nothing to change

Bring a posting back

1. Find the row.
2. Select **bring back**.

The posting goes to **New Jobs**, and the next search scores it.

14. Learn from your results

Insights is worked out on your Mac from your own applications. It asks Claude nothing (Figure 14.1).




Figure 14.1 – Insights

Table 14.1 lists the parts of Insights.

Table 14.1 – The parts of Insights

Part	The question it answers
What is working	Which kinds of role and which job boards led to interviews?
Week by week	How many applications did I send, and what came back?
Skills to learn	What do the postings ask for most that my CV does not show?
What the postings pay	What salaries do the postings state, in your currency, and how do they compare with what you ask?
How long companies take to answer	When should I stop waiting?
Why jobs scored low	What reasons come up most often?

> **Note**
> With only a few applications the app says "too few to say" rather than guessing. The numbers become useful after about ten applications.

What to do with it

Table 14.2 suggests what to do with what you see.

Table 14.2 – What to do with what Insights shows

You see	Consider
One kind of role gets the interviews	Put that role first in **Search roles**, and add it to **Kinds of role you want**
One skill is asked for again and again	Learn it, or add it to your CV if you already have it
Most low scores give the same reason	Change the filter that should have dropped those postings
Companies answer within two weeks or not at all	Follow up after ten days and move on after three weeks

15. Set your options

Options is where you tell the app what you are looking for. Open it with **Options** in the right column, or with a chip under **Search** in the left column (Figure 15.1).




Figure 15.1 – Options: the search

> **Note**
> A choice too long for its box is shown on two lines, never cut.

> **Note**
> Every field checks what you type. A value the app cannot use is marked in red with the reason, and **Save** waits until it is corrected. Closing Options with unsaved changes asks once.

Search

Table 15.1 lists the Search settings.

Table 15.1 – The Search settings

Setting	What it does	Values	Why you would change it
City	Where to search	A city name	The app will not search without one
Country	Which postings of a company's career site, and which remote jobs, count as "here": the city, anywhere in this country, the region it is in ("Europe", "EMEA"), or remote without being tied to another part of the world	A country's name in English. Empty = the country of the city, shown in grey	Type it when the field says the city is not known, or when you also want jobs from a neighbouring country
Job source	Which job boards are read	Czech boards, LinkedIn and careers; LinkedIn only; Company career sites only; All sources (+ remote)	More sources find more and take longer
Search roles	The words typed into the job boards, in English	One or more roles	Too few results: add a role. Too many poor ones: remove one
Skip titles with	Words that drop a posting by its title	Words	To get rid of a kind of posting that keeps appearing

Continuation of Table 15.1

Setting	What it does	Values	Why you would change it
...but keep titles with	Exceptions to the line above	Words	To keep a title that a skip word would drop
Kinds of role you want	Tells the scorer your direction	Roles	Without it, a role in another field that merely accepts your degree could score high
Kinds of role you do not want	Skipped when the title names one, scored low otherwise	Roles	To keep a neighbouring field out
Skip levels above yours	Level words that drop a posting	Words such as senior, lead	A senior candidate empties this list
Skip jobs asking for	Drops postings that ask for this many years or more	0 to 30; 0 = never	To keep out postings you are not yet eligible for
Include remote jobs	Adds the remote boards	On or off	To widen the search beyond your city
Full-time only	Hides part-time roles	On or off	Turn off if part-time suits you
English only	Hides postings written in another language, and roles that require another language at a working level	On or off	Turn off if you also work in the local language. A posting that requires a language your CV does not show is then scored low instead

Continuation of Table 15.1

Setting	What it does	Values	Why you would change it
Max job age	Drops postings older than this	Days; 0 = any date	Old postings are often already filled
Results per query	How many postings each role asks each board for	1 to 100	Raise it for a wider search, lower it for a faster one

Your profession

Figure 15.2 shows the roles you want and your profession in Options.




Figure 15.2 – Options: the roles you want and your profession

Under **Kinds of role you want**, chips show what the app takes as your profession. The app reads it from the roles you want (the outlined chip). It decides which titles are skipped as "another profession" before scoring.

- If the app read it wrong, select the right chips yourself.
- **Let the app decide** goes back to reading it from your roles.

Seventeen professions are known.

Company career sites

Some companies publish their openings on their own career site. To read one directly:

1. Find the company's career page and note the short name in its address (for example, boards.greenhouse.io/example gives example).
2. Under **Company career sites**, enter the company's name and that short name, and choose the system.
3. Select **Add**.

Matching and follow-up

Table 15.2 lists the Matching and Follow-up settings.

Table 15.2 – The Matching and Follow-up settings

Setting	What it does	Values
Write letters above	The score from which a CV and a letter are written	0 to 100
Hide leads below	Hides jobs below this score from New Jobs	0 to 100; 0 = show all
Remind me after	Days without a reply before a follow-up is suggested	0 to 90; 0 = never

> **Tip**
> Raise **Write letters above** to apply to fewer, better matches. It also uses less of your Claude limit, because fewer documents are written.

About you

Figure 15.3 shows the About you settings.




Figure 15.3 – Options: about you

Table 15.3 lists the About you settings.

Table 15.3 – The About you settings

Setting	What it does
Salary you ask for	Your expected pay, gross per month, with its currency. Form answers give it as your expectation, the job window and the lists show it, and Insights compares what postings pay with it. 0 = none given: the app then uses its own estimate, which it has for software roles in Czechia only, and otherwise leaves the figure for you to fill in
A different figure for	A salary of its own for one kind of role, used instead of the general one when the words are in the job's title (*support* for "IT Support Specialist"). Enter the kind of role and the figure, then select **+ Add**
Right to work	How letters and answers should say it. Empty = not mentioned
You can start	When you can start. Empty = not mentioned
More about your work	What you really did in each job beyond what the CV says, in your own words. The app may use it like the CV
Your own letters	The folder for letters you wrote yourself (section 7)

> **Important**
> Write only true facts here. The app treats them as true and uses them in letters, form answers and interview answers.

Notifications and storage

Figure 15.4 shows the Notifications and storage settings.




Figure 15.4 – Options: notifications and storage

Table 15.4 lists the Notifications and storage settings.

Table 15.4 – The Notifications and storage settings

Setting	What it does	Values
Notifications	A macOS notification when a run finishes, pauses on the limit, or an interview invitation arrives	On or off
Keep backups	How many automatic backups are kept; older ones are removed	0 to 200; 0 = keep all
Back up everything	**Back up now** makes one encrypted backup of everything. **Check backups** proves that a backup can be restored. **Save a readable copy...** puts the newest full backup, not encrypted, into an empty folder you choose	Three buttons
Moved documents older than	Moves old copies in the backup to the Trash, after asking	7 days or more

Email scan

Figure 15.5 shows the Email scan and Model settings.




Figure 15.5 – Options: email and the model

Table 15.5 lists the Email scan settings.

Table 15.5 – The Email scan settings

Setting	What it does	Values
Scan emails from the last	How far back an email scan looks. Messages already read are skipped	1 to 365 days
Also archived mail and spam	Reads those folders too, not only the Inbox. Never Sent or Drafts	On or off
Look further back once	Starts one scan over a longer period now. The setting above stays	2 to 365 days, then **Scan now**

Model

Table 15.6 describes the Model setting.

Table 15.6 – The Model setting

Setting	What it does	Values
Claude model	Which Claude model scores and writes	sonnet, opus, haiku

A larger model writes better and uses your limit faster. **sonnet** is a good default.

16. Schedule a weekly run

macOS can run a search and an email scan for you once a week, even with the window closed.

Turn it on

1. In the right column, select the **Weekly run** card.
2. Turn **Enabled** on.
3. Choose the day and the time.
4. Select **Save**.

Figure 16.1 shows the weekly run.




Figure 16.1 – The weekly run

You get a notification when the run is done. The **Last run** card shows its result the

next time you open the window (Table 16.1).

Table 16.1 – What happens at the scheduled time

Situation at the scheduled time	What happens
The Mac is on	The run starts
The Mac is asleep	The run starts when it wakes
The Mac is switched off	That week's run is skipped
Claude's limit is used up	The run stops early and keeps what was finished

Turn it off

Open the card again, turn **Enabled** off, and select **Save**.

17. Watch your Claude usage and limits

Your Claude subscription has two limits, and the app counts against both like any other use of Claude (Table 17.1).

Table 17.1 – The two limits of a Claude subscription

Limit	What it is
5-hour window	How much you can use in a period of five hours. Claude calls it the session limit
7-day window	How much you can use in a week

Read the Usage left card

Each window has a bar and a figure for what is left. The numbers come from Claude's last answer. **refresh** asks Claude for the current ones (Figure 17.1).




Figure 17.1 – A limit that is used up

Table 17.2 explains what the card shows.

Table 17.2 – How to read the Usage left card

You see	Meaning
A figure such as **66% left**	That much of the window remains
resets 14:00 under a bar	Shown when less than 20% is left: the time the window is empty again. A date is added when it is another day
0% left in red	Claude refused a call because this limit is used up. Nothing can be asked until the time shown
—	Claude has not reported this window yet. Select **refresh**

When a reset time passes while the window is open, the card corrects itself: the limit is shown as free again without you pressing anything.

> **Note**
> Other use of Claude on the same account, in the Claude app or in Claude Code, counts against the same limits. That is why the figure can drop while the app does nothing.

When a run hits the limit

The run pauses instead of failing, and everything done so far is saved (Figure 17.2).




Figure 17.2 – The run paused on the limit

1. Read the window: it names the limit and the time it resets.
2. Select **Close**. You can keep using the lists.
3. When the limit is back, the **Resume** button turns blue. Select it.

The run continues from where it stopped. Nothing that was finished is done again.

What a run costs

The **Last run** card shows two rows about cost (Table 17.3).

Table 17.3 – The two cost rows of the Last run card

Row	Meaning
You paid	*subscription only*. Nothing was billed for the run
Same search via API, **Same scan via API**	What that one run would have cost with pay-per-use billing

See everything the app has used

1. In the right column, select **Help**.
2. Select the tab **Usage and problems** (Figure 17.3).

The first card shows how many questions the app has asked Claude in all and by

kind of work, with what the same work would have cost through the paid API. Nothing of it was billed.




Figure 17.3 – Usage and problems in Help

Use less of your limit

Table 17.4 lists ways to use less of your limit.

Table 17.4 – Ways to use less of your limit

Do this	Why it helps
Keep fewer **Search roles**	Fewer postings to score
Choose Czech boards instead of all sources	Fewer postings to score
Raise **Write letters above**	Fewer documents to write. Writing costs more than scoring
Set **Kinds of role you want**	More postings are skipped before scoring
Choose the **sonnet** model	It uses the limit more slowly than opus

18. Protect your data

Where your data is

Everything stays on your Mac. The only things that leave it are the questions put to Claude (your CV text and a posting), the requests to the job boards, and the reading of your mailbox (Table 18.1).

Table 18.1 – Where your data is and what protects it

What	Where	Protected by
The job list, your profile, your settings, the replies	data/, as encrypted files	AES-256 encryption
All backups	data/backups/	AES-256 encryption
The mailbox passwords and the data key	The macOS Keychain	Your Mac's login
CVs, letters, Excel tables	data/, as ordinary files, so that Word and Excel can open them	The encryption of your disk
The rule files for the CV and the letter	data/	A signature; a change made outside the app must be approved

Backups

The app makes a backup by itself before it changes data in bulk. The newest ones are kept, as many as **Keep backups** in Options says.

To make a backup of everything yourself, for example before you move to a new Mac:

1. Open **Options** > **Notifications and storage**.
2. Select **Back up now**. The green line names the folder of the backup.
3. Optional: select **Check backups**. The app restores a backup into a throwaway folder and compares it with your data, to prove that it can be restored.

To take your data out of the app in a form that any program can open:

1. Select **Save a readable copy...**.
2. Choose an empty folder outside the app's own folder.

> **Warning**
> A readable copy is not encrypted. Keep that folder safe, and delete it when you no longer need it.

Changes to the rule files

The files that tell the app how to write your CV and your letters, the letter template and your master CV are signed. If one of them is changed outside the app, the next run waits.

1. Open the **Account** card. The **Data protection** row names the changed files.
2. Select **See what changed**. The lines that were removed are shown in red with a minus sign, the lines that were added in green with a plus sign.
3. Select **Approve** if the change is yours. Otherwise put the file back as it was.

> **Note**
> The app keeps the text of each file as it was when you approved it. For a file approved before this was added, the card says that no earlier copy was kept; open the file and read it before you approve.

> **Warning**
> Approve a change only when you made it yourself. The rule files decide what the app is allowed to write in your name.

Nothing is thrown away

Table 18.2 lists where data goes instead of being deleted.

Table 18.2 – Where data goes instead of being deleted

Action	Where the data goes
Not interested	The job leaves the list; its documents go to an encrypted backup
Move documents to backup	An encrypted backup; **Put them back** returns them
A letter is saved again	The previous version goes to an encrypted backup
Old copies are tidied	The Trash, never straight to deletion

19. Troubleshoot problems

Figure 19.1 shows the Help window.




Figure 19.1 – Help inside the app

Help in the app has three tabs: **How it works** covers the same ground as this guide in short form, **What changed** lists the changes of each version, and **Usage and problems** shows what the app has used and the small problems it carried on after.

Starting and signing in

Table 19.1 lists problems with starting and signing in.

Table 19.1 – Problems with starting and signing in

What you see	Cause	What to do
A red line at the top of the main window	The start-up check found something	The line says what and how to fix it
A button does nothing	A required row of the Account card is red	Open the **Account** chip and make the rows green
"A paid API key is set"	A paid Claude key is set on this Mac	Ask whoever set up the app to remove it, then start the app again

Searching and scoring

Table 19.2 lists problems with searching and scoring.

Table 19.2 – Problems with searching and scoring

What you see	Cause	What to do
No results	The city or the roles are too narrow, or the filters dropped everything	Check Options; open **Filtered out** to see what was dropped and why
Too many poor jobs	The filters are too loose	Add words to **Skip titles with**, set **Kinds of role you want**, or raise **Write letters above**
Good jobs are skipped	The app read your profession wrong	Check the profession chips in Options; use **Score it anyway** on a single job
A score looks wrong	The posting was read only in part, or your Options changed	Read **Why this score**; see section 8
The search paused	Claude's limit ran out	The window says when it resets; select **Resume** then (section 17)
The usage card says **0% left**	Claude refused a call for a used-up limit	Wait for the time shown, then select **refresh**

Replies

Table 19.3 lists problems with replies.

Table 19.3 – Problems with replies

What you see	Cause	What to do
A rejection is missing	It did not arrive in a scanned mailbox or folder	Set the status by hand, or paste the reply (section 10)
A scan finds "0 new"	Nothing new in the period	Use **Look further back once** in Options
A scan takes long the first time	It reads a long period once	Later scans skip what was already read

Everything else

Table 19.4 lists other problems.

Table 19.4 – Other problems

What you see	Cause	What to do
Something failed quietly	The app carried on after an error	Open **Help** > **Usage and problems**: the second card lists such errors, newest first, and **Show the file in Finder** shows the whole log
The data cannot be opened on a new Mac	The data key is in the old Mac's Keychain	Paste your recovery key in the **Account** card (section 2)

20. Look things up

Words the app uses

Table 20.1 explains the words the app uses.

Table 20.1 – Words the app uses

Word	Meaning
Lead	A posting found for you that you have not applied to
Score	0 to 100: how well a posting fits your CV and the roles you want
Your limit	The score in **Write letters above**: from there a CV and a letter are written
strong, **moderate**	60 or more; 50 to 59
skipped	Not scored, to save a Claude call
Master CV	Your own CV, which every adapted CV is made from
Adapted CV	A copy of the master CV with the profile and the skills reworded for one posting
Filtered out	Dropped by a search before scoring, with a reason
The limit	Claude's 5-hour or 7-day limit of your subscription

Where things are written

Table 20.2 lists the folders the app writes to.

Table 20.2 – The folders the app writes to

Folder	What is in it
data/cv/	Your master CV
data/tailored_cvs/	The adapted CVs, as Word files and PDFs
data/cover_letters/	The letters the app wrote
data/my_letters/	The letters you wrote
data/excel_new_jobs/, data/excel_applications/, data/excel_reports/	The Excel tables
data/backups/	Encrypted backups

The light theme

Figure 20.1 shows the light theme.




Figure 20.1 – The light theme

The sun or moon button at the top of the main window switches between the dark

and the light theme. Every window follows it.