JOBHELPER

JobHelper user guide

How to use every part of the app, step by step

For JobHelper on macOS
51 figures · 60 tables

Contents

1. Overview 8
What the app does for you 8
What the app never does 8
What it costs 9
A normal week 9
Read this guide 9
Next steps 10
2. Set up the app 10
Install the app 11
Open the app for the first time 11
Prerequisites 12
What the welcome card checks 12
Sign in to Claude 12
Choose your master CV 13
Connect your mailbox 13
Add a second mailbox (optional) 13
Save your recovery key 14
Open your data on a new Mac 15
Test a connected mailbox 15
Open the card again later 15
If something is wrong 15
Next steps 17
3. Find your way around the main window 17
The left column 17
The middle 18

The red line at the top 20
The right column 21
The JobHelper widget 21
Next steps 25
4. Run a search 27
Prerequisites 27
Start a search 27
What happens, in order 27
Stop a search 28
If Claude's limit runs out 29
If something is wrong 29
Next steps 29
5. Review new jobs 30
Read a row 30
Apply to a job 31
Controls of the list 31
Review several jobs one by one 31
Next steps 32
6. Work with one job 33
The checklist: Before you apply 33
Why this score 34
The buttons at the bottom 35
Next steps 36
7. Check and edit your documents 36
The adapted CV 36
The cover letter 38
Have documents written for one job 38

Your own letters 40
Form answers 40
Next steps 41
8. Fix a score you cannot trust 41
The posting could not be read in full 41
The score dropped after documents were written 42
9. Fill in an application form 44
Prerequisites 45
Tell the assistant your details 45
List your jobs and your degrees 46
List your languages 48
Give your salary and add your files 49
Answer the questions every form asks 49
Let your browser be filled in 50
Fill in a form 51
Fill in a form with several pages 52
Use your own wording again 54
Review a form before you send it 55
What the assistant fills in and what it leaves 56
If something is wrong 60
Next steps 62
10. Talk to the assistant 62
Prerequisites 62
Talk to the assistant 62
Do several things at once, and take them back 65
Tell the assistant what to remember 66
Judge a posting that is open in your browser 66

Draft a reply to a company 66
Practise an interview 66
Let the assistant speak first 67
Choose your browser 67
Speak instead of typing 67
Next steps 68
11. Track an application 68
The application's window 68
Set a date and get reminded 68
File a reply that did not come by email 70
Keep notes about the company 70
Follow up 70
Possible duplicates 71
Next steps 71
12. Read replies from companies 71
Prerequisites 71
Scan your email 71
How the app chooses which messages to read closely 71
When a scan fails 71
How far back a scan looks 72
Look further back once 72
Responses 72
File a reply under the right application 74
Analytics 74
If something is wrong 75
13. Prepare for an interview 77
Build the preparation 77

What the sheet contains 77
The two documents 78
Use the sheet 79
14. See what a search left out 80
Open the list 80
Read the list 81
Bring a posting back 81
15. Learn from your results 82
What to do with it 84
16. Set your options 84
Search 84
Remote jobs 88
Your profession 88
Company career sites 89
Matching and follow-up 90
About you 90
Notifications and storage 93
Email scan 94
Model 95
17. Schedule a weekly run 96
Turn it on 96
Turn it off 97
18. Watch your Claude usage and limits 97
Read the Usage left card 98
When a run hits the limit 98
What a run costs 99
See everything the app has used 100

Use less of your limit 100
19. Protect your data 101
Where your data is 101
Backups 102
Changes to the rule files 102
Nothing is thrown away 103
20. Troubleshoot problems 103
Starting and signing in 103
Searching and scoring 104
Replies 106
Everything else 106
21. Look things up 107
Words the app uses 107
Where things are written 108
The light theme 108

Applies to: JobHelper for macOS.

This guide explains every part of the app. For each part, it tells you what the part is for and how to use it step by step. It also tells you what each control does and what to do when something looks wrong.

1. Overview

What the app does for you

A job search has five tasks that you do again and again. You read postings and decide which ones fit. You change your CV and write a letter for each job. You keep a list of where you applied. Then you read the answers. JobHelper does the repeated work in all five tasks. You make the decisions.

The work is split between five agents. The window shows each one as a robot on an assembly line (Table 1.1).

Table 1.1 – The five robots and what each does

Robot	What it does	Asks Claude
Profiler	Reads your CV and works out what to search for	Once per CV
Scout	Searches the job boards and filters out what cannot fit	Never
Scribe	Scores each posting against your CV, then writes an adapted CV and a letter for the good ones	Yes
Tracker	Keeps the Excel tables up to date	Never
Postman	Reads the replies in your mailbox and updates your applications	For new replies only

A sixth robot, the **assistant**, is not part of the line. It stands at its end and fills in application forms for you when you ask it (section 9).

What the app never does

- It never applies for you and never sends an email.
- It never deletes, moves or marks anything in your mailbox. The mailbox is opened read-only.
- It never writes anything in a CV, a letter or an answer that is not in your own CV or in notes you gave it.
- It never rewrites a letter that you wrote yourself.

You read, you decide, you send.

What it costs

The app works through your Claude subscription. There is no bill per search. What a search uses counts against your normal Claude limits, and the window shows how much is left (section 18).

> **Important**
> The app refuses to run while a paid Claude key is set on the Mac, so that you are never billed per use by accident.

A normal week

Table 1.2 shows a normal week with the app.

Table 1.2 – A normal week with the app

When	What you do	Section
Once	Set up the app and choose what you look for	2, 16
Two or three times a week	Run a search, review the new jobs, apply to the good ones	4 to 7
When you apply	Ask the assistant to fill in the company's form	9
After each application	Press **Mark applied**	5
Every day or two	Scan your email for replies	12
Before an interview	Build the interview preparation	13
Every few weeks	Look at Analytics and Insights and adjust Options	12, 15, 16

Read this guide

All sections have the same structure. First, an overview tells you what the feature is for. Then you see what you need before you start, and the steps to follow. A table tells you what each control does. The last part covers the usual problems (Table 1.3).

Four kinds of box mark what deserves attention (Table 1.4).

The figures show the real window of the app, filled with **invented** people and companies.

This guide is for people who use the app. The technical documentation, CODE.md, is for people who work with the code. It covers the installation, the command line, the structure of the code and the tests.

Table 1.3 – How things are written in this guide

Element	How it is written	Example
A button, a list or a label in the window	**Bold**, spelled as in the app	Select **Run search**; open **Options**
A path through the window	**Bold**, joined with >	**Options** > **Email scan** > **Scan now**
Something you type	*Italics*	Enter *Prague* in **City**
The name of a file or a folder	Monospace	Your CV as a .docx file
A key on the keyboard	Capitalised, joined with +	Press Esc; press Cmd+C to copy
A figure or a table	By its number	Figure 3.1, Table 2.1

Table 1.4 – The four kinds of box

Box	Meaning
Note	Extra information that helps you understand
Tip	A faster or better way to do something
Important	Something you should know before you continue
Warning	Something that can cost you work or data if you ignore it

> **Note**
> A window that holds text you did not save never closes without a question. The ×, the Esc key and **Cancel** ask once. Press one again to discard the changes. While Claude is still working in a window, it waits until the work is done. A button that you cannot use at the moment is pale. The Tab key also reaches the × of each window. Press Space to close the window.

Next steps

- Set up the app

2. Set up the app

Do this once. When the app starts, it checks five things and shows them on the welcome card (Figure 2.1).




Figure 2.1 – The welcome card

Install the app

1. Drag **JobHelper** into the **Applications** folder.
2. Double-click **JobHelper** in **Applications**.

Open the app for the first time

JobHelper is not from the App Store, so macOS does not know it. The first time you open it, macOS stops it and shows a message. Do these steps one time:

1. On the message, select **Done**.
2. Open **System Settings**, then select **Privacy & Security**.
3. Scroll down to the line that names JobHelper, then select **Open Anyway**.
4. Type your Mac password, if macOS asks for it.
5. Select **Open Anyway** again. The window of JobHelper opens.

After this, JobHelper opens like any other app.

The first time the assistant fills in a form, macOS asks if JobHelper may control Google Chrome. Select **Allow**. Without this, the assistant cannot read or fill in a form.

JobHelper does not need your Desktop, your Downloads, your music, removable disks or the data of other apps. If macOS asks for one of them, select **Don't Allow**. When you choose a file yourself (your CV, for example), macOS gives the app that one file.

Prerequisites

You need:

- JobHelper installed on your Mac and its window open.
- A Claude subscription, and the Claude Code program signed in on this Mac.
- Your CV as a .docx, .pdf or .txt file.
- Optional: the mailbox you apply from, and a password for a program to read it (for Gmail and most other providers, an *app password*).

What the welcome card checks

Table 2.1 lists the five checks.

Table 2.1 – What the welcome card checks

Row	What it is	Why it is needed	Required
Claude account	The Claude sign-in on this Mac	Scoring and writing are done by Claude	Yes
Job email	The mailbox you apply from, opened read-only	So that replies update your applications by themselves	No
Master CV	Your one true CV	Every adapted CV is made from it and may only say what it says	Yes
Data protection	Encryption of your job data, with the key in the macOS Keychain	Your applications and replies are private	Yes
PDF copies	LibreOffice, a free program that makes a PDF copy of each Word file	Some forms accept only PDF files	No

A search can start only when the required rows are green. Without the email row everything works except reading replies. Without LibreOffice, the app makes the Word files but no PDF copies. To get PDF copies, install LibreOffice from libreoffice.org, then select **Recheck**.

Sign in to Claude

1. On the welcome card, find the **Claude account** row.
2. Select **Sign in with Claude**. A browser window opens.
3. Sign in with the account that has your subscription.
4. Return to the app. The row turns green within a few seconds.

Choose your master CV

1. On the **Master CV** row, select the **Change...** button.
2. Pick your CV file.
3. The row shows the file name and turns green.

If the file is of another type, empty, damaged, larger than 20 MB or a scan without text, the row says so in red. The app then keeps your CV as it was. If you choose a new CV with the same name, the app keeps a copy of the old one in the backups.

> **Tip**
> A .docx whose sections are headed PROFILE and KEY SKILLS gives the best result: the app can then adapt both sections for each job. With other files it rewrites the profile paragraph only.

Connect your mailbox

1. Get a password for a program from your mail provider (the table below). For Gmail: turn on **2-Step Verification** in your Google account, then create an **App Password** and name it "JobHelper".
2. On the **Job email** row of the welcome card, select **Connect** (or **Change**).
3. Enter the address. The line under the fields then shows the server that the app reads from. It also shows the type of password that the provider wants.
4. Enter the password. If the app does not know the provider, a third field appears. Enter the provider's **IMAP server** in it, for example imap.example.com. The provider's help pages give this name.
5. Select **Save**. The button says **Checking...** while the app signs in to the mailbox once with what you entered. A refused password is not saved, and the card says so in red (Table 2.2).

> **Note**
> An app password is a separate password that only lets a program read mail. You can cancel it in your account at any time without changing your real password. Where a provider offers one, never enter your real password in the app.

Add a second mailbox (optional)

Use this when replies arrive at two addresses, for example an old address and a new one.

1. On the welcome card, under the **Job email** row, find **Second mailbox (optional)**.
2. Select **Add**.
3. Enter the second address and its own password, then select **Save**. It may be at another provider than the first one.

Table 2.2 – Mail providers and the password each one wants

Your address is at	Read from	Password to enter
Gmail	imap.gmail.com	A Google App Password (16 letters)
Yahoo, AOL	The provider's server	An app password from the account's security settings
iCloud	imap.mail.me.com	An app-specific password from your Apple account
Fastmail, Zoho	The provider's server	An app password
Seznam, GMX, WEB.DE	The provider's server	Your mailbox password, with IMAP turned on in the mailbox settings
A company or another provider	The **IMAP server** you type	What that provider gives for reading mail by IMAP
T-Online, Posteo, mailbox.org, Orange, Libero, Onet	The provider's server	What the line under the fields says for that provider
A Russian mail service	Not used	The app does not work with Russian services. Connect a mailbox at another provider
Outlook.com, Hotmail, Proton Mail, Tuta	Not possible	These cannot be read with a password. Forward your job mail to another mailbox and connect that one, or paste replies into their applications (section 11)

Each email scan then reads both mailboxes. To find older replies in the new mailbox, run one longer scan (section 12, *Look further back once*). A problem with the second mailbox never stops the scan of the first one. The app tells you about the problem at the end of the scan.

Save your recovery key

Your job data is encrypted with a key that the app keeps in the macOS Keychain. The recovery key is that key as one line of text. You need it to open your data on another Mac, or on this Mac after the Keychain is reset.

1. Select the **Account** chip to open the card.
2. On the **Data protection** row, select **Recovery key**.
3. Select **Copy**, and paste the key into a password manager or another safe place outside this Mac.
4. Select **Hide key**. The key is also put away by itself after a minute, and when the card closes.

> **Warning**
> Anyone who has the recovery key can read your data. Do not send it by email or keep it in a plain note. Without it, your data cannot be opened on a new Mac.

Open your data on a new Mac

When the key is missing from the Keychain, the **Data protection** row is red and asks for it.

1. Paste your recovery key into the field under the row.
2. Select **Open my data**.

The app checks that the key belongs to this data before it uses it.

Test a connected mailbox

An app password can be cancelled at the provider without the app knowing. To check that the mailboxes can still be read:

1. Open the **Account** card.
2. On the **Job email** row, select **Test**.

A green line says that the app signed in; a red line says what the mail server answered. Both mailboxes are tried when you have two, and each has its own line. When the main mailbox cannot be read, its row loses its green tick.

Open the card again later

Select the **Account** chip in the left column of the main window. The three dots under the chip (**Claude**, **Email**, **CV**) are the same checks at a glance.

If something is wrong

Table 2.3 lists problems while setting up, and what to do.

Table 2.3 – Problems while setting up, and what to do

What you see	Cause	What to do
Claude account stays red after you sign in	The sign-in was done in another browser profile, or was cancelled	Select **Sign in with Claude** again
Claude account says that Claude did not answer the sign-in check	Claude was slow or could not be asked. This does not mean that you are signed out	Select **Check again**. Sign in only when the row then says that you are not signed in
"A paid API key is set"	A paid Claude key, or another setting that bills a paid account, is set on this Mac	Ask whoever set up the app to remove it, then start the app again. The app never bills you per use
"The mail server refused this address and password"	The normal password was used where an app password is needed, the app password was cancelled, or it belongs to another address	Create an app password for this address and enter that one
"The app does not know this provider"	The address is at a company or a small provider	Enter its IMAP server in the third field
"Microsoft no longer lets a program read..."	Outlook.com and Hotmail cannot be read with a password	Forward your job mail to another mailbox and connect that one
"Saved. The mail server could not be reached"	No internet connection at that moment	Nothing. The first email scan shows whether it works

Continuation of Table 2.3

What you see	Cause	What to do
"Couldn't connect safely: the mail server's certificate is not trusted"	The server name is wrong, or your company's server uses its own certificate. A network (for example public Wi-Fi) can also show a false server. The app did not send your password	Check the server name. Then try again on a network that you trust
Master CV is red	No CV was chosen, the file was moved, or the file is empty, damaged or a scan without text	Select the **Change...** button and pick the file. Save a scan as a Word file or a PDF with text first

Next steps

- Find your way around the main window
- Set your options, to say what you are looking for

3. Find your way around the main window

Figure 3.1 shows the main window.

The window has three columns and a strip at the bottom (Table 3.1).

Table 3.1 – The areas of the main window

Area	Where	What it holds
Lists and account	Left	Your lists, the Account chip, the settings of the next search
Assembly line	Middle	The five robots, the assistant (section 9), the two run buttons, the status line
Where you stand	Right	Claude usage, the last run, the next date, the weekly run, Options, About you, Help
Pipeline strip	Bottom	The five agents by name, lit while they work

The left column

Figure 3.2 shows the lists and the account chip.

Table 3.2 describes the lists in the left column.

A line under **Applications** appears when something needs you, for example "1 to follow up" or "2 possible duplicates".




Figure 3.1 – The main window

Under the lists:

- **Account**: the chip shows who is signed in. Select it to open the card from section 2.
- **Search**: chips that show what the next search is set to (city, language, full-time, age of postings, the score from which letters are written). Select a chip to change it in Options.

The middle

Table 3.3 lists the controls in the middle.




Figure 3.2 – The lists and the account chip

Table 3.2 – The lists in the left column

Item	What it opens	The mark on the right
New Jobs	Postings found for you that you have not applied to	How many there are
Applications	Where you applied and where each one stands	How many there are
Responses	Every reply email the app has read	How many there are
Analytics	Outcomes and rejection reasons, added up	A bar chart
Insights	What your own results teach you	A light bulb

The red line at the top

Figure 3.3 shows the red line of the start-up check.

Table 3.3 – The controls in the middle

Control	What it does
Run search	Starts a search (section 4). While a run is going, it becomes **Stop**
Scan email	Reads new replies (section 12)
The sun or moon button	Switches between the dark and the light theme
A robot	Lights up while its agent works and shows a tick when it is done. Point at it for its name, its job and its latest result
The status line	Always says what is happening, or what just happened, with the time

Each time the app starts, it checks itself. It checks the data key, the job list, the replies, the settings, the rule files, your master CV and the folders. If it finds a problem, a red line at the top tells you what is wrong and how to fix it. **Hide** removes the line until the next start. **Show all** appears when the app found more than one problem.

For some problems, the line has a button that fixes the problem:

- **Repair** appears when a job has a status that the app does not know. That job is in no list. Select **Repair**. The app makes a backup first. Then it gives each job a status that it knows and adds a note to the job.
- **Restore from backup** appears when the job list or the replies database is damaged. Select **Restore from backup**. The app puts back the newest backup copy that opens. It moves the damaged file into the backups, in the folder "damaged". Changes after the time of that copy are not in it.




Figure 3.3 – The start-up check found something

When the fix is done, the line becomes green and tells you what changed. If the fix is not possible, a red sentence under the line tells you why. You cannot use these buttons while a search or a scan runs.

The right column

Figure 3.4 shows the Usage left card and the Last run card.

Table 3.4 lists the cards in the right column.

The rows of the **Last run** card (Table 3.5):

The JobHelper widget

The JobHelper widget shows your job search on the desktop of your Mac, also when the window is closed. It has four sizes (Figure 3.5, Figure 3.6, Figure 3.7 and Figure 3.8).

To add the widget:

1. Open JobHelper one time, so that it can write what the widget shows.
2. Right-click an empty area of the desktop, then select **Edit Widgets**.
3. In the search field, type **JobHelper**.
4. Select a size, then drag the widget to the desktop or to the Notification Center.
5. Select **Done**.

Table 3.6 lists what each size shows.

The widget gets new numbers every 15 minutes. The app writes them when it starts, after each change, every 5 minutes while it is open, and after the weekly run. When the numbers are older than a day, the widget tells you to open the app. A Claude usage figure that is more than one hour old shows as "–", because the widget has no space for its time.




Figure 3.4 – Usage and the last run

To open the app, select **Open** on the medium or the large widget. You can also click anywhere on a widget of any size.

Table 3.4 – The cards in the right column

Card	What it tells you
Claude	The model in use, and that the subscription is used, not the paid API
Usage left	How much of your Claude limit remains (section 18). **refresh** asks Claude for the current numbers
Last run	What the last search and the last email scan did (the table below)
Coming up	The next dated event, such as an interview
Weekly run	Whether a weekly run is scheduled. Select it to change the schedule (section 17)
Options	Opens the settings (section 16)
About you	Opens your salary, right to work, start date and the notes about your work (section 16)
Help	A short version of this guide, and the list of changes

Table 3.5 – The rows of the Last run card

Row	Meaning
When	Day and time of the last search
Found	How many new postings it added
Filtered out	How many postings it dropped. Select the number to see each one with its reason (section 14)
Letters, **CVs**	How many of each were written
Email scan	Day of the last email scan and how many new replies it filed
Emails read	How many messages that scan went through, and how many of them were worth a question to Claude ("1224 · 43 asked"). It explains a "0 new": most mail was read before, or is not about an application
You paid	*subscription only*: nothing was billed for the run
Same search via API or **Same scan via API**	What the last run alone would have cost with pay-per-use billing. It is a measure of how much work was done, not a bill




Figure 3.5 – The small widget

The widget cannot open your encrypted data. The app writes a short summary for it, in the folder JobHelper of your Library. The summary contains numbers, the companies and roles of the next dates, and their days and times. It contains no letters, CVs, emails or notes. Only you can read the file.




Figure 3.6 – The medium widget




Figure 3.8 – The extra large widget

Next steps

- Run a search




Figure 3.7 – The large widget

Table 3.6 – What the widget shows

Size	What it shows
Small	The next date, and the number of new jobs and applications
Medium	The next date, the new jobs, applications, interviews and follow-ups, and the Claude usage of the 5-hour window
Large	All of the numbers, the next three dates, the last run, both Claude usage windows, offers, replies and the weekly run
Extra large	All of the numbers, the next five dates, both Claude usage windows, the weekly run and the last run, side by side

4. Run a search

A search finds new postings and removes the ones that cannot fit. It scores the other postings against your CV. For each good posting, it writes an adapted CV and a cover letter.

Prerequisites

- The **Claude account** and **Master CV** rows of the Account card are green.
- A city and at least one search role are set in Options (section 16).

Start a search

1. In the main window, select **Run search**.
2. Watch the assembly line. You can keep using the lists while it runs.
3. When the status line says the search is finished, open **New Jobs**.

Figure 4.1 shows a search in progress.

What happens, in order

Table 4.1 lists what a search does, step by step.

What step 3 drops:

- Postings written in another language, and roles that require one at a working level (with **English only** on). The reason names the language.
- Titles above your level.
- Part-time work, when you want full-time.
- Postings older than your limit.
- Roles you already applied to.

- Titles that contain a word you chose to skip.




Figure 4.1 – A search in progress

> **Note**
> Scoring costs a Claude call. A posting whose title is plainly another profession is marked **skipped** without a call. You can send any skipped posting to scoring yourself with **Score it anyway** in its window.

Stop a search

Select **Stop**. The search ends after the step in progress. Everything finished before that is kept, and the next search continues with what was not done.

Table 4.1 – What a search does, step by step

Step	Robot	What it does
1	**Profiler**	Reads your CV. Only when the CV changed since last time
2	**Scout**	Asks the job boards for each of your search roles in your city
3	**Scout**	Drops what cannot fit, and keeps every dropped posting with its reason
4	**Scout**	Reads once more the postings that came back empty, and asks older postings whether they still accept applications
5	**Scribe**	Scores what is left, five postings per Claude call
6	**Scribe**	Writes an adapted CV and a letter for each posting at or above your limit
7	**Tracker**	Rebuilds the Excel tables

If Claude's limit runs out

The run pauses instead of failing. See Watch your Claude usage and limits.

If something is wrong

Table 4.2 lists problems with a search, and what to do.

Next steps

- Review new jobs

Table 4.2 – Problems with a search, and what to do

What you see	Cause	What to do
"No city yet"	Options has no city	Open Options and choose a city
The search finds nothing new	Your roles are too narrow, or everything was filtered	Open **Filtered out** on the Last run card (section 14)
Too many poor postings	The filters are too loose	Add words to **Skip titles with**, or set **Kinds of role you want**
A source is missing from the results	That site turned programs away this time	Nothing to do. The app leaves such a site alone and tries again at the next search

5. Review new jobs

New Jobs is the list of postings found for you that you have not applied to, best score first (Figure 5.1).

Read a row

Table 5.1 explains how to read a row.




Figure 5.1 – The New Jobs list

Apply to a job

1. Select the row to open the job (section 6).
2. Read **Why this score**, then check the CV and the letter (section 7).
3. Select **Open posting** and apply on the company's site with the two files.
4. Return to the app and select **Mark applied**.

Table 5.1 – How to read a row of New Jobs

You see	It means
The number on the left	The score, 0 to 100: how well the posting fits your CV and the roles you want
was 64 under the number	What the job scored before it was scored again
strong	60 or more. A CV and a letter were written
moderate	50 to 59. A CV and a letter were written
No badge	Below your limit. Listed so that you can judge for yourself; no documents were written
skipped	Not scored at all, to save a Claude call (section 4)
The grey line	When it was posted, the salary you ask for (section 16), and any warning about the score
closed	The posting no longer accepts applications
scored from the title only, **scored from a short summary**	The score rests on little text (section 8)
documents from a higher score	The job fell below your limit after its documents were written (section 8)

> **Important**
> Select **Mark applied** only after you really sent the application. The job moves to **Applications**, and replies are matched to it from then on.

Controls of the list

Table 5.2 lists the controls of the New Jobs list.

Review several jobs one by one

Many jobs can wait for a decision, for example all the jobs marked **stretch**. You do

not have to open each job from the list and then go back to the list.

1. In **New Jobs**, show only the jobs that you want to go through. Select a chip, or type in the search box.
2. Select **Review these … one by one**. The first job opens, with a bar that says where you are (Figure 5.2).
3. Read **Why this score**, then decide: **Not interested** removes the job, **Mark applied** moves it to Applications. The next job opens by itself. For a moment the two buttons are off, so a double-click does not decide the next job too.
4. To leave a job as it is, select **Next ›**. **‹ Previous** goes back.

Table 5.2 – The controls of the New Jobs list

Control	What it does
The search box	Shows only the rows that contain what you type
The chips under it	Filter the list
The buttons on a row	Open the posting, the letter and the CV
mark applied	Moves the job to Applications
Score all again	Scores every job with your current Options. It asks first, because it uses your Claude limit
open Excel	Opens the same list as an Excel table

The round ends after the last job, or when you close the window. Jobs you did not decide on stay in the list as they were.

Next steps

- Work with one job




Figure 5.2 – Reviewing jobs one by one

6. Work with one job

Select a row in **New Jobs** to open the job's window. Everything about one posting is here (Figure 6.1).

The checklist: Before you apply

The checklist has one line per step. Tick the steps as you go. The ticks are remembered for this job (Table 6.1).




Figure 6.1 – The job window

Table 6.1 – The checklist of a job and its buttons

Line of the checklist	Its button	What the button does
Read the posting and open its application form	**Open posting**	Opens the posting in your browser
Check your adapted CV	**Open CV** or **Open CV PDF**	Opens the adapted CV
Check your cover letter	**Open letter** or **Open letter PDF**	Opens the letter
If the form takes one file	**Make one PDF**	Makes one PDF with the letter first and the CV after it
Answers for this job's form	**Form answers**	Drafts answers for the application form (section 7)

Show in folder on a line selects that file in Finder, so that you can drag it into an application form.

The row of buttons at the bottom of the window opens the same documents again and adds two more (Table 6.2):

Why this score

Figure 6.2 shows the score and the keywords.

Why this score is the reason in words. Read it before you apply to anything below **strong**: it tells you what the posting asks for that your CV does not show.

Keywords in the posting compares the skills and tools the posting names with your

CV (Table 6.3).

Table 6.2 – The two extra buttons for documents

Button	What it does
Compare CV	Shows what was changed in the adapted CV (section 7)
Edit letter	Opens the letter editor (section 7)




Figure 6.2 – The score and the keywords

> **Note**
> The app never adds a **Not in your CV** word to an adapted CV. If you really have that skill, add it to your master CV, or describe it under **More about your work** in **About you**.

The buttons at the bottom

Table 6.4 lists the buttons at the bottom of the job window.

Table 6.3 – The two groups of keywords

Group	Meaning
In your CV	The posting asks for it and your CV shows it
Not in your CV	The posting asks for it and your CV does not show it. Something to learn, or something you know and forgot to write down

Table 6.4 – The buttons at the bottom of the job window

Button	What it does
Form answers	Drafts answers for this job's application form (section 7)
Fill the form	Opens the assistant for this job, to fill in the form that is open in your browser (section 9)
Score it anyway	Sends a skipped job to scoring
Not interested	Removes the job from the list. Its documents go to an encrypted backup
Mark applied	Moves the job to Applications

> **Note**
> If you typed something in this window and did not save it, the ×, the Esc key, **Mark applied** and **Not interested** all ask once before the text is discarded.

Next steps

- Check and edit your documents

7. Check and edit your documents

For each posting at or above your limit the app writes two documents. Check both before you send them. You are the one who signs them.

The adapted CV

The app makes a copy of your CV for each job. In the copy, it rewords the profile paragraph and the skills list. It also puts first what this posting asks for. All other parts stay as you wrote them.

If your skills list is one line without labels, the copy keeps it in one line and only changes the order. A skill is left out only so that the CV fits on one page. Then the job window names that skill.

The profile paragraph may state only the figures that your CV, your notes or **About you** give. A sentence with another figure, such as "8 years", is removed. If nothing else would be left, the paragraph stays and the job window names the figure. The paragraph can also name a company or a technology that your CV, your notes and **About you** do not name. Then the job window tells you to check it.

To see what changed:

1. Open the job.
2. Select **Compare CV**.
3. Read the two columns: your master CV on the left, the adapted one on the right. New words are in bold (Figure 7.1).




Figure 7.1 – Master CV next to the adapted one

> **Tip**
> Use this view to check that nothing was stretched. Every claim on the right must be one you can back in an interview.

Sometimes the job window shows an amber line with a few terms. The line says **Check your adapted CV before you send it** or **Check your cover letter before you send it**. Most terms come from the posting. The adapted CV states them as your experience, but your own CV does not mention them. For the adapted CV, the line can also name a company, a technology or a figure that your own CV does not give. In a letter, the line marks only a sentence that says you did it, not a sentence about

the role. The app already asked Claude once to remove these terms. A term that is left can still be a fair word for work that you did. So you decide. Keep the term only if it is true. If it is not true, edit the Word file. You can also add what you really did under **More about your work** in **About you**.

The line **Check the figures in your cover letter** names a number, for example a percentage. Your CV and your own notes do not give that number. Keep the figure only if it is true. If it is not true, select **Edit letter** and change the sentence.

The line **Your adapted CV leaves out** names a skill that the app removed so that the CV fits on one page. If the skill matters for this job, add it back in the Word file.

The line **It puts work at an employer where your CV does not show it** names work, for example "'REST' at Fabrikam". Select **Edit letter** and keep each piece of work with the job where you did it.

The cover letter

The letter is written to the company, about this role, from the facts in your CV.

If you do not have a letter template, the app makes one from the top of your CV. It holds your name, what you call yourself, your contacts and your city. **Edit letter** then works for each letter that the app writes.

The app also checks that the letter keeps each piece of work with the job where you did it. If your CV puts the REST API at one employer, the letter must not put it at another. When a draft does this, Claude writes it again. If the problem stays, the job window shows it so you can correct it. The app reads one line for each job in your CV: the title, a dash or a comma, the employer and the dates. If your CV gives the employer on a line of its own, the app cannot do this check.

To edit a letter:

1. Open the job and select **Edit letter**.
2. Change the words of any paragraph yourself.
3. To have one paragraph written again, type what to change in **For a rewrite**, for example "shorter". Then select **Rewrite this paragraph**.
4. Select **Save**. The Word file and the PDF are updated.

Figure 7.2 shows the letter editor.

Table 7.1 lists the controls of the letter editor.

> **Note**
> Closing the editor with unsaved changes asks once. The previous version of a saved letter is kept in an encrypted backup.

Have documents written for one job

A search writes documents only for jobs at or above your limit. For any other new job you can have them written when you decide to apply after all, or after the job was scored again.

1. Open the job.

2. Under **Why this score**, select **Write CV and letter**. The app asks Claude; this takes about a minute.
3. When the line says **Written**, check both documents as usual.



Figure 7.2 – The letter editor

The app never replaces a letter that you wrote yourself. It writes only what is missing. If the text of the posting is missing, the app first asks you to read the posting again (section 8). A letter from the title alone would be too general.

Table 7.1 – The controls of the letter editor

Control	What it does
The word count, top right	Turns amber when the letter is shorter or longer than a letter should be
Rewrite this paragraph	Asks Claude for a new version of that paragraph. The new version keeps about the same length, and the letter stays on one page. Nothing is saved until you select **Save**
For a rewrite	An optional hint for the rewrite
Open in Word	Opens the file in Word instead
Undo my changes	Puts back the text as it was when you opened the editor
Save	Writes the paragraphs into the letter. The head, date, greeting, signature, fonts and layout stay as they are
Close, the × or the Esc key	Closes the editor. With unsaved changes they ask once

Your own letters

A letter that **you** wrote is never touched.

1. Open **About you** and find **Your own letters**. Select **Open folder**.
2. Put your letter in that folder, named after the company.
3. At the next search the app uses your letter for that company instead of writing one.

If the folder has a Word file and a PDF for the same company, the app uses the Word file.

Form answers

Application forms ask their own questions, and every form asks different ones.

1. Open the job and select **Form answers**.
2. Paste that form's questions, one per line.
3. Select **Draft**.
4. Read each answer. Fill in anything marked with square brackets.
5. Copy the answers into the form.

Figure 7.3 shows answers for one job's form.




Figure 7.3 – Answers for one job's form

The answers come from your CV, the posting, and the facts in **About you**. Some answers need a fact that the app does not know, such as a salary figure, a date or a reference. The app then puts the missing part in square brackets and adds a **Check** note. A **Check** note also names a figure, such as "40%", that your CV and your details do not give. The answers stay with the job (Table 7.2).

Table 7.2 – The limits of one draft of form answers

Limit	Value
Questions in one draft	Up to 15
Length of one question	Up to 300 characters

Next steps

- Track an application, after you applied

8. Fix a score you cannot trust

Two situations make a score misleading. The app marks both in the list and in the job's window.

The posting could not be read in full

Some job boards return only a title or a short summary. The row then says **scored**

from the title only or **scored from a short summary** (Table 8.1).

Table 8.1 – What the app does when a posting could not be read

Mark	What the app did
scored from the title only	Capped the score at 40 and wrote no documents, because a letter written from a title could only be generic
scored from a short summary	Scored from what there was, and tells you so

To get a real score:

1. Open the job.
2. Select **Read it again**. The app asks the job board once more.
3. If that does not help, select **Open posting**. Copy all the text of the posting in your browser. Paste it under **Paste the posting's text**, then select **Save text**.

Either way, the job is then scored again by itself.

The score dropped after documents were written

If you tighten your Options and score again, a job that had a letter and a CV can fall below your limit. Its row says **documents from a higher score** (Figure 8.1).

For one job: open it and select **Move documents to backup**. The letter and the CV go to an encrypted backup. The job stays in the list. **Put them back** returns them.

For all such jobs at once:

1. Open **New Jobs**. A bar above the list says how many jobs have documents from a score that is now below your limit.
2. In that bar, select **Move them to backup**.
3. Read the jobs it names, then select **Yes, move documents of ...** to confirm.

Figure 8.2 shows moving documents for several jobs at once.

For one week after the move, **Put them back** in the same bar undoes the whole move. For one job, **Put them back** stays in the job's window. It stays there also if the job became an application in the meantime, because a reply showed that you applied. Then these documents are the documents that you sent.

> **Note**
> Nothing the app wrote for you is thrown away without a way back. You may have had a reason to apply anyway. Letters you wrote yourself are never moved.




Figure 8.1 – A job that fell below the limit




Figure 8.2 – Moving documents for several jobs at once

9. Fill in an application form

Most companies ask you to fill in a form on their own site. The form asks again for your name, your contacts and a few links, and it asks some questions of its own. The **assistant** does the typing. It is the light-blue robot at the end of the assembly line (Figure 9.1). It blinks, it waves when the app opens, and it opens its window when you select it.

The assistant fills in the form that is open in Google Chrome. You can also choose Brave, Edge, Opera or Safari (section 10). It cannot work in Opera GX or Firefox. It writes only into empty fields. On a page, it presses only these things:

- a menu, and an entry of a menu
- a yes/no button
- a button that adds a row for another job or degree
- the box that says you work at a job now, and the box that says you are fluent in a language

It never presses a button that sends or continues. It never answers a field that agrees to something, and it never sends the form. You read what it wrote, and you send the form yourself.

When the pointer is over the assembly line, the assistant follows it with its eyes. It nods when a request worked and shakes its head when it did not.




Figure 9.1 – The assistant at the end of the assembly line

Prerequisites

- Google Chrome or another browser the assistant works in (section 10), with the application form open in a tab.
- Your details saved in the assistant's window (the first task below).
- For answers to the form's own questions: the job is in **New Jobs** or **Applications**, and your master CV is set.

Tell the assistant your details

Do this once. The details are kept encrypted on your Mac, and a form gets exactly what is written here (Figure 9.2).

1. Select the assistant on the assembly line.
2. Select **My details**. The first time, the window opens on this page by itself.
3. Fill in the fields at the top. Table 9.1 describes them. Fields marked **from your CV** were read from the head of your CV and are not saved yet: check them.

4. List your jobs and your degrees, give your salary, and add the files forms ask for. The tasks below describe each.
5. Select **Save**.




Figure 9.2 – The My details page

A field you leave empty is left empty in the form too. When something is wrong, the field turns red and the line under it says what to change; nothing is saved until it is right. One **Save** marks every field that needs a change, and the line at the bottom says how many.

> **Note**
> Your right to work and your start date are not on this page. They are in **About you** (section 16), because letters and answers use them as well. The assistant takes your start date from there when a form asks for it.

List your jobs and your degrees

Many forms have a section for work experience and one for education, with a row for each job and each degree. The assistant fills those rows from two lists (Figure 9.3).

1. On the **My details** page, under **Work experience**, select **Add a job** for each job that you had. Or select **Read from my CV**. Then Claude copies, in one call, the jobs and degrees from your CV. For each job, it copies the place and the lines under the job, word for word. A line that your CV does not show is not copied. The app saves nothing until you select **Save**.

2. Fill in each job. Table 9.2 describes the fields. Turn on **I work here now** for every job that goes on; several jobs may be current at once.
3. Under **Education**, select **Add a degree** for each degree, the highest first.
4. Select **Save**.

Table 9.1 – The fields of My details

Field	What to enter	Checked for
First name, **Last name**	Your name as you want it on applications	Letters only
Email	The address you apply from	A name, an @ and a domain
Phone	Your number with the country code, like *+420 123 456 789*	6 to 15 digits; + only at the start
Street and number, **City**, **Postcode**, **Country**	Your address. Leave out what you do not want to give	Letters for the city. For the country, its English name that the app knows, for example Germany
LinkedIn, **GitHub**	The address of your profile. *https://* is added for you	An address at that site, with no spaces
Website or portfolio	Any other page about your work	A web address with no spaces
Notice period	How soon you can leave, like *1 month*. The assistant also picks it from a list that offers it	Length only

A form that asks for one employer gets your current job. A form with several rows gets your current jobs first, then the others in the order of the list; each row gets one job, whole. When a form has more rows than you have jobs, the extra rows are left to you.

> **Note**
> When a form shows fewer rows than you have jobs or degrees and has a button such as **Add another job**, the assistant presses it once for each missing row. It presses no other button. It writes the dates of a job where the form takes a month and a year, and ticks the box **I currently work here** for a job you marked as current.




Figure 9.3 – Jobs and degrees on the My details page

List your languages

Some forms ask for each language you speak and how well, in a block of its own for each one.

1. On the **My details** page, under **Languages**, select **Add a language** for each one. **Read from my CV** fills an empty list from your CV.
2. Enter the language and its level: **Native**, **Fluent**, **Advanced**, **Intermediate** or **Basic**. Any other word is refused.
3. Select **Save**.

The level is what forms are told, so set it as you would say it yourself. The assistant looks for that level in the form's own words: *Fluent* is also "Full professional" or "C1". When a form has no entry for *Native*, it chooses *Fluent*. A scale of bare numbers says nothing about their meaning, so such a list is left to you.

Table 9.2 – The fields of a job and of a degree

Field	What to enter	Checked for
Employer, **Job title**	As you want them written in forms	Both are needed for a job
University or school	The name of the school	Needed for a degree
Degree, **Field of study**	For example *Master* and *Computer science*	Length only
From, **To**	A year, or a month and a year: *2023* or *03/2023*	The form of the date; **To** not before **From**
I work here now	On for a job that goes on. **To** is then left empty	A current job has no end date
Where it was	The place of that job, for example *Brno, Czechia*	Length only
What you did there	What your CV says under that job, one point per line. Forms ask for it inside each job, as "Role description" or "Responsibilities"	Up to 2,000 characters

Give your salary and add your files

Figure 9.4 shows the last two parts of the page.

1. Under **Salary expectation**, enter the figure as a whole number. Choose the currency, and choose **per month** or **per year**. A form that asks then gets, for example, *60 000 CZK gross per month*. If you leave the figure empty, the assistant uses the figure in **Options**. If there is none, it leaves the question to you.
2. Under **Files for forms**, select **Add a file…** for each certificate, diploma or reference that a form can ask for. Give each file a short name.
3. Select **Save**.

The assistant attaches the CV and the letter of the job by itself. It does not attach your other files. After a fill, **Show my CV and letter in Finder** selects them in Finder. Then you drag them onto the form.

Answer the questions every form asks

Some questions come back in almost every form: when you can start, what your strengths are, why you are looking. Answer them once on the **My answers** page (Figure 9.5), and every form that asks gets your wording, without a Claude call.

1. In the assistant's window, select **My answers**.
2. Select one of the suggested questions, or **Add a question** and type the question as forms ask it.
3. Write the answer, or select **Draft with Claude**: Claude drafts it from your CV in one call. Read the draft and make it yours.
4. Select **Save** on the answer.




Figure 9.4 – The salary and the files on the My details page

The app marks an answer for checking each time it uses it. Some questions are about one company, for example "Why do you want to work here?". These cannot have one answer for all companies. The assistant writes them for each job when it fills in the form of that job (the next tasks).

If you close the assistant before you save an answer, it asks once. If **My details** also has unsaved changes, it asks once for each page.

Let your browser be filled in

A browser does not let another app write into a page until you allow it. Do this once. The steps are for Google Chrome; for another browser, the **My details** page says where its switch is (section 10).

1. In Chrome's menu bar, select **View** > **Developer** > **Allow JavaScript from Apple Events**. A tick appears next to it.
2. The first time that you ask the assistant to fill in a form, macOS asks a

question. It asks if the app can control Google Chrome. Select **OK**.




Figure 9.5 – The My answers page

> **Important**
> This switch lets apps on your Mac write into the page that is open in the browser. Turn it off again in the same menu whenever you like; the assistant then tells you that it is off.

Fill in a form

1. In your browser, open the application form and leave its tab in front.
2. In the app, select the assistant.
3. Optional: under **Answers are for**, choose the job. To find it quickly, type part of its company or title in the box next to the list. The list becomes shorter. When only one job is left, the app chooses it. With **Find the job from the page**, the assistant finds the job and tells you which job it took. A form is usually not at the address of its posting, because **Apply** opens another page. So the assistant also looks at the page that opened the form. It reads the company and job title on the page. It also checks the posting that you last opened from the app. If none of these is clear, it takes no job.
4. Select **Fill in the form**, or type the request, for example *fill in the form*, and press Return.
5. Read the answer (Figure 9.6). **Filled in** lists what was written and chosen.

Under it, **Left for you** lists what was not, each with the reason (Figure 9.7).

6. Go to the browser and read the form. Filled fields have a green outline. An answer that needs your attention, and everything that was chosen for you, has an amber one.
7. Complete what was left for you, then send the form yourself.
8. Back in the app, use the buttons under the answer (Figure 9.7). Table 9.3 describes them.

To open the assistant for one job directly, select **Fill the form** in that job's window.

Fill in a form with several pages

Many forms continue on a second and third page. After a fill, the assistant looks at the form every few seconds for five minutes. When you go on to the next page and it has empty fields, the assistant says so and offers **Fill in this page too**. It never moves to the next page itself: you press the form's own button.




Figure 9.7 – What the assistant left for you, and the buttons under the answer




Figure 9.6 – What the assistant filled in

Table 9.3 – What the assistant offers after it filled in a form

Button	Shown when	What it does
Show my CV and letter in Finder	A file field was left to you, and the job has documents from the app or you added files of your own	Opens Finder with the PDF of the adapted CV, the letter and your own files selected, ready to drag onto the form
Remember what I changed on the page	The assistant wrote at least one answer	Reads back the answers it wrote, keeps your changes with the job, and remembers your wording
Mark applied	The job is still in **New Jobs**	Moves the job to **Applications** as waiting, as the button in the job's window does
Fill in this page too	The form in your browser moved on to other fields	Fills in the new page
Open the form in its own tab and fill it in	The form sits in a frame from another site	Opens that form in a new tab of the browser, waits for it to load and fills it in there. A page that loads slowly is left open: ask again when you see it
Review before I send	After every fill	Reads the form back and lists what looks wrong

Use your own wording again

When you rewrite an answer, the assistant keeps your words. The next time a form asks the same question, it uses them, at any company, without a Claude call.

1. After a fill, change the answers on the page as you like.
2. In the app, select **Remember what I changed on the page**.

The assistant also keeps an answer that you rewrite and save under **Form answers** (section 7). The app marks a kept answer for checking each time it uses it. An answer that names its company is not used for another company. The **My answers** page lists all kept answers. There you can change or remove them. **Forget them** on the **My details** page removes all of them, after it asks you once.

> **Note**
> To learn your changes, the assistant reads back only the answers it wrote itself. It does not read your other fields, and a draft you did not change is not remembered.

Review a form before you send it

After a fill, select **Review before I send**, or ask *review the form*. The assistant reads the form back and lists the problems (Figure 9.8):

- a required field that is still empty
- a part that is still in square brackets
- an email address that is not yours
- an answer that disagrees with your CV or names another company (this check uses one Claude call)




Figure 9.8 – What a review found

> **Note**
> For a review the assistant reads what the visible fields hold, which it does not do when it fills in a form. It never reads a password or a file a field holds, and the values of personal questions and payment fields are not sent to Claude.

> **Tip**
> Answers the assistant drafts are kept with the job, under **Form answers** (section 7). Ask again on the same form and they are used again without another Claude call.

What the assistant fills in and what it leaves

Table 9.4 shows what happens to each kind of field.

To fill in a form and leave something out, say so: *fill it in but skip the salary*.

Table 9.4 – What the assistant does with each kind of field

Kind of field	What the assistant does
Name, email, phone, address, links	Writes them from **My details**. A phone field too short for the spaces gets the number without them
A phone number with a list of country codes beside it	Chooses the code of your number in the list and writes the number without the code. When two countries have the same code, such as +1, it chooses the country in **My details**. When the list already shows another country, it leaves the list as it is, writes the whole number and marks both for checking
File fields the page keeps behind its own **Select file** buttons	Cannot be reached. The assistant says so once; press the page's button and choose each file yourself
Employer, job title, school, degree, field of study	Writes them from your lists of jobs and degrees, row by row
A salary question	Writes the figure with its currency from **My details**

Continuation of Table 9.4

Kind of field	What the assistant does
A list, a yes/no choice, or a menu the page draws itself	Chooses the entry when a fact settles it. A fact can come from **My details**: country, city, notice period, the country code of your phone. It can come from where you found the posting ("How did you hear about us?"). It can also come from your CV and **About you**: right to work, degree level. Marked for checking. If no fact settles it, it is left to you
A number, such as years of experience with a tool	Counts it from your CV. Marked for checking
A question you answered in your own words before	Uses your wording again, marked for checking
An open question, such as "Why do you want to work here?"	Drafts the answer from your CV and the posting, in one Claude call for the whole form. Nothing outside your CV is claimed
A cover letter box	Pastes the letter the app wrote for this job
A field that already holds something	Leaves it as it is
A field placed outside the page or made see-through (a trap for robots)	Leaves it empty
A file field for your CV or resume	Attaches the CV adapted to this job, as a PDF when the field takes one. When the job has no adapted CV, it attaches your own CV and says so. Marked for checking
A file field for the cover letter	Attaches the letter of this job
A file field for other attachments	Attaches the letter of this job, when the form has no other place for it. Certificates and diplomas stay yours to add

Continuation of Table 9.4

Kind of field	What the assistant does
Any other file field (a photo, a passport, a transcript). Also a file larger than 4 MB, or a type of file that the field does not take	Leaves it to you, with the reason
A file field, when the assistant does not know which job the form is for	Leaves it to you. Choose the job, then ask again: a CV written for another company is worse than none
A password	Leaves it to you
Date of birth, gender, origin, citizenship, health, tax numbers, payment details, a PIN or a one-time code	Leaves them to you, also in Czech and German forms
A field that asks you to agree or to confirm: terms, your data, a background check, a newsletter, job alerts	Leaves it to you: you agree, not the assistant
A field about another person (**Referee phone**, **Next of kin name**), an employer's address, or **Current salary**	Your own name, contacts, address and the salary you ask for never go there. A field about another person and an employer's address are left to you. For **Current salary**, the assistant may offer words from your CV, marked for checking
Current employer when no job in **My details** is marked **I work here now**	Leaves it to you and says why. An old job is never given as the current one. **Current or most recent employer** gets the first job in your list in **My details**

Continuation of Table 9.4

Kind of field	What the assistant does
The dates of a job or a degree	Writes them where the form takes a month and a year, as one field or as two lists. Where it wants a full date, the first of the month is used and marked for checking. With only a year in **My details**, a month is left to you
The box **I currently work here**	Ticked for a job you marked **I work here now**. Marked for checking
Location and **Role description** inside a job's block	Writes where that job was and what you did there, from the job in **My details**. Never your own city, and never a text drafted about you in general. Empty in **My details**: left to you, with the reason
A date split into a month box and a year box	Writes each part into its box
A block for each language	Chooses the language, then its level in each list (comprehension, reading, speaking and so on), from your list of languages. Ticks **I am fluent in this language** for *Native* and *Fluent*. Levels are marked for checking
A field that throws away what was written	Written a second time, the way typing arrives. If the page throws that away too, the field is left to you and the assistant says so
A short field the app does not recognise	Asks Claude, with the lists and numbers, to copy the words from your CV or your details. Words that are not there are not written

Continuation of Table 9.4

Kind of field	What the assistant does
When you can start ("Earliest start date", "Available from", "When can you start?")	Writes what you entered in **About you** > **You can start**. For a date picker it works out the day: *1 November 2026* as written, *immediately* as today, *one month* as a month from today. A worked-out day is marked for checking. Words it cannot turn into a day, and a day that has passed, leave the picker to you
Other dates	Leaves them to you
Every other tick box, such as agreeing to a privacy notice	Leaves it to you
Add another job, **Add education**	Pressed once for each job or degree that has no row yet
Submit, **Next** and every other button	Never pressed

If something is wrong

Table 9.5 lists what the assistant may answer, and what to do.

Table 9.5 – Problems while filling in a form, and what to do

What the assistant says	Cause	What to do
Google Chrome is not open	Chrome is closed, or has no window	Open the form in Chrome and ask again
Chrome does not let other apps fill in pages yet	The switch in Chrome is off	**View** > **Developer** > **Allow JavaScript from Apple Events**
macOS did not let JobHelper talk to Chrome	The question from macOS was answered with **Don't Allow**	**System Settings** > **Privacy & Security** > **Automation**: turn on **Google Chrome** for the app

Continuation of Table 9.5

What the assistant says	Cause	What to do
The browser does not let another app fill in its pages	The browser has that part switched off (Opera GX), or never had it (Firefox)	On **My details**, choose **Google Chrome** or **Safari**, and open the form there
I found no form fields on this page	The tab in front is the posting, not the form	Open the form itself, usually with the site's **Apply** button
The form sits inside a frame from another site	The company shows a form that lives on a recruiting site	Select **Open the form in its own tab and fill it in** under the answer
The menu did not open for me	The site draws its menu in a way the assistant does not know	Choose that one yourself
I could not ask Claude	Claude's limit is used up, or there is no connection	The details are still filled in. Ask again after the reset time shown in the Usage card (section 18)
The tab changed while I was working	You moved to another page in the meantime	Go back to the form and ask again. The answer lists what was filled before, and what was not reached
The tab changed while I was reading the form	You moved to another page before anything was written	Go back to the form and ask again. Nothing was written
"I could not fill in the form: …"	Something went wrong before anything was written. The line says what kind of fault	Ask again. If it stays, open **Help** > **Usage and problems**

Continuation of Table 9.5

What the assistant says	Cause	What to do
"Something went wrong: …" under what was filled	A fault stopped the fill after some fields were written	Check the fields in the list, then fill in the rest yourself or ask again
The tab changed while I was attaching your files	You moved to another page while a file was on its way. The answer still lists what was filled before	Go back to the form. Look at what it holds, then ask again. Reload the form first if a file is missing
An open question: choose the job this form is for	The page did not show which job it belongs to	Choose the job under **Answers are for** and ask again
I do not know your details yet	**My details** is empty	Fill in **My details**, save, ask again
A field stayed empty although it is listed as filled	The site rebuilt the field after it was written	Type that one yourself

Next steps

- Track an application, after you sent the form

10. Talk to the assistant

The assistant does more than fill in forms. You can ask it about your search in your own words. It can do things in the app after you say yes. It also tells you what needs your attention. This chapter covers all of this. Section 9 covers the forms.

Prerequisites

- For questions and requests: Claude is signed in. Each one is a call to Claude, unless this chapter says otherwise.
- For anything in the browser: the switch from section 9 is on.

Talk to the assistant

You can ask the assistant in your own words. It remembers the last turns of the talk, so a second question can build on the first (Figure 10.1). When the window of a job is open, "this job" means that job. If no job window is open, choose the job under **Answers are for**, or name its company.

1. Select the assistant and type what you need, then press Return.

2. Read the answer. While you wait, the line under the talk says what the assistant is doing. Jobs the answer is about are listed under it; select one to open it.
3. When the assistant asks before it does something, select **Yes, do it** or **No**.

Table 10.1 shows what you can ask for.

The assistant never changes anything only because Claude says so. The app checks each proposal from Claude. It drops an action that does not exist, or a job that is not in your list. Then the assistant tells you that it could not do it.




Figure 10.1 – A talk with the assistant

Table 10.1 – What you can ask the assistant

You ask	Example	What happens
A question about your search	*Which applications have had no reply for two weeks?*	It answers from your jobs, their statuses, dates and replies, and lists the jobs
A question about one job	*Why did this score 62?*	It answers from the job's score, its reason and its keywords
To open something	*Open the letter for Northwind*	The job, its posting, its CV or its letter opens at once
To change a job	*Mark it applied*; *set the interview for Tuesday at 11:30*; *Quillon said no*	It asks first, in the app's own words. Nothing changes until you select **Yes, do it**

Continuation of Table 10.1

You ask	Example	What happens
To rewrite a text	*Make the second paragraph of this letter shorter*; *make my answer about salary more formal*	It shows the new version first. It is saved only after your yes, and is checked against your CV like every text
A brief about a company	*Tell me about Northwind before the interview*	A few lines from the posting, your notes and their messages
Advice	*What do my results say?*	What works and what does not, from the numbers of your own applications
To fill in a form, with exceptions	*Fill it in but skip the salary*	It fills in the form and leaves out what you named
Several things at once	*Mark it applied and remind me to follow up in ten days*	One question lists every step; see the next task
To remember something	*Remember that I do not want consulting firms*	Kept for later talks; see below
A posting in your browser	*Is this posting worth applying to?*	It is scored against your CV and can be added to **New Jobs**; see below
A reply to a company	*Answer Quillon that Tuesday suits me*	A draft to copy; see below
To practise	*Let us practise the interview for Quillon*	See the task below

> **Important**
> Filling in a form, opening your details and asking for help cost nothing. Every other request is one call to Claude, and a rewrite, a brief, advice, a reply, a posting and each practice answer are one more. Only the jobs a request is likely about are sent with it, not your whole list. The calls count against your Claude limit like a search does (section 18).

Do several things at once, and take them back

One request can hold up to three tasks. For example: *I sent the Northwind form:*

mark it applied and remind me to follow up in ten days. A task that only shows something is done at once. For the tasks that change your data, the assistant asks one question that lists each step. **Yes, do it** does them in order.

After a yes, **Undo** appears under the answer. It puts the job back exactly as it was: its status, its dates, and a lead that marking it applied had folded away. **Undo** takes back the last yes only, and is not offered while a search or a scan is running.

Tell the assistant what to remember

Say *remember that I do not want consulting firms*, and the assistant keeps the note. It uses your notes in all later answers, also after you close the app. It also remembers the last turns of a talk. The **My details** page lists the notes under **What you asked me to remember**. Select **Forget** to remove one. **New talk** on the **Ask** page puts away the earlier talk.

> **Note**
> A note shapes what the assistant says. It does not change what a search finds or how a posting is scored: for that, use **Options** (section 16).

Judge a posting that is open in your browser

1. Open a job posting in your browser and leave its tab in front.
2. In the assistant's window, select **Is the posting in my browser worth applying to?**
3. The assistant reads the page and scores the posting against your CV. It uses the same scorer as a search. Then it tells you the score and the reason.
4. To keep it, select **Yes, do it**: the posting is added to **New Jobs**. The next search writes its documents when the score is at or above your limit.

This takes one call to Claude, for the score. Most job pages give the title and the employer in a form that search engines read. The assistant takes them from there. Only if a page does not give them, one more call reads them from the page. The app knows a posting that is already in your list by its address, so that needs no call.

Draft a reply to a company

Ask, for example, *answer Quillon that Tuesday suits me*. The assistant drafts a short reply to the company's last message that is filed under that application, and shows it with a **Copy** button. What it cannot know, such as a time, stands in square brackets for you to fill in.

> **Important**
> The assistant never sends mail. You paste the draft into your own mail program, read it, and send it yourself.

Practise an interview

1. Build the interview preparation for the application first (section 13).
2. Ask the assistant to practise for that job, for example *practise the interview for Quillon*.

3. The assistant asks the questions of the preparation one at a time. Type each answer as you would say it and press Return.
4. Read what it says about your answer: what is good and what is missing. It also gives one real fact from your CV that you can add. Then it asks the next question.
5. To end, type *stop* or select **Stop practising**.

Each answer is one Claude call. Nothing you type in practice is saved.

The questions that went badly last time are asked first, then the ones you never practised. Only how each answer went is kept with the application (good, fair or weak), never what you typed. When the practice ends, the assistant says how many went well.

Let the assistant speak first

The assistant also tells you things without being asked. None of this uses Claude.

- **When the app opens**, its bubble tells you what needs your attention. This can be a form that you filled in but did not mark as applied. It can be an interview in the next two days with no preparation, or an invitation with no date. It can also be the number of jobs ready to send.
- **In its window**, **For you today** lists the same reminders. Select **Open** to go to the job, or **Do not remind me** to stop that reminder.
- **Noticing a form.** On the **My details** page, under **How I work**, turn on the switch **Notice application forms by myself**. While the app is open, the assistant then looks at the address of the tab in front in your browser every 20 seconds. When it is the form of a job you track, its bubble says so; select the assistant and it is ready to fill that form.

> **Important**
> The switch is off until you turn it on. When it is on, the assistant looks at the address and title of the tab in front and counts its empty fields. It reads nothing else, opens nothing, and says nothing about pages that belong to no job of yours.

Choose your browser

The assistant works in Google Chrome unless you choose another browser. On the **My details** page, under **How I work**, choose **Google Chrome**, **Brave Browser**, **Microsoft Edge**, **Opera** or **Safari**. The list shows Opera GX and Firefox as not possible. They do not let another app fill in their pages, so open the form in another browser. The line next to the list tells you where the switch of that browser is. Turn it on once, as in section 9. The switch to notice forms is in the same place.

Speak instead of typing

The box of the assistant takes dictation, like all text fields on your Mac. Select the box and press the dictation key (the microphone key, or the Fn key two times). Then speak. Your words appear as text. Press Return to send them. Dictation is a feature

of macOS. Turn it on under **System Settings** > **Keyboard** > **Dictation**.

Next steps

- Track an application

11. Track an application

Applications lists where you applied, grouped by where each one stands: offers and interviews first, then waiting, then rejected (Figure 11.1).

The application's window

Select a row to open the application (Figure 11.2).

Table 11.1 lists the fields of an application.




Figure 11.1 – The Applications list

Set a date and get reminded

1. In the application's window, choose the kind of date, the day and, if you know it, the time.
2. Select **Save**.
3. Optional: select **Add to calendar** to put it in Calendar, so that your phone reminds you too.

If the app cannot use the day, the time or the note, only that box is red. The line under the boxes tells you what to correct.

The date then shows on the **Coming up** card of the main window. You get a notification the day before and on the day. With a time, you also get one about three hours and one hour before (Figure 11.3).

Table 11.1 – The fields of an application

Field	What it is	When to change it
Status	Where the application stands	Normally set by the replies in your mailbox. Change it by hand when the news came another way
Applied on	The day you applied	Correct it if you applied before you pressed the button
A date to remember	An interview, a deadline, a test task, a call	Set it when you agree a date




Figure 11.2 – An application in full

You often do not have to set it. An invitation in your mailbox that names a day sets the date by itself when you scan your email. When the company moves the interview, the newer invitation moves the date as well. A date that you set or changed yourself is never changed by an email.

File a reply that did not come by email

An answer that came on LinkedIn or in a company portal can be filed by hand.

1. In the application's window, find **Paste the message text here**.
2. Paste the message and select **Save**.

The app reads it like an email and updates the status.




Figure 11.3 – Dates, pasted replies and notes

Keep notes about the company

Who you spoke to, **Salary mentioned**, **What they asked** and **Anything else worth remembering** are kept for the company, not for the job. They appear again when you apply there later. Select **Save notes** after you write them.

Follow up

After ten quiet days (you can change the number in Options) the app suggests a follow-up and drafts one.

1. Open the application. The follow-up draft is shown.
2. Select **Copy** and send it from your own mail program.
3. Select **Mark as followed up**, so that the reminder stops.

> **Note**
> The app does not send the follow-up. It only writes the draft.

Possible duplicates

When two entries look like the same application, the line under **Applications** says so. Open one of them and choose **Merge into one** or **They are different**.

Next steps

- Read replies from companies

12. Read replies from companies

An email scan reads new mail in your mailbox, works out which messages are answers to your applications, and files each one to its application.

Prerequisites

- The **Job email** row of the Account card is green (section 2).

Scan your email

1. In the main window, select **Scan email**.
2. Wait for the status line to say how many new replies were filed.
3. Open **Responses** to read them, or **Applications** to see the new statuses.

> **Important**
> The scan only reads. Nothing is sent, deleted, moved or marked as read. Mail from the Sent and Drafts folders is never read.

How the app chooses which messages to read closely

Most mail in a mailbox is not about your applications. Asking Claude about every message would waste your limit, so the app first decides, without Claude, which messages are worth a question (Table 12.1).

Claude then reads each chosen message and decides whether it is an invitation, a rejection, an offer, or an automatic confirmation. A message that turns out to be none of these is not filed.

When a scan fails

The status line starts with "Email scan failed" and says why (a mail server whose certificate is not trusted is said in its own words). For example, the mail server could not be found: check its name in the Welcome card. Or the server did not answer in time: try again later. A fault in the app is written in the log of problems.

Table 12.1 – Which messages are sent to Claude

A message is	Sent to Claude
From a recruiting system (for example Greenhouse, Workable, Teamio, SuccessFactors)	Yes
From a company you track, named in the sender or the subject, and it talks about an application	Yes
From a person at a company you track, even with no such words ("Are you free on Tuesday?")	Yes
From anyone, when it talks about an application and is not list mail	Yes
A job alert, a digest, a sign-up or password message	No
Automatic mail from a company you track with nothing about an application (a statement, an advert)	No
An advert or newsletter that only shares a common word with a company's name ("International", "Praha"), or mentions a brand somewhere in its text	No

How far back a scan looks

A scan reads the mail of the last days set in Options under **Scan emails from the last**. Messages that were already read by an earlier scan are skipped, so a longer period costs nothing after the first time.

Look further back once

Use this after you add a mailbox, or when an old reply is missing.

1. Open **Options** and find **Email scan**.
2. Under **Look further back once**, choose the number of days (90 to begin with).
3. Select **Scan now**. A green line confirms that the scan started; you can close Options.

The scan reads that period once. The setting **Scan emails from the last** stays as it is.

Responses

Figure 12.1 shows the Responses list.

Responses lists every reply with what it was. Select one to read it in full (Figure 12.2).

Table 12.2 lists the fields of a reply.




Figure 12.1 – Every reply

Table 12.2 – The fields of a reply

Field	Meaning
The badge	What the reply was: interview, rejection, offer, acknowledged
Summary	What the message says, in one or two sentences
Next step	What they ask of you, if anything
Reason	For a rejection: the reason they gave, and its kind
The application	Which of your applications it was filed to. Select it to open that application
File under…	Files the reply under another application, or under none




Figure 12.2 – One reply in full

File a reply under the right application

Sometimes the app files a reply under the wrong application, or under none. This can happen when you have two applications at one company. It can also happen when a recruiter writes from the address of an agency.

1. In **Responses**, select the reply.
2. Select **File under...** (or **File under another...**). The list of your applications opens (Figure 12.3).
3. Type a company or a role to narrow the list, then select the right application.

The application the reply moves to follows it in the usual way: an invitation makes it an interview, a rejection closes it. The application the reply leaves keeps its status, because only you know whether this reply had set it; the green line reminds you to look. To unlink a reply that is about none of your applications, select **It belongs to none of my applications**.

Analytics

Figure 12.4 shows outcomes and rejection reasons.

Analytics adds the replies up (Table 12.3).




Figure 12.3 – Choosing the application a reply belongs to

Table 12.3 – The parts of Analytics

Part	What it shows
The last seven days	What came in this week
Where applications stand	How many are waiting, in interviews, or closed
Rejection reasons	What reasons the rejections gave, most common first

> **Tip**
> The rejection reasons are the useful part. If most of them say the same thing, that is what to change: your level, a missing skill, or the kind of role you apply to.

If something is wrong

Table 12.4 lists problems with replies, and what to do.




Figure 12.4 – Outcomes and rejection reasons

Table 12.4 – Problems with replies, and what to do

What you see	Cause	What to do
"0 new" after a scan	No new replies in the period, or they were read by an earlier scan	Nothing. **Emails read** on the Last run card shows what the scan went through. To look further back, use **Look further back once**
A rejection is missing	It did not arrive in a scanned mailbox, or it is in another folder	Turn on **Also archived mail and spam**, or paste the reply into the application (section 11)
A reply was filed to the wrong application, or to none	Two applications at the same company, or a sender the app could not place	Open the reply and select **File under...**
A warning about the second mailbox	Its password was cancelled or mistyped, or its mail server could not be reached. The warning says which	Check the second mailbox in the Account card. For a password, select **Change**

13. Prepare for an interview

For one interview the app builds a sheet from your CV and the posting.

Build the preparation

1. Open the application.
2. On the **Interview preparation** card, select **Prepare**. The app asks Claude; this takes about a minute.
3. When the card says the questions and answers are ready, select **Open**.

Documents on the same card opens the preparation as two Word files. One file is for a talk with HR or a recruiter. The other file is for a talk with a specialist or the hiring manager. **Make again** makes a new preparation, for example after you change your CV (Figure 13.1).

What the sheet contains

Table 13.1 lists the parts of the interview sheet.




Figure 13.1 – The interview preparation

The two documents

The two documents have the same order. First the company, then you, then your projects and skills. Then come the questions that they can ask you, and the questions that you can ask them. Table 13.2 shows the differences.

The question about the next steps is always in the HR document. The text follows the rules of ASD-STE100 Simplified Technical English: short sentences, the active voice and common words. A preparation made before 15 October 2026 has no projects and skills part: select **Make again** to add it.

Table 13.1 – The parts of the interview sheet

Part	What it is
What to expect	A short summary of this interview
The opening pitch	Two or three sentences to introduce yourself
Questions an HR person or a recruiter is likely to ask	Answered in plain words, without the jargon of your field
Questions someone who does this work, or the hiring manager, is likely to ask	Answered precisely, with the real tools, methods and numbers
Why they ask	Under each question: what the interviewer wants to learn
Questions you can ask them	For the HR person, and for the people you would work with

> **Important**
> The answers are a starting point built from your CV. An answer that touches something your CV does not show is marked **Check this answer**. Rewrite it, so that you never repeat a claim you cannot back.

Use the sheet

Table 13.3 lists the buttons of the interview sheet.

After the interview, the application's window offers a short **thank-you** note to copy.

Table 13.2 – The HR document and the technical document

Part	For HR	For a specialist
1. About the company	What the company does, and a sentence to say about it	The same facts, and the role in detail
2. About you	Your opening pitch and your jobs in plain words	Your pitch, and each job told for this role, with notes to check
3. Your projects and skills	Each project in one or two plain sentences	Each project in full, with its tools
4. Questions they may ask you	HR questions, answered in plain words	Questions about the work, answered with exact tools and numbers, then terms to explain and topics to revise
5. Questions you can ask	The next steps, the team, working hours, the first weeks, the contract	The work itself, the tools, what you would do first

Table 13.3 – The buttons of the interview sheet

Button	What it does
Edit	Lets you rewrite any part in your own words
Copy all	Copies the whole sheet as text
Open as documents	Makes the two Word files, for HR and for a specialist, and opens them
Show in folder	Shows the two Word files in Finder

14. See what a search left out

A search that only shows you what it kept would be asking you to trust it blindly. Every posting a search drops is kept with the reason.

Open the list

1. On the **Last run** card, select the number next to **Filtered out**.

Figure 14.1 shows postings the last search filtered out.

Read the list

Each row is one dropped posting with the reason in words. The chips at the top group the rows by reason (Table 14.1).




Figure 14.1 – Postings the last search filtered out

Bring a posting back

1. Find the row.
2. Select **bring back**.

The posting goes to **New Jobs**, and the next search scores it.

Table 14.1 – Reasons a posting is filtered out, and where to change each rule

Reason	Meaning	Where to change the rule
level	The title is above your level	**Skip levels above yours**
other language	The ad is written in another language (the reason names it), or the role requires one at a working level	**English only**
other country	The job is on site in another country. Or it is a remote job for another country or part of the world	**Country**, **Remote jobs**
part-time	You asked for full-time only	**Full-time only**
too old	Posted longer ago than your limit	**Max job age**
too many years	Asks for more years of experience than you accept	**Skip jobs asking for**
skip word	The title has a word you skip	**Skip titles with**
duplicate	The same role is on another board too, and the search keeps that copy	Nothing to change
closed	The posting no longer accepts applications	Nothing to change
already applied	You applied to this role at this company	Nothing to change

15. Learn from your results

Insights is worked out on your Mac from your own applications. It asks Claude nothing (Figure 15.1).

Table 15.1 lists the parts of Insights.




Figure 15.1 – Insights

Table 15.1 – The parts of Insights

Part	The question it answers
What is working	Which kinds of role and which job boards led to interviews?
Week by week	How many applications did I send, and what came back?
Skills to learn	What do the postings ask for most that my CV does not show?
What the postings pay	What salaries do the postings state, in your currency, and how do they compare with what you ask?
How long companies take to answer	When should I stop waiting?
Why jobs scored low	What reasons come up most often?

> **Note**
> With only a few applications the app says "too few to say" rather than guessing. The numbers become useful after about ten applications.

What to do with it

Table 15.2 suggests what to do with what you see.

Table 15.2 – What to do with what Insights shows

You see	Consider
One kind of role gets the interviews	Put that role first in **Search roles**, and add it to **Kinds of role you want**
One skill is asked for again and again	Learn it, or add it to your CV if you already have it
Most low scores give the same reason	Change the filter that should have dropped those postings
Companies answer within two weeks or not at all	Follow up after ten days and move on after three weeks

16. Set your options

Options is where you tell the app what you are looking for. Open it with **Options** in the right column, or with a chip under **Search** in the left column (Figure 16.1).

> **Note**
> A choice too long for its box is shown on two lines, never cut.

> **Note**
> Every field checks what you type. A value the app cannot use is marked in red with the reason, and **Save** waits until it is corrected. When you correct it, the red line goes. Closing Options with unsaved changes asks once. Each list holds up to 60 entries, and each entry up to 100 characters.

Search

Table 16.1 lists the Search settings.




Figure 16.1 – Options: the search

Table 16.1 – The Search settings

Setting	What it does	Values	Why you would change it
City	Where to search	A city name	The app will not search without one
Country	Which postings count as "here", from the career site of a company. They can be in the city, anywhere in this country, or in the region of the country ("Europe", "EMEA"). **Remote jobs** uses this country too	A country's name in English that the app knows, for example Germany. Empty = the country of the city, shown in grey	Type it when the field says that it does not know the city. Also type it when you want jobs from a neighbouring country

Continuation of Table 16.1

Setting	What it does	Values	Why you would change it
Remote jobs	Which remote jobs a search keeps, from all job sources. A job open to all countries is always kept. A job for one country is kept only for your country and the countries you add. **In** your country keeps a job for a part of the world that your country is in. **Anywhere in the world** keeps a job for any part of the world	In your country or anywhere in the world, with added countries	Add a country when you have the right to work there. Select anywhere when all time zones suit you
Job sources	Which job boards are read. Select one or more: a search reads all that you select. The app reads the Czech boards only for a city in Czechia. For a city in another country, the log of the run says that they were not used	Czech boards, LinkedIn, Career sites, Remote boards, in any combination	More sources find more and take longer
Search roles	The words typed into the job boards, in English	One or more roles	Too few results: add a role. Too many poor ones: remove one
Skip titles with	Words that drop a posting by its title	Words	To get rid of a kind of posting that keeps appearing

Continuation of Table 16.1

Setting	What it does	Values	Why you would change it
...but keep titles with	Exceptions to the line above	Words	To keep a title that a skip word would drop
Kinds of role you want	Tells the scorer your direction	Roles	Without it, a role in another field that merely accepts your degree could score high
Kinds of role you do not want	Skipped when the title names one, scored low otherwise	Roles	To keep a neighbouring field out
Skip levels above yours	Level words that drop a posting	Words such as senior, lead	A senior candidate empties this list
Skip jobs asking for	Drops postings that ask for this many years or more	0 to 60; 0 = never	To keep out postings you are not yet eligible for
Full-time only	Hides part-time roles	On or off	Turn off if part-time suits you
English only	Hides postings written in another language, and roles that require another language at a working level	On or off	Turn off if you also work in the local language. A posting that requires a language your CV does not show is then scored low instead

Continuation of Table 16.1

Setting	What it does	Values	Why you would change it
Max job age	Drops postings older than this	Days; 0 = any date	Old postings are often already filled
Results per query	How many postings each role asks each board for	1 to 100	Raise it for a wider search, lower it for a faster one

Remote jobs

A remote job is often open to people in some countries only, for example "Remote, Germany" or "USA Only". You must usually live in that country or have the right to work there. Thus the search skips such a job, unless the country is your country. To keep the remote jobs of more countries, add those countries (Figure 16.2). The added countries apply to both choices.

To add countries:

1. In Options, find **Remote jobs**.
2. Click **+ Add countries**. The window opens.
3. To find a country, type the start of its name or select a part of the world. Other names work too: *usa* finds the United States, and *england* finds the United Kingdom.
4. Select each country that you want. Your own country is always included.
5. Click **Done**, and then click **Save** in Options.

To remove a country, click the × on its name. You can add up to 40 countries.

> **Note**
> A posting that names a part of the world, for example "Remote – EMEA", is kept when your country or an added country is in it. With **Anywhere in the world**, it is always kept. A job on site in an added country is not kept.

Your profession

Figure 16.3 shows the roles you want and your profession in Options.

Under **Kinds of role you want**, chips show what the app takes as your profession. The app reads it from the roles you want (the outlined chip). It decides which titles are skipped as "another profession" before scoring.

- If the app read it wrong, select the right chips yourself.
- **Let the app decide** goes back to reading it from your roles.

Seventeen professions are known.




Figure 16.2 – The countries for remote jobs

Company career sites

Some companies publish their openings on their own career site. To read one directly:

1. Find the company's career page and note the short name in its address (for example, boards.greenhouse.io/example gives example).
2. Under **Company career sites**, enter the company's name and that short name, and choose the system. The short name has only letters, digits, - and _.
3. Select **Add**.

If a career site cannot be saved, **Save** says so and Options stays open.




Figure 16.3 – Options: the roles you want and your profession

Matching and follow-up

Table 16.2 lists the Matching and Follow-up settings.

> **Tip**
> Raise **Write letters above** to apply to fewer, better matches. It also uses less of your Claude limit, because fewer documents are written.

About you

About you is a window of its own. It holds the only facts about you that the app states besides your CV. To open it, select **About you** under **Options** on the right side of the main window. Figure 16.4 shows the top of the window.

Table 16.2 – The Matching and Follow-up settings

Setting	What it does	Values
Write letters above	The score from which a CV and a letter are written	0 to 100
Hide leads below	Hides jobs below this score from New Jobs	0 to 100; 0 = show all
Remind me after	Days without a reply before a follow-up is suggested	0 to 365; 0 = never




Figure 16.4 – The About you window

Table 16.3 lists what you can enter.

Figure 16.5 shows the boxes for your work.

A note stays when you rename or delete its job in **My details**. The window marks it as no longer in My details. Select **Remove** to delete the note.

Table 16.3 – The parts of About you

Part	What it does
Salary you ask for	Your expected pay, gross per month, with its currency. Form answers give it as your expectation. The job window and the lists show it. Insights compares what postings pay with it. 0 = none given. Then the window shows the app's own estimate for your types of role. The types of role come from **Kinds of role you want** in **Options**. To give your own figure for one of them, select **Change** next to it. The figure then shows under **A different figure for**, in your currency, where you can change it. **Remove** brings the estimate back. The app has an estimate only for software roles in Czechia. In other cases, you fill in the figure yourself
A different figure for	A salary for one type of role. The app uses it instead of the general figure when the words are in the job's title (*support* for "IT Support Specialist"). Enter the type of role and the figure, then select **+ Add**. To change a figure, change it in the list. To delete it, select **Remove**
Right to work	How letters and answers should say it. Select one of the usual answers to fill in the field, and then change the words if necessary. Empty = not mentioned
You can start	When you can start, for example *immediately*, *one month* or *2026-11-01*. Letters say it as you write it. Under the field, the window shows the date that forms get. A red line tells you when the app cannot find a date in your words, or when the date has passed. Empty = not mentioned

Continuation of Table 16.3

Part	What it does
More about your work	What you really did in each job beyond what the CV says. There is one box for each job in **My details**, and a box for other work. The app may use the text like the CV. All boxes together, with the names of the jobs, can have 4,000 characters. When they have more, the box of other work turns red
Your own letters	The folder for letters you wrote yourself (section 7)




Figure 16.5 – More about your work, one box for each job

> **Important**
> Write only true facts here. The app treats them as true and uses them in letters, form answers and interview answers.

Notifications and storage

Figure 16.6 shows the Notifications and storage settings.




Figure 16.6 – Options: notifications and storage

Table 16.4 lists the Notifications and storage settings.

Email scan

Figure 16.7 shows the Email scan and Model settings.

Table 16.5 lists the Email scan settings.

Table 16.4 – The Notifications and storage settings

Setting	What it does	Values
Size of text and controls	Draws everything in the window larger, for a large or very sharp screen. It is used the next time you open the app	100%, 110%, 125% or 150%
Notifications	A macOS notification when a run finishes, pauses on the limit, or an interview invitation arrives. **Test** sends one now and says what macOS did. When macOS has JobHelper's notifications turned off, a red line says so, with **Open System Settings**	On or off
Keep backups	How many automatic backups are kept; older ones are removed	0 to 1000; 0 = keep all
Back up everything	**Back up now** makes one encrypted backup of everything. **Check backups** proves that a backup can be restored. **Save a readable copy...** puts the newest full backup, not encrypted, into an empty folder you choose	Three buttons
Moved documents older than	Moves old copies in the backup to the Trash, after asking	7 to 3650 days

Table 16.5 – The Email scan settings

Setting	What it does	Values
Scan emails from the last	How far back an email scan looks. Messages already read are skipped	1 to 3650 days
Also archived mail and spam	Reads those folders too, not only the Inbox. Never Sent or Drafts	On or off
Look further back once	Starts one scan over a longer period now. The setting above stays	1 to 365 days, then **Scan now**

Model

Table 16.6 describes the Model setting.

A larger model writes better and uses your limit faster. **sonnet** is a good default.




Figure 16.7 – Options: email and the model

Table 16.6 – The Model setting

Setting	What it does	Values
Claude model	Which Claude model scores and writes	sonnet, opus, haiku

17. Schedule a weekly run

macOS can run a search and an email scan for you once a week, even with the window closed.

Turn it on

1. In the right column, select the **Weekly run** card.
2. Turn **Enabled** on.
3. Choose the day and the time. The hour and the minute must not be empty.
4. Select **Save**.

Figure 17.1 shows the weekly run.

You get a notification when the run is done. The **Last run** card shows its result the next time you open the window (Table 17.1).




Figure 17.1 – The weekly run

Table 17.1 – What happens at the scheduled time

Situation at the scheduled time	What happens
The Mac is on	The run starts
The Mac is asleep	The run starts when it wakes
The Mac is switched off	That week's run is skipped
Claude's limit is used up	The run stops early and keeps what was finished

Turn it off

Open the card again, turn **Enabled** off, and select **Save**. The time does not matter then.

If you put a new version of the app on your Mac, or move the app to a different folder, open the app one time. It then sets the weekly run to start the app in its new place, on the same day and at the same time.

18. Watch your Claude usage and limits

Your Claude subscription has two limits, and the app counts against both like any

other use of Claude (Table 18.1).

Table 18.1 – The two limits of a Claude subscription

Limit	What it is
5-hour window	How much you can use in a period of five hours. Claude calls it the session limit
7-day window	How much you can use in a week

Read the Usage left card

Each window has a bar and a figure for what is left. A full bar means that nothing is used. The numbers come from Claude's last answer. **refresh** asks Claude for the current ones at once (Figure 18.1). The app also asks by itself when a limit window resets. While the app window is shown, it asks about every 10 minutes. When you bring the app window to the front, it asks if the numbers are more than 10 minutes old. It never asks during a search, and not while Claude refuses calls. Each question is one small call to Claude.

Table 18.2 explains what the card shows.




Figure 18.1 – A limit that is used up

> **Note**
> Other use of Claude on the same account, in the Claude app or in Claude Code, counts against the same limits. That is why the figure can drop while the app does nothing.

When a run hits the limit

The run pauses instead of failing, and everything done so far is saved (Figure 18.2).

1. Read the window: it names the limit and the time it resets.

2. Select **Close**. You can keep using the lists.
3. When the limit is back, the **Resume** button turns blue. Select it.

Table 18.2 – How to read the Usage left card

You see	Meaning
A figure such as **66% left**	That much of the window remains
resets 14:00 under a bar	The time the window starts again. Each window shows its own time. A date is added when it is another day. When 20% or less is left, the bar is red and amber
as of 18 Oct 09:22 under a bar	The figure is more than one hour old. Claude gives new figures only when it answers, so they stop while Claude refuses calls. A date is added when it is another day. Select **refresh**
0% left in red	Claude refused a call because this limit is used up. Nothing can be asked until the time shown
back with 7-day: 03 Nov 09:00 under the 5-hour bar	The 7-day window is used up. You cannot use Claude until it resets, so the 5-hour window also shows that time, after its own reset time
—	Claude has not reported this window yet, or not since it reset. The app asks Claude, and the figure comes back with the answer. Select **refresh** to ask at once

The run continues from where it stopped. Nothing that was finished is done again.

What a run costs

The **Last run** card shows two rows about cost (Table 18.3).




Figure 18.2 – The run paused on the limit

See everything the app has used

1. In the right column, select **Help**.
2. Select the tab **Usage and problems** (Figure 18.3).

The first card shows how many questions the app asked Claude, in total and by type of work. It also shows the cost of the same work through the paid API. You paid none of it.

Table 18.3 – The two cost rows of the Last run card

Row	Meaning
You paid	*subscription only*. Nothing was billed for the run
Same search via API, **Same scan via API**	What that one run would have cost with pay-per-use billing

Use less of your limit

Table 18.4 lists ways to use less of your limit.




Figure 18.3 – Usage and problems in Help

Table 18.4 – Ways to use less of your limit

Do this	Why it helps
Keep fewer **Search roles**	Fewer postings to score
Select fewer **Job sources**	Fewer postings to score
Raise **Write letters above**	Fewer documents to write. Writing costs more than scoring
Set **Kinds of role you want**	More postings are skipped before scoring
Choose the **sonnet** model	It uses the limit more slowly than opus

19. Protect your data

Where your data is

Everything stays on your Mac. Only three things leave it (Table 19.1). These are the questions to Claude (your CV text and a posting), the requests to the job boards, and the reading of your mailbox.

Table 19.1 – Where your data is and what protects it

What	Where	Protected by
The job list, your profile, your settings, the replies	data/, as encrypted files	AES-256 encryption
All backups	data/backups/	AES-256 encryption
The mailbox passwords and the data key	The macOS Keychain	Your Mac's login
CVs, letters, Excel tables	data/, as ordinary files, so that Word and Excel can open them	The encryption of your disk
The rule files for the CV and the letter	data/	A signature; a change made outside the app must be approved

Backups

The app makes a backup by itself before it changes data in bulk. The newest ones are kept, as many as **Keep backups** in Options says.

To make a backup of everything yourself, for example before you move to a new Mac:

1. Open **Options** > **Notifications and storage**.
2. Select **Back up now**. The green line names the folder of the backup.
3. Optional: select **Check backups**. The app restores a backup into a temporary folder. Then it compares the copy with your data. This proves that the backup works.

To take your data out of the app in a form that any program can open:

1. Select **Save a readable copy...**.
2. Choose an empty folder outside the app's own folder.

> **Warning**
> A readable copy is not encrypted. Keep that folder safe, and delete it when you no longer need it.

Changes to the rule files

The files that tell the app how to write your CV and your letters, the letter template and your master CV are signed. If one of them is changed outside the app, the next run waits.

1. Open the **Account** card. The **Data protection** row names the changed files.

2. Select **See what changed**. Removed lines show in red with a minus sign. Added lines show in green with a plus sign.
3. Select **Approve** if the change is yours. Otherwise put the file back as it was.

> **Note**
> The app keeps the text of each file as it was when you approved it. For a file approved before this was added, the card says that no earlier copy was kept; open the file and read it before you approve.

> **Warning**
> Approve a change only when you made it yourself. The rule files decide what the app is allowed to write in your name.

Nothing is thrown away

Table 19.2 lists where data goes instead of being deleted.

Table 19.2 – Where data goes instead of being deleted

Action	Where the data goes
Not interested	The job leaves the list; its documents go to an encrypted backup
Move documents to backup	An encrypted backup; **Put them back** returns them
A letter is saved again	The previous version goes to an encrypted backup
Old copies are tidied	The Trash, never straight to deletion

20. Troubleshoot problems

Figure 20.1 shows the Help window.

Help in the app has three tabs:

- **How it works** gives the main points of this guide in short form.
- **What changed** lists the changes of each version.
- **Usage and problems** shows what the app used, and the small problems that it noted.

Starting and signing in

Table 20.1 lists problems with starting and signing in.




Figure 20.1 – Help inside the app

Searching and scoring

Table 20.2 lists problems with searching and scoring.

Table 20.1 – Problems with starting and signing in

What you see	Cause	What to do
A red line at the top of the main window	The start-up check found something	The line says what and how to fix it
"Jobs have a status the app does not know"	A job has a status from an older version or from a change by hand	Select **Repair** on the red line
"Your job list is damaged"	The file of the job list cannot be read	Select **Restore from backup** on the red line
A button does nothing	A required row of the Account card is red	Open the **Account** chip and make the rows green
"A paid API key is set"	A paid Claude key, or another setting that bills a paid account, is set on this Mac	Ask whoever set up the app to remove it, then start the app again
Sign-in not checked on the Account chip	Claude did not answer when the app asked who is signed in. This does not mean that you are signed out	Open the **Account** card and select **Check again**

Table 20.2 – Problems with searching and scoring

What you see	Cause	What to do
No results	The city or the roles are too narrow, or the filters dropped everything	Check Options; open **Filtered out** to see what was dropped and why
Too many poor jobs	The filters are too loose	Add words to **Skip titles with**, set **Kinds of role you want**, or raise **Write letters above**

Continuation of Table 20.2

What you see	Cause	What to do
Good jobs are skipped	The app read your profession wrong	Check the profession chips in Options; use **Score it anyway** on a single job
A score looks wrong	The posting was read only in part, or your Options changed	Read **Why this score**; see section 8
The search paused	Claude's limit ran out	The window says when it resets; select **Resume** then (section 18)
The usage card says **0% left**	Claude refused a call for a used-up limit	Wait for the time shown, then select **refresh**
"The letter could not be written: …" in a job's window, or "The CV could not be written: …" after you write the documents	Writing the document failed. The line says why, for example what Claude answered	Put right what the line names. Then select **Write CV and letter** or **Write what is missing** in the job's window
"Claude did not answer within 5 minutes"	Claude or the connection stopped answering. The search ended, and what was done is kept. If the CV of a job was written before the stop, the app keeps it	Try again later. If a job still has no documents after two stops, open it and select **Write CV and letter** (or **Write what is missing**)

Replies

Table 20.3 lists problems with replies.

Everything else

Table 20.4 lists other problems.

Table 20.3 – Problems with replies

What you see	Cause	What to do
A rejection is missing	It did not arrive in a scanned mailbox or folder	Set the status by hand, or paste the reply (section 11)
A scan finds "0 new"	Nothing new in the period	Use **Look further back once** in Options
A scan takes long the first time	It reads a long period once	Later scans skip what was already read
"Claude did not answer within 5 minutes"	Claude or the connection stopped answering. The scan ended. The replies that the app read before the stop are kept	Try again later. The next scan reads the other emails

Table 20.4 – Other problems

What you see	Cause	What to do
Something failed quietly	The app carried on after an error	Open **Help** > **Usage and problems**: the second card lists such errors, newest first, and **Show the file in Finder** shows the whole log
The data cannot be opened on a new Mac	The data key is in the old Mac's Keychain	Paste your recovery key in the **Account** card (section 2)
No notifications come	macOS has JobHelper's notifications turned off. macOS asks only once, the first time	Open **Options** > **Notifications and storage**. Select **Open System Settings**, select **JobHelper** and turn on **Allow notifications**. Then select **Test**

21. Look things up

Words the app uses

Table 21.1 explains the words the app uses.

Where things are written

The app keeps your data in the folder JobHelper. That folder is in the folder Application Support of your Library: ~/Library/Application Support/JobHelper. Your data stays there when you put a new version of the app on your Mac.

Older versions kept the data in the folder of the program. When you start this version for the first time, the app copies your data into the Library and compares each copy with its original. Then it starts again. It keeps the old folder as data_moved_to_Library, so you have a full copy. If the move is not possible, the app uses the old folder, and the red line at the top tells you why.

Table 21.2 lists the folders the app writes to. They are in the folder data of JobHelper.

Table 21.1 – Words the app uses

Word	Meaning
Lead	A posting found for you that you have not applied to
Score	0 to 100: how well a posting fits your CV and the roles you want
Your limit	The score in **Write letters above**: from there a CV and a letter are written
strong, **moderate**	60 or more; 50 to 59
skipped	Not scored, to save a Claude call
Master CV	Your own CV, which every adapted CV is made from
Adapted CV	A copy of the master CV with the profile and the skills reworded for one posting
Filtered out	Dropped by a search before scoring, with a reason
The limit	Claude's 5-hour or 7-day limit of your subscription

The light theme

Figure 21.1 shows the light theme.

Table 21.2 – The folders the app writes to

Folder	What is in it
data/cv/	Your master CV
data/tailored_cvs/	The adapted CVs, as Word files and PDFs
data/cover_letters/	The letters the app wrote
data/my_letters/	The letters you wrote
data/excel_new_jobs/, data/excel_applications/, data/excel_reports/	The Excel tables
data/backups/	Encrypted backups




Figure 21.1 – The light theme

The sun or moon button at the top of the main window switches between the dark and the light theme. Every window follows it.