Nederlands

Vantage Control - bronzip gebruiken in een AI-console

Handleiding voor Vantage-Control-source.zip: hoe je de broncode opent in Cursor, ChatGPT Codex, Claude, of een vergelijkbare AI-codingconsole.

1. Wat is de zip?

Vantage-Control-source.zip bevat de volledige Flutter-bronmap vantage-control-android/.

Bestand | Rol
Vantage-Control-source.zip | Broncode voor AI + Flutter-ontwikkeling
Vantage Control.apk | Alleen installeren op de telefoon (niet genoeg voor AI-wijzigingen)

Zonder lib/ kan de AI de app niet verder programmeren. De APK is geen vervanging voor de zip.

2. Uitpakken

1. Kopieer Vantage-Control-source.zip naar de PC waar de AI-console draait.
2. Pak uit (rechtermuisklik -> Uitpakken, of Expand-Archive).
3. Je moet deze map zien:
   ...\vantage-control-android\
4. Controleer dat o.a. aanwezig zijn:
   - AGENTS.md
   - START_HERE.md
   - pubspec.yaml
   - lib/
   - android/
   - assets/

3. Project openen in de AI-console

Cursor / VS Code + AI

1. File -> Open Folder -> kies vantage-control-android.
2. Start een nieuwe Agent/Chat in die workspace.
3. Plak de startprompt hieronder.

Cloud Agent / Codex / vergelijkbaar

1. Upload of koppel de uitgepakte map vantage-control-android als workspace/root.
2. Zorg dat de agent schrijfrechten heeft op die map.
3. Plak de startprompt; vraag expliciet om AGENTS.md eerst te lezen.

Belangrijk

- Open de map vantage-control-android, niet alleen de bovenliggende zip-map zonder die submap.
- Laat de AI niet "vanaf nul" een nieuwe app verzinnen als de bron er al is.

4. Startprompt (Nederlands - plak dit)

```
Lees eerst AGENTS.md en START_HERE.md in deze map (vantage-control-android/).
Dit is een Flutter Android-app voor een Vantage IPE via VCommand TCP poort 3041.
```

```
Bouw verder of pas aan volgens mijn vraag.
Lever daarna een nieuwe release-APK (flutter build apk --release)
en noem/kopieer die naar "Vantage Control.apk".
```

Daarna stel je je concrete vraag, bijvoorbeeld:

- "Maak de Dashboard-tegels kleiner"
- "Voeg een stadkiezer toe voor het weer"
- "Fix QLK-import voor dit bestand"

5. Wat de AI eerst moet lezen

Bestand	Waarom
AGENTS.md	Protocol, paden, build, valkuilen (3041 vs 3040, één TCP-sessie)
START_HERE.md	Korte draagbare handoff
README.md	Gebruikers-/buildinfo

De gids staat ook in assets/docs/ (mee in de APK), maar ontwikkelen gebeurt altijd vanuit de bronmap.

6. Tooling op de PC (voor een echte APK-build)

De AI kan code wijzigen zonder Flutter, maar voor een nieuwe APK heb je nodig:

- Flutter SDK
- Android SDK
- JDK 17

Voorbeeld (Windows):

```
set PATH=D:\dev\flutter\bin;%PATH%
set ANDROID_HOME=D:\Android\Sdk
cd vantage-control-android
flutter pub get
flutter build apk --release
```

APK-uitvoer:

- build\app\outputs\flutter-apk\app-release.apk
- Kopieer/hernoem naar Vantage Control.apk

Als Flutter/SDK ontbreekt: vraag de AI om de code-wijzigingen wél te doen en de build-stappen te documenteren.

7. Protocol-geheugensteuntjes (kort)

- Bediening: TCP 3041 (VCommand), niet QLink 3040
- IPE laat vaak maar één TCP-client toe -> WebPoint/QLink sluiten tijdens app-gebruik
- Loads: VLB | Keypad: VSW# … 6
- QLK laden in de app = alleen UI-import (programmeert de Master niet)

8. Na afloop opnieuw inpakken (optioneel)

Als je de bron opnieuw wilt delen:

1. Zip de map vantage-control-android/
2. Laat build/ en .dart_tool/ weg (niet nodig voor AI)
3. Vervang Vantage-Control-source.zip + eventueel de nieuwe APK

9. Checklist

- [ ] Zip uitgepakt
- [ ] Map vantage-control-android geopend in de AI-console
- [ ] Startprompt geplakt (AGENTS.md eerst)
- [ ] Concrete taak gesteld
- [ ] Nieuwe APK gevraagd / gebouwd
- [ ] Getest op de telefoon (sideload)

English

Vantage Control - using the source zip in an AI console

Guide for Vantage-Control-source.zip: how to open the source in Cursor, ChatGPT Codex, Claude, or a similar AI coding console.

1. What is the zip?

Vantage-Control-source.zip contains the full Flutter source folder vantage-control-android/.

File | Role
Vantage-Control-source.zip | Source for AI + Flutter development
Vantage Control.apk | Phone install only (not enough for AI code changes)

Without lib/, the AI cannot continue developing the app. The APK does not replace the zip.

2. Unpack

1. Copy Vantage-Control-source.zip to the PC that runs the AI console.
2. Extract it (right-click -> Extract, or Expand-Archive).
3. You should see:
   ...\vantage-control-android\
4. Confirm these exist:
   - AGENTS.md
   - START_HERE.md
   - pubspec.yaml
   - lib/
   - android/
   - assets/

3. Open the project in the AI console

Cursor / VS Code + AI

1. File -> Open Folder -> select vantage-control-android.
2. Start a new Agent/Chat in that workspace.
3. Paste the starter prompt below.

Cloud Agent / Codex / similar

1. Upload or attach the extracted vantage-control-android folder as the workspace/root.
2. Give the agent write access to that folder.
3. Paste the starter prompt; explicitly ask it to read AGENTS.md first.

Important

- Open the vantage-control-android folder, not only a parent folder that happens to contain the zip.
- Do not let the AI invent a new app from scratch when the source is already present.

4. Starter prompt (English - paste this)

```
Read AGENTS.md and START_HERE.md in this folder (vantage-control-android/) first.
This is a Flutter Android app for a Vantage IPE over VCommand TCP port 3041.
```

```
Continue or change the app according to my request.
Then produce a new release APK (flutter build apk --release)
and name/copy it to "Vantage Control.apk".
```

Then add your concrete task, for example:

- "Make the Dashboard tiles smaller"
- "Add a city picker for the weather"
- "Fix QLK import for this file"

5. What the AI should read first

File | Why
AGENTS.md | Protocol, paths, build, pitfalls (3041 vs 3040, single TCP session)
START_HERE.md | Short portable handoff
README.md | User/build info

The guide is also in assets/docs/ (shipped inside the APK), but development always happens from the source folder.

6. Tooling on the PC (for a real APK build)

The AI can edit code without Flutter, but a new APK needs:

- Flutter SDK
- Android SDK
- JDK 17

Example (Windows):

```
set PATH=D:\dev\flutter\bin;%PATH%
set ANDROID_HOME=D:\Android\Sdk
cd vantage-control-android
flutter pub get
flutter build apk --release
```

APK output:

- build\app\outputs\flutter-apk\app-release.apk
- Copy/rename to Vantage Control.apk

If Flutter/SDK is missing: ask the AI to still make the code changes and document the build steps.

7. Protocol reminders (short)

- Control traffic: TCP 3041 (VCommand), not QLink 3040
- The IPE often allows only one TCP client -> close WebPoint/QLink while using the app
- Loads: VLB | Keypad: VSW# … 6
- Loading a QLK in the app is UI-import only (does not reprogram the Master)

8. Re-pack after changes (optional)

To share the source again:

1. Zip the vantage-control-android/ folder
2. Omit build/ and .dart_tool/ (not needed for AI)
3. Replace Vantage-Control-source.zip and optionally the new APK

9. Checklist

- [ ] Zip extracted
- [ ] Folder vantage-control-android opened in the AI console
- [ ] Starter prompt pasted (AGENTS.md first)
- [ ] Concrete task given
- [ ] New APK requested / built
- [ ] Tested on the phone (sideload)