

LOG_001

INFO: Kaltstart, WLAN verfügbar

=====

Debug Mode Active

=====

[INFO] WAKEUP REASON: Boot / Reset

[INFO] Initializing system modules

[INFO] Initializing system time

[INFO] Time status: RELATIVE

[INFO] Initializing measurement buffer...

[DEBUG] Metadata read: 16/16 bytes

[DEBUG] Magic read: 0x4D425546

[DEBUG] Magic exp : 0x4D425546

[DEBUG] Measurement buffer metadata loaded.

[DEBUG] ReadIndex : 0

[DEBUG] WriteIndex: 0

[DEBUG] Count : 0

[DEBUG] Overflow : 11

[INFO] Initializing WiFi

[INFO] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512

[INFO] Initializing ADC

[INFO] Initializing I2C interface: SDA=40, SCL=41

[INFO] Initializing sensor: SUCCESS [type=SHT31, address=0x44]

[INFO] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]

[INFO] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]

[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-32 dBm

[INFO] NTP synchronization: SUCCESS [previousSystemTime=0, newSystemTime=1784485686]

[INFO] Time status: ABSOLUTE [source=NTP]

[INFO] MQTT status: CONNECTING_TO_BROKER

[host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]

[INFO] MQTT status: CONNECTED [clientId=806CF2A172E0-55AC]

[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/status, qos=0, retained=false

[INFO] Record status: UPDATED

[DEBUG] Record details: bootEpochId=137, timestamp=1784485687 (absolute), houseBattery=12.36 V, engineBattery=5.05 V, temperature=25.6 °C, humidity=49.5 %, waterAlarm=NO, smokeAlarm=NO

[INFO] MQTT publish: START [source=CURRENT, timestamp=1784485687]

[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false

[DEBUG] MQTT payload:

```
{"bootEpochId":137,"timestamp":1784485687,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.1,"temperature":25.6,"humidity":49.5,"waterAlarm":false,"smokeAlarm":false}
```

[INFO] MQTT publish: SUCCESS

[INFO] Alarm input status: INACTIVE (action=DEEP_SLEEP)

[INFO] Configuring wake-up sources

[INFO] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]

LOG_002

INFO: Aufwachen, kein WLAN verfügbar

=====

Debug Mode Active

=====

[INFO] WAKEUP REASON: Timer interrupt

[INFO] Initializing system modules

[INFO] Initializing system time

[INFO] Time status: ABSOLUT [source=RTC]

[INFO] Initializing measurement buffer...

[DEBUG] Metadata read: 16/16 bytes

[DEBUG] Magic read: 0x4D425546

[DEBUG] Magic exp : 0x4D425546

[DEBUG] Measurement buffer metadata loaded.

[DEBUG] ReadIndex : 5

[DEBUG] WriteIndex: 7

[DEBUG] Count : 2

[DEBUG] Overflow : 11

[INFO] Initializing WiFi

[INFO] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512

[INFO] Initializing ADC

[INFO] Initializing I2C interface: SDA=40, SCL=41

[INFO] Initializing sensor: SUCCESS [type=SHT31, address=0x44]

[INFO] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]

[WARN] WiFi status: CONNECTION_FAILED [reason=NO_SSID, attempt=1, elapsed=10.0 s]

[INFO] Record status: UPDATED

[DEBUG] Record details: bootEpochId=136, timestamp=1784485149 (absolute), houseBattery=12.36 V, engineBattery=5.04 V, temperature=25.5 °C, humidity=49.8 %, waterAlarm=NO, smokeAlarm=NO

[INFO] MQTT publish: SKIPPED [WiFi not connected]

[INFO] Record status: STORRING [index=7]

[DEBUG] Metadata write: 16/16 bytes

[DEBUG] Buffer push complete: writeIndex=8, readIndex=5, count=3/12

[INFO] Alarm input status: INACTIVE (action=DEEP_SLEEP)

[INFO] Configuring wake-up sources

[INFO] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]

LOG_003

INFO: Aufwachen, WLAN wieder verfügbar

```
=====
Debug Mode Active
=====
[INFO ] WAKEUP REASON: Timer interrupt
[INFO ] Initializing system modules
[INFO ] Initializing system time
[INFO ] Time status: ABSOLUT [source=RTC]
[INFO ] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 5
[DEBUG] WriteIndex: 0
[DEBUG] Count   : 7
[DEBUG] Overflow : 11
[INFO ] Initializing WiFi
[INFO ] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512
[INFO ] Initializing ADC
[INFO ] Initializing I2C interface: SDA=40, SCL=41
[INFO ] Initializing sensor: SUCCESS [type=SHT31, address=0x44]
[INFO ] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]
[INFO ] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]
[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-32 dBm
[INFO ] MQTT status: CONNECTING_TO_BROKER [host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]
[INFO ] MQTT status: CONNECTED [clientId=806CF2A172E0-7EB2]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/status, qos=0, retained=false
[INFO ] Record status: UPDATED
[DEBUG] Record details: bootEpochId=136, timestamp=1784485543 (absolute), houseBattery=12.36 V, engineBattery=5.07 V,
temperature=25.7 °C, humidity=49.4 %, waterAlarm=NO, smokeAlarm=NO
[INFO ] MQTT publish: START [source=CURRENT, timestamp=1784485543]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":136,"timestamp":1784485543,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.1,"temperature":25.7,"humidity":49.4,
"waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[INFO ] Record status: LOADED [index=5, timestamp=1784484988, count=7/12]
[DEBUG] Checking record validity: bootEpochId=136, currentBootEpochId=136, timestamp=1784484988
[INFO ] Record status: VALID
[INFO ] MQTT publish: START [source=BUFFER, timestamp=1784484988, buffered=7]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":136,"timestamp":1784484988,"houseBatteryVoltage":12.3,"engineBatteryVoltage":5.0,"temperature":25.4,"humidity":50.1,
"waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=5, readIndex=6, count=6/12
[INFO ] Record status: LOADED [index=6, timestamp=1784485068, count=6/12]
[DEBUG] Checking record validity: bootEpochId=136, currentBootEpochId=136, timestamp=1784485068
[INFO ] Record status: VALID
[INFO ] MQTT publish: START [source=BUFFER, timestamp=1784485068, buffered=6]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":136,"timestamp":1784485068,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.1,"temperature":25.4,"humidity":50.0,
"waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=6, readIndex=7, count=5/12
[INFO ] Record status: LOADED [index=7, timestamp=1784485149, count=5/12]
[DEBUG] Checking record validity: bootEpochId=136, currentBootEpochId=136, timestamp=1784485149
[INFO ] Record status: VALID
[INFO ] MQTT publish: START [source=BUFFER, timestamp=1784485149, buffered=5]
```

[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":136,"timestamp":1784485149,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.0,"temperature":25.5,"humidity":49.8,
"waterAlarm":false,"smokeAlarm":false}
[INFO] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=7, readIndex=8, count=4/12
[INFO] Record status: LOADED [index=8, timestamp=1784485229, count=4/12]
[DEBUG] Checking record validity: bootEpochId=136, currentBootEpochId=136, timestamp=1784485229
[INFO] Record status: VALID
[INFO] MQTT publish: START [source=BUFFER, timestamp=1784485229, buffered=4]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":136,"timestamp":1784485229,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.1,"temperature":25.5,"humidity":49.7,
"waterAlarm":false,"smokeAlarm":false}
[INFO] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=8, readIndex=9, count=3/12
[INFO] Record status: LOADED [index=9, timestamp=1784485310, count=3/12]
[DEBUG] Checking record validity: bootEpochId=136, currentBootEpochId=136, timestamp=1784485310
[INFO] Record status: VALID
[INFO] MQTT publish: START [source=BUFFER, timestamp=1784485310, buffered=3]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":136,"timestamp":1784485310,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.1,"temperature":25.6,"humidity":49.6,
"waterAlarm":false,"smokeAlarm":false}
[INFO] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=9, readIndex=10, count=2/12
[INFO] Record status: LOADED [index=10, timestamp=1784485390, count=2/12]
[DEBUG] Checking record validity: bootEpochId=136, currentBootEpochId=136, timestamp=1784485390
[INFO] Record status: VALID
[INFO] MQTT publish: START [source=BUFFER, timestamp=1784485390, buffered=2]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":136,"timestamp":1784485390,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.1,"temperature":25.6,"humidity":49.5,
"waterAlarm":false,"smokeAlarm":false}
[INFO] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=10, readIndex=11, count=1/12
[INFO] Record status: LOADED [index=11, timestamp=1784485471, count=1/12]
[DEBUG] Checking record validity: bootEpochId=136, currentBootEpochId=136, timestamp=1784485471
[INFO] Record status: VALID
[INFO] MQTT publish: START [source=BUFFER, timestamp=1784485471, buffered=1]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":136,"timestamp":1784485471,"houseBatteryVoltage":12.3,"engineBatteryVoltage":5.0,"temperature":25.7,"humidity":49.5,
"waterAlarm":false,"smokeAlarm":false}
[INFO] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=11, readIndex=0, count=0/12
[INFO] Buffer status: EMPTY
[INFO] Alarm input status: INACTIVE (action=DEEP_SLEEP)
[INFO] Configuring wake-up sources
[INFO] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]

LOG_004

INFO: NTP-Serveradresse manipuliert (invalid)

```
=====
Debug Mode Active
=====
[INFO ] WAKEUP REASON: Boot / Reset
[INFO ] Initializing system modules
[INFO ] Initializing system time
[INFO ] Time status: RELATIVE
[INFO ] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 0
[DEBUG] WriteIndex: 0
[DEBUG] Count   : 0
[DEBUG] Overflow : 11
[INFO ] Initializing WiFi
[INFO ] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512
[INFO ] Initializing ADC
[INFO ] Initializing I2C interface: SDA=40, SCL=41
[INFO ] Initializing sensor: SUCCESS [type=SHT31, address=0x44]
[INFO ] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]
[INFO ] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]
[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-30 dBm
[INFO ] NTP synchronization: FAILED
[INFO ] MQTT status: CONNECTING_TO_BROKER [host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]
[INFO ] MQTT status: CONNECTED [clientId=806CF2A172E0-3965]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/status, qos=0, retained=false
[INFO ] Record status: UPDATED
[DEBUG] Record details: bootEpochId=140, timestamp=11 (relative), houseBattery=0.44 V, engineBattery=5.06 V, temperature=25.2 °C,
humidity=50.4 %, waterAlarm=NO, smokeAlarm=NO
[INFO ] Record status: STORRING [index=0]
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer push complete: writeIndex=1, readIndex=0, count=1/12
[INFO ] Alarm input status: INACTIVE (action=DEEP_SLEEP)
[INFO ] Configuring wake-up sources
[INFO ] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]
```

LOG_005

INFO: NTP-Serveradresse wieder hergestellt (valid)

```
=====
Debug Mode Active
=====
[INFO ] WAKEUP REASON: Boot / Reset
[INFO ] Initializing system modules
[INFO ] Initializing system time
[INFO ] Time status: RELATIVE
[INFO ] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 0
[DEBUG] WriteIndex: 6
[DEBUG] Count   : 6
[DEBUG] Overflow : 11
[INFO ] Initializing WiFi
[INFO ] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512
[INFO ] Initializing ADC
[INFO ] Initializing I2C interface: SDA=40, SCL=41
[INFO ] Initializing sensor: SUCCESS [type=SHT31, address=0x44]
[INFO ] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]
[INFO ] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]
[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-31 dBm
[INFO ] NTP synchronization: SUCCESS [previousSystemTime=0, newSystemTime=1784486841]
[INFO ] Time status: ABSOLUTE [source=NTP]
[INFO ] MQTT status: CONNECTING_TO_BROKER [host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]
[INFO ] MQTT status: CONNECTED [clientId=806CF2A172E0-6BBB]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/status, qos=0, retained=false
[INFO ] Record status: UPDATED
[DEBUG] Record details: bootEpochId=142, timestamp=1784486841 (absolute), houseBattery=0.44 V, engineBattery=5.05 V,
temperature=25.5 °C, humidity=49.6 %, waterAlarm=NO, smokeAlarm=NO
[INFO ] MQTT publish: START [source=CURRENT, timestamp=1784486841]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":142,"timestamp":1784486841,"houseBatteryVoltage":0.4,"engineBatteryVoltage":5.1,"temperature":25.5,"humidity":49.6,"
waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[INFO ] Record status: LOADED [index=0, timestamp=11, count=6/12]
[DEBUG] Checking record validity: bootEpochId=140, currentBootEpochId=142, timestamp=11
[INFO ] Record status: DISCARD [invalid bootEpochId]
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=0, readIndex=1, count=5/12
.
.
.
[INFO ] Record status: LOADED [index=5, timestamp=421, count=1/12]
[DEBUG] Checking record validity: bootEpochId=140, currentBootEpochId=142, timestamp=421
[INFO ] Record status: DISCARD [invalid bootEpochId]
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=5, readIndex=6, count=0/12
[INFO ] Buffer status: EMPTY
[DEBUG] Failed to load record because buffer is empty]
[INFO ] Alarm input status: INACTIVE (action=DEEP_SLEEP)
[INFO ] Configuring wake-up sources
[INFO ] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]
```

LOG_006

INFO: MQTT-Broker nicht verfügbar

=====

Debug Mode Active

=====

[INFO] WAKEUP REASON: Timer interrupt

[INFO] Initializing system modules

[INFO] Initializing system time

[INFO] Time status: ABSOLUT [source=RTC]

[INFO] Initializing measurement buffer...

[DEBUG] Metadata read: 16/16 bytes

[DEBUG] Magic read: 0x4D425546

[DEBUG] Magic exp : 0x4D425546

[DEBUG] Measurement buffer metadata loaded.

[DEBUG] ReadIndex : 6

[DEBUG] WriteIndex: 6

[DEBUG] Count : 0

[DEBUG] Overflow : 11

[INFO] Initializing WiFi

[INFO] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512

[INFO] Initializing ADC

[INFO] Initializing I2C interface: SDA=40, SCL=41

[INFO] Initializing sensor: SUCCESS [type=SHT31, address=0x44]

[INFO] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]

[INFO] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]

[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-31 dBm

[INFO] MQTT status: CONNECTING_TO_BROKER [host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]

[DEBUG] MQTT publishing details: state=5

[INFO] Record status: UPDATED

[DEBUG] Record details: bootEpochId=143, timestamp=1784487634 (absolute), houseBattery=12.37 V, engineBattery=5.03 V, temperature=25.2 °C, humidity=50.6 %, waterAlarm=NO, smokeAlarm=NO

[INFO] MQTT publish: PUBLISH_SKIPPED [MQTT not connected]

[INFO] Record status: STORRING [index=6]

[DEBUG] Metadata write: 16/16 bytes

[DEBUG] Buffer push complete: writeIndex=7, readIndex=6, count=1/12

[INFO] Alarm input status: INACTIVE (action=DEEP_SLEEP)

[INFO] Configuring wake-up sources

[INFO] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]

LOG_007

INFO: MQTT-Broker wieder verfügbar.

```
=====
Debug Mode Active
=====
[INFO ] WAKEUP REASON: Timer interrupt
[INFO ] Initializing system modules
[INFO ] Initializing system time
[INFO ] Time status: ABSOLUT [source=RTC]
[INFO ] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 6
[DEBUG] WriteIndex: 2
[DEBUG] Count   : 2
[DEBUG] Overflow : 11
[INFO ] Initializing WiFi
[INFO ] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512
[INFO ] Initializing ADC
[INFO ] Initializing I2C interface: SDA=40, SCL=41
[INFO ] Initializing sensor: SUCCESS [type=SHT31, address=0x44]
[INFO ] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]
[INFO ] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]
[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-31 dBm
[INFO ] MQTT status: CONNECTING_TO_BROKER [host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]
[INFO ] MQTT status: CONNECTED [clientId=806CF2A172E0-7FA8]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/status, qos=0, retained=false
[INFO ] Record status: UPDATED
[DEBUG] Record details: bootEpochId=143, timestamp=1784487777 (absolute), houseBattery=12.37 V, engineBattery=5.04 V,
temperature=25.3 °C, humidity=50.3 %, waterAlarm=NO, smokeAlarm=NO
[INFO ] MQTT publish: START [source=CURRENT, timestamp=1784487777]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":143,"timestamp":1784487777,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.0,"temperature":25.3,"humidity":50.3,
"waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[INFO ] Record status: LOADED [index=6, timestamp=1784487634, count=2/12]
[DEBUG] Checking record validity: bootEpochId=143, currentBootEpochId=143, timestamp=1784487634
[INFO ] Record status: VALID
[INFO ] MQTT publish: START [source=BUFFER, timestamp=1784487634, buffered=2]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":143,"timestamp":1784487634,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.0,"temperature":25.2,"humidity":50.6,
"waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=6, readIndex=7, count=1/12
[INFO ] Record status: LOADED [index=7, timestamp=1784487705, count=1/12]
[DEBUG] Checking record validity: bootEpochId=143, currentBootEpochId=143, timestamp=1784487705
[INFO ] Record status: VALID
[INFO ] MQTT publish: START [source=BUFFER, timestamp=1784487705, buffered=1]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":143,"timestamp":1784487705,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.0,"temperature":25.3,"humidity":50.4,
"waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=7, readIndex=8, count=0/12
[INFO ] Buffer status: EMPTY
[INFO ] Alarm input status: INACTIVE (action=DEEP_SLEEP)
[INFO ] Configuring wake-up sources
[INFO ] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]
```


LOG_008

INFO: Kaltstart, WLAN nicht verfügbar

=====

Debug Mode Active

=====

[INFO] WAKEUP REASON: Boot / Reset

[INFO] Initializing system modules

[INFO] Initializing system time

[INFO] Time status: RELATIVE

[INFO] Initializing measurement buffer...

[DEBUG] Metadata read: 16/16 bytes

[DEBUG] Magic read: 0x4D425546

[DEBUG] Magic exp : 0x4D425546

[DEBUG] Measurement buffer metadata loaded.

[DEBUG] ReadIndex : 8

[DEBUG] WriteIndex: 8

[DEBUG] Count : 0

[DEBUG] Overflow : 11

[INFO] Initializing WiFi

[INFO] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512

[INFO] Initializing ADC

[INFO] Initializing I2C interface: SDA=40, SCL=41

[INFO] Initializing sensor: SUCCESS [type=SHT31, address=0x44]

[INFO] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]

[WARN] WiFi status: CONNECTION_FAILED [reason=NO_SSID, attempt=1, elapsed=10.0 s]

[INFO] Record status: UPDATED

[DEBUG] Record details: bootEpochId=145, timestamp=10 (relative), houseBattery=0.44 V, engineBattery=5.00 V, temperature=25.4 °C, humidity=51.0 %, waterAlarm=NO, smokeAlarm=NO

[INFO] Record status: STORRING [index=8]

[DEBUG] Metadata write: 16/16 bytes

[DEBUG] Buffer push complete: writeIndex=9, readIndex=8, count=1/12

[INFO] Alarm input status: INACTIVE (action=DEEP_SLEEP)

[INFO] Configuring wake-up sources

[INFO] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]

LOG_008

INFO: Aufwachen, WLAN wieder verfügbar

```
=====
Debug Mode Active
=====
[INFO ] WAKEUP REASON: Timer interrupt
[INFO ] Initializing system modules
[INFO ] Initializing system time
[INFO ] Time status: ABSOLUT [source=RTC]          ← Fehler. Zeit müsste Relativ sein!
[INFO ] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 8
[DEBUG] WriteIndex: 9
[DEBUG] Count   : 1
[DEBUG] Overflow : 11
[INFO ] Initializing WiFi
[INFO ] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512
[INFO ] Initializing ADC
[INFO ] Initializing I2C interface: SDA=40, SCL=41
[INFO ] Initializing sensor: SUCCESS [type=SHT31, address=0x44]
[INFO ] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]
[INFO ] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]
[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-31 dBm
[INFO ] NTP synchronization: SUCCESS [previousSystemTime=80, newSystemTime=1784488819]
[INFO ] Time status: ABSOLUTE [source=NTP]
[INFO ] MQTT status: CONNECTING_TO_BROKER [host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]
[INFO ] MQTT status: CONNECTED [clientId=806CF2A172E0-168A]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/status, qos=0, retained=false
[INFO ] Record status: UPDATED
[DEBUG] Record details: bootEpochId=145, timestamp=1784488820 (absolute), houseBattery=0.44 V, engineBattery=5.02 V,
temperature=25.4 °C, humidity=50.6 %, waterAlarm=NO, smokeAlarm=NO
[INFO ] MQTT publish: START [source=CURRENT, timestamp=1784488820]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":145,"timestamp":1784488820,"houseBatteryVoltage":0.4,"engineBatteryVoltage":5.0,"temperature":25.4,"humidity":50.6,"
waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[INFO ] Record status: LOADED [index=8, timestamp=10, count=1/12]
[DEBUG] Checking record validity: bootEpochId=145, currentBootEpochId=145, timestamp=10
[DEBUG] Timestamp reconstructed: relative=10, absolute=1784488749
[INFO ] Record status: VALID
[INFO ] MQTT publish: START [source=BUFFER, timestamp=1784488749, buffered=1]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":145,"timestamp":1784488749,"houseBatteryVoltage":0.4,"engineBatteryVoltage":5.0,"temperature":25.4,"humidity":51.0,"
waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=8, readIndex=9, count=0/12
[INFO ] Buffer status: EMPTY
[INFO ] Alarm input status: INACTIVE (action=DEEP_SLEEP)
[INFO ] Configuring wake-up sources
[INFO ] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]
```

LOG_009

INFO: Buffer Overflow:

=====

Debug Mode Active

=====

[INFO] WAKEUP REASON: Timer interrupt
[INFO] Initializing system modules
[INFO] Initializing system time
[INFO] Time status: ABSOLUT [source=RTC]
[INFO] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 9
[DEBUG] WriteIndex: 9
[DEBUG] Count : 0
[DEBUG] Overflow : 11

... 12. Zyklus später (Speicher voll) ...

=====

Debug Mode Active

=====

[INFO] WAKEUP REASON: Timer interrupt
[INFO] Initializing system modules
[INFO] Initializing system time
[INFO] Time status: ABSOLUT [source=RTC]
[INFO] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 9
[DEBUG] WriteIndex: 9
[DEBUG] Count : 12
[DEBUG] Overflow : 11

... 13. Zyklus (Overflow) ...

=====

Debug Mode Active

=====

[INFO] WAKEUP REASON: Timer interrupt
[INFO] Initializing system modules
[INFO] Initializing system time
[INFO] Time status: ABSOLUT [source=RTC]
[INFO] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 10
[DEBUG] WriteIndex: 10
[DEBUG] Count : 12
[DEBUG] Overflow : 12

... 22. Zyklus (WLAN wieder verfügbar) ...

=====

Debug Mode Active

=====

[INFO] WAKEUP REASON: Timer interrupt
[INFO] Initializing system modules
[INFO] Initializing system time
[INFO] Time status: ABSOLUT [source=RTC]
[INFO] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546

```
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 7
[DEBUG] WriteIndex: 7
[DEBUG] Count    : 12
[DEBUG] Overflow : 21
.
.
.
[DEBUG] Metadata write: 16/16 bytes
[DEBUG] Buffer pop complete: removedIndex=6, readIndex=7, count=0/12
[INFO ] Buffer status: EMPTY
[INFO ] Alarm input status: INACTIVE (action=DEEP_SLEEP)
[INFO ] Configuring wake-up sources
[INFO ] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]
```

... (Overflow: 21 (neu) – 11 (alt) = 10 Messwerte = 12 Zyklen) ...

12+1 Daten übertragen.

12 Zyklen zu ca. 1min → 12 min

12 Zyklen mit 10 sec. Connect für Debug → +1,5 min

10 Zyklen Timeout WLAN mit 10 sec. → +1,5 min

== Es fehlen die Werte in einem Zeitraum von ca. 15 min.



LOG_010

INFO: EXT1-Wakeup (WATER ALARM):

=====

Debug Mode Active

=====

```
[INFO ] WAKEUP REASON: EXT1 interrupt | WATER ALARM: active | SMOKE ALARM: inactive
[INFO ] Initializing system modules
[INFO ] Initializing system time
[INFO ] Time status: ABSOLUT [source=RTC]
[INFO ] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 7
[DEBUG] WriteIndex: 7
[DEBUG] Count   : 0
[DEBUG] Overflow : 21
[INFO ] Initializing WiFi
[INFO ] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512
[INFO ] Initializing ADC
[INFO ] Initializing I2C interface: SDA=40, SCL=41
[INFO ] Initializing sensor: SUCCESS [type=SHT31, address=0x44]
[INFO ] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]
[INFO ] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]
[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-30 dBm
[INFO ] MQTT status: CONNECTING_TO_BROKER [host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]
[INFO ] MQTT status: CONNECTED [clientId=806CF2A172E0-192B]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/status, qos=0, retained=false
[INFO ] Record status: UPDATED
[DEBUG] Record details: bootEpochId=147, timestamp=1784502195 (absolute), houseBattery=12.39 V, engineBattery=4.96 V,
temperature=24.7 °C, humidity=53.7 %, waterAlarm=YES, smokeAlarm=NO
[INFO ] MQTT publish: START [source=CURRENT, timestamp=1784502195]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":147,"timestamp":1784502195,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.0,"temperature":24.7,"humidity":53.7,
"waterAlarm":true,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[INFO ] Alarm input status: ACTIVE (action=STAY_AWAKE)
[DEBUG] Timer: 1 min
```

LOG_011

INFO: EXT1-Wakeup (SMOKE ALARM):



```
=====
Debug Mode Active
=====
[INFO ] WAKEUP REASON: EXT1 interrupt | WATER ALARM: inactive | SMOKE ALARM: active
[INFO ] Initializing system modules
[INFO ] Initializing system time
[INFO ] Time status: ABSOLUT [source=RTC]
[INFO ] Initializing measurement buffer...
[DEBUG] Metadata read: 16/16 bytes
[DEBUG] Magic read: 0x4D425546
[DEBUG] Magic exp : 0x4D425546
[DEBUG] Measurement buffer metadata loaded.
[DEBUG] ReadIndex : 7
[DEBUG] WriteIndex: 7
[DEBUG] Count   : 0
[DEBUG] Overflow : 21
[INFO ] Initializing WiFi
[INFO ] Initializing MQTT client: host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883, buffer=512
[INFO ] Initializing ADC
[INFO ] Initializing I2C interface: SDA=40, SCL=41
[INFO ] Initializing sensor: SUCCESS [type=SHT31, address=0x44]
[INFO ] WiFi status: CONNECTING [SSID=FRITZ!Box 7490, timeout=10.0 s]
[INFO ] WiFi status: CONNECTED [SSID=FRITZ!Box 7490, attempt=1, elapsed=0.1 s]
[DEBUG] WiFi network details: IP=192.168.188.24, RSSI=-29 dBm
[INFO ] MQTT status: CONNECTING_TO_BROKER [host=2f48189618fb478e8cf80b9d4f4825d1.s1.eu.hivemq.cloud, port=8883]
[INFO ] MQTT status: CONNECTED [clientId=806CF2A172E0-C27D]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/status, qos=0, retained=false
[INFO ] Record status: UPDATED
[DEBUG] Record details: bootEpochId=147, timestamp=1784502423 (absolute), houseBattery=12.38 V, engineBattery=5.06 V,
temperature=25.2 °C, humidity=52.4 %, waterAlarm=NO, smokeAlarm=YES
[INFO ] MQTT publish: START [source=CURRENT, timestamp=1784502423]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":147,"timestamp":1784502423,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.1,"temperature":25.2,"humidity":52.4,
"waterAlarm":false,"smokeAlarm":true}
[INFO ] MQTT publish: SUCCESS
[INFO ] Alarm input status: ACTIVE (action=STAY_AWAKE)
[DEBUG] Timer: 1 min
[INFO ] Record status: UPDATED
[DEBUG] Record details: bootEpochId=147, timestamp=1784502255 (absolute), houseBattery=12.39 V, engineBattery=5.05 V,
temperature=24.8 °C, humidity=53.4 %, waterAlarm=NO, smokeAlarm=NO
[INFO ] MQTT publish: START [source=CURRENT, timestamp=1784502255]
[DEBUG] MQTT publishing details: topic=gateway/806CF2A172E0/measurement, qos=0, retained=false
[DEBUG] MQTT payload:
{"bootEpochId":147,"timestamp":1784502255,"houseBatteryVoltage":12.4,"engineBatteryVoltage":5.0,"temperature":24.8,"humidity":53.4,
"waterAlarm":false,"smokeAlarm":false}
[INFO ] MQTT publish: SUCCESS
[INFO ] Alarm input status: INACTIVE (action=DEEP_SLEEP)
[INFO ] Configuring wake-up sources
[INFO ] Entering deep sleep [wake-up=EXT1|TIMER, interval=1 min]
```


LOG_012



INFO: 24h Dauertest

Die Daten wurde über 24h kontinuierlich gesendet ohne Absturz des Systems.

Lediglich ab und zu gab es den einen oder anderen Datenverlust. Dies ist vermutlich auf die Verwendung von QoS=0 zurückzuführen.



Environmental



Debug Mode Active