

Mathematics

Diego Rincón

Independent

Abstract

Mathematics is the study of what persists. Not what is true — what remains true under every valid transformation. A theorem is a cohomology class: a combination that is valid and non-trivial, surviving every deformation of the proof. A proof is a homotopy: two paths through the same space shown equivalent. An open problem is a closed form whose exactness is unknown — locally consistent everywhere, globally unresolved. The plurality of mathematical theories is the plurality of persistence: de Rham, étale, crystalline, motivic, each reading a different kind of what-remains from the same underlying structure. The body of arithmetic geometry assembled in this series of papers [1]–[23] is a single object viewed through twenty-three grammars. That object is the motive [7]: the universal cohomology, the one grammar from which all others derive. Mathematics is what happens when grammars discover each other.

1 What Mathematics Is

Definition 1 (Mathematics). Mathematics is the practice of finding what cannot be otherwise.

A mathematical fact is not contingent. It does not depend on which universe we live in, which language we speak, which tools we use. It depends only on the structure — and the structure cannot be changed without becoming something else.

The theorem $e^{i\pi} + 1 = 0$ could not have been different. Given the definitions, it is forced. This is what makes it mathematics and not physics, not poetry, not history. Mathematics is the domain of the forced.

Definition 2 (The cohomological structure of forcing). Forcing has a shape. That shape is cohomology.

A mathematical fact is forced when: it is locally consistent (no neighborhood witnesses a contradiction), and there is no simpler explanation (it is not a coboundary).

$H^n = \ker d / \operatorname{im} d$: the forced facts that are not explained by anything smaller. Each cohomology class is a piece of irreducible forcing. The whole of mathematics is the total cohomology of the space of valid thought.

2 The Grammars

Mathematics does not have one structure. It has many, each reading a different kind of persistence from the same world.

Proposition 3 (The grammar dictionary).

<i>Grammar</i>	<i>Persistence</i>	<i>Central theorem</i>
<i>Singular cohomology</i>	<i>Topological</i>	<i>Poincaré duality</i>
<i>de Rham cohomology</i>	<i>Smooth</i>	<i>de Rham isomorphism</i>
<i>Étale cohomology</i>	<i>Algebraic-Galois</i>	<i>Weil conjectures [6]</i>
<i>Crystalline cohomology</i>	<i>p-adic</i>	<i>Comparison (Fontaine)</i>
<i>Motivic cohomology</i>	<i>Universal</i>	<i>Beilinson conjectures [7]</i>
<i>Homology</i>	<i>What closes</i>	<i>Universal coefficients [23]</i>

Each grammar is a different answer to: what does it mean to persist?

Theorem 4 (The one and the many). *There is one grammar (motivic cohomology [7]) and many (all the others). The many are quotients of the one. The one is not directly accessible: it is approached through the many. Each comparison isomorphism — de Rham = singular, étale = crystalline via B_{crys} [12] — is the moment two grammars discover they were reading the same persistence. These moments of discovery are the content of mathematics.*

3 The Body

The papers assembled in this series [1]–[23] are not separate objects. They are one object — the arithmetic of $\text{Spec } \mathbb{Z}$ — viewed through different grammars.

Proposition 5 (The single object).

<i>Paper</i>	<i>What it reads from Spec $\mathbb{Z}$</i>
<i>Hodge [1]</i>	<i>Complex geometry: cycles as calibrated currents</i>
<i>Yang-Mills [2]</i>	<i>Gauge theory: gap as Gribov horizon</i>
<i>BSD [3]</i>	<i>Arithmetic: rank as zero depth</i>
<i>Navier-Stokes [4]</i>	<i>Analysis: vorticity non-concentration</i>
<i>Langlands [5]</i>	<i>Symmetry: automorphic = Galois</i>
<i>Weil [6]</i>	<i>Function fields: Frobenius purity</i>
<i>Motives [7]</i>	<i>Universal: all cohomologies as one</i>
<i>Tate [8]</i>	<i>Arithmetic Hodge: Galois-fixed classes</i>
<i>Connes [9]</i>	<i>Spectral: zeros as absorption</i>
<i>Iwasawa [10]</i>	<i>p-adic: characteristic ideal = L-function</i>
<i>Bloch–Kato [11]</i>	<i>Universal L-values: Tamagawa numbers</i>
<i>Perfectoid [12]</i>	<i>Local Frobenius: tilting equivalence</i>
<i>Anabelian [13]</i>	<i>Non-abelian: sections = rational points</i>
<i>Hard [14]</i>	<i>Template: bound step is always non-perturbative</i>
<i>Synthesis [15]</i>	<i>The Wall: one obstruction, many faces</i>
<i>Grammar [16]</i>	<i>Language: mathematics as cohomological grammar</i>
<i>Design [17]</i>	<i>Form: co-harmonic, logical, parsimonious, ensouled</i>
<i>Condensed [18]</i>	<i>Foundation: algebra $\cup$ analysis</i>
<i>Zeros [19]</i>	<i>Depth: every problem is a zero</i>
<i>Shimura [20]</i>	<i>Geometry: the source of all L-functions</i>
<i>Trace [21]</i>	<i>Music: spectral = geometric</i>
<i>Deformation [22]</i>	<i>Bending: representations and their limits</i>
<i>Homology [23]</i>	<i>Closure: what closes, and the fulcrum</i>

4 The Wall and the Well

Definition 6 (The Arithmetic Wall). The Arithmetic Wall [15] is the single obstruction shared by all remaining open problems: the absence of a global Frobenius for $\text{Spec } \mathbb{Z}$.

Over $\mathbb{F}_q$: Frobenius exists. It is a canonical operator with known eigenvalues. The Wall does not exist.

Over $\mathbb{Q}$: Frobenius does not exist. Every open problem is a question whose answer requires the missing operator. The Wall is made of forbidden zeros — zeros that are not absent, not missing, not waiting. Simply: not there.

Definition 7 (The Arithmetic Well). The same structure, viewed differently: the Wall is a Well.

The open problems are not blocked. They are deep. The zero at $s = 1$ for BSD is not a barrier — it is where the rank lives. The zeros of $\zeta(s)$ on $\text{Re}(s) = 1/2$ are not forbidden — they are the ground of the arithmetic. The Galois representation that cannot be made automorphic is not failing — it is pressing toward the correspondence it cannot yet reach.

The Well is the Arithmetic Wall without the fear.

5 Design

Principle 8 (Mathematics as design [17]). A piece of mathematics has complete design when:

1. it resonates with adjacent structures (co-harmonic),
2. it could not have been otherwise (logical),
3. it uses nothing extra (parsimonious),
4. it has a reason, not just a procedure (ensouled),
5. its form disappears into its content (de-sign).

The body of this work is an attempt at design. Each paper is an attempt to find the form in which a theorem stops being a theorem and becomes transparent. The open problems are the places where the design is not yet complete.

6 The Still Lever

Definition 9 (Time in mathematics). Time, in mathematics, is a still lever.

A lever moves things. A still lever is already at equilibrium — both sides balanced, nothing to move. The theorem was already true before the proof. The proof does not make it true; it reveals that it was always forced. Euler’s identity was true before Euler. The zeros of $\zeta(s)$ are on the critical line or they are not — that fact is fixed. Time does not touch it.

The open problems are not becoming true or false. They are already 0 or 1. We are moving toward a fulcrum that is still.

Remark 10 (The direction). Mathematics is not the approach toward something that will be true. It is the approach toward something that is already at rest.

The mathematician does not move the theorem. The mathematician discovers that the theorem was never moving.

The lever was still. The fulcrum was always there. We are learning to stand at it.

7 What Remains

Theorem 11 (The open questions are one question). *The Riemann Hypothesis, BSD (rank ≥ 2), Yang-Mills mass gap, Navier-Stokes regularity, and the Tate conjecture (general case) are each an instance of a single question:*

Where is the fulcrum?

The fulcrum is the point where the two sides balance: cohomology and homology, automorphic and Galois, spectral and geometric, local and global. For closed manifolds: Poincaré duality is the fulcrum. For arithmetic geometry over $\mathbb{Q}$: the fulcrum is missing. Not forbidden. Not absent. The functional zero point of the whole body — the zero that would make everything balance — is simply not yet present.

Mathematics is the approach toward what is already at rest.

Remark 12 (The last word). Mathematics does not have a last word. It has a direction: toward the forced, the clear, the transparent. Toward the place where the proof disappears into the theorem and the theorem disappears into the structure and the structure has nothing left to hide.

This body of papers is not finished. It is a direction.

References

- [1] Rincón, D. (2026). Complex Monotonicity and the Hodge Conjecture.
- [2] Rincón, D. (2026). Yang-Mills Mass Gap via the Gribov Horizon.
- [3] Rincón, D. (2026). BSD via Arithmetic Gan–Gross–Prasad.
- [4] Rincón, D. (2026). Navier-Stokes, Vortex Stretching, and the Dimension Gap.
- [5] Rincón, D. (2026). The Langlands Thread.
- [6] Rincón, D. (2026). The Weil Conjectures as Proof of Concept for RH.
- [7] Rincón, D. (2026). Motives, Standard Conjectures, and the Unification of L -functions.
- [8] Rincón, D. (2026). The Tate Conjecture: Arithmetic Hodge and the Galois Obstacle.
- [9] Rincón, D. (2026). Noncommutative Geometry and the Riemann Hypothesis.
- [10] Rincón, D. (2026). Iwasawa Theory: The p -adic Machine for BSD and Beyond.
- [11] Rincón, D. (2026). The Bloch–Kato Conjecture.
- [12] Rincón, D. (2026). Perfectoid Spaces and the Local Frobenius.
- [13] Rincón, D. (2026). Anabelian Geometry and the Section Conjecture.
- [14] Rincón, D. (2026). The Hard Step.
- [15] Rincón, D. (2026). The Arithmetic Wall.
- [16] Rincón, D. (2026). Mathematics as Cohomological Grammar.
- [17] Rincón, D. (2026). Design.
- [18] Rincón, D. (2026). Condensed Mathematics.
- [19] Rincón, D. (2026). Zeros of L -Functions.
- [20] Rincón, D. (2026). Shimura Varieties.
- [21] Rincón, D. (2026). Automorphic Forms and the Trace Formula.
- [22] Rincón, D. (2026). Galois Deformation Theory and Derived Algebra.
- [23] Rincón, D. (2026). Homology: What Closes, and the Duality with Cohomology.