

JEJE ZHO TH MEN'S SHELTER

Dawson City, YT

Issued For Tender - July 2021

Sheet List:

- Architectural**
A001 - Building Assemblies
A101 - Site Plan & Drainage Plan
A102 - Site Details
A103 - Fence Details
A201 - Main Floor Plan & Second Floor Plan
A210 - Reflected Ceiling Plan
A220 - Furniture Plan
A301 - Building Elevations
A302 - Deck Elevations
A401 - Building Sections
A501 - Interior Details
A601 - Envelope Details
A602 - Envelope Details
A603 - Envelope Details
A720 - Interior Stair Details
A801 - Interior Elevations
A802 - Interior Elevations
A803 - Interior Elevations
A820 - Washroom Details
A851 - Millwork Details
A852 - Millwork Details
A853 - Millwork Details
A854 - Millwork Details
A855 - Millwork Details
A856 - Millwork Details
A901 - Room Finish Schedule & Window Schedule
A902 - Hardware Schedule & Door Schedule

- Structural**
S1.0 - Foundation Plan
S1.1 - Main Floor Framing Plan
S1.2 - Second Floor Framing Plan
S1.3 - Roof Framing Plan
S2.0 - Foundation and Main Floor Framing Sections
S2.1 - Foundation and Main Floor Framing Sections
S3.0 - Framing Sections 2nd Floor
S3.1 - Framing Section - Roof, Roof Truss Loading Diagram, Notes
S4.0 - Exterior Ramp, Stairs, Details
S4.1 - Exterior Deck Plans, Sections, Details
S4.2 - Exterior Deck Steel Framing Elevations
S4.3 - Wood Panel Shear Walls and Diaphragms
S5.0 - Structural Notes and Specifications

- Mechanical**
M100 - Mechanical Site Plan and Symbol Legend
M200 - Mechanical Plumbing Main Floor
M201 - Mechanical Plumbing 2nd Floor
M300 - Mechanical Heating Plans
M400 - Mechanical Ventilation Plans
M500 - Mechanical Fire Protection Plans
M600 - Mechanical Schematics and Details 1
M601 - Mechanical Schematics and Details 2
M602 - Mechanical Room Layouts
M700 - Mechanical Equipment Schedule 1
M701 - Mechanical Equipment Schedule 2

- Electrical**
E100 - Electrical Site Layout & Symbol Legend
E101 - Lighting Layout & Luminaire Schedule
E102 - Power & Telecommunications Layout
E103 - Emergency Lighting & Fire Alarm System Layout
E600 - Single Line Diagram & Power Demand Calculations
E601 - Fire Alarm Riser Diagram & Zone Schedule
E602 - Fire Alarm Riser Diagram & Zone Schedule

Code Analysis:

Project Phase Date Updated March 24, 2021		NBC 2015 Reference	
Line No.	National Building Code of Canada 2015 Assessment		
1	Summary		
2	Project Type:	New Construction	
3	Primary Occupancy Classification:	Group B3 Care	3.1.2.1
4	Other Major Occupancy Classification:	Assisted/Supportive Living Facilities	
5	Other Major Occupancy:		
6	Number of Storeys:	2 Above Grade	3.2.1.1
7	Building Height (m):	8.4	3.2.1.1
8	High Building:	No	3.2.6.1
9	Building Area (m2):	282.9	1.4.1.2
10	Gross Area (m2):	542.9	
11	Number of Streets Facing:	1	3.2.2.10, 3.2.5.4-6
12	Construction Type Proposed:	Combustible	
13	Sprinkler System Proposed:	Entire Building	
14	Occupant Load:	34	
15	Building Classification		
16	Building Classification:	Group B, Division 3, up to 2 Storeys, Sprinklered	3.2.2.45
17	Permitted Construction:	Combustible or Non-Combustible Construction (Singly or Combination)	
18	Maximum Area (m2):	1600	
19	Sprinklers:	Required	3.2.1.5, 3.2.2.15, 3.2.2.18
20	Fire Resistance Ratings		
21	Floors:	45	
22	Loadbearing Walls/Columns:	45	
23	Mezzanines:	45	
24	Roof:		
25	Mezzanines		
26	Area (m2)	NA	3.2.8
27	Spatial Separation		
28	Max. Area of EBF (m2)	Limiting Distance (m)	L/H or H/L
29	Permitted Max. % of Openings	FRR Ext. Wall	Type of Construction
30	Type of Cladding Required	Type of Cladding Required	Listed Design or Description
31	North	150	1.2
32	South	150	2
33	East	100	7
34	West	100	8
35	Component Fire Separations		
36	Exits:	45 minutes	Closures: 45 minutes
37	Service Rooms (fuel fired):	1h	Closures: 45 minutes
38	Service Rooms (non-fuel fired):	NA	Closures: NA
39	Electrical Rooms:	1h	Closures: 45 minutes
40	Janitor Rooms:	NA	Closures: NA
41	Common Laundry Rooms:	NA	Closures: NA
42	Combustible Refuse Storage:	NA	Closures: NA
43	Generator Rooms:	NA	Closures: NA
44	Protection Zones for Disabled Persons:	NA	Closures: NA
45	Vertical Service Spaces:	NA	Closures: NA
46	Horizontal Service Spaces:	NA	Closures: NA
47	Firefighting		
48	Fire Alarm:	Required	3.2.4.1
49	Standpipes:	Not Required	3.2.5.8-11
50	Fire Department Connections:	max 45m from an automatic sprinkler system to a hydrant	3.2.5.15
51	Extinguishers:	Required	3.2.5.16
52	Access to Above-Grade Storeys:	Not Required	3.2.5.1
53	Access to Basements:	NA	3.2.5.2
54	Roof Access:	Not Required	3.2.5.3
55	Access Routes:	Not Required	3.2.5.4-6
56	Occupant Load		
57	Based On:	Area Per Person	3.1.1.7
58	Basement:		
59	1st Floor:	18	176.7
60	2nd Floor:	17	167.8
61	3rd Floor:		10
62	Total Occupant Load:	34	
63	Exit Requirements		
64	Number of Required Exits:	Min. 2	3.4.2.1
65	Distance Between Exits:	45m	3.4.2.3
66	Travel Distance:		3.4.2.4-5
67	Minimum Exit Width (mm):		3.4.3.2.1-8
68	Exit Corridors and Passageways:	625.6 Aggregate	1100 Individual
69	Ramps:	Aggregate	1100 Individual
70	Stairs:	Aggregate	900 Individual
71	Doorways:	Aggregate	850 Individual
72	Plumbing Facilities		
73	Water Closets:	Female	2 Male
74	Urinals:	Female	n/a
75	Lavatories:	Female	1 Male
76	Barrier-Free Access		
77	Required? If no, provide explanation:	Required	3.8.2.1
78	Entrances:	1	3.8.2.2
79	Floor Areas with BF Path of Travel:	Main floor except service room, upper floor	3.8.2.3-4
80	BF Access from Exterior:	Required	3.8.2.5
81	Power Door Operator:	Not Required	3.8.2.7
82	Signage:	Required	3.8.2.10
83	Interior Finishes		
84	Flame Spread Rating		3.1.13.2, 3.1.13.8
85	Walls and Ceilings:	150	
86	Exits:	25	
87	Lobbies:	25	
88	Corridors:	150	
89	Non-Combustible Construction		
90	Combustible Flooring Elements:	Allowed	3.1.5.10
91	Combustible Interior Finishes:	yes if less than 25mm thick	3.1.5.12
92	Combustible Construction		
93	Insulation:	max. 500 flame spread	3.1.4.1-2, 3.1.5.14-15
94	Heavy Timber Construction:	NA	3.1.4.6-7

ARCHITECT

Taylor Architecture Group
Suite 100 - 2237 Second Avenue
Whitehorse, YT
867-920-2728

STRUCTURAL ENGINEER

Bradley Engineering
23 Aishihik Road
Whitehorse, YT
Y1A 3R6

MECHANICAL ENGINEER

TAG Engineering
Suite 100 - 2237 Second Avenue
Whitehorse, YT
867-920-2728

ELECTRICAL ENGINEER


TAG Engineering
Suite 100 - 2237 Second Avenue
Whitehorse, YT
867-920-2728

CLIENT

Tr'ondek Hwech'in First Nation
P.O Box 599
Dawson City, YT

CLIENT REPRESENTATIVE

Artemis Consulting
P.O Box 21269
Whitehorse, YT



List of Abbreviations

#	NUMBER
&	AND
@	AT
AFF	ABOVE FINISH FLOOR
AHJ	AUTHORITIES HAVING JURISDICTION
ANOD	ANNODIZED
AUM	ALUMINUM
AVB	AIR VAPOUR BARRIER
BF	BARRIER FREE
B.O.	BOTTOM OF
C.L.	CENTRE LINE
CLG	CEILING
CONC	CONCRETE
DIM	DIMENSION
DR	DOOR
DV	DISPLACEMENT VENT
DWG	DRAWING
EA	EACH
ELEC	ELECTRICAL
ELEV	ELEVATION
EQ	EQUAL
EXIST	EXISTING
EXT	EXTERIOR
FE	FIRE EXTINGUISHER
F.O.	FACE OF
FLR	FLOOR
GA	GAUGE
GALV	GALVANIZED
GWB	GYPSPUM WALL BOARD
HC	HOLLOW CORE
HM	HOLLOW METAL
HPDL	HIGH PRESSURE DECORATIVE LAMINATE
HR	HOUR
INSUL	INSULATION OR INSULATED
INT	INTERIOR
MAX	MAXIMUM
MECH	MECHANICAL
MIN	MINIMUM
MTL	METAL
NIC	NOT IN CONTRACT
NO	NUMBER
NRC	NOISE REDUCTION COEFFICIENT
O.C.	ON CENTRE
OFM	OFFICE OF THE FIRE MARSHAL
PLY	PLYWOOD
PT	PRESSURE TREATED
PTD	PAINTED
QTY	QUANTITY
RCP	REFLECTED CEILING PLAN
REQD	REQUIRED
SC	SOLID CORE
SIM	SIMILAR
SPEC	SPECIFICATION
SPF	SPRUCE-PINE-FIR WOOD
SS	STAINLESS STEEL
STC	SOUND TRANSMISSION COEFFICIENT
STL	STEEL
STRUCT	STRUCTURAL
T&G	TONGUE AND GROOVE
T.O.	TOP OF
TOC	TOP OF CONCRETE
TOS	TOP OF STEEL
TYP	TYPICAL
U/S	UNDERSIDE
UNO	UNLESS NOTED OTHERWISE
W/V	WITH



COMMUNITY PLAN & PARCEL INFORMATION

ADDRESS: 1217 2nd Ave
LOT: 19
BLOCK: D, Ladue
ZONING: Core Commercial

NOT FOR CONSTRUCTION

COPYRIGHT AND USE OF

COPYRIGHT FOR THE ARCHITECT'S INSTRUMENTS OF SERVICE OF SERVICE SHALL REMAIN THE PROPERTY OF THE ARCHITECT. EXECUTED OR NOT, AND WHETHER OR NOT THE ARCHITECT'S CLIENT IS PROHIBITED.

SUBMISSIONS OR DISTRIBUTION OF THE ARCHITECT'S INSTRUMENTS OF SERVICE FOR INFORMATION / OCCUPANCY OF THE PROJECT. COPIES MAY ONLY BE USED FOR THE SAME SITE, AND FOR THE SAME PROJECT, BY THIS CLIENT ON WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ARCHITECT