

LODI UNIFIED SCHOOL DISTRICT


MILLSWOOD MIDDLE SCHOOL

PORTABLES RELOCATION

DSA APP NO. 02-121945

FILE NO. 39-50
PROJECT TRACKING NO. 68585-261

SYMBOLS



APPLICABLE CODES AND STANDARDS

PARTIAL LIST OF APPLICABLE CODES AS OF JANUARY 1, 2023
ALL PARTS OF THE TITLE 24 CODE SHOWN BELOW HAVE AN EFFECTIVE DATE OF **JANUARY 1, 2023**.
EXCEPT:
* CALIFORNIA ADMINISTRATIVE CODE - EFFECTIVE **MARCH 5, 2022**

CALIFORNIA ADMINISTRATIVE CODE (CAC) - CCR, TITLE 24, PART 1
CALIFORNIA BUILDING CODE (CBC) - CCR, TITLE 24, PART 2
(2021 INTERNATIONAL BUILDING CODE, VOL. 1 & 2, AND 2022 CALIFORNIA AMENDMENTS)
CALIFORNIA ELECTRICAL CODE (CEC) - CCR, TITLE 24, PART 3
(2020 NATIONAL ELECTRICAL CODE AND 2022 CALIFORNIA AMENDMENTS)
CALIFORNIA MECHANICAL CODE (CMC) - CCR, TITLE 24, PART 4
(2021 IAPMO UNIFORM MECHANICAL CODE AND 2022 CALIFORNIA AMENDMENTS)
CALIFORNIA PLUMBING CODE (CPC) - CCR, TITLE 24, PART 5
(2021 IAPMO UNIFORM PLUMBING CODE AND 2022 CALIFORNIA AMENDMENTS)
CALIFORNIA ENERGY CODE (CEC) - CCR, TITLE 24, PART 6
CALIFORNIA FIRE CODE (CFC) - CCR, TITLE 24, PART 9
(2021 INTERNATIONAL FIRE CODE AND 2022 CALIFORNIA AMENDMENTS)
CALIFORNIA EXISTING BUILDING CODE (CEBC) - CCR, TITLE 24, PART 10
CALIFORNIA GREEN BUILDING STANDARDS CODE (CALGREEN) - CCR, TITLE 24, PART 11
CALIFORNIA REFERENCED STANDARDS CODE - CCR, TITLE 24, PART 12
(PUBLIC SAFETY, STATE FIRE MARSHAL REGULATIONS)
ASME A17.1/CSA B44-13 SAFETY CODE FOR ELEVATORS AND ESCALATORS PER 2022 CBC
PART 2 CH 35 - CALIFORNIA ELEVATOR UNIT ENFORCES CCR TITLE 8 AND USES THE 2004
ASME A17.1 BY ADIPTION

PARTIAL LIST OF APPLICABLE STANDARDS AS OF JANUARY 1, 2023

FOR A COMPLETE LIST OF APPLICABLE NFPA STANDARDS REFER TO 2022 CBC (SFM) CHAPTER 35 AND CALIFORNIA FIRE CODE CHAPTER 80. SEE CALIFORNIA BUILDING CODE CHAPTER 35 FOR STATE OF CALIFORNIA AMENDMENTS TO THE NFPA STANDARDS.

NFPA 10-21 - STANDARD FOR PORTABLE FIRE EXTINGUISHERS
NFPA 12-15 - STANDARD ON CARBON DIOXIDE EXTINGUISHING SYSTEMS
NFPA 12A-18 - STANDARD ON HALON 1301 FIRE EXTINGUISHING SYSTEMS
NFPA 13-22 - STANDARD FOR THE INSTALLATION OF SPRINKLER SYSTEMS (AS AMENDED)
NFPA 14-19 - STANDARD FOR THE INSTALLATION OF STANDPIPE AND HOSE SYSTEMS
NFPA 17-21 - STANDARD FOR DRY CHEMICAL EXTINGUISHING SYSTEMS
NFPA 17A-21 - STANDARD FOR WET CHEMICAL EXTINGUISHING SYSTEMS
NFPA 20-19 - STANDARD FOR THE INSTALLATION OF STATIONARY PUMPS FOR FIRE PROTECTION
NFPA 24-19 - STANDARD FOR THE INSTALLATION OF PRIVATE FIRE SERVICE MAINS AND THEIR APPURTENANCES (AS AMENDED)
NFPA 72-22 - NATIONAL FIRE ALARM AND SIGNALING CODE (AS AMENDED)
NFPA 800-19 - STANDARD FOR FIRE DOORS AND OTHER OPENING PROTECTIVES
ICC 300-17 - STANDARD FOR BLEACHERS, FOLDING AND TELESCOPIC SEATING, AND GRANDSTANDS
UL 300-2005(R2010) - STANDARD FOR FIRE TESTING OF FIRE EXTINGUISHING SYSTEMS FOR PROTECTION OF COMMERCIAL COOKING EQUIPMENT
UL 464-03 - AUDIBLE SIGNALING DEVICES FOR FIRE ALARM AND SIGNALING SYSTEMS, INCLUDING ACCESSORIES

GENERAL PROJECT NOTES - K12

- ALL WORK SHALL CONFORM TO 2022 TITLE 24 CALIFORNIA CODE OF REGULATIONS (CCR).
- THE PROJECT MANUAL AND SPECIFICATIONS IN CONJUNCTION WITH THESE DRAWINGS AND REFERENCES SHALL FORM A PART OF THE CONTRACT AND SHALL BE REFERRED TO AS THE "DOCUMENTS". THE DOCUMENTS DEFINE THE WORK TO BE PERFORMED AS AGREED TO IN THE CONTRACT.
- CHANGES TO APPROVED DRAWINGS AND SPECIFICATIONS SHALL BE MADE BY AN ADDENDUM OR A CONSTRUCTION CHANGE DOCUMENT (CCD) APPROVED BY THE DIVISION OF THE STATE ARCHITECT AS REQUIRED BY SECTION 4-338, PART 1, T24 CCR.
- A DSA CERTIFIED **INSPECTOR CLASS 3** SHALL BE EMPLOYED BY THE DISTRICT AND SHALL PROVIDE CONTINUOUS INSPECTION OF THE WORK. THE DUTIES OF THE INSPECTION ARE DEFINED IN SECTION 4-342, PART 1, T24 CCR.
- APPARENT DISCREPANCIES ON DRAWINGS AND/OR SPECIFICATIONS SHALL BE REPORTED TO THE ARCHITECT BEFORE PROCEEDING WITH THE WORK.
- ANY DIFFERENCE BETWEEN THE EXISTING CONSTRUCTION AS OBSERVED IN THE FIELD AND AS SHOWN ON THE DRAWING SHALL BE REPORTED TO THE ARCHITECT BEFORE PROCEEDING WITH THE WORK.
- THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR TO STARTING WORK. THE ARCHITECT SHALL BE NOTIFIED OF ANY DISCREPANCIES OR INCONSISTENCIES. THE CONTRACTOR IS RESPONSIBLE FOR CHECKING AND COORDINATING DIMENSIONS.
- IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO ENSURE THAT ALL APPLICABLE SAFETY LAWS ARE STRICTLY ENFORCED AND TO MAINTAIN A SAFE CONSTRUCTION PROJECT.
- IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO PROVIDE SUPERVISION OF THE CONSTRUCTION WORK TO ENSURE THAT IT IS BUILT IN CONFORMANCE WITH THE APPROVED PLANS AND SPECIFICATIONS. THE ARCHITECT WILL PROVIDE ONLY PERIODIC OBSERVATION OF THE WORK. SEE NOTE 4 FOR DSA INSPECTION REQUIREMENTS.
- ANY DAMAGE DONE TO THE EXISTING CONSTRUCTION DURING THE COURSE OF THIS WORK SHALL BE REPLACED BY THE CONTRACTOR AT THE CONTRACTOR'S EXPENSE WITH NO ADDITIONAL COST TO THE OWNER.
- GRADING PLANS, DRAINAGE IMPROVEMENTS, ROAD & ACCESS REQUIREMENTS AND ENVIRONMENTAL HEALTH CONSIDERATIONS SHALL COMPLY WITH ALL LOCAL ORDINANCES.
- THE SEISMIC ANCHORAGE OF MECHANICAL AND ELECTRICAL EQUIPMENT SHALL CONFORM TO CCR TITLE 24, 2022 CBC SECTION 1616A.1.18 AND ASCE 7-16 SECTION 13.6 ANCHORAGE DETAILS FOR ROOF/FLOOR MOUNTED EQUIPMENT SHALL BE SHOWN ON PLANS.
- CUTTING, BORING, SAW CUTTING OR DRILLING THROUGH THE NEW OR EXISTING STRUCTURAL ELEMENTS TO BE DONE ONLY WHEN SO DETAILED IN THE DRAWINGS OR ACCEPTED BY THE ARCHITECT AND THE STRUCTURAL ENGINEER WITH THE APPROVAL OF DSA REPRESENTATIVE. ALL WELDING SHALL BE SPECIALLY INSPECTED BY AN AWS-CWI QUALIFIED INSPECTOR APPROVED BY DSA. ALL BRACING OF DUCTS AND PIPING SHALL BE INSTALLED AS APPROVED BY DSA. WHERE BRAT AND DETAILS ARE NOT SHOWN ON THE DRAWINGS, THE FIELD INSTALLATION SHALL BE SUBJECT TO THE APPROVAL OF THE ARCHITECT, MECHANICAL ENGINEER AND FIELD ENGINEER. A COPY OF THE DRAWINGS APPROVED BY DSA SHALL BE PROVIDED BY THE CONTRACTOR AND KEPT ON THE JOB AT ALL TIMES.
- THE INTENT OF THESE DRAWINGS AND SPECIFICATIONS IS THAT THE WORK OF THE ALTERATION, REHABILITATION OR RECONSTRUCTION IS TO BE IN ACCORDANCE WITH TITLE 24, CALIFORNIA CODE OF REGULATIONS. SHOULD ANY EXISTING CONDITIONS SUCH AS DETERIORATION OR NON-COMPLYING CONSTRUCTION BE DISCOVERED WHICH IS NOT COVERED BY THE CONTRACT DOCUMENTS WHEREIN THE FINISHED WORK WILL NOT COMPLY WITH TITLE 24, CALIFORNIA CODE OF REGULATIONS, A CONSTRUCTION CHANGE DOCUMENT, OR A SEPARATE SET OF PLANS AND SPECIFICATIONS, DETAILING AND SPECIFYING THE REQUIRED WORK SHALL BE SUBMITTED TO AND APPROVED BY THE DIVISION OF THE STATE ARCHITECT BEFORE PROCEEDING WITH THE WORK.

15. A DSA ACCEPTED TESTING LABORATORY DIRECTLY EMPLOYED BY THE SCHOOL DISTRICT (OWNER) SHALL CONDUCT ALL THE REQUIRED TESTS AND INSPECTIONS FOR THE PROJECT.
16. IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COMPLY WITH CFC CHAPTER 33 - FIRE SAFETY DURING CONSTRUCTION AND DEMOLITION.
17. DO NOT SCALE DRAWINGS. DIMENSIONS SHOWN SHALL TAKE PRECEDENCE OVER DRAWING SCALE. WHENEVER DSA FINDS ANY CONSTRUCTION WORK IS BEING PERFORMED IN A MANNER CONTRARY TO THE PROVISIONS OF THE CALIFORNIA BUILDING CODE AND THAT WOULD COMPROMISE THE STRUCTURAL INTEGRITY OF THE BUILDING, THE DEPARTMENT OF GENERAL SERVICES, STATE OF CALIFORNIA, IS AUTHORIZED TO ISSUE A STOP WORK ORDER PER SECTION 4-334.1 CALIFORNIA ADMINISTRATIVE CODE (PART 1, TITLE 24, CCR).
18. TITLE 24 PARTS 1-5 AND 9 MUST BE KEPT ON SITE DURING CONSTRUCTION
19. ALL STRUCTURAL, ARCHITECTURAL, MECHANICAL, ELECTRICAL, AND PLUMBING MATERIALS INSTALLATION TO COMPLY WITH APPLICABLE CODES, STANDARDS, AND MANUFACTURER'S RECOMMENDATIONS.
20. PROJECT INSPECTION (PI) SHALL WITNESS AND VERIFY GROUNDING.
21. **DETERIORATION OR EXISTING NON-COMPLIANT CONSTRUCTION:** IF ANY CONDITION IS DISCOVERED WHICH, IF LEFT UNCORRECTED, WOULD MAKE THE BUILDING NON-COMPLIANT WITH THE REQUIREMENTS OF THE EDITION OF CBC IN FORCE AT THE TIME OF ORIGINAL CONSTRUCTION, THE CONDITION MUST BE CORRECTED IN ACCORDANCE WITH CURRENT CODE REQUIREMENTS. A CONSTRUCTION CHANGE DOCUMENT (CCD-TYPE A), OR A SEPARATE SET OF PLANS AND SPECIFICATIONS DETAILING AND SPECIFYING THE REQUIRED REPAIR WORK SHALL BE SUBMITTED TO AND APPROVED BY DSA BEFORE PROCEEDING WITH THE REPAIR WORK.

22. NEW BUILDINGS SHALL BE PROVIDED WITH EMERGENCY RESPONDER RADIO COVERAGE IN ACCORDANCE WITH CALIFORNIA FIRE CODE SECTION 510. THE PROJECT ARCHITECT (AOR) SHALL CONTACT THE LOCAL FIRE DEPARTMENT AND/OR EMERGENCY COMMUNICATIONS AUTHORITY TO OBTAIN DESIGN, EQUIPMENT SPECIFICATIONS, TESTING AND ACCEPTANCE CRITERIA, PLANS AND REQUESTED DOCUMENTATION SHALL BE SUBMITTED TO THE LOCAL AUTHORITY HAVING JURISDICTION FOR REVIEW AND APPROVAL. UPON COMPLETION, COPIES OF THE APPROVED PLANS, EQUIPMENT DATE SHEETS, TESTING AND ACCEPTANCE DOCUMENTATION SHALL BE PROVIDED TO THE SCHOOL DISTRICT.

PROJECT DESCRIPTION

- RELOCATION OF (2) 24'X40' PORTABLE BUILDINGS ON WOOD FOUNDATIONS:
AMS PC RELOCATABLE BUILDING, DSA #88145, SERIAL #97-R286-017A, 97-R286-017B, AND MODTECH PC RELOCATABLE BUILDING, DSA #02-106169, SERIAL #5208-01207
- REMOVAL, PROTECTION AND TRANSPORTATION OF PORTABLE BUILDINGS FROM M&O YARD LOCATED AT 880 N. GUILD AVE., LODI, CA 95240 TO THE MILLSWOOD CAMPUS
- ASSOCIATED SITE WORK CORRESPONDING TO PORTABLE RELOCATION INCLUDING BUT NOT LIMITED TO NEWSPATCH CONCRETE, NEWSPATCH AC PAVING, ELECTRICAL AND FIRE ALARM CONNECTIONS TO EXISTING SITE.

DEFERRED APPROVALS



NONE

ABBREVIATIONS

@	AT	ID	INSIDE DIAMETER
C	CENTER LINE	INSUL	INSULATION OR INSULATED
P	PENNY	INV	INVERT
OF	ROUND	LAV	LAVATORY
4	PERPENDICULAR	MATL	MATERIAL
AB	ANCHOR BOLT	MAX	MAXIMUM
AC	ASPHALTIC CONCRETE	MB	MACHINE BOLT
ACT	ACOUSTICAL CEILING TILE	MECH	MECHANICAL
AFF	ABOVE FINISH FLOOR	MFR	MANUFACTURE OR MANUFACTURER
ALT	ALTERNATE	MH	MAN HOLE
ALUM	ALUMINUM	MIN	MINIMUM
AND APPROX	AND/OR APPROXIMATE	MISC	MISCELLANEOUS
ARCH	ARCHITECT OR ARCHITECTURAL	MO	MASONRY OPENING
BD	BOARD	N	NORTH
BLD	BUILDING	NEW	NEW
BLD(G)	BLOCKING	NIC	NOT IN CONTRACT
BOB	BOTTOM OF BEAM	NO. OR #	NUMBER
BM	BEAM	NTS	NOT TO SCALE
CB	CATCH BASIN	OC	ON CENTER
CJ	CAST IRON	OD	OUTSIDE DIAMETER
CL	CONSTRUCTION JOINT	OPNG	OPENING
CLG	CEILING	PL	PLATE OR PROPERTY LINE
CLR	CLEAR	PLAM	PLASTIC LAMINATE
CMU	CONCRETE MASONRY UNIT	PLAS	PLASTER (NUMBER - SEE SPECS)
CO	CLEAN OUT	PLYWD	PLYWOOD
COL	COLUMN	PNT	PAINT NUMBER - (SEE SPECS)
CONC	CONCRETE	PTUF	PRESSURE TREATED DOUGLAS FUR
CONC CONT	CONTINUOUS CONCRETE	QT	QUARRY TILE
CSK	COUNTERSINK	RD	ROOF DRAIN
CW	COLD WATER	REF	REFRIGERATOR
CH	CHANNEL	REINF	REINFORCE OR REINFORCING
DBL	DOUBLE	RH	ROUND HEAD
DEPT	DEPARTMENT	RM	ROOM
DEPT	DETAIL	RWD	ROUGH OPENING
DF	DRINKING FOUNTAIN	S	SOUTH
DIA	DIAMETER	SCH	SCHEDULE
DIAG	DIAGONAL	SCH	SCHEDULE
DN	DOWN	SD	STORM DRAIN
DS	DOWNSPOUT	SHR	SHOWER
DWG	DRAWING	SHT	SHEET
E	EAST	SHTHG	SHEATHING
(E)	EXISTING	SIM	SIMILAR
EB	EXPANSION BOLT	SMACNA SPEC	THE ARCH SHEET METAL MANUAL SPEC
EJ	EXPANSION JOINT	SQ	SQUARE
ELEV	ELEVATION	SSTL	STAINLESS STEEL
ELEC	ELECTRIC(IAL)	STD	STANDARD
EP	EDGE OF PAVING	STL	STEEL
EQ	EQUAL	SUSP	SUSPENDED
EQUIP	EQUIPMENT	SYM	SYMMETRICAL
FD	FLOOR DRAIN	TOB	TOP OF BEAM
FE(C)	FIRE EXTINGUISHER (S) (CABINET)	TCC	TOP OF CURB OR TOP OF CONCRETE
FF	FINISHED FLOOR	TCB	TOP OF CATCH BASIN
FG	FINISHED GRADE	TEL	TELEPHONE
FH	FLAT HEAD OR FIRE HYDRANT	TEMP	TEMPERATURE OR TEMPERED
FN	FINISH	T&G	TONGUE & GROOVE
FL	FLOW LINE	TP	TOP OF PAVING
FLG	FLASHING	TS	STRUCTURAL TUBING
FLR	FLOOR	TV	TELEVISION
FOC	FACE OF CONCRETE	TOW	TOP OF WALL
FOF	FACE OF FINISH	TYP	TYPICAL (ITEMS TYPICAL UNLESS SHOWN OR NOTED OTHERWISE)
FOM	FACE OF MASONRY	UON	UNLESS OTHERWISE NOTED
FS	FACE OF STUD	VCT	VINYL COMPOSITION TILE
FRP	FIBERGLASS REINFORCED PANEL	VERT	VERTICAL
FT	FOOT OR FEET	VDF	VERTICAL GRAIN DOUGLAS FIR
FTG	FOOTING	VTR	VENT THRU ROOF
GA	GAUGE	W	WEST
GALV	GALVANIZED	WC	WATER CLOSET
GB	GRAB BAR, GRADE BREAK	W.C.	WHEELCHAIR ACCESSIBLE
GL	GLASS	WD	WOOD
GLB	GLUE LAMINATED BEAM	WF	WIDE FLANGE
GYP	GYPNUM	WH	WATER HEATER
GWB	GYPNUM WALL BOARD	WP	WATERPROOF
HB	HOSE BIBB	WS	WOOD SCREW
HDR	HEADER	WSCOT	WAINSCOT
HGT	HEIGHT	WWF	WELDED WIRE FABRIC
HORIZ	HORIZONTAL	W	WITH
HTR	HEATER	W/O	WITHOUT
HVAC	HEATING/VENTILATING/AIR CONDITIONING		

SHEET INDEX

SHEET #	SHEET NAME	REV #	DATE
1.	OVERALL GENERAL INFORMATION		
G-001	TITLE SHEET		
G-002	FIRE AUTHORITY SITE PLAN		
GENERAL SHEETS TOTAL: 2			
2.	CIVIL ENGINEERING		
C-0.0	GENERAL NOTES AND ABBREVIATIONS		
C-0.1	TOPOGRAPHIC SURVEY		
C-1.1	DEMOLITION PLAN		
C-2.1	GRADING, PAVING, AND DRAINAGE PLAN		
CIVIL SHEETS TOTAL: 4			
3.	ARCHITECTURAL DRAWINGS		
A-101	OVERALL SITE PLAN		
A-102	ENLARGED SITE PLAN AND CODE ANALYSIS		
A-301	EXTERIOR ELEVATIONS		
ARCHITECTURAL SHEETS TOTAL: 3			
4.	ELECTRICAL ENGINEERING		
E0.1	SYMBOLS & SHEET INDEX		
E0.2	POWER ONE-LINE DIAGRAM, RISERS & SCHEDULES		
E1.1	OVERALL ELECTRICAL SITE PLAN		
E2.1	POWER AND SIGNAL PLAN		
E3.1	FIRE ALARM DETAILS, SCHEDULES & NOTES		
E3.2	FIRE ALARM RISER DIAGRAM & CALCULATIONS		
E4.1	ELECTRICAL DETAILS		
ELECTRICAL SHEETS TOTAL: 7			
5.	PC RELOCATABLE BUILDING AMS #88145 DRAWINGS - FOR REFERENCE ONLY		
TS-1.1	TITLE AND BUILDING DATA NOTES		
N-1	GENERAL NOTES		
1	FLOOR PLAN AND NOTES		
2	EXTERIOR ELEVATIONS		
3	CEILING GRID, DETAILS, AND NOTES		
S1	FOUNDATION PLAN WOOD, DETAILS & NOTES 50#		
S2	FLOOR FRAMING PLAN & BUILDING SECTIONS		
S2B	BUILDING SECTIONS AND WALL DETAILS		
S3	ROOF FRAMING PLAN & DETAILS		
S4	FRAMING ELEVATIONS & DETAILS		
SSR.1	RAMP PLAN, ELEVATION & DETAILS		
M1	MECHANICAL PLAN, DETAILS & NOTES		
E1	ELECTRICAL PLAN, DETAILS & NOTES		
PC RELOCATABLE BUILDING AMS #88145 DRAWINGS SHEETS TOTAL: 13			
6.	PC RELOCATABLE BUILDING MODTECH #02-106169 DRAWINGS - FOR REFERENCE ONLY		
A.0	TITLE SHEET		
A1.0	FLOOR PLAN 24'X40'		
A2.0	ROOF PLAN (DUAL PITCH) 24'X40'		
A3.0	EXTERIOR ELEVATIONS (DUAL PITCH) 24'X40' W/O FASCIA		
A4.0	INTERIOR ELEVATIONS - (NOTE: SHEET TITLE DIFFERS FROM PC TITLE SHEET)		
A5.0	SCHEDULE SHEET - (NOTE: SHEET TITLE DIFFERS FROM PC TITLE SHEET)		
A6.0	ARCHITECTURAL DETAILS (WOOD STUDS)		
A6.1	ARCHITECTURAL DETAILS (WOOD STUDS)		
A6.0M	ARCHITECTURAL DETAILS (METAL STUDS)		
A6.1M	ARCHITECTURAL DETAILS (METAL STUDS)		
A7.01	REFLECTED CEILING PLAN (24'X40') (10 LIGHTS)		
A7.1	REFLECTED CEILING DETAILS		
A8.01	SPECIFICATIONS		
A8.1	SPECIFICATIONS		
F1.0	FOUNDATION PLAN (24'X40') 50 PSF LL (WOOD)		
F2.01	FOUNDATION DETAILS (WOOD)		
S1.0	FLOOR FRAMING PLAN 50 PSF LL		
S1.2	STRUCTURAL DETAILS - (NOTE: SHEET TITLE DIFFERS FROM PC TITLE SHEET)		
S2.01	FLOOR FRAMING PLAN		
S2.1	STRUCTURAL DETAILS - (NOTE: SHEET TITLE DIFFERS FROM PC TITLE SHEET)		
S3.0	STRUCTURAL ELEVATIONS & DETAILS (DUAL PITCH)		
S4.0	WALL FRAMING (WOOD)		
S4.0M	WALL FRAMING (METAL)		
S5.0	WALL FRAMING DETAILS (WOOD)		
S5.1	WALL FRAMING DETAILS (WOOD)		
S5.0M	WALL FRAMING DETAILS (METAL)		
S5.1M	WALL FRAMING DETAILS (METAL)		
E1.01	MECHANICAL (HVAC) PLAN 24'X40' - 5 TON		
E1.01	ELECTRICAL PLAN 24'X40'		
R1.01	RAMP/LANDING PLAN W/ 12' RAMP		
R1.02	RAMP/STAIRS DETAILS		
PC RELOCATABLE BUILDING MODTECH #02-106169 DRAWINGS SHEETS TOTAL: 31			
7.	PC 04-122029 ACCESSIBLE RAMP LANDING STAIR PC		
R-1	COVER SHEET		
R-2	DSA 103 TEST & SPECIAL INSPECTIONS SAMPLE		
R-3	CONSTRUCTION SPECIFICATIONS & NOTES		
R-4	STANDARD RAMP & LANDING (ATTACHED HANDRAIL TO BUILDING)		
R-9	RAMP & LANDING DETAILS		
PC 04-122029 ACCESSIBLE RAMP LANDING STAIR PC SHEETS TOTAL: 5			
OVERALL SHEET TOTAL: 65			



STATEMENT OF GENERAL CONFORMANCE

THE PC DRAWINGS SHEETS LISTED BELOW ON THE SHEET INDEX OF THIS COVER HAVE BEEN PREPARED BY OTHER DESIGN PROFESSIONALS WHO ARE LICENSED AND/OR AUTHORIZED TO PREPARE SUCH DRAWINGS IN THIS STATE. IT HAS BEEN EXAMINED BY ME FOR:

- DESIGN INTENT, AND IT APPEARS TO MEET THE APPROPRIATE REQUIREMENTS OF TITLE 24, CALIFORNIA CODE OF REGULATIONS, AND THE PROJECT SPECIFICATIONS PREPARED BY ME, AND
- COORDINATION WITH MY PLANS AND SPECIFICATIONS, AND IS ACCEPTABLE FOR INCORPORATION INTO THE CONSTRUCTION OF THIS PROJECT.

THE STATEMENT OF GENERAL CONFORMANCE "SHALL NOT BE CONSTRUED AS RELIEVING ME OF MY RIGHTS, DUTIES, AND RESPONSIBILITIES UNDER SECTIONS 17302 AND 81138 OF EDUCATION CODE, AND SECTIONS 4-336, 4-341 AND 4-354 OF TITLE 24, PART 1 (TITLE 24, SECTION 4-317 (B)).

I FIND THAT: ☒ ALL DRAWINGS OR SHEETS LISTED ON THE COVER OR INDEX SHEET
☒ THIS DRAWING OR PAGE
☒ IS/ARE IN GENERAL CONFORMANCE WITH THE PROJECT DESIGN, AND
☒ HAS/HAVE BEEN COORDINATED WITH THE PROJECT PLANS AND SPECIFICATIONS.

SIGNATURE: *Manoj* DATE: *12/12/2023*

AGENCY APPROVAL DSA# 02-121945 39-50

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
APP: 02-121945 INC:
REVIEWED FOR
SS ☒ FLS ☒ ACS ☒
DATE: 12/12/2023

196

ARCHITECTS

1715 R STREET, SUITE 200
SACRAMENTO, CA 95811
TEL (916) 786-8178

CONSULTANTS

CIVIL ENGINEER
Warren Consulting Engineers, Inc
1117 Windfield Way, Suite 110
El Dorado Hills, CA 95762
TEL (916) 985-1870

ELECTRICAL ENGINEER
The Engineering Enterprise
1125 High Street
Auburn, CA 95603
TEL (530) 886-8556

PROFESSIONAL STAMP

LICENSED ARCHITECT
STATE OF CALIFORNIA
No. 38107
EXPIRES 01-31-25

REVISIONS

NO.	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		