

AR102538-CA30900

ISSUE - REVISION LOG[illegible]SEAL

JOHN NAME HOUSING ASSISTANCE PROGRAM -
WOODBURY RESIDENCE
826 N WEST 6TH AVE., OCALA, FL 34475
FOUNDATION PLAN
SHEET NAME

--	--


ANY DISCREPANCY OR
ERROR IN DIMENSIONS OR
NOTES SHALL BE BROUGHT
TO THE ATTENTION OF THE
DESIGN PROFESSIONAL FOR
CLARIFICATION PRIOR TO
COMMENCEMENT OF
CONSTRUCTION.

JOB #: 25-14622

DATE: Issue Date

SHEET NUMBER

S101

[illegible]

FOUNDATIONS SOIL DISCLAIMER NOTE

NOTE:
THESE PLANS ARE SEALED BY THE ENGINEER OF RECORD PRIOR TO RECEIPT OF A QUALIFIED SOILS REPORT FOR THE REFERENCED SUBDIVISION. THE FOUNDATIONS DESIGN SPECIFIED HEREIN IS BASED ON THE ASSUMPTION THAT THE SOILS ON WHICH THE FOUNDATIONS ARE PLACED WILL PROVIDE A MINIMUM 2000psf SOIL BEARING PRESSURE, AND THAT NO UNDERLYING SOILS ISSUES ARE PRESENT. FOUNDATIONS DESIGN WILL BE REVIEWED BY FOREFRONT SUBSEQUENT TO THE RECEIPT OF THE SOILS REPORT, AND IF ANY DESIGN REVISION ARE REQUIRED, THE PLANS WILL BE REVISED AND RESEALED.

FOOTING SCHEDULE				
MARK	LENGTH	WIDTH	THICKNESS	REINFORCING