

SCALE : 1/8"=1'-0"

PLAN NOTES:

- CONFIRM ALL DIMENSIONS W/ARCH DWGS PRIOR TO CONSTRUCTION
- ALL DIMENSIONS ARE TAKEN FROM GRIDS.

SLAB SCHEDULE

FILL. SLAB-ON-GRADE TO BE PREPARED BY THE CONTRACTOR. SEE GEOTECHNICAL REPORT.

5" CONCRETE SLAB ON GRADE ON COMPACTED GRANULAR FILL.


(SIDEWALK SLABS - SEE ARCH FOR ALL DIMENSIONS, EXTENTS AND LOCATIONS)

10M @ 12" O.C. E.W. @ CENTER OF SLAB.
(DRIVE THRU SLABS - SEE ARCH FOR ALL DIMENSIONS,
EXTENTS AND LOCATIONS)

NOTE:

CAST-IN-PLACE BELLED PILE SCHEDULE

PILE DETAILS



NOTES:

1. UNDER '681' @ ELEVATION = 96'-0" (TYP UNO)
2. UNDER 'Pc1' @ ELEVATION = 97'-0" (TYP UNO)
3. 2.00M/6'-6" LONG TO MATCH PIPE LENGTH
4. 2.00M/6'-6" LONG DOWN INTO GRADE BEAMS 18" (MIN) DEEP
5. ALL TO BE CENTRED UNDER GRADE BEAMS (TYP UNO)
6. ALL PIPES HAVING BEEN DESIGNED AS END BEHAVIOURING BEARS
7. PIPES RANGING FROM 6.5m TO 7.5m BELOW EXISTING GRADE
8. ALL PIPES TO BE INSTALLED WITH 10% FALL TO THE DOWN-DRAINAGE
9. TECHNICAL REPORT THIRD PARTY GEOTECHNICAL ENGINEER
10. TECHNICAL REPORT TO ENSURE ALL PIPES ARE INSTALLED WITH DESIGN
11. AND WITHIN THE GEOTECHNICAL REPORT.