

PROFESSIONAL SEAL

Not for permits, pricing or other official purposes. This document has not been completed or checked and is for general information or comment only.

21-12-000

D GRIFFIN ROAD SOUTH, BLOOMFIELD,
T 06002

SHEET NAME

SHEET NUMBER | REVISION

S-202



FLOOR FRAMING PLAN SYMBOL LEGEND

	INDICATES DIRECTION OF SPAN OF COMPOSITE CONCRETE FLOOR SLAB. STRUCTURAL SLAB TO BE 3 1/4" LIGHT WEIGHT CONCRETE OVER 2" 20 GAGE COMPOSITE METAL DECK (TOTAL THICKNESS = 5 1/4") REINFORCED WITH 6# W2.5W2.9 WWF.
	INDICATES DIRECTION OF SPAN OF X" DEEP, X GAGE, WIDE RIB, GALVANIZED METAL ROOF DECK. SEE SPECIFICATIONS.
	INDICATES DIRECTION OF SPAN OF X" DEEP, X GAGE, RIB, GALVANIZED, ACOUSTICAL METAL ROOF DECK. SEE SPECIFICATIONS.
	INDICATES DIRECTION OF SPAN OF WIDE RIB, GALVANIZED, METAL ROOF DECK. SEE SPECIFICATIONS.
	INDICATES COORDINATE FINAL DIMENSIONS WITH ARCHITECTURAL DRAWINGS. EQUIPMENT SUPPLIER, AND EQUIPMENT CONTRACTOR.
	INDICATES MOMENT CONNECTION TO DEVELOP FULL BENDING AND SHEAR CAPACITY OF BEAM OR GIRDER, UNLESS OTHERWISE NOTED.
	INDICATES FULL DEPTH FITTED STIFFENER CONNECTION. SEE "X55X".
	INDICATES CONCRETE HOUSEKEEPING SLAB, COORDINATE QUANTITY, SIZE, AND LOCATION WITH MEP DRAWINGS. SEE "X53X".
	