Landing Page URL
https://deivoxbcp.com/

54%

70%
Good Signal

30%
Need Improvement

19%
Issue Found

Put the important stuff above the fold



SEO Content Readability Results

Find out this page's SEO readability score & content readability score with the below visual indicators. Also, Green color indicates good, Neon Yellow Green color indicates that content needs improvement, and Red indicates a low readability score.

74.25	182	716
Content Readability Score	Sentences	words

Flesch Kincaid Reading Ease (Assess the reading ease of a text)

206.835 - 1.015 x (words/sentences) - 84.6 x (syllables/words)

74.25

Hard to Read — Easy to Read

Landing Page URL
https://deivoxbcp.com/

54%

Flesch Kincaid Grade Level (Assess the reading grade-level of a text)

`0.39 x (words/sentences) + 11.8 x (syllables/words) - 15.59`

3.9

Hard to Read — Easy to Read

Gunning Fog Score (Assess the complex sentence of a text)

`0.4 x ( (words/sentences) + 100 x (complexWords/words) )`

10.62

Hard to Read — Easy to Read

SMOG Index (Grade content based on reading experience)

`1.0430 x sqrt( 30 x complexWords/sentences ) + 3.1291`

8.5

Hard to Read — Easy to Read

Coleman Liau Index (Assess the usability of a text)

`5.89 x (characters/words) - 0.3 x (sentences/words) - 15.8`

15.73

Hard to Read — Easy to Read

Landing Page URL
https://deivoxbcp.com/

54%

Automated Readability Index (Find out the clarity of a text)

5.8

Hard to Read — Easy to Read

Linsear Write Formula (Assess the difficulty of a text)

4.71 x (characters/words) + 0.5 x (words/sentences) - 21.43

1

Hard to Read — Easy to Read

Text Statistics

162	22.63%	3.93	1.52
Total Number of Complex Words	Percentage of Complex Words	Average words per sentence	Average syllables per word

HTTP Request & Content Breakdown

Image Request	(7%)	752KB

Page has higher image requests. It's over 400 KB

Total image requests size should not be more than 300 KB

Landing Page URL
https://deivoxbcp.com/

54%

JavaScript Request	(2%)	153KB

- Total JavaScript requests size is 153.4 KB
- Total JavaScript requests size should not be more than 150 KB

HTML Requests	(0%)	0KB

- Total HTML requests size is good

CSS Request	(0%)	0KB

- Total CSS requests size is good

Other Requests	(91%)	9135KB

- Page has higher other requests. It's over 100 KB
- Total other requests size should not be more than 50 KB

On-Page SEO Statistics

Name
'HTML Compression/GZIP' method is not used on the page
There is no frameset tag on the page HTML element
This page does not have a 'noindex' meta tag
This page has a Canonical URL
There is no Disallow Directive in the robots.txt file
This page does not have a 'nofollow' meta tag

Landing Page URL
https://deivoxbcp.com/



	Name
✓	The website contains the Robots.txt file
✓	This page has used Favicon
✓	This page does not have Meta Refresh tag
✓	This page does not have nested tables
✓	This page does not have URL redirection issue
✓	This page does not have deprecated tags
✓	This page does not have any error request
✓	Inline-style is not present on the page HTML element
!	This page has less than 2000 words of content
✗	This page has less than 10000 characters of content

Mobile usability

	Name
✓	This page is using CSS media queries techniques
✓	This page uses the Meta viewport element

Landing Page URL
https://deivoxbcp.com/

54%

URL

> https://deivoxbcp.com/

- URL length is good
- Underscore not found in the URL
- Uppercase letters not found in the URL

Title Tag

> DEI VOX India | BCP & Boiler Circulation Pump Specialists

- Title length is good

Meta Description Tag

> DEI VOX India Pvt. Ltd. — India's leading Boiler Circulation Pump (BCP) and Boiler Water Circulation Pump specialists. Expert repair, overhauling, motor rewinding, in-situ machining, reverse engineering & spare parts supply. ISO 9001:2015, 14001:2015 & 45001:2018 certified. 24/7 service support.

- Meta description is too long
- Meta description length should be between 140 to 160 characters

Landing Page URL
https://deivoxbcp.com/



Image Analysis

9 images



9 Images

- Images name length is good
- All images have ALT Tags
- 66.7% Image has underscore
- Avoid underscores from the image name. Use hyphens as separators

List of Images

No	URL	Alt Text
1	Logo.png	Deivox Logo
2	hero_industrial.png	Industrial Boiler Circulation Pump Background
3	Logo.png	DEI VOX Logo
4	insitu_machining.png	Insitu Machining

Landing Page URL
https://deivoxbcp.com/



No	URL	Alt Text
5	bcp_overhauling.png	BCP Overhauling
6	motor_rewinding.png	Motor Rewinding
7	spare_parts_selling.png	Spare Parts Selling
8	reverse_engineering.png	Reverse Engineering
9	Logo.png	DEI VOX Logo

Image from different source

No	URL	Alt Text
1	[data:image]	From different source
2	hero_industrial.png	From different source
3	Logo.png	From different source
4	bcp_overhauling.png	From different source
5	reverse_engineering.png	From different source
6	spare_parts_selling.png	From different source
7	motor_rewinding.png	From different source
8	insitu_machining.png	From different source

Landing Page URL
https://deivoxbcp.com/



Heading overview



- This page used h1, h2, h3, h4 tags

H1 Tags (1)

> BeyondMaintenance

- H1 tag found
- Some H1 tags length is between 5 to 49 characters
- All H1 tag has discernible text
- Keep H1 tag length between 50 to 60 characters

Landing Page URL
https://deivoxbcp.com/

54%

H2 Tags (4)

- About DEI VOX
- OUR CORE SOLUTIONS
- WHY CHOOSE DEIVOX?
- DEI VOX India — Pioneers in Boiler Circulation Pump (BCP) Engineering

- H2 tag found
- Some H2 tags length is between 5 to 49 characters
- All H2 tag has discernible text
- Some H2 tags length is too long
- Keep H2 tag length between 50 to 60 characters

H3 Tags (10)

- Empowering The BoilerCirculation Systems!
- Insitu Machining
- BCP Overhauling
- Motor Rewinding
- Spare Parts Selling
- Reverse Engineering
- CERTIFIED EXPERTS

Landing Page URL
https://deivoxbcp.com/

54%

OEM QUALITY PARTS

24/7 SUPPORT

FAST TURNAROUND

- H3 tag found
- Some H3 tags length is between 5 to 49 characters
- All H3 tag has discernible text
- Keep H3 tag length between 50 to 60 characters

H4 Tags (4)

Company

Services

Pump Solutions

Quality

- H4 tag found
- Some H4 tags length is between 5 to 49 characters
- All H4 tag has discernible text
- Keep H4 tag length between 50 to 60 characters

Landing Page URL
https://deivoxbcp.com/



Top 10 Keyphrases With 4 Words



Keyphrases With 4 Words

Keyphrases	Display	Relevance	Title	Meta	H1	H2	H3
abb ge bhel ✓	4	1.5%	✗	✗	✗	✗	✗
ge bhel ✓ gst	4	1.5%	✗	✗	✗	✗	✗
tap to view →	4	1.5%	✗	✗	✗	✗	✗
vox siemens abb ge	4	4.0%	✗	✗	✗	✗	✗
dei vox siemens abb	4	6.5%	✗	✗	✗	✗	✗

Landing Page URL
https://deivoxbcp.com/



Keyphrases	Display	Relevance	Title	Meta	H1	H2	H3
siemens abb ge bhel	4	2.3%	✗	✗	✗	✗	✗
bhel ✓ gst compliant	4	2.3%	✗	✗	✗	✗	✗
boiler circulation pump (bcp	4	12.3%	✗	✓	✗	✓	✗
boiler water circulation pump	4	11.3%	✗	✓	✗	✗	✗
dei vox india pvt	3	7.7%	✗	✓	✗	✗	✗

Top 10 Keyphrases With 3 Words



Landing Page URL
https://deivoxbcp.com/



Keyphrases With 3 Words

Keyphrases	Display	Relevance	Title	Meta	H1	H2	H3
boiler circulation pump	8	10.4%	✓	✓	✗	✓	✗
abb ge bhel	4	1.5%	✗	✗	✗	✗	✗
tap to view	4	1.5%	✗	✗	✗	✗	✗
dei vox india	4	7.1%	✓	✓	✗	✓	✗
siemens abb ge	4	1.5%	✗	✗	✗	✗	✗
dei vox siemens	4	5.8%	✗	✗	✗	✗	✗
vox siemens abb	4	4.0%	✗	✗	✗	✗	✗
circulation pump (bcp	4	8.8%	✗	✓	✗	✓	✗
water circulation pump	4	7.9%	✗	✓	✗	✗	✗
boiler water circulation	4	7.3%	✗	✓	✗	✗	✗

Top 10 Keyphrases With 2 Words



Landing Page URL
https://deivoxbcp.com/





Keyphrases With 2 Words

Keyphrases	Display	Relevance	Title	Meta	H1	H2	H3
dei vox	13	5.0%	✓	✓	✗	✓	✗
circulation pump	12	6.9%	✓	✓	✗	✓	✗
boiler circulation	11	6.3%	✓	✓	✗	✓	✗
spare parts	6	2.5%	✗	✓	✗	✗	✓
reverse engineering	6	2.9%	✗	✓	✗	✗	✓
vox india	4	4.6%	✓	✓	✗	✓	✗
pump repair	4	5.2%	✗	✗	✗	✗	✗
boiler water	4	4.4%	✗	✓	✗	✗	✗
iso 9001:2015	4	2.7%	✗	✓	✗	✗	✗

Landing Page URL
https://deivoxbcp.com/



Keyphrases	Display	Relevance	Title	Meta	H1	H2	H3
water circulation	4	3.8%	✗	✓	✗	✗	✗

Top 10 Keywords With 1 Word



Keywords With 1 Word

Keyword	Display	Relevance	Title	Meta	H1	H2	H3
pump	21	4.0%	✓	✓	✗	✓	✗
boiler	18	3.5%	✓	✓	✗	✓	✓

Landing Page URL
https://deivoxbcp.com/



Keyword	Display	Relevance	Title	Meta	H1	H2	H3
circulation	15	2.9%	✓	✓	✗	✓	✓
dei	13	2.5%	✓	✓	✗	✓	✗
vox	13	2.5%	✓	✓	✗	✓	✗
india	11	2.1%	✓	✓	✗	✓	✗
bcp	10	1.9%	✓	✓	✗	✓	✓
iso	10	1.9%	✗	✓	✗	✗	✗
service	9	1.7%	✗	✓	✗	✗	✗
engineering	9	1.7%	✗	✓	✗	✓	✓

Internal link



35 Links

- All internal links have discernible text
- Internal links don't have a 'nofollow' tag
- Some internal links have been used more than 3 times
- Page should not contain the same internal link more than 3 times

Landing Page URL
https://deivoxbcp.com/

54%

All internal links

No	Anchor Text	Target	Rel Attributes	URL
1	<img alt> Deivox Logo	_self	empty!	/
2	Home	_self	empty!	/
3	About Us	_self	empty!	/about
4	Boiler Circulation Pump	_self	empty!	/boiler-circulation-pump
5	Boiler Water Circulation Pump	_self	empty!	/boiler-wat...lation-pump
6	BCP Pump	_self	empty!	/bcp-pump
7	Submersible Pump Repair	_self	empty!	/submersible-pump-repair
8	Services	_self	empty!	/services
9	ISO Certificate	_self	empty!	/iso-certificate
10	Reach Us	_self	empty!	/contact
11	Explore Solutionsservices	_self	empty!	/services
12	ConsultationCHNL.OPEN	_self	empty!	/contact
13	Explore Solution	_self	empty!	/services#motor-rewinding
14	Boiler Circulation Pump Overhauling	_self	empty!	/boiler-circulation-pump

Landing Page URL
https://deivoxbcp.com/



No	Anchor Text	Target	Rel Attributes	URL
15	Boiler Water Circulation Pump Repair	_self	empty!	/boiler-wat...lation-pump
16	BCP (BCP Pump) Maintenance	_self	empty!	/bcp-pump
17	Submersible Pump Repair & Upgrading	_self	empty!	/submersible-pump-repair
18	In-Situ Machining	_self	empty!	/services#i...u-machining
19	Motor Rewinding	_self	empty!	/services#motor-rewinding
20	Reverse Engineering & Spare Parts	_self	empty!	/services#r...engineering
21	Request a Service Quote	_self	empty!	/contact
22	About Us	_self	empty!	/about
23	ISO Certificate	_self	empty!	/iso-certificate
24	Reach Us	_self	empty!	/contact
25	Insitu Machining	_self	empty!	/services#i...u-machining
26	BCP Overhauling	_self	empty!	/services#bcp-overhauling
27	Motor Rewinding	_self	empty!	/services#motor-rewinding
28	Spare Parts Selling	_self	empty!	/services#s...rts-selling

Landing Page URL
https://deivoxbcp.com/

54%

No	Anchor Text	Target	Rel Attributes	URL
29	Reverse Engineering	_self	empty!	/services#r...engineering
30	Boiler Circulation Pump	_self	empty!	/boiler-circulation-pump
31	Boiler Water Circulation Pump	_self	empty!	/boiler-wat...lation-pump
32	BCP Pump	_self	empty!	/bcp-pump
33	Submersible Pump Repair	_self	empty!	/submersible-pump-repair
34	Privacy	_self	empty!	/
35	Terms	_self	empty!	/

External link

No external link found

Landing Page URL
https://deivoxbcp.com/



Let us help you complete the tasks above and get your web pages and website ranked higher in major search engines like Google. We can help you dramatically increase targeted traffic, conversions, and sales from your website.

If you have any questions regarding this report please send us an email - your@email.com