

# Cucumber Report

4 Nov 2024, 13:56:05

Start : Nov 04, 1:52:40.165 pm

End : Nov 04, 1:56:03.503 pm

Duration : 3 m 23.338 s

Features

Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 3  
FAILED - 0  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Car Valuation</u>	3 m 23.338 s	1	1	0	0	3	3	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	1	1	0	0	3 m 23.338 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	<u>Cars valuation based on extracted vehicle registration numbers</u>	3	3	0	0	3 m 23.327 s

## Car Valuation

<b>PASSED</b>	<b>DURATION - 3 m 23.338 s</b>	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:52:40.165 pm // 1:56:03.503 pm /					

## Cars valuation based on extracted vehicle registration numbers

<b>PASSED</b>	<b>DURATION - 3 m 23.327 s</b>		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:52:40.176 pm // 1:56:03.503 pm /				
Car Valuation				

#	Step / Hook Details	Status	Duration
1	Given I have the input file "car_input2.txt" and the output file "car_output2.txt"	PASSED	0.112 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	1.058 s
	image		
2	When I fetch vehicle details for each registration from the car valuation website	PASSED	3 m 16.813 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
	image		
			

#	Step / Hook Details	Status	Duration
3	Then the fetched details should match with the output file	PASSED	0.005 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	image		
	