
Cucumber Report



| Feature | | Scenario | | | | Step | | | |
|----------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Car Valuation</u> | 19.869 s | 1 | 0 | 1 | 0 | 3 | 1 | 1 | 1 |


FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|----------------------|--|
| 1 | <u>Car Valuation</u> | Cars valuation based on extracted vehicle registration numbers |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|----------------------|---|---|---|---|----------|
| 1 | <u>Car Valuation</u> | 1 | 0 | 1 | 0 | 19.869 s |




| 7 | # Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------|--|---|---|---|---|----------|
| - | Car Valuation | Cars valuation based on extracted vehicle registration | 3 | 1 | 1 | 1 | 19.855 s |
| | | numbers | | | | | |

DETAILED SECTION -- 6 --

Car Valuation

| FAILED | DURATION - 19.869 s | Scenarios | | Steps | |
|--------------------|---------------------|-----------|---|-----------|-------|
| | | Total - 1 | | Total - 3 | |
| / 2:11:27.302 pm / | // 2:11:47.171 pm / | Pass - 0 | 1 | Pass - 1 | 3 |
| | | Fail - 1 | | Fail - 1 | 🦊 ് 🌽 |
| | | Skip - 0 | | Skip - 1 | |

Cars valuation based on extracted vehicle registration numbers



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I have the input file "car_input2.txt" and the output file "car_output2.txt" | PASSED | 0.066 s |
| | AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 1.108 s |
| | image | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 2 | When I fetch vehicle details for each registration from the car valuation website | FAILED | 12.436 s |
| | java.lang.NullPointerException: Cannot invoke "pageObjects.VehicleDetailsPage.getCarDetails(org.openqa.selenium.WebDriver, String)" | | |
| | because "this.vehicleDetailsPage" is null at stepDefinitions.CarRegExtractionAndValuation. | | |
| | i_fetch_vehicle_details_for_each_registration_from_the_car_valuation_website(CarRegExtractionAndValuation.java:49) | | |
| | at ?.I fetch vehicle details for each registration from the car valuation website(file:///C:/Coy/BlueSkyCitadel/Code/Automations/src/test/ | | |
| | resources/features/CarValuation.feature:5) | | |
| - | * Not displayable characters are replaced by '?'. | DAGGED | 1 000 - |
| | AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 1.899 s |

DETAILED SECTION -- 7 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | image | | |
| | With Sparry Car. What we do to the sparry Carlot (a) Shell Corr. Was placement as a when the sparry Carlot (a) Shell Co | | |
| | 30 second car voluntion ADS8VNF AND AND AND AND AND AND AND A | | |
| 3 | Then the fetched details should match with the output file | SKIPPED | 0.002 s |