Cucumber Report

Start : Nov 04, 2:35:21.130 pm	End : Nov 04, 2:36:54.764 pm	Duration : 1 m 33.634 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 3 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Car Valuation	1 m 33.634 s	1	1	0	0	3	3	0	0

| #	Feature Name	T	P	F	S	Duration
1	Car Valuation	1	1	0	0	1 m 33.634 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Car Valuation	Cars valuation based on extracted vehicle registration numbers	3	3	0	0	1 m 33.628 s

Car Valuation

PASSED	DURATION - 1 m 33.634 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 2:35:21.130 pm // 2:36:54.764 pm /						

Cars valuation based on extracted vehicle registration numbers

PASSED	DURATION - 1 m 33.628 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 2:35:21.136 pm // 2:36:54.764 pm /				
Car Valuation				

#	Step / Hook Details	Status	Duration
1	Given I have the input file "car_input2.txt" and the output file "car_output2.txt"	PASSED	0.074 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.626 s
2	When I fetch vehicle details for each registration from the car valuation website	PASSED	1 m 28.889 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.363 s

#	Step / Hook Details	Status	Duration
3	Then the fetched details should match with the output file	PASSED	0.004 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.438 s
	image		